

# BATTERY PASSPORT - RESEARCH PROTOTYPE

*Not a certified battery passport. Fields are oriented on Regulation (EU) 2023/1542, Annex XIII.*

Generated (UTC): 2026-09-30T19:28:49Z

---

## 1. Battery and data-source provenance

Battery ID: \_phase0\_hnei\_upload\_test.csv

Data source: Uploaded

Provenance: user-uploaded cycle data

Model: multi-source candidate model (encoder: candidate\_v1)

---

## 2. State of health

**State of health: 97.3 %**

90% interval: 92.4 - 102.2 %

90% conformal interval calibrated on known sources

---

## 3. Expected remaining life

**Expected remaining life: not shown**

Reason: its nearest known source is snl, which the RUL model was never trained on (it only saw NASA+MIT)

RUL is shown only when the nearest known source is NASA or MIT and the battery is not flagged

---

## 4. Cycle count

Cycles available for this battery in this app: 30    Assessed cycle: 30

---

## 5. Trust status of this assessment

**No distribution shift detected (this is not a guarantee)**

Nearest known source: snl    score nll\_min = -5.6 (flagged if  $\geq -5.52$ )

Stated detection rate: the check flagged 81.9% of batteries from a source it had never seen and wrongly flagged 11.0% of batteries from known sources (leave-one-source-out over 16 sources). It is weakest for mich, NASA, snl. About 1 in 5 unfamiliar batteries are not detected; check against a measured capacity when possible.

Typical SOH error (MAE, points): 1.31 for the nearest known source vs about 5.9 on an unseen source

**Guarantee: none - this is a screening check.**

---

## 6. Disclaimer

RESEARCH PROTOTYPE - NOT A CERTIFIED BATTERY PASSPORT. This document is generated by a university research project (CellSense). It is not issued under, and makes no claim of compliance with, Regulation (EU) 2023/1542. The numbers are model estimates with the stated uncertainty and limits; they are not measurements and must not be used for safety-critical, commercial or legal decisions without an independent measured capacity test.

Routing was selected on held-out data, so it is a deployment choice, not an unbiased test result.