

PDD Top-K Experiment Results

datadriftR DMKD

2026-04-27

Comparison of drift detection methods across five datasets. Each method is run with three models (LR = logistic regression, DT = decision tree, RF = random forest) and three batch configurations (B10 / B20 / B30). **PDD_C** replicates the original single-variable PDD; **PDD_1/2/3** monitor the top-k important variables dynamically.

Test/Train Accuracy per Batch (article Table acc_batch equivalent)

Initial-fit accuracies extracted from **Base Test** / **Base Train** rows in each dataset CSV.

Dataset	Model	B10 test	B10 train	B20 test	B20 train	B30 test	B30 train
SEA	LR	0.8579	0.8966	0.8946	0.9032	0.9007	0.9057
	DT	0.8576	0.8801	0.8696	0.8850	0.8797	0.8850
	RF	0.8537	0.9991	0.8896	0.9989	0.9007	0.9991
Hyperplane	LR	0.6165	0.7320	0.6717	0.7122	0.5113	0.7580
	DT	0.7079	0.7406	0.7266	0.7094	0.4276	0.7575
	RF	0.6524	0.9992	0.6692	0.9984	0.4799	0.9978
NOAA	LR	0.7748	0.7999	0.8118	0.8041	0.8173	0.8014
	DT	0.7500	0.7881	0.7734	0.7996	0.7808	0.7990
	RF	0.7723	0.9996	0.8338	0.9997	0.8154	0.9995
Ozone	LR	0.9647	0.9526	0.8155	1.0000	0.9054	1.0000
	DT	0.9882	0.9511	0.8544	0.9554	0.9730	0.9308
	RF	0.9941	1.0000	0.9806	1.0000	1.0000	1.0000
Elec2	LR	0.8154	0.8200	0.8043	0.8081	0.8156	0.8188
	DT	0.7955	0.8264	0.8649	0.8238	0.8025	0.8316
	RF	0.8107	0.8424	0.8142	0.8367	0.8040	0.8418
Friedman (RMSE)	LR	2.6432	2.5926	2.5591	2.5579	2.5958	2.5463
	DT	3.0254	2.9843	3.1574	2.9204	3.0400	2.9744
	RF	1.6639	0.7431	1.8074	0.7709	1.7661	0.7949

Elec2

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
HDDM_A	LR	0.6983	10	0.6836	20	0.7099	30
	DT	0.7255	10	0.7409	20	0.7450	30
	RF	0.7029	10	0.7243	20	0.7374	30
HDDM_W	LR	0.6983	10	0.6836	20	0.7099	30
	DT	0.7255	10	0.7409	20	0.7450	30
	RF	0.7029	10	0.7243	20	0.7374	30
KSWIN	LR	0.6983	10	0.6836	20	0.7099	30
	DT	0.7255	10	0.7409	20	0.7450	30
	RF	0.7029	10	0.7243	20	0.7374	30
PH	LR	0.6983	10	0.7342	13	0.7390	16
	DT	0.7215	9	0.7417	15	0.7502	16

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
DDM	RF	0.6992	8	0.7103	11	0.7368	16
	LR	0.6983	10	0.6836	20	0.7099	30
	DT	0.7255	10	0.7409	20	0.7450	30
EDDM	RF	0.7029	10	0.7250	16	0.7253	17
	LR	0.6983	10	0.6836	20	0.7099	30
	DT	0.7255	10	0.7409	20	0.7450	30
PDD_C	RF	0.7029	10	0.7243	20	0.7374	30
	LR	0.6740	8	0.7349	4	0.7402	12
	DT	0.7253	1	0.7392	1	0.7429	5
PDD_1	RF	0.7093	3	0.7311	0	0.7449	3
	LR	0.7243	2	0.7321	4	0.7308	11
	DT	0.7253	1	0.7392	1	0.7441	4
PDD_2	RF	0.7204	1	0.7311	0	0.7449	2
	LR	0.7243	2	0.7262	5	0.7359	10
	DT	0.7234	1	0.7061	3	0.7442	10
PDD_3	RF	0.6897	5	0.7014	3	0.7355	15
	LR	0.7243	2	0.7262	5	0.6862	11
	DT	0.7308	3	0.7061	3	0.7472	16
	RF	0.6897	5	0.7014	3	0.7274	16

Hyperplane

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
HDDM_A	LR	0.8662	1	0.8204	2	0.7568	3
	DT	0.8398	0	0.7670	3	0.6921	3
	RF	0.7834	0	0.6809	1	0.6267	1
HDDM_W	LR	0.8377	1	0.8456	3	0.8152	4
	DT	0.8398	0	0.7752	2	0.7316	4
	RF	0.7794	2	0.7615	3	0.7536	6
KSWIN	LR	0.8639	9	0.8458	13	0.8285	18
	DT	0.8520	9	0.8429	17	0.8162	19
	RF	0.8219	10	0.8144	17	0.7948	22
PH	LR	0.8648	0	0.8187	1	0.7455	2
	DT	0.8398	0	0.7014	1	0.6929	1
	RF	0.7834	0	0.7033	1	0.6267	1
DDM	LR	0.8648	0	0.8071	1	0.7455	2
	DT	0.8398	0	0.7014	1	0.7283	3
	RF	0.7834	0	0.7290	3	0.6267	1
EDDM	LR	0.8648	0	0.8485	13	0.8348	5
	DT	0.8496	10	0.8562	15	0.8379	11
	RF	0.7834	0	0.8072	16	0.7957	24
PDD_C	LR	0.8648	0	0.6792	0	0.5219	0
	DT	0.8435	1	0.8242	15	0.4924	1
	RF	0.7831	1	0.7189	4	0.5099	0
PDD_1	LR	0.8648	0	0.6792	0	0.5219	0
	DT	0.8474	1	0.7943	2	0.4552	0
	RF	0.7831	0	0.6971	1	0.5099	0
PDD_2	LR	0.8648	0	0.6792	0	0.5219	0
	DT	0.8474	1	0.7819	6	0.7629	13
	RF	0.8193	4	0.7433	6	0.6617	9
PDD_3	LR	0.8648	0	0.6792	0	0.5219	0
	DT	0.8474	1	0.7819	6	0.7629	13
	RF	0.8193	4	0.7433	6	0.6617	9

NOAA

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
HDDM_A	LR	0.7736	5	0.7696	7	0.7777	3
	DT	0.7293	8	0.7435	9	0.7440	8
	RF	0.7796	0	0.7812	5	0.7770	2
HDDM_W	LR	0.7736	7	0.7712	12	0.7799	12
	DT	0.7385	10	0.7345	16	0.7385	23
	RF	0.7877	4	0.7805	11	0.7824	9
KSWIN	LR	0.7755	10	0.7755	20	0.7788	27
	DT	0.7385	10	0.7334	20	0.7406	30
	RF	0.7914	10	0.7894	18	0.7922	26
PH	LR	0.7707	3	0.7680	3	0.7792	3
	DT	0.7402	2	0.7387	2	0.7276	2
	RF	0.7877	3	0.7784	3	0.7792	3
DDM	LR	0.7716	4	0.7746	10	0.7715	10
	DT	0.7422	3	0.7334	20	0.7398	21
	RF	0.7809	1	0.7916	20	0.7829	8
EDDM	LR	0.7755	10	0.7755	20	0.7780	30
	DT	0.7385	10	0.7334	20	0.7406	30
	RF	0.7914	10	0.7916	20	0.7941	30
PDD_C	LR	0.7700	1	0.7694	2	0.7705	4
	DT	0.7264	2	0.7403	0	0.7352	3
	RF	0.7881	5	0.7676	0	0.7913	22
PDD_1	LR	0.7713	2	0.7680	1	0.7784	4
	DT	0.7264	2	0.7398	2	0.7306	5
	RF	0.7875	3	0.7676	0	0.7863	6
PDD_2	LR	0.7729	3	0.7698	2	0.7744	10
	DT	0.7318	2	0.7369	10	0.7307	8
	RF	0.7880	4	0.7676	1	0.7856	10
PDD_3	LR	0.7729	3	0.7698	2	0.7744	10
	DT	0.7407	7	0.7382	13	0.7414	13
	RF	0.7880	4	0.7676	1	0.7871	12

Ozone

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
HDDM_A	LR	0.9294	0	0.8942	2	0.8116	0
	DT	0.9487	0	0.9101	1	0.9036	2
	RF	0.9508	0	0.9427	1	0.9374	0
HDDM_W	LR	0.9294	0	0.8907	1	0.8526	1
	DT	0.9487	0	0.9101	1	0.9122	2
	RF	0.9508	0	0.9427	1	0.9401	1
KSWIN	LR	0.9396	3	0.9164	2	0.9144	5
	DT	0.9444	3	0.9242	4	0.9149	5
	RF	0.9529	1	0.9383	4	0.9437	3
PH	LR	0.9294	0	0.8502	0	0.8116	0
	DT	0.9487	0	0.8911	0	0.8725	0
	RF	0.9508	0	0.9422	0	0.9374	0
DDM	LR	0.9406	4	0.9155	6	0.8706	2
	DT	0.9358	7	0.9149	6	0.9329	4
	RF	0.9513	2	0.9427	2	0.9437	3
EDDM	LR	0.9396	2	0.9183	4	0.8842	6
	DT	0.9412	2	0.9164	4	0.9185	5
	RF	0.9524	2	0.9441	3	0.9437	3

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
PDD_C	LR	0.9300	2	0.9126	2	0.8722	3
	DT	0.9435	0	0.8915	1	0.9140	10
	RF	0.9459	5	0.9422	0	0.9455	12
PDD_1	LR	0.9288	1	0.9121	6	0.9027	7
	DT	0.9435	0	0.8911	0	0.8964	1
	RF	0.9453	1	0.9422	0	0.9423	1
PDD_2	LR	0.9288	1	0.9180	10	0.9009	17
	DT	0.9435	0	0.9232	11	0.8964	1
	RF	0.9453	1	0.9413	11	0.9441	1
PDD_3	LR	0.9288	1	0.9180	10	0.9131	12
	DT	0.9394	1	0.9233	15	0.8964	1
	RF	0.9453	1	0.9427	9	0.9441	1

SEA

Method	Model	B10 Acc	B10 #dr	B20 Acc	B20 #dr	B30 Acc	B30 #dr
HDDM_A	LR	0.8306	1	0.8462	2	0.8447	2
	DT	0.8318	2	0.8400	2	0.8358	2
	RF	0.8307	1	0.8417	2	0.8383	2
HDDM_W	LR	0.8279	3	0.8443	2	0.8407	2
	DT	0.8248	3	0.8389	2	0.8354	2
	RF	0.8259	3	0.8412	4	0.8371	2
KSWIN	LR	0.8292	10	0.8455	20	0.8422	30
	DT	0.8294	10	0.8440	20	0.8376	29
	RF	0.8267	10	0.8422	20	0.8396	28
PH	LR	0.8337	1	0.8447	3	0.8437	3
	DT	0.8307	1	0.8424	3	0.8368	3
	RF	0.8300	1	0.8418	3	0.8392	3
DDM	LR	0.8284	0	0.8460	3	0.8426	5
	DT	0.8267	0	0.8432	1	0.8356	3
	RF	0.8269	0	0.8427	3	0.8378	3
EDDM	LR	0.8292	10	0.8455	20	0.8381	12
	DT	0.8291	9	0.8435	18	0.8340	8
	RF	0.8267	10	0.8422	19	0.8391	13
PDD_C	LR	0.8284	0	0.8352	0	0.8392	0
	DT	0.8230	1	0.8325	3	0.8349	8
	RF	0.8283	5	0.8348	8	0.8377	18
PDD_1	LR	0.8284	0	0.8352	0	0.8392	0
	DT	0.8267	0	0.8341	1	0.8357	2
	RF	0.8267	1	0.8347	4	0.8383	3
PDD_2	LR	0.8284	0	0.8352	0	0.8392	0
	DT	0.8267	0	0.8354	1	0.8374	3
	RF	0.8267	1	0.8347	4	0.8363	1
PDD_3	LR	0.8284	0	0.8352	0	0.8392	0
	DT	0.8238	7	0.8341	8	0.8374	3
	RF	0.8249	3	0.8347	4	0.8363	1

Friedman (5x L2/L2Der)

Method	Model	B10 RMSE	B10 #dr	B20 RMSE	B20 #dr	B30 RMSE	B30 #dr
KSWIN	LR	2.8356	10	2.8007	19	2.7835	30
	DT	3.3364	10	3.2765	19	3.2875	23

Method	Model	B10 RMSE	B10 #dr	B20 RMSE	B20 #dr	B30 RMSE	B30 #dr
PH	RF	1.9987	10	1.9282	20	1.9244	25
	LR	2.8328	5	2.7974	10	2.7755	9
	DT	3.3596	9	3.2813	16	3.2710	16
PDD_C	RF	2.0574	3	2.0654	5	2.0139	7
	LR	2.8432	1	2.8073	1	2.7996	0
	DT	3.2839	0	3.2387	0	3.2443	0
PDD_1	RF	2.0911	0	2.0981	0	2.0936	0
	LR	2.8422	0	2.8092	1	2.7996	0
	DT	3.2839	0	3.2387	0	3.2443	0
PDD_2	RF	2.0911	0	2.0981	0	2.0936	0
	LR	2.8422	0	2.8092	1	2.7924	2
	DT	3.2839	0	3.2387	0	3.2443	0
PDD_3	RF	2.0911	0	2.0981	0	2.0936	0
	LR	2.8422	0	2.8092	1	2.7840	11
	DT	3.2839	0	3.2387	0	3.2443	0
	RF	2.0911	0	2.0981	0	2.0936	0

Friedman — Threshold Sweep (l2_coef = l2der_coef in {1..5})

Method	Model	Batch	1x RMSE	1x #dr	2x RMSE	2x #dr	3x RMSE	3x #dr	4x RMSE	4x #dr	5x RMSE	5x #dr
KSWIN	LR	10	2.8356	10	2.8356	10	2.8356	10	2.8356	10	2.8356	10
		20	2.8007	19	2.8007	19	2.8007	19	2.8007	19	2.8007	19
		30	2.7835	30	2.7835	30	2.7835	30	2.7835	30	2.7835	30
	DT	10	3.3364	10	3.3364	10	3.3364	10	3.3364	10	3.3364	10
		20	3.2765	19	3.2765	19	3.2765	19	3.2765	19	3.2765	19
		30	3.2875	23	3.2875	23	3.2875	23	3.2875	23	3.2875	23
	RF	10	1.9987	10	1.9987	10	1.9987	10	1.9987	10	1.9987	10
		20	1.9282	20	1.9282	20	1.9282	20	1.9282	20	1.9282	20
		30	1.9244	25	1.9244	25	1.9244	25	1.9244	25	1.9244	25
PH	LR	10	2.8328	5	2.8328	5	2.8328	5	2.8328	5	2.8328	5
		20	2.7974	10	2.7974	10	2.7974	10	2.7974	10	2.7974	10
		30	2.7755	9	2.7755	9	2.7755	9	2.7755	9	2.7755	9
	DT	10	3.3596	9	3.3596	9	3.3596	9	3.3596	9	3.3596	9
		20	3.2813	16	3.2813	16	3.2813	16	3.2813	16	3.2813	16
		30	3.2710	16	3.2710	16	3.2710	16	3.2710	16	3.2710	16
	RF	10	2.0574	3	2.0574	3	2.0574	3	2.0574	3	2.0574	3
		20	2.0654	5	2.0654	5	2.0654	5	2.0654	5	2.0654	5
		30	2.0139	7	2.0139	7	2.0139	7	2.0139	7	2.0139	7
PDD_CLR	LR	10	2.8332	3	2.8443	2	2.8443	2	2.8443	2	2.8432	1
		20	2.8073	1	2.8073	1	2.8073	1	2.8073	1	2.8073	1
		30	2.7924	1	2.7944	1	2.7996	0	2.7996	0	2.7996	0
	DT	10	3.3460	3	3.2839	0	3.2839	0	3.2839	0	3.2839	0
		20	3.2936	2	3.2626	4	3.2603	2	3.2387	0	3.2387	0
		30	3.2560	2	3.2688	1	3.2443	0	3.2443	0	3.2443	0
	RF	10	2.0112	8	2.0444	2	2.0911	0	2.0911	0	2.0911	0
		20	1.9320	17	1.9657	7	2.0981	0	2.0981	0	2.0981	0
		30	2.0467	4	2.0936	0	2.0936	0	2.0936	0	2.0936	0
PDD_1LR	LR	10	2.8438	4	2.8422	0	2.8422	0	2.8422	0	2.8422	0
		20	2.8073	1	2.8073	1	2.8092	1	2.8092	1	2.8092	1
		30	2.7943	1	2.7943	1	2.7996	0	2.7996	0	2.7996	0
	DT	10	3.3367	1	3.2839	0	3.2839	0	3.2839	0	3.2839	0
		20	3.2287	4	3.2612	1	3.2129	1	3.2387	0	3.2387	0
		30	3.2846	8	3.2443	0	3.2443	0	3.2443	0	3.2443	0

Method	Model	Batch	1x RMSE	1x #dr	2x RMSE	2x #dr	3x RMSE	3x #dr	4x RMSE	4x #dr	5x RMSE	5x #dr
PDD_2LR	RF	10	2.0503	1	2.0911	0	2.0911	0	2.0911	0	2.0911	0
		20	1.9772	10	2.0379	2	2.0981	0	2.0981	0	2.0981	0
		30	1.9993	18	2.0936	0	2.0936	0	2.0936	0	2.0936	0
	DT	10	2.8430	5	2.8422	4	2.8411	1	2.8422	0	2.8422	0
		20	2.8079	2	2.8079	2	2.8092	1	2.8092	1	2.8092	1
		30	2.7874	27	2.7811	19	2.7922	4	2.7922	3	2.7924	2
	RF	10	3.3494	4	3.3190	1	3.2839	1	3.2839	0	3.2839	0
		20	3.2255	9	3.2612	1	3.2129	1	3.2387	0	3.2387	0
		30	3.2475	20	3.2443	0	3.2443	0	3.2443	0	3.2443	0
PDD_3LR	RF	10	2.0084	9	2.0911	0	2.0911	0	2.0911	0	2.0911	0
		20	1.9535	16	2.0379	2	2.0981	0	2.0981	0	2.0981	0
		30	1.9712	17	2.0631	3	2.0751	1	2.0936	0	2.0936	0
	DT	10	2.8422	6	2.8403	4	2.8411	1	2.8413	2	2.8422	0
		20	2.8001	18	2.7963	10	2.8092	1	2.8092	1	2.8092	1
		30	2.7830	28	2.7867	26	2.7824	24	2.7845	14	2.7840	11
	RF	10	3.3264	8	3.3114	3	3.2839	1	3.2839	0	3.2839	0
		20	3.2799	15	3.2629	2	3.2129	1	3.2387	0	3.2387	0
		30	3.2765	24	3.2379	2	3.2443	0	3.2443	0	3.2443	0
	DT	10	2.0054	7	2.0911	0	2.0911	0	2.0911	0	2.0911	0
		20	1.9415	17	2.0205	4	2.0981	0	2.0981	0	2.0981	0
		30	1.9433	24	2.0347	6	2.0751	1	2.0936	0	2.0936	0

NOAA — Robust (regularize=strong) vs Original

Regularization closes the train-test overfit gap and restores PDD drift sensitivity. Reviewer #1.5 specifically flagged NOAA RF / Batch 20 where original PDD fired 0 drifts despite accuracy collapse — that silence is broken under the regularized model.

Train accuracy / overfit gap (Base Train comparison)

Model	Batch	Orig train acc	Robust train acc	Robust gap (train-test)
RF	10	0.9996	0.8883	0.1110
RF	20	0.9997	0.8933	0.0704
RF	30	0.9995	0.9051	0.0820
DT	10	0.7881	0.7881	0.0381
DT	20	0.7996	0.7934	0.0297
DT	30	0.7990	0.7933	0.0106
LR	10	0.7999	0.0704	-0.0014
LR	20	0.8041	0.0713	0.0136
LR	30	0.8014	0.0752	0.0367

Drift counts and accuracy (orig → robust)

Method	Model	B10 orig	B10 robust	B20 orig	B20 robust	B30 orig	B30 robust
HDDM_A	RF	0.7796/0	0.7848/2	0.7812/5	0.7797/3	0.7770/2	0.7782/4
	DT	0.7293/8	0.7283/8	0.7435/9	0.7422/6	0.7440/8	0.7426/7
	LR	0.7736/5	0.0643/1	0.7696/7	0.0576/1	0.7777/3	0.0517/1
HDDM_W	RF	0.7877/4	0.7891/6	0.7805/11	0.7881/10	0.7824/9	0.7867/11
	DT	0.7385/10	0.7385/10	0.7345/16	0.7388/16	0.7385/23	0.7410/22
	LR	0.7736/7	0.0638/2	0.7712/12	0.0551/3	0.7799/12	0.0518/3

Method	Model	B10 orig	B10 robust	B20 orig	B20 robust	B30 orig	B30 robust
KSWIN	RF	0.7914/10	0.7937/10	0.7894/18	0.7902/19	0.7922/26	0.7940/25
	DT	0.7385/10	0.7385/10	0.7334/20	0.7330/20	0.7406/30	0.7404/30
	LR	0.7755/10	0.0711/10	0.7755/20	0.0641/15	0.7788/27	0.0600/19
PH	RF	0.7877/3	0.7860/3	0.7784/3	0.7803/3	0.7792/3	0.7804/3
	DT	0.7402/2	0.7402/2	0.7387/2	0.7331/2	0.7276/2	0.7338/3
	LR	0.7707/3	0.0643/0	0.7680/3	0.0576/0	0.7792/3	0.0517/0
DDM	RF	0.7809/1	0.7857/3	0.7916/20	0.7918/19	0.7829/8	0.7917/10
	DT	0.7422/3	0.7422/3	0.7334/20	0.7330/20	0.7398/21	0.7396/21
	LR	0.7716/4	0.0694/2	0.7746/10	0.0619/1	0.7715/10	0.0558/1
EDDM	RF	0.7914/10	0.7937/10	0.7916/20	0.7918/20	0.7941/30	0.7966/30
	DT	0.7385/10	0.7385/10	0.7334/20	0.7330/20	0.7406/30	0.7404/30
	LR	0.7755/10	0.0711/10	0.7755/20	0.0613/1	0.7780/30	0.0622/4
PDD_C	RF	0.7881/5	0.7922/8	0.7676/0	0.7810/5	0.7913/22	0.7688/1
	DT	0.7264/2	0.7264/2	0.7403/0	0.7360/1	0.7352/3	0.7352/10
	LR	0.7700/1	0.0652/1	0.7694/2	0.0648/2	0.7705/4	0.0556/4
PDD_1	RF	0.7875/3	0.7861/4	0.7676/0	0.7671/0	0.7863/6	0.7688/1
	DT	0.7264/2	0.7264/2	0.7398/2	0.7355/2	0.7306/5	0.7338/3
	LR	0.7713/2	0.0678/2	0.7680/1	0.0604/1	0.7784/4	0.0579/4
PDD_2	RF	0.7880/4	0.7881/6	0.7676/1	0.7718/5	0.7856/10	0.7908/9
	DT	0.7318/2	0.7318/2	0.7369/10	0.7355/2	0.7307/8	0.7352/4
	LR	0.7729/3	0.0684/3	0.7698/2	0.0599/2	0.7744/10	0.0591/10
PDD_3	RF	0.7880/4	0.7913/7	0.7676/1	0.7718/5	0.7871/12	0.7918/18
	DT	0.7407/7	0.7401/7	0.7382/13	0.7355/2	0.7414/13	0.7352/4
	LR	0.7729/3	0.0684/3	0.7698/2	0.0633/2	0.7744/10	0.0591/10

Ozone — Robust (regularize=strong) vs Original

Regularization closes the train-test overfit gap and restores PDD drift sensitivity. Reviewer #1.5 specifically flagged NOAA RF / Batch 20 where original PDD fired 0 drifts despite accuracy collapse — that silence is broken under the regularized model.

Train accuracy / overfit gap (Base Train comparison)

Model	Batch	Orig train acc	Robust train acc	Robust gap (train-test)
RF	10	1.0000	0.9570	-0.0136
RF	20	1.0000	0.9802	0.1258
RF	30	1.0000	0.9758	0.0163
DT	10	0.9511	0.9259	-0.0682
LR	10	0.9526	0.0133	-0.0161
LR	20	1.0000	0.0000	-0.1748
LR	30	1.0000	0.0000	-0.0946

Drift counts and accuracy (orig → robust)

Method	Model	B10 orig	B10 robust	B20 orig	B20 robust	B30 orig	B30 robust
HDDM_A	RF	0.9508/0	0.9187/1	0.9427/1	0.8868/2	0.9374/0	0.8932/4
	DT	0.9487/0	0.9422/0	0.9101/1	—/—	0.9036/2	—/—
	LR	0.9294/0	0.0348/0	0.8942/2	0.1066/0	0.8116/0	0.1323/1
HDDM_W	RF	0.9508/0	0.9037/0	0.9427/1	0.8882/2	0.9401/1	0.8739/2
	DT	0.9487/0	0.9396/1	0.9101/1	—/—	0.9122/2	—/—
	LR	0.9294/0	0.0348/0	0.8907/1	0.1066/0	0.8526/1	0.1497/0

Method	Model	B10 orig	B10 robust	B20 orig	B20 robust	B30 orig	B30 robust
KSWIN	RF	0.9529/1	0.9289/4	0.9383/4	0.8956/6	0.9437/3	0.9005/9
	DT	0.9444/3	0.9401/3	0.9242/4	—/—	0.9149/5	—/—
	LR	0.9396/3	0.0348/0	0.9164/2	0.0656/1	0.9144/5	0.0689/3
PH	RF	0.9508/0	0.9037/0	0.9422/0	0.8552/0	0.9374/0	0.8473/0
	DT	0.9487/0	0.9422/0	0.8911/0	—/—	0.8725/0	—/—
	LR	0.9294/0	0.0348/0	0.8502/0	0.1066/0	0.8116/0	0.1497/0
DDM	RF	0.9513/2	0.9278/9	0.9427/2	0.8947/4	0.9437/3	0.8982/9
	DT	0.9358/7	0.9369/7	0.9149/6	—/—	0.9329/4	—/—
	LR	0.9406/4	0.0348/0	0.9155/6	0.1066/0	0.8706/2	0.1323/1
EDDM	RF	0.9524/2	0.9235/4	0.9441/3	0.8980/5	0.9437/3	0.8905/6
	DT	0.9412/2	0.9396/3	0.9164/4	—/—	0.9185/5	—/—
	LR	0.9396/2	0.0241/2	0.9183/4	0.0492/2	0.8842/6	0.0758/6
PDD_C	RF	0.9459/5	0.9129/1	0.9422/0	0.8995/12	0.9455/12	0.9023/14
	DT	0.9435/0	0.9365/1	0.8915/1	—/—	0.9140/10	—/—
	LR	0.9300/2	0.0294/2	0.9126/2	0.0408/2	0.8722/3	0.0845/3
PDD_1	RF	0.9453/1	0.9129/1	0.9422/0	0.8863/3	0.9423/1	0.9005/16
	DT	0.9435/0	0.9365/1	0.8911/0	—/—	0.8964/1	—/—
	LR	0.9288/1	0.0306/1	0.9121/6	0.0423/6	0.9027/7	0.0559/7
PDD_2	RF	0.9453/1	0.9129/1	0.9413/11	0.8966/7	0.9441/1	0.9023/19
	DT	0.9435/0	0.9335/1	0.9232/11	—/—	0.8964/1	—/—
	LR	0.9288/1	0.0306/1	0.9180/10	0.0403/10	0.9009/17	0.0559/17
PDD_3	RF	0.9453/1	0.9129/1	0.9427/9	0.8985/10	0.9441/1	0.9063/22
	DT	0.9394/1	0.9335/1	0.9233/15	—/—	0.8964/1	—/—
	LR	0.9288/1	0.0306/1	0.9180/10	0.0403/10	0.9131/12	0.0482/12