








Layer	Name	Gerber	Thickness	Constant
	Top Overlay	GTO		
	Top Solder	GTS	0.008mm	3.5
1	TOP	GTL	0.047mm	
	Dielectric1		0.110mm	4.15
2	G1	GP1	0.018mm	
	Dielectric7		0.100mm	4.25
3	L1	G1	0.018mm	
	Dielectric2		0.110mm	4.15
4	P3	GP2	0.018mm	
	Dielectric9		0.100mm	4.25
5	L2	G2	0.018mm	
	Dielectric3		0.110mm	4.15
6	G2	GP3	0.018mm	
	Dielectric8		0.100mm	4.25
7	L3	G3	0.018mm	
	Dielectric 1		0.110mm	4.15
8	P4	GP4	0.018mm	
	Dielectric10		0.100mm	4.25
9	GND	GP5	0.018mm	
	Dielectric13		0.110mm	4.15
10	L5	G4	0.018mm	
	Dielectric4		0.100mm	4.25
11	P6	GP6	0.018mm	
	Dielectric11		0.110mm	4.15
12	L6	G5	0.018mm	
	Dielectric5		0.100mm	4.25
13	G3	GP7	0.018mm	
	Dielectric12		0.110mm	4.15
14	BTM	GBL	0.047mm	
	Bottom Solder	GBS	0.008mm	3.5
	Bottom Overlay	GB0		



Layer	Name	Gerber	Thickness	Constant
	Top Overlay	GT0		
	Top Solder	GTS	0.008mm	3.5
1	TOP	GTL	0.047mm	
	Dielectric1		0.110mm	4.15
2	G1	GP1	0.018mm	
	Dielectric7		0.100mm	4.25
3	L1	G1	0.018mm	
	Dielectric2		0.110mm	4.15
4	P3	GP2	0.018mm	
	Dielectric9		0.100mm	4.25
5	L2	G2	0.018mm	
	Dielectric3		0.110mm	4.15
6	G2	GP3	0.018mm	
	Dielectric8		0.100mm	4.25
7	L3	G3	0.018mm	
	Dielectric 1		0.110mm	4.15
8	P4	GP4	0.018mm	
	Dielectric10		0.100mm	4.25
9	GND	GP5	0.018mm	
	Dielectric13		0.110mm	4.15
10	L5	G4	0.018mm	
	Dielectric4		0.100mm	4.25
11	P6	GP6	0.018mm	
	Dielectric11		0.110mm	4.15
12	L6	G5	0.018mm	
	Dielectric5		0.100mm	4.25
13	G3	GP7	0.018mm	
	Dielectric12		0.110mm	4.15
14	BTM	GBL	0.047mm	
	Bottom Solder	GBS	0.008mm	3.5
	Bottom Overlay	GB0		