



Technical Service Bulletin

Technical Service Bulletin: TSB200091

Released Date: 22-Jan-2026

New CM2940 Replacement for CM400 (24V only)

New CM2940 Replacement for CM400 (24V only)

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

Product Affected

Superseding part used in following configurations for K19, K38, K50 CENTRY 24V only fuel system engines.

D192027CX02	KT19-C
D193028CX02	KTA19-C
D193029CX02	KTA19-C
D193064MX02	KTA19-M
D193077CX02	KTTA19-C
D193080MX02	KTA19-M3/M4
D232024CX02	KT38-C
D233017CX02	KTTA38-C
D233025CX02	KTA38-C
D233026CX02	KTA38-C
D233034MX02	KTA38-M0/M1/M
D233035CX02	KTTA 38-C1500
D283004LX02	KTA50-L
D283018CX02	KTA50-C
D283019CX02	KTTA50-C
D283026CX02	KTTA50-C2000
D283028CX02	KTA 50-C1800
D283033MX02	KTA50-M2

Description of Change

This document announces the release of new engine control module (ECM) part number.

Reason for Change

Obsolete the existing CM400 24V and supersede with new CM2940.

Customer Communication

New CM2940 is physically identical to the old 24V CM400 hardware. Both ECM functions are transparent with no difference in engine performance. CM2940 meets the RoHS (Restriction of Hazardous Substances) requirement while CM400 does not.

Note : Continue to use existing functional CM400 in the event of an engine rebuild for marine customers.



Figure 1, CM400 (Old) and CM2940 (New)

Service Instructions

Engine ECM change from CM400 to CM2940 requires an ECM base calibration code change. See Table 2 and Table 3 for calibration code reference.

The CPL number changes when CM400 is replaced by CM2940.

Upon completion of the conversion from CM400 to CM2940, an authorized change label (Part Number 5297400) **must** be completed and installed on the engine.

- Fleet count (Part Number 3886396) is required when changing base ECM calibration code.
- To install authorized change label:
 1. Fill out authorized change label sticker with new CPL, new ECM base code, distributor or dealer code, and date. Leave campaign number section blank.
 2. Clean area near engine dataplate for authorized change label.
 3. Peel backing material from authorized change label and install near engine dataplate.



Figure 2, Example Steel Piston Authorized Change Label

Service Parts Availability

Service parts are available.

Table 1, Service Parts

Part Description	Existing Part Number	Obsolete	Superseded	New Part Number
ECM (24V)	3654718	No	Yes	4354558

Part Compatibility

Change from CM400 to CM2940 requires a new CM2940 ECM calibration code and CPL number. See corresponding ECM calibration code and CPL in Table 2 and Table 3 for the proper calibration when installing CM2940 ECM.

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

Platform	Old					New				
	CM400 Options					CM2940 Options				
	ECM Code	FQ Option	CPL	FR Option	FC Option	ECM Code	FQ Option	CPL	FR Option	FC Option
K19	A040 02.08	FQ04 002	4149	FR04 151	FCE 288	JT10 074.0 0	FQ04 077	5593	FR04 780	FCHN 06
K19	A040 03.11	FQ04 003	4066	FR04 160	FCE 284	JT10 064.0 0	FQ04 102	5595	FR04 789	FCHN 07
K19	A040 04.08	FQ04 004	4074	FR04 167	FCE 292	JT10 062.0 0	FQ04 073	5592	FR04 777	FCHN 08
K19	A040 05.10	FQ04 005	4149	FR04 169	FCEA 09	JT10 075.0 0	FQ04 078	5593	FR04 781	FCHN 09
K19	A040 06.11	FQ04 006	4074	FR04 057	FCE 277	JT10 060.0 0	FQ04 071	5592	FR04 776	FCHN 03
K19	A040 07.10	FQ04 007	4149	FR04 097	FCEA 11	JT10 072.0 0	FQ04 075	5593	FR04 779	FCHN 04
K19	A040 09.08	FQ04 009	4072	FR04 039	FCE 298	JT10 058.0 0	FQ04 069	5591	FR04 775	FCHN 02
K19	A040 10.06	FQ04 010	4074	FR04 057	FCE 277	JT10 061.0 0	FQ04 072	5592	FR04 776	FCHN 03
K19	A040 18.05	FQ04 018	4074	FR04 241	FCEA 04	JT10 081.0 0	FQ04 101	5592	FR04 778	FCHN 11
K19	A040 19.04	FQ04 019	4149	FR04 169	FCEA 09	JT10 076.0 0	FQ04 079	5593	FR04 781	FCHN 09
K19	A040 41.05	FQ04 041	4149	FR04 097	FCEA 11	JT10 073.0 0	FQ04 076	5593	FR04 779	FCHN 04

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K19	A040 42.02	FQ04 042	4149	FR04 169	FCEA 09	JT10 077.0 0	FQ04 080	5593	FR04 781	FCHN 09
K19	A040 43.02	FQ04 043	4149	FR04 169	FCEA 09	JT10 078.0 0	FQ04 081	5593	FR04 781	FCHN 09
K19	A040 45.01	FQ04 045	4149	FR04 169	FCEA 09	JT10 079.0 0	FQ04 082	5593	FR04 781	FCHN 09
K19	A040 46.01	FQ04 046	4072	FR04 039	FCE 298	JT10 059.0 0	FQ04 070	5591	FR04 775	FCHN 02
K19	A400 01.00	FQ04 055	4074	FR04 241	FCEA 15	JT10 063.0 0	FQ04 074	5592	FR04 778	FCHN 12
K19	A400 06.00	FQ04 060	4130	FR04 151	FCE 278	JT10 080.0 0	FQ04 099	5594	FR04 780	FCHN 05
K38	A060 11.07	FQ06 011	2322	FR06 116	FCBD 04	JT10 007.0 0	FQ06 396	5602	FR60 561	FCW N 17
K38	A060 17.10	FQ06 017	2323	FR06 100	FCBB 39	JT10 131.0 0	FQ06 594	5586	FR60 567	FCW N 09
K38	A060 18.13	FQ06 018	2322	FR06 116	FCBD 04	JT10 008.0 0	FQ06 397	5602	FR60 561	FCW N 17
K38	A060 23.07	FQ06 023	6160	FR06 047	FCBB 58	JT10 128.0 0	FQ06 581	5601	FR60 636	FCW N 10
K38	A060 24.04	FQ06 024	6160	FR06 094	FCBB 61	JT10 129.0 0	FQ06 592	5601	FR60 564	FCW N 11
K38	A060 27.06	FQ06 027	2323	FR06 100	FCBD 30	JT10 024.0 0	FQ06 406	5586	FR60 567	FCW N 20
K38	A060 29.06	FQ06 029	6160	FR06 212	FCBB 72	JT10 020.0 0	FQ06 403	5601	FR60 565	FCW N 12

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K38	A060 31.06	FQ06 031	2323	FR06 201	FCBD 31	JT10 002.0 0	FQ06 380	5586	FR60 556	FCW N 21
K38	A060 42.03	FQ06 042	2203	FR06 233	FCBB 91	JT10 035.0 0	FQ06 417	5608	FR60 572	FCW N 13
K38	A060 43.04	FQ06 043	2323	FR06 099	FCBD 32	JT10 022.0 0	FQ06 404	5586	FR60 566	FCW N 22
K38	A060 44.07	FQ06 044	6160	FR06 053	FCBC 03	JT10 016.0 0	FQ06 399	5601	FR60 563	FCW N 14
K38	A060 55.04	FQ06 055	2323	FR06 201	FCBD 31	JT10 026.0 0	FQ06 408	5586	FR60 556	FCW N 21
K38	A060 64.03	FQ06 064	2326	FR06 101	FCBD 41	JT10 027.0 0	FQ06 409	5603	FR60 569	FCW N 24
K38	A060 93.06	FQ06 093	2326	FR06 102	FCBC 64	JT10 032.0 0	FQ06 414	5603	FR60 570	FCW N 16
K38	A060 95.06	FQ06 095	2203	FR06 233	FCBB 91	JT10 036.0 0	FQ06 418	5608	FR60 572	FCW N 13
K38	A060 96.03	FQ06 096	2322	FR06 056	FCBD 10	JT10 005.0 0	FQ06 394	5602	FR60 560	FCW N 18
K38	A060 97.06	FQ06 097	2323	FR06 100	FCBD 30	JT10 025.0 0	FQ06 407	5586	FR60 567	FCW N 20
K38	A060 98.06	FQ06 098	6160	FR06 094	FCBB 61	JT10 130.0 0	FQ06 593	5601	FR60 564	FCW N 11
K38	A061 01.10	FQ06 101	2327	FR06 204	FCBD 39	JT10 132.0 0	FQ06 595	5629	FR60 639	FCW N 23
K38	A061 05.09	FQ06 105	2203	FR06 235	FCBC 11	JT10 037.0 0	FQ06 419	5608	FR60 573	FCW N 15

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K38	A061 84.05	FQ06 184	2936	FR06 367	FCBF 94	JT10 065.0 0	FQ06 424	5587	FR60 557	FCW N 51
K38	A061 85.05	FQ06 185	2937	FR06 368	FCBF 95	JT10 069.0 0	FQ06 428	5609	FR60 577	FCW N 52
K38	A061 88.03	FQ06 188	2322	FR06 056	FCBD 10	JT10 006.0 0	FQ06 395	5602	FR60 560	FCW N 18
K38	A061 92.04	FQ06 192	2936	FR06 373	FCBF 96	JT10 123.0 0	FQ06 432	5587	FR60 578	FCW N 53
K38	A061 93.04	FQ06 193	2937	FR06 374	FCBF 99	JT10 124.0 0	FQ06 433	5609	FR60 579	FCW N 54
K38	A061 94.03	FQ06 194	2936	FR06 365	FCBG 34	JT10 038.0 0	FQ06 420	5587	FR60 574	FCW N 57
K38	A061 95.03	FQ06 195	2937	FR06 366	FCBG 33	JT10 040.0 0	FQ06 422	5609	FR60 575	FCW N 56
K38	A062 02.06	FQ06 202	2936	FR06 367	FCBG 51	JT10 066.0 0	FQ06 425	5587	FR60 557	FCW N 59
K38	A062 03.05	FQ06 203	2937	FR06 368	FCBG 52	JT10 122.0 0	FQ06 431	5609	FR60 577	FCW N 60
K38	A062 40.08	FQ06 240	2326	FR06 436	FCBJ 04	JT10 034.0 0	FQ06 416	5603	FR60 571	FCW N 66
K38	A062 41.02	FQ06 241	2914	FR06 357	FCBG 50	JT10 135.0 0	FQ06 598	5630	FR60 576	FCW N 58
K38	A062 42.01	FQ06 242	2326	FR06 101	FCBD 41	JT10 028.0 0	FQ06 410	5603	FR60 569	FCW N 24
K38	A062 47.04	FQ06 247	2936	FR06 367	FCBG 51	JT10 067.0 0	FQ06 426	5587	FR60 557	FCW N 59

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K38	A062 48.02	FQ06 248	2326	FR06 102	FCBC 64	JT10 033.0 0	FQ06 415	5603	FR60 570	FCW N 16
K38	A062 52.02	FQ06 252	2322	FR06 142	FCBJ 03	JT10 009.0 0	FQ06 398	5602	FR60 562	FCW N 65
K38	A062 53.02	FQ06 253	2937	FR06 374	FCBF 99	JT10 125.0 0	FQ06 434	5609	FR60 579	FCW N 54
K38	A062 54.02	FQ06 254	2326	FR06 101	FCBD 41	JT10 029.0 0	FQ06 411	5603	FR60 569	FCW N 24
K38	A062 55.05	FQ06 255	2936	FR06 367	FCBG 51	JT10 003.0 0	FQ06 381	5587	FR60 557	FCW N 59
K38	A062 57.04	FQ06 257	2203	FR06 433	FCBG 96	JT10 126.0 0	FQ06 435	5608	FR60 580	FCW N 64
K38	A062 58.05	FQ06 258	2936	FR06 367	FCBF 94	JT10 004.0 0	FQ06 382	5587	FR60 557	FCW N 51
K38	A062 59.06	FQ06 259	2203	FR06 235	FCBC 11	JT10 134.0 0	FQ06 597	5608	FR60 573	FCW N 15
K38	A062 60.02	FQ06 385	2323	FR06 099	FCBD 32	JT10 023.0 0	FQ06 405	5586	FR60 566	FCW N 22
K38	A062 63.01	FQ06 392	2937	FR06 368	FCBF 95	JT10 071.0 0	FQ06 430	5609	FR60 577	FCW N 52
K38	A600 16.00	FQ06 282	2326	FR06 101	FCBD 41	JT10 030.0 0	FQ06 412	5603	FR60 569	FCW N 24
K38	A600 21.02	FQ06 289	2936	FR06 365	FCBG 34	JT10 039.0 0	FQ06 421	5587	FR60 574	FCW N 57
K38	A600 39.02	FQ06 309	2936	FR06 367	FCBG 51	JT10 068.0 0	FQ06 427	5587	FR60 557	FCW N 59

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K38	A600 78.00	FQ06 341	2937	FR06 366	FCBG 33	JT10 041.0 0	FQ06 423	5609	FR60 575	FCW N 56
K38	A600 80.01	FQ06 342	2203	FR06 233	FCBB 91	JT10 133.0 0	FQ06 596	5608	FR60 572	FCW N 13
K38	A600 81.01	FQ06 343	2936	FR06 819	FCBJ 48	JT10 127.0 0	FQ06 436	5587	FR60 581	FCW N 67
K38	A600 82.00	FQ06 344	2936	FR06 365	FCBG 34	JT10 136.0 0	FQ06 599	5587	FR60 574	FCW N 57
K38	A600 83.00	FQ06 345	6160	FR06 094	FCBB 61	JT10 017.0 0	FQ06 400	5601	FR60 564	FCW N 11
K38	A601 01.00	FQ06 363	6160	FR06 094	FCBB 61	JT10 018.0 0	FQ06 401	5601	FR60 564	FCW N 11
K38	A601 02.00	FQ06 365	2937	FR06 368	FCBF 95	JT10 070.0 0	FQ06 429	5609	FR60 577	FCW N 52
K38	A601 03.00	FQ06 364	6160	FR06 094	FCBB 61	JT10 019.0 0	FQ06 402	5601	FR60 564	FCW N 11
K38	A601 16.00	FQ06 378	2326	FR06 101	FCBD 41	JT10 031.0 0	FQ06 413	5603	FR60 569	FCW N 24
K50	A060 01.08	FQ06 001	1602	FR06 147	FCBD 96	JT10 053.0 0	FQ06 549	5625	FR60 626	FCW N 33
K50	A060 05.09	FQ06 005	2319	FR06 145	FCBD 93	JT10 114.0 0	FQ06 561	5611	FR60 605	FCW N 29
K50	A060 06.11	FQ06 006	6193	FR06 145	FCBA 52	JT10 119.0 0	FQ06 566	5628	FR60 609	FCW N 08
K50	A060 07.11	FQ06 007	6193	FR06 145	FCBA 52	JT10 120.0 0	FQ06 567	5628	FR60 609	FCW N 08

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K50	A060 09.09	FQ06 009	2319	FR06 145	FCBA 52	JT10 113.0 0	FQ06 560	5611	FR60 605	FCW N 08
K50	A060 10.21	FQ06 010	2321	FR06 147	FCBD 96	JT10 121.0 0	FQ06 568	5613	FR60 611	FCW N 32
K50	A060 12.06	FQ06 012	2319	FR06 145	FCBD 93	JT10 042.0 0	FQ06 492	5611	FR60 605	FCW N 29
K50	A060 13.09	FQ06 013	2315	FR06 075	FCBD 76	JT10 010.0 0	FQ06 486	5539	FR60 544	FCW N 01
K50	A060 15.04	FQ06 015	2309	FR06 098	FCBD 87	JT10 015.0 0	FQ06 491	5610	FR60 604	FCW N 28
K50	A060 19.07	FQ06 019	2319	FR06 145	FCBD 93	JT10 115.0 0	FQ06 562	5611	FR60 605	FCW N 29
K50	A060 20.16	FQ06 020	2319	FR06 145	FCBD 93	JT10 043.0 0	FQ06 493	5611	FR60 605	FCW N 29
K50	A060 28.06	FQ06 028	2321	FR06 213	FCBD 97	JT10 091.0 0	FQ06 516	5613	FR60 612	FCW N 34
K50	A060 32.03	FQ06 032	2319	FR06 145	FCBD 93	JT10 044.0 0	FQ06 494	5611	FR60 605	FCW N 29
K50	A060 33.05	FQ06 033	2329	FR06 215	FCBD 78	JT10 107.0 0	FQ06 550	5618	FR60 603	FCW N 27
K50	A060 38.06	FQ06 038	2319	FR06 145	FCBD 93	JT10 045.0 0	FQ06 495	5611	FR60 605	FCW N 29
K50	A060 41.05	FQ06 041	2321	FR06 147	FCBD 96	JT10 089.0 0	FQ06 514	5613	FR60 611	FCW N 32
K50	A060 45.06	FQ06 045	2319	FR06 145	FCBD 93	JT10 046.0 0	FQ06 496	5611	FR60 605	FCW N 29

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K50	A060 46.07	FQ06 046	2328	FR06 202	FCBE 95	JT10 012.0 0	FQ06 488	5617	FR60 602	FCW N 43
K50	A060 99.08	FQ06 099	2315	FR06 075	FCBD 76	JT10 001.0 1	FQ06 391	5539	FR60 544	FCW N 01
K50	A061 00.12	FQ06 100	2319	FR06 237	FCBD 95	JT10 109.0 0	FQ06 552	5611	FR60 633	FCW N 31
K50	A061 02.03	FQ06 102	2319	FR06 145	FCBD 93	JT10 047.0 0	FQ06 497	5611	FR60 605	FCW N 29
K50	A061 03.07	FQ06 103	2319	FR06 237	FCBD 95	JT10 110.0 0	FQ06 553	5611	FR60 633	FCW N 31
K50	A061 04.07	FQ06 104	2319	FR06 237	FCBD 95	JT10 111.0 0	FQ06 554	5611	FR60 633	FCW N 31
K50	A061 08.03	FQ06 108	2321	FR06 213	FCBD 97	JT10 092.0 0	FQ06 517	5613	FR60 612	FCW N 34
K50	A061 11.05	FQ06 111	2319	FR06 276	FCB 576	JT10 088.0 0	FQ06 503	5611	FR60 607	FCW N 07
K50	A061 24.03	FQ06 124	2329	FR06 215	FCBE 46	JT10 108.0 0	FQ06 551	5618	FR60 603	FCW N 39
K50	A061 27.02	FQ06 127	2641	FR06 315	FCBE 90	JT10 105.0 0	FQ06 537	5615	FR60 621	FCW N 42
K50	A061 28.03	FQ06 128	2328	FR06 202	FCBE 95	JT10 013.0 0	FQ06 489	5617	FR60 602	FCW N 43
K50	A061 83.05	FQ06 183	2914	FR06 357	FCBF 43	JT10 054.0 0	FQ06 556	5588	FR60 558	FCW N 44
K50	A061 89.12	FQ06 189	8262	FR06 426	FCBG 88	JT10 094.0 0	FQ06 519	5614	FR60 613	FCW N 63

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K50	A061 90.05	FQ06 190	2914	FR06 357	FCBF 43	JT10 099.0 0	FQ06 507	5588	FR60 558	FCW N 44
K50	A062 01.04	FQ06 201	2914	FR06 389	FCBG 50	JT10 052.0 0	FQ06 439	5588	FR60 568	FCW N 58
K50	A062 08.06	FQ06 208	2914	FR06 357	FCBG 50	JT10 021.0 0	FQ06 393	5588	FR60 558	FCW N 58
K50	A062 19.01	FQ06 219	2321	FR06 147	FCBD 96	JT10 090.0 0	FQ06 515	5613	FR60 611	FCW N 32
K50	A062 20.01	FQ06 220	2319	FR06 145	FCBD 93	JT10 083.0 0	FQ06 498	5611	FR60 605	FCW N 29
K50	A062 21.01	FQ06 221	2641	FR06 315	FCBE 90	JT10 106.0 0	FQ06 538	5615	FR60 621	FCW N 42
K50	A062 22.02	FQ06 222	2319	FR06 145	FCBD 93	JT10 084.0 0	FQ06 499	5611	FR60 605	FCW N 29
K50	A062 24.02	FQ06 224	2914	FR06 357	FCBG 50	JT10 049.0 0	FQ06 511	5588	FR60 558	FCW N 58
K50	A062 25.01	FQ06 225	2319	FR06 174	FCBD 94	JT10 086.0 0	FQ06 501	5611	FR60 606	FCW N 30
K50	A062 27.03	FQ06 227	2913	FR06 356	FCBG 84	JT10 112.0 0	FQ06 555	5612	FR60 608	FCW N 62
K50	A062 43.03	FQ06 243	2321	FR06 213	FCBD 97	JT10 093.0 0	FQ06 518	5613	FR60 612	FCW N 34
K50	A062 45.01	FQ06 245	2319	FR06 174	FCBD 94	JT10 087.0 0	FQ06 502	5611	FR60 606	FCW N 30
K50	A062 46.07	FQ06 246	8262	FR06 426	FCBG 88	JT10 095.0 0	FQ06 520	5614	FR60 613	FCW N 63

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K50	A062 56.03	FQ06 256	2914	FR06 418	FCBG 73	JT10 051.0 0	FQ06 513	5588	FR60 610	FCW N 61
K50	A600 15.01	FQ06 279	2913	FR06 356	FCBG 84	JT10 097.0 0	FQ06 505	5612	FR60 608	FCW N 62
K50	A600 17.01	FQ06 287	2914	FR06 357	FCBF 43	JT10 100.0 0	FQ06 508	5588	FR60 558	FCW N 44
K50	A600 18.01	FQ06 286	2319	FR06 145	FCBD 93	JT10 085.0 0	FQ06 500	5611	FR60 605	FCW N 29
K50	A600 19.00	FQ06 284	2641	FR06 486	FCBJ 62	JT10 102.0 0	FQ06 521	5615	FR60 614	FCW N 68
K50	A600 20.02	FQ06 288	2319	FR06 276	FCB 576	JT10 096.0 0	FQ06 504	5611	FR60 607	FCW N 07
K50	A600 42.00	FQ06 310	2319	FR06 145	FCBD 93	JT10 117.0 0	FQ06 564	5611	FR60 605	FCW N 29
K50	A600 43.00	FQ06 311	2329	FR06 215	FCBE 46	JT10 014.0 0	FQ06 490	5618	FR60 603	FCW N 39
K50	A600 44.00	FQ06 313	2319	FR06 145	FCBD 93	JT10 118.0 0	FQ06 565	5611	FR60 605	FCW N 29
K50	A600 49.00	FQ06 319	2914	FR06 357	FCBF 43	JT10 055.0 0	FQ06 557	5588	FR60 558	FCW N 44
K50	A600 50.00	FQ06 320	2914	FR06 418	FCBG 73	JT10 057.0 0	FQ06 559	5588	FR60 610	FCW N 61
K50	A600 51.01	FQ06 314	2914	FR06 357	FCBF 43	JT10 101.0 0	FQ06 509	5588	FR60 558	FCW N 44
K50	A600 59.00	FQ06 326	2913	FR06 356	FCBG 84	JT10 098.0 0	FQ06 506	5612	FR60 608	FCW N 62

Table 2, CM400 to CM2940 ECM Calibration Code Cross Reference for Industrial Application Only

K50	A600 76.01	FQ06 339	2914	FR06 357	FCBG 50	JT10 050.0 0	FQ06 512	5588	FR60 558	FCW N 58
K50	A600 77.00	FQ06 340	2914	FR06 357	FCBF 43	JT10 056.0 0	FQ06 558	5588	FR60 558	FCW N 44
K50	A600 84.00	FQ06 346	2914	FR06 418	FCBG 73	JT10 116.0 0	FQ06 563	5588	FR60 610	FCW N 61
K50	A601 04.00	FQ06 366	2315	FR06 075	FCBD 76	JT10 011.0 0	FQ06 487	5539	FR60 544	FCW N 01
K50	A601 05.00	FQ06 367	4252	FR60 047	FCBX 77	JT10 103.0 0	FQ06 522	5616	FR60 615	FCW N 70
K50	A601 06.00	FQ06 368	4252	FR60 047	FCBX 77	JT10 104.0 0	FQ06 523	5616	FR60 615	FCW N 70
K50	A601 17.00	FQ06 379	2914	FR06 357	FCBF 43	JT10 048.0 0	FQ06 510	5588	FR60 558	FCW N 44

Table 3, CM400 to CM2940 ECM Calibration Code Cross Reference for Marine Application Only

Platf orm	Old					New				
	CM400 Options					CM2940 Options				
	ECM Code	FQ Optio n	CPL	FR Optio n	FC Optio n	ECM Code	FQ Optio n	CPL	FR Optio n	FC Optio n
K19	A040 21.09	FQ04 021	PP02 184	FR04 243	FCE 475	JT10 160.0 0	FQ04 083	PP45 600	FR04 782	FCHN 13
K19	A040 23.10	FQ04 023	PP02 053	FR04 244	FCE 479	JT10 208.0 0	FQ04 087	PP45 597	FR04 784	FCHN 14
K19	A040 25.10	FQ04 025	PP02 053	FR04 245	FCE 477	JT10 210.0 0	FQ04 089	PP45 597	FR04 785	FCHN 15

K38	A060 48.10	FQ06 048	PP02 312	FR06 217	FCBD 66	JT10 190.0 0	FQ06 604	PP45 632	FR60 640	FCW N 26
K38	A060 50.09	FQ06 050	PP02 312	FR06 219	FCBD 60	JT10 222.0 0	FQ06 608	PP45 632	FR60 596	FCW N 25
K38	A060 52.06	FQ06 052	PP02 310	FR06 194	FCBD 27	JT10 188.0 0	FQ06 602	PP45 631	FR60 638	FCW N 19
K38	A060 53.06	FQ06 053	PP02 310	FR06 192	FCBE 87	JT10 186.0 0	FQ06 600	PP45 631	FR60 637	FCW N 41
K38	A060 65.06	FQ06 065	PP02 310	FR06 194	FCBD 27	JT10 189.0 0	FQ06 603	PP45 631	FR60 638	FCW N 19
K38	A060 66.06	FQ06 066	PP02 310	FR06 192	FCBE 87	JT10 187.0 0	FQ06 601	PP45 631	FR60 637	FCW N 41
K38	A060 69.09	FQ06 069	PP02 312	FR06 217	FCBD 66	JT10 191.0 0	FQ06 605	PP45 632	FR60 640	FCW N 26
K38	A060 71.09	FQ06 071	PP02 312	FR06 219	FCBD 60	JT10 223.0 0	FQ06 609	PP45 632	FR60 596	FCW N 25
K38	A061 10.05	FQ06 110	PP02 404	FR06 254	FCBE 41	JT10 166.0 0	FQ06 459	PP45 604	FR60 592	FCW N 38
K38	A061 14.08	FQ06 114	PP02 404	FR06 252	FCBG 02	JT10 162.0 0	FQ06 455	PP45 604	FR60 590	FCW N 79
K38	A061 16.07	FQ06 116	PP02 404	FR06 252	FCBG 02	JT10 163.0 0	FQ06 456	PP45 604	FR60 590	FCW N 79
K38	A061 22.05	FQ06 122	PP02 404	FR06 254	FCBE 41	JT10 167.0 0	FQ06 460	PP45 604	FR60 592	FCW N 38
K38	A061 35.06	FQ06 135	PP02 404	FR06 313	FCBF 44	JT10 169.0 0	FQ06 462	PP45 604	FR60 593	FCW O 02
K38	A061 36.07	FQ06 136	PP02 404	FR06 313	FCBF 44	JT10 170.0 0	FQ06 463	PP45 604	FR60 593	FCW O 02

K38	A061 37.06	FQ06 137	PP02 312	FR06 217	FCBD 66	JT10 220.0 0	FQ06 606	PP45 632	FR60 640	FCW N 26
K38	A061 49.09	FQ06 149	PP02 404	FR06 194	FCBF 78	JT10 145.0 0	FQ06 440	PP45 604	FR60 583	FCW N 47
K38	A061 50.08	FQ06 150	PP02 404	FR06 194	FCBF 78	JT10 146.0 0	FQ06 441	PP45 604	FR60 583	FCW N 47
K38	A061 51.09	FQ06 151	PP02 404	FR06 192	FCBF 81	JT10 144.0 0	FQ06 438	PP45 604	FR60 582	FCW N 78
K38	A061 53.09	FQ06 153	PP02 404	FR06 192	FCBF 81	JT10 143.0 0	FQ06 437	PP45 604	FR60 582	FCW N 78
K38	A061 59.05	FQ06 159	PP02 915	FR06 217	FCBF 71	JT10 151.0 0	FQ06 446	PP45 605	FR60 586	FCW N 46
K38	A061 61.06	FQ06 161	PP02 915	FR06 217	FCBF 71	JT10 152.0 0	FQ06 447	PP45 605	FR60 586	FCW N 46
K38	A061 63.06	FQ06 163	PP02 915	FR06 218	FCBG 65	JT10 154.0 0	FQ06 449	PP45 605	FR60 587	FCW N 80
K38	A061 65.06	FQ06 165	PP02 915	FR06 218	FCBG 65	JT10 155.0 0	FQ06 450	PP45 605	FR60 587	FCW N 80
K38	A061 67.07	FQ06 167	PP02 915	FR06 219	FCBF 70	JT10 156.0 0	FQ06 451	PP45 605	FR60 588	FCW N 45
K38	A061 69.07	FQ06 169	PP02 915	FR06 219	FCBF 70	JT10 157.0 0	FQ06 452	PP45 605	FR60 588	FCW N 45
K38	A061 75.04	FQ06 175	PP02 915	FR06 218	FCBG 65	JT10 221.0 0	FQ06 607	PP45 605	FR60 587	FCW N 80
K38	A062 66.00	FQ06 388	PP44 291	FR60 453	FCKI 09	JT10 197.0 0	FQ06 484	PP45 607	FR60 601	FCKI 39
K38	A062 67.00	FQ06 389	PP44 291	FR60 453	FCKI 09	JT10 198.0 0	FQ06 485	PP45 607	FR60 601	FCKI 39

K38	A600 01.02	FQ06 261	PP02 404	FR06 254	FCBE 41	JT10 168.0 0	FQ06 461	PP45 604	FR60 592	FCW N 38
K38	A600 02.05	FQ06 268	PP02 915	FR06 216	FCBJ 37	JT10 148.0 0	FQ06 443	PP45 605	FR60 585	FCW N 82
K38	A600 03.04	FQ06 272	PP02 915	FR06 216	FCBJ 37	JT10 150.0 0	FQ06 445	PP45 605	FR60 585	FCW N 82
K38	A600 04.05	FQ06 269	PP02 915	FR06 216	FCBJ 37	JT10 149.0 0	FQ06 444	PP45 605	FR60 585	FCW N 82
K38	A600 05.03	FQ06 265	PP02 915	FR06 324	FCBJ 42	JT10 172.0 0	FQ06 465	PP45 605	FR60 594	FCW N 83
K38	A600 06.03	FQ06 264	PP02 915	FR06 324	FCBJ 42	JT10 171.0 0	FQ06 464	PP45 605	FR60 594	FCW N 83
K38	A600 09.02	FQ06 275	PP02 915	FR06 220	FCBJ 46	JT10 158.0 0	FQ06 453	PP45 605	FR60 589	FCW N 84
K38	A600 12.02	FQ06 276	PP02 915	FR06 220	FCBJ 46	JT10 159.0 0	FQ06 454	PP45 605	FR60 589	FCW N 84
K38	A600 13.04	FQ06 281	PP02 915	FR06 324	FCBJ 42	JT10 174.0 0	FQ06 467	PP45 605	FR60 594	FCW N 83
K38	A600 14.04	FQ06 280	PP02 915	FR06 324	FCBJ 42	JT10 173.0 0	FQ06 466	PP45 605	FR60 594	FCW N 83
K38	A600 56.00	FQ06 120	PP02 404	FR06 253	FCBJ 87	JT10 165.0 0	FQ06 458	PP45 604	FR60 591	FCW N 90
K38	A600 57.00	FQ06 118	PP02 404	FR06 253	FCBJ 87	JT10 164.0 0	FQ06 457	PP45 604	FR60 591	FCW N 90
K38	A600 58.00	FQ06 321	PP02 915	FR06 217	FCBF 71	JT10 153.0 0	FQ06 448	PP45 605	FR60 586	FCW N 46
K38	A600 61.00	FQ06 325	PP42 721	FR06 598	FCKF 43	JT10 176.0 0	FQ06 469	PP45 589	FR60 595	FCKI 35

K38	A600 62.00	FQ06 324	PP42 721	FR06 598	FCKF 43	JT10 175.0 0	FQ06 468	PP45 589	FR60 595	FCKI 35
K38	A600 64.01	FQ06 333	PP42 721	FR06 599	FCKF 45	JT10 179.0 0	FQ06 472	PP45 589	FR60 559	FCKI 36
K38	A600 66.01	FQ06 334	PP42 721	FR06 599	FCKF 45	JT10 180.0 0	FQ06 473	PP45 589	FR60 559	FCKI 36
K38	A600 68.01	FQ06 337	PP42 721	FR06 599	FCKF 45	JT10 082.0 0	FQ06 383	PP45 589	FR60 559	FCKI 36
K38	A600 70.01	FQ06 338	PP42 721	FR06 599	FCKF 45	JT10 181.0 0	FQ06 474	PP45 589	FR60 559	FCKI 36
K38	A600 72.01	FQ06 328	PP42 721	FR06 598	FCKF 43	JT10 177.0 0	FQ06 470	PP45 589	FR60 595	FCKI 35
K38	A600 74.01	FQ06 330	PP42 721	FR06 598	FCKF 43	JT10 178.0 0	FQ06 471	PP45 589	FR60 595	FCKI 35
K38	A600 79.00	FQ06 067	PP02 404	FR06 199	FCW G 51	JT10 147.0 0	FQ06 442	PP45 604	FR60 584	FCW O 01
K38	A600 94.01	FQ06 356	PP43 763	FR06 881	FCW A 02	JT10 182.0 0	FQ06 475	PP45 606	FR60 597	FCW N 98
K38	A600 96.01	FQ06 358	PP43 763	FR06 881	FCW A 02	JT10 183.0 0	FQ06 476	PP45 606	FR60 597	FCW N 98
K38	A600 98.01	FQ06 360	PP43 763	FR06 909	FCW A 05	JT10 184.0 0	FQ06 477	PP45 606	FR60 598	FCW N 99
K38	A601 00.01	FQ06 362	PP43 763	FR06 909	FCW A 05	JT10 185.0 0	FQ06 478	PP45 606	FR60 598	FCW N 99
K38	A601 09.00	FQ06 371	PP44 291	FR60 057	FCKG 61	JT10 192.0 0	FQ06 479	PP45 607	FR60 599	FCKI 37
K38	A601 10.00	FQ06 372	PP44 291	FR60 057	FCKG 61	JT10 193.0 0	FQ06 480	PP45 607	FR60 599	FCKI 37

K38	A601 12.00	FQ06 374	PP44 291	FR60 058	FCKG 63	JT10 194.0 0	FQ06 481	PP45 607	FR60 600	FCKI 38
K38	A601 14.00	FQ06 376	PP44 291	FR60 058	FCKG 63	JT10 195.0 0	FQ06 482	PP45 607	FR60 600	FCKI 38
K38	A601 15.00	FQ06 377	PP44 291	FR60 058	FCKG 63	JT10 196.0 0	FQ06 483	PP45 607	FR60 600	FCKI 38
K50	A060 35.08	FQ06 035	PP02 311	FR06 209	FCBE 01	JT10 234.0 0	FQ06 569	PP45 626	FR60 627	FCW N 36
K50	A060 37.08	FQ06 037	PP02 311	FR06 211	FCBD 99	JT10 246.0 0	FQ06 582	PP45 626	FR60 631	FCW N 35
K50	A060 81.06	FQ06 081	PP02 589	FR06 278	FCBE 82	JT10 254.0 0	FQ06 590	PP45 627	FR60 635	FCW N 40
K50	A060 82.08	FQ06 082	PP02 311	FR06 209	FCBE 01	JT10 235.0 0	FQ06 570	PP45 626	FR60 627	FCW N 36
K50	A060 83.09	FQ06 083	PP02 311	FR06 210	FCBE 02	JT10 241.0 0	FQ06 576	PP45 626	FR60 629	FCW N 37
K50	A060 84.08	FQ06 084	PP02 311	FR06 211	FCBD 99	JT10 247.0 0	FQ06 583	PP45 626	FR60 631	FCW N 35
K50	A060 86.07	FQ06 086	PP02 311	FR06 209	FCBE 01	JT10 236.0 0	FQ06 571	PP45 626	FR60 627	FCW N 36
K50	A060 87.04	FQ06 087	PP02 311	FR06 211	FCBD 99	JT10 248.0 0	FQ06 584	PP45 626	FR60 631	FCW N 35
K50	A061 25.09	FQ06 125	PP02 589	FR06 278	FCBE 82	JT10 255.0 0	FQ06 591	PP45 627	FR60 635	FCW N 40
K50	A061 30.08	FQ06 130	PP02 589	FR06 277	FCBG 04	JT10 253.0 0	FQ06 589	PP45 627	FR60 634	FCW N 55

K50	A061 38.08	FQ06 138	PP02 589	FR06 209	FCBF 87	JT10 238.0 0	FQ06 573	PP45 627	FR60 628	FCW N 50
K50	A061 39.09	FQ06 139	PP02 589	FR06 211	FCBF 84	JT10 249.0 0	FQ06 585	PP45 627	FR60 632	FCW N 48
K50	A061 40.08	FQ06 140	PP02 589	FR06 209	FCBF 87	JT10 239.0 0	FQ06 574	PP45 627	FR60 628	FCW N 50
K50	A061 41.09	FQ06 141	PP02 589	FR06 210	FCBF 85	JT10 242.0 0	FQ06 577	PP45 627	FR60 630	FCW N 49
K50	A061 42.09	FQ06 142	PP02 589	FR06 211	FCBF 84	JT10 250.0 0	FQ06 586	PP45 627	FR60 632	FCW N 48
K50	A061 43.08	FQ06 143	PP02 589	FR06 209	FCBF 87	JT10 240.0 0	FQ06 575	PP45 627	FR60 628	FCW N 50
K50	A061 87.05	FQ06 187	PP02 311	FR06 209	FCBE 01	JT10 237.0 0	FQ06 572	PP45 626	FR60 627	FCW N 36
K50	A062 10.07	FQ06 210	PP02 589	FR06 210	FCBF 85	JT10 243.0 0	FQ06 578	PP45 627	FR60 630	FCW N 49
K50	A062 11.07	FQ06 211	PP02 589	FR06 210	FCBF 85	JT10 244.0 0	FQ06 579	PP45 627	FR60 630	FCW N 49
K50	A062 12.07	FQ06 212	PP02 589	FR06 210	FCBF 85	JT10 245.0 0	FQ06 580	PP45 627	FR60 630	FCW N 49
K50	A062 15.02	FQ06 215	PP06 801	FR06 208	FCBG 70	JT10 142.0 0	FQ06 524	PP45 619	FR60 616	FCW N 81
K50	A062 16.02	FQ06 216	PP06 801	FR06 208	FCBG 70	JT10 137.0 0	FQ06 525	PP45 619	FR60 616	FCW N 81
K50	A062 17.03	FQ06 217	PP06 801	FR06 208	FCBG 70	JT10 138.0 0	FQ06 526	PP45 619	FR60 616	FCW N 81
K50	A600 27.04	FQ06 290	PP08 063	FR06 277	FCBJ 74	JT10 205.0 0	FQ06 536	PP45 620	FR60 620	FCW N 87

K50	A600 28.03	FQ06 291	PP08 063	FR06 209	FCBJ 71	JT10 139.0 0	FQ06 527	PP45 620	FR60 617	FCW N 85
K50	A600 29.04	FQ06 302	PP08 063	FR06 210	FCBJ 72	JT10 202.0 0	FQ06 533	PP45 620	FR60 618	FCW N 86
K50	A600 30.03	FQ06 292	PP08 063	FR06 211	FCBJ 81	JT10 203.0 0	FQ06 534	PP45 620	FR60 619	FCW N 89
K50	A600 31.04	FQ06 294	PP08 063	FR06 210	FCBJ 72	JT10 199.0 0	FQ06 530	PP45 620	FR60 618	FCW N 86
K50	A600 32.03	FQ06 295	PP08 063	FR06 211	FCBJ 81	JT10 204.0 0	FQ06 535	PP45 620	FR60 619	FCW N 89
K50	A600 33.03	FQ06 296	PP08 063	FR06 209	FCBJ 71	JT10 141.0 0	FQ06 529	PP45 620	FR60 617	FCW N 85
K50	A600 34.04	FQ06 300	PP08 063	FR06 210	FCBJ 72	JT10 200.0 0	FQ06 531	PP45 620	FR60 618	FCW N 86
K50	A600 35.03	FQ06 293	PP08 063	FR06 209	FCBJ 71	JT10 140.0 0	FQ06 528	PP45 620	FR60 617	FCW N 85
K50	A600 36.05	FQ06 301	PP08 063	FR06 210	FCBJ 72	JT10 201.0 0	FQ06 532	PP45 620	FR60 618	FCW N 86
K50	A600 40.02	FQ06 306	PP08 063	FR06 492	FCBJ 76	JT10 215.0 0	FQ06 540	PP45 620	FR60 622	FCW N 88
K50	A600 41.02	FQ06 305	PP08 063	FR06 492	FCBJ 76	JT10 214.0 0	FQ06 539	PP45 620	FR60 622	FCW N 88
K50	A600 47.01	FQ06 316	PP08 063	FR06 211	FCBJ 81	JT10 252.0 0	FQ06 588	PP45 620	FR60 619	FCW N 89
K50	A600 48.01	FQ06 315	PP08 063	FR06 211	FCBJ 81	JT10 251.0 0	FQ06 587	PP45 620	FR60 619	FCW N 89
K50	A600 85.01	FQ06 347	PP43 729	FR06 884	FCBT 80	JT10 216.0 0	FQ06 541	PP45 621	FR60 623	FCW N 91

K50	A600 86.01	FQ06 348	PP43 729	FR06 884	FCBT 80	JT10 217.0 0	FQ06 542	PP45 621	FR60 623	FCW N 91
K50	A600 87.01	FQ06 349	PP43 729	FR06 884	FCBT 80	JT10 218.0 0	FQ06 543	PP45 621	FR60 623	FCW N 91
K50	A600 88.01	FQ06 350	PP43 729	FR06 884	FCBT 80	JT10 219.0 0	FQ06 544	PP45 621	FR60 623	FCW N 91
K50	A600 89.01	FQ06 351	PP43 729	FR06 892	FCBT 86	JT10 230.0 0	FQ06 545	PP45 621	FR60 624	FCW N 69
K50	A600 90.01	FQ06 352	PP43 729	FR06 892	FCBT 86	JT10 231.0 0	FQ06 546	PP45 621	FR60 624	FCW N 69
K50	A600 91.01	FQ06 353	PP43 729	FR06 892	FCBT 86	JT10 232.0 0	FQ06 547	PP45 621	FR60 624	FCW N 69
K50	A600 92.01	FQ06 354	PP43 729	FR06 892	FCBT 86	JT10 233.0 0	FQ06 548	PP45 621	FR60 624	FCW N 69

Document History

Date	Details
2020-4-16	Module Created
2020-5-20	Non-Product Problem Solving (PPS)
2020-7-8	Non-Product Problem Solving (PPS)
2024-6-24	Added note: Continue to use existing functional CM400 in the event of an engine rebuild for marine customers.
2026-1-22	Removed Classed Marine references