

LAN and RS232 shared the same command format.

■ RS232 System Requirement

RS-232 protocol	
Baud Rate	115200 bps (default)
Data Length	8 bit
Parity Check	None
Stop Bit	1 bit
Flow Control	None

1. Interface

D-SUB 9pin Male terminal			
Pin No.	Name	Pin No.	Name
1	NC	6	NC
2	RXD	7	NC
3	TXD	8	NC
4	NC	9	NC
5	GND		



■ Lan System Requirement

Lan to RS-232 protocol	
Port	4661

HEX Command Response	Meanings
03 14 00 00 00 14	Write Success
00 14 00 00 00 14	command Fail
05 14 00 NUML NUMH D1~DN CS	Read Success NUML: Data byte number LSB NUMH: Data byte number MSB D1~DN : Data byte CS: checksum
01 14 00 00 00 14	No such cmd

■ Checksum compute method

Command packet								
Byte 0	Byte 1	Byte 2	Byte 3	Byte 4	Byte 5		Byte N	CHECKSUM

Checksum = Byte1h + Byte 2h + Byte 3h + Byte 4h + Byte 5h + + Byte N,

If sum > 0xff, then checksum = (sum – 0x100)h

If sum <= 0xff, then checksum = sum

■ Command Table

Function	Type	Action	Command	Response
Power	Write	ON	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x00 0x00 0x5D	0x03 0x14 0x00 0x00 0x00 0x14
Power	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x01 0x00 0x5E	0x03 0x14 0x00 0x00 0x00 0x14
Power	Write	ON / OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x34 0x00 0x91	0x03 0x14 0x00 0x00 0x00 0x14
Power	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x00 0x5E	Power off: 0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
				Power on : 0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x01 0x18
				Warm up : 0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x02 0x19
				Coll down: 0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x03 0x1A
Reset All Settings	Write	Reset All Settings	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x02 0x00 0x5F	0x03 0x14 0x00 0x00 0x00 0x14
Reset Color Settings	Write	Reset Color Settings	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x2A 0x00 0x87	0x03 0x14 0x00 0x00 0x00 0x14
Splash Screen	Write	Black	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x0A 0x00 0x67	0x03 0x14 0x00 0x00 0x00 0x14
Splash Screen	Write	Blue	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x0A 0x01 0x68	0x03 0x14 0x00 0x00 0x00 0x14
Splash Screen	Write	JVC	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x0A 0x02 0x69	0x03 0x14 0x00 0x00 0x00 0x14
High Altitude Mode	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x0C 0x00 0x69	0x03 0x14 0x00 0x00 0x00 0x14
High Altitude Mode	Write	ON	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x0C 0x01 0x6A	0x03 0x14 0x00 0x00 0x00 0x14
High Altitude Mode	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x0C 0x6A	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Light source mode	Write	Normal	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x10 0x00 0x6D	0x03 0x14 0x00 0x00 0x00 0x14
Light source mode	Write	Eco	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x10 0x01 0x6E	0x03 0x14 0x00 0x00 0x00 0x14
Light source mode	Write	Dynamic Eco	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x10 0x02 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Light source Mode	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x10 0x6E	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Message	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x27 0x00 0x84	0x03 0x14 0x00 0x00 0x00 0x14
Message	Write	ON	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x27 0x01 0x85	0x03 0x14 0x00 0x00 0x00 0x14
Message	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x27 0x85	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x01 0x18
Projector Position	Write	Front	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x00 0x00 0x5E	0x03 0x14 0x00 0x00 0x00 0x14
Projector Position	Write	Rear	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x00 0x01 0x5F	0x03 0x14 0x00 0x00 0x00 0x14

Projector Position	Write	Rear Ceiling	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x00 0x02 0x60	0x03 0x14 0x00 0x00 0x00 0x14
Projector Position	Write	Front Ceiling	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x00 0x03 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Projector Position	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x00 0x5F	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x17
Contrast	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x02 0x00 0x60	0x03 0x14 0x00 0x00 0x00 0x14
Contrast	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x02 0x01 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Contrast	Read	Get Value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x02 0x61	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x18
Brightness	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x03 0x00 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Brightness	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x03 0x01 0x62	0x03 0x14 0x00 0x00 0x00 0x14
Brightness	Read	Get Value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x03 0x62	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x32 0x00 0x4A
Aspect ratio	Write	Auto	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x00 0x62	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Write	4:3	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x02 0x64	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Write	16:9	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x03 0x65	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Write	16:10	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x04 0x66	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Write	2.35:1	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x07 0x69	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Write	Native	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x04 0x09 0x6B	0x03 0x14 0x00 0x00 0x00 0x14
Aspect ratio	Read	Get Value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x04 0x63	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x17
Color temperature	Write	5500K	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x08 0x00 0x66	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature	Write	6500K	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x08 0x01 0x67	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature	Write	7500K	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x08 0x02 0x68	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature	Write	8500K	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x08 0x03 0x69	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature	Write	9500K	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x08 0x04 0x6A	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature	Read	Get Value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x08 0x67	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x17
Color temperature-Red gain	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3A 0x00 0x00 0x99	0x03 0x14 0x00 0x00 0x00 0x14
Color	Write	Increase	0x06 0x14 0x00 0x05 0x00	0x03 0x14 0x00 0x00 0x00 0x14

temperature- Red gain	e		0x34 0x12 0x3A 0x00 0x01 0x9A	
Color temperature- Red gain	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x3B 0x9A	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x32 0x00 0x4A
Color temperature- Green gain	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3A 0x01 0x00 0x9A	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Green gain	Write	Increase	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3A 0x01 0x01 0x9B	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Green gain	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x3C 0x9B	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x32 0x00 0x4A
Color temperature- Blue gain	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3A 0x02 0x00 0x9B	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Blue gain	Write	Increase	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3A 0x02 0x01 0x9C	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Blue gain	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x3D 0x9C	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x32 0x00 0x4A
Color temperature- Red offset	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x00 0x00 0x9D	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Red offset	Write	Increase	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x00 0x01 0x9E	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Red offset	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x3F 0x9E	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Color temperature- Green offset	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x01 0x00 0x9E	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Green offset	Write	Increase	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x01 0x01 0x9F	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Green offset	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x40 0x9F	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Color temperature- Blue offset	Write	Decrease	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x02 0x00 0x9F	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Blue offset	Write	Increase	0x06 0x14 0x00 0x05 0x00 0x34 0x12 0x3E 0x02 0x01 0xA0	0x03 0x14 0x00 0x00 0x00 0x14
Color temperature- Blue offset	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x41 0xA0	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Blank	Write	ON	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x09 0x01 0x68	0x03 0x14 0x00 0x00 0x00 0x14
Blank	Write	OFF	0x06 0x14 0x00 0x04 0x00	0x03 0x14 0x00 0x00 0x00 0x14

	e		0x34 0x12 0x09 0x00 0x67	
Blank	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x09 0x68	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Keystone-Vertical	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0A 0x00 0x68	0x03 0x14 0x00 0x00 0x00 0x14
Keystone-Vertical	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0A 0x01 0x69	0x03 0x14 0x00 0x00 0x00 0x14
Keystone-Vertical	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x0A 0x69	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Keystone-Horizontal	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x31 0x00 0x8E	0x03 0x14 0x00 0x00 0x00 0x14
Keystone-Horizontal	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x31 0x01 0x8F	0x03 0x14 0x00 0x00 0x00 0x14
Keystone-Horizontal	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x31 0x8F	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Color mode	Write	Natural	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x00 0x69	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	Cinema	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x01 0x6A	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	Dynamic	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x02 0x6B	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	Gaming	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x03 0x6C	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	Animation	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x04 0x6D	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	User1	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x05 0x6E	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Write	User2	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0B 0x06 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Color mode	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x0B 0x6A	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
HDR	Write	Auto	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x39 0x00 0x97	0x03 0x14 0x00 0x00 0x00 0x14
HDR	Write	SDR	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x39 0x01 0x98	0x03 0x14 0x00 0x00 0x00 0x14
HDR	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x39 0x98	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Gamma	Write	1.8	0x06 0x14 0x00 0x04 0x00 0x34 0x05 0xCA 0x00 0x1B	0x03 0x14 0x00 0x00 0x00 0x14
Gamma	Write	2.0	0x06 0x14 0x00 0x04 0x00 0x34 0x05 0xCA 0x01 0x1C	0x03 0x14 0x00 0x00 0x00 0x14
Gamma	Write	2.2	0x06 0x14 0x00 0x04 0x00 0x34 0x05 0xCA 0x02 0x1D	0x03 0x14 0x00 0x00 0x00 0x14
Gamma	Write	2.4	0x06 0x14 0x00 0x04 0x00 0x34 0x05 0xCA 0x03 0x1E	0x03 0x14 0x00 0x00 0x00 0x14
Gamma	Write	2.6	0x06 0x14 0x00 0x04 0x00 0x34 0x05 0xCA 0x04 0x1F	0x03 0x14 0x00 0x00 0x00 0x14
Gamma	Read	Gamma Status	0x07 0x14 0x00 0x05 0x00	0x05 0x14 0x00 0x03 0x00 0x00

			0x34 0x00 0x00 0x05 0xCA 0x1C	0x00 0x00 0x17
Primary Color	Write	R	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x00 0x6E	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Write	G	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x01 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Write	B	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x02 0x70	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Write	C	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x03 0x71	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Write	M	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x04 0x72	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Write	Y	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x10 0x05 0x73	0x03 0x14 0x00 0x00 0x00 0x14
Primary Color	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x10 0x6F	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Hue	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x11 0x00 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Hue	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x11 0x01 0x70	0x03 0x14 0x00 0x00 0x00 0x14
Hue	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x11 0x70	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Saturation	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x12 0x00 0x70	0x03 0x14 0x00 0x00 0x00 0x14
Saturation	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x12 0x01 0x71	0x03 0x14 0x00 0x00 0x00 0x14
Saturation	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x12 0x71	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Gain	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x13 0x00 0x71	0x03 0x14 0x00 0x00 0x00 0x14
Gain	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x13 0x01 0x72	0x03 0x14 0x00 0x00 0x00 0x14
Gain	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x13 0x72	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Sharpness	Write	Decrease	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0E 0x00 0x6C	0x03 0x14 0x00 0x00 0x00 0x14
Sharpness	Write	Increase	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0E 0x01 0x6D	0x03 0x14 0x00 0x00 0x00 0x14
Sharpness	Read	Get value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x0E 0x6D	0x05 0x14 0x00 0x04 0x00 0x00 0x00 0x00 0x00 0x18
Source input	Write	HDMI 1	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x01 0x01 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Source input	Write	HDMI 2	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x01 0x02 0x62	0x03 0x14 0x00 0x00 0x00 0x14
Source input	Write	USB_C	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x01 0x03 0x63	0x03 0x14 0x00 0x00 0x00 0x14
Source input	Write	DP	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x01 0x04 0x64	0x03 0x14 0x00 0x00 0x00 0x14

Source input	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x13 0x01 0x61	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Quick Auto Search	Write	ON	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x02 0x01 0x62	0x03 0x14 0x00 0x00 0x00 0x14
Quick Auto Search	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x13 0x02 0x00 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Quick Auto Search	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x13 0x02 0x62	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x01 0x18
Language	Write	English	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x00 0x61	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	German	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x01 0x62	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Spanish	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x02 0x63	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Italian	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x03 0x64	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	French	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x04 0x65	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Portuguese	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x05 0x66	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Dutch	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x06 0x67	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Russian	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x07 0x68	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Polish	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x08 0x69	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Czech	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x09 0x6A	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Swedish	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0a 0x6B	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Turkish	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0b 0x6C	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Simplified Chinese	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0c 0x6D	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Traditional Chinese	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0d 0x6E	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Japanese	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0e 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Language	Write	Arabic	0x06 0x14 0x00 0x04 0x00 0x34 0x15 0x00 0x0f 0x70	0x03 0x14 0x00 0x00 0x00 0x14
Language	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x15 0x00 0x62	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Light Source Usage Time	Read	Get Equivalent Light Source Hour	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x15 0x01 0x63	0x05 0x14 0x00 0x06 0x00 0x00 0x00 0xB8 0x0B 0x00 0x00 0xDD
Light Source Usage Time	Read	Get Light Source Usage Time	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x15 0x0A 0x6C	0x05 0x14 0x00 0x06 0x00 0x00 0x00 0xB8 0x0B 0x00 0x00 0xDD
Light Source Usage Time	Read	Get Usage Time	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x0C 0x11	0x05 0x14 0x00 0x06 0x00 0x00 0x00 0xB8 0x0B 0x00 0x00

			0x6A	0xDD
Color Space	Write	RGB	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x28 0x00 0x85	0x03 0x14 0x00 0x00 0x00 0x14
Color Space	Write	YCbCr	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x28 0x01 0x86	0x03 0x14 0x00 0x00 0x00 0x14
Color Space	Write	Auto	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x28 0x02 0x87	0x03 0x14 0x00 0x00 0x00 0x14
Color Space	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x28 0x86	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Input Level	Write	Enhanced	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x29 0x00 0x86	0x03 0x14 0x00 0x00 0x00 0x14
Input Level	Write	Normal	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x29 0x01 0x87	0x03 0x14 0x00 0x00 0x00 0x14
Input Level	Write	Auto	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x29 0x02 0x88	0x03 0x14 0x00 0x00 0x00 0x14
Input Level	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x29 0x87	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Brilliant Color	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x00 0x6D	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 1	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x01 0x6E	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 2	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x02 0x6F	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 3	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x03 0x70	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 4	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x04 0x71	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 5	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x05 0x72	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 6	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x06 0x73	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 7	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x07 0x74	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 8	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x08 0x75	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 9	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x09 0x76	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Write	Color 10	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x0F 0x0A 0x77	0x03 0x14 0x00 0x00 0x00 0x14
Brilliant Color	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x0F 0x6E	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Over Scan	Write	OFF	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x33 0x00 0x90	0x03 0x14 0x00 0x00 0x00 0x14
Over Scan	Write	Value 1	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x33 0x01 0x91	0x03 0x14 0x00 0x00 0x00 0x14
Over Scan	Write	Value 2	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x33 0x02 0x92	0x03 0x14 0x00 0x00 0x00 0x14
Over Scan	Write	Value 3	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x33 0x03 0x93	0x03 0x14 0x00 0x00 0x00 0x14
Over Scan	Write	Value 4	0x06 0x14 0x00 0x04 0x00	0x03 0x14 0x00 0x00 0x00 0x14

	e		0x34 0x11 0x33 0x04 0x94	
Over Scan	Write	Value 5	0x06 0x14 0x00 0x04 0x00 0x34 0x11 0x33 0x05 0x95	0x03 0x14 0x00 0x00 0x00 0x14
Over Scan	Read	Get Value	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x11 0x33 0x91	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Warping Enable	Write	On	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x50 0x01 0xAF	0x03 0x14 0x00 0x00 0x00 0x14
Warping Enable	Write	Off	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x50 0x00 0xAE	0x03 0x14 0x00 0x00 0x00 0x14
Warping Enable	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x50 0xAF	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Warping Control Method	Write	OSD	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x51 0x00 0xAF	0x03 0x14 0x00 0x00 0x00 0x14
Warping Control Method	Write	RS232	0x06 0x14 0x00 0x04 0x00 0x34 0x12 0x51 0x01 0xB0	0x03 0x14 0x00 0x00 0x00 0x14
Warping Control Method	Read	Status	0x07 0x14 0x00 0x05 0x00 0x34 0x00 0x00 0x12 0x51 0xB0	0x05 0x14 0x00 0x03 0x00 0x00 0x00 0x00 0x17
Warping Reset	Write	Reset	0x06 0x14 0x00 0x03 0x00 0x34 0x12 0x52 0xAF	0x03 0x14 0x00 0x00 0x00 0x14