Package 'SILM'

October 12, 2022

Type Package				
Title Simultaneous Inference for Linear Models				
Version 1.0.0				
Date 2019-01-05				
Author Xianyang Zhang, Guang Cheng, Jincheng Bai				
Maintainer Xianyang Zhang <zhangxiany@stat.tamu.edu></zhangxiany@stat.tamu.edu>				
Description Simultaneous inference procedures for high-dimensional linear models as described by Zhang, X., and Cheng, G. (2017) <doi:10.1080 01621459.2016.1166114="">.</doi:10.1080>				
Depends scalreg				
DependsNote scalreg does not correctly import lars etc, so we need to depend on it				
Imports glmnet, hdi, SIS, stats, parallel, utils				
License GPL-3				
NeedsCompilation no				
Encoding UTF-8				
Repository CRAN				
Date/Publication 2019-01-09 17:50:36 UTC				
R topics documented:				
Sim.CI 2 SR 3 ST 4 Step 5				
Index				

Sim.CI

_	٠		<u>~ :</u>	
``	1	m	 ١.	ı

Simultaneous Confidence Interval

Description

This function implements the method for constructing simultaneous confidence interval in Zhang and Cheng (2017).

Usage

```
Sim.CI(X, Y, set, M = 500, alpha = 0.95)
```

Arguments

Χ	n times p design matrix.
Υ	Response variable.
set	The set of variables of interest.
М	The number of bootstrap replications (default 500).
alpha	The nominal level alpha (default 0.95).

Value

The de-biased Lasso estimator, the confidence bands (lower bound and upper bound) delivered by the non-studentized and the studentized statistics.

References

Zhang, X., and Cheng, G. (2017) Simultaneous Inference for High-dimensional Linear Models, *Journal of the American Statistical Association*, 112, 757-768.

```
## The function is intended for large n and p.
## Use small p here for illustration purpose only.
n <- 100
p <- 10
s0 <- 3
set <- 1:s0
Sigma <- matrix(NA, p, p)
for (i in 1:p) Sigma[i,] <- 0.9^(abs(i-(1:p)))
X <- matrix(rnorm(n*p), n, p)
X <- t(t(chol(Sigma))%*%t(X))
beta <- rep(0,p)
beta[1:s0] <- runif(s0,0,2)
Y <- X%*%beta+rt(n,4)/sqrt(2)
Sim.CI(X, Y, set)</pre>
```

SR 3

SR

Support Recovery Procedure

Description

This function implements the support recovery procedure in Zhang and Cheng (2017).

Usage

```
SR(X, Y)
```

Arguments

X n times p design matrix.

Y Response variable.

Value

The sets of active variables selected by the support recovery procedure and the scaled Lasso.

References

Zhang, X., and Cheng, G. (2017) Simultaneous Inference for High-dimensional Linear Models, *Journal of the American Statistical Association*, 112, 757-768.

```
## The function is intended for large n and p.
## Use small p here for illustration purpose only.
n <- 100
p <- 10
s0 <- 7
set <- 1:s0
Sigma <- matrix(NA, p, p)
for (i in 1:p) Sigma[i,] <- 0.9^(abs(i-(1:p)))
X <- matrix(rnorm(n*p), n, p)
X <- t(t(chol(Sigma))%*%t(X))
beta <- rep(0,p)
beta[1:s0] <- runif(s0,1,2)
Y <- X%*%beta+rt(n,4)/sqrt(2)
SR(X, Y)</pre>
```

4 ST

ST Testing for Sparse Signals

Description

This function implements the method for testing sparse signals in Zhang and Cheng (2017).

Usage

```
ST(X.f, Y.f, sub.size, test.set, M = 500, alpha = 0.05)
```

Arguments

X.f	n times p design matrix.
Y.f	Response variable.
sub.size	The sub-sample size used for screening.
test.set	The set of variables of interest.
М	The number of bootstrap replications (default 500).
alpha	The nominal level alpha (default 0.05).

Value

Values of the non-studentized and studentized statistics, and whether the tests get rejected at the level alpha.

References

Zhang, X., and Cheng, G. (2017) Simultaneous Inference for High-dimensional Linear Models, *Journal of the American Statistical Association*, 112, 757-768.

```
## The function is intended for large n and p.
## Use small p here for illustration purpose only.
n <- 100
p <- 10
s0 <- 3
set <- 1:s0
Sigma <- matrix(NA, p, p)
for (i in 1:p) Sigma[i,] <- 0.9^(abs(i-(1:p)))
X <- matrix(rnorm(n*p), n, p)
X <- t(t(chol(Sigma))%*%t(X))
beta <- rep(0,p)
beta[1:s0] <- runif(s0,0,2)
Y <- X%*%beta+rt(n,4)/sqrt(2)
test.set <- (s0+1):p
sub.size <- n*0.3</pre>
```

Step 5

```
ST(X, Y, sub.size, test.set)
test.set <- s0:p
ST(X, Y, sub.size, test.set)</pre>
```

Step

Stepdown Method for Multiple Testing

Description

This function implements the stepdown method in Zhang and Cheng (2017).

Usage

```
Step(X, Y, M = 500, alpha = 0.05)
```

Arguments

X n times p design matrix.
 Y Response variable.
 M The number of bootstrap replications (default 500).
 alpha The nominal level alpha (default 0.05).

Value

A vector indicating which hypotheses are being rejected.

References

Zhang, X., and Cheng, G. (2017) Simultaneous Inference for High-dimensional Linear Models, *Journal of the American Statistical Association*, 112, 757-768.

```
## The function is intended for large n and p.
## Use small p here for illustration purpose only.
n <- 100
p <- 10
s0 <- 3
set <- 1:s0
Sigma <- matrix(NA, p, p)
for (i in 1:p) Sigma[i,] <- 0.9^(abs(i-(1:p)))
X <- matrix(rnorm(n*p), n, p)
X <- t(t(chol(Sigma))%*%t(X))
beta <- rep(0,p)
beta[1:s0] <- runif(s0,1,2)
Y <- X%*%beta+rt(n,4)/sqrt(2)
Step(X, Y, M=500, alpha=0.05)</pre>
```

Index

Sim.CI, 2 SR, 3 ST, 4 Step, 5