WAN123.01

Lavoce

12" WOOFER

NEODYMIUM MAGNET ALUMINIUM BASKET DRIVER



- 3 INCH COPPER VOICE COIL
- 99 dB/SPL SENSITIVITY
- 1000 WATT PROGRAM POWER HANDLING
- FEM OPTIMIZED MOTOR AND SUSPENSIONS
- OPTIMIZED COOLING SYSTEM
- RESONANCE FREE AND HEAVY DUTY BASKET DESIGN
- DOUBLE ALUMINIUM DEMODULATING RING
- TRIPLE ROLL SURROUND

GENERAL SPECIFICATIONS

Nominal diameter	mm (in.)	300 (12)	
Nominal impedance	Ω	8	
Minimum impedance	Ω	6,9	
Program power (1)	W	1000	
AES Power rating (2)	W	500	
Sensitivity (3)	dB	99	
Frequency range	Hz	40 ÷ 2000	
Voice coil diameter	mm (in.)	75 (3)	
Chassis material	Aluminium		
Magnet material	Neodymium		
Magnet dimensions	mm	131 x 86 x 8	
OD x h	(in.)	(5.16 x 3.39 x 0.31)	
Coil material	Copper		
Former material	Glass Fiber		
Cone material	Water Proof Treated Paper		
Surround material	Polycotton		
Xmax (4)	mm (in.)	6,6 (0.26)	
Xmech (5)	mm (in.)	13,3 (0.52)	
Gap height	mm (in.)	11,5 (0.45)	
Voice coil winding height	mm (in.)	19 (0.75)	
Driver displacement volume	I (ft³)	2,5 (0.09)	


SMALL SIGNAL PARAMETERS

DC resistance	Re	Ohm	5,2
Resonance frequency	Fs	Hz	57,3
Moving mass	Mms	g (oz)	76,8 (2.71)
Compliance	Cms	mm/N	0,1
Force factor	BxL	N/A	24
Mechanical Q-factor	Qms		6,6
Electrical Q-factor	Qes		0,25
Total Q-factor	Qts		0,24
Equivalent air volume	Vas	I (ft³)	41,4 (1.46)
Voice coil Inductance	Le	mH	0,96
Diaphragm area	Sd	cm² (in.²)	540 (83.7)
Reference efficiency	Eta 0	%	3


SHIPPING INFORMATION


Net weight	kg (lb.)	5,2 (11.4)
Multipack size (1)	mm	356 x 356 x 192
WxDxH	(in.)	(14 x 14 x 7.6)
Multipack weight	kg (lb.)	6,8 (15)

FREQUENCY RESPONSE



DIMENSIONS mm (in.)





(1) Program power is defined as 3 dB greater than AES Power. (2) Tested for two hours using a continuous, band-limited pink noise signal as per AES 2-1984 Rev. 2003. Loudspeaker tested in free air. (3) From T/S parameters, measured with Klippel DA LPM module. (4) The Xmax is calculated as: (Hvc - Hg)/2+ Hg/4. Hvc is the voice coil height and Hg the gap height. (5) Tweet is calculated as: (Hvc - Hg)/2+(Hg-2). Hvc is the voice coil height and Hg the gap height. (6) Thiele-Small parameters are measured after preconditioning: a) at 20°C- 22°C, 50% humidity for 2 hours; b) by Klippel LSI measurement.

All specifications subject to change without notice_D.a

