WAN061.80

Lavoce

6.5" WOOFER

NEODYMIUM MAGNET ALUMINIUM BASKET DRIVER

- 1.8 INCH CCAW VOICE COIL
- 93.5 dB/SPL SENSITIVITY
- 400 WATT PROGRAM POWER HANDLING
- FEM OPTIMIZED MOTOR AND SUSPENSIONS
- OPTIMIZED COOLING SYSTEM



GENERAL SPECIFICATIONS

Nominal diameter	mm (in.)	165 (6.5)	
Nominal impedance	Ω	8	
Minimum impedance	Ω	6,3	
Program power (1)	W	400	
AES Power rating (2)	W	200	
Sensitivity (3)	dB	93,5	
Frequency range	Hz	60 ÷ 5500	
Voice coil diameter	mm (in.)	45 (1.8)	
Chassis material	Aluminium		
Magnet material	Neodymium		
Magnet dimensions	mm	92 x 54 x 6	
OD x ID x h	(in.)	(3.62 x 2.13 x 0.24)	
Coil material	CCAW		
Former material	Glass Fiber		
Cone material	Water Proof Treated Paper		
Surround material	Rubber		
Xmax (4)	mm (in.)	5,2 (0.2)	
Xmech (5)	mm (in.)	7,7 (0.3)	
Gap height	mm (in.)	48,3 (1.9)	
Voice coil winding height	mm (in.)	13,3 (0.52)	
Driver displacement volume	I (ft³)	0,33 (0.01)	
Recommended enclosure	I (ft³)	10 (0.35)	
Recommended tuning	Hz	70	


SMALL SIGNAL PARAMETERS

DC resistance	Re	Ohm	5.8
Resonance frequency	Fs	Hz	60
Resoliance frequency	ГЪ	ПZ	00
Moving mass	Mms	g (oz)	15,5 (0.55)
Compliance	Cms	mm/N	0,454
Force factor	BxL	N/A	10,88
Mechanical Q-factor	Qms		6,91
Electrical Q-factor	Qes		0,29
Total Q-factor	Qts		0,27
Equivalent air volume	Vas	I (ft³)	13,95 (0.49)
Voice coil Inductance	Le	mH	0,28
Diaphragm area	Sd	cm² (in.²)	147,4 (22.8)
Reference efficiency	Eta 0	%	1,02
Efficiency bandwidth product	EBP	Hz	207


SHIPPING INFORMATION


Net weight	kg (lb.)	1,34 (2.9)
Multipack size (8)	mm	400 x 370 x 208
WxDxH	(in.)	(15.7 x 14.6 x 8.2)
Multipack weight	kg (lb.)	12,8 (28.2)

FREQUENCY RESPONSE AND IMPEDANCE



DIMENSIONS mm (in.)





(1) Program power is defined as 3 dB greater than AES Power. (2) Tested for two hours using a continuous, band-limited pink noise signal as per AES 2-1984 Rev. 2003. Loudspeaker tested in free air. (3) From T/S parameters, measured with Klippel DA LPM module. (4) The Xmax is calculated as: (Hvc - Hg)/2+ Hg/4. Hvc is the voice coil height and Hg the gap height. (5) Thiele-Small parameters are measured after preconditioning: a) at 20°C- 22°C, 50% humidity for 2 hours; b) by Klippel LSI measurement.

All specifications subject to change without notice_F.a

