WAF154.03

Lavoce

15" WOOFER

FERRITE MAGNET ALUMINIUM BASKET DRIVER

- 4 INCH CCAW VOICE COIL
- 98 dB/SPL SENSITIVITY
- 1700 WATT PROGRAM POWER HANDLING
- FEM OPTIMIZED MOTOR AND SUSPENSIONS
- OPTIMIZED COOLING SYSTEM
- COPPER RING FOR EXTENDED FREQUENCY RESPONSE
- DOUBLE ALUMINIUM DEMODULATING RING
- TRIPLE ROLL SURROUND



GENERAL SPECIFICATIONS

Nominal diameter	mm (in.)	380 (15)	
Nominal impedance	Ω	8	
Minimum impedance	Ω	7,4	
Program power (1)	W	1700	
AES Power rating (2)	W	850	
Sensitivity (3)	dB	98	
Frequency range	Hz	40 ÷ 3000	
Voice coil diameter	mm (in.)	100 (4)	
Chassis material	Aluminium		
Magnet material	Ferrite		
Magnet dimensions OD x ID x h	mm (in.)	220 x 110 x 25 (8.66 x 4.33x 0.98)	
Coil material	CCAW		
Former material	Glass Fiber		
Cone material	Water Resistant Treated Paper + Water Proof Front Side Treatment		
Surround material	Polycotton		
Xmax (4)	mm (in.)	5,2 (0.2)	
Xmech (5)	mm (in.)	14,1 (0.56)	
Gap height	mm (in.)	14,5 (0.57)	
Voice coil winding height	mm (in.)	17,7 (0.7)	
Driver displacement volume	l (ft³)	5,20 (0.184)	
Recommended enclosure	I (ft³)	99,6 (3.52)	
Recommended tuning	Hz	65	


SMALL SIGNAL PARAMETERS

DC resistance	Re	Ohm	6.0
Resonance frequency	Fs	Hz	40
Moving mass	Mms	g (oz)	113,3 (3.99)
Compliance	Cms	mm/N	0,141
Force factor	BxL	N/A	21,83
Mechanical Q-factor	Qms		10,86
Electrical Q-factor	Qes		0,36
Total Q-factor	Qts		0,35
Equivalent air volume	Vas	I (ft³)	155,29 (5.48)
Voice coil Inductance	Le	mΗ	0,36
Diaphragm area	Sd	cm² (in.²)	881,41 (136.6)
Reference efficiency	Eta 0	%	2,64
Efficiency bandwidth product	EBP	Hz	111


SHIPPING INFORMATION


Net weight	kg (lb.)	11,3 (24.9)
Multipack size (1)	mm	455 x 455 x 220
WxDxH	(in.)	(17.9 x 17.9 x 8.7)
Multipack weight	kg (lb.)	12.6 (27.8)

FREQUENCY RESPONSE AND IMPEDANCE



DIMENSIONS mm (in.)





(1) Program power is defined as 3 dB greater than AES Power. (2) Tested for two hours using a continuous, band-limited pink noise signal as per AES 2-1984 Rev. 2003. Loudspeaker tested in free air. (3) From T/S parameters, measured with Klippel DA LPM module. (4) The Xmax is calculated as: (Hvc - Hg)/2+ Hg/4. Hvc is the voice coil height and Hg the gap height. (5) Thiele-Small parameters are measured after preconditioning: a) at 20°C- 22°C, 50% humidity for 2 hours; b) by Klippel LSI measurement.

All specifications subject to change without notice_E.a

