S1211Q Introduction to Statistics
Lecture 18

Wei Wang

July 31, 2012

Explain these terms

- Test Statistics

Explain these terms

- Test Statistics

- Rejection Region

Explain these terms

- Test Statistics

- Rejection Region

- Type I Error α

Explain these terms

- Test Statistics

- Rejection Region

- Type I Error α

- Type II Error β

Explain these terms

- Test Statistics

- Rejection Region

- Type I Error α

- Type II Error β

- power=$1 - \beta$

Explain these terms

- Test Statistics

- Rejection Region

- Type I Error α

- Type II Error β

- power=$1 - \beta$

- In a lot of applications, people like to talk about power instead of Type II Error β.

Criteria

- A good test will be aimed to make two types of errors, both α and β, as small as possible.

- Unfortunately, there is no rejection region that will simultaneously make both α and β small once the test statistic and sample size are fixed. Thus, a region must be chosen to effect a compromise between α and β.

- Because of the suggested guidelines for specifying and . A type I error is usually more serious than a type II error (we don't want to reject the null easily).

- In practice, people specify to the largest value that α can be tolerated and find a rejection region having that value of α. The resulting value of α is often referred to as the significance level of the test (0.1, 0.05, 0.01). The corresponding test procedure is called an α level test. The previous example was an exact 0.05-level test.

Hypothesis Testing for a Population Mean

- In this section, the null hypothesis is about a population mean $H_0 : \mu = \mu_0$ and there are there possible Alternative Hypothesis $H_a : \mu > \mu_0$ or $H_a : \mu < \mu_0$ or $H_a : \mu \neq \mu_0$.

- We will discuss three cases which parallel our discussion about Confidence Interval for a Population Mean.

  - Case I: Normal Distribution and Known σ (z Test)
  - Case II: General Distribution, Unknown σ but Large Sample (z Test)
  - Case III: Normal Distribution and Unknown σ (t Test)

Case I: Normal Distribution and Known σ (z Test)

▶ Under the null hypothesis, the test statistic

$$Z = \frac{\bar{X} - \mu_0}{\sigma \sqrt{n}}$$

follow a standard normal distribution.

Case I: Normal Distribution and Known σ (z Test)

▶ Under the null hypothesis, the test statistic

$$Z = \frac{\bar{X} - \mu_0}{\sigma\sqrt{n}}$$

follow a standard normal distribution.

▶ If the Alternative Hypo is $H_a : \mu > \mu_0$, then the Rejection Region is something like $\{z \geq c\}$, where c is a constant to be determined.

Case I: Normal Distribution and Known σ (z Test)

- Under the null hypothesis, the test statistic

$$Z = \frac{\bar{X} - \mu_0}{\sigma \sqrt{n}}$$

follow a standard normal distribution.

- If the Alternative Hypo is $H_a : \mu > \mu_0$, then the Rejection Region is something like $\{z \geq c\}$, where c is a constant to be determined.

- c is determined by the level of the test α, if we set c as z critical value z_α then

$$P(\text{type I error}) = P(H_0 \text{ is rejected when } H_0 \text{ is true})$$
$$= P(Z > z_\alpha \text{ when } Z \sim N(0,1)) = \alpha$$

Case I: Normal Distribution and Known σ (z Test)

- We can also compute Type II Error β and sample size *n*. Still we consider the upper-tailed test as a demonstration.

- Type II Error β will be a function of any particular number μ' that is larger than the null value μ_0.

$$\beta(\mu') = P(Z < z_\alpha \text{ when } \mu = \mu')$$

$$= P(\frac{\bar{X} - \mu_0}{\sigma\sqrt{n}} < z_\alpha \text{ when } \mu = \mu')$$

$$= P(\frac{\bar{X} - \mu'}{\sigma\sqrt{n}} < z_\alpha + \frac{\mu_0 - \mu'}{\sigma\sqrt{n}} \text{ when } \mu = \mu')$$

$$= \Phi(z_\alpha + \frac{\mu_0 - \mu'}{\sigma\sqrt{n}}) \le 1 - \alpha$$

$\Phi()$ is the CDF of standard normal.

- What is the power of the test?

Case I: Normal Distribution and Known σ (z Test)

Null hypothesis: $H_0: \mu = \mu_0$

Test statistic value: $z = \dfrac{\bar{x} - \mu_0}{\sigma/\sqrt{n}}$

Alternative Hypothesis	Rejection Region for Level α Test
$H_a: \mu > \mu_0$	$z \geq z_\alpha$ (upper-tailed test)
$H_a: \mu < \mu_0$	$z \leq -z_\alpha$ (lower-tailed test)
$H_a: \mu \neq \mu_0$	either $z \geq z_{\alpha/2}$ or $z \leq -z_{\alpha/2}$ (two-tailed test)

▶

Case I: Normal Distribution and Known σ (z Test)

Null hypothesis: $H_0: \mu = \mu_0$

Test statistic value: $z = \dfrac{\bar{x} - \mu_0}{\sigma/\sqrt{n}}$

Alternative Hypothesis	Rejection Region for Level α Test
$H_a: \mu > \mu_0$	$z \geq z_\alpha$ (upper-tailed test)
$H_a: \mu < \mu_0$	$z \leq -z_\alpha$ (lower-tailed test)
$H_a: \mu \neq \mu_0$	either $z \geq z_{\alpha/2}$ or $z \leq -z_{\alpha/2}$ (two-tailed test)

▶

z curve (probability distribution of test statistic Z when H_0 is true)

Total shaded area $= \alpha = P(\text{type I error})$

Shaded area $= \alpha = P(\text{type I error})$

$0 \quad z_\alpha$

Rejection region: $z \geq z_\alpha$

(a)

$-z_\alpha \quad 0$

Rejection region: $z \leq -z_\alpha$

(b)

Shaded area $= \alpha/2$

Shaded area $= \alpha/2$

$-z_{\alpha/2} \quad 0 \quad z_{\alpha/2}$

Rejection region: either $z \geq z_{\alpha/2}$ or $z \leq -z_{\alpha/2}$

(c)

Figure 8.2 Rejection regions for z tests: (a) upper-tailed test; (b) lower-tailed test;
▶ (c) two-tailed test

Case I: Normal Distribution and Known σ (z Test)

- We can even derive the formula for type II error β.
- For a given True Value μ', Type I Error level α and Type II Error β, we can determined the sample size n that we need with

$$\Phi(z_\alpha + \frac{\mu_0 - \mu'}{\sigma\sqrt{n}}) = \beta$$

Thus

$$-z_\beta = z_\alpha + \frac{\mu_0 - \mu'}{\sigma\sqrt{n}}$$

Case I: Normal Distribution and Known σ (z Test)

Alternative Hypothesis	Type II Error Probability $\beta(\mu')$ for a Level α Test
$H_a: \quad \mu > \mu_0$	$\Phi\left(z_\alpha + \dfrac{\mu_0 - \mu'}{\sigma/\sqrt{n}}\right)$
$H_a: \quad \mu < \mu_0$	$1 - \Phi\left(-z_\alpha + \dfrac{\mu_0 - \mu'}{\sigma/\sqrt{n}}\right)$
$H_a: \quad \mu \neq \mu_0$	$\Phi\left(z_{\alpha/2} + \dfrac{\mu_0 - \mu'}{\sigma/\sqrt{n}}\right) - \Phi\left(-z_{\alpha/2} + \dfrac{\mu_0 - \mu'}{\sigma/\sqrt{n}}\right)$

where $\Phi(z) = $ the standard normal cdf.

The sample size n for which a level α test also has $\beta(\mu') = \beta$ at the alternative value μ' is

$$n = \begin{cases} \left[\dfrac{\sigma(z_\alpha + z_\beta)}{\mu_0 - \mu'}\right]^2 & \text{for a one-tailed (upper or lower) test} \\[4mm] \left[\dfrac{\sigma(z_{\alpha/2} + z_\beta)}{\mu_0 - \mu'}\right]^2 & \text{for a two-tailed test (an approximate solution)} \end{cases}$$

Case I: Normal Distribution and Known σ (z Test)

- Example

Let μ denote the true average tread life of a certain type of tire. Consider testing $H_0: \mu = 30{,}000$ versus $H_a: \mu > 30{,}000$ based on a sample of size $n = 16$ from a normal population distribution with $\sigma = 1500$. A test with $\alpha = .01$ requires $z_\alpha = z_{.01} = 2.33$. The probability of making a type II error when $\mu = 31{,}000$ is

$$\beta(31{,}000) = \Phi\left(2.33 + \frac{30{,}000 - 31{,}000}{1500/\sqrt{16}}\right) = \Phi(-.34) = .3669$$

Since $z_{.1} = 1.28$, the requirement that the level .01 test also have $\beta(31{,}000) = .1$ necessitates

$$n = \left[\frac{1500(2.33 + 1.28)}{30{,}000 - 31{,}000}\right]^2 = (-5.42)^2 = 29.32$$

The sample size must be an integer, so $n = 30$ tires should be used.

Case II: General Distribution, Unknown σ but Large Sample (z Test)

- As we discussed in Confidence Interval, under the null hypothesis, the test statistic

$$Z = \frac{\bar{X} - \mu_0}{\hat{\sigma}\sqrt{n}}$$

  approximately follow a standard normal distribution.

- The rule of thumb is $n > 40$.

- All the procedure, e.g., Test Statistic, Rejection Region and formula for β and sample size, are the same except for substituting σ with its estimator $\hat{\sigma}$.

Case III: Normal Distribution and Unknown σ (t Test)

▶ Under the null hypothesis, the test statistic

$$T = \frac{\bar{X} - \mu_0}{\hat{\sigma}\sqrt{n}}$$

follows a t distribution with degrees of freedom $n - 1$

Case III: Normal Distribution and Unknown σ (t Test)

- Under the null hypothesis, the test statistic

$$T = \frac{\bar{X} - \mu_0}{\hat{\sigma}\sqrt{n}}$$

  follows a t distribution with degrees of freedom $n - 1$

- Test Procedure

The One-Sample t Test

Null hypothesis: $H_0: \mu = \mu_0$

Test statistic value: $t = \dfrac{\bar{x} - \mu_0}{s/\sqrt{n}}$

Alternative Hypothesis	Rejection Region for a Level α Test
$H_a: \mu > \mu_0$	$t \geq t_{\alpha, n-1}$ (upper-tailed)
$H_a: \mu < \mu_0$	$t \leq -t_{\alpha, n-1}$ (lower-tailed)
$H_a: \mu \neq \mu_0$	either $t \geq t_{\alpha/2, n-1}$ or $t \leq -t_{\alpha/2, n-1}$ (two-tailed)

Case III: Normal Distribution and Unknown σ (t Test)

- The calculation of Type II Error β is much more difficult than z Test.

$$\beta(\mu') = P(T < t_{\alpha,n-1} \text{ when } \mu = \mu' \text{ rather than } \mu_0)$$

Case III: Normal Distribution and Unknown σ (t Test)

- The calculation of Type II Error β is much more difficult than z Test.

$$\beta(\mu') = P(T < t_{\alpha,n-1} \text{ when } \mu = \mu' \text{ rather than } \mu_0)$$

- A typical β curve

Hypothesis Testing for a Population Proportion

- Let p denote the proportion of individuals or objects in a population who possess a specified property (probability of success). In order to make inference about p, naturally we would look at the sample proportion, which is X/n. X is the number of Successes in the sample. In practice, X should follow a binomial distribution, and when n is large, it can further be approximated by a normal distribution.

- We first consider large sample tests.

Large-sample tests

- Thanks to the Central Limit Theorem, we have

$$Z = \frac{\hat{p} - p_0}{\sqrt{p_0(1 - p_0)/n}} \sim N(0, 1)$$

under the null hypothesis.

- Thus the rejection region is determined by
1. H_a: $p > p_0$: $Z > z_\alpha$
2. H_a: $p < p_0$: $Z < -z_\alpha$
3. H_a: $p \neq p_0$: $Z > z_{\alpha/2}$ or $Z_0 < -z_{\alpha/2}$

- The test procedures are valid provided that $np_0 \geq 10$ and $n(1-p_0) \geq 10$.

Example

Ex. (Defective rate cont.) A factory claims that less than 10% of the components they produce are defective. A consumer group is skeptical of the claim and checks a random sample of 300 components and finds that 39 are defective. Is there evidence that 10% of all components made at the factory are defective?

$H_0 : p = 0.10 \qquad H_a: p > 0.10$

$$\hat{p} = \frac{39}{300} = 0.13 \quad Z = \frac{0.13 - 0.1}{\sqrt{0.1(1 - 0.1)/300}} = 1.72$$

$z_{0.05} = 1.645$. $Z > z_{0.05}$, thus we would reject H_0 at level $\alpha = 0.05$.

Type II Error

- We can calculate Type II Error based on the large sample normal approximation

$$
\begin{aligned}
\beta(p') &= P(H_0 \text{ is not rejected when } p = p') \\
&= P\left(\frac{\hat{p} - p_0}{\sqrt{p_0(1 - p_0)/n}} \leq z_\alpha \Big| p = p'\right) \\
&= P\left(\frac{\hat{p} - p'}{\sqrt{p_0(1 - p_0)/n}} \leq z_\alpha + \frac{p_0 - p'}{\sqrt{p_0(1 - p_0)/n}} \Big| p = p'\right) \\
&= P\left(\frac{\hat{p} - p'}{\sqrt{p'(1 - p')/n}} \leq \frac{z_\alpha \sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}} + \frac{(p_0 - p')}{\sqrt{p'(1 - p')/n}} \Big| p = p'\right) \\
&= \Phi\left(\frac{p_0 - p' + z_\alpha \sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right)
\end{aligned}
$$

Determining sample size

- If we specify a particular alternative p' and specify a β value that can be tolerated (e.g. 0.1). Then from

$$\beta = \Phi\left(\frac{p_0 - p' + z_\alpha\sqrt{p_0(1-p_0)/n}}{\sqrt{p'(1-p')/n}}\right) \implies -z_\beta = \frac{p_0 - p' + z_\alpha\sqrt{p_0(1-p_0)/n}}{\sqrt{p'(1-p')/n}}$$

- Therefore, in order to achieve the specified type I and type II error, one has to have a sample size of at least

$$n = \left(\frac{z_\alpha\sqrt{p_0(1-p_0)} + z_\beta\sqrt{p'(1-p')}}{p' - p_0}\right)^2$$

- For two sided test, we have to change z_α to $z_{\alpha/2}$ in the above formula.

- Difference between the sample size calculation formula in chapter 7 and the one above.

Type II Error and Sample Size calculation

▶ In general Type II Error and Sample Size formulas are give below

Alternative Hypothesis	$\beta(p')$
$H_a: \quad p > p_0$	$\Phi\left[\dfrac{p_0 - p' + z_\alpha\sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right]$
$H_a: \quad p < p_0$	$1 - \Phi\left[\dfrac{p_0 - p' - z_\alpha\sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right]$
$H_a: \quad p \neq p_0$	$\Phi\left[\dfrac{p_0 - p' + z_{\alpha/2}\sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right]$ $-\Phi\left[\dfrac{p_0 - p' - z_{\alpha/2}\sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right]$

The sample size n for which the level α test also satisfies $\beta(p') = \beta$ is

$$n = \begin{cases} \left[\dfrac{z_\alpha\sqrt{p_0(1 - p_0)} + z_\beta\sqrt{p'(1 - p')}}{p' - p_0}\right]^2 & \text{one-tailed test} \\[4ex] \left[\dfrac{z_{\alpha/2}\sqrt{p_0(1 - p_0)} + z_\beta\sqrt{p'(1 - p')}}{p' - p_0}\right]^2 & \text{two-tailed test (an approximate solution)} \end{cases}$$

Example

Ex. A package-delivery service advertises that at least 90% of all packages brought to its office by 9 a.m. for delivery in the same city are delivered by noon that day. Let p denote the true proportion of such packages that are delivered as advertised and consider the hypothesis $H_0 : p = 0.9$ versus $H_a: p < 0.9$. If only 80% of the packages are delivered, how likely is it that a level .01 test based on n=225 packages will detect such departure from H_0? What should the sample size be to ensure that $\beta(0.8) = 0.01$? With $\alpha =.01$, $p_0 = .9$, $p' = .8$, and $n = 225$.

Type II error:
$$\beta(p') = 1 - \Phi\left(\frac{p_0 - p' - z_\alpha\sqrt{p_0(1 - p_0)/n}}{\sqrt{p'(1 - p')/n}}\right)$$

$$= 1 - \Phi\left(\frac{.9 - .8 - 2.33\sqrt{(.9)(.1)/225}}{\sqrt{(.8)(.2)/225}}\right)$$

$$= 1 - \Phi(2.00) = .0228$$

Example cont.

- Using $z_{.01}=2.33$, the sample size can then be calculated from

$$n = \left(\frac{z_\alpha \sqrt{p_0(1-p_0)/n} + z_\beta \sqrt{p'(1-p')/n}}{p' - p_0} \right)^2$$

$$= \left(\frac{2.33\sqrt{(.9)(.1)} + 2.33\sqrt{(.8)(.2)}}{.8 - .9} \right)^2 \approx 266$$

- $1-\beta$ is often referred to as the power of a test. It is the probability that the test can actually detect the alternative given the alternative is true! For α-level tests, the bigger the power the better!

Small sample tests

- For testing population proportions, when the sample size is small, the normal approximation is no longer appropriate. Thus a more accurate test should be used.

- As mentioned before, the sample proportion is X/n. X is the number of S's in the sample and can be treated as a binomial random variable. Thus a rejection region can be constructed using binomial cdf/pmf.

- Can we get an exact α-level test using binomial?