









	$\mathcal{K}_{0^+}^{\#1}$	$\mathcal{K}_{0^-}^{\#1}{}_{\alpha\beta\chi}$				
$\mathcal{K}_{0^+}^{\#1} \dagger$	$-\frac{\Upsilon_3 k^2}{4}$	0				
$\mathcal{K}_{0^-}^{\#1} \dagger^{\alpha\beta\chi}$	0	0	$\mathcal{K}_{1^+}^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_{1^+}^{\#2}{}_{\alpha\beta}$	$\mathcal{K}_{1^-}^{\#1}{}_{\alpha}$	$\mathcal{K}_{1^-}^{\#2}{}_{\alpha}$
	$\mathcal{K}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{\Upsilon_2 k^2}{2}$	$-\frac{\Upsilon_3 k^2}{2\sqrt{2}}$	0	0	
	$\mathcal{K}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$-\frac{\Upsilon_3 k^2}{2\sqrt{2}}$	$-\frac{\Upsilon_4 k^2}{4}$	0	0	
	$\mathcal{K}_{1^-}^{\#1} \dagger^{\alpha}$	0	0	0	0	
	$\mathcal{K}_{1^-}^{\#2} \dagger^{\alpha}$	0	0	0	0	$\mathcal{K}_{2^+}^{\#1}{}_{\alpha\beta}$ $\mathcal{K}_{2^-}^{\#1}{}_{\alpha\beta\chi}$
				$\mathcal{K}_{2^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{\Upsilon_5 k^2}{2}$	0
				$\mathcal{K}_{2^-}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{3k^2 \kappa_{15}^{(4)}}{2}$

	$\mathcal{T}_{0^+}^{\#1}$	$\mathcal{T}_{0^-}^{\#1}{}_{\alpha\beta\chi}$				
$\mathcal{T}_{0^+}^{\#1} \dagger$	$\frac{1}{\text{Det}(0^+)}$	0				
$\mathcal{T}_{0^-}^{\#1} \dagger^{\alpha\beta\chi}$	0	0	$\mathcal{T}_{1^+}^{\#1}{}_{\alpha\beta}$	$\mathcal{T}_{1^+}^{\#2}{}_{\alpha\beta}$	$\mathcal{T}_{1^-}^{\#1}{}_{\alpha}$	$\mathcal{T}_{1^-}^{\#2}{}_{\alpha}$
	$\mathcal{T}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$-\frac{\Upsilon_4 k^2}{4 \text{Det}(1^+)}$	$\frac{\Upsilon_3 k^2}{2 \sqrt{2} \text{Det}(1^+)}$	0	0	
	$\mathcal{T}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$\frac{\Upsilon_3 k^2}{2 \sqrt{2} \text{Det}(1^+)}$	$\frac{\Upsilon_2 k^2}{2 \text{Det}(1^+)}$	0	0	
	$\mathcal{T}_{1^-}^{\#1} \dagger^{\alpha}$	0	0	0	0	
	$\mathcal{T}_{1^-}^{\#2} \dagger^{\alpha}$	0	0	0	0	$\mathcal{T}_{2^+}^{\#1}{}_{\alpha\beta}$
				$\mathcal{T}_{2^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{\text{Det}(2^+)}$	0
				$\mathcal{T}_{2^-}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{2}{3k^2 \frac{(4)}{\kappa_{15}}}$

Abbreviations used in matrices
$\Upsilon_1 == 6 \kappa_1^{(4)} + 3 \kappa_{15}^{(4)} + 2 (\kappa_3^{(4)} + \kappa_6^{(4)})$ && $\Upsilon_2 == \kappa_{15}^{(4)} - \kappa_3^{(4)} + \kappa_6^{(4)}$ && $\Upsilon_3 == 2 \kappa_{15}^{(4)} - \kappa_4^{(4)}$ && $\Upsilon_4 == 5 \kappa_{15}^{(4)} - 2 (\kappa_3^{(4)} + \kappa_4^{(4)})$ && $\Upsilon_5 == 3 \kappa_{15}^{(4)} - \kappa_3^{(4)} - \kappa_6^{(4)}$ && $\text{Det}(0^+) == -\frac{1}{4} k^2 (6 \kappa_1^{(4)} + 3 \kappa_{15}^{(4)} + 2 (\kappa_3^{(4)} + \kappa_6^{(4)}))$ &&
$\text{Det}(1^+) == -\frac{1}{8} k^4 (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + 2 \kappa_3^{(4)} \kappa_4^{(4)} + \kappa_4^{(4)2} - 2 (\kappa_3^{(4)} + \kappa_4^{(4)}) \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))$ &&
$\text{Det}(2^+) == \frac{1}{2} k^2 (3 \kappa_{15}^{(4)} - \kappa_3^{(4)} - \kappa_6^{(4)})$

Lagrangian
$\kappa_1^{(4)} \partial_\beta \mathcal{K}_{\chi\delta}^\delta \partial^{\chi} \mathcal{K}_\alpha^{\alpha\beta} + \frac{3}{2} \kappa_{15}^{(4)} \partial_\chi \mathcal{K}_{\beta\delta}^\delta \partial^{\chi} \mathcal{K}_\alpha^{\alpha\beta} + \kappa_3^{(4)} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\alpha\chi}^\delta +$ $\kappa_4^{(4)} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \kappa_6^{(4)} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\chi\alpha}^\delta - 3 \kappa_{15}^{(4)} \partial^{\chi} \mathcal{K}_\alpha^{\alpha\beta} \partial_\delta \mathcal{K}_{\chi\beta}^\delta - \frac{9}{4} \kappa_{15}^{(4)} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta +$ $\frac{1}{2} \kappa_3^{(4)} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \frac{1}{2} \kappa_4^{(4)} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \kappa_{15}^{(4)} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi} + \kappa_{15}^{(4)} \partial_\delta \mathcal{K}_{\beta\alpha\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{T}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{T}_{0^-}^{\#1\alpha\beta\chi} == 0$	1	$\partial_\delta \partial^\alpha \mathcal{T}^{\beta\chi\delta} + \partial_\delta \partial^\alpha \mathcal{T}^{\delta\beta\chi} + \partial_\delta \partial^\beta \mathcal{T}^{\chi\alpha\delta} + \partial_\delta \partial^\chi \mathcal{T}^{\alpha\beta\delta} + \partial_\delta \partial^\chi \mathcal{T}^{\delta\alpha\beta} + \partial_\delta \partial^\delta \mathcal{T}^{\beta\alpha\chi} ==$ $\partial_\delta \partial^\alpha \mathcal{T}^{\chi\beta\delta} + \partial_\delta \partial^\beta \mathcal{T}^{\alpha\chi\delta} + \partial_\delta \partial^\beta \mathcal{T}^{\delta\alpha\chi} + \partial_\delta \partial^\chi \mathcal{T}^{\beta\alpha\delta} + \partial_\delta \partial^\delta \mathcal{T}^{\alpha\beta\chi} + \partial_\delta \partial^\delta \mathcal{T}^{\chi\alpha\beta}$	
$\mathcal{T}_{1^-}^{\#2\alpha} == 0$	3	$\partial_\chi \partial_\beta \mathcal{T}^{\beta\alpha\chi} == 0$	
$\mathcal{T}_{1^-}^{\#1\alpha} == 0$	3	$\partial_\chi \partial^\alpha \mathcal{T}^{\beta\chi}{}_\alpha + \partial_\chi \partial^\chi \mathcal{T}^{\beta\alpha}{}_\beta == \partial_\chi \partial_\beta \mathcal{T}^{\beta\alpha\chi}$	
Total # constraint(s):	7		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	1	0	$-\frac{6 \kappa_{15}^{(4)} \kappa_3^{(4)} \kappa_6^{(4)}}{\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)})}$
	1	0	$-\frac{-6 \kappa_{15}^{(4)} \kappa_3^{(4)} + \kappa_6^{(4)}}{\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)})}$
	1	0	$-((12 \kappa_{15}^{(4)2} (2 \kappa_3^{(4)} \kappa_4^{(4)} - 2 \kappa_6^{(4)}) - 4 \kappa_{15}^{(4)} (2 \kappa_3^{(4)} \kappa_4^{(4)} - 2 \kappa_6^{(4)}) (\kappa_3^{(4)} + \kappa_6^{(4)}) + \sqrt{((-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)})^2 (324 \kappa_{15}^{(4)4} + (2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)}))^2 - 36 \kappa_{15}^{(4)3} (13 \kappa_3^{(4)} + 8 \kappa_4^{(4)} - 9 \kappa_6^{(4)}) + \kappa_{15}^{(4)2} (369 \kappa_3^{(4)2} + 152 \kappa_3^{(4)} \kappa_4^{(4)} + 132 \kappa_4^{(4)2} - 562 \kappa_3^{(4)} \kappa_6^{(4)} - 88 \kappa_4^{(4)} \kappa_6^{(4)} + 209 \kappa_6^{(4)2}) - 2 \kappa_{15}^{(4)} (26 \kappa_3^{(4)3} + \kappa_3^{(4)2} (42 \kappa_4^{(4)} - 44 \kappa_6^{(4)} + \kappa_3^{(4)} (29 \kappa_4^{(4)2} - 60 \kappa_4^{(4)} \kappa_6^{(4)} + 18 \kappa_6^{(4)2}) + \kappa_4^{(4)} (8 \kappa_4^{(4)2} - 25 \kappa_4^{(4)} \kappa_6^{(4)} + 18 \kappa_6^{(4)2})))))) /$ $(\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
	1	0	$-((12 \kappa_{15}^{(4)2} (2 \kappa_3^{(4)} \kappa_4^{(4)} - 2 \kappa_6^{(4)}) - 4 \kappa_{15}^{(4)} (2 \kappa_3^{(4)} \kappa_4^{(4)} - 2 \kappa_6^{(4)}) (\kappa_3^{(4)} + \kappa_6^{(4)}) - \sqrt{((-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)})^2 (324 \kappa_{15}^{(4)4} + (2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)}))^2 - 36 \kappa_{15}^{(4)3} (13 \kappa_3^{(4)} + 8 \kappa_4^{(4)} - 9 \kappa_6^{(4)}) + \kappa_{15}^{(4)2} (369 \kappa_3^{(4)2} + 152 \kappa_3^{(4)} \kappa_4^{(4)} + 132 \kappa_4^{(4)2} - 562 \kappa_3^{(4)} \kappa_6^{(4)} - 88 \kappa_4^{(4)} \kappa_6^{(4)} + 209 \kappa_6^{(4)2}) - 2 \kappa_{15}^{(4)} (26 \kappa_3^{(4)3} + \kappa_3^{(4)2} (42 \kappa_4^{(4)} - 44 \kappa_6^{(4)} + \kappa_3^{(4)} (29 \kappa_4^{(4)2} - 60 \kappa_4^{(4)} \kappa_6^{(4)} + 18 \kappa_6^{(4)2}) + \kappa_4^{(4)} (8 \kappa_4^{(4)2} - 25 \kappa_4^{(4)} \kappa_6^{(4)} + 18 \kappa_6^{(4)2})))))) /$ $(\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
	1	0	$-((27 \kappa_{15}^{(4)3} - 21 \kappa_{15}^{(4)2} \kappa_3^{(4)} + 6 \kappa_{15}^{(4)} \kappa_3^{(4)2} - 18 \kappa_{15}^{(4)} \kappa_4^{(4)} + 6 \kappa_{15}^{(4)} \kappa_3^{(4)} \kappa_4^{(4)} + 3 \kappa_{15}^{(4)} \kappa_4^{(4)2} + 15 \kappa_{15}^{(4)2} \kappa_6^{(4)} - 6 \kappa_{15}^{(4)} \kappa_3^{(4)} \kappa_6^{(4)} - 6 \kappa_{15}^{(4)} \kappa_4^{(4)} \kappa_6^{(4)} + \sqrt{((36 \kappa_{15}^{(4)2} - 6 \kappa_{15}^{(4)} (\kappa_3^{(4)} + \kappa_6^{(4)} + (\kappa_3^{(4)} + \kappa_6^{(4)})^2) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))^2)) / (\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
	1	0	$-((27 \kappa_{15}^{(4)3} - 21 \kappa_{15}^{(4)2} \kappa_3^{(4)} + 6 \kappa_{15}^{(4)} \kappa_3^{(4)2} - 18 \kappa_{15}^{(4)} \kappa_4^{(4)} + 6 \kappa_{15}^{(4)} \kappa_3^{(4)} \kappa_4^{(4)} + 3 \kappa_{15}^{(4)} \kappa_4^{(4)2} + 15 \kappa_{15}^{(4)2} \kappa_6^{(4)} - 6 \kappa_{15}^{(4)} \kappa_3^{(4)} \kappa_6^{(4)} - 6 \kappa_{15}^{(4)} \kappa_4^{(4)} \kappa_6^{(4)} - \sqrt{((36 \kappa_{15}^{(4)2} - 6 \kappa_{15}^{(4)} (\kappa_3^{(4)} + \kappa_6^{(4)} + (\kappa_3^{(4)} + \kappa_6^{(4)})^2) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))^2)) / (\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
	2	0	$-((-144 \kappa_{15}^{(4)3} + 8 \kappa_3^{(4)3} + 8 \kappa_3^{(4)} \kappa_4^{(4)2} + 4 \kappa_3^{(4)} \kappa_4^{(4)2} + 6 \kappa_{15}^{(4)2} (25 \kappa_3^{(4)} + 6 \kappa_4^{(4)} - 8 \kappa_6^{(4)} + 4 \kappa_4^{(4)2} \kappa_6^{(4)} - 8 \kappa_3^{(4)} \kappa_6^{(4)} - 8 \kappa_4^{(4)} \kappa_6^{(4)} - \kappa_{15}^{(4)} (52 \kappa_3^{(4)2} + 3 \kappa_4^{(4)2} + 4 \kappa_3^{(4)} (9 \kappa_4^{(4)} - 4 \kappa_6^{(4)} + 24 \kappa_4^{(4)} \kappa_6^{(4)} - 56 \kappa_6^{(4)2}) + \sqrt{(90720 \kappa_{15}^{(4)6} - 1728 \kappa_{15}^{(4)5} (88 \kappa_3^{(4)} + 42 \kappa_4^{(4)} - 17 \kappa_6^{(4)} + 16 (2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)}))^2 (\kappa_3^{(4)} + \kappa_6^{(4)})^2 + 108 \kappa_{15}^{(4)4} (1027 \kappa_3^{(4)2} + 884 \kappa_3^{(4)} \kappa_4^{(4)} + 224 \kappa_4^{(4)2} - 336 \kappa_3^{(4)} \kappa_6^{(4)} - 96 \kappa_4^{(4)} \kappa_6^{(4)} - 152 \kappa_6^{(4)2}) - 12 \kappa_{15}^{(4)3} (3652 \kappa_3^{(4)3} + 378 \kappa_4^{(4)3} + 12 \kappa_3^{(4)2} (365 \kappa_4^{(4)} - 108 \kappa_6^{(4)}) - 216 \kappa_4^{(4)2} \kappa_6^{(4)} - 624 \kappa_4^{(4)} \kappa_6^{(4)2} + 256 \kappa_6^{(4)3} + 3 \kappa_3^{(4)} (705 \kappa_4^{(4)2} - 344 \kappa_4^{(4)} \kappa_6^{(4)} - 472 \kappa_6^{(4)2})) - 8 \kappa_{15}^{(4)} (\kappa_3^{(4)} + \kappa_6^{(4)}) (152 \kappa_3^{(4)4} + 8 \kappa_3^{(4)3} (34 \kappa_4^{(4)} - 23 \kappa_6^{(4)} + 2 \kappa_3^{(4)2} (119 \kappa_4^{(4)2} - 176 \kappa_4^{(4)} \kappa_6^{(4)} + 8 \kappa_6^{(4)2}) + 2 \kappa_3^{(4)} (51 \kappa_4^{(4)3} - 113 \kappa_4^{(4)2} \kappa_6^{(4)} + 32 \kappa_4^{(4)} \kappa_6^{(4)2} + 8 \kappa_6^{(4)3}) + \kappa_4^{(4)} (21 \kappa_4^{(4)3} - 66 \kappa_4^{(4)2} \kappa_6^{(4)} + 40 \kappa_4^{(4)} \kappa_6^{(4)2} + 16 \kappa_6^{(4)3})) + \kappa_{15}^{(4)2} (9904 \kappa_3^{(4)4} + 441 \kappa_4^{(4)4} + 128 \kappa_3^{(4)3} (117 \kappa_4^{(4)} - 25 \kappa_6^{(4)}) - 144 \kappa_4^{(4)3} \kappa_6^{(4)} - 1440 \kappa_4^{(4)2} \kappa_6^{(4)2} + 1216 \kappa_6^{(4)4} + 24 \kappa_3^{(4)2} (435 \kappa_4^{(4)2} - 216 \kappa_4^{(4)} \kappa_6^{(4)} - 260 \kappa_6^{(4)2}) + 8 \kappa_3^{(4)} (423 \kappa_4^{(4)3} - 198 \kappa_4^{(4)2} \kappa_6^{(4)} - 756 \kappa_4^{(4)} \kappa_6^{(4)2} + 128 \kappa_6^{(4)3})))))) /$ $(\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
	2	0	$(144 \kappa_{15}^{(4)3} - 8 \kappa_3^{(4)3} - 8 \kappa_3^{(4)2} \kappa_4^{(4)} - 4 \kappa_3^{(4)} \kappa_4^{(4)2} - 6 \kappa_{15}^{(4)2} (25 \kappa_3^{(4)} + 6 \kappa_4^{(4)} - 8 \kappa_6^{(4)} - 4 \kappa_4^{(4)2} \kappa_6^{(4)} + 8 \kappa_3^{(4)} \kappa_6^{(4)} + 8 \kappa_4^{(4)} \kappa_6^{(4)2} + \kappa_{15}^{(4)} (52 \kappa_3^{(4)2} + 3 \kappa_4^{(4)2} + 4 \kappa_3^{(4)} (9 \kappa_4^{(4)} - 4 \kappa_6^{(4)} + 24 \kappa_4^{(4)} \kappa_6^{(4)} - 56 \kappa_6^{(4)2}) + \sqrt{(90720 \kappa_{15}^{(4)6} - 1728 \kappa_{15}^{(4)5} (88 \kappa_3^{(4)} + 42 \kappa_4^{(4)} - 17 \kappa_6^{(4)} + 16 (2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)}))^2 (\kappa_3^{(4)} + \kappa_6^{(4)})^2 + 108 \kappa_{15}^{(4)4} (1027 \kappa_3^{(4)2} + 884 \kappa_3^{(4)} \kappa_4^{(4)} + 224 \kappa_4^{(4)2} - 336 \kappa_3^{(4)} \kappa_6^{(4)} - 96 \kappa_4^{(4)} \kappa_6^{(4)} - 152 \kappa_6^{(4)2}) - 12 \kappa_{15}^{(4)3} (3652 \kappa_3^{(4)3} + 378 \kappa_4^{(4)3} + 12 \kappa_3^{(4)2} (365 \kappa_4^{(4)} - 108 \kappa_6^{(4)}) - 216 \kappa_4^{(4)2} \kappa_6^{(4)} - 624 \kappa_4^{(4)} \kappa_6^{(4)2} + 256 \kappa_6^{(4)3} + 3 \kappa_3^{(4)} (705 \kappa_4^{(4)2} - 344 \kappa_4^{(4)} \kappa_6^{(4)} - 472 \kappa_6^{(4)2})) - 8 \kappa_{15}^{(4)} (\kappa_3^{(4)} + \kappa_6^{(4)}) (152 \kappa_3^{(4)4} + 8 \kappa_3^{(4)3} (34 \kappa_4^{(4)} - 23 \kappa_6^{(4)} + 2 \kappa_3^{(4)2} (119 \kappa_4^{(4)2} - 176 \kappa_4^{(4)} \kappa_6^{(4)} + 8 \kappa_6^{(4)2}) + 2 \kappa_3^{(4)} (51 \kappa_4^{(4)3} - 113 \kappa_4^{(4)2} \kappa_6^{(4)} + 32 \kappa_4^{(4)} \kappa_6^{(4)2} + 8 \kappa_6^{(4)3}) + \kappa_4^{(4)} (21 \kappa_4^{(4)3} - 66 \kappa_4^{(4)2} \kappa_6^{(4)} + 40 \kappa_4^{(4)} \kappa_6^{(4)2} + 16 \kappa_6^{(4)3})) + \kappa_{15}^{(4)2} (9904 \kappa_3^{(4)4} + 441 \kappa_4^{(4)4} + 128 \kappa_3^{(4)3} (117 \kappa_4^{(4)} - 25 \kappa_6^{(4)}) - 144 \kappa_4^{(4)3} \kappa_6^{(4)} - 1440 \kappa_4^{(4)2} \kappa_6^{(4)2} + 1216 \kappa_6^{(4)4} + 24 \kappa_3^{(4)2} (435 \kappa_4^{(4)2} - 216 \kappa_4^{(4)} \kappa_6^{(4)} - 260 \kappa_6^{(4)2}) + 8 \kappa_3^{(4)} (423 \kappa_4^{(4)3} - 198 \kappa_4^{(4)2} \kappa_6^{(4)} - 756 \kappa_4^{(4)} \kappa_6^{(4)2} + 128 \kappa_6^{(4)3})))))) /$ $(\kappa_{15}^{(4)} (-3 \kappa_{15}^{(4)} + \kappa_3^{(4)} + \kappa_6^{(4)}) (9 \kappa_{15}^{(4)2} + 2 \kappa_3^{(4)2} + \kappa_4^{(4)} (\kappa_4^{(4)} - 2 \kappa_6^{(4)} + 2 \kappa_3^{(4)} (\kappa_4^{(4)} - \kappa_6^{(4)} + \kappa_{15}^{(4)} (-7 \kappa_3^{(4)} - 6 \kappa_4^{(4)} + 5 \kappa_6^{(4)}))))))$
Resolved unitarity condition(s):	(Demonstrably impossible)		