Title list

Contents

CTR Title List Notes

CTR System Titles
- 00040010 - System Applications
  - System Application Notes
- 0004001B - System Data Archives
- 00040030 - System Applets
  - System Applet Notes
- 0004009B - Shared Data Archives
- 000400DB - System Data Archives
  - System Data Archive Notes
- 00040130 - System Modules
  - System Module Notes
- 00040138 - System Firmware
  - System Firmare Notes

Application Titles
- 00040001 - Download Play Titles
  - Download Play Notes

Factory Titles
- Factory Titles Notes

TWL (DSi) Titles
- TWL Title Notes
- 00048005 - System Applications
- 0004800F - System Data Archives
  - System Data Archive Notes
- 00048004 - DSiWare Ports
  - DSiWare Port Notes

CTR Title List Notes

Reports/title-lists here (https://yls8.mtheall.com/ninupdates/reports.php) are automatically obtained from the system update SOAP.

CTR System Titles

Category Bit Mask	Title Type	Internal Description	Bit Mask(s)
0x0010	Application	SYSTEM_APPLICATION	Normal | System
0x001B	System Data Archives	SYSTEM_CONTENT	Contents | CannotExecution | System
0x009B	Shared Data Archives	SHARED_CONTENT	Contents | CannotExecution | System | NotRequireRightForMount
0x00DB	System Data Archives	AUTO_UPDATE_CONTENT	Contents | CannotExecution | System | NotRequireUserApproval | NotRequireRightForMount
0x0030	Applet	APPLET	Normal | System | RequireBatchUpdate
0x0130	Module	BASE	Normal | System | RequireBatchUpdate | CanSkipConvertJumpId
0x0138	Firmware	FIRMWARE	Normal | CannotExecution | System | RequireBatchUpdate | CanSkipConvertJumpId

00040010 - System Applications

System Application Notes

System Application titles have a unique title low that varies by region. Regardless of version, the ExeFS:/.code for mset is the same for USA/EUR/JPN. The 4.0.0-7 version of mset(4.1.0-8 for TWN) has the same ExeFS:/.code for all regions(JPN, USA, EUR, CHN, KOR, TWN). The 5.0.0-11 mset ExeFS:/.code is the same for all regions as well, except for CHN. The 7.0.0-13 mset ExeFS:/.code is unique for the following regions: CHN, KOR, and TWN. A limited number of system-applications are included with gamecard-sysupdates. They are: System Settings, Download Play, SAFE_MODE System Updater, and Nintendo 3DS Sound (this one was only in firms 3.0.0 - 6.2.0 inclusive). The only system-applications included with the New3DS gamecard-sysupdate partition are: "menu" stub and "friend" stub.

JPN TIDLow	USA TIDLow	EUR TIDLow	CHN TIDLow	KOR TIDLow	TWN TIDLow	Product code	Description	JPN Versions	EUR Versions	USA Versions	CHN Versions	KOR Versions	TWN Versions	Status
00020000	00021000	00022000	00026000	00027000	00028000	CTR-N-HAS?	System Settings (mset)	v0, v1027, v2060, v3074, v4097, v5127, v6157, v7173, v8198(8.1.0-0_New3DS), v9224, v10245, v10256, v11266	v0, v1027, v2061, v3075, v4097, v5127, v6157, v7174, v8202, v9220, v10241(New2DSXL), v10256	v0, v1027, v2062, v3078, v4098, v5128, v6157, v7174, v8203, v9221, v10241	v8, v1024(CHN-only sysupdate for just mset), v2049, v3075	v1026, v2049, v4098	v8, v1024, v2050, v3074	Active
00020100	00021100	00022100	00026100	00027100	00028100	CTR-N-HDL?	Download Play (dlplay)	v0, v1026, v2051, v3072(Also for 8.1.0-0_New3DS)	v0, v1026, v2051, v3073	v0, v1026, v2051, v3073	v4	v1027	v4	Active
00020200	00021200	00022200	00026200	00027200	00028200	CTR-N-HMK?	Activity Log (PLOG)	v0, v1026, v2051, v2080	v0, v1026, v2054, v2064	Same as EUR	v3	v2, v16	v2	Active
00020300	00021300	00022300	00026300	00027300	00028300	?	Health and Safety Information (safe)	v0, v1024, v2050	v0, v1024, v2050, v3077	v0, v1026, v2051	v5	v2	v5	Active
20020300	20021300	20022300	N/A	20027300	N/A	CTR-N-HAC?	New_3DS Health and Safety Information (ssafe)	v2, v17	v1, v16(New2DSXL)	Same as EUR.	N/A	v2	N/A	Active
00020400	00021400	00022400	00026400	00027400	00028400	CTR-N-HEP?	Nintendo 3DS Camera (CtrApp)	v0, v16, v1038, v2048, v3073, v4097(Also for 8.1.0-0_New3DS), v4112, v5120	v0, v16, v1039, v2048, v3073, v3088, v4097, v5120(New2DSXL), v5120	v0, v16, v1039, v2048, v3074, v3088, v4097, v5120	v3	v2, v1040	v3	Active
00020500	00021500	00022500	00026500	00027500	00028500	CTR-N-HES?	Nintendo 3DS Sound (CtrApp)	v0, v1027, v2049, v3072, v3089, v4096	v0, v1027, v2049, v3072, v3088, v4096	v0, v1027, v2049, v3072, v3088, v4096	v2, v1024	v2, v16,v4096	v3, v1024	Active
00020700	00021700	00022700	00026700	00027700	00028700	CTR-N-HED?	Mii Maker (EDIT)	v0, v1026, v2055, v2064	Same as JPN	Same as JPN	v1	v1, v16	v2	Active
00020800	00021800	00022800	00026800	00027800	00028800	CTR-N-HME?	StreetPass Mii Plaza (MEET)	v0, v1027, v2048, v3087, v4096, v5121	v0, v1027, v2048, v3087, v4096, v5122	v0, v1027, v2048, v3087, v4096, v5124, v5136	v0, v4096	v1, v4096, v5120	v1, v4096	Active
00020900	00021900	00022900	N/A	00027900	00028900	CTR-N-HGR?	eShop (tiger)	v4, v1026, v2057, v3081, v4096, v5123, v6146,	v4, v1026, v2058, v3081, v4096, v5123, v6146, v7171, v8206, v9231, v10245, v11265, v12288, v13320, v15366,	v4, v1026, v2058, v3081, v4096, v5123, v6146,	N/A	v3082, v4096, v5123, v6146, v7169, v8205,	v4096, v5123, v6146, v7170, v8205, v9231,	Active

JPN TIDLow	USA TIDLow	EUR TIDLow	CHN TIDLow	KOR TIDLow	TWN TIDLow	Product code	Description	JPN Versions	EUR Versions	USA Versions	CHN Versions	KOR Versions	TWN Versions	Status
								v7169, v8206, v9231, v10245, v11265, v12288, v13320, v15366, v16384, v17421, v18432, v19465, v20483, v21504, v23552, v25600	v16384, v17421, v18432, v19465, v20482, v21505, v22528, v23552, v24576(New2DSXL), v25600	v7170, v8206, v9231, v10246, v11265, v12288, v13321, v15366, v16384, v17422, v18432, v19465, v20482, v21506, v23552, v25600		v9231, v12288, v13320, v15366, v16384, v17420, v18432, v19465, v20482	v12288, v15366, v16384, v17421, v18432, v19465	
00020A00	00021A00	00022A00	N/A	00027A00	00028A00	CTR-N-HCB?	System Transfer (CARDBOARD)	v4, v1035, v2050, v3074, v4109, v5130, v6154	v4, v1035, v2050, v3073, v4109, v5131, v6155	v4, v1035, v2051, v3073, v4109, v5131, v6156	N/A	v2, v1025, v2061, v3082	v2, v1025, v2061	Active
00020B00	00021B00	00022B00	N/A	N/A	N/A	CTR-N-HMA?	Nintendo Zone ("Nintendo") (MARS)	v0, v1034	Same as JPN	Same as JPN	N/A	N/A	N/A	Active
00020D00	00021D00	00022D00	00026D00	00027D00	00028D00	CTR-N-HCH?	Face Raiders	v0, v1028	v0, v1028, v1040	Same as EUR	v0	v0	v2	Active
20020D00	20021D00	20022D00	N/A	20027D00	N/A	?	New_3DS Face Raiders (FACE)	v2050	v2049	Same as EUR.	N/A	v2049	N/A	Active
00020E00	00021E00	00022E00	00026E00	00027E00	00028E00	CTR-N-HAR?	AR Games (AR_ACT)	v0, v1026	v0, v1026, v1040	v0, v1027, v1040	v0	v0, v16	v1	Active
00020F00	00021F00	00022F00	00026F00	00027F00	00028F00	CTR-N-HSH?	SAFE_MODE System Updater (mset)	v0, v1024, v2049	v0, v1024, v2050	Same as JPN	v1, v1026	v1	v1	Active
00023000	00024000	00025000	N/A	N/A	N/A	(Variable?)	Promotional video	v2, v2048	v0, v2048	v0, v2048	N/A	N/A	N/A	Stubbed
0002BF00	0002C000	0002C100	N/A	N/A	N/A	CTR-N-HAF?	Nintendo Network ID Settings (act)	v14, v1029, v2051, v3072	Same as JPN	Same as JPN	N/A	N/A	N/A	Active
20023100	20024100	20025100	N/A	N/A	N/A	CTR-N-HAJ?	microSD Management ('mcopy') (New_3DS-only)	v8, v1024	v4	v5	N/A	N/A	N/A	Available
2002C800	2002CF00	2002D000	N/A	2002D700	N/A	CTR-P-CTAP	New_3DS HOME menu digital manual	v2, v18, v34, v50	v1, v17, v34, v48(New2DSXL)	v1, v18, v33	N/A	v2	N/A	Stubbed
2002C900	2002D100	2002D200	N/A	2002D800	N/A	CTR-P-CTAP	New_3DS Friends list digital manual	v1	Same as JPN.	v0, v16	N/A	v2	N/A	Stubbed
2002CA00	2002D300	2002D400	N/A	2002D900	N/A	CTR-P-CTAP	New_3DS Notifications digital manual	v0, v1(JPN-only Oct 2, 2014 "sysupdate", actually uploaded on	v2	v0	N/A	v2	N/A	Stubbed

JPN TIDLow	USA TIDLow	EUR TIDLow	CHN TIDLow	KOR TIDLow	TWN TIDLow	Product code	Description	JPN Versions	EUR Versions	USA Versions	CHN Versions	KOR Versions	TWN Versions	Status
								09-29-14. Identical to v0, same TMDs besides title-versions)						
2002CB00	2002D500	2002D600	N/A	2002DA00	N/A	CTR-P-CTAP	New_3DS Game Notes digital manual	v0, v1	v2	Same as EUR.	N/A	v1	N/A	Stubbed

0004001B - System Data Archives

TitleID Low	Description	Versions
00010002	ClCertA	v0
00010702	NS CFA	v0, v1028, v2048, v3073, v4096(also for 8.1.0-0_New3DS)
00010802	This CFA only contains a 1-byte "dummy.txt" in the RomFS, which contains '0'.	v0, v1024, v2048, v3072
00018002	Same contents as 00010802. Starting with 7.1.0-15, the "dummy.txt" file was removed from RomFS: this CFA RomFS now contains web-browser data(similar to 00018102) for NNID / networking, etc.	v14, v1025, v2055, v3078, v4096, v5120
00018102	This contains local web-browser data(html/js, gfx, etc) for the Miiverse Offline-mode.	v11, v1025(also for 8.1.0-0_New3DS)
00018202	This contains the webkit/OSS CROs used with the Miiverse applet and the "act" application.	v7, v1026(8.1.0-0_New3DS), v2050
00019002	Fangate_updater	v2, v1026

00040030 - System Applets

System Applet Notes

Most of these processes are applets, see here for details. All of the below processes use the "SYSTEM" memory-region. The ExeFS for Home Menu is exactly the same for USA/EUR/JPN. The Miiverse applet seems to use a web browser with webkit.

JPN TitleIDLow	USA TitleIDLow	EUR TitleIDLow	CHN TitleIDLow	KOR TitleIDLow	TWN TitleIDLow	Product code	Description	JPN Versions	USA Versions	EUR Versions
00008102						CTR-P-CTAP	Test Menu (Demo1)	..., v64, ..., v27648		
00008202	00008F02	00009802	0000A102	0000A902	0000B102	CTR-P-HMM?	Home Menu (menu)	v0, v1027, v2049, v3075, v4111, v5131, v6146, v7172, v8198, v9230, v10250(8.1.0-0_New3DS), v13313, v14336, v15360, v16402, v17408, v18432, v19476, v20487, v22528, v23552, v24576, v25600, v26626, v27648, v28672, v29696, v30721	v0, v1027, v2049, v3075, v4111, v5131, v6146, v7172, v8198, v9230, v11272, v12288, v13330, v14336, v15360, v16404, v17415, v19456, v20480, v21504, v22528, v23552, v24578, v25600, v26624, v27648, v28673, v30720	v0, v1027, v2049, v3075, v4111, v5131, v6146, v7172, v8198, v9230, v11272, v12288, v13330, v14336, v15360, v16404, v17415, v19456, v20480, v21504, v22528, v23554, v24576, v25600, v26624, v27649(New2DSXL), v27649
00008402	00009002	00009902	0000A202	0000AA02	0000B202	CTR-N-HCS?	Camera applet used by Home-menu (CtrApp)	v0, v1036, v2049(Also for 8.1.0-0_New3DS)		
00008502	00009102	00009A02	?	?	?	?	Not available on CDN	?	?	?
00008602	00009202	00009B02	0000A402	0000AC02	0000B402	CTR-N-HMV?	Instruction Manual, applet for displaying instruction manuals	v0, v1026, v2048, v3072, v4097, v5120(Also for 8.1.0-0_New3DS)		
00008702	00009302	00009C02	0000A502	0000AD02	0000B502	CTR-N-HGM?	Game Notes (Cherry)	v0, v1026, v2049, v3073, v4096(Also for 8.1.0-0_New3DS)		
00008802	00009402	00009D02	0000A602	0000AE02	0000B602		Internet Browser (spider)	v6, v1024, v2050, v3074 (EUR)/v3075(USA,JAP), v3088, v4096, v5121, v6149, v7168, v8192, v9232, v10240, v11297		
20008802	20009402	20009D02	?	2000AE02	N/A	CTR-N-HBR?	New 3DS Internet Browser (SKATER)	v10, v1027, v2051, v3077, v4096, v5121, v6144, v7184, v8192, v10272		
00008A02							Fatal error viewer (ErrDisp)	v0, v1025, v2048, v3072, v4096, v5121, v6144, v7168(Also for 8.1.0-0_New3DS)		
00008A03							SAFE_MODE ErrDisp	v0		
20008A03	20008A03	20008A03	?	20008A03	N/A		New_3DS SAFE_MODE ErrDisp	v7169		
00008D02	00009602	00009F02	0000A702	0000AF02	0000B702	CTR-N-HFR?	Friend List (friend)	v0, v1026, v2051, v3082, v4099, v5120, v6144(Also for 8.1.0-0_New3DS) (EUR v6, v1024, v3082, v4099, v5120, v6144)		
00008E02	00009702	0000A002	0000A802	0000B002	0000B802	CTR-N-HCR?	Notifications (newslist)	v0, v1029, v2054, v3075, v4097 (EUR v6, v1024, v2054, v3075, v4097) (JPN: ..., v4096, v5121)		
0000C002	0000C802	0000D002	0000D802	0000DE02	0000E402	CTR-N-HKY?	Software Keyboard (swkbd)	v0, v1026, v2053, v3072, v4096(Also for 8.1.0-0_New3DS)		
0000C003	0000C803	0000D003	0000D803	0000DE03	0000E403		SAFE_MODE Software Keyboard (swkbd)	v0		

JPN TitleIDLow	USA TitleIDLow	EUR TitleIDLow	CHN TitleIDLow	KOR TitleIDLow	TWN TitleIDLow	Product code	Description	JPN Versions	USA Versions	EUR Versions
2000C003	2000C803	2000D003	?	2000DE03	N/A		New 3DS SAFE_MODE Software Keyboard (swkbd)	v1024	v0	
0000C102	0000C902	0000D102	0000D902	0000DF02	0000E502	CTR-N-HMS?	Mii picker (appletEd)	v0, v1026, v2048(Also for 8.1.0-0_New3DS), v3077		
0000C302	0000CB02	0000D302	0000DB02	0000E102	0000E702	CTR-N-HCC?	Picture picker (PNOTE_AP)	v0, v1024, v2049(8.1.0-0_New3DS), v3075, v4096		
0000C402	0000CC02	0000D402	0000DC02	0000E202	0000E802	CTR-N-HMC?	Voice memo picker (SNOTE_AP)	v0, v3, v1026, v2048(Also for 8.1.0-0_New3DS)		
0000C502			0000CF02			CTR-N-HEEA CTR-N-HEEK	Non-critical (online, etc) error display (error)	v0, v1026, v2053, v3074, v4096(8.1.0-0_New3DS), v5128, v6145		
0000C503			0000CF03				SAFE_MODE error applet	v0		
2000C503	2000C503	2000C503	?	2000CF03	N/A		New 3DS SAFE_MODE error applet	v1024		
0000CD02			0000D502			CTR-N-HADA CTR-N-HADK	Circle Pad Pro test/calibration applet (extrapad)	v1, v1026, v2048(8.1.0-0_New3DS), v3073, v4097(New2DSXL), v4097		
0000C602	0000CE02	0000D602	N/A	0000E302	0000E902	CTR-N-HAA?	eShop applet, used by applications for accessing the eShop, for DLC/etc. Also used by the eShop application itself. (mint)	v5, v1028, v2050, v3072, v4109, v5125(v5123 for JPN), v6145, v7168(8.1.0-0_New3DS), v8200, v9224, v10247, v11264, v12293, v13312, v14337, v15360, v16384, v17408(EUR), v18432, v19457		
0000BC02	0000BD02	0000BE02	?	N/A	?	CTR-N-HAE?	Miiverse (olv)	v14, v1024, v2048(Also for 8.1.0-0_New3DS), v3072, v4096		
0000F602			?	N/A	?	CTR-N-HAGA	Likely the "system library" for Miiverse (memolib)	v5, v1024(8.1.0-0_New3DS), v2050, v3072		
00008302	00008B02	0000BA02	?	N/A	?	CTR-N-HAH?	In-app Miiverse-posting applet (solv3)	v6		
00009502	00009E02	0000B902	?	00008C02	0000BF02	CTR-N-HA3?	Cabinet (amiibo Settings)	v7, (v1024 for TWN), v1031		

0004009B - Shared Data Archives

JPN TitleIDLow	USA TitleIDLow	EUR TitleIDLow	CHN TitleIDLow	KOR TitleIDLow	TWN TitleIDLow	Description	Versions
00010202	00010202	00010202	00010202	00010202	00010202	Probably Mii-related, contains "CFL_Res.dat" in the RomFS.	v0
00010402	00010402	00010402	00010402	00010402	00010402	Region Manifest. Mounted as "area:"	v0, v1024, v2050, v3072, v4098, v5122

JPN TitleIDLow	USA TitleIDLow	EUR TitleIDLow	CHN TitleIDLow	KOR TitleIDLow	TWN TitleIDLow	Description	Versions
00010602	00010602	00010602	00010602	00010602	00010602	Non-Nintendo TLS Root-CA Certificates (RomFS contains files with filename "CACERT_PUBLIC_CA_<val>.der", where <val> is 5..8)	v2, v1024
			00011002			"CHN/CN" Dictionary.	v1
					00011102	"TWN/TN" dictionary.	v1
		00011202				"NL/NL" dictionary.	v0
		00011302				"EN/GB" dictionary.	v0
	00011402					"EN/US" dictionary.	v0
		00011502				"FR/FR/regular" dictionary.	v0
	00011602					"FR/CA/regular" dictionary.	v0
		00011702				"DE/regular" dictionary.	v0
		00011802				"IT/IT" dictionary.	v0
00011902						"JA_small/32" dictionary.	v0
				00011A02		"KO/KO" dictionary.	v1
		00011B02				"PT/PT/regular" dictionary.	v0
		00011C02				"RU/regular" dictionary.	v0
	00011D02	00011D02				"ES/ES" dictionary.	v0
	00011E02					"PT/BR/regular" dictionary.	v0
00012202	00012302	00012102	00012402	00012502	00012602	?contains a lists with error strings	v1026, v2053, v3073, v4096, v5120, v6149, v7168, v8192, v9218, v10242, v11269, v12289, v13312, v13313 (JPN: v14336) (KOR: v6148, v7169, v8193, v9216, v10240)
00013202	00013302	00013102	00013402	00013502	00013602	Mounted as "eula:"	v0, v1024, v2049 USA: v1024, v2051, v3074, v4100(EUR-only), v4099, v6144, v7168 (KOR: v1025)
00014002	00014002	00014002	00014002	00014002	00014002	JPN/EUR/USA System Font ("font:")	v0
00014102	00014102	00014102	00014102	00014102	00014102	CHN System Font ("font:")	v0, v1024
00014202	00014202	00014202	00014202	00014202	00014202	KOR System Font ("font:")	v0, v1024
00014302	00014302	00014302	00014302	00014302	00014302	TWN System Font ("font:")	v0, v1024
00015202	00015302	00015102	N/A	00015502	0015602	Mounted as "rate:"	v0 (EUR: v0, v1024) (KOR: v1024)

000400DB - System Data Archives

System Data Archive Notes

These NVer titleIDs can be found @ offset 0x320 in every CCI.

JPN TitleIDLow	USA TitleIDLow	EUR TitleIDLow	CHN TitleIDLow	KOR TitleIDLow	TWN TitleIDLow	Description	USA/EUR/JPN Versions	CHN Versions	TWN Versions	KOR Versions
00010302	00010302	00010302	00010302	00010302	00010302	NGWord bad word list	v0, v1024, v2052, v3072, v4096, v5120, v6144, v7168, v8192, v9217			
00010502	00010502	00010502	00010502	00010502	00010502	Nintendo Zone hotspot list	v0, v1024, v2048, v3073, v4096, v5120, v6144, v7169, v8192, v9216, v10242, v11267, v12288, v14336, v15360, v16386, v17409, v18432, v19457, v20480, v22528			
00016202	00016302	00016102	00016402	00016502	00016602	NVer	v0, v16, v32, v48, v64, v80, v96, v112, v128, v144, v160, v176, non-USA=v192/USA=v192, v208, v224, v240, v256, v272, v288, v304, v320, v336, v352, v368, v384, v400, v416, v432, v448, v464, v480, v496, v512, v528, v544, v560, v576, v608, ..., v672	v113, v128, v129, v130, v272, v131, v132	v114, v133, v134, v136, v144, v160 v192, v272, v208, v224, v240, v272, v288, v304, v320, v336, v352, v368, v384, v400, v416, v432, v448, v464, v480, v496, ..., v544	v113, v114, v133, v134, v136, v160, v176, v176, v272, v224, v240, v256, v272, v288, v304, v320, v336, v352, v368, v384, v400, v416, v432, v448, v464, v480, v496, v512, ..., v576
20016202	20016302	20016102	N/A	20016502	N/A	New_3DS NVer	v0, v320, v336, v352, v352, v368, v384, v400, v416, v432, v448, v464, v480, v496, v512, v528, v544, v560, v576, ..., v672	N/A	N/A	v320, v336, v352, v368, v384, v400, v416, v432, v448, v464, v496, v512, ..., v576
00017202	00017302	00017102	00017402	00017502	00017602	CVer	v1024, v1045, v2049, v2069, v2088 v3088, v4098, v4113, v4130, v4145, v4163, v4176, v5120, v5136, v6146, v6160, v6178, v6192, v7175, v7187, v7203, v8196, v8208, v8215(8.1.0-0_New3DS), v9218, v9232(JPN-only), v9248, v9264, v9280, v9296, v9319, v9328, v9344, v9360, v10240, v10256, v10272, v10288, v10304, v10320, v10336, v10352, v11264, v11280, v11296, v11312, ..., v11344, ..., v11408	v1024, v1045, v2049, v2069, v2088 v3088, v4098, v4113, v4130, v4145, v4163, v4176, v5120, v5136, v6146, v6160, v6178, v6192, v7175, v7187, v7203, v8196, v8208, v9217, v9264, v9296, v9319, v9328, v9344, v9360, v10240, v10272, v10304, v10320, v10336, v10352, v11296, v11312, ..., v11408	Same as CHN	Same as CHN + v11280

00040130 - System Modules

System Module Notes

Once Home Menu finishes loading, all of the below system modules are running, except for MP, RO, and act which are automatically loaded when a process requires them. When PM-module terminates processes, it will check whether the processes listed as dependencies for this process are listed as dependencies for other processes. Any processes which are no longer listed in any processes dependencies lists are then terminated. On New_3DS, the only New3DS-specific system-module which automatically gets loaded during system boot is qtm. All of the below system modules use the "BASE" memory-region(specified in the exheader), except when listed otherwise for certain modules. When handling the exheader dependency list starting with 8.0.0-18, Old3DS FIRM PM-module now skips handling titles in this list which have any bits in programID-low bitmask 0xF0000000 set(with 8.0.0-18 this is hard-coded). The exheader dependency list handling change is for the New 3DS system-module(s), which do not exist on Old3DS. When the New3DS pm-module is launching any title except NS, it first attempts to launch the title with programID-low bitmask 0x20000000 set, then with that bitmask clear if launching fails.

TitleID Low	Description	Versions
00001002	sm (Stored in NATIVE_FIRM)	N/A
00001003	SAFE_MODE sm (Stored in SAFE_MODE NATIVE_FIRM)	N/A
00001102	fs (Stored in NATIVE_FIRM)	N/A
00001103	SAFE_MODE fs (Stored in SAFE_MODE NATIVE_FIRM)	N/A
00001202	pm (Stored in NATIVE_FIRM)	N/A
00001203	SAFE_MODE pm (Stored in SAFE_MODE NATIVE_FIRM)	N/A
00001302	loader (Stored in NATIVE_FIRM)	N/A
00001303	SAFE_MODE loader (Stored in SAFE_MODE NATIVE_FIRM)	N/A
00001402	pxi (Stored in NATIVE_FIRM)	N/A
00001403	SAFE_MODE pxi (Stored in SAFE_MODE NATIVE_FIRM)	N/A
00001502	AM (Application Manager)	v0, v1026, v2053, v3072, v4098, v5120, v6148, v7168(8.1.0-0_New3DS), v8192, v9217
00001503	SAFE_MODE AM	v0
20001503	New_3DS SAFE_MODE AM	v7169
00001602	Camera	v0, v1026, v2048, v3074, v4098, v5120, v6146, v7172, v9216, v10242, v11265
20001602	New_3DS Camera	v8200, v9218, v10242, v11265, v12288(New2DSXL)
00001702	Config (cfg)	v0, v1024, v2049, v3072, v4096, v5122, v6145, v7168, v8196, v9220, v10243, v11265(8.1.0-0_New3DS), v12290, v13315, v14342, v15360(New2DSXL)v15360
00001703	SAFE_MODE Config (cfg)	v0
20001703	New_3DS SAFE_MODE Config (cfg)	v11265
00001802	Codec	v0, v1025, v2048, v3072, v4098, v5120, v6144, v7168(Also for 8.1.0-0_New3DS)
00001803	SAFE_MODE Codec	v0
20001803	New_3DS SAFE_MODE Codec	v7169
00001A02	DSP	v0, v1024, v2048, v3074, v4096, v5120, v6145, v7169
00001A03	SAFE_MODE DSP	v0
20001A03	New_3DS SAFE_MODE DSP	v6145
00001B02	GPIO	v0, v1025, v2048, v3073
00001B03	SAFE_MODE GPIO	v0
20001B03	New_3DS SAFE_MODE GPIO	v3073
00001C02	GSP	v0, v1040, v2049, v3075, v4098, v5120, v6145, v7168, v8196, v10240, v11264, v12294, v13312, v14336
20001C02	New_3DS GSP	v10243, v11267, v12294, v13312, v14336(New2DSXL)
00001C03	SAFE_MODE GSP	v0
20001C03	New_3DS SAFE_MODE GSP	v9217
00001D02	HID (Human Interface Devices)	v0, v1025, v2048, v3072, v4096, v5121, v6148, v7168, v8192(8.1.0-0_New3DS), v9216, v10240
00001D03	SAFE_MODE HID	v0

TitleID Low	Description	Versions
20001D03	New_3DS SAFE_MODE HID	v8193
00001E02	i2c	v0, v1024, v2049, v3076, v5120
20001E02	New_3DS i2c	v4096, v5121
00001E03	SAFE_MODE i2c	v0
20001E03	New_3DS SAFE_MODE i2c	v4097
00001F02	MCU	v0, v1026, v2048, v3072, v4102, v5122, v6145, v7168, v8192
20001F02	New_3DS MCU	v8192, v9216(New2DSXL)
00001F03	SAFE_MODE MCU	v0
20001F03	New_3DS SAFE_MODE MCU	v9217
00002002	MIC (Microphone)	v0, v1025, v2048
00002102	PDN	v0, v1025, v2048
00002103	SAFE_MODE PDN	v0
20002103	New_3DS SAFE_MODE PDN	v3073
00002202	PTM (Play time, pedometer, and battery manager)	v0, v1026, v2048, v3075, v4096, v5120, v6146, v7168, v8192, v9219, v11264
20002202	New_3DS PTM (Play time, pedometer, and battery manager)	v10240, v11264
00002203	SAFE_MODE PTM	v0
20002203	New_3DS SAFE_MODE PTM	v10241
00002302	spi	v0, v1025, v2049, v3072
20002302	New_3DS spi	v4096
00002303	SAFE_MODE spi	v0
20002303	New_3DS SAFE_MODE spi	v4097
00002402	AC (Network manager)	v0, v1024, v2052, v3072, v4101, v5122, v6145, v7172, v8192(Also for 8.1.0-0_New3DS), v9216
00002403	SAFE_MODE AC	v0
20002403	New_3DS SAFE_MODE AC	v8193
00002602	Cecd (StreetPass)	v0, v1026, v2048, v3073, v4097, v5122, v6144, v7170, v8193, v9216, v10240
00002702	CSND	v0, v1025, v2048, v3073, v4096, v5120
00002703	SAFE_MODE CSND	v0
20002703	New_3DS SAFE_MODE CSND	v5121
00002802	DLP (Download Play)	v0, v1026, v2048, v3078, v4099, v5123, v6145(Also for 8.1.0-0_New3DS), v7174, v8192
00002902	HTTP	v0, v1026, v2049, v3072, v4099, v5122, v6145, v7171, v8192, v9220, v10245, v11264(8.1.0-0_New3DS), v12288, v13318, v14336
00002903	SAFE_MODE HTTP	v0
20002903	New_3DS SAFE_MODE HTTP	v10241
00002A02	MP	v0, v1025, v2048
00002A03	SAFE_MODE MP	v0
00002B02	NDM	v0, v1025, v2049, v3072, v4098, v5124, v6144(8.1.0-0_New3DS), v7169
00002C02	NIM	v0, v1028, v2055, v3074, v4100, v5120, v6148, v7174, v8195, v9217(8.1.0-0_New3DS), v10249, v11267, v12296, v13313

TitleID Low	Description	Versions
00002C03	SAFE_MODE NIM	v0
20002C03	New_3DS SAFE_MODE NIM	v9217
00002D02	NWM (Low-level wifi manager)	v0, v1024, v2052, v3072, v4101, v5120, v6148, v7169, v8196, v9216, v10240
00002D03	SAFE_MODE NWM	v0, v5120
20002D03	New_3DS SAFE_MODE NWM	v10241
00002E02	Sockets	v0, v1024, v2053, v3075, v4096, v5121, v6144, v7168, v8192
00002E03	SAFE_MODE Sockets	v0
20002E03	New_3DS SAFE_MODE Sockets	v7169
00002F02	SSL	v0, v1024, v2048, v3072, v4096, v5122, v6144, v7168, v8198, v9217
00002F03	SAFE_MODE SSL	v0
20002F03	New_3DS SAFE_MODE SSL	v7169
00003000	Process9 (in SAFE_MODE and normal NATIVE_FIRM)	
00003102	PS (Process Manager)	v0, v1025, v2049, v3072, v4096, v5120
00003103	SAFE_MODE PS	v0
20003103	New_3DS SAFE_MODE PS	v5121
00003202	friends (Friends list)	v0, v1028, v2048, v3072, v4096, v5122, v6145, v7172, v8192(Also for 8.1.0-0_New3DS), v9216, v10240, v11264, v12288, v13312, v14336, v15360
00003203	SAFE_MODE friends (Friends list)	v0
20003203	New_3DS SAFE_MODE friends (Friends list)	v8193
00003302	IR (Infrared)	v0, v1026, v2048, v3072, v4096, v5121, v6148, v7170(8.1.0-0_New3DS), v8192, v9216, v10246, v11265, v12289
00003303	SAFE_MODE IR	v0
20003303	New_3DS SAFE_MODE IR	v7169
00003402	BOSS (SpotPass)	v0, v1024, v2053, v3073, v4101, v5122, v6146, v7169, v8193, v9222, v10240, v11266, v12289, v13314
00003502	News (Notifications)	v0, v1028, v2048, v3072, v4097, v5120, v6147, v7168
00003702	RO	v0, v1024, v2049, v3074, v4096, v5120(Also for 8.1.0-0_New3DS), v6148
00003802	act (handles Nintendo Network accounts)	v1029, v2050, v3077, v4099, v5120(8.1.0-0_New3DS), v6144, v7168, v8198, v9216(New2DSXL), v9216
00004002	Old3DS nfc	v2053, v4106, v5121, v6145, v7168, v8192
20004002	New_3DS nfc	v0, v1024, v2053, v3073, v4102, v6145, v7168
20004102	New_3DS mvd	v0, v1024
20004202	New_3DS qtm	v8, v1024, v2052, v3072(New2DSXL)
00008002	NS (Memory-region: "SYSTEM")	v0, v1028, v2048, v3077, v4096, v5121, v6148, v7168, v8193, v9216, v10248, v11268, v12291, v13312(8.1.0-0_New3DS), v14336, v15360, v16390, v17408, v18433, v19458, v20482, v21504
00008003	SAFE_MODE NS (Memory-region: "SYSTEM")	v0
20008003	New_3DS SAFE_MODE NS (Memory-region: "SYSTEM")	v13313

00040138 - System Firmware

System Firmare Notes

NATIVE_FIRM and SAFE_MODE_FIRM for the initial versions are exactly the same, besides core-version fields. SAFE_MODE_FIRM is used for running SAFE_MODE titles, on retail SAFE_MODE_FIRM seems to be only used for running the System Updater application. When a GBA VC title is launched, AGB_FIRM is launched to handle running this title. GBA VC savegames stored under SD card /title/<TID>/data use a custom format, this is handled by AGB_FIRM.

TitleID Low	Description	USA/EUR/JPN Versions	CHN Versions	KOR Versions	TWN Versions
00000001	Unknown, very similar to SAFE_MODE_FIRM. Exists only on dev units and seems to only be used by SystemUpdaters.	v0			
00000002	NATIVE_FIRM (Native Firmware)	v432, v1472, v2516, v3553, v4595, v5647, v6677, v7712, v8758, v9792, v10833, v11872, v12916, v13956, v15043, v15047, v17120, v18182, v19216, v20262, v21288, v22313, v23341, v24368, v25396, v26432, v27476	Same as USA/EUR/JPN starting with the USA/EUR/JPN 4.0.0-7 title-version	Same as CHN.	Same as CHN.
20000002	New_3DS NATIVE_FIRM (Native Firmware)	v16085, v17120, v18182, v19218, v20262, v21288, v22313, v23341, v24368, v25396, v26432, v27476	N/A	Same as CHN.	Same as CHN.
00000003	SAFE_MODE_FIRM	v432, v5632	Same as USA/EUR/JPN starting with the USA/EUR/JPN 3.0.0-5 title-version	Same as CHN.	Same as CHN.
20000003	New_3DS SAFE_MODE_FIRM	v16081	N/A	Same as CHN.	Same as CHN.
00000102	TWL_FIRM (DSi Firmware)	v432, v1489, v2565, v3601, v4625, v5681, v6704, v7762, v8817	Same as USA/EUR/JPN starting with the USA/EUR/JPN 4.0.0-7 title-version	Same as CHN.	Same as CHN.
20000102	New_3DS TWL_FIRM (DSi Firmware)	v9936	N/A	Same as CHN.	Same as CHN.
00000202	AGB_FIRM (GBA Firmware)	v519, v1553, v2576, v3665	v2576	v2576, v3665	Same as CHN.
20000202	New_3DS AGB_FIRM (GBA Firmware)	v4816	N/A	N/A	N/A

Application Titles

Category Bit Mask	Content Category	Bit Mask(s)
0x0000	Application / eShop	Normal
0x0001	Download Play Child	DlpChild
0x0002	Demo	Demo
0x000E	Patch	CannotExecution | Patch
0x008C	Downloadable Content	NotRequireRightForMount | CannotExecution | AddOnContents

00040001 - Download Play Titles

Download Play Notes

This titleID-high/programID-high is used for the titles sent over Download Play. Only one 00040001 Download Play title is installed to NAND /title at a time. There can be a maximum of 255 Download Play child titles per Unique ID, indexed by Title ID Variation. The legal index range: 0x0 - 0xff.

Factory Titles

Factory Titles Notes

This section is for hard-coded titleIDs referenced in codebins on retail. This can include factory/repair titles as well.

TitleID	Description	Versions
000400000F802A00	Unknown. Appears to be a gamecard title. See also here. Used during repair, first non-system title listed in playlog from repair.	?
000400000F802100	Used during repair, second non-system title listed in playlog from repair.	?
000400000F802200	Used during repair, third non-system title listed in playlog from repair.	?
000400000FFFFD00	Used by retail NS for appID 0xF11, but this isn't available on retail CDN.	?
000400000FFFFC00	Used by retail NS for appID 0xF12, but this isn't available on retail CDN.	?
000400000FFFFB00	Used by retail NS for appID 0xF13, but this isn't available on retail CDN.	?
000400000FFFF900	Used by retail NS for appID 0xF14, but this isn't available on retail CDN.	?
000400000FFFF800	Used by retail NS for appID 0xF15, but this isn't available on retail CDN.	?
000400000FFFF700	Used by retail NS for appID 0xF16, but this isn't available on retail CDN.	?
000400000FFFF600	Used by retail NS for appID 0xF17, but this isn't available on retail CDN.	?
000400000FFFF500	Used by retail NS for appID 0xF18, but this isn't available on retail CDN.	?
0004003000008900	Used by retail NS for appID 0xF10, but this isn't available on retail CDN.	?
0004013000001902	dmnt, debugger sysmodule. This use devunit-only HIO for devunit<>pc comms. This only exists for development units(launched by NS during startup depending on certain Configuration_Memory fields' values). This is installed at the factory, then later deleted at the factory on retail units.	?
0004013000003602	"debugger". This only exist for development units(launched by NS during startup depending on certain Configuration_Memory fields' values).	?
000401300FEF0000	Referenced in eShop Metadata (NS_UID 50010000000584), but does not exist on retail CDN	

TWL (DSi) Titles

TWL Title Notes

Bitmask 0x1 for TWL titles denotes a system title (determining whether the title will be updated during a System Update).

It appears to be sufficient, but not necessary, to make the title invisible on the Home Menu.

Bitmask 0x2 for TWL titles may indicate no-execute.

Bitmask 0x4 for TWL titles indicates internal storage.

Bitmask 0x10 for TWL titles is found on developer tools.

Content Category	Bit Mask(s)	Category Bit Mask
Application (DSiWare)	TWL | 0x4	0x8004
System Application	TWL | 0x1 | 0x4	0x8005
System Archive	TWL | 0x1 | 0x2 | 0x4 | 0x8	0x800F
Developer Tool	TWL | 0x1 | 0x4 | 0x10	0x8015

00048005 - System Applications

TitleID Low	Region	Description	Versions	Information
42383841(B88A)	ALL	DS Internet	v0, v1025, v2048	DS Internet is the DS-mode application, (also integrated in every online-enabled DS game) and now accessible through System Settings for configuring network settings for DS software.
484E4441(HNDA)	ALL	Download Play	v1024	This Download Play application is the DS-mode Download Play client, launched by the 3DS-mode Download Play application.
484E4443(HNDC)	CHN	Download Play	v1024	See Above Description.
484E444B(HNDK)	KOR	Download Play	v1024	See Above Description.

0004800F - System Data Archives

System Data Archive Notes

New system updates only block DS flash-cards when whitelist is updated, or when TWL_FIRM is updated. The whitelist contains the data used for detecting flash-cards, this is used by TWL_FIRM.

TitleID Low	Description	Versions
484E4841(HNHA)	Nintendo DS Cart Whitelist -	v0, v1026, v2048, v3072, v4096, v5120, v6145, v7168, v8192, v9216, v10240, v11264
484E4C41(HNLA)	Version Data	v0

00048004 - DSiWare Ports

DSiWare Port Notes

Although these have a titleID high separate from DSi and a titleID is stored in the SRLs, the content of these SRLs are identical to DSi. See 3DS DSiWare Titles for a complete list.

Retrieved from "https://www.3dbrew.org/w/index.php?title=Title_list&oldid=23662"

This page was last edited on 18 August 2025, at 17:37.