SRI (k-inflation): N05LO

The spectra are evaluated at $-k_*\eta_* = 1$, through relative amplitude order $p = 5$. The Hubble-flow parameters are denoted by ϵ_j and $M_{\rm Pl}$ is the reduced Planck mass. Coefficients are generated numerically from the normalized mode equations, using the iterative algebra. The convention for the spectral derivatives is

$$\alpha_n^A = \frac{d^{n+1}\ln P_A}{d(\ln k)^{n+1}}, \qquad \alpha_0^s = n_s - 1, \qquad \alpha_0^t = n_t, \qquad r = P_t/P_s.$$

For k-inflation, $c_t = 1$. The scalar amplitude includes transport from the acoustic reference to the common tensor reference. The sound speed is $c_{s*} > 0$, with

$$\alpha_n^{c_s} = \frac{d^{n+1}\ln c_s}{d(\ln k)^{n+1}}.$$

1 Spectra

1.1 Scalar spectrum

$$P_s(k_*) = \frac{H_*^2}{8\pi^2 M_{\rm Pl}^2 \epsilon_{1*} c_{s*}} \left[\sum_{d=0}^{5} F_{s,d} + O(\mathrm{SR}^6)\right].$$

Relative order 0.

$$F_{s,0} = 1.0$$

Relative order 1.

$$\begin{aligned} F_{s,1} = {} & 0.72963715453852\epsilon_2 - 0.54072569092296\epsilon_1 \\ & - 1.2703628454615\alpha_0^{c_s} - 1.0\alpha_0^{c_s}\log(c_s) \\ & - 1.0\epsilon_2\log(c_s) - 2.0\epsilon_1\log(c_s) \end{aligned}$$

Relative order 2.

$$\begin{aligned} F_{s,2} = {} & 1.5402686460338\epsilon_1^2 + 0.49988573877771\epsilon_2^2 \\ & - 0.39567736285244\alpha_1^{c_s} - 0.22975141576082\left(\alpha_0^{c_s}\right)^2 \\ & + 0.5\left(\alpha_0^{c_s}\right)^2\log(c_s)^2 + 0.5\epsilon_2^2\log(c_s)^2 \\ & + 2.0\epsilon_1^2\log(c_s)^2 + 0.27036284546148\left(\alpha_0^{c_s}\right)^2\log(c_s) \\ & + 1.0192767657904\epsilon_1\epsilon_2 + 1.0809943369567\alpha_0^{c_s}\epsilon_1 \\ & + 0.14504832807052\epsilon_2\epsilon_3 - 0.5\alpha_1^{c_s}\log(c_s)^2 \\ & - 0.91854861815409\epsilon_1^2\log(c_s) - 0.72986567698311\alpha_0^{c_s}\epsilon_2 \\ & - 1.2703628454615\alpha_1^{c_s}\log(c_s) - 0.72963715453852\epsilon_2^2\log(c_s) \\ & + 1.0\alpha_0^{c_s}\epsilon_2\log(c_s)^2 + 1.0\epsilon_1\epsilon_2\log(c_s)^2 \\ & + 2.0\alpha_0^{c_s}\epsilon_1\log(c_s)^2 + 1.0814513818459\alpha_0^{c_s}\epsilon_1\log(c_s) \\ & + 0.72963715453852\epsilon_2\epsilon_3\log(c_s) - 0.5\epsilon_2\epsilon_3\log(c_s)^2 \\ & - 0.45927430907704\alpha_0^{c_s}\epsilon_2\log(c_s) \\ & - 2.459274309077\epsilon_1\epsilon_2\log(c_s) \end{aligned}$$

Relative order 3.

$$\begin{aligned} F_{s,3} = {} & 0.20072294544592\epsilon_2^3 + 1.6057835635673\epsilon_1^3 \\ & - 0.2199597209462\alpha_2^{c_s} - 0.028914209092607\left(\alpha_0^{c_s}\right)^3 \\ & + 4.2977813647689\epsilon_1^2\epsilon_2 + 1.1508618640566\alpha_1^{c_s}\epsilon_1 \\ & + 0.50011426122229\left(\alpha_0^{c_s}\right)^3\log(c_s) + 0.17975356917588\alpha_1^{c_s}\epsilon_2 \end{aligned}$$

$$
\begin{aligned}
&+ 0.36481857726926 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2^3 \log\left(c_s\right)^2 + 2.9185486181541\epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 1.959600275274\epsilon_1\epsilon_2^2 + 0.030669313835717\epsilon_2\epsilon_3^2 \\
&- 0.39567736285244\alpha_2^{c_s} \log\left(c_s\right) - 1.0906092762856\alpha_0^{c_s}\alpha_1^{c_s} \\
&- 0.12746831820078\alpha_0^{c_s}\epsilon_2^2 - 0.25470811395696 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \\
&- 0.63518142273074\alpha_2^{c_s} \log\left(c_s\right)^2 - 0.32050476429836\alpha_0^{c_s}\epsilon_1^2 \\
&- 0.16666666666667\alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&- 0.16666666666667\epsilon_2^3 \log\left(c_s\right)^3 - 1.3333333333333\epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.3571054727393 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 - 0.23520055946694\epsilon_2^2\epsilon_3 \\
&- 0.49988573877771\epsilon_2^3 \log\left(c_s\right) - 3.9990859102216\epsilon_1^3 \log\left(c_s\right) \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^3 + 0.5\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.5\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 + 1.0\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 3.0\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.50034278366688 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 2.2898599312799\alpha_0^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.1889114636156 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 2.3778229272311\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^2 \\
&+ 1.8110885363844\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^2 + 0.49443659507158\alpha_0^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0944557318078\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 1.0944557318078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 1.2296371545385\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.85472314948489\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.45995987641081 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 1.8723490626616\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right) + 0.030669313835717\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.5\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.5 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 1.0 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&- 2.0\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.33418831413068\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right) \\
&- 4.957559194624\epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 2.0800802471784\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 1.0944557318078\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 - 0.65969152604436\epsilon_1\epsilon_2\epsilon_3 \\
&- 0.16666666666667\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.33333333333333\epsilon_1\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.3341883141307\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right) \\
&- 2.7294086320939\epsilon_1\epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.49965721633312\alpha_0^{c_s}\epsilon_2^2\log(c_s)\\
&+ 0.5\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 1.4588172641879\epsilon_1\epsilon_2\epsilon_3\log(c_s)\\
&+ 0.14504832807052\epsilon_2\epsilon_3\epsilon_4\log(c_s)\\
&+ 0.66666666666667\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.36481857726926\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2\\
&+ 3.1889114636156\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^2\\
&- 1.0\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^3\\
&- 0.14527685051511\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)\\
&- 1.0944557318078\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^2\\
&- 2.459274309077\epsilon_1\epsilon_2\epsilon_3\log(c_s)^2\\
&- 0.16666666666667\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3\\
&- 0.74845687543973\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)
\end{aligned}
$$

Relative order 4.

$$
\begin{aligned}
F_{s,4} = {} & 0.086152301850743\left(\alpha_0^{c_s}\right)^4 + 0.083467005785127\epsilon_2^4\\
&+ 2.9412556561294\epsilon_1^4 - 0.13350316714425\alpha_3^{c_s}\\
&- 0.65234365420886\left(\alpha_1^{c_s}\right)^2 + 0.125\left(\alpha_1^{c_s}\right)^2\log(c_s)^4\\
&+ 0.055787239966231\epsilon_2\epsilon_3^3 + 8.1576664436908\epsilon_1^2\epsilon_2^2\\
&+ 0.13518142273074\left(\alpha_1^{c_s}\right)^2\log(c_s)^3 + 9.1655563981061\epsilon_1^3\epsilon_2\\
&+ 0.35823966089031\alpha_2^{c_s}\epsilon_1 + 6.9176345283757\epsilon_1^4\log(c_s)^2\\
&+ 0.11476144665811\left(\alpha_0^{c_s}\right)^4\log(c_s)^2\\
&+ 0.5290284703149\left(\alpha_0^{c_s}\right)^4\log(c_s) + 0.034705229808718\alpha_0^{c_s}\epsilon_2^3\\
&+ 0.27764183846974\alpha_0^{c_s}\epsilon_1^3 + 2.2830486720555\epsilon_1\epsilon_2^3\\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^4\log(c_s)^4\\
&+ 0.041666666666667\epsilon_2^4\log(c_s)^4 + 0.66666666666667\epsilon_1^4\log(c_s)^4\\
&+ 0.029535258092405\alpha_1^{c_s}\epsilon_2^2 + 0.24994286938885\epsilon_2^4\log(c_s)^2\\
&- 0.63704346883458\alpha_1^{c_s}\epsilon_1^2 - 0.19535327126822\left(\alpha_0^{c_s}\right)^3\epsilon_1\\
&- 0.20996470057763\epsilon_2^3\epsilon_3 - 1.2600809095931\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\\
&- 0.19783868142622\alpha_3^{c_s}\log(c_s)^2\\
&- 1.0906092762856\left(\alpha_1^{c_s}\right)^2\log(c_s)\\
&- 0.21172714091025\alpha_3^{c_s}\log(c_s)^3 - 0.2199597209462\alpha_3^{c_s}\log(c_s)\\
&- 0.12659084472672\left(\alpha_0^{c_s}\right)^3\epsilon_2 - 0.26150492255387\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\\
&- 0.5615601604977\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\\
&- 0.28827285908975\left(\alpha_0^{c_s}\right)^4\log(c_s)^3 - 0.04083989050104\alpha_2^{c_s}\epsilon_2\\
&- 0.65647697429967\alpha_0^{c_s}\alpha_2^{c_s} - 0.041666666666667\alpha_3^{c_s}\log(c_s)^4\\
&- 0.66709415706534\left(\alpha_1^{c_s}\right)^2\log(c_s)^2\\
&- 0.20072294544592\epsilon_2^4\log(c_s) - 3.2790324121027\epsilon_1^4\log(c_s)^3\\
&- 7.2106530373563\epsilon_1^4\log(c_s) - 0.058660421836305\epsilon_2^2\epsilon_3^2\\
&- 0.12160619242309\epsilon_2^4\log(c_s)^3\\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^4\\
&+ 1.0\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.45881726418786\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.59422720936319\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.16736171989869\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.34690856364099\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.38664546255166\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.78219898544963\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 0.1995931888627\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \\
&+ 0.22963715453852\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.77249640855299\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right) \\
&+ 1.590781305949\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.0271504606153\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^3 + 0.26604756153058\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0941129481409\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.27437646670959\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.29166666666667\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 2.4802661893204\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3^2 + 2.6436935116586\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \\
&+ 1.3318518941832\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.083333333333333\epsilon_1\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 0.33333333333333\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^4 \\
&+ 1.3333333333333\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^4 \\
&+ 2.687540328948\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^2 \\
&+ 1.364704316047\epsilon_1\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 0.18024189697432\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9584732844024\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.39971329012208\alpha_2^{c_s}\epsilon_2\log\left(c_s\right) + 1.6213444503115\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.83736939580468\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.86459005482467\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 6.9167204385974\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&+ 0.88636246549879\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right) \\
&+ 1.822809817091\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 3.7110251386503\alpha_0^{c_s}\epsilon_1\epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.12160619242309\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.030744524360879\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 1.9904900950312\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s)^4 \\
&- 0.25\alpha_1^{c_s}\epsilon_2^2\log(c_s)^4 - 0.25\epsilon_2^3\epsilon_3\log(c_s)^4 \\
&- 1.0\alpha_1^{c_s}\epsilon_1^2\log(c_s)^4 \\
&- 13.260103415181\epsilon_1^3\epsilon_2\log(c_s) \\
&- 0.15309143635901\epsilon_1^2\epsilon_2^2\log(c_s)^3 \\
&- 0.3303216651229\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s) \\
&- 0.57314036602284\alpha_0^{c_s}\epsilon_2^3\log(c_s) \\
&- 4.5851229281828\alpha_0^{c_s}\epsilon_1^3\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.054300921230608\epsilon_1^3\epsilon_2\log(c_s)^3 \\
&- 0.016062214045699\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2^3\log(c_s)^3 \\
&- 5.2247314908721\alpha_0^{c_s}\epsilon_1^3\log(c_s)^3 \\
&- 2.6309687842081\epsilon_1\epsilon_2^3\log(c_s) \\
&- 0.39486939801397\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2 \\
&- 0.79065642344446\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s) \\
&- 0.015083425393042\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s) \\
&- 7.81010212695\epsilon_1^2\epsilon_2^2\log(c_s) \\
&- 0.5010704327696\epsilon_2^2\epsilon_3^2\log(c_s) \\
&- 1.1044368983699\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s)^2 \\
&- 1.177190182909\epsilon_2^3\epsilon_3\log(c_s)^2 \\
&- 0.30722188737666\alpha_1^{c_s}\epsilon_2^2\log(c_s) \\
&- 1.2296371545385\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^3 \\
&- 1.2663269181918\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s) \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3^2 \\
&- 0.081451381845913\alpha_1^{c_s}\epsilon_1^2\log(c_s)^3 \\
&- 0.08273445110122\alpha_1^{c_s}\epsilon_2^2\log(c_s)^2 \\
&- 0.041666666666667\epsilon_2\epsilon_3^3\log(c_s)^4 \\
&- 0.66666666666667\epsilon_1^3\epsilon_2\log(c_s)^4 \\
&- 0.095364228769985\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \\
&- 0.40987905151284\epsilon_1\epsilon_2^3\log(c_s)^3 \\
&- 1.6395162060514\left(\alpha_0^{c_s}\right)^3\epsilon_1\log(c_s)^3 \\
&- 1.6420263407893\alpha_1^{c_s}\epsilon_1^2\log(c_s)^2 \\
&- 0.85124334696161\epsilon_2^2\epsilon_3^2\log(c_s)^3 \\
&- 0.91389525644738\epsilon_1\epsilon_2^2\epsilon_3 - 1.8308737667068\alpha_1^{c_s}\epsilon_1^2\log(c_s) \\
&- 3.9185486181541\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^3 \\
&- 0.98642476969235\left(\alpha_0^{c_s}\right)^3\epsilon_2\log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.25\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.5(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 2.3932895232622\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s) \\
&+ 4.9739619735052\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 5.0759816810454\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.91854861815409\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 2.3260301557806\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.9276156949378(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.7400753659898\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 3.8236358414571\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 0.95927430907704\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.95927430907704\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 2.0493952575642\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.59514129914155\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 1.2296371545385(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.16666666666667\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&+ 2.6690621955951\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.67419016424746\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.34055047747869\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 2.7883647605464\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.35483741070718\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 3.306182872718\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.21757249210578\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 7.1464706582396\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 1.959274309077\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&- 0.125\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 0.25(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.5\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.5\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 3.0\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&- 0.77164591471679\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 8.8847452959004\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 2.0943544454802\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 6.3968711705769\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22963715453852\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.26586987330266\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.13754355249956\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4338437485217\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&- 5.1785875133866\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.806182872718\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.23973258232289\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.33333333333333\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.959274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 0.41666666666667\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.48642476969235\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 1.9488360976258\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.99681891832599\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 3.6123657454361\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 2.6896298543859\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 3.6472716829143\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3
\end{aligned}
$$

$$- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.66666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$

Relative order 5.

$$\begin{aligned}
F_{s,5} = {} & 5.0146640695735\epsilon_1^5 + 0.14510543918768\left(\alpha_0^{c_s}\right)^5 \\
& + 0.023060510027566\epsilon_2^5 - 0.059633396938128\alpha_4^{c_s} \\
& + 0.019702425223352\alpha_1^{c_s}\epsilon_2^3 + 0.15761940178682\alpha_1^{c_s}\epsilon_1^3 \\
& + 27.144156780677\epsilon_1^3\epsilon_2^2 + 1.5818596986645\alpha_0^{c_s}\epsilon_1^4 \\
& + 0.27467720026606\alpha_3^{c_s}\epsilon_1 + 0.018082530239889\epsilon_2\epsilon_3^4 \\
& + 18.923628528471\epsilon_1^4\epsilon_2 + 1.2398234275838\left(\alpha_1^{c_s}\right)^2\epsilon_1 \\
& + 0.081513616262169\alpha_0^{c_s}\epsilon_2^4 + 0.11373488143911\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^4 \\
& + 0.0038354329887805\alpha_3^{c_s}\epsilon_2 + 2.3061828727185\epsilon_1^5 \log\left(c_s\right)^4 \\
& + 2.4064328576811\epsilon_1\epsilon_2^4 + 0.15472627942479\epsilon_2^3\epsilon_3^2 \\
& + 0.024194121922026\left(\alpha_0^{c_s}\right)^4\epsilon_2 + 0.10036147272296\epsilon_2^5 \log\left(c_s\right)^2 \\
& + 14.128287565732\epsilon_1^5 \log\left(c_s\right)^2 \\
& + 0.44287616846416\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right) + 14.228251540965\epsilon_1^2\epsilon_2^3 \\
& + 0.030401548105772\epsilon_2^5 \log\left(c_s\right)^4 - 0.032431940416945\left(\alpha_1^{c_s}\right)^2\epsilon_2 \\
& - 0.065946227142073\alpha_4^{c_s} \log\left(c_s\right)^3 - 0.12391635985743\left(\alpha_0^{c_s}\right)^4\epsilon_1 \\
& - 0.13890612714825\epsilon_2^4\epsilon_3 - 0.088837720678366\left(\alpha_0^{c_s}\right)^2\epsilon_2^3 \\
& - 0.71070176542693\left(\alpha_0^{c_s}\right)^2\epsilon_1^3 - 13.093164349615\epsilon_1^5 \log\left(c_s\right) \\
& - 0.10759865658691\epsilon_2^2\epsilon_3^3 - 0.13257598297347\alpha_2^{c_s}\epsilon_2^2 \\
& - 1.0678878616169\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s} - 1.2631996618091\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} \\
& - 0.0083333333333333\alpha_4^{c_s} \log\left(c_s\right)^5 \\
& - 0.0083333333333333\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^5 \\
& - 0.0083333333333333\epsilon_2^5 \log\left(c_s\right)^5 - 0.26666666666667\epsilon_1^5 \log\left(c_s\right)^5 \\
& - 0.13350316714425\alpha_4^{c_s} \log\left(c_s\right) - 2.4277285251203\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 \\
& - 0.083314289796284\epsilon_2^5 \log\left(c_s\right)^3 - 0.083467005785127\epsilon_2^5 \log\left(c_s\right) \\
& - 0.052931785227562\alpha_4^{c_s} \log\left(c_s\right)^4 - 0.1099798604731\alpha_4^{c_s} \log\left(c_s\right)^2 \\
& - 0.26820214417863\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \\
& - 0.14975278849934\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^2 - 1.2068847160081\alpha_1^{c_s}\alpha_2^{c_s} \\
& - 0.32652667464246\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^3 - 0.668583871838\alpha_2^{c_s}\epsilon_1^2 \\
& - 0.84854109635368\left(\alpha_0^{c_s}\right)^3\epsilon_1^2 - 0.48313062224591\alpha_0^{c_s}\alpha_3^{c_s} \\
& - 7.8907887643532\epsilon_1^5 \log\left(c_s\right)^3 + 0.125\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^5 \\
& + 0.25\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
& + 0.80401548105772\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \log\left(c_s\right)^4 \\
& + 0.63687452512323\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^2 \\
& + 0.070375148593445\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right) \\
& + 0.31577483530863\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^3 \\
& + 2.526198682469\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^3 \\
& + 0.79554507611972\left(\alpha_0^{c_s}\right)^4\epsilon_1 \log\left(c_s\right) \\
& + 0.055787239966231\epsilon_2\epsilon_3^4 \log\left(c_s\right)
\end{aligned}$$

$$
\begin{aligned}
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3^2 + 0.59532818615497\epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 0.076194401929032\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.2743684518732\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 1.5065893100918\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 3.0460275902823\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 13.827503033791\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.49729126895467\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.27504914438567\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.13965892613781\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.1559908021279\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.2914511516581\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.3344168365753\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^3 \\
&+ 0.00072161320469033\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.092663276643208\alpha_3^{c_s}\epsilon_2\log\left(c_s\right) + 2.9656408144517\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 3.0302649010892\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.8456243369872\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2 \\
&+ 0.21943869777489\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right) \\
&+ 0.23534107386219\alpha_0^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 0.12657771167922\epsilon_2\epsilon_3^2\epsilon_4^2 + 0.06391567355745\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 2.1657132936956\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.55697942543888\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right) \\
&+ 2.2872540379167\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^3 + 0.62524599517881\alpha_3^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.315484392104\epsilon_1\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 2.8827285908975\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^4 \\
&+ 0.36265118560895\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.72565388682147\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 0.37898175537415\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 0.78872771949954\epsilon_1\epsilon_2^3\epsilon_3 + 13.321145761703\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.45167792281367\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.47653286189302\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.8758981992336\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.48534107386219\left(\alpha_0^{c_s}\right)^4\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.0153503739207\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 17.106712840569\alpha_0^{c_s}\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 0.54383272371813\epsilon_2^4\epsilon_3\log\left(c_s\right) \\
&+ 0.57584308567856\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 1.1587019505326\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.2696156042609 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 0.14719409133747 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 + 4.7125934158056 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \\
\\
&\quad + 2.3929458455419 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.30401548105772 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 0.30983650553414 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.0049502975692885 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.16204644317315 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.65847342808803 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.0051699717163127 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.041359773730502 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 0.041666666666667 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.041666666666667 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 2.8202591913185 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.4187170349455 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \\
&+ 0.37059004080674 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \\
&+ 0.37301234188754 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.76003870264429 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.5576847508769 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.5727526864799 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 0.80238984101837 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.10246976287821 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 3.2951774034489 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 0.20602322158658 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.052881543173058 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 + 6.8892004085456 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.21606192423087 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.10849518143933 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.88734881439105 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.056325592804475 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.11265118560895 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 1.810257870895 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8138016181032 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \\
&+ 0.45602322158658 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&+ 0.92680100837476 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.125 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.125 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.25 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&- 2.5971798503324 \epsilon_1 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.35346758874937 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 23.129704339975 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.39974932345996 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&- 1.8689629252194 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^3 \\
&- 1.1932216326561 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \\
&- 0.63643427183539 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.31889518103976 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&- 0.029317852275616 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.49311716716093 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.35318010054155 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \\
&- 0.45490143868232 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.13295923932309 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 1.0636739145848 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.016666666666667 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.037826325154033 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 9.6874458248189 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&- 1.3059924373475 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 10.44793949878 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.043093080975839 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.34634067327769 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right) \\
&- 2.7707253862215 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right) \\
&- 0.72068214772438 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 3.0987905151284 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.81287507083351 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.82013058879417 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.41276798644663 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \\
&- 1.7924172070399 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.0117890945648 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.51392654655813 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.51640508968745 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 2.11054082645 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.57123367989657\epsilon_2^3\epsilon_3^2 \log\left(c_s\right) \\
&\\
&\\
&\quad - 0.30401548105772\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.2227543216994 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&- 0.083333333333333\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.66666666666667\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.66666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 5.3634859554415 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 10.957719780338\epsilon_1^2\epsilon_2^3 \log\left(c_s\right) \\
&- 0.17209805827618\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 0.17310808363884\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&- 1.4379231780589\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.72102228004904\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 2.958427441263\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.74293352810162\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.18904409552179\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2 - 0.097698061448331\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 13.114606165447\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.82625986577067\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.025825314700028 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3 \\
&- 1.6560572008328\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2 \\
&- 0.20833333333333\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.7237727353815\alpha_1^{c_s}\alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^4 \\
&- 0.4506047424358\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.45211118404544\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.11346825854365 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.45602322158658\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.45645941040353 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^2 \\
&- 0.91360334872281\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 29.685083771381\epsilon_1^4\epsilon_2 \log\left(c_s\right) \\
&- 1.8699308534853 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 1.96116428271740\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right) \\
&+ 0.250\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 0.250\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.5\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&+ 1.5\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.53695172718477\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 6.1220499689937\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 9.1459314190322\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 1.793188411824\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \\
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 2.3369014336126\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.16922304941561\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.1699447771956\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.20784664185765\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&+ 0.029317852275616\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.2746976287821\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.55161963455367\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.33472343979739\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 5.6896740025099\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9611679626113\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.83812905168341\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right) \\
&+ 1.6849281958985\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.96114046919443\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 1.0341872290325\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 8.5496985358942\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 4.5359856886893\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.072330120959556\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 1.1742909471328\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.15\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 2.9614837119164\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.37898175537415 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 12.381982488089 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.38961122438351\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.39051067976362\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 1.6473875170353\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.6676910609276\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.398052399779\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.10734259842501\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 1.7419859689296\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.44158227401241\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.0016659261528\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right) \\
&+ 8.0653570333157\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.0702962694775\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 4.2327948368789\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.0688768746599\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right) \\
&+ 2.2091784933325\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 4.6571410059236\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 4.6702883265469 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 9.5569214145701\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.30401548105772\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.60803096211543\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 19.474387038792\alpha_0^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.0049502975692885\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.63734881439105\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.2848311436406\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.6362359695415\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.66204644317315\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 1.3611868251558 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.68550010006928 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 2.838373321568 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.3615973117706 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.72353664815543 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.18240928863463 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.36587312407998 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.9994329210317 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.094104415557308 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.5246976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.39527956214598 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.40659881500293 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 3.3035516730492 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.20833333333333 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 3.3791349258582 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.2128108367404 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.42570298939112 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.10803096211543 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.21606192423087 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 1.7746976287821 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.5955102786185 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.22520767102954 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.95185659694577 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 15.232910945983 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2397726251184 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 1.9229839522598 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 3.867878416142 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.12456484344384 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.25 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 2.0 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 9.8967949792677 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 5.0350021535642 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.80401548105772 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 4.1167122563588 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 3.9947134655926 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.1393257706809 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 1.6357853025952 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.28333333333333 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.14826959356919 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.69136429544877 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.69136429544877 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 2.8764176622292 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.19390248653193 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.058333333333333 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.23534107386219 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.6676910609276 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 17.383935082396 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.58316127583974 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 4.9917676795191 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.16007620753044 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.65642902320133 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 5.4441071047613 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.17016295427916 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 5.5269588291262 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^3 \\
&- 2.8557310752356 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 23.86770518824 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&- 11.949777441624 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.76440276180682 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.98352540392342 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.24613606262309 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 16.102904559213 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 2.0309942802262 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.51067586453873 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 4.3416220292336 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 4.4529038727215 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.069662685987338 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 0.071849454011931 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&- 1.1620464431732 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.29166666666667 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 2.3368546193827 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.15200774052886 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4844190698542\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.62485747250178\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.3168069916627\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&- 2.576347090012\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 2.625860668585\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^5 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.083333333333333\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&- 1.3977862297623\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 1.4120464431732\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 2.8240928863463\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 1.4173891489202\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 0.72752806091709\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&- 0.76003870264429\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.05\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.20287906106843\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&- 0.81294427682583\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 0.40851390759352\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 1.6620464431732\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.10742440708814\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&- 7.0554684868336\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_0^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^4 \\
&- 3.6481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^4 \\
&- 0.92222786590389\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 0.0073838564830734\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&- 0.47404173076104\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 1.9120464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.125\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.22314895986493\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.51195040121044\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.16736171989869\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 1.3827285908975\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 3.4725068480317\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.94136429544877\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0573676569726\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 4.8681469641362\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.35363978144467\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.046003970753576\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.096698885380347\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 12.701845066533\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.40361250519007\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 6.6832440584672\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 1.0847919353118\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 9.0516947865561\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 1.1620464431732\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 1.1689491304914\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.1962846432667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.63734881439105\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 1.4174060059311\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.72353664815543\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.091204644317315\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.094104415557308\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 12.37808558001\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 1.6665456837704\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.41666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.42570298939112\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.86153130736607\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.92222786590389\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.12160619242309\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.061338627671434\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.25\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 4.2160619242309\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.6158455479593\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 3.9947134655926\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.14826959356919\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.2098698982548\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 0.033333333333333\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.58316127583974\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.15\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 3.1867440719553\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.98352540392342\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 2.0025923735881\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 2.0309942802262\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.071849454011931\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 4.7922735226879\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.15200774052886\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 10.596618671754\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^2 \\
&- 1.3275346017955\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.33333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5 \\
&- 0.084131781578822\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 1.399462710333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s) \\
&- 0.70602322158658\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^4 \\
&- 2.8240928863463\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^4 \\
&- 0.72237365031156\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 0.73840818786928\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^2 \\
&- 3.0493952575642\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s)^4 \\
&- 0.025\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^5 \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&- 1.6424183590224\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^2 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&- 1.8575905146641\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^2 \\
&- 0.48022862259133\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s) \\
&- 15.525453255179\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^2 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2
\end{aligned}
$$

$$- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4$$

1.2 Tensor spectrum

$$P_t(k_*) = \frac{2H_*^2}{\pi^2 M_{\rm Pl}^2}\left[\sum_{d=0}^{5} F_{t,d} + O(\mathrm{SR}^6)\right].$$

Relative order 0.

$$F_{t,0} = 1.0$$

Relative order 1.

$$F_{t,1} = -0.54072569092296\epsilon_1$$

Relative order 2.

$$F_{t,2} = 1.5402686460338\epsilon_1^2 - 0.25062903478191\epsilon_1\epsilon_2$$

Relative order 3.

$$\begin{aligned} F_{t,3} = {} & 1.6057835635673\epsilon_1^3 + 1.8891060194179\epsilon_1^2\epsilon_2 \\ & - 0.18929040711048\epsilon_1\epsilon_2^2 - 0.18929040711048\epsilon_1\epsilon_2\epsilon_3 \end{aligned}$$

Relative order 4.

$$\begin{aligned} F_{t,4} = {} & 2.9412556561294\epsilon_1^4 + 4.0859368676311\epsilon_1^3\epsilon_2 \\ & + 1.8087367742501\epsilon_1^2\epsilon_2^2 - 0.077715927178017\epsilon_1\epsilon_2^3 \\ & + 1.696905383796\epsilon_1^2\epsilon_2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3^2 \\ & - 0.23314778153405\epsilon_1\epsilon_2^2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \end{aligned}$$

Relative order 5.

$$\begin{aligned} F_{t,5} = {} & 5.0146640695735\epsilon_1^5 + 10.182162879741\epsilon_1^3\epsilon_2^2 \\ & + 1.9912795134148\epsilon_1^2\epsilon_2^3 + 9.3282240106668\epsilon_1^4\epsilon_2 \\ & - 0.041550866698239\epsilon_1\epsilon_2^4 + 5.715558726935\epsilon_1^2\epsilon_2^2\epsilon_3 \\ & + 6.2270085551926\epsilon_1^3\epsilon_2\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3^2 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3^3 - 0.29085606688767\epsilon_1\epsilon_2^2\epsilon_3^2 \\ & - 0.24930520018943\epsilon_1\epsilon_2^3\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\ & - 0.16620346679296\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\ & - 0.12465260009472\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \end{aligned}$$

2 Consistency relations

2.1 $n = 0$

For $p = 5$, the absolute cutoff is $W = 6$:

$$\alpha_0^t = \sum_{d=1}^{6} R_{0,d} + O(\mathrm{SR}^7).$$

Absolute order 1.

$$R_{0,1} = -\frac{0.125r}{c_s}$$

Absolute order 2.

$$R_{0,2} = \frac{0.0078125r^2}{c_s^2} + \frac{0.125\alpha_0^s r}{c_s} + \frac{0.28379535568268\alpha_0^{c_s} r}{c_s} - \frac{0.125\alpha_0^s r \log(c_s)}{c_s}$$

Absolute order 3.

$$\begin{aligned} R_{0,3} = & -\frac{0.0030712246746565r^3}{c_s^3} + \frac{0.125\alpha_1^s r}{c_s} \\ & + \frac{0.33325502603924\alpha_1^{c_s} r}{c_s} - \frac{0.10280837917801\left(\alpha_0^s\right)^2 r}{c_s} \\ & - \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^2 r}{c_s} - \frac{0.041327094794504\alpha_0^s r^2}{c_s^2} \\ & - \frac{0.061176514254839\alpha_0^{c_s} r^2}{c_s^2} + \frac{0.015625\alpha_0^s r^2 \log(c_s)}{c_s^2} \\ & + \frac{0.0625\alpha_1^s r \log(c_s)^2}{c_s} \\ & + \frac{0.125\left(\alpha_0^s\right)^2 r \log(c_s)}{c_s} \\ & - \frac{0.0625\left(\alpha_0^s\right)^2 r \log(c_s)^2}{c_s} \\ & - \frac{0.125\alpha_1^s r \log(c_s)}{c_s} - \frac{0.46478233218736\alpha_0^{c_s}\alpha_0^s r}{c_s} \\ & + \frac{0.28379535568268\alpha_0^{c_s}\alpha_0^s r \log(c_s)}{c_s} \end{aligned}$$

Absolute order 4.

$$\begin{aligned} R_{0,4} = & \frac{0.0014926374043055r^4}{c_s^4} + \frac{0.125\alpha_2^s r}{c_s} \\ & + \frac{0.076954635474829\left(\alpha_0^{c_s}\right)^3 r}{c_s} + \frac{0.065244100954277\left(\alpha_0^s\right)^3 r}{c_s} \\ & + \frac{0.36074999115751\alpha_2^{c_s} r}{c_s} + \frac{0.036259602621199\alpha_0^{c_s} r^3}{c_s^3} \\ & + \frac{0.024554893470954\alpha_0^s r^3}{c_s^3} + \frac{0.10320649151137\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\ & + \frac{0.21414669687749\left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2} - \frac{0.11879209843874\alpha_1^{c_s} r^2}{c_s^2} \\ & - \frac{0.060109233906372\alpha_1^s r^2}{c_s^2} \\ & + \frac{0.015625\left(\alpha_0^s\right)^2 r^2 \log(c_s)^2}{c_s^2} \\ & + \frac{0.0625\alpha_2^s r \log(c_s)^2}{c_s} \\ & + \frac{0.0625\left(\alpha_0^s\right)^3 r \log(c_s)^2}{c_s} \\ & + \frac{0.34966216656143\alpha_0^{c_s}\alpha_0^s r^2}{c_s^2} \\ & + \frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r}{c_s} \\ & + \frac{0.041327094794504\alpha_1^s r^2 \log(c_s)}{c_s^2} \end{aligned}$$

$$
\begin{aligned}
&+ \frac{0.46184803450948\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{0.0078125\alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.125\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.0092136740239694\alpha_0^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.10280837917801\left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.51223106590429\alpha_0^{c_s}\alpha_1^s r}{c_s} - \frac{0.26465926210717\alpha_0^{c_s}\alpha_1^{c_s} r}{c_s} \\
&- \frac{0.58335484068555\alpha_0^s\alpha_1^{c_s} r}{c_s} \\
&- \frac{0.082654189589007\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.020833333333333\alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.020833333333333\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.23087387125098\alpha_0^s\alpha_1^s r}{c_s} \\
&+ \frac{0.0625\alpha_0^s\alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.14189767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.46478233218736\alpha_0^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33061675835603\alpha_0^s\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33325502603924\alpha_0^s\alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.1875\alpha_0^s\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.14189767784134\alpha_0^{c_s}\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^2\alpha_0^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.46478233218736\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.12235302850968\alpha_0^{c_s}\alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

Absolute order 5.

$$
\begin{aligned}
R_{0,5} = &- \frac{0.00093280100983415 r^5}{c_s^5} + \frac{0.125\alpha_3^s r}{c_s} \\
&+ \frac{0.077998779670661\alpha_1^{c_s} r^3}{c_s^3} + \frac{0.04315951309091\alpha_1^s r^3}{c_s^3} \\
&+ \frac{0.37743788705055\alpha_3^{c_s} r}{c_s} + \frac{0.22678710229221\left(\alpha_1^{c_s}\right)^2 r}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{0.038536574146577\left(\alpha_0^s\right)^4 r}{c_s} - \frac{0.018206214478227\alpha_0^s r^4}{c_s^4} \\
&- \frac{0.17317013837934\alpha_2^{c_s} r^2}{c_s^2} - \frac{0.46393123483107\left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2} \\
&- \frac{0.077020534433109\alpha_2^s r^2}{c_s^2} - \frac{0.044182861011306\left(\alpha_0^{c_s}\right)^4 r}{c_s} \\
&- \frac{0.14103704832205\left(\alpha_1^s\right)^2 r}{c_s} - \frac{0.18695785481671\left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
&- \frac{0.025790978878929\alpha_0^{c_s} r^4}{c_s^4} - \frac{0.21229467061039\left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3} \\
&- \frac{0.10777687087114\left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&+ \frac{0.0625\alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.065244100954277\left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.77902151158975\alpha_0^{c_s}\alpha_1^{c_s} r^2}{c_s^2} \\
&+ \frac{0.33322659757276\alpha_0^s\alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.2807614807417\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.073664680412863\left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.0046068370119847\alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.0059705496172218\alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.91440223214728\left(\alpha_0^{c_s}\right)^2\alpha_1^s r}{c_s} \\
&+ \frac{0.25691700713838\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s} \\
&+ \frac{0.585172074201 16\alpha_0^{c_s}\alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.64688363806266\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.0026041666666667\alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.0052083333333333\alpha_3^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.010416666666667\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.020833333333333\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.67279698790137\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}
\end{aligned}
$$

$$+\frac{0.20641298302274\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.23087387125098\left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$+\frac{0.060109233906372\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.125\alpha_3^s r \log\left(c_s\right)}{c_s}-\frac{0.70604739146173\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$-\frac{0.24116427546487\alpha_0^s\alpha_2^s r}{c_s}-\frac{0.67016777237071\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$-\frac{0.37631034727105\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r}{c_s}$$
$$-\frac{0.54410907511208\alpha_0^{c_s}\alpha_2^s r}{c_s}-\frac{0.33187406198245\alpha_0^{c_s}\alpha_0^s r^3}{c_s^3}$$
$$-\frac{0.051404189589007\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.0075354959104\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$-\frac{0.020663547397252\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.082654189589007\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.16530837917801\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0052083333333333\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.020833333333333\alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^2}{c_s^2}$$
$$-\frac{0.024554893470954\alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.025650784758331\alpha_0^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$-\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\alpha_0^s r}{c_s}$$
$$-\frac{0.8774300995702\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r}{c_s}$$
$$-\frac{0.013820511035954\left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.03125\left(\alpha_0^s\right)^2\alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.047299225947114\alpha_0^{c_s}\alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.047299225947114\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.076954635474829\left(\alpha_0^{c_s}\right)^3\alpha_0^s r \log\left(c_s\right)}{c_s}$$

$$+\frac{1.2543932705273\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.69932433312286\alpha_0^{c_s}\left(\alpha_0^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.36074999115751\alpha_0^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.12398128438351\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.2408463078633\alpha_0^{c_s}\alpha_0^s\alpha_1^sr}{c_s}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.51223106590429\alpha_0^{c_s}\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58335484068555\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.31952094794504\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.16662751301962\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.083333333333333\alpha_0^s\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.35587387125098\alpha_0^s\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\alpha_0^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.1087788078636\alpha_0^{c_s}\alpha_0^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.46184803450948\alpha_0^{c_s}\left(\alpha_0^s\right)^3r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.061176514254839\alpha_0^{c_s}\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.015625\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.125\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.34966216656143\alpha_0^{c_s}\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.42660617411381\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$-\frac{0.23239116609368\alpha_0^{c_s}\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.23239116609368\alpha_0^{c_s}\left(\alpha_0^s\right)^3r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.58335484068555\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$

$$- \frac{0.60410986672479 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.32663145083548 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.16662751301962 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.020833333333333 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.22780837917801 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.23758419687749 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.12235302850968 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$+ \frac{0.69717349828103 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.14189767784134 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.26465926210717 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.4359271349233 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s}$$

Absolute order 6.

$$R_{0,6} = \frac{0.00070298503785145 r^6}{c_s^6} + \frac{0.125 \alpha_4^s r}{c_s}$$
$$+ \frac{0.13193301624962 \alpha_2^{c_s} r^3}{c_s^3} + \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^5 r}{c_s}$$
$$+ \frac{0.021919030958484 \alpha_0^{c_s} r^5}{c_s^5} + \frac{0.020902477635746 \left(\alpha_0^s\right)^5 r}{c_s}$$
$$+ \frac{0.74453148636911 \left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} + \frac{0.015994052232973 \alpha_0^s r^5}{c_s^5}$$
$$+ \frac{0.065362321729807 \alpha_2^s r^3}{c_s^3} + \frac{0.28417656846613 \left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+ \frac{0.30605471800346 \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+ \frac{0.67852861921274 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+ \frac{0.34969699644176 \left(\alpha_0^s\right)^3 r^3}{c_s^3} + \frac{0.38489206166781 \alpha_4^{c_s} r}{c_s}$$
$$+ \frac{0.83936081299974 \left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3}$$
$$+ \frac{0.22660705119567 \left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4}$$
$$+ \frac{0.12218812205202 \left(\alpha_0^s\right)^2 r^4}{c_s^4} - \frac{0.093222530607224 \alpha_3^s r^2}{c_s^2}$$
$$- \frac{0.22602670226893 \alpha_3^{c_s} r^2}{c_s^2} - \frac{0.037217907105313 \alpha_1^s r^4}{c_s^4}$$

$$
\begin{aligned}
&- \frac{0.062708816862277 \alpha_1^{c_s} r^4}{c_s^4} \\
&+ \frac{0.00390625 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.0625 \alpha_4^s r \log\left(c_s\right)^2}{c_s} + \frac{0.4688109212146 \alpha_0^s \alpha_2^s r^2}{c_s^2} \\
&+ \frac{0.032622050477138 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{4.7025282057985 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.018206214478227 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.37293859690816 \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{2.1030075443947 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
&+ \frac{0.26533319667889 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{1.1071445237506 \alpha_0^{c_s} \alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{1.1098294432945 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r}{c_s} \\
&+ \frac{0.29046664127673 \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s} \\
&+ \frac{1.2266253802516 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.077020534433109 \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.35392002562399 \alpha_0^{c_s} \alpha_0^s r^4}{c_s^4} \\
&+ \frac{0.011941099234444 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{0.0068878491324173 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.97570715261837 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r}{c_s} \\
&+ \frac{0.49065057441855 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{1.0359304553424 \alpha_0^s \alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{1.0462369419396 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{0.26409856083906 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r}{c_s} \\
&+ \frac{0.27748910591119 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r}{c_s} \\
&+ \frac{2.2377699655728 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3}{c_s^3}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.28114043741982 \alpha_0^{c_s} \alpha_3^{c_s} r}{c_s} \\
&+ \frac{0.16331572541774 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0052083333333333 \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0052083333333333 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0052083333333333 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.78387416068464 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.012277446735477 \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.20641298302274 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.6575252194499 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&+ \frac{0.83680003409838 \alpha_0^{c_s} \alpha_2^s r^2}{c_s^2} \\
&+ \frac{1.7002909092331 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.11049702061929 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{3.5635228556462 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2}{c_s^2} \\
&+ \frac{0.90932998261448 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{0.93999642860003 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{0.125 \alpha_4^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.32333061261342 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.0046640050491707 \alpha_0^s r^5 \log\left(c_s\right)}{c_s^5} \\
&- \frac{0.038536574146577 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.22801627965519 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s} \\
&- \frac{0.93222801028114 \alpha_0^{c_s} \alpha_1^{c_s} r^3}{c_s^3} \\
&- \frac{0.25325135554738 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.017134729863002 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.072824857912906 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4}
\end{aligned}
$$

$$- \frac{0.33322659757276 \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{1.015918735308 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{2.0506940177423 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.0010416666666667 \alpha_{4}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.0010416666666667 \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.55534594081785 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{0.57506946025867 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{2.5207294679791 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.04315951309091 \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.0029852748086109 \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.055102793059338 \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.31399132156735 \alpha_{1}^{s} \alpha_{2}^{s} r}{c_{s}} - \frac{0.65984338269908 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.041327094794504 \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.00065104166666667 \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.020833333333333 \alpha_{4}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{2.7283028812082 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.71961475433166 \alpha_{0}^{s} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.37391570963342 \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.75843981154214 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}} - \frac{0.77878205183275 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.0015356123373282 \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$

$$- \frac{0.42145582743858 \alpha_{0}^{s} \alpha_{1}^{s} r^{3}}{c_{s}^{3}} - \frac{0.84791917680706 \alpha_{1}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.013820511035954 \left(\alpha_{0}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{0.030054616953186 \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.24578024485779 \alpha_{0}^{s} \alpha_{3}^{s} r}{c_{s}}$$

$$
\begin{aligned}
&- \frac{0.98936913734599 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r}{c_s} \\
&+ \frac{0.078125 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.011824806486779 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.035474419460336 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.34503228101501 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.70604739146173 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.39124002268239 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.67016777237071 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.17483108328071 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.69932433312286 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.18037499557876 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.36616427546487 \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.055542504339873 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.055542504339873 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.23399633901198 \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.52323837210896 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.54410907511208 \alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{2.3150163835374 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&+ \frac{0.33187406198245 \alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.096769459726005 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{1.0498858380611 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.5420431097393 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.30205493336239 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.30205493336239 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{1.2273267595957\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.077463722031226\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.64688363806266\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.16316821179539\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.16530837917801\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3455939758027\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.17504590210035\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4082057040738\alpha_0^{c_s}\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.71796356746163\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.18614171251135\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.37743788705055\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.41106330372469\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.052083333333333\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.013820511035954\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.22342495932411\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.22678710229221\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.23092401725474\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$

$$+ \frac{1.8632981771163\alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$+ \frac{0.11879209843874\alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.015625\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.015625 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.011824806486779\alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.99562218594735\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.67016777237071 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.34634027675869\alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.18037499557876\alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.37631034727105\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.92786246966213 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.2408463078633\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.63688401183118 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.020392171418 28\alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.081568685673119\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{5.3160260957473\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.4572148290863 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{1.7022391997606\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{0.055102793059338\alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.91440223214728 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.7157456837503\alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.23239116609368\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{2.0150709918208\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.25611553295215\alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.26811675835603\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2680306396037\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.29167742034277\alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.29167742034277 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.58517207420116\alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.077463722031226\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.6362509253696 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.65487106259881\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.67279698790137\alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.34379128896546 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.7810792247499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.18244310904102 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.9488138359183 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s}$$
$$- \frac{0.40881080687647\alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.10316391551572\alpha_0^{c_s} \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.026041666666667\alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333\alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.41785905564102 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$

$$
\begin{aligned}
&- \frac{0.21414669687749 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.054389403931798 \alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.8774300995702 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.11049702061929 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.23758419687749 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.24043693562549 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.48726766643898 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.49808128260325 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.047299225947114 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.97407910041377 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.87503226102832 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.5580430231795 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{2.3697773496765 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.2543932705273 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.2807614807417 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{2.6692624312877 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.46478233218736 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.13232963105359 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{3.1854151402232 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.12235302850968 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.070948838920671 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{1.2543932705273 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{1.4107356192259 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{1.0489864996843\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2 \log(c_s)^2}{c_s^2} \\
&- \frac{0.13232963105359\alpha_0^{c_s}(\alpha_0^s)^2\alpha_1^{c_s} r \log(c_s)^2}{c_s} \\
&- \frac{0.3098548881249\alpha_0^{c_s}\alpha_0^s\alpha_2^s r \log(c_s)^3}{c_s} \\
&- \frac{0.16662751301962\alpha_0^s\alpha_1^{c_s}\alpha_1^s r \log(c_s)^3}{c_s} \\
&- \frac{0.025650784758331\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r \log(c_s)}{c_s} \\
&- \frac{1.7849553829754\alpha_0^{c_s}\alpha_0^s\alpha_2^s r \log(c_s)}{c_s} \\
&- \frac{0.90616480008718(\alpha_0^{c_s})^2\alpha_0^s\alpha_1^s r \log(c_s)^2}{c_s} \\
&- \frac{1.9998146675871\alpha_0^s\alpha_1^{c_s}\alpha_1^s r \log(c_s)}{c_s}
\end{aligned}
$$

2.2 $n = 1$

For $p = 5$, the absolute cutoff is $W = 7$:

$$\alpha_1^t = \sum_{d=2}^{7} R_{1,d} + O(\mathrm{SR}^8).$$

Absolute order 2.

$$
\begin{aligned}
R_{1,2} = &\frac{0.015625r^2}{c_s^2} + \frac{0.125\alpha_0^{c_s} r}{c_s} \\
&+ \frac{0.125\alpha_0^s r}{c_s}
\end{aligned}
$$

Absolute order 3.

$$
\begin{aligned}
R_{1,3} = &-\frac{0.0029296875r^3}{c_s^3} + \frac{0.125\alpha_1^s r}{c_s} \\
&+ \frac{0.28379535568268\alpha_1^{c_s} r}{c_s} - \frac{0.125(\alpha_0^s)^2 r}{c_s} \\
&- \frac{0.046875\alpha_0^s r^2}{c_s^2} - \frac{0.28379535568268(\alpha_0^{c_s})^2 r}{c_s} \\
&- \frac{0.086573838920671\alpha_0^{c_s} r^2}{c_s^2} + \frac{0.03125\alpha_0^s r^2 \log(c_s)}{c_s^2} \\
&+ \frac{0.125(\alpha_0^s)^2 r \log(c_s)}{c_s} \\
&- \frac{0.125\alpha_1^s r \log(c_s)}{c_s} - \frac{0.53379535568268\alpha_0^{c_s}\alpha_0^s r}{c_s} \\
&+ \frac{0.125\alpha_0^{c_s}\alpha_0^s r \log(c_s)}{c_s}
\end{aligned}
$$

Absolute order 4.

$$
\begin{aligned}
R_{1,4} = &\frac{0.0016576826498282r^4}{c_s^4} + \frac{0.125\alpha_2^s r}{c_s} \\
&+ \frac{0.12398128438351(\alpha_0^s)^2 r^2}{c_s^2} + \frac{0.10280837917801(\alpha_0^s)^3 r}{c_s} \\
&+ \frac{0.20825502603924(\alpha_0^{c_s})^3 r}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.25495658892655 \left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2} + \frac{0.038806320518347 \alpha_0^{c_s} r^3}{c_s^3} \\
&+ \frac{0.33325502603924 \alpha_2^{c_s} r}{c_s} + \frac{0.027641022071908 \alpha_0^s r^3}{c_s^3} \\
&- \frac{0.14449027076465 \alpha_1^{c_s} r^2}{c_s^2} - \frac{0.072577094794504 \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.03125 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0625 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.046875 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.69259071136537 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r}{c_s} \\
&+ \frac{0.4077766400662 \alpha_0^{c_s} \alpha_0^s r^2}{c_s^2} \\
&+ \frac{0.95683271390928 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r}{c_s} \\
&- \frac{0.015625 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.125 \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.125 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.09375 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.0087890625 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3} - \frac{0.33061675835603 \alpha_0^s \alpha_1^s r}{c_s} \\
&- \frac{0.71478233218736 \alpha_0^{c_s} \alpha_1^s r}{c_s} - \frac{0.74976507811772 \alpha_0^{c_s} \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.79803735822659 \alpha_0^s \alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.0625 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.375 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.28379535568268 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.53379535568268 \alpha_0^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.0625 \alpha_0^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.1875 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.17314767784134 \alpha_0^{c_s} \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

$$- \frac{0.53379535568268\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$

Absolute order 5.

$$\begin{aligned}
R_{1,5} = & -\frac{0.0010528680915447 r^5}{c_s^5} + \frac{0.125\alpha_3^s r}{c_s} \\
& + \frac{0.088617304208522\alpha_1^{c_s} r^3}{c_s^3} + \frac{0.36074999115751\alpha_3^{c_s} r}{c_s} \\
& + \frac{0.050025543685844\alpha_1^s r^3}{c_s^3} - \frac{0.56573567099871 \left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2} \\
& - \frac{0.076954635474829 \left(\alpha_0^{c_s}\right)^4 r}{c_s} - \frac{0.091359233906372\alpha_2^s r^2}{c_s^2} \\
& - \frac{0.065244100954277 \left(\alpha_0^s\right)^4 r}{c_s} - \frac{0.20897959622812\alpha_2^{c_s} r^2}{c_s^2} \\
& - \frac{0.24604962823258 \left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3} \\
& - \frac{0.13027434666455 \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
& - \frac{0.26465926210717 \left(\alpha_1^{c_s}\right)^2 r}{c_s} - \frac{0.021075080402355\alpha_0^s r^4}{c_s^4} \\
& - \frac{0.23087387125098 \left(\alpha_1^s\right)^2 r}{c_s} - \frac{0.029498514193987\alpha_0^{c_s} r^4}{c_s^4} \\
& - \frac{0.24842610305581 \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
& + \frac{0.0625\alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
& + \frac{0.0625 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
& + \frac{0.00439453125\alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
& + \frac{1.5811232648164 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r}{c_s} \\
& + \frac{0.24796256876702 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2} \\
& + \frac{0.082923066215725 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3} \\
& + \frac{0.71021433456542\alpha_0^{c_s} \alpha_1^s r^2}{c_s^2} \\
& + \frac{0.10280837917801 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s} \\
& + \frac{0.42660617411381 \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s} \\
& + \frac{1.045202875195 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s} \\
& + \frac{0.072577094794504\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
& + \frac{0.33061675835603 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}
\end{aligned}$$

$$
\begin{aligned}
&+ \frac{0.0052083333333333\alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.020833333333333 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.020833333333333 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.81639883012011\alpha_0^s \alpha_1^{c_s} r^2}{c_s^2} \\
&+ \frac{0.41559991864823\alpha_0^s \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.0066307305993129\alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.92119486345495\alpha_0^{c_s} \alpha_1^{c_s} r^2}{c_s^2} \\
&+ \frac{0.49552316853166 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.0625 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.125\alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.0234375\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.09375 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.1875 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.01318359375 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.62990051464178\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{0.62540925326469\alpha_0^{c_s} \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.39180031621678\alpha_0^{c_s} \alpha_0^s r^3}{c_s^3} - \frac{1.0955859065898\alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&- \frac{1.5307402334216 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{1.7168681131348 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2}{c_s^2} \\
&- \frac{0.88931952823886 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r}{c_s} \\
&- \frac{1.2784021784808\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&- \frac{0.020833333333333\alpha_3^s r \log\left(c_s\right)^3}{c_s} - \frac{0.35587387125098\alpha_0^s \alpha_2^s r}{c_s} \\
&- \frac{0.76223106590429\alpha_0^{c_s} \alpha_2^s r}{c_s} \\
&- \frac{0.027641022071908\alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.94410483184306\alpha_0^s \alpha_2^{c_s} r}{c_s}
\end{aligned}
$$

$$+\frac{0.375\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.140625\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.14189767784134\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.14189767784134\left(\alpha_0^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.086573838920671\alpha_0^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.69259071136537\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.20825502603924\left(\alpha_0^{c_s}\right)^3\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.11641896155504\alpha_0^{c_s}\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.9974177645303\alpha_0^{c_s}\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.5099131778531\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.3894888622815\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.33325502603924\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.020833333333333\alpha_0^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.020833333333333\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.083333333333333\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.71478233218736\alpha_0^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.79803735822659\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.81555328013239\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.45561675835603\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.95683271390928\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.03125\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.125\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.25\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.14189767784134\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.14189767784134\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&- \frac{0.17314767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.26689767784134\alpha_0^{c_s}\alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.26689767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.2889805415293\alpha_0^s\alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.63904189589007\left(\alpha_0^s\right)^2\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.39311675835603\alpha_0^s\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.79803735822659\left(\alpha_0^s\right)^2\alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.4077766400662\alpha_0^{c_s}\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{0.95683271390928\left(\alpha_0^{c_s}\right)^2\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.80069303352403\alpha_0^{c_s}\alpha_0^s\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.0625\alpha_0^{c_s}\alpha_0^s\alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{2.0999637549181\alpha_0^{c_s}\alpha_0^s\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.74976507811772\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

Absolute order 6.

$$
\begin{aligned}
R_{1,6} = &\frac{0.00079786539870909 r^6}{c_s^6} + \frac{0.125\alpha_4^s r}{c_s} \\
&+ \frac{0.26720808608064\left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4} \\
&+ \frac{0.038536574146577\left(\alpha_0^s\right)^5 r}{c_s} + \frac{0.41043044123784\left(\alpha_0^s\right)^4 r^2}{c_s^2} \\
&+ \frac{1.0259570770776\left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} \\
&+ \frac{0.14689479099556\left(\alpha_0^s\right)^2 r^4}{c_s^4} + \frac{0.018569586968286\alpha_0^s r^5}{c_s^5} \\
&+ \frac{1.033204312895\left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3} + \frac{0.074971901003326\alpha_2^s r^3}{c_s^3} \\
&+ \frac{0.15139265948067\alpha_2^{c_s} r^3}{c_s^3} + \frac{0.044182861011306\left(\alpha_0^{c_s}\right)^5 r}{c_s} \\
&+ \frac{0.025257209491638\alpha_0^{c_s} r^5}{c_s^5} + \frac{0.37743788705055\alpha_4^{c_s} r}{c_s} \\
&+ \frac{0.38411085965327\left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.83338364839711\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.44641771599844\left(\alpha_0^s\right)^3 r^3}{c_s^3} - \frac{0.043199996920584\alpha_1^s r^4}{c_s^4} \\
&- \frac{0.10827053443311\alpha_3^s r^2}{c_s^2} - \frac{0.26752961014198\alpha_3^{c_s} r^2}{c_s^2} \\
&- \frac{0.072596626026171\alpha_1^{c_s} r^4}{c_s^4} + \frac{0.0078125\alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.0078125\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.0625\alpha_4^s r \log\left(c_s\right)^2}{c_s} + \frac{1.0062984846724\alpha_0^{c_s}\alpha_2^s r^2}{c_s^2} \\
&+ \frac{1.0276061682351\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{0.091359233906372\alpha_3^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{1.3365328286442\alpha_0^{c_s}\alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{2.0767524199373\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&+ \frac{0.4279234198261\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.48009102237191\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r}{c_s} \\
&+ \frac{0.24796256876702\left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{6.3868435353963\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.051404189589007\left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.7155884813507\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r}{c_s} \\
&+ \frac{1.899399021936\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r}{c_s} \\
&+ \frac{0.12438459932359\left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.53899655212715\left(\alpha_0^{c_s}\right)^4\alpha_0^s r}{c_s} \\
&+ \frac{0.5788087353052\alpha_0^s\alpha_2^s r^2}{c_s^2} \\
&+ \frac{4.7974121733276\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^2}{c_s^2} \\
&+ \frac{0.30641226550003\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r}{c_s} \\
&+ \frac{1.2768667055421\alpha_0^s\alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{0.65487106259881\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{1.3170514104334\left(\alpha_0^s\right)^2\alpha_2^{c_s} r}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.0052083333333333 \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0052083333333333 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.010416666666667 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.33473585919119 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{0.021075080402355 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{2.7660197079164 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3}{c_s^3} \\
&+ \frac{2.9375382620807 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
&+ \frac{1.5177946664778 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.19655837917801 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.6127572274363 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{0.42065015124113 \alpha_0^{c_s} \alpha_0^s r^4}{c_s^4} \\
&+ \frac{0.013261461198626 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{0.013820511035954 \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{1.9707423731637 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r}{c_s} \\
&+ \frac{0.49808128260325 \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s} \\
&- \frac{0.0625 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.125 \alpha_4^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.00146484375 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.046875 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.01318359375 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.45749292478693 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.065244100954277 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s} \\
&- \frac{1.0476056594213 \alpha_0^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{1.0231939853337 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}
\end{aligned}
$$

$$- \frac{0.36616427546487\alpha_0^s\alpha_3^s r}{c_s} - \frac{0.79146979525308\alpha_0^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.52323837210896\alpha_1^s\alpha_2^s r}{c_s} - \frac{1.1192217785737\alpha_0^{c_s}\alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{1.3762151638324\alpha_1^s\alpha_2^{c_s} r}{c_s} - \frac{0.79410907511208\alpha_0^{c_s}\alpha_3^s r}{c_s}$$
$$- \frac{0.40308867180888\alpha_0^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$- \frac{3.4819478369654\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$- \frac{1.9363711545131\left(\alpha_0^{c_s}\right)^3\alpha_1^s r}{c_s}$$
$$- \frac{0.51344198472507\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.036288547397252\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.2501564665738\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$- \frac{0.0013020833333333\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.020833333333333\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.020833333333333\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0052643404577234\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.084300321609422\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$- \frac{2.7292119095603\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.3749765739875\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.39082303999365\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.050025543685844\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.41106330372469\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$- \frac{3.309049304958\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.41559991864823\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.0033153652996565\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$

$$- \frac{0.91770607360615\alpha_0^s\alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{0.49685220611163\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.015625\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.1875\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.078125\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.01318359375\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.047299225947114\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.047299225947114\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.34629535568268\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.5764781464639\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.049981877459\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.39180031621678\alpha_0^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.41062532438663\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.0955859065898\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.3819935296913\alpha_0^{c_s}\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.36074999115751\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.80435027506809\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.26913547397252\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.3725999669691\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.54732932712305\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.17462844233256\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.088965892613781\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7168681131348\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.88931952823886\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.5099131778531\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.045202875195\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$

$$
\begin{aligned}
&+ \frac{0.26585191262557\alpha_0^s \alpha_1^{c_s} r^3 \log(c_s)}{c_s^3} \\
&+ \frac{2.3109618188138\alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.14449027076465\alpha_1^{c_s} \alpha_1^s r^2 \log(c_s)^2}{c_s^2} \\
&+ \frac{0.16662751301962 (\alpha_0^s)^2 \alpha_2^{c_s} r \log(c_s)^2}{c_s} \\
&+ \frac{0.0052083333333333\alpha_0^{c_s} (\alpha_0^s)^4 r \log(c_s)^4}{c_s} \\
&+ \frac{0.010416666666667\alpha_0^s \alpha_2^s r^2 \log(c_s)^4}{c_s^2} \\
&+ \frac{0.68758257793092 (\alpha_0^s)^3 \alpha_1^s r \log(c_s)}{c_s} \\
&+ \frac{0.76223106590429\alpha_0^{c_s} \alpha_3^s r \log(c_s)}{c_s} \\
&+ \frac{3.2406609754504\alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&+ \frac{0.2038883200331\alpha_0^{c_s} \alpha_2^s r^2 \log(c_s)^2}{c_s^2} \\
&+ \frac{0.81555328013239\alpha_0^{c_s} (\alpha_0^s)^3 r^2 \log(c_s)^2}{c_s^2} \\
&+ \frac{1.6327976602402 (\alpha_0^s)^2 \alpha_1^{c_s} r^2 \log(c_s)}{c_s^2} \\
&+ \frac{0.81762161375293\alpha_1^s \alpha_2^s r \log(c_s)}{c_s} \\
&+ \frac{0.052083333333333 (\alpha_0^s)^2 \alpha_2^s r \log(c_s)^4}{c_s} \\
&+ \frac{0.10416666666667\alpha_0^s \alpha_3^s r \log(c_s)^3}{c_s} \\
&+ \frac{0.20833333333333\alpha_1^s \alpha_2^s r \log(c_s)^3}{c_s} \\
&+ \frac{0.20833333333333 (\alpha_0^s)^3 \alpha_1^s r \log(c_s)^3}{c_s} \\
&+ \frac{0.94410483184306\alpha_1^s \alpha_2^{c_s} r \log(c_s)}{c_s} \\
&+ \frac{0.47841635695464 (\alpha_0^{c_s})^2 \alpha_2^s r \log(c_s)^2}{c_s} \\
&+ \frac{0.47841635695464 (\alpha_0^{c_s})^2 (\alpha_0^s)^3 r \log(c_s)^2}{c_s} \\
&+ \frac{0.48087387125098\alpha_0^s \alpha_3^s r \log(c_s)}{c_s} \\
&- \frac{0.03125 (\alpha_0^s)^2 \alpha_1^s r^2 \log(c_s)^4}{c_s^2} \\
&- \frac{0.0625\alpha_0^s \alpha_2^s r^2 \log(c_s)^3}{c_s^2} \\
&- \frac{0.3125\alpha_0^s (\alpha_1^s)^2 r \log(c_s)^3}{c_s} \\
&- \frac{0.047299225947114 (\alpha_0^{c_s})^2 \alpha_2^s r \log(c_s)^3}{c_s}
\end{aligned}
$$

$$- \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.26689767784134 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.62990051464178 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1314713419974 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.076954635474829 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.8640065775119 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.78248004536479 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.5811232648164 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.55842513753404 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.1754009486504 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.71021433456542 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.088965892613781 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.0533005309287 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{1.5307402334216 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.41795919245624 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{3.4337362262696 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.88931952823886 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.058209480777521 \alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.12438459932359 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.9974177645303 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.25495658892655 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.52513770630106 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.26465926210717 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$

$$- \frac{4.2394919484159\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{1.0840862194786\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.2889805415293 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.29030837917801\alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.59831838646097\alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.5568043569616\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.16662751301962\alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0052083333333333\alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{5.3460358740743 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s}$$
$$- \frac{0.35739116609368\alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.73814888469775 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{3.0533911802992 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.76506061150656 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.3990186791133\alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.3990186791133 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.81639883012011\alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.026041666666667\alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333\alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.20833333333333 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{6.9429524392027\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.02885794630689\alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.11543178522756\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.11799405677595\alpha_0^{c_s} \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$

$$
\begin{aligned}
&- \frac{0.94410483184306 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.14189767784134 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.17314767784134 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.53379535568268 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{1.1970560373399 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{3.9772330260924 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{4.6426037316597 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{2.3894888622815 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.020833333333333 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{1.4073730435527 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.37488253905886 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.8423897269099 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{3.8871193084556 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.49552316853166 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.03125 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.14189767784134 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.62540925326469 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{2.0888679445071 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{2.7596488304346 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.35586357045512 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{2.3894888622815 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{1.2233299201986 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{1.4352490708639 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.37488253905886 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&- \frac{3.1859916569799 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

Absolute order 7.

$$
\begin{aligned}
R_{1,7} = & -\frac{0.00069821403713025 r^7}{c_s^7} + \frac{0.125 \alpha_5^s r}{c_s} \\
& + \frac{0.37293859690816 \left(\alpha_1^s\right)^3 r}{c_s} + \frac{0.22553923007821 \alpha_3^{c_s} r^3}{c_s^3} \\
& + \frac{1.0462369419396 \left(\alpha_1^{c_s}\right)^3 r}{c_s} + \frac{0.068470199532883 \alpha_1^{c_s} r^5}{c_s^5} \\
& + \frac{0.042797105843338 \alpha_1^s r^5}{c_s^5} + \frac{0.38489206166781 \alpha_5^{c_s} r}{c_s} \\
& + \frac{0.10325045820752 \alpha_3^s r^3}{c_s^3} + \frac{1.7002909092331 \left(\alpha_2^{c_s}\right)^2 r}{c_s} \\
& - \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^6 r}{c_s} \\
& - \frac{3.3412166984618 \left(\alpha_0^{c_s}\right)^4 r^3}{c_s^3} \\
& - \frac{0.75129206502539 \left(\alpha_0^s\right)^3 r^4}{c_s^4} - \frac{0.12447253060722 \alpha_4^s r^2}{c_s^2} \\
& - \frac{0.13851866890834 \alpha_2^{c_s} r^4}{c_s^4} - \frac{0.17935279734314 \left(\alpha_0^s\right)^2 r^5}{c_s^5} \\
& - \frac{0.020902477635746 \left(\alpha_0^s\right)^6 r}{c_s} - \frac{0.56207286522481 \left(\alpha_1^s\right)^2 r^3}{c_s^3} \\
& - \frac{0.073841572008579 \alpha_2^s r^4}{c_s^4} - \frac{0.018589066236159 \alpha_0^s r^6}{c_s^6} \\
& - \frac{0.59662818041792 \left(\alpha_0^s\right)^5 r^2}{c_s^2} \\
& - \frac{0.31204801227007 \left(\alpha_0^{c_s}\right)^2 r^5}{c_s^5} \\
& - \frac{0.31399132156735 \left(\alpha_2^s\right)^2 r}{c_s} - \frac{1.2665901227865 \left(\alpha_0^s\right)^4 r^3}{c_s^3} \\
& - \frac{0.32224971768588 \alpha_4^{c_s} r^2}{c_s^2} - \frac{1.3001251113513 \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3} \\
& - \frac{1.5522286511067 \left(\alpha_0^{c_s}\right)^5 r^2}{c_s^2} - \frac{0.024670537585356 \alpha_0^{c_s} r^6}{c_s^6} \\
& - \frac{1.6651527802627 \left(\alpha_0^{c_s}\right)^3 r^4}{c_s^4} \\
& + \frac{0.0625 \alpha_5^s r \log\left(c_s\right)^2}{c_s} \\
& + \frac{0.0003662109375 \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3} \\
& + \frac{0.078125 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s} \\
& + \frac{2.7726281597307 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s} \\
& + \frac{1.7031430577408 \alpha_0^{c_s} \alpha_3^{c_s} r^2}{c_s^2} \\
& + \frac{0.038536574146577 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s} \\
& + \frac{0.043199996920584 \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}
\end{aligned}
$$

$$+\frac{0.82086088247569\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.1906681876134\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.53624688613452\left(\alpha_0^s\right)^2 \alpha_3^s r}{c_s}$$
$$+\frac{0.017134729863002\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.58757916398225\left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.7479510436435\alpha_0^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.6847172988982\left(\alpha_0^{c_s}\right)^4 \alpha_1^s r}{c_s}$$
$$+\frac{0.52323837210896\left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$+\frac{8.403779610041\left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.00026041666666667\alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.0010416666666667\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0041666666666667\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.1035354455789\alpha_0^s\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{0.041461533107862\left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{11.409604774997\left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.012096182465751\alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{6.3037951040834\left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3}{c_s^3}$$
$$+\frac{6.6733172348975\left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.10827053443311\alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.2667547655941\left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{0.12438459932359\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.51344198472507\left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.5420431097393\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.2092844592244\left(\alpha_0^{c_s}\right)^2 \alpha_3^s r}{c_s}$$

$$+\frac{0.0011051217665522\alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.017681948264835\left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{2.2795725302615\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{2.341434683818\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.0047871923922545\alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$+\frac{2.5647231275852\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{2.5803495802163\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{5.1814609142063\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{1.3100509538711\alpha_0^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.66101914285082\alpha_0^s\alpha_1^s r^4}{c_s^4}$$
$$+\frac{0.16530837917801\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.33252866783392\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{0.0052083333333333\alpha_5^s r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3392531479953\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.0026321702288617\alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{1.3637058003974\alpha_0^{c_s}\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{2.9112751359658\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.092847934841431\left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.18614171251135\left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.37396170809886\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.5034889150163\left(\alpha_0^s\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.025012771842922\alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.20951013699873\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s} r}{c_s}$$

$$+\frac{3.3535596284132\left(\alpha_0^s\right)^3\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.83916802109773\left(\alpha_0^s\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.7622470202259\alpha_0^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.9573316663519\alpha_0^{c_s}\alpha_1^s r^4}{c_s^4}+\frac{1.981431346653\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$-\frac{0.001953125\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.03125\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.125\alpha_5^s r\log\left(c_s\right)}{c_s}$$

$$-\frac{0.0032958984375\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{0.0098876953125\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{4.5602416554498\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$-\frac{5.0965232980457\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$-\frac{1.6680848873467\alpha_0^s\alpha_2^{c_s} r^3}{c_s^3}$$
$$-\frac{1.6710553141706\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r}{c_s}$$
$$-\frac{0.045679616953186\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{1.8059910085817\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$-\frac{0.032622050477138\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.5804053367101\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r}{c_s}$$
$$-\frac{0.20531266219332\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$-\frac{8.0004289826845\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$-\frac{0.018569586968286\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$
$$-\frac{3.2750818576387\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$-\frac{2.1121504017171\left(\alpha_0^s\right)^2\alpha_2^s r^2}{c_s^2}$$
$$-\frac{0.0010416666666667\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.0046068370119847\alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.074971901003326\alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{5.0224963038574 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{2.5333638362826 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{10.184714206013 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^2}{c_s^2}$$
$$- \frac{20.929340771193 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$- \frac{1.3589436209433 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{5.6254273979427 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{3.0136008127878 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{1.5675339311387\alpha_1^s \alpha_3^{c_s} r}{c_s} - \frac{0.80534594081785\alpha_0^{c_s} \alpha_4^s r}{c_s}$$
$$- \frac{1.6267012286398\alpha_2^{c_s} \alpha_2^s r}{c_s} - \frac{0.10375162424799\alpha_0^{c_s} \alpha_4^{c_s} r}{c_s}$$
$$- \frac{0.84337953675004\alpha_0^s \alpha_2^s r^3}{c_s^3}$$
$$- \frac{7.071531723015\alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{1.9994578474195\alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.51848292093192 \left(\alpha_0^s\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{16.622514127774 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$- \frac{16.874796931516 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$- \frac{1.0569874358737 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{4.2867483061707 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4}{c_s^4}$$
$$- \frac{0.26811675835603 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.1045068159995\alpha_0^s \alpha_4^{c_s} r}{c_s} - \frac{0.55977156642514\alpha_1^s \alpha_3^s r}{c_s}$$
$$- \frac{0.58623455999048 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{5.0989901263961 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.32353761262138\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r}{c_s}$$

$$
\begin{aligned}
&- \frac{0.65487106259881 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{1.3141578329528 \alpha_0^{c_s} \alpha_2^s r^3}{c_s^3} \\
&- \frac{0.0052083333333333 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.020833333333333 \alpha_5^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.3341279926506 \alpha_1^{c_s} \alpha_3^s r}{c_s} \\
&- \frac{0.010537540201178 \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.16860064321884 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{5.4858714704311 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2}{c_s^2} \\
&- \frac{0.3458140374328 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r}{c_s} \\
&- \frac{2.7931336807886 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{2.8301592857432 \alpha_0^s \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&- \frac{0.37078024485779 \alpha_0^s \alpha_4^s r}{c_s} \\
&- \frac{0.74390192996593 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.40881080687647 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{13.209715711335 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^3}{c_s^3} \\
&- \frac{0.052083333333333 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{6.7077512157202 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2} \\
&- \frac{0.013160851144308 \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)^2}{c_s^5} \\
&- \frac{1.9574503696786 \alpha_0^{c_s} \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{0.49418847189843 \alpha_0^{c_s} \alpha_0^s r^5}{c_s^5} \\
&- \frac{0.49685220611163 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.015625 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&+ \frac{0.015625 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.046875 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}
\end{aligned}
$$

$$+\frac{0.01953125\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0390625\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.078125\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.078125\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.15625\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.019775390625\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.011824806486779\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.011824806486779\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.3734841234832\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.035474419460336\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{5.3699765951251\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.15947211898488\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.88940264757383\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.8829891707762\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.0276061682351\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0688323443225\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$

$$+\frac{0.56573567099871\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.0195047134208\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{1.0476056594213\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.8640065775119\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.5701825586872\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.8657980420235\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{29.960235115739\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$

$$+\frac{2.0519141541552\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.63167695830788\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.18037499557876\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.79056163240822\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.79146979525308\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.055542504339873\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.055542504339873\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.8880609737729\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.48009102237191\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.49116427546487\alpha_0^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.50690154135115\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.0640953629791\alpha_0^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.1330062263711\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0010416666666667\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0010416666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{9.1504270109458\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$+\frac{1.2021725465704\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{9.8408196711555\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{2.5325940445979\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.64107932712305\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.3762151638324\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.17462844233256\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.044182861011306\left(\alpha_0^{c_s}\right)^5\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.35510716728271\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.73835768773504\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{3.0996129386851\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{3.1011840890202\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}r}{c_s}$$
$$+\frac{6.230257259812\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.79410907511208\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.773687070793\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{13.324485483469\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{0.20897959622812\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.7155884813507\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.4819478369654\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.899399021936\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9363711545131\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.12628604745819\alpha_0^{c_s}\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.12645048241413\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{4.0502859330228\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{8.2980591237492\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.52260143759752\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.13232963105359\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.2789656752926\alpha_0^s\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{8.5588597097887\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.53899655212715\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.54370218675493\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.03470917100654\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.03470917100654\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.28291117223735\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{18.316670807216\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{9.5948243466552\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.019403160259174\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.2501564665738\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.5537334110842\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.5754961652143\alpha_0^{c_s}\alpha_0^s\alpha_3^s r}{c_s}$$
$$+\frac{1.3170514104334\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{5.3460358740743\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.084985529642183\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.33994211856873\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.71475911187872\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.35748901114137\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{5.8750765241614\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.36907444234888\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.37743788705055\alpha_0^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.39051842713686\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.79325446465709\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.59299582849\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.39877786893835\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.00625\alpha_0^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.4077766400662\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$

$$+\frac{0.40819941506006\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{1.6327976602402\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.6408017979371\alpha_0^s\alpha_1^s\alpha_2^sr}{c_s}$$
$$+\frac{1.6667672967942\alpha_0^s\left(\alpha_1^{c_s}\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.6826006049645\alpha_0^{c_s}\left(\alpha_0^s\right)^2r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{3.3977130264967\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^sr}{c_s}$$
$$+\frac{27.63637251998\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.43444385315053\left(\alpha_0^s\right)^2\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{27.872006191008\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr^2}{c_s^2}$$
$$+\frac{3.5181748672815\alpha_0^s\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.055282044143816\alpha_0^s\alpha_2^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.45417797844201\alpha_0^s\alpha_2^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.90914458632794\left(\alpha_0^s\right)^3\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.91770607360615\alpha_1^{c_s}\alpha_1^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.0072144865767226\alpha_0^{c_s}\alpha_3^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.11543178522756\alpha_0^{c_s}\left(\alpha_0^s\right)^5r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.11760279305934\alpha_0^s\alpha_4^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.058997028387974\alpha_0^{c_s}\alpha_1^sr^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.11913038869789\alpha_0^{c_s}\alpha_4^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.47841635695464\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{7.9067601970724\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^4\alpha_1^sr\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^2\alpha_3^sr\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.03125\alpha_0^s\alpha_4^sr\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.078125\alpha_1^s\alpha_3^sr\log\left(c_s\right)^4}{c_s}$$

$$- \frac{0.078125 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.00439453125 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.1171875 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.234375 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.011824806486779 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.011824806486779 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.035474419460336 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.043286919460336 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.15947211898488 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.31495025732089 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0062984846724 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.0276061682351 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1314713419974 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.30293693562549 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0476056594213 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.3916749129264 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.3865574596929 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{11.212439338005 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.19590015810839 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.5734169766357 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.251804366262 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r}{c_s}$$
$$- \frac{1.0231939853337 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.54779295329492 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{2.8795791021705 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.18037499557876 \alpha_{1}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.46658956967346 \alpha_{0}^{s} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{0.11973867781427 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.9886165130462 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{3.999212694499 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.1330062263711 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.27921256876702 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.28035097772208 \alpha_{0}^{s} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{2.3213018658298 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{10.933121933505 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.022241473153445 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.022241473153445 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.76537011671081 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.41795919245624 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.8584340565674 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{3.4337362262696 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.44465976411943 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.44465976411943 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.24876919864717 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{1.9920780651121 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{7.9947318951889 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.26071955141537 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.13232963105359 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$

$$- \frac{0.13292595631278 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.53505922028396 \alpha_0^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.53899655212715 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.067962773344366 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.1072233270466 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.29038650410468 \alpha_0^s \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{4.7719584107201 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}$$

$$- \frac{4.7974121733276 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.60374617445758 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.2768667055421 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.5568043569616 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.64924774250195 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.2907457576529 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{0.0026041666666667 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0052083333333333 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.020833333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{5.3416180416426 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{1.3470304546117 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.4584238191205 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.7531182208184 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.7660197079164 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.73503131164785 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.0234020263243 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{1.5177946664778 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.38111553295215\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.048163423588216\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.19265369435287\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.79534980417141\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{0.3990186791133\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s} \\
&- \frac{3.2406609754504\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s} \\
&- \frac{0.10416666666667\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^4}{c_s} \\
&- \frac{0.84065716602707\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.42065015124113\alpha_0^{c_s}\alpha_1^s r^4\log\left(c_s\right)}{c_s^4} \\
&- \frac{0.013261461198626\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4} \\
&- \frac{0.86424555806812\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s} \\
&- \frac{1.7631014229755\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.22075074410952\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.11390418958901\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.057715892613781\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.2359881135519\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.47205241592153\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.47205241592153\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s} \\
&- \frac{7.5553921413256\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2}{c_s^2} \\
&- \frac{15.285751613569\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2} \\
&- \frac{3.8989928277144\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s} \\
&- \frac{1.9707423731637\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s} \\
&+ \frac{0.015625\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.3125\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}
\end{aligned}
$$

$$+\frac{0.047299225947114\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.070948838920671\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17314767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.63788847593952\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.2753770717198\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.3102429314515\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.31270462663234\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.6730656572883\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.7609399481694\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4161572477646\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.2033606835113\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.4279234198261\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.4940131520761\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.6174122159623\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.3167782472379\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.1407887817849\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.54370218675493\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.3109618188138\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.2889805415293\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.1654136626866\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.1947444311408\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1947444311408\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30641226550003\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.1506043394044\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.010416666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3339792923583\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.33473585919119\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.4352940606199\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.0533911802992\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.79803735822659\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.3772421797475\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.8766035468568\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.9429524392027\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.7425725888244\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.7631014229755\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.11120736576723\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.22241473153445\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.22241473153445\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.8423897269099\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{7.7193582892937\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{7.8124395615348\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.24776158426583\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0625\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.047299225947114\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.070948838920671\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{4.4908174420242\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.33362209730168\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.45749292478693\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$

$$- \frac{1.0872614473054 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{19.737582744723 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.31270462663234 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.492801318126 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.357665335721 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.4491964903603 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.0103179846992 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.5320249054844 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.3725999669691 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1580164557459 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.1691122661569 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.9736646204163 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.17462844233256 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{5.607507984564 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.8291430625131 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.1761026048033 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.40308867180888 \alpha_0^{c_s} \alpha_0^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.5279142256339 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.5099131778531 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{16.611818179285 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{4.2394919484159 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.3109618188138 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{18.540627941266 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.5882547365488 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$

$$
\begin{aligned}
&- \frac{4.8858281907207\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.16662751301962\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s} \\
&- \frac{0.0052083333333333\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s} \\
&- \frac{0.010416666666667\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s} \\
&- \frac{0.010416666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s} \\
&- \frac{2.6988308476116\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2} \\
&- \frac{5.7351691983851\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s} \\
&- \frac{3.0533911802992\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s} \\
&- \frac{3.1118634982381\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{3.1608001412825\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{1.6311065602648\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&- \frac{6.618098609916\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{3.3233840694451\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{13.885904878405\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{0.22241473153445\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s} \\
&- \frac{0.92119486345495\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.057715892613781\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.95683271390928\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s} \\
&- \frac{0.24776158426583\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.12496084635295\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s} \\
&- \frac{0.12496084635295\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s} \\
&+ \frac{12.851583863801\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s} \\
&+ \frac{0.37488253905886\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s} \\
&- \frac{3.5842332934223\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

2.3 $n = 2$

For $p = 5$, the absolute cutoff is $W = 8$:

$$\alpha_2^t = \sum_{d=3}^{8} R_{2,d} + O(\mathrm{SR}^9).$$

Absolute order 3.

$$\begin{aligned} R_{2,3} = &-\frac{0.00390625r^3}{c_s^3} + \frac{0.125\alpha_1^{c_s} r}{c_s} \\ &+ \frac{0.125\alpha_1^s r}{c_s} - \frac{0.125\left(\alpha_0^{c_s}\right)^2 r}{c_s} \\ &- \frac{0.125\left(\alpha_0^s\right)^2 r}{c_s} - \frac{0.046875\alpha_0^{c_s} r^2}{c_s^2} \\ &- \frac{0.046875\alpha_0^s r^2}{c_s^2} - \frac{0.25\alpha_0^{c_s}\alpha_0^s r}{c_s} \end{aligned}$$

Absolute order 4.

$$\begin{aligned} R_{2,4} = &\frac{0.0013427734375r^4}{c_s^4} + \frac{0.125\alpha_2^s r}{c_s} \\ &+ \frac{0.125\left(\alpha_0^s\right)^3 r}{c_s} + \frac{0.125\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\ &+ \frac{0.025390625\alpha_0^s r^3}{c_s^3} + \frac{0.28379535568268\alpha_2^{c_s} r}{c_s} \\ &+ \frac{0.28379535568268\left(\alpha_0^{c_s}\right)^3 r}{c_s} \\ &+ \frac{0.24409651676201\left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2} + \frac{0.040277689595252\alpha_0^{c_s} r^3}{c_s^3} \\ &- \frac{0.0625\alpha_1^s r^2}{c_s^2} - \frac{0.12204825838101\alpha_1^{c_s} r^2}{c_s^2} \\ &+ \frac{0.046875\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\ &+ \frac{0.94259071136537\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r}{c_s} \\ &+ \frac{0.78379535568268\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r}{c_s} \\ &+ \frac{0.41597151676201\alpha_0^{c_s}\alpha_0^s r^2}{c_s^2} - \frac{0.125\alpha_2^s r \log\left(c_s\right)}{c_s} \\ &- \frac{0.125\left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s} \\ &- \frac{0.01171875\alpha_0^s r^3 \log\left(c_s\right)}{c_s^3} \\ &- \frac{0.09375\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} - \frac{0.375\alpha_0^s\alpha_1^s r}{c_s} \\ &- \frac{0.81759071136537\alpha_0^s\alpha_1^{c_s} r}{c_s} - \frac{0.78379535568268\alpha_0^{c_s}\alpha_1^s r}{c_s} \\ &- \frac{0.85138606704805\alpha_0^{c_s}\alpha_1^{c_s} r}{c_s} \\ &+ \frac{0.125\alpha_0^s\alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\ &+ \frac{0.25\alpha_0^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s} \end{aligned}$$

$$+\frac{0.375\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.125\left(\alpha_0^{c_s}\right)^2\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.25\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.09375\alpha_0^{c_s}\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$

Absolute order 5.

$$R_{2,5}=-\frac{0.00099348164677838r^5}{c_s^5}+\frac{0.125\alpha_3^s r}{c_s}$$
$$+\frac{0.050668108270534\alpha_1^s r^3}{c_s^3}+\frac{0.33325502603924\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.087560258989506\alpha_1^{c_s} r^3}{c_s^3}-\frac{0.24566880066715\left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3}$$
$$-\frac{0.13499234851023\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$-\frac{0.28928966356152\left(\alpha_0^s\right)^3 r^2}{c_s^2}-\frac{0.020502543360439\alpha_0^s r^4}{c_s^4}$$
$$-\frac{0.10280837917801\left(\alpha_0^s\right)^4 r}{c_s}-\frac{0.20825502603924\left(\alpha_0^{c_s}\right)^4 r}{c_s}$$
$$-\frac{0.027325781299929\alpha_0^{c_s} r^4}{c_s^4}-\frac{0.64251673826997\left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2}$$
$$-\frac{0.33061675835603\left(\alpha_1^s\right)^2 r}{c_s}-\frac{0.088202094794504\alpha_2^s r^2}{c_s^2}$$
$$-\frac{0.18614714901955\alpha_2^{c_s} r^2}{c_s^2}-\frac{0.74976507811772\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.0625\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}+\frac{0.0625\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.125\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.25\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.005859375\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.375\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.00537109375\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.076171875\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.2054104017793\left(\alpha_0^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{1.490628069592\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.0148110363091\alpha_0^{c_s}\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.63904189589007\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$

$$
\begin{aligned}
&+ \frac{1.3745301562354 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.74025304063896 \alpha_0^{c_s} \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.87364314908906 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2} \\
&+ \frac{0.46569385315053 \alpha_0^s \alpha_1^s r^2}{c_s^2} \\
&- \frac{0.0625 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.125 \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.0234375 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.09375 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.1875 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.017578125 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.025390625 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.92039909054338 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{1.1312923842658 \alpha_0^s \alpha_2^{c_s} r}{c_s} \\
&- \frac{1.4488830956312 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r}{c_s} \\
&- \frac{2.1832187809573 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{1.083020104157 \alpha_0^{c_s} \alpha_2^{c_s} r}{c_s} \\
&- \frac{1.4169873656614 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&- \frac{1.512819690414 \alpha_1^{c_s} \alpha_1^s r}{c_s} - \frac{0.38983219984103 \alpha_0^{c_s} \alpha_0^s r^3}{c_s^3} \\
&- \frac{0.45561675835603 \alpha_0^s \alpha_2^s r}{c_s} \\
&- \frac{1.8893109571319 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2}{c_s^2} \\
&- \frac{0.96478233218736 \alpha_0^{c_s} \alpha_2^s r}{c_s} \\
&+ \frac{0.0625 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.5 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.046875 \alpha_0^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$+\frac{0.375\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.140625\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.28379535568268\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.28379535568268\left(\alpha_0^{c_s}\right)^3\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.81759071136537\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.94259071136537\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.78379535568268\alpha_0^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.78379535568268\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.48819303352403\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.83194303352403\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.12083306878576\alpha_0^{c_s}\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.8055805132741\alpha_0^{c_s}\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{3.7452632198456\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.0625\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0625\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.125\alpha_0^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.125\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.25\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.09375\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.375\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.75\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.81759071136537\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.94259071136537\left(\alpha_0^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.24409651676201\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.41597151676201\alpha_0^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.375\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.85138606704805\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{2.3513860670481\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$

Absolute order 6.

$$R_{2,6} = \frac{0.0007834832445242r^6}{c_s^6} + \frac{0.125\alpha_4^s r}{c_s}$$
$$+\frac{0.076954635474829\left(\alpha_0^{c_s}\right)^5 r}{c_s} + \frac{0.065244100954277\left(\alpha_0^s\right)^5 r}{c_s}$$
$$+\frac{0.51447193930681\left(\alpha_0^s\right)^3 r^3}{c_s^3} + \frac{0.018883632267472\alpha_0^s r^5}{c_s^5}$$
$$+\frac{0.36074999115751\alpha_4^{c_s} r}{c_s} + \frac{1.0488534998662\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{0.15473919538016\alpha_2^{c_s} r^3}{c_s^3} + \frac{0.077748164662437\alpha_2^s r^3}{c_s^3}$$
$$+\frac{1.2689136192411\left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} + \frac{0.025194043126048\alpha_0^{c_s} r^5}{c_s^5}$$
$$+\frac{0.5388653261447\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+\frac{0.27180459639332\left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4}$$
$$+\frac{1.1085144407626\left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3}$$
$$+\frac{0.15691226448912\left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$+\frac{0.4600841525546\left(\alpha_1^s\right)^2 r^2}{c_s^2} - \frac{0.10698423390637\alpha_3^s r^2}{c_s^2}$$
$$-\frac{0.044329625847117\alpha_1^s r^4}{c_s^4} - \frac{0.072500515380315\alpha_1^{c_s} r^4}{c_s^4}$$
$$-\frac{0.25407334512281\alpha_3^{c_s} r^2}{c_s^2} + \frac{0.0078125\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0625\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0625\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.25\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.1875\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0107421875\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.0126953125\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.1142578125\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{1.4391217537063\alpha_0^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{5.812063941528\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^2}{c_s^2}$$
$$+\frac{7.7501463158245\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.78248004536479\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{1.111888199871\alpha_0^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{1.1745291897529\left(\alpha_0^{c_s}\right)^4\alpha_0^s r}{c_s}$$
$$+\frac{1.2557055991705\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.7406927007245\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{1.1209324217963\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.020502543360439\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.79795299477407\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{3.674970019414\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$+\frac{1.0840862194786\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{2.3085962344727\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{2.5589083941373\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{2.6541481243887\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.67405262036735\alpha_0^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.088202094794504\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.8532314594288\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{2.995589067438\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^3}{c_s^3}$$
$$+\frac{3.0581366629081\left(\alpha_0^{c_s}\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{1.5570001901118\alpha_0^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{3.3768924755698\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{0.43745143869001\alpha_0^{c_s}\alpha_0^s r^4}{c_s^4}$$

$$+\frac{1.9893077070381\left(\alpha_0^s\right)^2\alpha_2^{c_s}r}{c_s}$$
$$-\frac{0.001953125\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{0.03125\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.0625\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.125\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.046875\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.017578125\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{0.002685546875\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$-\frac{0.98015911825867\alpha_0^s\alpha_1^{c_s}r^3}{c_s^3}$$
$$-\frac{4.0010774285941\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}r^2}{c_s^2}$$
$$-\frac{4.071100917586\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$-\frac{0.0049674082338919\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$-\frac{3.2853576417753\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2}{c_s^2}$$
$$-\frac{0.84666127388087\alpha_0^{c_s}\alpha_1^s r^3}{c_s^3}-\frac{2.0396907384329\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$-\frac{0.56686562073618\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$-\frac{0.57857932712305\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{1.1743023189517\alpha_0^{c_s}\alpha_1^{c_s}r^3}{c_s^3}$$
$$-\frac{0.082010173441755\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{0.40497704553068\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.050668108270534\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.10280837917801\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$-\frac{3.4272755069646\left(\alpha_0^{c_s}\right)^3\alpha_1^s r}{c_s}$$
$$-\frac{1.0122310659043\alpha_0^{c_s}\alpha_3^s r}{c_s}-\frac{1.154727777479\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$-\frac{1.3048548230006\alpha_0^s\alpha_3^{c_s}r}{c_s}$$

$$
\begin{aligned}
&- \frac{0.020833333333333 \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.020833333333333 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.68758257793092 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s} \\
&- \frac{0.80334171043098 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.81762161375293 \alpha_1^s \alpha_2^s r}{c_s} \\
&- \frac{1.6751033898368 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s} \\
&- \frac{1.7284662943263 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{1.8578169724941 \alpha_1^{c_s} \alpha_2^s r}{c_s} \\
&- \frac{0.46569385315053 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.48087387125098 \alpha_0^s \alpha_3^s r}{c_s} - \frac{0.9861592444222 \alpha_0^{c_s} \alpha_3^{c_s} r}{c_s} \\
&+ \frac{0.25 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.1875 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.625 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.017578125 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.9375 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.14189767784134 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.14189767784134 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.47129535568268 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.47129535568268 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.39189767784134 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.12204825838101 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.48819303352403 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.20798575838101 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.83194303352403 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$+\frac{1.1312923842658\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.175693033524\alpha_0^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4488830956312\left(\alpha_0^{c_s}\right)^3\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.490628069592\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.26268077696852\alpha_0^s\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.18124960317863\alpha_0^{c_s}\left(\alpha_0^s\right)^2r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.1168502750681\alpha_1^s\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42198902183206\alpha_0^s\alpha_1^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.0502754126021\left(\alpha_0^s\right)^3\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{4.2922579734285\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{0.58061675835603\alpha_0^s\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{5.1834094215102\alpha_0^s\alpha_1^{c_s}\alpha_1^sr}{c_s}$$
$$+\frac{0.33325502603924\alpha_0^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.020833333333333\alpha_1^{c_s}\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.041666666666667\alpha_0^{c_s}\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.512819690414\alpha_1^{c_s}\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.38983219984103\alpha_0^{c_s}\alpha_1^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.10416666666667\alpha_0^s\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.20833333333333\alpha_1^s\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.20833333333333\left(\alpha_0^s\right)^3\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.7472862981781\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.5711394600416\alpha_0^{c_s}\alpha_0^s\alpha_2^sr}{c_s}$$
$$+\frac{1.7992566969856\left(\alpha_0^s\right)^2\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.4453586567308\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^sr}{c_s}$$

$$+\frac{1.8893109571319\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.96478233218736\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.015625\alpha_0^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.0625\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.0625\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.125\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.75\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.3125\alpha_0^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.3125\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.625\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.625\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.1142578125\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$-\frac{2.2054104017793\left(\alpha_0^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.14189767784134\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.14189767784134\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.40879535568268\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.40879535568268\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.39189767784134\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.24409651676201\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.24409651676201\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.92039909054338\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.1312923842658\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.4488830956312\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.060416534392878\alpha_0^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{2.1832187809573 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.8055805132741 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.9527673784595 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{1.6087005501362 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.2325850087098 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.0946586542461 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.64209804273954 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.73700640200144 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{6.3027356936475 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.20825502603924 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.10930312519972 \alpha_0^{c_s} \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{8.7399852511081 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s}$$
$$- \frac{1.1694965995231 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.2850334765399 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.041666666666667 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.8339747313229 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.8521124624951 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2}$$

$$- \frac{0.74025304063896 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.37229429803911 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.74976507811772 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.20833333333333 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.87364314908906 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{7.2942095625464\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r}{c_s} \\
&- \frac{3.7786219142638\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.0625\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr\log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.25\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.09375\alpha_0^{c_s}\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{1.5675907113654\alpha_0^{c_s}\alpha_0^s\alpha_2^sr\log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.42569303352403\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.2263860670481\alpha_0^s\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)^2}{c_s} \\
&+ \frac{5.5667777849043\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)}{c_s} \\
&+ \frac{6.571847963694\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr\log\left(c_s\right)}{c_s} \\
&+ \frac{3.7452632198456\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)}{c_s} \\
&+ \frac{4.3144808126008\alpha_0^{c_s}\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{2.0296220726182\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{1.3745301562354\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}r\log\left(c_s\right)}{c_s} \\
&- \frac{0.0625\alpha_0^s\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)^3}{c_s} \\
&- \frac{3.7703628454615\alpha_0^{c_s}\alpha_0^s\alpha_2^sr\log\left(c_s\right)}{c_s} \\
&- \frac{0.42569303352403\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s} \\
&- \frac{1.4138860670481\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr\log\left(c_s\right)^2}{c_s} \\
&- \frac{2.3513860670481\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s} \\
&- \frac{4.4940758295979\alpha_0^s\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s} \\
&- \frac{1.247914550286\alpha_0^{c_s}\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2} \\
&- \frac{3.7452632198456\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s} \\
&- \frac{1.083020104157\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s} \\
&- \frac{0.16666666666667\alpha_0^{c_s}\alpha_0^s\alpha_2^sr\log\left(c_s\right)^3}{c_s}
\end{aligned}
$$

Absolute order 7.

$$
\begin{aligned}
R_{2,7} = & -\frac{0.00070216008727898 r^7}{c_s^7} + \frac{0.125 \alpha_5^s r}{c_s} \\
& + \frac{0.4279234198261 \left(\alpha_2^{c_s}\right)^2 r}{c_s} + \frac{0.1069223471116 \alpha_3^s r^3}{c_s^3} \\
& + \frac{0.070634875645736 \alpha_1^{c_s} r^5}{c_s^5} + \frac{0.65487106259881 \left(\alpha_1^s\right)^3 r}{c_s} \\
& + \frac{0.33473585919119 \left(\alpha_1^{c_s}\right)^3 r}{c_s} + \frac{0.044680319835584 \alpha_1^s r^5}{c_s^5} \\
& + \frac{0.37743788705055 \alpha_5^{c_s} r}{c_s} + \frac{0.23288835529241 \alpha_3^{c_s} r^3}{c_s^3} \\
& - \frac{0.3276541902157 \left(\alpha_0^{c_s}\right)^2 r^5}{c_s^5} \\
& - \frac{0.038536574146577 \left(\alpha_0^s\right)^6 r}{c_s} - \frac{0.025251668868352 \alpha_0^{c_s} r^6}{c_s^6} \\
& - \frac{0.076631375424485 \alpha_2^s r^4}{c_s^4} - \frac{0.3147093460233 \alpha_4^{c_s} r^2}{c_s^2} \\
& - \frac{0.85737561408011 \left(\alpha_0^s\right)^5 r^2}{c_s^2} \\
& - \frac{1.8197663035556 \left(\alpha_0^{c_s}\right)^3 r^4}{c_s^4} \\
& - \frac{0.52323837210896 \left(\alpha_2^s\right)^2 r}{c_s} - \frac{0.019279820845041 \alpha_0^s r^6}{c_s^6} \\
& - \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^6 r}{c_s} \\
& - \frac{1.5778098507287 \left(\alpha_0^s\right)^4 r^3}{c_s^3} - \frac{0.12389553443311 \alpha_4^s r^2}{c_s^2} \\
& - \frac{2.1500087615706 \left(\alpha_0^{c_s}\right)^5 r^2}{c_s^2} - \frac{0.14223990162492 \alpha_2^{c_s} r^4}{c_s^4} \\
& - \frac{0.64133873745452 \left(\alpha_1^s\right)^2 r^3}{c_s^3} \\
& - \frac{1.4525651079324 \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3} \\
& - \frac{0.193795881651 \left(\alpha_0^s\right)^2 r^5}{c_s^5} \\
& - \frac{0.85944179815707 \left(\alpha_0^s\right)^3 r^4}{c_s^4} \\
& - \frac{3.9302124998924 \left(\alpha_0^{c_s}\right)^4 r^3}{c_s^3} \\
& + \frac{0.00048828125 \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3} \\
& + \frac{0.0625 \alpha_5^s r \log\left(c_s\right)^2}{c_s} \\
& + \frac{0.078125 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s} \\
& + \frac{0.0380859375 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}
\end{aligned}
$$

$$+\frac{0.1142578125\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.10698423390637\alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.065244100954277\left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}$$
$$+\frac{0.002483704116946\alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.67840722984345\left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.044329625847117\alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.4436852511254\alpha_1^s \alpha_2^s r^2}{c_s^2}+\frac{0.024834748017219\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.80435027506809\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.1901163394516\left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3}{c_s^3}$$
$$+\frac{2.0715370408386\alpha_0^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{8.33371742252\left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{0.56686562073618\left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{4.6123541905271\left(\alpha_0^s\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$+\frac{1.1971995800375\alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{0.0047008994671452\alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$+\frac{5.4002061352042\left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$+\frac{2.7574940071872\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.70950093730891\left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.72830526168963\alpha_0^s \alpha_1^s r^4}{c_s^4}$$
$$+\frac{1.4604100336711\alpha_0^{c_s}\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{6.0729067208546\left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{1.5434158179204\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.025334054135267\alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.87237033860452\alpha_0^s \alpha_3^s r^2}{c_s^2}$$

$$+\frac{3.52708251418\left(\alpha_0^{c_s}\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{2.0351501180297\alpha_0^s\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{1.0337660189957\alpha_0^{c_s}\alpha_1^s r^4}{c_s^4}$$
$$+\frac{1.0777306522894\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.9431138078501\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{2.3646570698546\left(\alpha_0^s\right)^2\alpha_3^{c_s}r}{c_s}$$
$$+\frac{0.60374617445758\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{4.8534182028867\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.62764905795649\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.0052083333333333\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.16666666666667\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{11.277328710343\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{1.4645618412944\alpha_0^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.5032850077056\left(\alpha_0^s\right)^4\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.094418161337362\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{3.0534388946485\alpha_1^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{3.1632477823936\alpha_1^{c_s}\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{0.81762161375293\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.20833333333333\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.3646872348791\left(\alpha_0^{c_s}\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{0.86424555806812\left(\alpha_0^s\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{3.481878776513\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$

$$+\frac{14.613115091474\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.00089518229166667\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.014322916666667\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$-\frac{0.001953125\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.03125\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.125\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.3125\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.00439453125\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{0.01318359375\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$

$$-\frac{0.88940264757383\alpha_1^s\alpha_3^s r}{c_s}-\frac{2.6263716304063\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$-\frac{1.4317167452955\alpha_0^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$-\frac{0.78052655885942\alpha_0^{c_s}\alpha_4^{c_s} r}{c_s}$$
$$-\frac{5.7287159804501\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$-\frac{8.9562108660409\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$-\frac{0.018883632267472\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$
$$-\frac{27.820691072328\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$-\frac{0.94272853191881\alpha_0^s\alpha_2^s r^3}{c_s^3}$$
$$-\frac{1.8880609737729\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$-\frac{0.49116427546487\alpha_0^s\alpha_4^s r}{c_s}-\frac{2.1363321100741\alpha_0^{c_s}\alpha_2^{c_s} r^3}{c_s^3}$$
$$-\frac{8.6984406208029\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$-\frac{0.55842513753404\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{2.2356514460006\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$-\frac{0.57857932712305\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.58387169747276\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r}{c_s}$$

$$
\begin{aligned}
&- \frac{9.708715958061\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3}{c_s^3} \\
&- \frac{19.738732504714\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&- \frac{0.077748164662437\alpha_3^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.010251271680219\alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.16402034688351\left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.76390519028696\left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.01241852058473\left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)^2}{c_s^5} \\
&- \frac{0.051404189589007\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.21099451091603\left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{3.6713788131456\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4}{c_s^4} \\
&- \frac{7.6134560419899\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2}{c_s^2} \\
&- \frac{2.0442655416859\alpha_1^{c_s}\alpha_3^s r}{c_s} - \frac{1.0441090751121\alpha_0^{c_s}\alpha_4^s r}{c_s} \\
&- \frac{0.5254419502199\alpha_0^{c_s}\alpha_0^s r^5}{c_s^5} \\
&- \frac{0.0042317708333333\alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{1.0840862194786\left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{9.1744078821009\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2} \\
&- \frac{2.3402453957671\left(\alpha_0^s\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{4.7283638398433\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4}{c_s^4} \\
&- \frac{2.4238208232537\alpha_1^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{0.60746556829603\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{5.1457277367084\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{5.2670981166509\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&- \frac{0.66013404861329\left(\alpha_0^{c_s}\right)^5 \alpha_0^s r}{c_s} \\
&- \frac{0.0052083333333333\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{0.020833333333333 \alpha_5^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{2.69796002066 \left(\alpha_0^s\right)^2 \alpha_2^s r^2}{c_s^2} \\
&- \frac{5.4882367924932 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r}{c_s} \\
&- \frac{0.044101047397252 \alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{2.8255800183644 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r}{c_s} \\
&- \frac{22.729086187968 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
&- \frac{1.4250435464718 \alpha_0^s \alpha_4^{c_s} r}{c_s} \\
&- \frac{6.3728922911847 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2} \\
&- \frac{6.4859501071075 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&- \frac{3.327715102302 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{0.052083333333333 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{6.7969395060861 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2}{c_s^2} \\
&- \frac{1.707214633552 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&- \frac{13.673923812628 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^2}{c_s^2} \\
&- \frac{0.90914458632794 \left(\alpha_0^s\right)^3 \alpha_2^s r}{c_s} \\
&- \frac{1.8409032303964 \alpha_0^s \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{3.7167089437539 \alpha_0^s \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&- \frac{15.502242761859 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^3}{c_s^3} \\
&+ \frac{0.00390625 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.015625 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.125 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.01953125 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.0390625 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.078125 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^4}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.078125 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.15625 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.3125 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.625 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.05078125 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.9375 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0263671875 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3} \\
&+ \frac{0.047299225947114 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.047299225947114 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.15709845189423 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{2.8782435074127 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{1.1027052008897 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.47129535568268 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.020138844797626 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.41597151676201 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{36.08012389062 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.60587387125098 \alpha_0^s \alpha_4^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.076954635474829 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{11.624127883056 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.74531403479598 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{15.500292631649 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.98015911825867 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}
\end{aligned}
$$

$$+\frac{4.071100917586\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.2470379147989\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.1468339532713\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.433221157511\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{4.3771008937617\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.1745291897529\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.36074999115751\alpha_0^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.18124960317863\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.39402116545278\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.84666127388087\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{6.925788703418\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.46421758614047\alpha_0^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{15.35180563443\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{3.9382507354578\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.12597021563024\alpha_0^{c_s}\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{2.0396907384329\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.0977069997324\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.986767202314\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.5378272384823\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.081365505587338\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.32546202234935\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{10.65982708646\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{2.8291430625131\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.36850320100072\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{3.0765715350609\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.79795299477407\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.80011011472349\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.40925111616427\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.3255433222878\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.4272755069646\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.9483679704258\alpha_0^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.054651562599858\alpha_0^{c_s}\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{7.3499400388279\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{15.380569056805\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s}$$
$$+\frac{4.0231407515192\alpha_0^{c_s}\alpha_0^s\alpha_3^s r}{c_s}$$
$$+\frac{1.0122310659043\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.1224061412015\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.13063255928045\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.13063255928045\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.0872183855733\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.13626511856089\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{8.7399852511081\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.55462868901602\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{9.0038817814584\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{36.268069337383\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{9.7390657716461\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$+\frac{39.364077231656\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{1.2404491010441\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.64251673826997\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{1.2984954850039\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3048548230006\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.6541481243887\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{10.660458351696\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.16662751301962\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{2.8532314594288\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.8521124624951\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4700626232957\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.9564153512317\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.37012652031948\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.18614714901955\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.37488253905886\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.0723105020719\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$+\frac{24.365411855672\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{6.1623934821264\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.7821586542461\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.7867428745203\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.41666666666667\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.41666666666667\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.83763770630106\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.3768924755698\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$

$$+\frac{0.85437282955636\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$

$$
\begin{aligned}
&+ \frac{6.8728109717154\alpha_0^s \alpha_1^{c_s} \alpha_2^s r}{c_s} \\
&+ \frac{0.43682157454453\alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.7472862981781 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.7498057547601\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{7.2509789601495\alpha_0^s \alpha_1^s \alpha_2^{c_s} r}{c_s} \\
&+ \frac{1.8578169724941\alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{15.723808804119 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r}{c_s} \\
&+ \frac{0.12301526016263\alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{1.9893077070381 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.015625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.03125\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.03125\alpha_0^s \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.005859375\alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3} \\
&- \frac{0.0234375\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.078125\alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.078125 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.3125 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.3125 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.0107421875\alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4} \\
&- \frac{0.1171875\alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.234375 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.228515625 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.15709845189423 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.4391217537063\alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

$$- \frac{0.40879535568268\alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.46019954527169\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.56564619213292\alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.56564619213292 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.28699667332183\alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.7244415478156 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.7244415478156 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.812063941528 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.5942209254765\alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.13134038848426\alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.0916093904787 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.285923981847 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.111888199871\alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{9.3495442100534\alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{1.1745291897529 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.2633539166158 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.940477354776 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{6.5707152835506 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.7406927007245\alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{7.7337836501318\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.49114303236671\alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.0138030827023 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.1572404063004\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.2649505501362\alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$
- \frac{0.29000206152126\alpha_0^s \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}
- \frac{9.3635434623802 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}
- \frac{0.040682752793669\alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{0.16273101117468 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{5.6123938932313 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{3.2440126801289 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}
- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{6.715855388588\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s}
- \frac{13.657124688295\alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^2}{c_s^2}
- \frac{0.21860625039943\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}
- \frac{1.7542448992846\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{0.50814669024562\alpha_0^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
- \frac{1.0724670334241 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}
- \frac{0.13626511856089 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}
- \frac{8.8116100095061\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}
- \frac{1.1055096030022 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{0.069328586127002\alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{9.4583155713711\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}
- \frac{2.3797633939713 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{19.214966032848\alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}
- \frac{1.2850334765399 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{5.1834094215102\alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}
- \frac{1.3048548230006 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}
- \frac{2.6541481243887 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$- \frac{0.16662751301962 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0052083333333333 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.010416666666667 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.010416666666667 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.35280837917801 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.8339747313229 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.37229429803911 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.995589067438 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.37488253905886 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.75640984520698 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.0581366629081 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.5417263912324 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{12.458420607364 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r}{c_s}$$
$$- \frac{0.19491609992051 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{6.2961745178777 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.10416666666667 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.10416666666667 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.20833333333333 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.83333333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.6751033898368 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.84873351671206 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.43745143869001 \alpha_0^{c_s} \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.88802108818009 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{14.336681167464\alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2} \\
&- \frac{0.94465547856594 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{3.7786219142638 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.48239116609368\alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{15.624593473089 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&+ \frac{0.03125 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.09375\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.3125\alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.62839380757691 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.81759071136537 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{4.6241870735389\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.24409651676201\alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{8.523906838501\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{8.565442909585\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.9594883892067\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{1.6969385763988\alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.8726316099228\alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.8726316099228\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{8.0758888622372\alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{2.1733246434468 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{4.6907619360049\alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{2.3675725888244\alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.2557055991705\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s} \\
&+ \frac{3.2617843419163\alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{8.2325850087098\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{1.1209324217963\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{6.3027356936475\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$+\frac{6.560752153283\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log(c_s)^2}{c_s}$$
$$+\frac{1.7542448992846\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log(c_s)^2}{c_s^3}$$
$$+\frac{2.0296220726182\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{4.2922579734285\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{0.54151005207848\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log(c_s)^2}{c_s}$$
$$+\frac{0.55462868901602\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{10.052100685\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{10.208719591021\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$+\frac{1.3063255928045\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log(c_s)^3}{c_s}$$
$$+\frac{0.020833333333333\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^4}{c_s}$$
$$+\frac{0.68726507811772\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log(c_s)^2}{c_s}$$
$$+\frac{5.6679328713957\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{11.798121914016\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log(c_s)}{c_s}$$
$$+\frac{3.0034477600059\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^2}{c_s}$$
$$+\frac{3.1140003802236\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^2\log(c_s)}{c_s^2}$$
$$+\frac{12.464443151056\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log(c_s)}{c_s}$$
$$+\frac{0.052083333333333\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log(c_s)^4}{c_s}$$
$$+\frac{0.10416666666667\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log(c_s)^4}{c_s}$$
$$+\frac{0.10416666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log(c_s)^4}{c_s}$$
$$-\frac{0.03125\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log(c_s)^4}{c_s^2}$$
$$-\frac{0.03125\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)^4}{c_s}$$

$$- \frac{0.15625\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.25\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.94259071136537\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.48819303352403\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{4.5507541434397\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$- \frac{1.6638860670481\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{8.0021548571882\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$- \frac{4.6685703151829\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.6209294472672\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.3886291827367\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{22.729134983232\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$

$$- \frac{0.18124960317863\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{23.642494466821\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$- \frac{16.46517001742\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$- \frac{4.4829800191869\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.5833705259459\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$- \frac{10.181060458104\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$- \frac{6.3027356936475\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$- \frac{6.9695680415413\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{29.97030824438\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$

$$
\begin{aligned}
&- \frac{1.0148110363091 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{8.1445793575557 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{4.2922579734285 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{17.299679629394 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.54151005207848 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&- \frac{8.6889562483161 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.54506047424358 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.154727777479 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.65316279640224 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.3063255928045 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.3063255928045 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.68726507811772 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{2.8974934469393 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{6.0183061525091 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.80334171043098 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.10416666666667 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{7.0412263940043 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{3.522906956855 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{7.1571762905879 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{7.2942095625464 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{7.4453586567308 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.9861592444222 \alpha_0^{c_s} \alpha_0^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.42569303352403 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{22.033777781824 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$- \frac{5.6178948297683 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$

Absolute order 8.

$$\begin{aligned}
R_{2,8} = & \frac{0.00070456920068177 r^8}{c_s^8} + \frac{0.125 \alpha_6^s r}{c_s} \\
& + \frac{2.9405192833767 \left(\alpha_0^{c_s}\right)^3 r^5}{c_s^5} \\
& + \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^7 r}{c_s} \\
& + \frac{0.42064465401689 \left(\alpha_0^{c_s}\right)^2 r^6}{c_s^6} \\
& + \frac{2.029358720471 \left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4} + \frac{0.13925140335932 \alpha_4^s r^3}{c_s^3} \\
& + \frac{1.2215314043215 \left(\alpha_0^s\right)^6 r^2}{c_s^2} + \frac{0.020902477635746 \left(\alpha_0^s\right)^7 r}{c_s} \\
& + \frac{1.4381221889498 \left(\alpha_0^s\right)^3 r^5}{c_s^5} \\
& + \frac{3.1676229805817 \left(\alpha_0^{c_s}\right)^6 r^2}{c_s^2} + \frac{0.027995267074499 \alpha_0^{c_s} r^7}{c_s^7} \\
& + \frac{0.92219068354551 \left(\alpha_1^s\right)^2 r^4}{c_s^4} \\
& + \frac{3.8323296829683 \left(\alpha_0^s\right)^4 r^4}{c_s^4} \\
& + \frac{0.25673070632081 \left(\alpha_0^s\right)^2 r^6}{c_s^6} \\
& + \frac{4.1955594060503 \left(\alpha_0^s\right)^5 r^3}{c_s^3} \\
& + \frac{2.1872579143042 \left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2} \\
& + \frac{9.4272910915912 \left(\alpha_0^{c_s}\right)^4 r^4}{c_s^4} + \frac{0.15109582087776 \alpha_2^{c_s} r^5}{c_s^5} \\
& + \frac{1.2455421028093 \left(\alpha_2^s\right)^2 r^2}{c_s^2} + \frac{0.32107826991939 \alpha_4^{c_s} r^3}{c_s^3} \\
& + \frac{0.085771147089679 \alpha_2^s r^5}{c_s^5} + \frac{0.021751280469382 \alpha_0^s r^7}{c_s^7} \\
& + \frac{11.551688427862 \left(\alpha_0^{c_s}\right)^5 r^3}{c_s^3} + \frac{0.38489206166781 \alpha_6^{c_s} r}{c_s} \\
& - \frac{0.23876463424542 \alpha_3^{c_s} r^4}{c_s^4} - \frac{0.11864796091522 \alpha_3^s r^4}{c_s^4} \\
& - \frac{0.14009753060722 \alpha_5^s r^2}{c_s^2} - \frac{0.076432848565144 \alpha_1^{c_s} r^6}{c_s^6} \\
& - \frac{2.9232654753033 \left(\alpha_1^s\right)^3 r^2}{c_s^2} - \frac{0.37036122539436 \alpha_5^{c_s} r^2}{c_s^2} \\
& - \frac{0.050080440992255 \alpha_1^s r^6}{c_s^6} - \frac{6.8623687363885 \left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2} \\
& + \frac{0.0625 \alpha_6^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}$$

$$+\frac{0.0234375\left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.002685546875\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.085693359375\left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{19.003885710259\left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{43.254025307653\left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{2.03984067706\alpha_1^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.1178636380648\left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} r}{c_s}$$
$$+\frac{5.9125026280188\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^5}{c_s^5}$$
$$+\frac{0.79711046273827\left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{61.495292458368\left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^3}{c_s^3}$$
$$+\frac{0.032622050477138\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.3871021072094\left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{39.51236839581\left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{3.3018378409772\left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.0034170905600731\alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{1.9547931195045\alpha_0^s\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{8.5998542936371\left(\alpha_1^{c_s}\right)^2 \alpha_2^s r}{c_s}$$
$$+\frac{4.6151853739794\alpha_1^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{74.740013862101\left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{2.3840339717034\left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r}{c_s}$$
$$+\frac{0.0094418161337362\alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.076631375424485\alpha_3^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.31326176124672\left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} r}{c_s}$$
$$+\frac{2.6079957310158\left(\alpha_0^s\right)^2 \alpha_4^{c_s} r}{c_s}$$

$$+\frac{6.0891274988495\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{6.3635880168952\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{27.565929009278\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.90702713099232\left(\alpha_0^s\right)^2\alpha_4^s r}{c_s}$$
$$+\frac{7.5191541950257\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^5}{c_s^5}$$
$$+\frac{0.24557151618336\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{16.184733661745\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{16.465948100329\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{8.5890660587772\alpha_0^s\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{4.512194949302\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{2.3151237268806\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{18.928347370436\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.019279820845041\alpha_1^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.038874082331218\alpha_4^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{5.1962460921328\alpha_2^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{21.68150873097\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{0.67876918487178\alpha_0^{c_s}\alpha_0^s r^6}{c_s^6}$$
$$+\frac{43.799177065952\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$+\frac{92.138145324774\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$+\frac{6.2953483110811\left(\alpha_0^s\right)^2\alpha_2^s r^3}{c_s^3}$$
$$+\frac{52.524793880043\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+\frac{0.4141389689544\left(\alpha_0^{c_s}\right)^6\alpha_0^s r}{c_s}$$
$$+\frac{13.328071132127\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{13.38823749434\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2}{c_s^2}$$

$$+\frac{0.85101158876584\left(\alpha_0^s\right)^4\alpha_2^s r}{c_s}$$
$$+\frac{113.83420028845\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.014102698401436\left(\alpha_0^s\right)^2 r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{1.877679722405\alpha_1^{c_s}\alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.23604540334341\left(\alpha_0^s\right)^3 r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.12389553443311\alpha_5^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{32.856183521283\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3}{c_s^3}$$
$$+\frac{1.0744936354652\alpha_0^s\alpha_4^s r^2}{c_s^2}$$
$$+\frac{1.0777306522894\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0010579427083333\alpha_4^s r^3\log\left(c_s\right)^4}{c_s^3}$$

$$+\frac{34.955766466749\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^4}{c_s^4}$$
$$+\frac{2.198111642041\left(\alpha_0^s\right)^4\alpha_2^{c_s} r}{c_s}$$
$$+\frac{4.9013250566554\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{2.4891246785062\alpha_0^s\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{1.255298115913\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{2.5158380732556\alpha_0^{c_s}\alpha_4^{c_s} r^2}{c_s^2}$$
$$+\frac{20.290355298382\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{2.5558659037305\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{2.6401010511873\alpha_0^s\alpha_4^{c_s} r^2}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_6^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.083333333333333\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{5.3820131651193\alpha_2^{c_s}\alpha_3^{c_s} r}{c_s}+\frac{1.3640509580442\alpha_0^s\alpha_2^s r^4}{c_s^4}$$
$$+\frac{2.7596175886616\left(\alpha_1^s\right)^2\alpha_2^s r}{c_s}$$

$$+\frac{22.121748307352\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$+\frac{44.903973095616\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{92.056705170533\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$+\frac{2.9644725311166\alpha_0^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.75498351671206\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.022138841871\alpha_1^{c_s}\alpha_1^s r^4}{c_s^4}$$
$$+\frac{12.099577394561\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{0.38297666440371\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r}{c_s}$$
$$+\frac{0.000390625\alpha_5^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{26.327803206499\left(\alpha_0^{c_s}\right)^5\alpha_0^s r^2}{c_s^2}$$
$$+\frac{6.634689266199\left(\alpha_0^{c_s}\right)^4\alpha_2^s r}{c_s}$$
$$+\frac{0.052083333333333\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{13.461198975692\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^3}{c_s^3}$$
$$+\frac{7.0515938350233\left(\alpha_1^s\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.8190342115812\alpha_0^{c_s}\alpha_4^s r^2}{c_s^2}$$
$$+\frac{0.014322916666667\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{3.7167089437539\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.014700349132417\alpha_5^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.8087394751544\left(\alpha_0^{c_s}\right)^2\alpha_4^s r}{c_s}$$
$$+\frac{3.8953829344856\alpha_1^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.9533028933846\alpha_0^{c_s}\alpha_2^s r^4}{c_s^4}$$
$$+\frac{7.8289781977937\left(\alpha_0^s\right)^3\alpha_2^s r^2}{c_s^2}$$
$$+\frac{15.743658664193\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{7.9033404314077\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$

$$+\frac{3.9623735367711\alpha_1^{c_s}\alpha_3^{c_s}r^2}{c_s^2}$$
$$-\frac{0.0078125\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.125\alpha_6^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.15625\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{1.3591289711167\alpha_0^{c_s}\alpha_1^s r^5}{c_s^5}$$
$$-\frac{10.642555341407\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4}{c_s^4}$$
$$-\frac{0.11567892507025\left(\alpha_0^s\right)^2 r^6\log\left(c_s\right)}{c_s^6}$$
$$-\frac{0.038536574146577\left(\alpha_0^s\right)^7 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0049151206109529\alpha_0^s r^7\log\left(c_s\right)}{c_s^7}$$
$$-\frac{0.053492116953186\alpha_5^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.99377356769359\alpha_0^s\alpha_1^s r^5}{c_s^5}-\frac{2.1394739334685\alpha_1^{c_s}\alpha_4^s r}{c_s}$$
$$-\frac{2.4869134686556\alpha_0^s\left(\alpha_1^s\right)^3 r}{c_s}$$
$$-\frac{2.6720407471382\alpha_1^s\alpha_4^{c_s}r}{c_s}-\frac{1.4893988776673\alpha_0^s\alpha_5^{c_s}r}{c_s}$$
$$-\frac{0.21869379584468\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$-\frac{1.8200295870474\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$-\frac{0.4886436859158\alpha_0^{c_s}\alpha_5^{c_s}r}{c_s}$$
$$-\frac{8.5778422197583\left(\alpha_0^s\right)^2\alpha_3^{c_s}r^2}{c_s^2}$$
$$-\frac{0.0084446847117557\alpha_4^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{2.1885504468809\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.017134729863002\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{4.4922599151809\alpha_1^s\alpha_2^{c_s}r^3}{c_s^3}-\frac{1.1877542095598\alpha_2^s\alpha_3^s r}{c_s}$$
$$-\frac{5.4033861565559\alpha_1^{c_s}\alpha_2^{c_s}r^3}{c_s^3}$$
$$-\frac{1.4062650501208\alpha_0^s\alpha_3^s r^3}{c_s^3}$$
$$-\frac{0.022164812923559\alpha_3^s r^4\log\left(c_s\right)^2}{c_s^4}$$

$$- \frac{1.4436852511254 \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{25.110811400143 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{3.3217398960916 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{1.7147512281602 \left(\alpha_{0}^{s}\right)^{6} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{15.480967047284 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.00791015625 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{5}}{c_{s}^{3}}$$
$$- \frac{4.0667996355507 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{16.997710855542 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.0010416666666667 \alpha_{6}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.0010416666666667 \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.0023504497335726 \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)^{2}}{c_{s}^{6}}$$
$$- \frac{9.8842773555001 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{9.9459636515628 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.041005086720878 \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.020697534307883 \left(\alpha_{0}^{s}\right)^{3} r^{5} \log\left(c_{s}\right)^{3}}{c_{s}^{5}}$$
$$- \frac{23.250043534505 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.72830526168963 \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{2.9608292212904 \alpha_{2}^{c_{s}} \alpha_{3}^{s} r}{c_{s}} - \frac{1.5621473893589 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{5}}{c_{s}^{5}}$$

$$- \frac{3.1942351597785 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.1069223471116 \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{7.1936276451758 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{3.7800524622085 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.51881413116064 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.2622476248401 \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$

$$- \frac{1.0547298070664 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{1.0553459408178 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r}{c_{s}} - \frac{2.152349074843 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{8.7164664429797 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.1627056337191 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{4.6582189591031 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{3} r}{c_{s}}$$
$$- \frac{2.3372176459017 \alpha_{1}^{s} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{4.7334295521861 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.60746556829603 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{19.470221362782 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{39.450732542635 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{5.0454496364386 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{3} r}{c_{s}}$$
$$- \frac{41.005758725466 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{2.5695278884582 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{41.457236785735 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.32680678574995 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.0026041666666667 \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.020833333333333 \alpha_{6}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.044680319835584 \alpha_{2}^{s} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{2.8624325359596 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{2.9613660042366 \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{12.307344788813 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.38571955141537 \left(\alpha_{0}^{s}\right)^{6} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{6.3694277011496 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r}{c_{s}}$$
$$- \frac{9.765625 \cdot 10^{-5} \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)^{5}}{c_{s}^{3}}$$

$$
- \frac{0.0125\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^5}{c_s^2}
- \frac{6.4975922521103\left(\alpha_0^s\right)^2 \alpha_1^s r^4}{c_s^4}
- \frac{27.010266996265\left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3}{c_s^3}
- \frac{0.00082790137231532\alpha_2^s r^5 \log\left(c_s\right)^3}{c_s^5}
- \frac{3.4377671926283\left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)}{c_s^4}
- \frac{0.4579435336484\left(\alpha_0^s\right)^5 \alpha_1^s r}{c_s}
- \frac{0.00022379557291667\alpha_3^s r^4 \log\left(c_s\right)^4}{c_s^4}
- \frac{0.93055181128293\alpha_1^s \alpha_4^s r}{c_s}
- \frac{15.190992021388\left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^4}{c_s^4}
- \frac{0.95341206696466\left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} r}{c_s}
- \frac{1.9100106704239\alpha_0^{c_s} \alpha_1^{c_s} r^5}{c_s^5}
- \frac{0.968979408255\left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)}{c_s^5}
- \frac{0.49578024485779\alpha_0^s \alpha_5^s r}{c_s}
+ \frac{0.03125\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}
+ \frac{0.03125\alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}
+ \frac{0.00146484375\alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^5}{c_s^3}
+ \frac{0.0029296875\alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}
+ \frac{0.0234375\left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}
+ \frac{0.09375\left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}
+ \frac{0.078125\alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}
+ \frac{0.109375\alpha_0^s\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}
+ \frac{0.109375\left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^4}{c_s}
+ \frac{0.9375\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}
+ \frac{0.0263671875\left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^5}{c_s^3}
$$

$$+\frac{0.546875\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.546875\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.09521484375\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.142822265625\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{18.218720162564\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.3149255390756\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.011824806486779\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.011824806486779\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.039274612973557\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.039274612973557\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.71956087685317\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.8782435074127\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.035474419460336\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.035474419460336\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24148051593853\left(\alpha_0^{c_s}\right)^3\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.12204825838101\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{3.4514943693215\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s} r}{c_s}$$
$$+\frac{4.2427866263548\alpha_0^{c_s}\alpha_0^s\alpha_4^s r}{c_s}$$
$$+\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.6263716304063\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4317167452955\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.906031970764\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{11.624127883056\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{15.443491829333\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$

$$+\frac{15.500292631649\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.2254060068279\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{1.241932852999\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.2634955732536\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{7.9599100908877\alpha_0^s\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{67.04684787832\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.55594409993552\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.3231893471804\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.58726459487646\left(\alpha_0^{c_s}\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.58726459487646\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.4915464412297\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.18037499557876\left(\alpha_0^s\right)^2\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.045312400794658\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{11.82124723341\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.39402116545278\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{3.2730671366313\alpha_0^s\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{13.511586451455\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.4279234198261\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.87034635036225\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.7733901443961\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.055542504339873\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.055542504339873\left(\alpha_0^s\right)^3\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0072916666666667\alpha_0^s\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.93461389393337\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&+ \frac{8.0887657421924 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r}{c_s} \\
&+ \frac{2.0504031921055 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.064972033306838 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{2.0977069997324 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0010416666666667 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.0010416666666667 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.0020833333333333 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.13843612639267 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{2.2356514460006 \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.14500103076063 \alpha_1^{c_s} \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{37.841605799643 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{4.7887983201501 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.61099336247992 \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5} \\
&+ \frac{39.263717354222 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3} \\
&+ \frac{0.61616427546487 \alpha_0^s \alpha_5^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.2411210068283 \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{9.9559528369552 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r}{c_s} \\
&+ \frac{0.31488515952198 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{2.5378272384823 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{5.090530229052 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.63670157990839 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.16079705536456 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.010170688198417 \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.16273101117468 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2}
\end{aligned}
$$

$$+\frac{0.65519459726005\alpha_2^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.32804069376702\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{2.6841878785963\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.69866506587723\alpha_0^s\alpha_3^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.36352793059338\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{5.8827684816766\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.01241852058473\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{0.39897649738703\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{12.795691733609\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{26.141043136076\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{106.11836413929\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{13.659637615463\alpha_1^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{3.6010231420403\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.3499400388279\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{63.065434816873\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{64.236206329236\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.25213661506899\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.25407334512281\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.0703002360595\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.0442655416859\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.0943111112332\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.0441090751121\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.032658139820112\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{16.756875732454\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{0.5254419502199\alpha_0^{c_s}\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{4.3444781241581\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.1744367711465\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.13593720238397\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{8.724333361471\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r}{c_s}$$
$$+\frac{0.55099477799642\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{8.8534774364639\alpha_0^s\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{4.4309930101446\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.017332146531751\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.27731434450801\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{4.4427006978691\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{17.8862276157\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{18.013082452931\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{9.1744078821009\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{18.479805530779\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{1.1648575321187\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.036458333333333\alpha_2^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.036458333333333\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{9.3639268033597\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{4.7283638398433\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{9.4583155713711\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.3646570698546\left(\alpha_0^s\right)^3\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.4238208232537\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{19.473891676775\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3}{c_s^3}$$

$$+\frac{9.9239496533945\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{4.9883149834317\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{10.388683055127\alpha_0^{c_s}\left(\alpha_0^s\right)^4r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{20.888176360101\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^sr}{c_s}$$
$$+\frac{0.32658139820112\alpha_0^{c_s}\left(\alpha_2^s\right)^2r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{41.907978906612\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^sr^2}{c_s^2}$$
$$+\frac{0.66013404861329\left(\alpha_0^{c_s}\right)^5\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3270740621944\left(\alpha_1^{c_s}\right)^2\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3270740621944\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.33423076787759\alpha_0^s\alpha_2^sr^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.33473585919119\alpha_0^s\left(\alpha_1^{c_s}\right)^3r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.4882367924932\left(\alpha_0^{c_s}\right)^3\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3805669230387\alpha_1^s\alpha_4^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.6963263792107\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.021875\alpha_1^s\alpha_4^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.021875\left(\alpha_0^s\right)^5\alpha_1^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.043780129494753\alpha_1^{c_s}\alpha_2^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{2.8221715121497\left(\alpha_0^s\right)^2\alpha_2^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.35317437822868\alpha_0^s\alpha_1^{c_s}r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{1.4250435464718\alpha_1^s\alpha_4^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4266157297144\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{91.945961370896\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2r^2}{c_s^2}$$
$$+\frac{0.18229166666667\left(\alpha_0^s\right)^4\alpha_2^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.36458333333333\alpha_0^s\left(\alpha_2^s\right)^2r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{23.373703093161\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{2.9352424460262\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.497794533719\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.5032850077056\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.0091530762545\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{12.04513086854\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.18854873071097\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.37743788705055\alpha_0^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.529068331454\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.7867428745203\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.40051396529669\alpha_1^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{12.817930037222\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s} r}{c_s}$$
$$+\frac{13.022358091094\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{26.426910925752\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{0.41666666666667\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.83496561933704\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{13.480150803471\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.6884462377849\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.7969395060861\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{13.673923812628\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{13.905410276669\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.87364314908906\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.21872571934501\alpha_0^{c_s}\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{3.4996115095201\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^2}{c_s^4}$$

$$+\frac{3.578588145294\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{14.336681167464\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.1749003108105\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{58.14206226192\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.0035807291666667\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{1.8409032303964\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{29.665649420954\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{1.8546256876702\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{29.94103165618\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.2363285650513\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.9358793917918\alpha_2^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.12099961190921\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{15.502242761859\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{3.9015064009377\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.24843801159866\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.99465385351905\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{63.932995832491\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$-\frac{0.0625\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$

$$-\frac{0.01171875\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.15625\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.625\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.109375\alpha_1^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.109375\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.109375\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.109375 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0087890625 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.140625 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.021484375 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.01318359375 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.546875 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.015869140625 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.03173828125 \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.28564453125 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{27.427639013942 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{0.011824806486779 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.011824806486779 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{168.32449913453 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.24148051593853 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.061024129190503 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{32.823087567258 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{18.695737716679 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.0050347111994065 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.36386979682622 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.6382709510785 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{3.6888770630106 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{34.242057325125 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{36.08012389062 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.56564619213292 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{21.270480459089 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.7244415478156 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.36543693562549 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.48987209730168 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.49007955912933 \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.035550458793 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{11.4574319609 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.39681536182636 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.05467344896117 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.12283440033357 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{2.4263068557106 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.6294186920466 \alpha_0^s \alpha_4^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{20.745556723074 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{5.66170890907 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.18037499557876 \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.5707152835506 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{13.24002451839 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{0.42333063694043 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{55.641382144656 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{7.1901163394516 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{7.2790652142225 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.23210879307023 \alpha_1^s \alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{30.341452398391 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$

$$- \frac{0.06298510781512\alpha_0^{c_s}\alpha_1^s r^5 \log(c_s)^2}{c_s^5}$$
$$- \frac{1.0198453692165\alpha_2^{c_s}\alpha_3^s r \log(c_s)^2}{c_s}$$
$$- \frac{1.0348307633876\alpha_0^s\alpha_2^s r^4 \log(c_s)}{c_s^4}$$
$$- \frac{8.3067205239548(\alpha_0^s)^4 \alpha_1^s r^2 \log(c_s)^2}{c_s^2}$$
$$- \frac{1.0488534998662(\alpha_1^{c_s})^2 \alpha_1^s r^2 \log(c_s)^2}{c_s^2}$$
$$- \frac{0.0010416666666667(\alpha_0^{c_s})^2 \alpha_4^s r \log(c_s)^5}{c_s}$$
$$- \frac{0.0010416666666667(\alpha_0^{c_s})^2 (\alpha_0^s)^5 r \log(c_s)^5}{c_s}$$
$$- \frac{0.0020833333333333\alpha_0^{c_s}(\alpha_0^s)^6 r \log(c_s)^5}{c_s}$$
$$- \frac{34.477080893061\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$- \frac{4.3576953237973\alpha_0^s(\alpha_1^{c_s})^2 r^3 \log(c_s)}{c_s^3}$$
$$- \frac{72.073484473914\alpha_0^{c_s}(\alpha_0^s)^3 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{18.212084911103(\alpha_0^{c_s})^2 \alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$- \frac{146.63079059183(\alpha_0^{c_s})^3 \alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.58000412304252(\alpha_0^s)^2 \alpha_1^{c_s} r^4 \log(c_s)^2}{c_s^4}$$
$$- \frac{0.58387169747276\alpha_0^{c_s}(\alpha_0^s)^6 r \log(c_s)}{c_s}$$
$$- \frac{1.1971995800375\alpha_1^{c_s}\alpha_1^s r^4 \log(c_s)}{c_s^4}$$
$$- \frac{4.7937562503095(\alpha_1^s)^2 \alpha_2^s r \log(c_s)}{c_s}$$
$$- \frac{0.0046875\alpha_0^s\alpha_4^s r^2 \log(c_s)^5}{c_s^2}$$
$$- \frac{19.320856835413(\alpha_0^{c_s})^4 \alpha_0^s\alpha_1^s r}{c_s}$$
$$- \frac{0.15151001321011\alpha_0^{c_s}\alpha_0^s r^6 \log(c_s)}{c_s^6}$$
$$- \frac{19.403831872688\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{0.1533998484239\alpha_0^{c_s}(\alpha_0^s)^6 r \log(c_s)^3}{c_s}$$
$$- \frac{2.5190812761758(\alpha_0^{c_s})^2 (\alpha_0^s)^4 r^2 \log(c_s)^3}{c_s^2}$$
$$- \frac{1.2689136192411(\alpha_0^{c_s})^4 \alpha_1^s r^2 \log(c_s)^2}{c_s^2}$$

$$- \frac{1.2734031598168\alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.020341376396834 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{0.081365505587338 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{2.6272097510995\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.16581773698626\alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{5.4002061352042 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.5017988771554 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{2.7574940071872\alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.7004797070032 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^6 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.9516759318951\alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r}{c_s}$$
$$- \frac{0.18892694917231\alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{6.3100643722695 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{101.00706805828 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.39866466356152\alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.6627716611439 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{26.673250352222\alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{106.78339754886\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{3.3523814346221\alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.21417224608999 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.85668898435996 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.7136377534823 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.9483679704258\alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.7542448992846\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$
- \frac{3.52708251418 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{28.431723697477 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}
$$

$$
- \frac{7.2171719305445 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}
$$

$$
- \frac{14.685515252583 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}
$$

$$
- \frac{1.8916117223735 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{15.22691208398 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
- \frac{0.062049049673185 \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{0.24819619869274 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{128.14799069423 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}
$$

$$
- \frac{2.0132893778988 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{0.50611553295214 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^2}{c_s}
$$

$$
- \frac{0.50814669024562 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}
$$

$$
- \frac{2.0351501180297 \alpha_1^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
- \frac{0.5166773043554 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}
$$

$$
- \frac{1.0337660189957 \alpha_0^{c_s} \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}
$$

$$
- \frac{1.0379605782788 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$
- \frac{0.032658139820112 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^4}{c_s}
$$

$$
- \frac{4.3000175231412 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
- \frac{4.3030456716032 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{0.54360919278663 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}
$$

$$
- \frac{0.034066279640224 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}
$$

$$
- \frac{0.034066279640224 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s}
$$

$$
- \frac{4.410716032164 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}
$$

$$
- \frac{1.1055096030022 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$- \frac{0.03470917100654 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.03470917100654 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{3} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{8.8877737653896 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{4.4663823846559 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{1.1201614074707 \alpha_{0}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{72.421803849213 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.14162724200604 \alpha_{0}^{s} \alpha_{1}^{s} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{0.56895960649969 \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{18.348815764202 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{9.1888510271812 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{2.3160555897299 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{37.271881741436 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.14560719151484 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.018217187533286 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.29147500053258 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.036458333333333 \alpha_{0}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.036458333333333 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.072916666666667 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{18.70180572482 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.58474829976154 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{2.3402453957671 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{18.913455359373 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{9.718947405471 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.61820856255674 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$

$$- \frac{10.008274231847 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.0260503424998 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{5.1457277367084 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{4} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{10.393149274977 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.65242741150029 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.65242741150029 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{5.2670981166509 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.66013404861329 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.3102254324804 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{10.660458351696 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$

$$- \frac{0.020833333333333 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{1.355409833533 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.3667082699557 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{5.5227096911891 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.021875 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.70263384421398 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{22.489228215132 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{2.8255800183644 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{45.458172375936 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{1.4250435464718 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{46.506728285577 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.18229166666667 \alpha_{2}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.18229166666667 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{1.4645618412944 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$

$$- \frac{1.4668693562549 \alpha_2^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.36756840029655 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{11.790637499677 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{23.596632233328 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{0.18854873071097 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.5128907607855 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{24.258895432066 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{3.0534388946485 \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{24.533818664909 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{24.570315985823 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$- \frac{6.2322215755281 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{199.50242792111 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.5635873120016 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{12.720525783639 \alpha_0^s \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.00078125 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0125 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{25.895629782979 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{13.216825300554 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2}{c_s^2}$$
$$- \frac{3.327715102302 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{26.786647937166 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}$$
$$- \frac{0.8375516949184 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.3646872348791 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{27.121387966597 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{13.646542295775 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r}{c_s}$$

$$
- \frac{27.347847625255 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}
- \frac{112.07333762968 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}
- \frac{7.2509789601495 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
- \frac{29.126147874183 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}
- \frac{14.613115091474 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{1.8361326703186 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}
- \frac{59.216197514141 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3}
- \frac{0.92890848624706 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}
- \frac{0.23537198244375 \alpha_0^s \alpha_1^{c_s} \alpha_3^{c_s} r}{c_s}
- \frac{1.8893109571319 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{1.8893164875486 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{15.212687595504 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r}{c_s}
- \frac{0.95218467812744 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}
- \frac{123.05444000287 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3}
- \frac{1.9237596516682 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}
- \frac{0.96692067809792 \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{15.723808804119 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}
- \frac{7.8749814371313 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r}{c_s}
- \frac{0.12337550677316 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{7.9528506560342 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{0.12496084635295 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}
- \frac{0.12496084635295 \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^3}{c_s}
+ \frac{0.0078125 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}
+ \frac{0.015625 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}
$$

$$+\frac{0.015625\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.03125\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.03125\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0625\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.09375\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.21875\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.546875\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{15.716708431079\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.047299225947114\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.047299225947114\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.035474419460336\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{19.851669181839\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.19594883892067\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.39274612973557\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24409651676201\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{15.892348150996\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{18.449090611862\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1312923842658\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{0.58911919460336\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{84.867612327604\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.7978007959251\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4488830956312\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{25.00115226756\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{6.636163387131\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{0.060416534392878\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log(c_s)^4}{c_s^3}$$
$$+\frac{31.160992014244\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log(c_s)}{c_s}$$
$$+\frac{0.48987209730168\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log(c_s)^4}{c_s}$$
$$+\frac{4.0010774285941\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{17.564309750197\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log(c_s)}{c_s^2}$$
$$+\frac{79.184647879304\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{22.321444424268\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{1.8726316099228\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log(c_s)^3}{c_s}$$
$$+\frac{3.7462374100437\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log(c_s)^3}{c_s}$$
$$+\frac{1.039928791905\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log(c_s)^4}{c_s^2}$$
$$+\frac{8.9916689894357\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log(c_s)}{c_s}$$
$$+\frac{2.3453809680024\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log(c_s)^3}{c_s}$$
$$+\frac{4.8485800561153\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log(c_s)^2}{c_s^3}$$
$$+\frac{19.440456353853\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{0.62785279958524\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log(c_s)^2}{c_s}$$
$$+\frac{0.67840722984345\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{180.01790679956\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{11.477821702274\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log(c_s)}{c_s^4}$$
$$+\frac{1.469616291905\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log(c_s)^4}{c_s}$$
$$+\frac{0.024834748017219\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{0.22908835937257\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log(c_s)^3}{c_s}$$
$$+\frac{0.22908835937257\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log(c_s)^3}{c_s}$$
$$+\frac{61.047814027782\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log(c_s)}{c_s^3}$$
$$+\frac{7.7337836501318\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log(c_s)}{c_s}$$

$$+\frac{3.9382507354578\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{64.004375996075\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{16.236354434096\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.1430740816773\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.4545665751839\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{140.34750634514\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.4495216832492\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.56046621089817\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.3083949332991\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{9.4889282481538\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{78.948233461785\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.16273101117468\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{10.738996140107\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.17033139820112\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.34066279640224\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.34066279640224\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.70950093730891\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.8416401346845\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{13.657124688295\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.21860625039943\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{3.5084897985693\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{28.581247445727\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.6423965717326\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{3.6534923821435\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{29.97030824438\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{30.370842339445\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.380569056805\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.934402368506\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.985503121544\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.028998445471\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.1224061412015\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.3342430980284\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.1879787308376\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.1461289867143\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.1461289867143\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.7040226185123\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.410716032164\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.1055096030022\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{72.536138674766\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.57736388873951\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1648575321187\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{9.3326987690427\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{19.214966032848\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.4039914198467\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.2125821625261\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{9.7390657716461\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{78.728154463312\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{19.908173610325\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.4954759263976\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{0.62421053664093\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{10.020117439483\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.2850334765399\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.65316279640224\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.33827034543636\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.3530813817454\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{21.669672254948\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.69328586127002\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{22.554657420685\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{46.055416903291\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{23.580505127647\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.37229429803911\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.37488253905886\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.0622798772592\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{12.278667892642\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.1623934821264\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.1140003802236\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{6.2961745178777\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{6.3264955647872\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.40167085521549\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.8041679825343\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7614534784275\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{14.271715147451\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{28.735541230968\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{14.548900771705\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.8304447945421\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.7226793283654\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.7376659843909\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{7.5572438285275\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{61.107522929269\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{15.624593473089\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9572822345009\alpha_0^s\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.4930796222111\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.03125\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.03125\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.046875\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.09375\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.625\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.109375\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{1.09375\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{14.871051467489\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$

$$- \frac{0.035474419460336 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.070948838920671 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.070948838920671 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.317365261119 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.19637306486779 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.39274612973557 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.39274612973557 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.10642325838101 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.96592206375414 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.48819303352403 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.51099419460336 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.7868099344879 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{9.8773505905558 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.067172165713 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.0975857962406 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.78052655885942 \alpha_0^{c_s} \alpha_0^s \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.48987209730168 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.48987209730168 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{8.0021548571882 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{9.8900568936136 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.4991745298679 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.4691427628043 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{10.971508721945 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{45.676035000276 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{46.892933414294 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{27.015261962143 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{17.436191824584 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.4880787194569 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.62785279958524 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.155868942407 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{43.064500275779 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{11.016888890912 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.39402116545278 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{6.4089963302224 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$

$$- \frac{6.7667430432243 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{7.1531349629629 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{15.35180563443 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{7.7337836501318 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.9382507354578 \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.1162925043549 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{16.46517001742 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{8.6249729925125 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{17.396881241606 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.56046621089817 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.5190812761758 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.081365505587338 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{5.2843604352825 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{21.212045596612 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.65982708646 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{5.4470368262232 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.34066279640224 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.18050335069283 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.18050335069283 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.76390519028696 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.1513678468237 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.1513678468237 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{12.78816589066 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{12.800424301776 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{27.31424937659 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{6.9473764207194 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.7617937846294 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.1484555439236 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{7.4281292884621 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{61.70272392556 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{3.9812221865831 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.1224061412015 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{16.579647377489 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.27187440476795 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{8.8116100095061 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.9170765134013 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{9.0038817814584 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{9.0478933542992 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.57736388873951 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{37.429015060888 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{2.3527781749431 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{18.852767779711 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{39.328007831493 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{39.364077231656 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.62421053664093 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.2532858684043 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.0672498266313 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.1498326309896 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.6247086321401 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{21.124447491009 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.16662751301962 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.041666666666667 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{43.822653181062 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.17332146531751 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.34664293063501 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.38657172254 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{5.9931146368117 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.75419492284389 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{6.1623934821264 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{49.674002902792 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{1.5570001901118\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r^2\log(c_s)^2}{c_s^2}$$
$$- \frac{0.77966439968206\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log(c_s)^3}{c_s^3}$$
$$- \frac{6.2961745178777\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log(c_s)}{c_s}$$
$$- \frac{12.745784582369\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s}r^2\log(c_s)}{c_s^2}$$
$$- \frac{0.0125\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log(c_s)^5}{c_s}$$
$$- \frac{0.40167085521549\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log(c_s)^2}{c_s}$$
$$- \frac{6.5536386822234\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log(c_s)^2}{c_s}$$
$$- \frac{13.480150803471\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log(c_s)^2}{c_s^3}$$
$$- \frac{1.707214633552\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log(c_s)}{c_s}$$
$$- \frac{27.675247077587\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log(c_s)}{c_s}$$
$$- \frac{55.502703758479\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$- \frac{3.4945725963562\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^3}{c_s^2}$$
$$- \frac{14.356302733555\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log(c_s)^2}{c_s}$$
$$- \frac{3.6471047812732\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log(c_s)^2}{c_s}$$
$$- \frac{3.6497937786732\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log(c_s)^3}{c_s}$$
$$- \frac{14.639046208116\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$

$$- \frac{29.891641764874\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log(c_s)}{c_s}$$
$$- \frac{14.955608587582\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log(c_s)}{c_s^3}$$
$$- \frac{0.94998791830603\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log(c_s)^3}{c_s}$$
$$- \frac{7.6273049599347\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$- \frac{15.376683493203\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$- \frac{1.9285977570768\alpha_0^s\alpha_1^s\alpha_3^s r\log(c_s)^3}{c_s}$$
$$- \frac{0.4930796222111\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s}r\log(c_s)^2}{c_s}$$
$$+ \frac{0.125\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^5}{c_s}$$

$$
\begin{aligned}
&+ \frac{0.21284651676201\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}\\
&+ \frac{26.627101800471\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}\\
&+ \frac{40.63013533084\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}\\
&+ \frac{39.296709890344\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}\\
&+ \frac{21.958203234731\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}\\
&+ \frac{0.54151005207848\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}\\
&+ \frac{9.3223462164844\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}\\
&+ \frac{9.4541035404712\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}\\
&+ \frac{2.4968421465637\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}\\
&+ \frac{24.697755026129\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}\\
&+ \frac{0.85437282955636\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}\\
&- \frac{0.14189767784134\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}\\
&- \frac{1.9594883892067\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}\\
&- \frac{3.7452632198456\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}\\
&- \frac{46.385731586698\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}\\
&- \frac{14.739568219277\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}\\
&- \frac{110.96607074046\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}\\
&- \frac{59.187505559318\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}\\
&- \frac{2.0296220726182\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}\\
&- \frac{0.68726507811772\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}\\
&- \frac{25.332828113715\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}\\
&- \frac{6.4383869601428\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

2.4 $n = 3$

For $p = 5$, the absolute cutoff is $W = 9$:

$$\alpha_3^t = \sum_{d=4}^{9} R_{3,d} + O(\mathrm{SR}^{10}).$$

Absolute order 4.

$$
\begin{aligned}
R_{3,4} = & \frac{0.00146484375 r^4}{c_s^4} + \frac{0.125 \alpha_2^{c_s} r}{c_s} \\
& + \frac{0.125 \alpha_2^s r}{c_s} + \frac{0.125 \left(\alpha_0^{c_s}\right)^3 r}{c_s} \\
& + \frac{0.125 \left(\alpha_0^s\right)^3 r}{c_s} + \frac{0.0234375 \alpha_0^{c_s} r^3}{c_s^3} \\
& + \frac{0.0234375 \alpha_0^s r^3}{c_s^3} + \frac{0.109375 \left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2} \\
& + \frac{0.109375 \left(\alpha_0^s\right)^2 r^2}{c_s^2} - \frac{0.0625 \alpha_1^{c_s} r^2}{c_s^2} \\
& - \frac{0.0625 \alpha_1^s r^2}{c_s^2} + \frac{0.375 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r}{c_s} \\
& + \frac{0.375 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r}{c_s} + \frac{0.21875 \alpha_0^{c_s} \alpha_0^s r^2}{c_s^2} \\
& - \frac{0.375 \alpha_0^{c_s} \alpha_1^{c_s} r}{c_s} - \frac{0.375 \alpha_0^{c_s} \alpha_1^s r}{c_s} \\
& - \frac{0.375 \alpha_0^s \alpha_1^{c_s} r}{c_s} - \frac{0.375 \alpha_0^s \alpha_1^s r}{c_s}
\end{aligned}
$$

Absolute order 5.

$$
\begin{aligned}
R_{3,5} = & - \frac{0.000762939453125 r^5}{c_s^5} + \frac{0.125 \alpha_3^s r}{c_s} \\
& + \frac{0.0419921875 \alpha_1^s r^3}{c_s^3} + \frac{0.28379535568268 \alpha_3^{c_s} r}{c_s} \\
& + \frac{0.071766316690503 \alpha_1^{c_s} r^3}{c_s^3} - \frac{0.125 \left(\alpha_0^s\right)^4 r}{c_s} \\
& - \frac{0.375 \left(\alpha_1^s\right)^2 r}{c_s} - \frac{0.078125 \alpha_2^s r^2}{c_s^2} \\
& - \frac{0.28125 \left(\alpha_0^s\right)^3 r^2}{c_s^2} - \frac{0.01708984375 \alpha_0^s r^4}{c_s^4} \\
& - \frac{0.1201171875 \left(\alpha_0^s\right)^2 r^3}{c_s^3} - \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^4 r}{c_s} \\
& - \frac{0.15752267784134 \alpha_2^{c_s} r^2}{c_s^2} - \frac{0.85138606704805 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
& - \frac{0.024533376047626 \alpha_0^{c_s} r^4}{c_s^4} - \frac{0.5591418724447 \left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2} \\
& - \frac{0.20943957507151 \left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3} \\
& + \frac{0.0625 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
& + \frac{0.125 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s} \\
& + \frac{0.005859375 \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
& + \frac{0.375 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s} \\
& + \frac{0.75 \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}
\end{aligned}
$$

$$+ \frac{0.21875 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+ \frac{0.4375 \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$+ \frac{0.0703125 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+ \frac{0.72129535568268 \alpha_0^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$+ \frac{1.7027721340961 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$+ \frac{1.6013860670481 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$+ \frac{1.9763860670481 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$+ \frac{0.7778918724447 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$+ \frac{0.87418722812738 \alpha_0^{c_s} \alpha_1^{c_s} r^2}{c_s^2} - \frac{0.125 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.5 \alpha_0^s \alpha_2^s r}{c_s} - \frac{0.0234375 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.1351814227307 \alpha_0^{c_s} \alpha_2^{c_s} r}{c_s} - \frac{1.0337953556827 \alpha_0^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{1.0337953556827 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r}{c_s}$$
$$- \frac{1.1013860670481 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{1.3513860670481 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r}{c_s}$$
$$- \frac{1.6013860670481 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{1.9763860670481 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r}{c_s}$$
$$- \frac{1.6182837448894 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2}{c_s^2}$$
$$- \frac{1.3403918724447 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$- \frac{0.35299426257151 \alpha_0^{c_s} \alpha_0^s r^3}{c_s^3}$$
$$+ \frac{0.125 \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.125 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.5 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.375 \alpha_0^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.375 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.375 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}$$

$$
\begin{aligned}
&+ \frac{0.375\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s} \\
&+ \frac{0.21875\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.4375\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.0703125\alpha_0^{c_s}\alpha_0^s r^3\log\left(c_s\right)}{c_s^3} \\
&+ \frac{3.1013860670481\alpha_0^{c_s}\alpha_0^s\alpha_1^s r}{c_s} \\
&+ \frac{3.6791582011442\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r}{c_s} \\
&- \frac{0.125\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{0.375\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s} \\
&- \frac{0.375\left(\alpha_0^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s} \\
&- \frac{0.75\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s} \\
&- \frac{0.21875\alpha_0^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{0.34375\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2} \\
&- \frac{0.375\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s} \\
&- \frac{1.125\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}
\end{aligned}
$$

Absolute order 6.

$$
\begin{aligned}
R_{3,6} = &\frac{0.00069887861331449 r^6}{c_s^6} + \frac{0.125\alpha_4^s r}{c_s} \\
&+ \frac{1.065570626349\left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3} \\
&+ \frac{1.4176370369568\left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} \\
&+ \frac{0.52264594794504\left(\alpha_1^s\right)^2 r^2}{c_s^2} + \frac{0.10280837917801\left(\alpha_0^s\right)^5 r}{c_s} \\
&+ \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^5 r}{c_s} \\
&+ \frac{0.24809448714071\left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4} \\
&+ \frac{0.52433019631832\left(\alpha_0^s\right)^3 r^3}{c_s^3} + \frac{0.13631419746067\alpha_2^{c_s} r^3}{c_s^3} \\
&+ \frac{0.017257388611671\alpha_0^s r^5}{c_s^5} + \frac{1.1501885493287\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2} \\
&+ \frac{0.07369519446916\alpha_2^s r^3}{c_s^3} + \frac{0.1495700174229\left(\alpha_0^s\right)^2 r^4}{c_s^4} \\
&+ \frac{0.61990642191755\left(\alpha_0^s\right)^4 r^2}{c_s^2} + \frac{0.33325502603924\alpha_4^{c_s} r}{c_s}
\end{aligned}
$$

$$+\frac{0.022103438284604\alpha_0^{c_s}r^5}{c_s^5}-\frac{0.042328393296221\alpha_1^s r^4}{c_s^4}$$
$$-\frac{0.066357117878927\alpha_1^{c_s}r^4}{c_s^4}-\frac{0.1038270947945\alpha_3^s r^2}{c_s^2}$$
$$-\frac{0.22780402727446\alpha_3^{c_s}r^2}{c_s^2}+\frac{0.0625\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0625\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.01171875\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.01171875\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.078125\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.21875\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.171875\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.10546875\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.01708984375\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{4.5746925879539\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{1.1352294412117\alpha_0^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{2.6219204538578\left(\alpha_0^s\right)^2\alpha_2^{c_s}r}{c_s}$$
$$+\frac{3.8874132271834\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{2.2571479479676\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{1.9409334773531\left(\alpha_0^{c_s}\right)^4\alpha_0^s r}{c_s}$$
$$+\frac{3.5111972716302\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{8.2127818560984\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{4.4950282979633\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.6087005501362\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{1.0946586542461\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{0.71467513753404\alpha_0^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{1.6030226512749\alpha_0^{c_s}\alpha_2^{c_s}r^2}{c_s^2}$$

$$+\frac{0.40191656771049\alpha_0^{c_s}\alpha_0^s r^4}{c_s^4}$$
$$+\frac{1.1482074697214\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{2.4575502603924\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.4228234146217\alpha_0^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{2.8877107655697\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^3}{c_s^3}$$
$$+\frac{6.1460976449703\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^2}{c_s^2}$$
$$+\frac{3.4988253905886\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.8602805292847\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{3.9539880896494\left(\alpha_0^{c_s}\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{3.9948526700024\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$-\frac{0.03125\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}-\frac{0.125\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.125\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0029296875\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$-\frac{0.4375\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.5625\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.068359375\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{0.0419921875\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.003814697265625\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$-\frac{0.3603515625\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.57385180946901\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$-\frac{2.4110271601353\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$-\frac{1.2147823321874\alpha_0^{c_s}\alpha_3^s r}{c_s}-\frac{1.4645474103051\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$-\frac{2.6441120746798\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$-\frac{4.5968842087759\left(\alpha_0^{c_s}\right)^3\alpha_1^s r}{c_s}$$

$$
\begin{aligned}
&- \frac{1.9544879813691 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{4.4382967251885 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^2}{c_s^2} \\
&- \frac{1.1168502750681 \alpha_1^s \alpha_2^s r}{c_s} - \frac{1.1225357717973 \alpha_0^{c_s} \alpha_1^{c_s} r^3}{c_s^3} \\
&- \frac{0.81325404477083 \alpha_0^{c_s} \alpha_1^s r^3}{c_s^3} \\
&- \frac{1.0502754126021 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s} \\
&- \frac{4.3255592153975 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{2.2075502603924 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r}{c_s} \\
&- \frac{0.58061675835603 \alpha_0^s \alpha_3^s r}{c_s} - \frac{2.4776020226013 \alpha_1^{c_s} \alpha_2^s r}{c_s} \\
&- \frac{2.5825502603924 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s} - \frac{1.4162751301962 \alpha_0^{c_s} \alpha_3^{c_s} r}{c_s} \\
&- \frac{3.5073089371114 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2}{c_s^2} \\
&- \frac{0.9442318016501 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3} \\
&+ \frac{0.0625 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0625 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.1875 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.1875 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.1875 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.625 \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.625 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.25 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.25 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.109375 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.21875 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.4375 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$+\frac{0.5625\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.234375\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.9375\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.10546875\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.71875\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.3662109375\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.28379535568268\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0337953556827\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.1013860670481\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3513860670481\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.6013860670481\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.6013860670481\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.5557837448894\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.243371063951\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.6182837448894\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.21529895007151\alpha_0^s\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{4.7259796038175\alpha_0^{c_s}\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.35299426257151\alpha_0^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{7.299656342872\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{10.486494425184\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$-\frac{0.0625\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0625\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.125\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.1875\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.1875\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.1875 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.3125 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.625 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.625 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.25 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.109375 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.03515625 \alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.875 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.59375 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.10546875 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.671875 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.31504535568268 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.72129535568268 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.85138606704805 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.0337953556827 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1013860670481 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.3513860670481 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.098133504190503 \alpha_0^{c_s} \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.9763860670481 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.9763860670481 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1182837448894 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{3.1013860670481 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.7778918724447 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{3.2365674897788 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{2.6807837448894 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.62831872521453 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{10.317828730023 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r}{c_s} \\
&- \frac{10.419919562718 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s} \\
&- \frac{6.2653115524259 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2} \\
&- \frac{1.0589827877145 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{11.728814544016 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s} \\
&- \frac{8.7476479574518 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2} \\
&- \frac{6.9558196807943 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s} \\
&+ \frac{0.1875 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.75 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.5625 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.7027721340961 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{6.2027721340961 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.7483744562548 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{3.6791582011442 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{5.9291582011442 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{4.1233744562548 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.1875 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.5625 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{1.125 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.65625 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{1.1351814227307 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{4.1351814227307 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$- \frac{3.6791582011442\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$- \frac{4.8041582011442\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$

Absolute order 7.

$$\begin{aligned}
R_{3,7} = &-\frac{0.00066040799045703r^7}{c_s^7} + \frac{0.125\alpha_5^s r}{c_s} \\
&+ \frac{1.2557055991705\left(\alpha_1^{c_s}\right)^3 r}{c_s} + \frac{0.36074999115751\alpha_5^{c_s} r}{c_s} \\
&+ \frac{0.044182253542082\alpha_1^s r^5}{c_s^5} + \frac{0.10547078563903\alpha_3^s r^3}{c_s^3} \\
&+ \frac{0.067614788198182\alpha_1^{c_s} r^5}{c_s^5} + \frac{1.0840862194786\left(\alpha_1^s\right)^3 r}{c_s} \\
&+ \frac{0.22086108655179\alpha_3^{c_s} r^3}{c_s^3} - \frac{0.076954635474829\left(\alpha_0^{c_s}\right)^6 r}{c_s} \\
&- \frac{0.12260923390637\alpha_4^s r^2}{c_s^2} - \frac{0.065244100954277\left(\alpha_0^s\right)^6 r}{c_s} \\
&- \frac{0.31475559837547\left(\alpha_0^{c_s}\right)^2 r^5}{c_s^5} \\
&- \frac{1.8011431833565\left(\alpha_0^s\right)^4 r^3}{c_s^3} \\
&- \frac{1.8035217754453\left(\alpha_0^{c_s}\right)^3 r^4}{c_s^4} \\
&- \frac{1.1197437723225\left(\alpha_0^s\right)^5 r^2}{c_s^2} - \frac{0.2991670940175\alpha_4^{c_s} r^2}{c_s^2} \\
&- \frac{0.076712092161027\alpha_2^s r^4}{c_s^4} - \frac{0.70760825653778\left(\alpha_1^s\right)^2 r^3}{c_s^3} \\
&- \frac{0.19445546235151\left(\alpha_0^s\right)^2 r^5}{c_s^5} \\
&- \frac{4.1620983497444\left(\alpha_0^{c_s}\right)^4 r^3}{c_s^3} - \frac{0.023975376743708\alpha_0^{c_s} r^6}{c_s^6} \\
&- \frac{0.13853540110911\alpha_2^{c_s} r^4}{c_s^4} - \frac{1.154727777479\left(\alpha_2^{c_s}\right)^2 r}{c_s} \\
&- \frac{0.018648400200653\alpha_0^s r^6}{c_s^6} - \frac{2.675269515726\left(\alpha_0^{c_s}\right)^5 r^2}{c_s^2} \\
&- \frac{1.5385686369455\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3} \\
&- \frac{0.81762161375293\left(\alpha_2^s\right)^2 r}{c_s} - \frac{0.9077746502428\left(\alpha_0^s\right)^3 r^4}{c_s^4} \\
&+ \frac{0.0009765625\alpha_2^s r^4\log(c_s)^3}{c_s^4} \\
&+ \frac{0.015625\left(\alpha_0^s\right)^3 r^4\log(c_s)^3}{c_s^4} \\
&+ \frac{0.0625\alpha_5^s r\log(c_s)^2}{c_s} \\
&+ \frac{0.03515625\left(\alpha_1^s\right)^2 r^3\log(c_s)^3}{c_s^3}
\end{aligned}$$

$$+\frac{0.9375\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.10546875\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.02099609375\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0019073486328125\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{3.9387181395716\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.57385180946901\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{10.09950678112\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{1.4409653155906\alpha_0^{c_s}\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{2.2829930145581\alpha_0^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{6.0506877923487\left(\alpha_0^{c_s}\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{0.75724388321833\alpha_0^s\alpha_1^s r^4}{c_s^4}$$
$$+\frac{1.1881148878051\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.2633539166158\left(\alpha_0^s\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{10.84818865722\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.086286943058355\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{5.8694148411763\left(\alpha_0^s\right)^3\alpha_1^s r^2}{c_s^2}$$
$$+\frac{3.899202830862\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{1.0138030827023\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{1.0488038466557\alpha_0^{c_s}\alpha_1^s r^4}{c_s^4}$$
$$+\frac{2.1070916662185\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.004193271679887\alpha_0^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{8.7674965667948\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{1.1168502750681\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.0351500609997\left(\alpha_0^{c_s}\right)^2\alpha_3^s r}{c_s}$$

$$
+ \frac{0.042328393296221 \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}
+ \frac{6.5251062314093 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3}{c_s^3}
+ \frac{0.10280837917801 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}
+ \frac{7.5978803659804 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3}{c_s^3}
+ \frac{17.170223355941 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2}{c_s^2}
+ \frac{2.1520321750819 \alpha_0^s \alpha_3^{c_s} r^2}{c_s^2}
+ \frac{0.14583333333333 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}
+ \frac{0.5982800696916 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}
+ \frac{1.200524716176 \alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}
+ \frac{2.4730563846109 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r}{c_s}
+ \frac{1.2398128438351 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}
+ \frac{0.010416666666667 \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}
+ \frac{0.020833333333333 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^3}{c_s}
+ \frac{3.1420899004122 \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}
+ \frac{1.572990588955 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}
+ \frac{1.5760620651767 \alpha_0^{c_s} \alpha_3^s r^2}{c_s^2}
+ \frac{3.2941625300387 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r}{c_s}
+ \frac{0.1038270947945 \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}
+ \frac{0.20833333333333 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}
+ \frac{1.7276736271957 \alpha_1^s \alpha_2^s r^2}{c_s^2}
+ \frac{13.88289571595 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r^2}{c_s^2}
+ \frac{3.51534396509 \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2} + \frac{0.96375532208646 \alpha_0^s \alpha_3^s r^2}{c_s^2}
+ \frac{7.7423178156474 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s}
- \frac{0.00390625 \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$- \frac{0.0625 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.125 \alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0390625 \alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.3125 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.625 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.5625 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.008544921875 \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.13671875 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.18310546875 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.0095367431640625 \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{0.54052734375 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{1.4855117920869 \alpha_0^{c_s} \alpha_2^s r^3}{c_s^3} - \frac{1.0111179362879 \alpha_0^s \alpha_2^s r^3}{c_s^3}$$
$$- \frac{0.60587387125098 \alpha_0^s \alpha_4^s r}{c_s} - \frac{2.3683440805453 \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{3.1468339532713 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{3.3445455614335 \alpha_1^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{7.7328550642049 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.51503239853261 \alpha_0^{c_s} \alpha_0^s r^5}{c_s^5}$$
$$- \frac{10.786415997547 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{11.101166727647 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{1.6087005501362 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{27.261332258597 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$- \frac{7.6667459952952 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{3.897507710927 \alpha_2^{c_s} \alpha_2^s r}{c_s} - \frac{2.1408870219012 \alpha_1^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{2.1930683622079 \alpha_0^{c_s} \alpha_2^{c_s} r^3}{c_s^3}$$

$$- \frac{4.6296729998974 \alpha_0^s \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{9.4629411206417 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$- \frac{4.7412780427983 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4}{c_s^4}$$
$$- \frac{10.6792492855 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$- \frac{1.3469092355797 \alpha_0^{c_s} \alpha_4^{c_s} r}{c_s}$$
$$- \frac{3.2598096829233 \left(\alpha_0^s\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{1.6656048141581 \alpha_0^s \alpha_4^{c_s} r}{c_s}$$
$$- \frac{3.7668956958108 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$- \frac{7.8136689732526 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{16.377283754452 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^3}{c_s^3}$$
$$- \frac{16.453977631147 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^2}{c_s^2}$$
$$- \frac{32.974734898143 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$- \frac{8.4133427159559 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r}{c_s}$$
$$- \frac{8.690822571652 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{0.017257388611671 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{4.5715835447462 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r}{c_s}$$
$$- \frac{0.07369519446916 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{9.9483576869351 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{1.2622310659043 \alpha_0^{c_s} \alpha_4^s r}{c_s} - \frac{1.2984954850039 \alpha_1^s \alpha_3^s r}{c_s}$$
$$- \frac{21.116091248333 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$- \frac{0.020833333333333 \alpha_5^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.8700480383984 \alpha_1^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{1.459738851267 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r}{c_s}$$
$$- \frac{1.4700626232957 \left(\alpha_0^s\right)^3 \alpha_2^s r}{c_s}$$

$$
\begin{aligned}
&- \frac{6.0003047609539 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{6.6279464500316 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2} \\
&- \frac{14.104474158519 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r}{c_s} \\
&- \frac{3.6644110968749 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{3.6657307304634 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&- \frac{1.9050809010702 \alpha_0^s \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{1.9242741322273 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.96600547490636 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r}{c_s} \\
&+ \frac{0.0625 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0625 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0625 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.125 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.01171875 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.046875 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.1875 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.375 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.3125 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.21875 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.5625 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.9375 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.9375 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.9375 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.10546875 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3}
\end{aligned}
$$

$$+\frac{0.734375\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.84375\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.1025390625\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.08984375\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{4.5746925879539\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.14189767784134\left(\alpha_0^{c_s}\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.14189767784134\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.15752267784134\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{10.623428137137\alpha_0^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.36064767784134\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.42569303352403\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.5507541434397\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{2.6219204538578\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.049066752095252\alpha_0^{c_s}\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.80069303352403\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.8874132271834\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.98819303352403\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.5591418724447\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.2147823321874\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{1.4645474103051\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.38894593622235\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.5557837448894\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{25.492893672906\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{1.9409334773531\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{16.183034565821\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{2.4020791005721\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.6441120746798\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.6448611555529\alpha_0^{c_s}\alpha_0^s\alpha_3^s r}{c_s}$$
$$+\frac{6.7714438439027\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{14.908599752858\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{16.425563712197\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.4950282979633\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.5968842087759\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{9.8824373480888\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$+\frac{0.31415936260727\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.32294842510727\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{11.201715574019\alpha_0^s\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{2.8352740739136\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.9080038194127\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{6.2653115524259\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.6631322967092\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{4.9542678586284\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{10.612365854046\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{42.618229821464\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{10.755281999685\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{11.559920669238\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$+\frac{11.728814544016\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.196711879047\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.6076662708419\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$

$$+\frac{0.81325404477083\alpha_0^{c_s}\alpha_2^s r^3\log(c_s)}{c_s^3}$$
$$+\frac{0.20825502603924\left(\alpha_0^{c_s}\right)^5\alpha_0^s r\log(c_s)}{c_s}$$
$$+\frac{6.9165270668905\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{27.819224792758\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.11051719142302\alpha_0^{c_s}\alpha_0^s r^5\log(c_s)}{c_s^5}$$
$$+\frac{29.668801756997\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.99237794856283\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^4\log(c_s)}{c_s^4}$$
$$+\frac{16.166403940833\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$+\frac{16.932268645455\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{2.1449340668482\left(\alpha_0^s\right)^3\alpha_2^s r\log(c_s)}{c_s}$$
$$+\frac{4.3255592153975\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{1.1482074697214\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log(c_s)}{c_s}$$
$$+\frac{2.3003770986574\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2\log(c_s)}{c_s^2}$$
$$+\frac{0.036458333333333\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{0.14583333333333\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{0.29166666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{4.7595267879426\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log(c_s)}{c_s}$$
$$+\frac{2.4776020226013\alpha_1^{c_s}\alpha_3^s r\log(c_s)}{c_s}$$
$$+\frac{0.33325502603924\alpha_0^s\alpha_4^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{0.020833333333333\alpha_2^{c_s}\alpha_2^s r\log(c_s)^3}{c_s}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log(c_s)^3}{c_s}$$
$$+\frac{0.020833333333333\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log(c_s)^3}{c_s}$$
$$+\frac{0.020833333333333\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log(c_s)^3}{c_s}$$
$$+\frac{43.051818854924\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.70561675835603\alpha_0^s\alpha_4^s r\log(c_s)}{c_s}$$

$$+\frac{2.8456468292435\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{47.050382883379\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.38020833333333\left(\alpha_0^s\right)^2\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{12.292195289941\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.79493739287649\alpha_0^s\alpha_2^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.408942592382\alpha_0^s\alpha_2^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{13.178724319326\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.41666666666667\left(\alpha_0^s\right)^3\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.3838382564372\left(\alpha_0^s\right)^2\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.6974670334241\alpha_1^s\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{27.472885902749\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.9442318016501\alpha_1^{c_s}\alpha_1^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{7.9897053400048\alpha_0^{c_s}\left(\alpha_0^s\right)^4r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.0625\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.0625\left(\alpha_0^{c_s}\right)^2\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.01171875\alpha_0^s\alpha_1^sr^4\log\left(c_s\right)^3}{c_s^4}$$
$$-\frac{0.1875\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.375\alpha_0^s\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.3125\left(\alpha_0^s\right)^4\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.3125\left(\alpha_0^s\right)^2\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.25\left(\alpha_0^s\right)^3\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.9375\alpha_1^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.2109375\left(\alpha_0^s\right)^2\alpha_1^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{2.8125\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.24609375\alpha_0^s\alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{2.15625\alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{1.453125 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.14189767784134\alpha_1^s\alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.14189767784134 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.31504535568268 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.42569303352403 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.51689767784134\alpha_0^{c_s}\alpha_4^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.51689767784134\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.55069303352403\alpha_2^{c_s}\alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.55069303352403 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{1.1352294412117\alpha_0^{c_s}\alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{0.67569303352403 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.67569303352403 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.19626700838101\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$

$$- \frac{0.80069303352403\alpha_1^{c_s}\alpha_3^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.98819303352403 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{1.1182837448894 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{2.4110271601353 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{1.4645474103051 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{0.8091418724447 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{3.2365674897788 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.10764947503576\alpha_1^{c_s}\alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{1.9409334773531 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{2.6807837448894 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{10.851732081256 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.17649713128576 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.9645791005721 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.294546017362 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{27.775184091118 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{2.0616872281274 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.4950282979633 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{22.554554719686 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{7.299656342872 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{15.812179043725 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{12.798946193029 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.40191656771049 \alpha_0^{c_s} \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.92232932712305 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.46845360803068 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.9424780878218 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{15.157229920671 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.26542847151571 \alpha_0^s \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{17.070189849163 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{17.265090188972 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.036458333333333 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{19.139624219519 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r}{c_s}$$
$$- \frac{10.401045538112 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s}$$
$$- \frac{0.020833333333333 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.083333333333333 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{2.8326954049503 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{1.4228234146217 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{2.8877107655697 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.73958333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{6.1460976449703 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.19270833333333 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{1.5643173084922 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.098958333333333 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{1.5884741815718 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{6.3886016504085 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{1.6752754126021 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{7.0146178742227 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{1.7599670334241 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.45560805454892 \alpha_0^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{14.707067627279 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s} \\
&- \frac{1.8602805292847 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{15.16148696948 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&- \frac{3.9539880896494 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.125 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.25 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.375 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.625 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.9375 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}
\end{aligned}
$$

$$+\frac{3.75\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.56759071136537\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.85138606704805\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.2027721340961\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.243371063951\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.6520791005721\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7483744562548\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.8395791005721\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.8395791005721\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{2.0270791005721\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.5844883892067\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.1689767784134\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.1689767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.9291582011442\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.8548512346682\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{10.317828730023\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{10.735178932792\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{15.682802633666\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.5357704348493\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.681799284612\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.2060453025497\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{14.532737823278\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.1445500735889\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{17.422836633219\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{8.7476479574518\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{0.29166666666667\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{2.4575502603924\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{1.5884741815718\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log(c_s)^2}{c_s^3}$$
$$+\frac{3.4988253905886\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log(c_s)}{c_s}$$
$$-\frac{0.0625\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.0625\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log(c_s)^3}{c_s}$$
$$-\frac{0.0625\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log(c_s)^3}{c_s}$$
$$-\frac{0.0625\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.25\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.375\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.3125\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.625\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.625\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{1.25\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.21875\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log(c_s)^3}{c_s^2}$$
$$-\frac{0.875\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log(c_s)^3}{c_s^2}$$
$$-\frac{0.10546875\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log(c_s)^3}{c_s^3}$$
$$-\frac{0.56759071136537\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log(c_s)^2}{c_s}$$
$$-\frac{11.748374147078\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log(c_s)}{c_s}$$
$$-\frac{0.85138606704805\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)^2}{c_s}$$
$$-\frac{3.9527721340961\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$-\frac{6.243371063951\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log(c_s)}{c_s}$$
$$-\frac{0.87418722812738\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^2}{c_s^2}$$

$$- \frac{4.8041582011442 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.1689767784134 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.3336756173341 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{9.7772583654733 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.317828730023 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.419919562718 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.7829825838101 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{5.9407619360049 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{49.191233535148 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{6.5235686838326 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{7.7534651676201 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.8879529823954 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.876593450377 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{10.486494425184 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{25.076682142992 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{13.746269384684 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{17.495295914904 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.2075502603924 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.5825502603924 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.4162751301962 \alpha_0^{c_s} \alpha_0^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{11.548649559 68 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{23.391054225566 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{24.515181114859 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{3.3676073153919 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{6.9540580302476 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$

$$+\frac{0.1875\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{31.326333550619\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{5.5187373017162\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$

Absolute order 8.

$$\begin{aligned}
R_{3,8} = {} & \frac{0.00068532023746048r^8}{c_s^8} + \frac{0.125\alpha_6^s r}{c_s} \\
& + \frac{4.3619461768873\left(\alpha_0^s\right)^4 r^4}{c_s^4} + \frac{0.038536574146577\left(\alpha_0^s\right)^7 r}{c_s} \\
& + \frac{3.0274572868282\left(\alpha_0^{c_s}\right)^3 r^5}{c_s^5} + \frac{0.31438405110415\alpha_4^{c_s} r^3}{c_s^3} \\
& + \frac{5.2029254536162\left(\alpha_0^s\right)^5 r^3}{c_s^3} + \frac{0.021703788578011\alpha_0^s r^7}{c_s^7} \\
& + \frac{1.545267118531\left(\alpha_0^s\right)^3 r^5}{c_s^5} \\
& + \frac{4.3981121305567\left(\alpha_0^{c_s}\right)^6 r^2}{c_s^2} \\
& + \frac{10.143916233326\left(\alpha_0^{c_s}\right)^4 r^4}{c_s^4} \\
& + \frac{0.044182861011306\left(\alpha_0^{c_s}\right)^7 r}{c_s} \\
& + \frac{3.2121365269684\left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2} \\
& + \frac{1.7512659597646\left(\alpha_0^s\right)^6 r^2}{c_s^2} + \frac{0.027576492995468\alpha_0^{c_s} r^7}{c_s^7} \\
& + \frac{1.010573413351\left(\alpha_1^s\right)^2 r^4}{c_s^4} \\
& + \frac{0.26453516473845\left(\alpha_0^s\right)^2 r^6}{c_s^6} \\
& + \frac{2.1474415948096\left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4} + \frac{0.13887279321988\alpha_4^s r^3}{c_s^3} \\
& + \frac{0.1509154889293\alpha_2^{c_s} r^5}{c_s^5} + \frac{0.087120557839057\alpha_2^s r^5}{c_s^5} \\
& + \frac{0.37743788705055\alpha_6^{c_s} r}{c_s} + \frac{1.524715047639\left(\alpha_2^s\right)^2 r^2}{c_s^2} \\
& + \frac{13.489795581172\left(\alpha_0^{c_s}\right)^5 r^3}{c_s^3} \\
& + \frac{0.42180491085016\left(\alpha_0^{c_s}\right)^2 r^6}{c_s^6} \\
& - \frac{3.8575245524135\left(\alpha_1^s\right)^3 r^2}{c_s^2} - \frac{0.23898953217492\alpha_3^{c_s} r^4}{c_s^4} \\
& - \frac{0.076159312110837\alpha_1^{c_s} r^6}{c_s^6} - \frac{0.05080989468861\alpha_1^s r^6}{c_s^6} \\
& - \frac{0.13952053443311\alpha_5^s r^2}{c_s^2} - \frac{8.9617971960467\left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2}
\end{aligned}$$

$$
\begin{aligned}
&- \frac{0.36188908190462\alpha_5^{c_s} r^2}{c_s^2} - \frac{0.12024763108045\alpha_3^s r^4}{c_s^4} \\
&+ \frac{0.0009765625\alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3} \\
&+ \frac{0.015625 \left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^4}{c_s^4} \\
&+ \frac{0.0625\alpha_6^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0029296875 \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4} \\
&+ \frac{0.71875 \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.0791015625 \left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^4}{c_s^3} \\
&+ \frac{98.264458246806 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&+ \frac{10.824539214502 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r}{c_s} \\
&+ \frac{3.8435304034727 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.12260923390637\alpha_5^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{1.1971819419038\alpha_0^s \alpha_4^s r^2}{c_s^2} + \frac{6.2197975239915\alpha_2^{c_s} \alpha_2^s r^2}{c_s^2} \\
&+ \frac{33.420004921268 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{4.4208435529258 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{18.5185882453\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2}{c_s^2} \\
&+ \frac{37.766986363082 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^4}{c_s^4} \\
&+ \frac{0.076712092161027\alpha_3^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{39.647700620735\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3}{c_s^3} \\
&+ \frac{10.320494578314 \left(\alpha_0^s\right)^3 \alpha_2^s r^2}{c_s^2} \\
&+ \frac{1.4593688359096\alpha_0^s \alpha_2^s r^4}{c_s^4} \\
&+ \frac{24.768976538392\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3} \\
&+ \frac{6.2414676313022\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^5}{c_s^5} \\
&+ \frac{1.8585804071299 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{3.7897006163264 \left(\alpha_0^s\right)^2 \alpha_4^{c_s} r}{c_s}
\end{aligned}
$$

$$+\frac{4.2074047106112\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r}{c_s}$$
$$+\frac{34.146037755265\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2}{c_s^2}$$
$$+\frac{17.633161008062\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{35.316943241358\left(\alpha_0^{c_s}\right)^5\alpha_0^s r^2}{c_s^2}$$
$$+\frac{4.6296729998974\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.7937562503095\left(\alpha_1^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{10.176804101055\alpha_0^s\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{2.614407465451\alpha_0^s\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{21.205426936281\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.68765237257361\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r}{c_s}$$
$$+\frac{5.5834226551964\left(\alpha_0^{c_s}\right)^2\alpha_4^s r}{c_s}$$
$$+\frac{23.201685922758\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{12.280199534337\left(\alpha_0^{c_s}\right)^4\alpha_2^s r}{c_s}$$
$$+\frac{3.0830831008158\alpha_0^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.012579815039661\left(\alpha_0^s\right)^2 r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{0.051404189589007\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.3523814346221\alpha_0^s\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{108.50062532693\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$+\frac{0.42644940973027\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{3.5103273156317\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{56.710339876453\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{7.272533332723\left(\alpha_0^s\right)^2\alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.23422680401534\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.9853251979163\alpha_0^{c_s}\alpha_4^s r^2}{c_s^2}$$

$$+\frac{16.060033221664\left(\alpha_1^{c_s}\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{2.0520702772579\alpha_0^{c_s}\alpha_2^s r^4}{c_s^4}$$
$$+\frac{132.14217429804\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{8.2892279562877\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{4.3030456716032\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{70.352560051611\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+\frac{0.0086286943058355\alpha_2^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{71.14123601326\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^3}{c_s^3}$$
$$+\frac{4.5348709194472\alpha_1^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.072916666666667\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.036847597234 58\alpha_4^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{2.3594858834324\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{0.018648400200653\alpha_1^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{1.1965601393832\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{2.4584809206766\alpha_1^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.2398128438351\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{5.1623783406682\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{0.0052083333333333\alpha_6^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{5.3899191279918\alpha_1^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{1.355409833533\left(\alpha_0^s\right)^2\alpha_4^s r}{c_s}$$
$$+\frac{21.892191226939\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{5.4804032297212\alpha_1^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.68903390319704\alpha_0^{c_s}\alpha_0^s r^6}{c_s^6}$$

$$+\frac{1.4423124201304\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}r}{c_s}$$
$$+\frac{2.88779300228\alpha_0^s\alpha_4^{c_s}r^2}{c_s^2}$$
$$+\frac{2.9009007247957\alpha_0^{c_s}\alpha_4^{c_s}r^2}{c_s^2}$$
$$+\frac{0.0028483072916667\alpha_3^sr^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{11.85033531458\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3r}{c_s}$$
$$+\frac{1.4900274961683\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}r}{c_s}$$
$$+\frac{47.906945044441\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2r^4}{c_s^4}$$
$$+\frac{1.5128907607855\left(\alpha_0^s\right)^4\alpha_2^sr}{c_s}$$
$$+\frac{12.104397163036\left(\alpha_1^s\right)^2\alpha_2^{c_s}r}{c_s}$$
$$+\frac{24.641603124434\alpha_0^{c_s}\left(\alpha_0^s\right)^3r^4}{c_s^4}$$
$$+\frac{0.048177083333333\left(\alpha_2^s\right)^2r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{24.789686125124\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{0.78127154509942\left(\alpha_0^{c_s}\right)^6\alpha_0^sr}{c_s}$$
$$+\frac{3.2376109726285\alpha_1^{c_s}\alpha_1^sr^4}{c_s^4}$$
$$+\frac{52.644918053431\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2r^2}{c_s^2}$$
$$+\frac{0.013020833333333\alpha_5^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{13.692096829721\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{0.21571735764589\left(\alpha_0^s\right)^3r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.87998351671206\left(\alpha_2^s\right)^2r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.88068158766941\alpha_2^{c_s}\alpha_3^{c_s}r}{c_s}$$
$$+\frac{57.627812385852\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2r^2}{c_s^2}$$
$$+\frac{14.930341170833\left(\alpha_0^{c_s}\right)^2\alpha_2^sr^3}{c_s^3}$$
$$+\frac{15.006163888297\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2r}{c_s}$$
$$+\frac{121.08586126937\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3r^2}{c_s^2}$$

$$+\frac{15.456758869991\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{7.8212238121398\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^5}{c_s^5}$$
$$-\frac{0.000244140625\alpha_3^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$-\frac{0.125\alpha_6^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.375\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.140625\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0341796875\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$-\frac{0.54052734375\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{1.6168598031015\alpha_0^s\alpha_1^{c_s} r^5}{c_s^5}$$
$$-\frac{13.246681635025\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^4}{c_s^4}$$
$$-\frac{0.065244100954277\left(\alpha_0^s\right)^7 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.75724388321833\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{3.7491651262951\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$-\frac{2.2394875446449\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{4.4850321146896\alpha_1^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$-\frac{4.7049024656217\left(\alpha_0^s\right)^3\alpha_3^{c_s} r}{c_s}$$
$$-\frac{10.339146348078\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2}{c_s^2}$$
$$-\frac{11.001103173563\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s} r^2}{c_s^2}$$
$$-\frac{11.197272853449\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r}{c_s}$$
$$-\frac{1.4121292935308\alpha_0^{c_s}\alpha_1^s r^5}{c_s^5}$$
$$-\frac{11.607760056455\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^2}{c_s^2}$$
$$-\frac{1.4734061275959\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s} r}{c_s}$$
$$-\frac{12.073455969581\left(\alpha_0^{c_s}\right)^3\alpha_3^s r}{c_s}$$
$$-\frac{26.296432524778\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2}{c_s^2}$$

$$- \frac{1.7733901443961 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{0.11189040120392 \left(\alpha_{0}^{s}\right)^{2} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$
$$- \frac{31.86080314228 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{8.068519509323 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{3} r}{c_{s}}$$
$$- \frac{2.0871567051784 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.0496651482817 \alpha_{0}^{s} \alpha_{1}^{s} r^{5}}{c_{s}^{5}}$$
$$- \frac{0.0020966358399435 \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)^{2}}{c_{s}^{6}}$$
$$- \frac{2.2843695385284 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{4.6393166739312 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.61616427546487 \alpha_{0}^{s} \alpha_{5}^{s} r}{c_{s}}$$
$$- \frac{2.4771339293142 \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{5.4034295500695 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.021164196648111 \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.044182253542082 \alpha_{2}^{s} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{47.324281612349 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{6.1087812576758 \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.10547078563903 \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{13.841809923869 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.8024814335223 \alpha_{0}^{s} \alpha_{5}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.94350439591129 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{c_{s}} r}{c_{s}}$$

$$- \frac{16.202813491373 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.015894571940104 \left(\alpha_{0}^{s}\right)^{3} r^{5} \log\left(c_{s}\right)^{3}}{c_{s}^{5}}$$
$$- \frac{34.154386842901 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{4.4309930101446 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r}{c_{s}}$$

$$- \frac{1.15796444591\alpha_0^{c_s}\alpha_5^{c_s}r}{c_s} - \frac{4.6706371720921\alpha_2^{c_s}\alpha_3^{s}r}{c_s}$$
$$- \frac{18.743138308883\left(\alpha_0^{s}\right)^{3}\alpha_1^{s}r^{3}}{c_s^{3}}$$
$$- \frac{0.0046228559331992\alpha_0^{s}r^{7}\log\left(c_s\right)}{c_s^{7}}$$
$$- \frac{4.9861850088163\alpha_1^{s}\alpha_2^{c_s}r^{3}}{c_s^{3}} - \frac{5.0501924536599\alpha_2^{s}\alpha_3^{c_s}r}{c_s}$$
$$- \frac{1.2941090751121\alpha_0^{c_s}\alpha_5^{s}r}{c_s}$$
$$- \frac{5.1993504732453\left(\alpha_0^{c_s}\right)^{5}\alpha_1^{s}r}{c_s}$$
$$- \frac{0.00063578287760417\alpha_2^{s}r^{5}\log\left(c_s\right)^{3}}{c_s^{5}}$$
$$- \frac{2.6475317332077\alpha_1^{s}\alpha_2^{s}r^{3}}{c_s^{3}}$$
$$- \frac{0.0026041666666667\alpha_5^{s}r^{2}\log\left(c_s\right)^{4}}{c_s^{2}}$$
$$- \frac{0.020833333333333\alpha_6^{s}r\log\left(c_s\right)^{3}}{c_s}$$
$$- \frac{0.020833333333333\left(\alpha_0^{s}\right)^{7}r\log\left(c_s\right)^{3}}{c_s}$$
$$- \frac{21.834476262622\alpha_1^{c_s}\left(\alpha_1^{s}\right)^{2}r^{2}}{c_s^{2}}$$
$$- \frac{1.3805669230387\alpha_1^{s}\alpha_4^{s}r}{c_s}$$
$$- \frac{11.608444073165\left(\alpha_0^{s}\right)^{2}\alpha_1^{c_s}r^{4}}{c_s^{4}}$$
$$- \frac{0.18229166666667\left(\alpha_0^{s}\right)^{4}r^{4}\log\left(c_s\right)^{3}}{c_s^{4}}$$
$$- \frac{47.29931057018\left(\alpha_0^{c_s}\right)^{3}\alpha_1^{c_s}r^{3}}{c_s^{3}}$$
$$- \frac{0.7556918108422\alpha_1^{c_s}\alpha_4^{c_s}r}{c_s} - \frac{1.5289756803498\alpha_0^{s}\alpha_3^{s}r^{3}}{c_s^{3}}$$
$$- \frac{3.088374616798\alpha_1^{c_s}\alpha_4^{s}r}{c_s} - \frac{3.1712256043293\alpha_0^{s}\alpha_3^{c_s}r^{3}}{c_s^{3}}$$
$$- \frac{50.916277011958\left(\alpha_0^{c_s}\right)^{4}\alpha_1^{s}r^{2}}{c_s^{2}}$$
$$- \frac{0.051913547397252\alpha_5^{s}r^{2}\log\left(c_s\right)^{2}}{c_s^{2}}$$
$$- \frac{0.83496561933704\left(\alpha_0^{s}\right)^{5}\alpha_1^{s}r}{c_s}$$
$$- \frac{1.7276736271957\left(\alpha_2^{s}\right)^{2}r^{2}\log\left(c_s\right)}{c_s^{2}}$$
$$- \frac{3.5605676587173\alpha_0^{c_s}\alpha_3^{c_s}r^{3}}{c_s^{3}}$$
$$- \frac{0.0069986979166667\alpha_4^{s}r^{3}\log\left(c_s\right)^{3}}{c_s^{3}}$$

$$
\begin{aligned}
&- \frac{7.2513766025917 \left(\alpha_0^s\right)^2 \alpha_1^s r^4}{c_s^4} \\
&- \frac{3.6310986009712 \left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)}{c_s^4} \\
&- \frac{29.722182618082 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{3.8488643697255 \alpha_1^s \alpha_4^{c_s} r}{c_s} - \frac{1.9358793917918 \alpha_2^s \alpha_3^s r}{c_s} \\
&- \frac{0.97227731175753 \left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)}{c_s^5} \\
&- \frac{1.9528034530067 \alpha_0^{c_s} \alpha_1^{c_s} r^5}{c_s^5} \\
&- \frac{0.24479166666667 \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.00390625 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^4}{c_s^4} \\
&+ \frac{0.015625 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.015625 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.015625 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.015625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.015625 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.375 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.15625 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0546875 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.109375 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.4375 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.4375 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0263671875 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3} \\
&+ \frac{0.2734375 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4} \\
&+ \frac{0.546875 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.546875 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{2.1875 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}
\end{aligned}
$$

$$+\frac{0.087890625\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.734375\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0791015625\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.8359375\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.1318359375\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.2041015625\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.10302734375\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.0095367431640625\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{1.810546875\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{2.287346293977\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.047299225947114\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.047299225947114\left(\alpha_0^s\right)^3\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{32.710142004631\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.17229922594711\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.26689767784134\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.26689767784134\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{81.342255008749\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{21.448993995275\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{45.131403991963\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{5.8741870735389\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4855117920869\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{13.159406854523\alpha_0^{c_s}\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{1.0371891632596\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.56761472060586\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+ \frac{0.035883158345252\alpha_1^{c_s}\alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+ \frac{1.3109602269289\left(\alpha_0^s\right)^4\alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{53.639890865421\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2}{c_s^2}$$
$$+ \frac{7.3777541260213\alpha_0^s\left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$

$$+ \frac{0.058832377095252\alpha_0^{c_s}\alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+ \frac{1.9437066135917\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{33.196509743454\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^3}{c_s^3}$$
$$+ \frac{0.73087387125098\alpha_0^s\alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$+ \frac{0.7778918724447\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+ \frac{0.97046673867656\left(\alpha_0^{c_s}\right)^4\alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{0.97046673867656\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{2.3683440805453\alpha_1^{c_s}\alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$+ \frac{2.5844883892067\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$+ \frac{12.940217264921\alpha_0^s\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+ \frac{3.3445455614335\alpha_2^s\alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$+ \frac{7.7328550642049\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$+ \frac{16.425563712197\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$+ \frac{65.74541190349\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+ \frac{0.51503239853261\alpha_0^{c_s}\alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$+ \frac{2.2475141489816\left(\alpha_1^{c_s}\right)^2\alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{2.2475141489816\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$+ \frac{0.60982219241342\alpha_0^s\alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$+ \frac{0.613413888573\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+ \frac{1.2557055991705\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r \log\left(c_s\right)}{c_s}$$

$$+\frac{0.32294842510727\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.327530293205\alpha_0^s\alpha_3^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{21.696377314439\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.101166727647\left(\alpha_1^{c_s}\right)^2\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{44.647816264883\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^sr^3}{c_s^3}$$
$$+\frac{2.8352740739136\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{5.7522994836017\left(\alpha_0^s\right)^2\alpha_1^sr^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.36074999115751\alpha_0^s\alpha_5^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.6887262376902\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s}r}{c_s}$$
$$+\frac{3.8202094794504\alpha_0^s\left(\alpha_2^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.897507710927\alpha_2^{c_s}\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{3.9439764911977\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.1553237315655\alpha_0^s\left(\alpha_1^s\right)^2r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.27629297855756\alpha_0^{c_s}\left(\alpha_0^s\right)^2r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{4.7412780427983\left(\alpha_0^{c_s}\right)^2\alpha_1^sr^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.1904460854791\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.4263344493635\alpha_1^s\alpha_2^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{19.575318694228\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{10.157165765854\alpha_0^{c_s}\left(\alpha_0^s\right)^4r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{41.548471588379\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^sr}{c_s}$$
$$+\frac{1.3411481802736\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{86.024005584334\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{5.4470368262232\alpha_0^s\alpha_1^s\alpha_3^sr}{c_s}$$
$$+\frac{22.000057340758\alpha_0^{c_s}\alpha_0^s\alpha_2^sr^3}{c_s^3}$$

$$+\frac{5.5083980109557\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{46.416168004781\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{23.742544787325\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{12.538341071496\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.20095828385524\alpha_0^{c_s}\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{3.2153325416839\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.6656048141581\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.8731346923418\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{14.404113923112\alpha_0^s\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.22523101117468\left(\alpha_0^{c_s}\right)^3\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{15.157229920671\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.167373100284\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r}{c_s}$$
$$+\frac{1.9847558971257\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{8.0358221286421\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{16.377283754452\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{16.453977631147\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{16.750161562271\alpha_0^s\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{16.854963568914\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.13271423575785\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{136.03500112836\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{17.070189849163\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.3040643501639\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.26971395748157\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{34.579297391127\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$

$$+\frac{17.337548543965\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.690822571652\left(\alpha_0^{c_s}\right)^3\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{34.780611557617\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{2.248539956157\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.56499175835603\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.5741037348607\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.3003770986574\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0091145833333333\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.072916666666667\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.072916666666667\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.14583333333333\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{0.14583333333333\alpha_0^s\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{18.902181226012\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{76.390826297246\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{4.7950678185705\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{4.8020988647039\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{2.4730563846109\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{80.30483127493\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{1.2622310659043\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.31888359060778\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{82.850057099823\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{5.1873203270962\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.66258325965537\alpha_0^s\alpha_3^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.16662751301962\left(\alpha_0^s\right)^2\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{0.0052083333333333\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{21.616074629\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{0.33807394099091\alpha_0^s\alpha_1^{c_s} r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{2.7334165399115\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.405267688428\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8333333333333\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{5.6748351671206\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.8396790979957\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{45.468588117992\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.71141170731087\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.8456468292435\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{22.880228883957\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s} r}{c_s}$$
$$+\frac{2.8700480383984\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4438553827849\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.18229166666667\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.36458333333333\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.72916666666667\alpha_2^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.72916666666667\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.459738851267\left(\alpha_0^{c_s}\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.9337387125098\alpha_2^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.18356434450801\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{23.528015347915\alpha_1^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{24.329771236758\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$

$$+\frac{3.0730488224852\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{12.292195289941\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{6.1642879733471\alpha_0^{c_s}\alpha_0^s\alpha_4^s r}{c_s}$$
$$+\frac{12.994698445064\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{6.5781390816415\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.2941625300387\left(\alpha_0^s\right)^3\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.4770290151238\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{14.343405612087\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{14.537170334241\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.22780402727446\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{29.183884329233\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.8546256876702\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.93014026464233\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{120.85823041059\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{1.9043693562549\alpha_1^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9050809010702\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.029947916666667\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.9769940448247\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.9897053400048\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.015625\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.015625\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.03125\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0029296875\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$

$$- \frac{0.0234375 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.109375 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.109375 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.4375 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0146484375 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.029296875 \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.234375 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.546875 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.1875 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.1875 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14453125 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.609375 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.263671875 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{4.28125 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.90966796875 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.14189767784134 \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.17229922594711 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.32939767784134 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.32939767784134 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{10.623428137137 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{50.194489593759 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$

$$- \frac{0.12964864540745 \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.55069303352403 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{10.09950678112 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.67569303352403 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{46.008166558187 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{24.592014399009 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r}{c_s}$$
$$- \frac{1.7229922594711 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.7871891632596 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{147.72941224971 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.2055135800677 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.60739116609368 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.076954635474829 \left(\alpha_0^{c_s}\right)^6 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.5638770630106 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.73227370515254 \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.73227370515254 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{25.492893672906 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.6182837448894 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.10471978753576 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{2.483865705998 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.3220560373399 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.0506877923487 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{7.2140871017812 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{261.07571894615 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{2.2984421043879 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.598334188035 \alpha_0^s \alpha_4^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.6142484553417 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{5.367589466396 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.6914289492821 \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{22.202333455293 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{11.201715574019 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.4176370369568 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{23.284056978266 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{47.037324855903 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{188.82167015916 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{54.522664517193 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{220.19533786365 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{28.254233793598 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{28.788861243767 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}$$
$$- \frac{116.82046036669 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^3}{c_s^3}$$
$$- \frac{1.8692277878667 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.9101047397252 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.97132050590725 \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{65.893892801149 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{1.0488038466557 \alpha_0^{c_s} \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.52949139385727 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{4.2490431074254 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{4.6157059108364 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{37.650039199474 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$

$$- \frac{18.925882241283 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{18.965112171193 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.2015418958901 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.2089737898992 \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.0351500609997 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{41.156558641787 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{10.609218246596 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r}{c_s}$$
$$- \frac{169.81322958978 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{42.618229821464 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{85.525499102562 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3}{c_s^3}$$
$$- \frac{5.3683757571926 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{11.559920669238 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{23.636778628067 \alpha_0^{c_s} \alpha_0^s \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{0.18638062414823 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.74552249659293 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{47.851027601122 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{12.11424084081 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{97.031211706403 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{1.5737779918774 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{1.5983559395235 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.40662702238542 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.6656048141581 \left(\alpha_0^s\right)^2 \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{26.867590523324 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{0.052507559280447 \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.21003023712179 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{6.9325566397257 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.055258595711511 \alpha_0^{c_s} \alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{7.2020462840805 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.22523101117468 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{15.067582783243 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.9424780878218 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{7.5978803659804 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.12021589261378 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{15.766668698063 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2}{c_s^2}$$
$$- \frac{0.49618897428141 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{32.037747856499 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{8.0878002039529 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.50801148814198 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{16.335385878746 \alpha_0^s \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{32.907955262293 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{65.949469796285 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{33.038820699018 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.12943041458753 \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{16.603528043563 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r}{c_s}$$
$$- \frac{33.488309328657 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.016355584031751 \alpha_0^{c_s} \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.26168934450801 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^3}{c_s^4}$$

$$
- \frac{8.4133427159559 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s}
- \frac{0.53085694303141 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4 \log\left(c_s\right)^2}{c_s^4}
- \frac{1.0640922518624 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}
- \frac{17.170223355941 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{2.1520321750819 \alpha_1^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
- \frac{2.1577116598525 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{2.1627796076988 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{8.7114183166094 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}
- \frac{1.0905837917801 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
- \frac{35.216907745854 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r}{c_s}
- \frac{0.55208333333333 \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{141.3356375469 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3}
- \frac{0.55414160443643 \alpha_0^s \alpha_2^{c_s} r^4 \log\left(c_s\right)}{c_s^4}
- \frac{35.924986701706 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r}{c_s}
- \frac{4.5715835447462 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s}
- \frac{1.1501885493287 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{0.14385226046225 \alpha_0^{c_s} \alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}
- \frac{1.154727777479 \alpha_0^s \left(\alpha_2^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}
- \frac{18.568614205917 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r}{c_s}
- \frac{9.3326987690427 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r}{c_s}
- \frac{0.0091145833333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{0.036458333333333 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^4}{c_s}
- \frac{9.4881337599963 \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{1.200524716176 \alpha_1^{c_s} \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}
$$

$$- \frac{0.15104166666667 \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.2388010113007 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.9212304313373 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{9.9483576869351 \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{39.890337412321 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{20.461421595607 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4}{c_s^4}$$
$$- \frac{2.5751619926631 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{42.453281836198 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.16662751301962 \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0052083333333333 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.041666666666667 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{42.689137071712 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{5.350539031452 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{42.952431090596 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{10.944812665467 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{5.7152427032107 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{22.952209822684 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{45.904710612886 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{0.045572916666667 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.18229166666667 \alpha_2^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.18229166666667 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.72916666666667 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.4583333333333 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{1.459738851267 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.18356434450801 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{23.635258609831 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.36979166666667 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{6.0003047609539 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{3} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{49.131851263357 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{12.389034207023 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{12.486295049233 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{3.1420899004122 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{1.5760620651767 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$

$$- \frac{1.5884741815718 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{12.866595614791 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{0.204471296191 \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{6.5605176675212 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{13.255892900063 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.41530837917801 \alpha_{0}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{7.0146178742227 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{3.51534396509 \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{57.919557600858 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{0.45560805454892 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{3.6644110968749 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.8343273205988 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.47211590082505 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{30.649642188027 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$

$$
- \frac{1.9166666666667 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{0.96600547490636 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{123.65098576076 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3}{c_s^3}
$$

$$
- \frac{7.8030128018755 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{1.9655837917801 \alpha_2^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}
$$

$$
- \frac{63.348273744999 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3}
$$

$$
+ \frac{0.015625 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.125 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}
$$

$$
+ \frac{0.09375 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.078125 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.15625 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.15625 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.15625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.3125 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.03515625 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}
$$

$$
+ \frac{0.234375 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.234375 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.546875 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}
$$

$$
+ \frac{0.546875 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{4.375 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.703125 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.14189767784134 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}
$$

$$+\frac{0.31504535568268\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.42569303352403\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{7.8774362791432\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.0371891632596\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.1013860670481\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.29139574270913\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.1655829708365\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.61319303352403\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.3513860670481\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.19626700838101\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{3.5777721340961\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1182837448894\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.6689767784134\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{5.7638612623624\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{3.1216855319755\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.1216855319755\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.4731349795576\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.6469883892067\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.2939767784134\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.2939767784134\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.8395791005721\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.5659860291161\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.1680926464976\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{19.536928429616\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{2.5844883892067\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.5844883892067\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{46.105558971743\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.188285525609\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{50.732921820774\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{27.775184091118\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{231.76628399015\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{4.0034651676201\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{16.863900286893\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.1968211154576\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1881148878051\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.2660325285376\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{22.554554719686\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.615224422146\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{11.729006778244\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{48.549103697462\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{49.191233535148\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.812179043725\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{16.045906693665\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{65.025823594607\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.1070916662185\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.2490431074254\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{4.4382967251885\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{18.051297314256\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{9.1715767967298\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{20.793360992279\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{5.2432472125918\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{10.755281999685\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{97.189367996561\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{100.28991650817\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{12.798946193029\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.2060453025497\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{25.773852823526\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.9165270668905\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{29.255461497574\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.9424780878218\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{30.780492667285\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{16.166403940833\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{66.717509864214\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{17.265090188972\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.1037751301962\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.8445680415413\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{9.0040783755784\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{145.56124402526\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{2.3021190133549\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.072916666666667\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{4.69691008228\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{38.065291754608\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{19.234312620033\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.2287751301962\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{20.286580830243\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.2912751301962\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{167.02045641872\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{21.257105744126\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.020833333333333\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.020833333333333\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{86.103637709847\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{22.194948864644\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.7081375650981\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.7857932712305\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.8958333333333\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.36458333333333\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{23.354369649987\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{94.100765766759\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{47.348572536558\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{24.174774280519\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.08842323191\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.1274301940373\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.1769483631436\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{26.034392656129\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{26.302489700385\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{13.178724319326\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{26.479070027761\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.683803657696\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{27.472885902749\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{27.7657914319\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.7494126952943\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{14.003856211609\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{113.62621092774\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{14.712464722621\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{29.99622215499\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.254609919869\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.015625\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.03125\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.03125\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.046875\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.078125\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.15625\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.15625\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.15625\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.21875\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.234375\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.234375\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.234375\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{1.09375\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{2.1875\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.158203125\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.18919690378846\alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.18919690378846\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14189767784134\alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.0337953556827\alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.61319303352403\alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.4459845189423\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{66.684945669984 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{34.183716244558 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.8112806103084\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.3344883892067\alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.6689767784134\alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.6689767784134 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.1115674897788 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{3.2939767784134 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{16.183034565821\alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{20.588252811225\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.5844883892067\alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.70598852514302\alpha_0^{c_s} \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{6.8041582011442\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{7.2278699956807\alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{14.908599752858\alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{34.007267678512\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{74.9649414605\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{4.9409651676201 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{20.155244704455 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{5.1589143650113 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.1589143650113 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.32294842510727 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{5.2099597813588 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{21.572831995093 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.9114002160297 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{58.083939949874 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{15.33349199059 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{7.7534651676201 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{31.624358087449 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{16.26828929269 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.1408870219012 \alpha_0^s \alpha_1^{c_s} \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{69.866695157509 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{8.876593450377 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.5701717470697 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{19.570215860849 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.9328706215108 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.755281999685 \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.3469092355797 \alpha_0^{c_s} \alpha_0^s \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.4031146586364 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{11.238712230131 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{49.715027711287 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{12.798946193029 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{1.6030226512749 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{26.097001485341 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.7425424469449 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.9070922214571 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.9165270668905 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.9009240446987 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{7.8768571719844 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{16.016456045499 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{8.3759574616751 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{16.932268645455 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.2684702438652 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.1577116598525 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{17.265090188972 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.6448434541435 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{69.742923744036 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.3738239787259 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{17.495295914904 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.1037751301962 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.56770833333333 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{18.182565994714 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{18.438292934911 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.4114994062629 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{19.47035356715 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.8183953616574 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.2287751301962 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{79.461013911287\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$- \frac{10.09807314849\alpha_0^s\alpha_1^s\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{5.0514109730879\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{40.494591794869\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{20.283482886201\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.2912751301962\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.533196769851\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.041666666666667\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{44.804541964937\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.7081375650981\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.091145833333333\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.18229166666667\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.72916666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{46.676607096297\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s}$$
$$- \frac{46.958849012277\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.73425737803204\alpha_0^s\alpha_2^{c_s}\alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{47.050382883379\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{12.154998094376\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{25.053712507924\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{51.372265919509\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{12.994698445064\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{6.5792050866236\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{13.178724319326\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{13.482413892444\alpha_0^s\alpha_1^{c_s}\alpha_3^s r \log\left(c_s\right)}{c_s}$$

$$
- \frac{13.735173574273 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
- \frac{1.7494126952943 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
- \frac{3.6657307304634 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{14.707067627279 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{15.099223284946 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{1.9242741322273 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{15.663166775309 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{0.09375 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.56759071136537 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{2.4527721340961 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{10.337953556827 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{5.9080038194127 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{26.242943872355 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
$$

$$
+ \frac{15.476743095034 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{66.123502180603 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{44.322735007416 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{61.739979054703 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{31.293046119386 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
- \frac{0.0625 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
- \frac{0.9375 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
- \frac{0.85138606704805 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{82.720955896615 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{1.7483744562548 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{3.6791582011442 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{9.3650565959265 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}
$$

$$- \frac{131.21274714922\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$- \frac{34.97882299137\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$- \frac{97.690445357646\alpha_0^{c_s}(\alpha_0^s)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$- \frac{20.906413987901\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^2}{c_s}$$

Absolute order 9.

$$\begin{aligned}
R_{3,9} = &- \frac{0.00077806890581001r^9}{c_s^9} + \frac{0.125\alpha_7^s r}{c_s} \\
&+ \frac{0.41661730976056\alpha_5^{c_s}r^3}{c_s^3} + \frac{0.06358704244356\alpha_1^s r^7}{c_s^7} \\
&+ \frac{0.092987888503312\alpha_1^{c_s}r^7}{c_s^7} + \frac{0.28267052509147\alpha_3^{c_s}r^5}{c_s^5} \\
&+ \frac{9.5157792367703(\alpha_1^s)^3 r^3}{c_s^3} + \frac{0.15020868322051\alpha_3^s r^5}{c_s^5} \\
&+ \frac{5.3820131651193(\alpha_3^{c_s})^2 r}{c_s} + \frac{0.17525234851113\alpha_5^s r^3}{c_s^3} \\
&+ \frac{24.217311742437(\alpha_1^{c_s})^3 r^3}{c_s^3} + \frac{0.38489206166781\alpha_7^{c_s} r}{c_s} \\
&- \frac{5.1137046143299(\alpha_0^{c_s})^3 r^6}{c_s^6} \\
&- \frac{2.6786068018394(\alpha_0^s)^3 r^6}{c_s^6} \\
&- \frac{0.024142070510297(\alpha_0^{c_s})^8 r}{c_s} - \frac{2.4869134686556(\alpha_1^s)^4 r}{c_s} \\
&- \frac{1.1877542095598(\alpha_3^s)^2 r}{c_s} - \frac{0.15572253060722\alpha_6^s r^2}{c_s^2} \\
&- \frac{0.3697047171187\alpha_4^{c_s}r^4}{c_s^4} - \frac{1.5189127765673(\alpha_1^s)^2 r^5}{c_s^5} \\
&- \frac{17.933550190782(\alpha_0^s)^5 r^4}{c_s^4} \\
&- \frac{37.592911762091(\alpha_0^{c_s})^6 r^3}{c_s^3} \\
&- \frac{0.020902477635746(\alpha_0^s)^8 r}{c_s} - \frac{0.18182707059208\alpha_2^{c_s}r^6}{c_s^6} \\
&- \frac{13.339047064301(\alpha_0^s)^6 r^3}{c_s^3} - \frac{0.41847273310284\alpha_6^{c_s}r^2}{c_s^2} \\
&- \frac{0.034302713800721\alpha_0^{c_s}r^8}{c_s^8} - \frac{4.6582189591031(\alpha_1^{c_s})^4 r}{c_s} \\
&- \frac{0.59490919008808(\alpha_0^{c_s})^2 r^7}{c_s^7} \\
&- \frac{9.8616620914994(\alpha_0^s)^4 r^5}{c_s^5} \\
&- \frac{2.4713378521286(\alpha_0^s)^7 r^2}{c_s^2}
\end{aligned}$$

$$
\begin{aligned}
&- \frac{2.6843690618889\left(\alpha_2^s\right)^2 r^3}{c_s^3} - \frac{0.17465185173482\alpha_4^s r^4}{c_s^4} \\
&- \frac{22.507920440468\left(\alpha_0^{c_s}\right)^4 r^5}{c_s^5} \\
&- \frac{47.075353267397\left(\alpha_0^{c_s}\right)^5 r^4}{c_s^4} \\
&- \frac{0.38149897445917\left(\alpha_0^s\right)^2 r^7}{c_s^7} \\
&- \frac{6.1303075291552\left(\alpha_2^{c_s}\right)^2 r^3}{c_s^3} \\
&- \frac{3.1277564725594\left(\alpha_1^{c_s}\right)^2 r^5}{c_s^5} \\
&- \frac{6.3984116395319\left(\alpha_0^{c_s}\right)^7 r^2}{c_s^2} - \frac{0.10897896751649\alpha_2^s r^6}{c_s^6} \\
&- \frac{0.02733787086542\alpha_0^s r^8}{c_s^8} + \frac{0.0625\alpha_7^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.005859375\left(\alpha_2^s\right)^2 r^3 \log\left(c_s\right)^5}{c_s^3} \\
&+ \frac{0.109375\left(\alpha_1^s\right)^4 r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.2274169921875\left(\alpha_1^s\right)^3 r^3 \log\left(c_s\right)^4}{c_s^3} \\
&+ \frac{224.54048220108\left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^3}{c_s^3} \\
&+ \frac{53.199979185089\left(\alpha_0^s\right)^5 \alpha_1^{c_s} r^2}{c_s^2} \\
&+ \frac{29.092042968004\left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^5}{c_s^5} \\
&+ \frac{17.447784707549\left(\alpha_0^s\right)^5 r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.038536574146577\left(\alpha_0^s\right)^8 r \log\left(c_s\right)}{c_s} \\
&+ \frac{9.6482197902839\left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r}{c_s} \\
&+ \frac{0.32377350196908\left(\alpha_2^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{6.0391332660053\alpha_1^{c_s} \alpha_4^s r^2}{c_s^2} + \frac{1.5394198894557\alpha_0^s \alpha_1^s r^6}{c_s^6} \\
&+ \frac{1.5872109884307\left(\alpha_0^s\right)^3 r^6 \log\left(c_s\right)}{c_s^6} \\
&+ \frac{53.669349072164\left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^3 r}{c_s} \\
&+ \frac{0.0070547322160369\alpha_4^s r^4 \log\left(c_s\right)^3}{c_s^4} \\
&+ \frac{14.563732482035\left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^3 r}{c_s} \\
&+ \frac{4.0973946086831\left(\alpha_0^s\right)^2 \alpha_5^{c_s} r}{c_s}
\end{aligned}
$$

$$+\frac{69.990549482593\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.017134729863002\left(\alpha_0^s\right)^8 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{18.560962672119\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{4.7653917316278\alpha_0^s\alpha_3^{c_s}r^4}{c_s^4}+\frac{2.4542491246068\alpha_0^s\alpha_3^s r^4}{c_s^4}$$
$$+\frac{79.56877912131\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^4}{c_s^4}$$
$$+\frac{21.622212384731\left(\alpha_1^{c_s}\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{0.043143471529177\left(\alpha_1^s\right)^2 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{1.3890360364892\alpha_1^{c_s}\alpha_5^{c_s}r}{c_s}$$
$$+\frac{11.804717477222\left(\alpha_0^s\right)^2\alpha_3^s r^3}{c_s^3}$$
$$+\frac{5.9081944910843\left(\alpha_0^{c_s}\right)^2\alpha_5^s r}{c_s}$$
$$+\frac{23.986035746429\left(\alpha_0^s\right)^2\alpha_3^{c_s}r^3}{c_s^3}$$
$$+\frac{114.21420850309\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^4}{c_s^4}$$
$$+\frac{0.029166666666667\left(\alpha_0^s\right)^7 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{2.0211984172488\alpha_0^{c_s}\alpha_1^s r^6}{c_s^6}$$
$$+\frac{8.1039200663471\alpha_1^s\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.0496651482817\left(\alpha_1^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{67.438093605351\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.00052083333333333\alpha_6^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.0010416666666667\left(\alpha_0^s\right)^8 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{69.400756140147\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r^2}{c_s^2}$$
$$+\frac{0.017304515799084\alpha_6^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{72.21470484842\left(\alpha_0^s\right)^4\alpha_1^s r^3}{c_s^3}$$
$$+\frac{36.984800538528\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{2.3905174692913\alpha_0^{c_s}\alpha_5^s r^2}{c_s^2}$$

$$+\frac{5.0605441780007\left(\alpha_0^s\right)^4\alpha_3^{c_s}r}{c_s}$$
$$+\frac{20.567986009856\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^5}{c_s^5}$$
$$+\frac{10.299547475221\alpha_2^s\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{0.65519459726005\left(\alpha_3^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4028073758501\left(\alpha_0^s\right)^2\alpha_5^sr}{c_s}$$
$$+\frac{0.0054825618996838\alpha_0^sr^8\log\left(c_s\right)}{c_s^8}$$
$$+\frac{0.022091126771041\alpha_3^sr^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.00069887861331449\alpha_2^sr^6\log\left(c_s\right)^3}{c_s^6}$$
$$+\frac{93.981346829645\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3r^2}{c_s^2}$$
$$+\frac{0.0474609375\left(\alpha_0^s\right)^6r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{48.742748399141\alpha_1^{c_s}\left(\alpha_1^s\right)^2r^3}{c_s^3}$$
$$+\frac{198.03219941783\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{1.5954135191776\left(\alpha_0^s\right)^5r^4\log\left(c_s\right)^3}{c_s^4}$$

$$+\frac{0.80190544716252\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s}r}{c_s}$$
$$+\frac{0.025159630079322\left(\alpha_0^s\right)^3r^6\log\left(c_s\right)^3}{c_s^6}$$
$$+\frac{0.05080989468861\alpha_2^sr^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{3.2619032889355\alpha_1^s\alpha_4^sr^2}{c_s^2}$$
$$+\frac{13.367356356375\left(\alpha_0^s\right)^2\alpha_1^sr^5}{c_s^5}$$
$$+\frac{0.052735392819515\alpha_5^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{3.4766557813548\alpha_0^{c_s}\alpha_3^sr^4}{c_s^4}$$
$$+\frac{3.5025319195293\left(\alpha_0^s\right)^7r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{28.4191527296\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^3r}{c_s}$$
$$+\frac{3.6438009060258\left(\alpha_0^{c_s}\right)^6\alpha_1^sr}{c_s}$$
$$+\frac{121.59984595688\left(\alpha_0^{c_s}\right)^5\alpha_1^sr^2}{c_s^2}$$

$$+\frac{1.9057413958323\left(\alpha_0^s\right)^4\alpha_3^s r}{c_s}$$
$$+\frac{7.726335592655\left(\alpha_0^s\right)^4 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{15.732895949371\left(\alpha_0^s\right)^3\alpha_3^s r^2}{c_s^2}$$
$$+\frac{2.0712757050295\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s} r}{c_s}$$
$$+\frac{4.1955896290722\alpha_1^s\alpha_2^s r^4}{c_s^4}$$
$$+\frac{34.568043254723\left(\alpha_0^s\right)^3\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{4.3232680001297\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{8.6975831128541\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{4.4309930101446\left(\alpha_1^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.13952053443311\alpha_6^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.3009747671137\alpha_0^s\alpha_1^{c_s} r^6}{c_s^6}$$
$$+\frac{0.036458333333333\left(\alpha_3^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{4.7106441588735\alpha_2^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{2.3594858834324\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{9.4570947703799\alpha_1^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.0023114279665996\alpha_1^s r^7\log\left(c_s\right)^2}{c_s^7}$$
$$+\frac{9.5423008476348\alpha_2^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{19.316553703868\left(\alpha_0^{c_s}\right)^4\alpha_3^s r}{c_s}$$
$$+\frac{0.60426087709863\left(\alpha_0^s\right)^6\alpha_1^s r}{c_s}$$
$$+\frac{0.15192652004608\left(\alpha_0^s\right)^2 r^7\log\left(c_s\right)}{c_s^7}$$
$$+\frac{38.920069106575\alpha_0^s\left(\alpha_1^s\right)^3 r^2}{c_s^2}$$
$$+\frac{4.9606152156686\left(\alpha_1^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.00015894571940104\alpha_3^s r^5\log\left(c_s\right)^4}{c_s^5}$$
$$+\frac{2.6475317332077\left(\alpha_2^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{0.0052083333333333\alpha_7^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.68780862473272\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s}r}{c_s}$$
$$+\frac{5.5055306179341\alpha_0^{c_s}\alpha_3^{c_s}r^4}{c_s^4}$$
$$+\frac{2.7771465692283\alpha_0^{c_s}\alpha_1^{c_s}r^6}{c_s^6}$$
$$+\frac{1.4322862272868\alpha_0^s\alpha_5^s r^2}{c_s^2}$$
$$+\frac{0.35952892940981\left(\alpha_0^s\right)^4 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{23.149234464219\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^5}{c_s^5}$$
$$+\frac{6.0326847252929\left(\alpha_1^s\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{1.5456822981228\left(\alpha_0^s\right)^6\alpha_1^{c_s}r}{c_s}$$
$$+\frac{49.631939118393\left(\alpha_0^s\right)^3\alpha_1^s r^4}{c_s^4}$$
$$+\frac{24.937853055518\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^3}{c_s^3}$$
$$+\frac{4.8828125\cdot10^{-5}\alpha_4^s r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{0.0125\left(\alpha_0^s\right)^5 r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{6.4118349001314\alpha_1^{c_s}\alpha_4^{c_s}r^2}{c_s^2}$$
$$+\frac{0.82654189589007\left(\alpha_0^s\right)^7 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{107.51285694192\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2}$$
$$+\frac{6.7266505706886\alpha_1^{c_s}\alpha_2^s r^4}{c_s^4}$$
$$+\frac{3.4247561041875\alpha_0^{c_s}\alpha_5^{c_s}r^2}{c_s^2}$$
$$+\frac{27.575781873901\left(\alpha_0^s\right)^5\alpha_1^s r^2}{c_s^2}$$
$$+\frac{56.35691051713\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.0017496744791667\alpha_5^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.6141780975658\alpha_0^s\alpha_5^{c_s}r^2}{c_s^2}+\frac{7.2596928875242\alpha_2^{c_s}\alpha_4^{c_s}r}{c_s}$$
$$+\frac{29.493001441064\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}r^3}{c_s^3}$$
$$+\frac{1.8546256876702\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{7.4453993185161\alpha_1^s\alpha_2^{c_s}r^4}{c_s^4}$$
$$+\frac{7.4740282968277\alpha_1^s\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{7.6824967751622\alpha_1^s\alpha_4^{c_s}r^2}{c_s^2}$$
$$+\frac{0.12024763108045\alpha_4^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{123.47739987673\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{1.9358793917918\left(\alpha_3^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.608776360849\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{125.49913544322\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}r^4}{c_s^4}$$
$$+\frac{7.8914745868401\alpha_2^{c_s}\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{15.905071271487\left(\alpha_1^s\right)^2\alpha_3^{c_s}r}{c_s}$$
$$-\frac{0.125\alpha_7^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.1875\left(\alpha_0^s\right)^7 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0263671875\left(\alpha_1^s\right)^3 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$-\frac{0.546875\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.051025390625\left(\alpha_2^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{0.0023841857910156\left(\alpha_1^s\right)^2 r^5\log\left(c_s\right)^4}{c_s^5}$$
$$-\frac{0.4053955078125\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{28.115822314907\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^4}{c_s^4}$$
$$-\frac{3.6301389212982\left(\alpha_0^{c_s}\right)^6\left(\alpha_0^s\right)^2 r}{c_s}$$
$$-\frac{3.6888770630106\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{739.99163748858\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^3}{c_s^3}$$

$$-\frac{437.84959094915\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^3}{c_s^3}$$
$$-\frac{0.061304616953186\alpha_6^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.032622050477138\left(\alpha_0^s\right)^8 r\log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.62078024485779 \alpha_{0}^{s} \alpha_{6}^{s} r}{c_{s}}$$
$$- \frac{1.3851079105218 \left(\alpha_{1}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{45.02726097168 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{4}}{c_{s}^{4}}$$
$$- \frac{14.447373861407 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.482463900476 \left(\alpha_{0}^{c_{s}}\right)^{7} \alpha_{0}^{s} r}{c_{s}}$$
$$- \frac{33.041925065314 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{70.0490629279 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{2.2394875446449 \left(\alpha_{0}^{s}\right)^{7} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{18.296489706384 \left(\alpha_{0}^{s}\right)^{4} \left(\alpha_{1}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.30491109620671 \left(\alpha_{1}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{0.038356046080514 \alpha_{4}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.021703788578011 \alpha_{1}^{s} r^{7} \log\left(c_{s}\right)}{c_{s}^{7}}$$
$$- \frac{98.410936274825 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{6.8903651447945 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.44241571618603 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{7} r}{c_{s}}$$
$$- \frac{64.25413352119 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{0}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{8.1051443251042 \left(\alpha_{0}^{s}\right)^{6} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{4.1614396248055 \alpha_{1}^{s} \alpha_{5}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.0010416666666667 \alpha_{7}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{17.598443252453 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{4} r}{c_{s}}$$
$$- \frac{2.2151677365237 \alpha_{0}^{s} \alpha_{2}^{s} r^{5}}{c_{s}^{5}}$$
$$- \frac{35.820590872655 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$- \frac{4.505499209946 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} r^{5}}{c_{s}^{5}}$$
$$- \frac{4.6768197754514 \left(\alpha_{0}^{s}\right)^{4} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$

$$- \frac{4.677825600987 \alpha_1^{c_s} \alpha_1^s r^5}{c_s^5}$$
$$- \frac{4.7254289458673 \alpha_0^s \alpha_4^{c_s} r^3}{c_s^3}$$
$$- \frac{1.2131672246817 \left(\alpha_2^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.4306932793938 \left(\alpha_0^s\right)^4 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{78.451840902511 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$- \frac{10.176804101055 \left(\alpha_1^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{20.710877845769 \alpha_0^s \left(\alpha_1^s\right)^2 r^4}{c_s^4}$$
$$- \frac{10.557652394612 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^6}{c_s^6}$$
$$- \frac{5.4704282669754 \left(\alpha_0^s\right)^3 \alpha_4^{c_s} r}{c_s}$$
$$- \frac{1.4263320561407 \alpha_1^s \alpha_5^s r}{c_s}$$
$$- \frac{0.0028762314352785 \alpha_3^s r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$- \frac{6.155064381069 \alpha_3^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{49.961253366145 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{25.065165417829 \alpha_1^{c_s} \left(\alpha_1^s\right)^3 r}{c_s}$$
$$- \frac{3.1948198742863 \alpha_1^{c_s} \alpha_5^s r}{c_s}$$
$$- \frac{26.549050583999 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^4}{c_s^4}$$
$$- \frac{53.477519713019 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{3.3508823335799 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^6 r}{c_s}$$
$$- \frac{3.3608172757601 \left(\alpha_0^s\right)^5 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.87353574758361 \alpha_0^{c_s} \alpha_6^{c_s} r}{c_s}$$
$$- \frac{28.642081869767 \left(\alpha_1^{c_s}\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{14.52944963451 \left(\alpha_0^{c_s}\right)^3 \alpha_4^s r}{c_s}$$
$$- \frac{234.09827863141 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$- \frac{7.3372852290981 \alpha_1^{c_s} \alpha_3^s r^3}{c_s^3}$$

$$- \frac{59.583953061273 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.97679266433782 \alpha_{0}^{c_{s}} \alpha_{0}^{s} r^{7}}{c_{s}^{7}}$$
$$- \frac{31.401456110738 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{6} r^{2}}{c_{s}^{2}}$$
$$- \frac{128.35238880468 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.016179995766197 \left(\alpha_{0}^{s}\right)^{2} r^{7} \log\left(c_{s}\right)^{2}}{c_{s}^{7}}$$
$$- \frac{2.1183060208428 \alpha_{2}^{s} \alpha_{4}^{s} r}{c_{s}} - \frac{2.1443384104247 \alpha_{0}^{s} \alpha_{4}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{4.3219288525125 \alpha_{1}^{s} \alpha_{3}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{35.033278320088 \alpha_{0}^{s} \left(\alpha_{2}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{280.54658189344 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{8.7853414773504 \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.13887279321988 \alpha_{5}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{73.243320022063 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{149.80439912414 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r^{2}}{c_{s}^{2}}$$
$$- \frac{37.486758705034 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.0093242001003267 \alpha_{2}^{s} r^{6} \log\left(c_{s}\right)^{2}}{c_{s}^{6}}$$
$$- \frac{38.971080993678 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{2}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{628.08867338153 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{2} r^{3}}{c_{s}^{3}}$$
$$- \frac{10.032318536478 \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{10.044840529026 \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{1.2666738282114 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.01986821492513 \left(\alpha_{0}^{s}\right)^{4} r^{5} \log\left(c_{s}\right)^{4}}{c_{s}^{5}}$$
$$- \frac{81.403998317237 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} r^{5}}{c_{s}^{5}}$$
$$- \frac{5.1003031547589 \alpha_{2}^{c_{s}} \alpha_{4}^{s} r}{c_{s}} - \frac{5.1568112472453 \alpha_{0}^{c_{s}} \alpha_{4}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{1.3053459408178 \alpha_{0}^{c_{s}} \alpha_{6}^{s} r}{c_{s}}$$

$$- \frac{1.3089551224142 \left(\alpha_0^s\right)^5 \alpha_2^s r}{c_s}$$
$$- \frac{340.06600758629 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$- \frac{170.06309886022 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$- \frac{0.0052083333333333 \left(\alpha_0^s\right)^8 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.020833333333333 \alpha_7^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{341.99213242217 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$- \frac{0.33567120361176 \left(\alpha_0^s\right)^3 r^6 \log\left(c_s\right)^2}{c_s^6}$$
$$- \frac{22.035682750882 \left(\alpha_1^s\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.087120557839057 \alpha_3^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{45.072657328494 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{11.298741488917 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^5 r}{c_s}$$
$$- \frac{181.65302773021 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{185.6088439578 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$- \frac{0.00071207682291667 \alpha_4^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.18229166666667 \left(\alpha_3^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.18229166666667 \left(\alpha_0^s\right)^5 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{5.8662759069167 \alpha_2^s \alpha_4^{c_s} r}{c_s}$$
$$- \frac{1.4668693562549 \left(\alpha_3^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.8959084967804 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{3.0038478856226 \alpha_0^{c_s} \alpha_2^s r^5}{c_s^5}$$
$$- \frac{12.247169022928 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^3 r}{c_s}$$
$$- \frac{6.1322897063433 \left(\alpha_0^s\right)^2 \alpha_4^s r^2}{c_s^2}$$
$$- \frac{398.08940635662 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$- \frac{50.068176361807 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4}$$

$$- \frac{12.568904389536 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.012282532411527 \alpha_{5}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{202.58286920071 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{101.40832314023 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.0001953125 \alpha_{5}^{s} r^{3} \log\left(c_{s}\right)^{5}}{c_{s}^{3}}$$
$$- \frac{102.65249045593 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{5}}{c_{s}^{5}}$$
$$- \frac{3.2296290558829 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{414.39834143762 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} r^{4}}{c_{s}^{4}}$$
$$- \frac{208.05088059275 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{3}}{c_{s}^{3}}$$
$$- \frac{26.018233363777 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.6366777692254 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{13.111407568649 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} r^{6}}{c_{s}^{6}}$$
$$- \frac{0.0032552083333333 \alpha_{6}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{53.675015460889 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} r^{5}}{c_{s}^{5}}$$
$$- \frac{54.048551349791 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{27.373767349789 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{112.61839377138 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{14.132049628549 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{57.081982999324 \left(\alpha_{1}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{231.15575856094 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{7.2621972019424 \left(\alpha_{0}^{s}\right)^{5} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{7.2650185519848 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{2}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{29.570607274602 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{4}}{c_{s}^{4}}$$
$$- \frac{14.97896466591 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{4}}{c_{s}^{4}}$$

$$
- \frac{1.8742909393351\alpha_0^s \alpha_6^{c_s} r}{c_s} - \frac{3.7913604729215\alpha_0^s \alpha_2^{c_s} r^5}{c_s^5}
$$
$$
- \frac{124.26610633391\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^3}{c_s^3}
$$
$$
- \frac{15.608461554937\alpha_0^s \left(\alpha_2^s\right)^2 r^2}{c_s^2}
$$
$$
- \frac{1.9617569380588 \left(\alpha_0^s\right)^3 \alpha_4^s r}{c_s}
$$
$$
- \frac{252.67544374062 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^3}{c_s^3}
$$
$$
- \frac{7.8989178184236 \left(\alpha_0^s\right)^2 \left(\alpha_2^{c_s}\right)^2 r}{c_s}
$$
$$
- \frac{15.800970238949 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r^2}{c_s^2}
$$
$$
- \frac{63.797092853919 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} r^2}{c_s^2}
$$
$$
+ \frac{0.0078125 \left(\alpha_0^s\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^5}{c_s^4}
$$
$$
+ \frac{0.03125 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}
$$
$$
+ \frac{0.01171875\alpha_0^s \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^5}{c_s^4}
$$
$$
+ \frac{0.046875\alpha_1^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}
$$
$$
+ \frac{2.5\alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^4}{c_s^2}
$$
$$
+ \frac{0.21875 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}
$$
$$
+ \frac{0.0087890625\alpha_1^s \alpha_3^s r^3 \log\left(c_s\right)^5}{c_s^3}
$$
$$
+ \frac{0.1328125\alpha_0^s \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2}
$$
$$
+ \frac{0.10546875 \left(\alpha_0^s\right)^3 \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}
$$
$$
+ \frac{1.09375 \left(\alpha_1^s\right)^2 \alpha_3^s r \log\left(c_s\right)^4}{c_s}
$$
$$
+ \frac{2.1875 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}
$$
$$
+ \frac{0.21484375\alpha_2^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}
$$
$$
+ \frac{0.2373046875 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^5}{c_s^3}
$$
$$
+ \frac{0.2296142578125 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}
$$
$$
+ \frac{0.023841857910156 \left(\alpha_0^s\right)^2 \alpha_1^s r^5 \log\left(c_s\right)^4}{c_s^5}
$$
$$
+ \frac{2.0335693359375 \left(\alpha_0^s\right)^4 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}
$$

$$+\frac{0.76244876465898\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.011824806486779\left(\alpha_0^s\right)^4\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.011824806486779\left(\alpha_0^{c_s}\right)^4\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.035474419460336\left(\alpha_1^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.035474419460336\left(\alpha_1^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{196.52891649361\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.6168598031015\alpha_1^{c_s}\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.066724419460336\left(\alpha_0^s\right)^6\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.64790220453057\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.082349419460336\left(\alpha_0^{c_s}\right)^2\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{92.632959324204\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.72709612885598\alpha_0^s\alpha_5^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{228.74729814702\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r^2}{c_s^2}$$

$$+\frac{0.24409123505085\alpha_3^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.032412161351862\alpha_1^{c_s}\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.5185945816298\left(\alpha_0^s\right)^5\alpha_1^{c_s} r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{5.0497533905598\left(\alpha_1^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.32348891289219\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{46.008166558187\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{621.91584671767\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{39.106119060699\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^6\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.66724419460336\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{10.824539214502\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$

$$+\frac{10.950375808131\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.9829714486698\left(\alpha_0^s\right)^2\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.74917138299388\left(\alpha_0^s\right)^4\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{13.246681635025\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.026179946883939\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.8435304034727\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.97046673867656\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{248.66845435593\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2}{c_s^2}$$
$$+\frac{64.5328614983\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^s r}{c_s}$$
$$+\frac{9.3437640838005\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$+\frac{3.0253438961743\left(\alpha_0^{c_s}\right)^4\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.5234052869496\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{215.42740587094\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{13.488476001963\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{1.701039550286\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{223.42294682973\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{3.6070435508906\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{14.642671102869\alpha_0^{c_s}\alpha_1^s\alpha_4^s r}{c_s}$$
$$+\frac{4.1342034191822\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{1.0557085625567\alpha_2^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.5327853131745\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.53895009168936\alpha_1^s\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.4850321146896\alpha_1^{c_s}\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.2475141489816\left(\alpha_1^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{37.037176490616\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{18.545046858587\alpha_0^s\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1187.9077404261\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{37.48247073025\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.018419531903837\alpha_0^{c_s}\alpha_2^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{151.06794545233\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{9.5424450713028\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r}{c_s}$$
$$+\frac{0.2991670940175\alpha_1^s\alpha_4^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{19.384815974024\alpha_0^s\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.613413888573\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.235241291905\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.62785279958524\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{10.077622352227\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{40.469386743515\left(\alpha_0^{c_s}\right)^5\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{41.029068517338\alpha_1^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.080737106276816\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{661.57131499523\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3}{c_s^3}$$
$$+\frac{0.16539632476047\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{2.6463411961675\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{86.759827229815\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{21.696377314439\left(\alpha_0^s\right)^5\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{22.342291902822\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.4121292935308\alpha_0^{c_s}\alpha_2^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{45.348988632923\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^{c_s}r}{c_s}$$

$$+\frac{0.72092653589959\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.18037499557876\left(\alpha_0^s\right)^2\alpha_5^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{11.607760056455\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{188.82167015916\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{12.073455969581\left(\alpha_0^{c_s}\right)^3\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.243123935518\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.38339618310957\left(\alpha_1^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.5335847324383\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{50.734217582427\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^5}{c_s^5}$$
$$+\frac{0.41293367043355\alpha_1^{c_s}\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{212.8479074341\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^4}{c_s^4}$$
$$+\frac{213.42370803978\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{28.254233793598\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.055542504339873\alpha_2^s\alpha_4^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.055542504339873\left(\alpha_0^s\right)^3\alpha_4^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{114.89775163271\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$+\frac{116.82046036669\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{29.708313448543\alpha_1^{c_s}\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{0.0018229166666667\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.029166666666667\alpha_1^s\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.029166666666667\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^5}{c_s^2}$$

$$+\frac{0.058333333333333\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.058333333333333\alpha_2^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.058333333333333\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$

$$+\frac{0.058333333333333\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{3.7897006163264\left(\alpha_0^s\right)^3\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.8970978861623\left(\alpha_0^s\right)^4\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.9455940600094\alpha_0^s\alpha_4^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{8.068519509323\left(\alpha_1^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{262.50040182017\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{16.741509645634\alpha_0^s\alpha_1^s\alpha_4^{c_s} r}{c_s}$$
$$+\frac{1072.3272531727\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.52440192332786\alpha_0^{c_s}\alpha_3^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{4.2074047106112\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)}{c_s}$$
$$+\frac{16.912505466291\alpha_0^{c_s}\alpha_1^s\alpha_4^{c_s} r}{c_s}$$
$$+\frac{8.4778737682884\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.0010416666666667\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0010416666666667\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0010416666666667\left(\alpha_0^{c_s}\right)^3\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0010416666666667\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0083333333333333\alpha_0^s\alpha_6^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{34.482799080497\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{34.48411973248\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{4.3315661483546\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{69.740000733954\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$+\frac{8.7962242611134\left(\alpha_0^{c_s}\right)^6\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{70.633886482716\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.2843695385284\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{2.3078529554182\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{18.766796169146\left(\alpha_0^s\right)^3\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{19.05250447431\alpha_1^{c_s}\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{76.491575621765\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{38.343558305508\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.0005859375\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{157.94371965415\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{4.9664353107554\left(\alpha_1^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{320.60650134008\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{2.5175750304999\left(\alpha_0^{c_s}\right)^2\alpha_5^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{40.575664933304\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{10.157165765854\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{40.919197164152\alpha_0^s\alpha_1^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{327.36058924584\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{1.3000508295589\left(\alpha_0^s\right)^2\alpha_5^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{20.876692149133\alpha_0^s\alpha_2^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{10.457629861804\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.040885416666667\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{42.410853872563\left(\alpha_0^s\right)^4\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{169.90024988733\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{1.3384426644728\alpha_0^s\alpha_1^{c_s}\alpha_4^{c_s} r}{c_s}$$
$$+\frac{87.476107630439\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.68547031025327\alpha_0^s\alpha_3^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{22.003665433198\alpha_0^s\alpha_2^s\alpha_3^{c_s} r}{c_s}$$

$$+\frac{0.68765237257361\alpha_0^{c_s}\left(\alpha_0^s\right)^7 r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.5356124993133\left(\alpha_0^s\right)^3\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{90.479165911928\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.044182861011306\left(\alpha_0^{c_s}\right)^7\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{368.60543905163\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{47.324281612349\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.74116427546487\alpha_0^s\alpha_6^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.046595156037058\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{24.0560111779\left(\alpha_0^s\right)^5\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{6.0176732098989\alpha_0^s\alpha_1^s\alpha_4^s r}{c_s}$$
$$+\frac{96.437825353339\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{6.0608553315713\alpha_1^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0474609375\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{195.16467958354\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.76614736812932\left(\alpha_0^{c_s}\right)^3\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{24.823576516557\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^s r}{c_s}$$
$$+\frac{198.7532864042\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{50.246945241509\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r}{c_s}$$
$$+\frac{0.78688899593868\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{102.392068429\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{6.4242730539369\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{51.397333444757\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{0.80383313542097\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{13.04850074267\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{0.20618475994857\alpha_0^s\alpha_4^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.013126889820112\alpha_2^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{27.233870670217\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^{c_s} r}{c_s}$$
$$+\frac{109.4384367931\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{111.97329272236\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$

$$+\frac{3.5103273156317\left(\alpha_0^s\right)^2\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{7.0336805577389\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.44068534577996\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{113.42067975291\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{14.342170650711\alpha_0^s\alpha_1^{c_s}\alpha_4^s r}{c_s}$$
$$+\frac{0.003515625\alpha_0^s\alpha_4^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{1.8024814335223\alpha_1^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{28.887393063061\alpha_0^{c_s}\alpha_2^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{3.6537723232855\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.05752462870557\alpha_0^s\alpha_2^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{943.27774566314\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{118.9431018622\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.93098819755395\left(\alpha_0^s\right)^6\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{15.137286434141\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{3.7989401829902\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.030053973153445\alpha_0^{c_s}\alpha_5^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.24221131883045\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.98173649315012\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.99387488948306\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{127.60399737063\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{1.9967311985036\alpha_1^s\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{64.29522732615\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s}r}{c_s}$$
$$+\frac{8.0894851317753\left(\alpha_1^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{32.51496921946\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{130.68370158468\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{8.1947968599604\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1054.2851132817\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{33.038820699018\alpha_1^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0335169417348\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.03662056101\left(\alpha_0^s\right)^2\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.13020833333333\alpha_1^s\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.26041666666667\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{4.1765074135575\alpha_1^s\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{8.3704075852001\alpha_0^s\alpha_2^s\alpha_3^s r}{c_s}$$
$$+\frac{33.488309328657\left(\alpha_1^s\right)^2\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.0040888960079376\alpha_0^{c_s}\alpha_3^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{34.009488748401\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{4.2871100555785\alpha_0^{c_s}\left(\alpha_0^s\right)^4r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{8.5851116779707\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{8.5897663792382\alpha_0^s\left(\alpha_1^{c_s}\right)^2r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.076016087541\alpha_2^s\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.3040643501639\left(\alpha_0^s\right)^3\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.13554234079514\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{69.605057768274\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{34.871461872018\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.068157098730333\alpha_2^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{140.70512010322\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{281.5845983545\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^4}{c_s^4}$$
$$+\frac{0.27707080221821\alpha_1^s\alpha_2^{c_s} r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.03470917100654\left(\alpha_0^{c_s}\right)^5\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.03470917100654\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{17.827207859808\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^{c_s} r}{c_s}$$
$$+\frac{286.00655577472\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{35.924986701706\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{36.026967881075\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3}{c_s^3}$$
$$+\frac{36.347303185333\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^5}{c_s^5}$$
$$+\frac{18.292302164758\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{73.31093585308\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{36.826138498469\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.071926130231123\alpha_0^{c_s}\alpha_1^s r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{0.57736388873951\alpha_1^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{37.022233970816\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.036458333333333\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.14583333333333\left(\alpha_0^s\right)^6\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.14583333333333\left(\alpha_0^s\right)^2\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.29166666666667\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{4.6706371720921\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{2.3478563801226\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{37.7187778122465\alpha_1^s\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{303.8262300122\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4}{c_s^4}$$
$$+\frac{4.7950678185705\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.60026235808799\alpha_1^{c_s}\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{9.6041977294078\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{19.427434750065\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r}{c_s}$$
$$+\frac{1.2365281923054\left(\alpha_0^s\right)^6\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.9861850088163\alpha_2^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.2480773240179\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{5.0196405698605\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.15737196694168\alpha_1^{c_s}\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{5.0501924536599\alpha_3^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{2.530829465101\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{40.560738307052\left(\alpha_0^s\right)^3\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{325.50187598077\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.159269459726\alpha_0^s\alpha_6^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{20.461421595607\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{40.925388113398\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{41.076290489164\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.2892900091495\alpha_1^s\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{5.1623783406682\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{82.691105521334\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r^2}{c_s^2}$$
$$+\frac{1.2941090751121\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{82.879921620928\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{5.1993504732453\left(\alpha_0^{c_s}\right)^5\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.6086411229547\left(\alpha_0^s\right)^4\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{41.861845714192\left(\alpha_0^s\right)^4\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{10.487200680472\alpha_1^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{21.015049456855\alpha_0^{c_s}\alpha_2^s\alpha_3^s r}{c_s}$$
$$+\frac{5.3264702266699\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.675269515726\left(\alpha_0^{c_s}\right)^5\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.16783560180588\alpha_0^s\alpha_1^s r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{5.4575737596704\left(\alpha_0^s\right)^2\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{354.15578361815\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{0.044270833333333\alpha_0^s\alpha_5^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{11.381837430608\left(\alpha_0^s\right)^3\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.4228234146217\left(\alpha_1^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{45.904710612886\left(\alpha_1^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.77558600456\left(\alpha_0^s\right)^2\alpha_4^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.8069748199551\alpha_0^{c_s}\alpha_0^s\alpha_5^{c_s} r}{c_s}$$
$$+\frac{0.36458333333333\left(\alpha_0^s\right)^4\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.4583333333333\alpha_1^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{5.8431583121441\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{11.85033531458\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4852679374769\alpha_0^s\alpha_2^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{191.62778017776\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.75457744464652\alpha_0^s\alpha_2^{c_s} r^5\log\left(c_s\right)}{c_s^5}$$

$$+\frac{0.37743788705055\alpha_0^s\alpha_6^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{97.318467179765\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{0.19136791162023\alpha_0^{c_s}\left(\alpha_0^s\right)^7r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.535187285753\alpha_0^s\left(\alpha_1^s\right)^2r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{786.44369876633\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^sr^2}{c_s^2}$$
$$+\frac{6.1460976449703\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.0733881018367\alpha_2^s\alpha_3^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{393.72198455602\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{98.566412497736\alpha_0^{c_s}\left(\alpha_0^s\right)^4r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{3.088374616798\alpha_1^{c_s}\alpha_5^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.19303545096828\alpha_0^{c_s}\alpha_0^sr^7\log\left(c_s\right)}{c_s^7}$$
$$+\frac{396.42652289412\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{99.151622149352\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.77604166666667\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{795.32010316916\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^sr^3}{c_s^3}$$
$$+\frac{6.2431475246166\left(\alpha_0^{c_s}\right)^4\alpha_1^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.78127154509942\left(\alpha_0^{c_s}\right)^6\left(\alpha_0^s\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.1287999779291\left(\alpha_0^s\right)^3\alpha_4^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.5710449502061\alpha_1^{c_s}\alpha_4^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.78803103258833\alpha_0^{c_s}\alpha_5^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.19791666666667\left(\alpha_1^s\right)^2\alpha_2^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{3.1712256043293\alpha_1^s\alpha_3^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{12.685080203665\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{50.916277011958\left(\alpha_0^{c_s}\right)^4\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.003125\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.003125\alpha_0^{c_s}\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.003125\alpha_1^{c_s}\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.003125\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{6.4100770874953\alpha_0^{c_s}\alpha_0^s\alpha_5^s r}{c_s}$$
$$+\frac{0.20246372203123\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{12.994698445064\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{13.08885194623\left(\alpha_0^s\right)^2\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{52.571336099893\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{841.75276711722\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{1.6470812650193\left(\alpha_0^s\right)^4\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.3164463148305\alpha_2^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{106.84449464178\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.84518485247728\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.84635416666667\left(\alpha_0^s\right)^3\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{27.907959535986\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{447.27822411661\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.43698674230963\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.5110655899502\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.757671982545\alpha_2^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{56.654719325366\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r^3}{c_s^3}$$

$$+\frac{14.339612192239\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{14.491946489131\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.014241536458333\alpha_0^s\alpha_3^s r^4\log\left(c_s\right)^4}{c_s^4}$$

$$+\frac{0.028483072916667\alpha_1^s\alpha_2^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.45572916666667\left(\alpha_0^s\right)^3\alpha_1^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{468.24622134239\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{29.362978041342\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.46048829759593\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{29.722182618082\left(\alpha_1^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{15.006163888297\left(\alpha_0^s\right)^4\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{60.253576098494\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{0.94315215331246\alpha_0^s\alpha_4^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{7.5481373077598\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.4725456789856\left(\alpha_0^{c_s}\right)^4\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.8901827159424\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{242.17172253873\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{121.64104486264\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{3.8488643697255\alpha_2^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{993.20487354032\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{1.9502013695907\alpha_1^s\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{31.207338156511\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{62.860078157666\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{31.497263523221\alpha_0^s\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.49311066468308\alpha_1^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{3.9526800606379\alpha_0^s\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.9791666666667\left(\alpha_0^s\right)^5\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{127.13480756241\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2}{c_s^2}$$

$$- \frac{0.0009765625\alpha_0^s\alpha_3^s r^4 \log\left(c_s\right)^5}{c_s^4}$$
$$- \frac{0.001953125\alpha_1^s\alpha_2^s r^4 \log\left(c_s\right)^5}{c_s^4}$$
$$- \frac{0.03125\alpha_1^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.03125 \left(\alpha_0^s\right)^3 \alpha_1^s r^4 \log\left(c_s\right)^5}{c_s^4}$$
$$- \frac{0.046875 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.109375\alpha_0^{c_s} \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.21875 \left(\alpha_1^s\right)^2 \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.4375 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.1328125 \left(\alpha_0^s\right)^3 \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.390625\alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0263671875 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{1.09375 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.031005859375\alpha_0^s\alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.1708984375\alpha_0^s \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.2373046875 \left(\alpha_0^s\right)^4 \alpha_1^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.0767822265625\alpha_1^s\alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.90966796875 \left(\alpha_0^s\right)^3 \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{2.0401611328125 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.011824806486779\alpha_3^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.011824806486779 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.035474419460336 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.035474419460336 \left(\alpha_0^s\right)^4 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.078761338920671 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.043074806486779\alpha_0^{c_s} \alpha_6^s r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{0.043074806486779 \alpha_0^{c_s} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{393.88333081832 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{0.066724419460336 \alpha_1^{c_s} \alpha_5^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{281.4225760985 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.082349419460336 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.74275589604343 \alpha_0^{c_s} \alpha_4^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.10642325838101 \left(\alpha_1^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.24409123505085 \left(\alpha_0^s\right)^4 \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0089707895863129 \alpha_1^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.32348891289219 \left(\alpha_0^{c_s}\right)^4 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.049066752095252 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.8935945816298 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{14.380205028011 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r}{c_s}$$
$$- \frac{0.014708094273813 \alpha_0^{c_s} \alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{1.9403593602314 \alpha_0^s \alpha_3^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{8.0842990155077 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{34.519595326107 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.27957093622235 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^6 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.65899801494156 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.73227370515254 \left(\alpha_1^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.74917138299388 \left(\alpha_1^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{12.02027667634 \left(\alpha_0^s\right)^4 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{12.939893935241 \alpha_1^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$

$$- \frac{0.82349419460336 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.42793693562549 \alpha_0^s \alpha_6^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{27.749436350007 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{1.1841720402727 \alpha_1^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{5.0043342455257 \left(\alpha_0^s\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$

$$- \frac{42.667588863523 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4}{c_s^4}$$
$$- \frac{23.810334969031 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{12.296291674866 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$- \frac{6.2197975239915 \alpha_2^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.6722727807167 \alpha_3^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.9235588662546 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{14.428174203562 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{1.8769323712842 \alpha_1^s \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{3.8664275321024 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.000866291905 \alpha_1^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{65.74541190349 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.25751619926631 \alpha_0^{c_s} \alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{0.26244573287949 \alpha_1^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{8.5728640548161 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{37.20021673282 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{37.223761572925 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^s\right)^2 r}{c_s}$$
$$- \frac{297.86886227671 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r^3}{c_s^3}$$
$$- \frac{4.7049024656217 \left(\alpha_0^s\right)^4 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{37.766986363082 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$

$$- \frac{0.598334188035 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{78.53478472598 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.62785279958524 \left(\alpha_{1}^{c_{s}}\right)^{3} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{5.0566266045638 \alpha_{1}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{10.260164222428 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{20.678292696156 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{20.840808859589 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{83.681079304625 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{84.429346911193 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{85.289642360111 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{43.723244946562 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{5.5079110159546 \alpha_{2}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.5505833638233 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{22.202333455293 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.18037499557876 \alpha_{1}^{s} \alpha_{5}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{46.453291117916 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{5.8645033891222 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{47.194523468519 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{52.592865049557 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.83392969760856 \alpha_{0}^{s} \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$
$$- \frac{53.676918904563 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{54.522664517193 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.0018229166666667 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.029166666666667 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$

$$- \frac{0.029166666666667 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.23713723577029 \alpha_{2}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{3.8202094794504 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.95595812869968 \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{0.48128512759496 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{0.4834710396344 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{1.9487538554635 \alpha_{2}^{c_{s}} \alpha_{4}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.9715741089979 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{8.068519509323 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{3} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{64.59723846748 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$- \frac{32.512911797304 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{1.0337050712326 \alpha_{2}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{66.430035913899 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{16.67338467399 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$- \frac{2.0871567051784 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{4.2490431074254 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{0.0010416666666667 \alpha_{1}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.016666666666667 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{34.146037755265 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.53525148821903 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{68.549015983173 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{35.316943241358 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{9.0256486571282 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{2.3013221638891 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$

$$- \frac{9.2574443216579 \alpha_0^s \alpha_2^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{18.72944257385 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{18.9258822412 83 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.3706390213992 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{37.930224342387 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{619.72231414768 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{0.075934675758153 \alpha_2^s \alpha_3^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.30373870303261 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{9.8841270970013 \left(\alpha_0^s\right)^2 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.31004675488078 \alpha_1^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{10.240793076533 \left(\alpha_1^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.311492838531 \left(\alpha_0^s\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.614407465451 \alpha_1^s \alpha_2^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$

$$- \frac{0.020572916666667 \alpha_1^s \alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{173.08705445846 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3}{c_s^3}$$
$$- \frac{88.335401207178 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{5.5834226551964 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{11.344829937212 \alpha_0^s \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{45.559918193588 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{1.4400831490838 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} r}{c_s}$$
$$- \frac{185.41567366638 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{23.201685922758 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.4762230107701 \alpha_0^s \alpha_5^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{95.022410617499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{0.37276124829647 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.18920490686862 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{48.976657037172 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{12.280199534337 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{50.144958254084 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.012579815039661 \alpha_{0}^{s} \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)^{3}}{c_{s}^{6}}$$
$$- \frac{0.83280240707905 \alpha_{2}^{s} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.83280240707905 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.10501511856089 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{54.461784159682 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{54.940505604948 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{3.5103273156317 \alpha_{1}^{s} \left(\alpha_{2}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{113.78774485551 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.00703125 \alpha_{0}^{s} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{14.404113923112 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.056307752793669 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.056307752793669 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{1.8024814335223 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{7.2667872500384 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{29.074916046409 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{58.665302418815 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{14.718378048232 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{30.135165566486 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.23561952195545 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$

$$- \frac{3.8026339534473 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{61.542687611254 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.944566697213 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{3.9344449796934 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{31.542445407422 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.9853251979163 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{63.666836643193 \alpha_{0}^{s} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{16.060033221664 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{4.041183279976 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{4.0627618418696 \alpha_{1}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{8.1886418772262 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{65.538252282638 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.0243496074951 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{2.0520702772579 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{8.2269888155733 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{32.907955262293 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{32.9211956877 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{65.949469796285 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{16.561665809862 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.25911458333333 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{265.5332652537 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.26168934450801 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{4} \log\left(c_{s}\right)^{4}}{c_{s}^{4}}$$
$$- \frac{268.06943629102 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{4.2066713579779 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{2}}{c_{s}}$$

$$- \frac{67.324434997878 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{67.548098307091 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r^2}{c_s^2}$$
$$- \frac{17.039911642917 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^s r}{c_s}$$
$$- \frac{0.066986094618414 \alpha_0^{c_s} \alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{550.43786761453 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.13451345906674 \alpha_0^s \alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.067428489370391 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.0788558299263 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{34.579297391127 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.033854166666667 \alpha_2^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{17.340130024954 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.345411285826 \left(\alpha_0^{c_s}\right)^3 \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{8.8050481943344 \left(\alpha_0^s\right)^5 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.1047216383631 \left(\alpha_0^s\right)^6 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1082832088729 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{71.14123601326 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{17.923594392093 \alpha_0^s \left(\alpha_1^{c_s}\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{72.473228842792 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{4.5348709194472 \alpha_1^{c_s} \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{72.690707127024 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{290.95003583262 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2}{c_s^2}$$

$$- \frac{2.2857917723731 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{73.308634834301 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_2^s r}{c_s}$$
$$- \frac{0.57552975333874 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{36.842519651121 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{73.697776895036 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.57736388873951 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{2}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.072916666666667 \left(\alpha_{0}^{s}\right)^{4} \alpha_{3}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.14583333333333 \alpha_{1}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.29166666666667 \alpha_{1}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.29166666666667 \alpha_{2}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.29166666666667 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.29166666666667 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{18.672426450208 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{4.6764119161485 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{9.5136768129879 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{19.032645877304 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.1913556361788 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{38.191215606325 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{76.390826297246 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{2.4190540343823 \alpha_{2}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{9.7518204991915 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{19.599127926176 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{157.59811440274 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{0.30833333333333 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{9.8884811822661 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{19.849925572595 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{4.9739583333333 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$

$$- \frac{4.9741788434676 \left(\alpha_{0}^{s}\right)^{4} \left(\alpha_{1}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{318.88907484297 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.2549101424651 \left(\alpha_{0}^{s}\right)^{4} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{10.047081566583 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.63111553295214 \alpha_{0}^{c_{s}} \alpha_{6}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.2630208333333 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{10.143290415122 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.6353799795432 \alpha_{1}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{82.24404219473 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{21.013642296578 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{4}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{21.057808479005 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.3176216137529 \alpha_{1}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{676.13958001511 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.33129162982769 \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.041666666666667 \alpha_{0}^{s} \alpha_{6}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{5.350539031452 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{43.099379940142 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{86.453668193924 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{43.235117486024 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.16903697049546 \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{175.21190817384 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{5.4804032297212 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{701.73518255395 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.68903390319704 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$

$$- \frac{0.70685856586635 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.044238078585951 \alpha_1^{c_s} \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.70780925737522 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{1.4163477024751 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{11.342869509037 \alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.4350240191992 \alpha_1^{c_s} \alpha_5^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.88779300228 \alpha_1^s \alpha_4^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{92.451970690054 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r}{c_s}$$
$$- \frac{0.72377816380923 \alpha_0^s \alpha_5^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{46.433776292658 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.4545711874739 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{1.4583333333333 \left(\alpha_0^s\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.7298694256335 \left(\alpha_0^{c_s}\right)^5 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.7298694256335 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{11.747481990311 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r}{c_s}$$
$$- \frac{0.045891086127002 \alpha_2^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.045891086127002 \left(\alpha_0^s\right)^5 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{23.528015347915 \alpha_1^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{23.674286268279 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{11.859460373772 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{95.582409426841 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{3.0001523804769 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{48.056621784748 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{391.44947735373 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2}{c_s^2}$$

$$- \frac{6.2245536857915 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{0.78127154509942 \left(\alpha_0^{c_s}\right)^6 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{25.047186783622 \alpha_0^s \alpha_1^s \alpha_3^s r^2}{c_s^2}$$
$$- \frac{0.003125 \left(\alpha_0^s\right)^6 \alpha_1^{c_s} r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.003125 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.40183786002256 \left(\alpha_0^s\right)^6 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{51.499431558705 \alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{6.4379049816577 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{3.2376109726285 \alpha_1^{c_s} \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.0031789143880208 \alpha_0^s \alpha_2^s r^5 \log\left(c_s\right)^4}{c_s^5}$$
$$- \frac{52.229714004693 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{418.12518325642 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$- \frac{3.2862809051816 \left(\alpha_0^s\right)^4 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.82197132506105 \alpha_0^s \alpha_4^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{13.239535013881 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{13.255892900063 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{53.040416143253 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.41536673006192 \alpha_0^s \alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{1.6666666666667 \left(\alpha_0^s\right)^4 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{427.8595121541 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.84635416666667 \alpha_0^s \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{434.8654092167 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{108.78764874185 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.43143471529177 \left(\alpha_0^s\right)^2 \alpha_1^s r^5 \log\left(c_s\right)^3}{c_s^5}$$

$$
- \frac{0.43155678138674 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^6 \log\left(c_s\right)^2}{c_s^6}
- \frac{3.4805156626116 \alpha_1^s \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}
- \frac{28.331463523644 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r}{c_s}
- \frac{7.1141923631102 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{0.22293961771684 \alpha_0^s \alpha_5^s r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{0.11393229166667 \left(\alpha_0^s\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^4}{c_s^4}
- \frac{0.45695587266502 \alpha_0^s \alpha_1^{c_s} r^6 \log\left(c_s\right)}{c_s^6}
- \frac{3.6556628625805 \alpha_1^s \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{1.8322055484375 \left(\alpha_0^s\right)^5 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}
- \frac{7.3630236986259 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}
- \frac{14.930341170833 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}
- \frac{119.73147756814 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s}
- \frac{14.998111077495 \left(\alpha_1^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{241.92395425289 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^3}{c_s^3}
- \frac{242.40343513513 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3}{c_s^3}
- \frac{0.95254045053512 \alpha_2^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{61.394350026239 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^s r}{c_s}
- \frac{0.48300273745318 \alpha_0^{c_s} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^2}{c_s}
- \frac{31.087317340118 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^{c_s} r}{c_s}
- \frac{500.13401435819 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2}
- \frac{7.8212238121398 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}
- \frac{3.9355453307749 \left(\alpha_0^s\right)^3 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}
+ \frac{0.015625 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^5}{c_s}
+ \frac{0.015625 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}
$$

$$+\frac{0.0625\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.046875\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.046875\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.046875\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0546875\alpha_0^{c_s}\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.109375\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.109375\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.21875\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.4375\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.875\alpha_0^s\alpha_1^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.875\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.140625\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.328125\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.328125\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.65625\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.052734375\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.0791015625\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.91259765625\alpha_0^s\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.047299225947114\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.047299225947114\alpha_0^s\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{20.371025980399\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{52.899483024186\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.070948838920671\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.070948838920671\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.31504535568268\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{18.751327216492\alpha_1^s\alpha_2^{c_s}\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{162.6845100175\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{50.194489593759\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.21284651676201\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.21284651676201\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{7.8774362791432\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{64.685454453891\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.0405618439918\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.58279148541826\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.15329825838101\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.15329825838101\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.2939556515688\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$

$$+\frac{199.2141212026\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.39253401676201\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^sr^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.40034651676201\alpha_0^s\alpha_1^{c_s}\alpha_4^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{6.6387080914722\alpha_0^s\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.1296842481348\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.1182837448894\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{35.892427087604\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.30152364540745\alpha_0^{c_s}\alpha_0^s\alpha_5^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{20.493288745108\alpha_0^s\alpha_1^s\alpha_2^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{41.360477948308\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.3121038094956\alpha_0^{c_s}\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)^3}{c_s^2}$$

$$+\frac{42.584751795185\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3344883892067\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{11.527722524725\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.4645474103051\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.9966855319755\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.1216855319755\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{25.413782665725\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{13.630138473045\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.7196381216704\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.10764947503576\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.43709361406369\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{8.0915172829103\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{34.481738347737\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{70.600180957196\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{144.50407359977\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.5659860291161\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{19.737319093895\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.2964864540745\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{3.0293835083218\alpha_0^s\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{6.0941427628043\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{104.79079730964\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{13.617670021636\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.90457093622235\alpha_0^{c_s}\alpha_1^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.90457093622235\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{7.454299876429\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.000866291905\alpha_1^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{8.5728640548161\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{2.1794480332827\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{4.4208435529258\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{18.426296626072\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.59405744390256\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.235241291905\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.235241291905\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{39.689989171364\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{165.20779052357\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{42.193146342299\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{169.70443138246\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{10.786415997547\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{46.059387731354\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{47.037324855903\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.5076182270372\alpha_0^{c_s}\alpha_2^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.5076182270372\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{13.002427332255\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.6887262376902\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{221.97039326987\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{27.814276095025\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{449.84490820806\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{28.788861243767\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$

$$+\frac{1.8585804071299\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{30.175437054205\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.8970978861623\alpha_0^s\alpha_2^{c_s}\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{7.6667459952952\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.8627429889946\alpha_0^{c_s}\alpha_0^s\alpha_1^sr^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{61.96474383455\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9447296811117\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{31.884777521166\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{4.0846616436807\alpha_0^{c_s}\alpha_0^s\alpha_5^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.1762309654214\alpha_0^s\alpha_1^{c_s}\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{65.60637357461\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{268.43380314379\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^sr}{c_s}$$
$$+\frac{0.065625\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.0535458331093\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.4980862148509\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.0704435109506\alpha_1^{c_s}\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{555.64630049901\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{69.866695157509\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{71.660199796401\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.01875\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{39.453734550577\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{19.789707688893\alpha_1^{c_s}\alpha_1^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{40.170420180338\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{20.099906028454\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^sr\log\left(c_s\right)}{c_s}$$

$$+\frac{161.61148387919\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{164.15176050932\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{169.81322958978\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{172.04801116867\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.3776409998425\alpha_1^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.3776409998425\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.67345461778986\alpha_0^{c_s}\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{88.08383508256\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{46.416168004781\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{23.524227661714\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{23.636778628067\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.9876829761576\alpha_1^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.0025988757151\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{6.0386637107494\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{12.11424084081\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{194.60270517528\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.332332403263\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{199.32030160022\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{25.776591346879\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{52.383156925273\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.5658969450555\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.42644940973027\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{27.360437926475\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.7265892600162\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{3.4582635334453\alpha_0^{c_s}\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.4582635334453\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{443.8752877137\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{111.36248091914\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.22062141410719\alpha_0^{c_s}\alpha_0^s\alpha_3^sr^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.44124282821439\alpha_0^{c_s}\alpha_1^s\alpha_2^sr^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{56.696842484979\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{28.44766825679\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{28.518821319978\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{28.669702704638\alpha_0^{c_s}\alpha_0^s\alpha_2^sr^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.22945543063501\alpha_0^s\alpha_2^{c_s}\alpha_3^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.45891086127002\alpha_1^s\alpha_2^{c_s}\alpha_2^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.45891086127002\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{29.920647607898\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.6355834570008\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{257.11374566969\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.0358221286421\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.0832019704164\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.1947968599604\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{33.30350018294\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{270.88584429876\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.4661343227275\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{271.10517221507\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^sr}{c_s}$$
$$+\frac{0.53085694303141\alpha_0^s\alpha_1^{c_s}\alpha_1^sr^4\log\left(c_s\right)^3}{c_s^4}$$

$$+\frac{0.53434088375829\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.1373635350332\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.0717775138946\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{17.202530889274\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{276.0657854531\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{34.780611557617\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{278.79129400302\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{2.1896082769005\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.3809632335073\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{35.216907745854\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{141.3356375469\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{35.566811646398\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.28153876396834\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.56307752793669\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.56307752793669\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{18.026105798559\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{36.167332036843\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{4.5228546811117\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{18.164694789933\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{72.823655546193\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{293.72057400995\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{36.752132818829\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{36.774825039142\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{73.697776895036\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{74.306929615177\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{74.318594713272\alpha_1^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.5831375650981\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.5831375650981\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.072916666666667\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$

$$+\frac{0.29166666666667\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{18.757572783482\alpha_0^{c_s}\alpha_2^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{75.147014991013\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{75.354280818687\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{151.52567112483\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{9.4983654979367\alpha_0^s\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{19.030883588138\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{19.568148691988\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{9.7962037408355\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{19.797082656011\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{39.719384026922\alpha_0^s\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{39.890337412321\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.4984072212371\alpha_0^s\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{80.268425656642\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.0260416666667\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{40.385420172102\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{20.204588824234\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{10.23649571088\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{10.254248786029\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{41.502245855189\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{83.755135519146\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{42.453281836198\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.010416666666667\alpha_0^s\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.020833333333333\alpha_1^{c_s}\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.083333333333333\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{42.689137071712\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{21.437269408105\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{86.103637709847\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{10.779838255984\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.67428489370392\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.3485697874078\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{5.3942791496313\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{10.944812665467\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{44.020902491661\alpha_0^{c_s}\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.023223844285\alpha_0^s\alpha_2^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.021875\alpha_0^{c_s}\alpha_0^s\alpha_4^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.4137171317327\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^sr^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{22.880228883957\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.447827280296\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{45.92790437664\alpha_0^s\alpha_2^{c_s}\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4423124201304\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$

$$+\frac{5.7754215311395\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{11.559661019355\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{11.587690757074\alpha_0^{c_s}\alpha_1^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.8018014495914\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.457941326242\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.4583333333333\alpha_0^s\alpha_2^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{2.9166666666667\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{23.52519144169\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{94.100765766759\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{380.80500041351\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4900274961683\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{192.01061180034\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{6.0029554732401\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{192.56114600941\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{48.205186236043\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{49.36193289344\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{49.579372250248\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{199.14159291071\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{99.589529230362\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{204.31099343725\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.20052083333333\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.4095917100654\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.4095917100654\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.2896025433118\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{105.28983610686\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.5893621596628\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.5893621596628\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.7360256418637\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{6.7533559587631\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{217.4212748151\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{13.736442951374\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{54.965835052585\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{27.7657914319\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{111.3018207006\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{7.0093911968317\alpha_0^s\alpha_1^s\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.88068158766941\alpha_0^s\alpha_2^{c_s}\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{56.613214639189\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{14.343405612087\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{459.81207202755\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^sr^2}{c_s^2}$$
$$+\frac{459.93454105746\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{0.45560805454892\alpha_0^s\alpha_1^s\alpha_3^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{29.183884329233\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{29.222174066341\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.8328653652317\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{59.374914382698\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{14.947963605472\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{241.71646082117\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.5849399068457\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$

$$+\frac{61.014920239725\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{30.530981067962\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.96213706611366\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.9317964688274\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{31.639099155598\alpha_0^s\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.9711854539295\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$-\frac{0.0625\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.0625\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.046875\alpha_1^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.046875\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.046875\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.109375\alpha_0^{c_s}\alpha_2^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.109375\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.109375\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.4375\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$-\frac{0.0087890625\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$-\frac{0.017578125\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$-\frac{0.140625\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.328125\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.10546875\alpha_0^s\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$-\frac{2.1875\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{4.375\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.158203125\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$-\frac{0.047299225947114\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$

$$
- \frac{0.047299225947114 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}
- \frac{18.326343773027 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}
- \frac{0.070948838920671 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}
- \frac{0.070948838920671 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^4}{c_s}
- \frac{0.14189767784134 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}
- \frac{0.14189767784134 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
- \frac{9.7640172650335 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^5 \log\left(c_s\right)}{c_s^5}
- \frac{2.4554104017793 \alpha_0^s \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s}
- \frac{0.97636494020338 \alpha_0^s \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}
- \frac{3.9387181395716 \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{1.0405618439918 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}
- \frac{0.072848935677282 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{675.96325708085 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}
- \frac{57.383439000356 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}
- \frac{0.49409651676201 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}
- \frac{16.028591881719 \alpha_0^s \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)}{c_s}
- \frac{33.196509743454 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}
- \frac{4.3735660265667 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}
- \frac{295.45882449942 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
- \frac{2.8819306311812 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}
- \frac{1.6469883892067 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
- \frac{1.7196381216704 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}
- \frac{1.7366532604529 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}
- \frac{29.737862767098 \alpha_0^{c_s} \alpha_2^s \alpha_3^s r \log\left(c_s\right)}{c_s}
$$

$$
\begin{aligned}
&- \frac{1.9409334773531 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{69.723418390972 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{2.2829930145581 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.32412161351862 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.64824322703725 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{2.592972908149 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{83.076249088642 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{0.68836629190503 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s} \\
&- \frac{1.3950544333966 \alpha_0^{c_s} \alpha_0^s \alpha_5^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.4794322417295 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{5.917728966918 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{23.990353155391 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{48.034393735196 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.84461629190503 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{6.8088350108181 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{13.887592045559 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.90457093622235 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{231.76628399015 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{3.7491651262951 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{1.9722637164788 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{15.91540850064 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{1.000866291905 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{1.000866291905 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{522.1514378923 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

$$- \frac{71.475992645447 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{4.4950282979633 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{36.18170359592 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{18.149278563481 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.59405744390256 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{155.77049575573 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{39.009380223722 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{19.628133357985 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.613413888573 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{1.235241291905 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.31415936260727 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{40.958955888344 \alpha_{1}^{s} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.1589143650113 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{42.458319032666 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{10.681702976152 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{21.572831995093 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{172.86504498907 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{22.002206347126 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{44.647816264883 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{11.277277359843 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{2.8352740739136 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{23.001634736795 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{23.284056978266 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.4734061275959 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$

$$- \frac{11.904281911829 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{12.050992553303 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.5076182270372 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{3.0152364540745 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{1560.802511231 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{391.64264959043 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{6.6887262376902 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{107.41663794631 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{27.795806651654 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{112.30859796053 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{112.3506861452 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{115.15544497507 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{7.2031482970558 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{14.735132482037 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{59.595845098024 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{7.4583970484592 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{3.8233396337059 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{15.33349199059 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{7.9060895218624 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{31.624358087449 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{63.479368657227 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{4.0298219544359 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{4.0457093622235 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{4.1407800585458 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$

$$- \frac{0.065625\alpha_0^{c_s}\alpha_1^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.065625\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.0535458331093\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{34.131140499031\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{1.0704435109506\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{8.5779901709813\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{17.495905586395\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.3846618369777\alpha_1^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.27629297855756\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$- \frac{17.749796807015\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{286.65536463935\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.56126788589865\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{148.80061662898\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$- \frac{18.647086074795\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{18.709497215489\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{76.617556862711\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$- \frac{0.01875\alpha_0^s\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$- \frac{19.454306376772\alpha_0^s\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$- \frac{9.7851079304245\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{20.047864468055\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$- \frac{40.312570096587\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{41.156558641787\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$- \frac{41.548471588379\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$- \frac{42.342748685892\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$

$$- \frac{339.62645917957 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{86.024005584334 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.67345461778986 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{44.401203817958 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.6346557256147 \alpha_0^s \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$- \frac{721.80091593375 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{370.95295728228 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{47.273557256133 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{23.742544787325 \alpha_1^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.37276124829647 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{47.851027601122 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{12.11424084081 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.1052385732153 \alpha_1^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{25.425515542167 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{6.3994730965147 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.3994730965147 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.4306650833678 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{103.52035138784 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{209.36906672489 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{209.63868624018 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{106.00075488667 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{424.00691264069 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.10501511856089 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{109.19204965916 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{13.658634380212 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{6.864314062873 \alpha_0^{c_s} \alpha_2^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{110.07770029886 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{13.980194143295 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{14.087679087259 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{57.542044087573 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{14.604962170759 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.45891086127002 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{14.819274725406 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{3.7057238757151 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{118.74275653595 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{59.574094541453 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r}{c_s}$$
$$- \frac{0.94350439591129 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.4844226376609 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{1.9847558971257 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{8.0358221286421 \alpha_1^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.0811404420951 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{64.811253965491 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{130.59289946616 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{264.99668219639 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{16.603528043563 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.065422336127002 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{67.315181610026 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{16.854963568914 \alpha_0^{c_s} \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$

$$
- \frac{136.03500112836 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{68.308773685801 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
- \frac{8.6325450944859 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}
- \frac{8.6325450944859 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{8.7476479574518 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{17.497973804411 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^2}{c_s}
- \frac{2.1960295219592 \alpha_0^s \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}
- \frac{141.59416815923 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{141.89793171054 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}
- \frac{35.761673408538 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}
- \frac{0.56307752793669 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
- \frac{144.14934147588 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{4.5228546811117 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}
- \frac{4.5228546811117 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}
- \frac{4.5361054674294 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{145.56124402526 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}
- \frac{36.468232612835 \alpha_1^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}
- \frac{2.3003770986574 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}
- \frac{1.15796444591 \alpha_0^{c_s} \alpha_0^s \alpha_5^{c_s} r \log\left(c_s\right)}{c_s}
- \frac{18.568614205917 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}
- \frac{298.36147051753 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{0.018229166666667 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}
- \frac{0.036458333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}
- \frac{0.14583333333333 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}
$$

$$- \frac{0.29166666666667 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.58333333333333 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{9.5384234163279 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.7950678185705 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{19.32369482787 \alpha_0^{c_s} \alpha_1^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1242.8277204052 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{9.7296288783695 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{19.543581730258 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{9.8688076299354 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{9.8913370009078 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{9.9076791058134 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{79.780674824642 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{5.0514109730879 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{20.241463119685 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{20.260067876289 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{10.155137882256 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.2760416666667 \alpha_0^s \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{5.1305986739704 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{84.057390868072 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{10.533196769851 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.3237284846432 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{85.173228261547 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.16662751301962 \alpha_0^s \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_0^s \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.0052083333333333 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \alpha_1^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.041666666666667 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{42.84127006718 \alpha_0^s \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{21.420798734363 \alpha_0^s \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.6971395748157 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{21.616074629 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.944812665467 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{43.909732346274 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{22.161367503708 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{716.44636545569 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.021875 \alpha_0^{c_s} \alpha_0^s \alpha_5^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.175 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.35213110793129 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{90.923202277777 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{182.06642478754 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{5.6912936584869 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{11.428265602378 \alpha_0^s \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{11.476499457561 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{740.90092412642 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{46.53220399201 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{11.663530609936 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.36792504339873 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.36792504339873 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.7556918108422 \alpha_0^s \alpha_1^{c_s} \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{24.329771236758 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{97.385802684842 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{195.56045604663 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{195.80427106094 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{24.584390579881 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{3.1227424460262 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{99.96694991779 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.78645833333333 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{406.25719343313 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.003125 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.003125 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{6.4560965252458 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{51.82720042771 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{415.16729979062 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{25.989396890128 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{104.02980032963 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{104.54642404775 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{13.151244850192 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{52.913575080739 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{53.605834408358 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{55.044103423787 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$

$$- \frac{0.43042504339873 \alpha_1^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.43042504339873 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{220.74899345534 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.86755291496313 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{13.88289571595 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{1.7477490708639 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{28.033968715075 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{7.0631531674303 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$

$$- \frac{14.343405612087 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{28.747374674156 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{28.853165956343 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$

$$- \frac{29.183884329233 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{117.20764315996 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r}{c_s}$$

$$- \frac{1.8328653652317 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{7.3535338136394 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.2360458550327 \alpha_0^{c_s} \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.2360458550327 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{120.85823041059 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{1.8884636033002 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$- \frac{30.222747509839 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{7.6281862500602 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{7.6392820604712 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.96213706611366 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$
- \frac{15.524107154582 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$
- \frac{3.8836560375092 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$
- \frac{1.9855927269647 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3}
$$

$$
- \frac{7.9621110824337 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}
$$

$$
- \frac{63.989454643652 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.015625 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^5}{c_s}
$$

$$
+ \frac{0.03125 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}
$$

$$
+ \frac{0.03125 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^5}{c_s}
$$

$$
+ \frac{0.1875 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}
$$

$$
+ \frac{0.328125 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}
$$

$$
+ \frac{88.160928294295 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}
$$

$$
+ \frac{289.11432682863 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.28379535568268 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.28379535568268 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{4.1622473759674 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.58279148541826 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}
$$

$$
+ \frac{85.569205180402 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{1.5329825838101 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{906.72080472943 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
+ \frac{34.007267678512 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{17.410915846173 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{140.37605902459 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{19.198419289544 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{4.9409651676201 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}
$$

$$+\frac{10.317828730023\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.9540019097063\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{24.287804567929\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{25.897635283458\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{135.51007639132\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.37762841494\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{8.876593450377\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{2.2994738757151\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{187.90066775141\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{94.196466394267\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{55.248069993866\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.7165537334976\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{34.990591829807\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{70.310658743856\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.1037751301962\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.248539956157\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{9.0457093622235\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{152.81627740777\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{5.0514109730879\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{81.906973769124\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{20.481984084509\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.2912751301962\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{44.221968944626\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.7081375650981\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{47.436537131174\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{381.24542031617\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log(c_s)}{c_s^3}$$
$$+\frac{195.300129113\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log(c_s)}{c_s}$$
$$+\frac{794.22144014901\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{50.06201965604\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log(c_s)}{c_s}$$
$$+\frac{101.07708854029\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log(c_s)}{c_s}$$
$$+\frac{106.09975582159\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$+\frac{6.8382244807844\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2\log(c_s)^4}{c_s^2}$$
$$+\frac{122.28606212522\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log(c_s)^2}{c_s}$$
$$+\frac{123.86158887195\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$-\frac{0.03125\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log(c_s)^5}{c_s}$$
$$-\frac{0.046875\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log(c_s)^5}{c_s}$$
$$-\frac{0.1875\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^5}{c_s}$$
$$-\frac{0.4375\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2\log(c_s)^5}{c_s^2}$$
$$-\frac{0.65625\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log(c_s)^5}{c_s}$$
$$-\frac{0.18919690378846\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log(c_s)^4}{c_s}$$
$$-\frac{0.42569303352403\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)^4}{c_s}$$
$$-\frac{316.67284766255\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log(c_s)}{c_s^2}$$
$$-\frac{82.252984625449\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$-\frac{6.243371063951\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log(c_s)^3}{c_s}$$
$$-\frac{6.8785524866818\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{1.7483744562548\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^4}{c_s^2}$$
$$-\frac{39.05166523841\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{157.59901040641\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log(c_s)}{c_s}$$
$$-\frac{19.768086478988\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)^2}{c_s}$$
$$-\frac{10.374790600336\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log(c_s)^2}{c_s}$$

$$- \frac{0.76649129190503 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.5329825838101 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{1.5329825838101 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.0034651676201 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{34.007267678512 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.9540019097063 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{193.08722483903 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{26.083086338027 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{267.76179834909 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{138.50738180938 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{139.86966086546 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{75.300078398947 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{3.2060453025497 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{104.77813086109 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{16.132922999527 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{260.36820371399 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{17.399820035762 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{141.15114865014 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{285.17197945634 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.5228546811117 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{72.823655546193 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{76.887645320804 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.2287751301962 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{316.56990191253 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{81.178030560489 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{40.631093856689 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{82.569806802431 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{41.404700286276 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{41.527885413029 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{11.663530609936 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{195.75573361902 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{6.5605176675212 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{55.050040867361 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{1.7494126952943 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{29.615667380137 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{248.06278416092 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$