SRI (k-inflation): N07LO

The spectra are evaluated at $-k_*\eta_* = 1$, through relative amplitude order $p = 7$. The Hubble-flow parameters are denoted by ϵ_j and $M_{\rm Pl}$ is the reduced Planck mass. Coefficients are generated numerically from the normalized mode equations, using the iterative algebra. The convention for the spectral derivatives is

$$\alpha_n^A = \frac{d^{n+1}\ln P_A}{d(\ln k)^{n+1}}, \qquad \alpha_0^s = n_s - 1, \qquad \alpha_0^t = n_t, \qquad r = P_t/P_s.$$

For k-inflation, $c_t = 1$. The scalar amplitude includes transport from the acoustic reference to the common tensor reference. The sound speed is $c_{s*} > 0$, with

$$\alpha_n^{c_s} = \frac{d^{n+1}\ln c_s}{d(\ln k)^{n+1}}.$$

1 Spectra

1.1 Scalar spectrum

$$P_s(k_*) = \frac{H_*^2}{8\pi^2 M_{\rm Pl}^2 \epsilon_{1*} c_{s*}} \left[\sum_{d=0}^{7} F_{s,d} + O(\mathrm{SR}^8)\right].$$

Relative order 0.

$$F_{s,0} = 1.0$$

Relative order 1.

$$\begin{aligned} F_{s,1} = {} & 0.72963715453852\epsilon_2 - 0.54072569092296\epsilon_1 \\ & - 1.2703628454615\alpha_0^{c_s} - 1.0\alpha_0^{c_s}\log(c_s) \\ & - 1.0\epsilon_2\log(c_s) - 2.0\epsilon_1\log(c_s) \end{aligned}$$

Relative order 2.

$$\begin{aligned} F_{s,2} = {} & 1.5402686460338\epsilon_1^2 + 0.49988573877771\epsilon_2^2 \\ & - 0.39567736285244\alpha_1^{c_s} - 0.22975141576082\left(\alpha_0^{c_s}\right)^2 \\ & + 0.5\left(\alpha_0^{c_s}\right)^2\log(c_s)^2 + 0.5\epsilon_2^2\log(c_s)^2 \\ & + 2.0\epsilon_1^2\log(c_s)^2 + 0.27036284546148\left(\alpha_0^{c_s}\right)^2\log(c_s) \\ & + 1.0192767657904\epsilon_1\epsilon_2 + 1.0809943369567\alpha_0^{c_s}\epsilon_1 \\ & + 0.14504832807052\epsilon_2\epsilon_3 - 0.5\alpha_1^{c_s}\log(c_s)^2 \\ & - 0.91854861815409\epsilon_1^2\log(c_s) - 0.72986567698311\alpha_0^{c_s}\epsilon_2 \\ & - 1.2703628454615\alpha_1^{c_s}\log(c_s) - 0.72963715453852\epsilon_2^2\log(c_s) \\ & + 1.0\alpha_0^{c_s}\epsilon_2\log(c_s)^2 + 1.0\epsilon_1\epsilon_2\log(c_s)^2 \\ & + 2.0\alpha_0^{c_s}\epsilon_1\log(c_s)^2 + 1.0814513818459\alpha_0^{c_s}\epsilon_1\log(c_s) \\ & + 0.72963715453852\epsilon_2\epsilon_3\log(c_s) - 0.5\epsilon_2\epsilon_3\log(c_s)^2 \\ & - 0.45927430907704\alpha_0^{c_s}\epsilon_2\log(c_s) \\ & - 2.459274309077\epsilon_1\epsilon_2\log(c_s) \end{aligned}$$

Relative order 3.

$$\begin{aligned} F_{s,3} = {} & 0.20072294544592\epsilon_2^3 + 1.6057835635673\epsilon_1^3 \\ & - 0.2199597209462\alpha_2^{c_s} - 0.028914209092607\left(\alpha_0^{c_s}\right)^3 \\ & + 4.2977813647689\epsilon_1^2\epsilon_2 + 1.1508618640566\alpha_1^{c_s}\epsilon_1 \\ & + 0.50011426122229\left(\alpha_0^{c_s}\right)^3\log(c_s) + 0.17975356917588\alpha_1^{c_s}\epsilon_2 \end{aligned}$$

$$
\begin{aligned}
&+ 0.36481857726926 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2^3 \log\left(c_s\right)^2 + 2.9185486181541\epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 1.959600275274\epsilon_1\epsilon_2^2 + 0.030669313835717\epsilon_2\epsilon_3^2 \\
&- 0.39567736285244\alpha_2^{c_s} \log\left(c_s\right) - 1.0906092762856\alpha_0^{c_s}\alpha_1^{c_s} \\
&- 0.12746831820078\alpha_0^{c_s}\epsilon_2^2 - 0.25470811395696 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \\
&- 0.63518142273074\alpha_2^{c_s} \log\left(c_s\right)^2 - 0.32050476429836\alpha_0^{c_s}\epsilon_1^2 \\
&- 0.16666666666667\alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&- 0.16666666666667\epsilon_2^3 \log\left(c_s\right)^3 - 1.3333333333333\epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.3571054727393 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 - 0.23520055946694\epsilon_2^2\epsilon_3 \\
&- 0.49988573877771\epsilon_2^3 \log\left(c_s\right) - 3.9990859102216\epsilon_1^3 \log\left(c_s\right) \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^3 + 0.5\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.5\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 + 1.0\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 3.0\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.50034278366688 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 2.2898599312799\alpha_0^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.1889114636156 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 2.3778229272311\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^2 \\
&+ 1.8110885363844\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^2 + 0.49443659507158\alpha_0^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0944557318078\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 1.0944557318078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 1.2296371545385\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.85472314948489\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.45995987641081 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 1.8723490626616\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right) + 0.030669313835717\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.5\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.5 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 1.0 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&- 2.0\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.33418831413068\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right) \\
&- 4.957559194624\epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 2.0800802471784\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 1.0944557318078\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 - 0.65969152604436\epsilon_1\epsilon_2\epsilon_3 \\
&- 0.16666666666667\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.33333333333333\epsilon_1\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.3341883141307\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right) \\
&- 2.7294086320939\epsilon_1\epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.49965721633312\alpha_0^{c_s}\epsilon_2^2\log(c_s)\\
&+ 0.5\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 1.4588172641879\epsilon_1\epsilon_2\epsilon_3\log(c_s)\\
&+ 0.14504832807052\epsilon_2\epsilon_3\epsilon_4\log(c_s)\\
&+ 0.66666666666667\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.36481857726926\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2\\
&+ 3.1889114636156\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^2\\
&- 1.0\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^3\\
&- 0.14527685051511\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)\\
&- 1.0944557318078\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^2\\
&- 2.459274309077\epsilon_1\epsilon_2\epsilon_3\log(c_s)^2\\
&- 0.16666666666667\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3\\
&- 0.74845687543973\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)
\end{aligned}
$$

Relative order 4.

$$
\begin{aligned}
F_{s,4} = {} & 0.086152301850743\left(\alpha_0^{c_s}\right)^4 + 0.083467005785127\epsilon_2^4\\
&+ 2.9412556561294\epsilon_1^4 - 0.13350316714425\alpha_3^{c_s}\\
&- 0.65234365420886\left(\alpha_1^{c_s}\right)^2 + 0.125\left(\alpha_1^{c_s}\right)^2\log(c_s)^4\\
&+ 0.055787239966231\epsilon_2\epsilon_3^3 + 8.1576664436908\epsilon_1^2\epsilon_2^2\\
&+ 0.13518142273074\left(\alpha_1^{c_s}\right)^2\log(c_s)^3 + 9.1655563981061\epsilon_1^3\epsilon_2\\
&+ 0.35823966089031\alpha_2^{c_s}\epsilon_1 + 6.9176345283757\epsilon_1^4\log(c_s)^2\\
&+ 0.11476144665811\left(\alpha_0^{c_s}\right)^4\log(c_s)^2\\
&+ 0.5290284703149\left(\alpha_0^{c_s}\right)^4\log(c_s) + 0.034705229808718\alpha_0^{c_s}\epsilon_2^3\\
&+ 0.27764183846974\alpha_0^{c_s}\epsilon_1^3 + 2.2830486720555\epsilon_1\epsilon_2^3\\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^4\log(c_s)^4\\
&+ 0.041666666666667\epsilon_2^4\log(c_s)^4 + 0.66666666666667\epsilon_1^4\log(c_s)^4\\
&+ 0.029535258092405\alpha_1^{c_s}\epsilon_2^2 + 0.24994286938885\epsilon_2^4\log(c_s)^2\\
&- 0.63704346883458\alpha_1^{c_s}\epsilon_1^2 - 0.19535327126822\left(\alpha_0^{c_s}\right)^3\epsilon_1\\
&- 0.20996470057763\epsilon_2^3\epsilon_3 - 1.2600809095931\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\\
&- 0.19783868142622\alpha_3^{c_s}\log(c_s)^2\\
&- 1.0906092762856\left(\alpha_1^{c_s}\right)^2\log(c_s)\\
&- 0.21172714091025\alpha_3^{c_s}\log(c_s)^3 - 0.2199597209462\alpha_3^{c_s}\log(c_s)\\
&- 0.12659084472672\left(\alpha_0^{c_s}\right)^3\epsilon_2 - 0.26150492255387\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\\
&- 0.5615601604977\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\\
&- 0.28827285908975\left(\alpha_0^{c_s}\right)^4\log(c_s)^3 - 0.04083989050104\alpha_2^{c_s}\epsilon_2\\
&- 0.65647697429967\alpha_0^{c_s}\alpha_2^{c_s} - 0.041666666666667\alpha_3^{c_s}\log(c_s)^4\\
&- 0.66709415706534\left(\alpha_1^{c_s}\right)^2\log(c_s)^2\\
&- 0.20072294544592\epsilon_2^4\log(c_s) - 3.2790324121027\epsilon_1^4\log(c_s)^3\\
&- 7.2106530373563\epsilon_1^4\log(c_s) - 0.058660421836305\epsilon_2^2\epsilon_3^2\\
&- 0.12160619242309\epsilon_2^4\log(c_s)^3\\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^4\\
&+ 1.0\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.45881726418786\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.59422720936319\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.16736171989869\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.34690856364099\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.38664546255166\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.78219898544963\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 0.1995931888627\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \\
&+ 0.22963715453852\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.77249640855299\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right) \\
&+ 1.590781305949\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.0271504606153\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^3 + 0.26604756153058\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0941129481409\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.27437646670959\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.29166666666667\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 2.4802661893204\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3^2 + 2.6436935116586\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \\
&+ 1.3318518941832\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.083333333333333\epsilon_1\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 0.33333333333333\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^4 \\
&+ 1.3333333333333\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^4 \\
&+ 2.687540328948\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^2 \\
&+ 1.364704316047\epsilon_1\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 0.18024189697432\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9584732844024\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.39971329012208\alpha_2^{c_s}\epsilon_2\log\left(c_s\right) + 1.6213444503115\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.83736939580468\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.86459005482467\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 6.9167204385974\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&+ 0.88636246549879\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right) \\
&+ 1.822809817091\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 3.7110251386503\alpha_0^{c_s}\epsilon_1\epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.12160619242309\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.030744524360879\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 1.9904900950312\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s)^4 \\
&- 0.25\alpha_1^{c_s}\epsilon_2^2\log(c_s)^4 - 0.25\epsilon_2^3\epsilon_3\log(c_s)^4 \\
&- 1.0\alpha_1^{c_s}\epsilon_1^2\log(c_s)^4 \\
&- 13.260103415181\epsilon_1^3\epsilon_2\log(c_s) \\
&- 0.15309143635901\epsilon_1^2\epsilon_2^2\log(c_s)^3 \\
&- 0.3303216651229\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s) \\
&- 0.57314036602284\alpha_0^{c_s}\epsilon_2^3\log(c_s) \\
&- 4.5851229281828\alpha_0^{c_s}\epsilon_1^3\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.054300921230608\epsilon_1^3\epsilon_2\log(c_s)^3 \\
&- 0.016062214045699\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2^3\log(c_s)^3 \\
&- 5.2247314908721\alpha_0^{c_s}\epsilon_1^3\log(c_s)^3 \\
&- 2.6309687842081\epsilon_1\epsilon_2^3\log(c_s) \\
&- 0.39486939801397\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2 \\
&- 0.79065642344446\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s) \\
&- 0.015083425393042\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s) \\
&- 7.81010212695\epsilon_1^2\epsilon_2^2\log(c_s) \\
&- 0.5010704327696\epsilon_2^2\epsilon_3^2\log(c_s) \\
&- 1.1044368983699\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s)^2 \\
&- 1.177190182909\epsilon_2^3\epsilon_3\log(c_s)^2 \\
&- 0.30722188737666\alpha_1^{c_s}\epsilon_2^2\log(c_s) \\
&- 1.2296371545385\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^3 \\
&- 1.2663269181918\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s) \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3^2 \\
&- 0.081451381845913\alpha_1^{c_s}\epsilon_1^2\log(c_s)^3 \\
&- 0.08273445110122\alpha_1^{c_s}\epsilon_2^2\log(c_s)^2 \\
&- 0.041666666666667\epsilon_2\epsilon_3^3\log(c_s)^4 \\
&- 0.66666666666667\epsilon_1^3\epsilon_2\log(c_s)^4 \\
&- 0.095364228769985\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \\
&- 0.40987905151284\epsilon_1\epsilon_2^3\log(c_s)^3 \\
&- 1.6395162060514\left(\alpha_0^{c_s}\right)^3\epsilon_1\log(c_s)^3 \\
&- 1.6420263407893\alpha_1^{c_s}\epsilon_1^2\log(c_s)^2 \\
&- 0.85124334696161\epsilon_2^2\epsilon_3^2\log(c_s)^3 \\
&- 0.91389525644738\epsilon_1\epsilon_2^2\epsilon_3 - 1.8308737667068\alpha_1^{c_s}\epsilon_1^2\log(c_s) \\
&- 3.9185486181541\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^3 \\
&- 0.98642476969235\left(\alpha_0^{c_s}\right)^3\epsilon_2\log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.25\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.5(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 2.3932895232622\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s) \\
&+ 4.9739619735052\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 5.0759816810454\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.91854861815409\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 2.3260301557806\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.9276156949378(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.7400753659898\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 3.8236358414571\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 0.95927430907704\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.95927430907704\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 2.0493952575642\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.59514129914155\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 1.2296371545385(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.16666666666667\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&+ 2.6690621955951\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.67419016424746\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.34055047747869\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 2.7883647605464\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.35483741070718\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 3.306182872718\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.21757249210578\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 7.1464706582396\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 1.959274309077\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&- 0.125\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 0.25(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.5\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.5\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 3.0\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&- 0.77164591471679\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 8.8847452959004\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 2.0943544454802\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 6.3968711705769\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22963715453852\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.26586987330266\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.13754355249956\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4338437485217\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&- 5.1785875133866\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.806182872718\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.23973258232289\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.33333333333333\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.959274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 0.41666666666667\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.48642476969235\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 1.9488360976258\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.99681891832599\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 3.6123657454361\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 2.6896298543859\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 3.6472716829143\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3
\end{aligned}
$$

$$- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.66666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$

Relative order 5.

$$\begin{aligned}
F_{s,5} = {} & 5.0146640695735\epsilon_1^5 + 0.14510543918768\left(\alpha_0^{c_s}\right)^5 \\
& + 0.023060510027566\epsilon_2^5 - 0.059633396938128\alpha_4^{c_s} \\
& + 0.019702425223352\alpha_1^{c_s}\epsilon_2^3 + 0.15761940178682\alpha_1^{c_s}\epsilon_1^3 \\
& + 27.144156780677\epsilon_1^3\epsilon_2^2 + 1.5818596986645\alpha_0^{c_s}\epsilon_1^4 \\
& + 0.27467720026606\alpha_3^{c_s}\epsilon_1 + 0.018082530239889\epsilon_2\epsilon_3^4 \\
& + 18.923628528471\epsilon_1^4\epsilon_2 + 1.2398234275838\left(\alpha_1^{c_s}\right)^2\epsilon_1 \\
& + 0.081513616262169\alpha_0^{c_s}\epsilon_2^4 + 0.11373488143911\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^4 \\
& + 0.0038354329887805\alpha_3^{c_s}\epsilon_2 + 2.3061828727185\epsilon_1^5 \log\left(c_s\right)^4 \\
& + 2.4064328576811\epsilon_1\epsilon_2^4 + 0.15472627942479\epsilon_2^3\epsilon_3^2 \\
& + 0.024194121922026\left(\alpha_0^{c_s}\right)^4\epsilon_2 + 0.10036147272296\epsilon_2^5 \log\left(c_s\right)^2 \\
& + 14.128287565732\epsilon_1^5 \log\left(c_s\right)^2 \\
& + 0.44287616846416\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right) + 14.228251540965\epsilon_1^2\epsilon_2^3 \\
& + 0.030401548105772\epsilon_2^5 \log\left(c_s\right)^4 - 0.032431940416945\left(\alpha_1^{c_s}\right)^2\epsilon_2 \\
& - 0.065946227142073\alpha_4^{c_s} \log\left(c_s\right)^3 - 0.12391635985743\left(\alpha_0^{c_s}\right)^4\epsilon_1 \\
& - 0.13890612714825\epsilon_2^4\epsilon_3 - 0.088837720678366\left(\alpha_0^{c_s}\right)^2\epsilon_2^3 \\
& - 0.71070176542693\left(\alpha_0^{c_s}\right)^2\epsilon_1^3 - 13.093164349615\epsilon_1^5 \log\left(c_s\right) \\
& - 0.10759865658691\epsilon_2^2\epsilon_3^3 - 0.13257598297347\alpha_2^{c_s}\epsilon_2^2 \\
& - 1.0678878616169\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s} - 1.2631996618091\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} \\
& - 0.0083333333333333\alpha_4^{c_s} \log\left(c_s\right)^5 \\
& - 0.0083333333333333\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^5 \\
& - 0.0083333333333333\epsilon_2^5 \log\left(c_s\right)^5 - 0.26666666666667\epsilon_1^5 \log\left(c_s\right)^5 \\
& - 0.13350316714425\alpha_4^{c_s} \log\left(c_s\right) - 2.4277285251203\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 \\
& - 0.083314289796284\epsilon_2^5 \log\left(c_s\right)^3 - 0.083467005785127\epsilon_2^5 \log\left(c_s\right) \\
& - 0.052931785227562\alpha_4^{c_s} \log\left(c_s\right)^4 - 0.1099798604731\alpha_4^{c_s} \log\left(c_s\right)^2 \\
& - 0.26820214417863\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \\
& - 0.14975278849934\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^2 - 1.2068847160081\alpha_1^{c_s}\alpha_2^{c_s} \\
& - 0.32652667464246\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^3 - 0.668583871838\alpha_2^{c_s}\epsilon_1^2 \\
& - 0.84854109635368\left(\alpha_0^{c_s}\right)^3\epsilon_1^2 - 0.48313062224591\alpha_0^{c_s}\alpha_3^{c_s} \\
& - 7.8907887643532\epsilon_1^5 \log\left(c_s\right)^3 + 0.125\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^5 \\
& + 0.25\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
& + 0.80401548105772\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \log\left(c_s\right)^4 \\
& + 0.63687452512323\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^2 \\
& + 0.070375148593445\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right) \\
& + 0.31577483530863\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^3 \\
& + 2.526198682469\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^3 \\
& + 0.79554507611972\left(\alpha_0^{c_s}\right)^4\epsilon_1 \log\left(c_s\right) \\
& + 0.055787239966231\epsilon_2\epsilon_3^4 \log\left(c_s\right)
\end{aligned}$$

$$
\begin{aligned}
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3^2 + 0.59532818615497\epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 0.076194401929032\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.2743684518732\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 1.5065893100918\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 3.0460275902823\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 13.827503033791\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.49729126895467\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.27504914438567\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.13965892613781\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.1559908021279\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.2914511516581\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.3344168365753\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^3 \\
&+ 0.00072161320469033\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.092663276643208\alpha_3^{c_s}\epsilon_2\log\left(c_s\right) + 2.9656408144517\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 3.0302649010892\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.8456243369872\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2 \\
&+ 0.21943869777489\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right) \\
&+ 0.23534107386219\alpha_0^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 0.12657771167922\epsilon_2\epsilon_3^2\epsilon_4^2 + 0.06391567355745\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 2.1657132936956\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.55697942543888\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right) \\
&+ 2.2872540379167\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^3 + 0.62524599517881\alpha_3^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.315484392104\epsilon_1\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 2.8827285908975\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^4 \\
&+ 0.36265118560895\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.72565388682147\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 0.37898175537415\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 0.78872771949954\epsilon_1\epsilon_2^3\epsilon_3 + 13.321145761703\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.45167792281367\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.47653286189302\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.8758981992336\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.48534107386219\left(\alpha_0^{c_s}\right)^4\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.0153503739207\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 17.106712840569\alpha_0^{c_s}\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 0.54383272371813\epsilon_2^4\epsilon_3\log\left(c_s\right) \\
&+ 0.57584308567856\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 1.1587019505326\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.2696156042609 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 0.14719409133747 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 + 4.7125934158056 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \\
\\
&\quad + 2.3929458455419 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.30401548105772 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 0.30983650553414 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.0049502975692885 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.16204644317315 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.65847342808803 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.0051699717163127 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.041359773730502 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 0.041666666666667 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.041666666666667 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 2.8202591913185 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.4187170349455 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \\
&+ 0.37059004080674 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \\
&+ 0.37301234188754 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.76003870264429 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.5576847508769 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.5727526864799 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 0.80238984101837 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.10246976287821 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 3.2951774034489 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 0.20602322158658 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.052881543173058 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 + 6.8892004085456 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.21606192423087 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.10849518143933 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.88734881439105 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.056325592804475 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.11265118560895 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 1.810257870895 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8138016181032 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \\
&+ 0.45602322158658 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&+ 0.92680100837476 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.125 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.125 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.25 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&- 2.5971798503324 \epsilon_1 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.35346758874937 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 23.129704339975 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.39974932345996 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&- 1.8689629252194 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^3 \\
&- 1.1932216326561 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \\
&- 0.63643427183539 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.31889518103976 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&- 0.029317852275616 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.49311716716093 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.35318010054155 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \\
&- 0.45490143868232 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.13295923932309 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 1.0636739145848 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.016666666666667 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.037826325154033 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 9.6874458248189 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&- 1.3059924373475 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 10.44793949878 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.043093080975839 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.34634067327769 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right) \\
&- 2.7707253862215 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right) \\
&- 0.72068214772438 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 3.0987905151284 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.81287507083351 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.82013058879417 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.41276798644663 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \\
&- 1.7924172070399 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.0117890945648 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.51392654655813 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.51640508968745 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 2.11054082645 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.57123367989657\epsilon_2^3\epsilon_3^2 \log\left(c_s\right) \\
&\\
&\\
&\quad - 0.30401548105772\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.2227543216994 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&- 0.083333333333333\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.66666666666667\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.66666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 5.3634859554415 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 10.957719780338\epsilon_1^2\epsilon_2^3 \log\left(c_s\right) \\
&- 0.17209805827618\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 0.17310808363884\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&- 1.4379231780589\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.72102228004904\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 2.958427441263\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.74293352810162\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.18904409552179\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2 - 0.097698061448331\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 13.114606165447\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.82625986577067\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.025825314700028 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3 \\
&- 1.6560572008328\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2 \\
&- 0.20833333333333\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.7237727353815\alpha_1^{c_s}\alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^4 \\
&- 0.4506047424358\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.45211118404544\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.11346825854365 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.45602322158658\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.45645941040353 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^2 \\
&- 0.91360334872281\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 29.685083771381\epsilon_1^4\epsilon_2 \log\left(c_s\right) \\
&- 1.8699308534853 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 1.96116428271740\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right) \\
&+ 0.250\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 0.250\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.5\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&+ 1.5\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.53695172718477\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 6.1220499689937\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 9.1459314190322\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 1.793188411824\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \\
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 2.3369014336126\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.16922304941561\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.1699447771956\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.20784664185765\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&+ 0.029317852275616\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.2746976287821\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.55161963455367\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.33472343979739\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 5.6896740025099\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9611679626113\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.83812905168341\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right) \\
&+ 1.6849281958985\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.96114046919443\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 1.0341872290325\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 8.5496985358942\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 4.5359856886893\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.072330120959556\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 1.1742909471328\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.15\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 2.9614837119164\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.37898175537415 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 12.381982488089 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.38961122438351\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.39051067976362\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 1.6473875170353\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.6676910609276\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.398052399779\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.10734259842501\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 1.7419859689296\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.44158227401241\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.0016659261528\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right) \\
&+ 8.0653570333157\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.0702962694775\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 4.2327948368789\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.0688768746599\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right) \\
&+ 2.2091784933325\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 4.6571410059236\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 4.6702883265469 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 9.5569214145701\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.30401548105772\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.60803096211543\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 19.474387038792\alpha_0^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.0049502975692885\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.63734881439105\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.2848311436406\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.6362359695415\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.66204644317315\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 1.3611868251558 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.68550010006928 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 2.838373321568 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.3615973117706 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.72353664815543 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.18240928863463 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.36587312407998 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.9994329210317 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.094104415557308 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.5246976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.39527956214598 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.40659881500293 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 3.3035516730492 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.20833333333333 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 3.3791349258582 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.2128108367404 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.42570298939112 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.10803096211543 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.21606192423087 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 1.7746976287821 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.5955102786185 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.22520767102954 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.95185659694577 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 15.232910945983 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2397726251184 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 1.9229839522598 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 3.867878416142 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.12456484344384 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.25 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 2.0 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 9.8967949792677 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 5.0350021535642 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.80401548105772 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 4.1167122563588 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 3.9947134655926 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.1393257706809 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 1.6357853025952 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.28333333333333 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.14826959356919 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.69136429544877 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.69136429544877 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 2.8764176622292 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.19390248653193 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.058333333333333 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.23534107386219 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.6676910609276 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 17.383935082396 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.58316127583974 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 4.9917676795191 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.16007620753044 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.65642902320133 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 5.4441071047613 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.17016295427916 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 5.5269588291262 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^3 \\
&- 2.8557310752356 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 23.86770518824 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&- 11.949777441624 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.76440276180682 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.98352540392342 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.24613606262309 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 16.102904559213 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 2.0309942802262 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.51067586453873 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 4.3416220292336 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 4.4529038727215 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.069662685987338 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 0.071849454011931 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&- 1.1620464431732 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.29166666666667 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 2.3368546193827 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.15200774052886 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4844190698542\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.62485747250178\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.3168069916627\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&- 2.576347090012\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 2.625860668585\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^5 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.083333333333333\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&- 1.3977862297623\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 1.4120464431732\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 2.8240928863463\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 1.4173891489202\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 0.72752806091709\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&- 0.76003870264429\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.05\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.20287906106843\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&- 0.81294427682583\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 0.40851390759352\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 1.6620464431732\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.10742440708814\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&- 7.0554684868336\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_0^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^4 \\
&- 3.6481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^4 \\
&- 0.92222786590389\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 0.0073838564830734\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&- 0.47404173076104\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 1.9120464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.125\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.22314895986493\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.51195040121044\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.16736171989869\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 1.3827285908975\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 3.4725068480317\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.94136429544877\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0573676569726\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 4.8681469641362\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.35363978144467\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.046003970753576\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.096698885380347\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 12.701845066533\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.40361250519007\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 6.6832440584672\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 1.0847919353118\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 9.0516947865561\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 1.1620464431732\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 1.1689491304914\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.1962846432667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.63734881439105\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 1.4174060059311\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.72353664815543\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.091204644317315\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.094104415557308\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 12.37808558001\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 1.6665456837704\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.41666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.42570298939112\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.86153130736607\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.92222786590389\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.12160619242309\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.061338627671434\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.25\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 4.2160619242309\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.6158455479593\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 3.9947134655926\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.14826959356919\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.2098698982548\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 0.033333333333333\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.58316127583974\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.15\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 3.1867440719553\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.98352540392342\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 2.0025923735881\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 2.0309942802262\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.071849454011931\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 4.7922735226879\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.15200774052886\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 10.596618671754\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^2 \\
&- 1.3275346017955\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.33333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5 \\
&- 0.084131781578822\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 1.399462710333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s) \\
&- 0.70602322158658\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^4 \\
&- 2.8240928863463\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^4 \\
&- 0.72237365031156\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 0.73840818786928\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^2 \\
&- 3.0493952575642\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s)^4 \\
&- 0.025\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^5 \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&- 1.6424183590224\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^2 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&- 1.8575905146641\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^2 \\
&- 0.48022862259133\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s) \\
&- 15.525453255179\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^2 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2
\end{aligned}
$$

$$- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4$$

Relative order 6.

$$\begin{aligned}
F_{s,6} &= 8.3167926130457\epsilon_1^6 + 0.16507983470227 (\alpha_0^{c_s})^6 \\
&+ 0.0076684970179054\epsilon_2^6 - 1.6699160604489 (\alpha_1^{c_s})^3 \\
&- 0.59806000451369 (\alpha_2^{c_s})^2 - 0.031227024786627\alpha_5^{c_s} \\
&+ 37.072173733221\epsilon_1^5\epsilon_2 + 72.521097458045\epsilon_1^3\epsilon_2^3 \\
&+ 0.097604164250968\epsilon_2^4\epsilon_3^2 + 0.012623034762 45\alpha_4^{c_s}\epsilon_2 \\
&+ 26.371954409687\epsilon_1^2\epsilon_2^4 + 0.013888888888889 (\alpha_2^{c_s})^2 \log(c_s)^6 \\
&+ 0.11228652218641 (\alpha_0^{c_s})^5 \epsilon_2 + 0.031725506405004\alpha_0^{c_s}\epsilon_2^5 \\
&+ 75.454092624244\epsilon_1^4\epsilon_2^2 + 2.4764082020822\epsilon_1\epsilon_2^5 \\
&+ 0.020828572449071\epsilon_2^6 \log(c_s)^4 + 0.041733502892564\epsilon_2^6 \log(c_s)^2 \\
&+ 0.1036516324715\epsilon_2^3\epsilon_3^3 + 27.221451915347\epsilon_1^6 \log(c_s)^2 \\
&+ 3.9012937638193\alpha_0^{c_s}\epsilon_1^5 + 0.14451286340115\alpha_4^{c_s}\epsilon_1 \\
&+ 0.29777072927648 (\alpha_0^{c_s})^6 \log(c_s) + 0.010323841911612\epsilon_2\epsilon_3^5 \\
&+ 0.042136599885884 (\alpha_0^{c_s})^2 \epsilon_2^4 \\
&+ 0.0013888888888889 (\alpha_0^{c_s})^6 \log(c_s)^6 \\
&+ 0.0013888888888889\epsilon_2^6 \log(c_s)^6 + 0.088888888888889\epsilon_1^6 \log(c_s)^6 \\
&+ 0.02253023712179 (\alpha_2^{c_s})^2 \log(c_s)^5 \\
&+ 0.091204644317315 (\alpha_1^{c_s})^3 \log(c_s)^5 \\
&+ 6.2515772548946\epsilon_1^6 \log(c_s)^4 \\
&+ 0.19536655009972 (\alpha_0^{c_s})^6 \log(c_s)^4 \\
&+ 0.39318817161996 (\alpha_1^{c_s})^3 \log(c_s)^4 + 0.029028427193342\alpha_1^{c_s}\epsilon_1^4 \\
&- 0.016486556785518\alpha_5^{c_s} \log(c_s)^4 - 0.0080369359120923\alpha_1^{c_s}\epsilon_2^4 \\
&- 0.033453824240986\epsilon_2^6 \log(c_s)^3 - 0.036659953491033\alpha_5^{c_s} \log(c_s)^3 \\
&- 0.14810247858975 (\alpha_0^{c_s})^3 \epsilon_2^3 - 1.184819828718 (\alpha_0^{c_s})^3 \epsilon_1^3 \\
&- 0.37119087273142 (\alpha_0^{c_s})^6 \log(c_s)^2 - 0.025357620941547\alpha_2^{c_s}\epsilon_2^3 \\
&- 0.20286096753237\alpha_2^{c_s}\epsilon_1^3 - 0.065637834002547 (\alpha_0^{c_s})^5 \epsilon_1 \\
&- 0.065946975163844\epsilon_2^5\epsilon_3 - 0.066751583572124\alpha_5^{c_s} \log(c_s)^2 \\
&- 0.036516167252782 (\alpha_0^{c_s})^2 \epsilon_1^4 \\
&- 2.4277285251203 (\alpha_1^{c_s})^3 \log(c_s) \\
&- 0.3035219246156 (\alpha_1^{c_s})^2 \epsilon_2^2 - 0.15390619513867\epsilon_2^2\epsilon_3^4 \\
&- 0.31480332129096\alpha_3^{c_s}\epsilon_1^2 - 0.20321876770838 (\alpha_2^{c_s})^2 \log(c_s)^4 \\
&- 0.2189753816044 (\alpha_0^{c_s})^4 \epsilon_2^2 - 17.309647141508\epsilon_1^6 \log(c_s)^3 \\
&- 1.0874852316572 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \\
&- 0.27660907847601 (\alpha_0^{c_s})^6 \log(c_s)^3 \\
&- 0.57459091179384 (\alpha_2^{c_s})^2 \log(c_s)^3 \\
&- 1.1891398157539\epsilon_1^6 \log(c_s)^5 - 0.29978032319618\alpha_0^{c_s}\alpha_4^{c_s} \\
&- 0.15070372801515 (\alpha_1^{c_s})^3 \log(c_s)^3 \\
&- 1.2068847160081 (\alpha_2^{c_s})^2 \log(c_s) \\
&- 0.603703598836 (\alpha_0^{c_s})^4 \alpha_1^{c_s}
\end{aligned}$$

$$
\begin{aligned}
&- 5.1944866308335 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \\
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^6 \\
&- 0.010586357045512 \alpha_5^{c_s} \log\left(c_s\right)^5 - 0.043407322042288 \alpha_3^{c_s} \epsilon_2^2 \\
&- 0.0013888888888889 \alpha_5^{c_s} \log\left(c_s\right)^6 - 23.122492488762 \epsilon_1^6 \log\left(c_s\right) \\
&- 0.023060510027566 \epsilon_2^6 \log\left(c_s\right) \\
&- 1.4792137206315 \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&- 0.0060803096211543 \epsilon_2^6 \log\left(c_s\right)^5 - 0.8381374684109 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \\
&- 0.88677701754282 \alpha_1^{c_s} \alpha_3^{c_s} - 1.8015674718374 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \\
&- 1.8276000747427 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} - 0.059633396938128 \alpha_5^{c_s} \log\left(c_s\right) \\
&- 0.9805821413587 \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.031080309621154 \left(\alpha_0^{c_s}\right)^6 \log\left(c_s\right)^5 \\
&+ 0.0625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^6 \\
&+ 0.0625 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.25 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 1.2985899251662 \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 0.26912190825587 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&+ 0.0048539557736345 \epsilon_1 \epsilon_2 \epsilon_3^4 + 5.3721189690976 \epsilon_1 \epsilon_2^4 \epsilon_3 \\
&+ 1.5178528830171 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.09578960465039 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 + 0.10323841911612 \epsilon_2 \epsilon_3^4 \epsilon_4 \\
&+ 0.013518142273074 \alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&+ 0.027893619983116 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 0.47380492997599 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.029930407425899 \epsilon_2^4 \epsilon_3 \epsilon_4 \\
&+ 0.5293127633833 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \\
&+ 2.1503772818914 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \\
&+ 0.010699191579298 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.085593532634381 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right) \\
&+ 12.079048200109 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.095195191276171 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \\
&+ 6.9022719186146 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.063468829926908 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.032129503738001 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \\
&+ 0.25703602990401 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \\
&+ 0.035535157267776 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 18.232367303381 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \\
&+ 1.1647371985009 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \\
&+ 2.3834780895005 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&+ 0.3015425661354 \alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.15485762867417 \epsilon_2 \epsilon_3^2 \epsilon_4^3 + 5.6575079379471 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \\
&+ 0.1888521410956 \alpha_3^{c_s} \epsilon_2 \epsilon_3 + 0.39394399414231 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.20668884911004\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^4 \\
&\\
&\\
&\quad + 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.22222222222222\alpha_2^{c_s}\epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.22222222222222 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.44444444444444\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.11308322189373\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.11372535967058\epsilon_1\epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.11808389430564\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 + 0.47491676129932\alpha_3^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \\
&+ 0.25661125481544\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^3 \\
&+ 1.0303388303516\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right) \\
&+ 0.25809604779029\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 2.1259409757437\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&+ 0.0083333333333333\alpha_0^{c_s}\alpha_4^{c_s} \log\left(c_s\right)^6 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.0083333333333333\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.0083333333333333 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.016666666666667\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.016666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.26666666666667\alpha_0^{c_s}\epsilon_1^5 \log\left(c_s\right)^6 \\
&+ 0.033795355682685\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.0085667529568716 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 2.200300533968 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \\
&+ 1.1354495987583\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 4.5607365601542\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \\
&+ 0.018082530239889\epsilon_2\epsilon_3^5 \log\left(c_s\right) \\
&+ 37.328340339179\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \\
&+ 0.038518142273074\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 10.057811129131\epsilon_1^4\epsilon_2\epsilon_3 + 0.31564752470391\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 40.749413397007\epsilon_1^3\epsilon_2^2\epsilon_3 \\
&+ 0.005111523059529\epsilon_2\epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 0.092718977817119\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.093702951212814\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.75750144726505 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right) \\
&+ 3.0617372172421\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 3.0677835094285 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right) \\
&+ 6.1843742317416 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \\
&+ 0.0060436803362717\epsilon_2\epsilon_3^5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 24.781494840772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^2 \\
&+ 6.6319787595161 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^3 \\
&+ 1.6787243399876 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.87266132294767 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.516033785506 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^2 \\
&+ 3.8581779755407 \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.0009711075418 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \\
&+ 16.060686114957 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 0.25420867728608 \epsilon_2^5 \epsilon_3 \log\left(c_s\right) + 16.986257068607 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \\
&+ 1.0710664322148 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \\
&+ 1.0851346813362 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.27200038070694 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \\
&+ 0.54722786590389 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 4.3929644001223 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 0.017354931524974 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \\
&+ 0.13993878866908 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.143507910142 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right) \\
&+ 0.57177749486128 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right) \\
&+ 1.1453661162277 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 9.1629289298215 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 36.946067358874 \alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)^2 \\
&+ 0.073502783142091 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.58802226513673 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^3 \\
&+ 4.7694840047772 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 9.5864240626752 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
&+ 2.4020913187819 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \\
&+ 38.863372803321 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \\
&+ 0.15227840819682 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 1.2182272655746 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 2.4618611225033 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \\
&+ 0.61702036414414 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right) \\
&+ 2.5093654865485 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.62925055760179 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right) \\
&+ 2.531327286178 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 + 0.020302689804444 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \\
&+ 5.2313457046257 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 + 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4^4 \\
&+ 5.3022179719125 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^4 \\
&+ 0.33311395354425 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \\
&+ 0.020833333333333 \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^6 \\
&+ 0.083780066622151 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 0.68511847498931 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 1.3732822873846 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.043055555555556 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.17450941234507 \alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 1.4119512254879 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 11.295609803903 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.17672961468439 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \\
&+ 0.088400290115666 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.70720232092533 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.17693388499068 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 5.6886748825141 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \\
&+ 0.0027777777777778 \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.0055555555555556 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 2.8798585529869 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \\
&+ 0.090277777777778 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.091204644317315 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^5 \\
&+ 0.091204644317315 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.091204644317315 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9386552143959 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&+ 0.3759649755729 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 1.5578083632426 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.10071828009788 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \\
&+ 0.4117700316223 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 27.47321752324 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \\
&+ 0.44064598413632 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.44612616473365 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 28.656083980384 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 14.448548891966 \alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)^4 \\
&+ 0.2259427646299 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.93571538084386 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&+ 3.7511291708925 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.058778927080912 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \\
&+ 1.9126532463998 \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.96949245228196 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 0.24260195414106 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.061811191038817 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.125\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.16148185772693 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.37160619242309 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 2.9728495393847 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 3.0240137828264 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \\
&- 0.28555633395072\epsilon_2^5\epsilon_3 \log\left(c_s\right)^4 \\
&- 5.0010251916733\alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^4 \\
&- 0.64861393295195 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.59820369036228 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \\
&- 0.2332798434137\epsilon_2^2\epsilon_3^4 \log\left(c_s\right) \\
&- 0.43500524602535\alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 17.41988010704\epsilon_1^2\epsilon_2^4 \log\left(c_s\right) \\
&- 0.13667355838199\alpha_0^{c_s} \epsilon_2^4\epsilon_3 \\
&- 0.038272859089754\alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.30618287271803\alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.77029647802544\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 4.2629242553428 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.26962703366739\alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.28553705507953 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \\
&- 0.18804113207486\alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right) \\
&- 1.5230025676648 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right) \\
&- 1.5957038884228\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.20222300061739\alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^4 \\
&- 1.6746190532931 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right) \\
&- 0.013575230307652\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.11111111111111\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.014245226035509\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&- 7.7558626121986 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right) \\
&- 1.974085596888 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 67.997349617635\epsilon_1^4\epsilon_2^2 \log\left(c_s\right) \\
&- 0.033795355682685\alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.55700039245203\alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right) \\
&- 0.14736024504316\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \\
&- 2.3888600222756 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2 \\
&- 0.30629704878719 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^5 \\
&- 2.5598338646024\epsilon_1\epsilon_2^5 \log\left(c_s\right) \\
&- 1.2845209427409 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 1.2971081169276 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^2 \\
&- 20.807084947851\alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.16492686508158\alpha_0^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^4 \\
&- 0.66069109362285\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^2 \\
&- 43.108262263584\epsilon_1^3\epsilon_2^3\log\left(c_s\right) \\
&- 0.68283746918859\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^4 \\
&- 0.34938161209759\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^3 \\
&- 2.8310167475827\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right) \\
&- 0.71035078801778\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&- 1.5950861183561\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2 \\
&- 0.4034256631516\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2 \\
&- 1.6169745960853\left(\alpha_0^{c_s}\right)^5\epsilon_1\log\left(c_s\right)^3 \\
&- 0.81493167181018\alpha_1^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^3 \\
&- 3.300752780595\alpha_0^{c_s}\epsilon_1^5\log\left(c_s\right)^5 \\
&- 0.41548846310613\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3 \\
&- 0.84445573180778\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^5 \\
&- 0.86208794859402\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.873974829712\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \\
&- 0.22110136476117\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.44525600202513\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&- 3.7343625009934\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\log\left(c_s\right) \\
&- 0.95093193808161\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right) \\
&- 0.48573054382025\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\log\left(c_s\right)^3 \\
&- 4.1259409757437\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\log\left(c_s\right)^5 \\
&- 0.032602588438566\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&- 0.26082070750853\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&- 0.13641141596225\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right) \\
&- 1.0916426590462\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right)^3 \\
&- 0.27361393295195\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 1.1350139726851\left(\alpha_0^{c_s}\right)^5\epsilon_2\log\left(c_s\right)^3 \\
&- 2.2790324121027\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.28827285908975\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\log\left(c_s\right)^5 \\
&- 1.1726808289492\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^3 \\
&- 2.3759427132522\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \\
&- 1.1976027771239\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\log\left(c_s\right)^4 \\
&- 1.2027652007828\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&- 0.61757326857909\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2 \\
&- 0.31157107662356\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right) \\
&- 1.248521403813\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 0.15661215510484\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right) \\
&- 1.2814852439359\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\log\left(c_s\right)^5 \\
&- 0.16203257637804\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 1.301683687825\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.020493952575642\epsilon_1\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 0.32905962241168\alpha_0^{c_s}\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.33170040434791\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^6 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2^5\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.33333333333333\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^6 \\
&- 1.3520489054095\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 5.5230395036608\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s} \\
&- 11.101754988253\epsilon_1^5\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.043414399735989\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3^5 \log\left(c_s\right)^6 \\
&- 0.011144064024881\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 5.7391066032429 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.36519782612597\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.18848959825578\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.38280838503951 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \\
&- 0.39522012537503\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.098947756503859 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.79830684696311 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.4\epsilon_1^5\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.20100170362196\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.41469504095178\alpha_0^{c_s}\alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 1.690015338254\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.4311749950547\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \\
&- 0.21620464431732 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 27.91422204352 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.21851475606407\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.43849479736801\epsilon_1\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.028505181770766\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 3.6561951366333\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.11732267281639 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.9117175635544 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 15.293740508435 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.23937755135172\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 0.48058387632188\epsilon_2^5\epsilon_3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 61.601972115761\epsilon_1^5\epsilon_2 \log(c_s) \\
&- 1.9388889505716 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log(c_s)^3 \\
&- 0.48551926236648 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \\
&- 0.007654571817950 7\epsilon_1^2\epsilon_2^4 \log(c_s)^5 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2^5 \log(c_s)^5 \\
&- 31.534388757196\alpha_0^{c_s}\epsilon_1^5 \log(c_s)^3 \\
&- 0.98988136654064 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log(c_s)^3 \\
&+ 0.125\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log(c_s)^6 \\
&+ 0.125\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&+ 0.125 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log(c_s)^6 \\
&+ 0.25\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log(c_s)^6 \\
&+ 1.0080717027104\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 1.1148185772693 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log(c_s)^5 \\
&+ 1.1148185772693 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 1.8588039442473 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log(c_s) \\
&+ 4.0893572900281\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 0.55906858863085 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 4.6889114636156 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log(c_s)^5 \\
&+ 20.583910482672\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 1.2972278659039 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log(c_s)^5 \\
&+ 1.2972278659039 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 0.0048539557736345\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.31403178089924 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 7.0298182571717 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 17.220954618198 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2 \log(c_s)^2 \\
&+ 0.1521190579151 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 10.072136764816\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 6.0779513818876\epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.09578960465039\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.051619209558058\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.10323841911612\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 0.0016329289854236\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2 \\
&+ 0.029123734641807\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.5293127633833 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 2.1503772818914\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.1358045943397\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 2.5517111351213\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.64722021133687 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 42.960282831345\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 2.7234836727788\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^3 \\
&+ 3.7945845987002\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 1.0017552886155\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&+ 1.0240393404378\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.5306182872718\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^5 \\
&+ 4.312128774789\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.033977690415441\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^3 \\
&+ 1.1312985085359\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 0.57473762790234\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.58646753433726\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.15109200840679\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.6248400090734\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right) \\
&+ 1.3044622143465\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 10.538414262312\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right) \\
&+ 2.73554707435\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log\left(c_s\right) \\
&+ 2.8477287545776\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right)^3 \\
&+ 11.40274309314\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 5.9349942110678\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right)^2 \\
&+ 1.5086691544053\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 6.1215386980809\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 12.53672049141\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.5904571839854\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.40131588959349\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 6.4511318456741\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 6.8238115449628\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.11111111111111\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.05740928863463\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.11481857726926\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.11481857726926\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 3.7178012417786\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.23329640937429\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.060436803362717\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^4 \\
&+ 0.12222222222222\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 1.9917827240958\epsilon_1^3\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 7.9911233384979\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 0.031485243935928\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 0.062970487871855\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 4.1152599348217 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log(c_s) \\
&+ 0.25809604779029\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 8.3824476529465\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 1.0521044869923\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 2.1097546954763 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.26574262196796\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.016666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^6 \\
&+ 0.033795355682685\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.27123795359834\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s) \\
&+ 0.27893619983116\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.57029974820522\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.14444444444444\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.072266893381281\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s) \\
&+ 2.3557526524959 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 2.35597350153 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2 \log(c_s) \\
&+ 0.29528658464688\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 4.8778675004985\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.076673284589293\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 2.4663999378868 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 1.2484765516539 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.31414939462238\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&+ 0.31564752470391\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.15893547383638\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 5.1348555860916\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 5.2154865771341 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.33436673284917\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.67052723255273\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 21.531041543731\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.67945641973301\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.69734049957789\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.08763575641812\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.17956451485989 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 1.4456294313759 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 2.9188974229361\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 0.36632516576671 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.36886760512503\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 1.4778495331868 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 12.150773399126\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^2 \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^4 \\
&+ 1.6259405770375\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 0.051115523059528\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^3 \\
&+ 3.3225415631144 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.7178854547482\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 7.0900341949708\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 0.11223739035892\alpha_3^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 3.7136537487776\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 7.4574695954651 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1 \log(c_s) \\
&+ 7.524334530511\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.061943051469669\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 1.0042036762065\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&+ 2.038394529874\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 8.1565596236399\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^3 \\
&+ 0.12778880764882\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^3 \\
&+ 4.1009049380204 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.5129617907935\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 1.0279483108015\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 2.0629704878719 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 4.1803089061737\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 4.1990054440265\alpha_0^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^2 \\
&+ 1.0561467262679\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 4.305018152734\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.1632100993135 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s) \\
&+ 1.0910409342901\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 8.728327474321\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.27361393295195 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 0.28012024556057 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.14027777777778 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 2.2575857643697 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.28226274423964 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 4.523106072477 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.1381003982897 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.57751022398036 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 2.310779689893 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 0.14583333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.357792208348 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 19.093714329402 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \\
&+ 1.1949023783473 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 38.326762840524 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.59889764097026 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 9.5864240626752 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 9.7058622889321 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 4.859577100943 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.15200774052886 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.61481857726926 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.61481857726926 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.459274309077 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 4.9185486181541 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 4.9207155975785 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.30908243784005 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 2.5153859214885 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.2614784447002 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.31872957808125 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.63843251022121 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.63843251022121 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 20.440010193948 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \\
&+ 2.5708422043269 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 10.378573852281 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.020302689804444 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.32545533021033 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.6208182715177 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.6560968849833 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.65721885111413 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.3322383962641 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.020833333333333\alpha_1^{c_s} \epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.020833333333333\alpha_3^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.083333333333333\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_0^{c_s} \epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_1^{c_s} \epsilon_1^3\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.34501618081599\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.34749649545939\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 5.5852152848208\alpha_0^{c_s} \epsilon_1^4\epsilon_2 \log\left(c_s\right)^5 \\
&+ 5.6291899459068 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.70925536640247 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 1.4283116134522\alpha_1^{c_s} \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 2.8650741675536\alpha_0^{c_s} \epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 1.437637522539\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2\epsilon_3^2 \\
&+ 0.17976871318412\alpha_3^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.18024189697432\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.18082530239889\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right) \\
&+ 0.090655205044076\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.091204644317315\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.091204644317315\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 23.399239707947\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 47.303263628691\alpha_0^{c_s} \epsilon_1^4\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.18489880106381\alpha_0^{c_s} \epsilon_2\epsilon_3^4 \log\left(c_s\right) \\
&+ 1.4856082141424\alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.093055555555556\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 2.9966170637686\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.75102656521901\alpha_0^{c_s} \epsilon_1\epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.75752095109968\alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 12.368995095634\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 3.1145369224453\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 1.558634499478\alpha_1^{c_s} \epsilon_1\epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 3.1367475940813\alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3928182046539\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^3 \\
&+ 6.3121333221293\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log(c_s) \\
&+ 25.333392170304\epsilon_1^3\epsilon_2^2\epsilon_3\log(c_s) \\
&+ 6.3340284435459\epsilon_1^2\epsilon_2^2\epsilon_3^2\log(c_s)^4 \\
&+ 0.19815191060259\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log(c_s)^5 \\
&+ 12.715512554297\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log(c_s)^2 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3^4\log(c_s) \\
&+ 3.2022636105818\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 3.321430575993\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^2 \\
&+ 0.20833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^6 \\
&+ 0.41840429974674\epsilon_2\epsilon_3^2\epsilon_4^3\log(c_s)^2 \\
&+ 0.83958989107088\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.6802416976212\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^4 \\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\log(c_s)^5 \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3^4\log(c_s)^2 \\
&+ 3.5194036781152\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log(c_s) \\
&+ 3.5713689725846\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\log(c_s)^4 \\
&+ 0.45206325599723\epsilon_2\epsilon_3^3\epsilon_4^2\log(c_s) \\
&+ 1.812926459393\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 7.2913850158609\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 1.8269939335568\epsilon_2^3\epsilon_3^2\epsilon_4\log(c_s)^3 \\
&+ 3.6738288225427\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log(c_s)^3 \\
&+ 0.92222786590389\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^5 \\
&+ 0.92562147412771\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log(c_s)^4 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3^4\log(c_s)^4 \\
&+ 0.23192694715093\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log(c_s) \\
&+ 1.8615460958427\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log(c_s)^2 \\
&+ 1.8644262917017\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 3.7698216469786\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\log(c_s)^2 \\
&+ 0.058965375988161\epsilon_2^3\epsilon_3\epsilon_4^2\log(c_s) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3^3\log(c_s)^3 \\
&+ 15.388135466879\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.060803096211544\epsilon_2\epsilon_3^4\epsilon_4\log(c_s)^5 \\
&+ 0.48737518428889\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log(c_s)^2 \\
&+ 0.9788085599598\alpha_3^{c_s}\epsilon_1\epsilon_2\log(c_s)^2 \\
&- 0.0625\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log(c_s)^6 \\
&- 0.125\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\log(c_s)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\log(c_s)^6 \\
&- 0.25\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.5 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.5 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.5 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.37160619242309 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.2432123848462 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.054271778976 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 8.4341742318084 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&- 4.1283646653224 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.87512814895916 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 0.47714898584971 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 1.0890372547404 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.15119507002401 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.15771185920563 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5134325102212 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 6.5422872386305 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 1.1015569952058 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 5.2189149099785 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 3.0736483297011 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right) \\
&- 6.4972911195656 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3 \\
&- 13.844818197882 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.13611111111111 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.14426939546663 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&- 0.038272859089754 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 5.1887171483748 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&- 5.2372729113818 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.70368391386311 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 6.1137197616071 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 0.87347385460051 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.91840057999492 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.061026516259998 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.063818346989081 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&- 1.0961101153955 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&- 1.1259409757437 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 2.3043278483433 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 10.015694551915 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.5442912167099 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.32167488171285 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.32404579624733 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.33824007567737 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \\
&- 0.67659011307168 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&\quad - 5.5715488887711 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 6.3890395195658 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.6033822729929 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.013888888888889 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.44827482649649 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&- 7.2082657589045 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.014245226035509 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&- 0.45927430907704 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.52384169343988 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.52388495827725 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 1.0629704878719 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.27036284546148 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.27254362412801 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 2.1954126836599 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 2.2057656112056 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.034722222222222 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.58391178555644 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 2.43038853086 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 4.9222725748944 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.077633262406718 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.038888888888889 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.2475455462825 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.31264214324831 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 20.037677685831 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 10.152347601214 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 1.2716895070259 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 10.66360806797 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 1.3404060034836 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.085368565220173 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 0.17356982454636 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 45.552997312113 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.7240759553013 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.72870117588122 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.73249005291164 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 6.0626126185247 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 3.045031331989 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.5309361104572 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5375980376653 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.38862849904312 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 25.138213793706 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.099683517555536 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 0.79746814044429 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 3.2422193624901 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 55.144370142364 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right) \\
&- 28.292707435498 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&- 1.8652181071865 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.4651503506246 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 7.6062005071314 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.23941935314652 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.12049068681359 \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.24403957664003 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.0122021653093 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&- 8.1361359405679 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right) \\
&- 32.576596362644 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 1.0267849982794 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.51574262196796 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.016393181695177 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \\
&- 1.0656855339334 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 4.3539869056154 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&- 0.068093737474516 \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.54722786590389 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.13744361174779 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&- 2.2024858965108 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.1097131394684 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 2.2257383942002 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&- 17.8381409152 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.57264287848152 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 4.6486983685293 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&- 0.14583333333333 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.14583333333333 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.036481857726926 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 2.3902398262614 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.019088721025705 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.61411127173659 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.61481857726926 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.038974507127932 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.31207323943731 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&- 0.62668727409672 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&- 0.079284402421545 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.2733435124508 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.15987905151284\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.080638774709086\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 0.010242035138289\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.16463038212052\alpha_0^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^5 \\
&- 1.3216981396691\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^4 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_1^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_3^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_2^4\epsilon_3\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.16666666666667\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.16666666666667\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.33333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\log\left(c_s\right)^6 \\
&- 0.66666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^6 \\
&- 0.66666666666667\alpha_0^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^6 \\
&- 10.673052657806\alpha_0^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^4 \\
&- 5.3616366231011\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 0.67222786590389\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 5.38806663007\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right) \\
&- 1.3477667931402\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 2.6994773332238\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&- 0.042735678106526\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 2.7428088841268\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 1.3717438631508\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^4 \\
&- 0.69815191060259\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.69999885980148\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 45.219783153042\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)
\end{aligned}
$$

$$- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6$$
$$- 0.022222222222222\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.71452069379492 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 0.35870806195894 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log\left(c_s\right)$$
$$- 0.091204644317315\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5$$
$$- 0.36481857726926\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 1.459274309077\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.045920615162863\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 1.4725936401726\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4$$
$$- 11.817336741346\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2$$
$$- 0.74383083701966\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2$$
$$- 12.071116016971\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 1.5370464431732\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 1.5944557318078\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5$$
$$- 0.05\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.0031637993419818\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)$$
$$- 0.025310394735855\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)$$
$$- 0.2028218007057\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.40738074461734\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 1.6376051123094\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.20482584824799\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4$$
$$- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5$$
$$- 1.6438227147986 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^2$$
$$- 3.2930854653737 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.82654571817951 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.025924044698703\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$
$$- 6.6570490190187 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.013132232670601\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)$$
$$- 0.85023221859773\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3$$
$$- 27.339441046693\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2$$
$$- 3.4255567990092\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)$$
$$- 0.054534750162348\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 6.9817540507654\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^2$$
$$- 0.22065610642292\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2$$
$$- 3.5565277263847\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)$$
$$- 0.45725007444928\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.92222786590389\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5$$
$$- 0.93186045418556\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 3.7368478045243 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.23566533422583 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.23570186563322\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)$$

$$
\begin{aligned}
&- 1.901944308422 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.96398112962689 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 7.7238164465489 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.12160619242309 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.061481857726926 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 3.9494773332238 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.0625 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.25 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 2.0 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.5 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 2.5338130081238 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.64861393295195 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 2.8444557318078 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.0048539557736345 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 0.019415823094538 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 2.5382438165117 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 6.0779513818876 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.09578960465039 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 0.38315841860156 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 0.051619209558058 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.027893619983116 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.014561867320903 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 2.1503772818914 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 8.7979752626387 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 17.972725944171 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 5.2002902596849 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.042305762353902 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.34690836428789 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 5.7243728031983 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.5780343483244 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.22928834764097 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.97716924407199 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.0031001985475 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.1093928063829 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.139595606296 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 1.1312985085359 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.28333333333333 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.28736881395117 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.15109200840679\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 1.2942916074467\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 1.3044622143465 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 0.16736171989869\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^2 \\
&+ 1.3845208219257\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.69435968984508\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 6.2576594468195\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 6.7094033465856\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.027777777777778 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.055555555555556\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.23329640937429\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.058333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 1.8982319984739\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.030218401681359\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.060436803362717\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.12657771167922\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 1.020825291577\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 2.065005111324 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 8.7757228339852\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.0989754973001 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.13946809991558\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 0.27893619983116\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.03578086614167\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&+ 9.3115722248765 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.038367877421902\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 4.9457620903677\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 1.2371122201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 1.2733849986724 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 20.429068499316\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5787131098398 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.005111523059529 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 1.3129704878719 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.32825872679853 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.33436673284917 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 5.4200723171787 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 1.3559465084294 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.69734049957789 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 1.4456294313759 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 2.8963038212052 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9038907741129 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.36632516576671 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 1.4816734390847 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9648247786477 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.0060436803362717 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^4 \\
&+ 0.19525533988181 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 1.5708038114583 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 3.1734157790616 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.025557761529764 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.051115523059528 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.83757363777599 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 14.39005501306 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 14.644473113351 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.12321021181804 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.030971525734835 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6 \\
&+ 0.12778880764882 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.5129617907935 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 4.1077045168942 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.0403479882781 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.52817574098539 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 2.1281629140805 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.067020401203704 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 4.3522681399287 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 17.433643392861 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.28012024556057 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.14087510330506 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.03626208201763 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.036481857726926 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 37.372599767791 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.4102427822438\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 4.7302429406736\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&+ 0.59727832715552\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 2.4180068665331\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.15200774052886\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.2294341254199\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.30740928863463\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.61481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 10.025894830643\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 10.049955102057\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.31872957808125\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.31975810302568\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.32545533021033\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.6560968849833\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.65721885111413\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 10.55106522216\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.041295367646446\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.020833333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 0.083333333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.083333333333333\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.04256216734808\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.68144600487932\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 22.275015069594\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.69682471501478\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&+ 44.92553716906\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&+ 2.840348303504\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 1.4226270900266\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.437637522539\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.090412651199446\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right) \\
&+ 0.18082530239889\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.091204644317315\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&+ 1.4720592863704\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)\\
&+ 1.4796371545385\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log(c_s)^5\\
&+ 0.38296851459829\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^2\\
&+ 1.5370464431732\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^5\\
&+ 1.5388853723805\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)\\
&+ 1.5432286513104\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^3\\
&+ 12.368995095634\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2\\
&+ 0.19425251145089\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^4\\
&+ 0.097222222222222\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^6\\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^5\\
&+ 3.1145369224453\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\\
&+ 12.462456345032\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\\
&+ 3.1367475940813\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\\
&+ 0.3928182046539\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3\\
&+ 1.5829536939198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^2\\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)\\
&+ 0.79722786590389\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log(c_s)^5\\
&+ 0.025\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6\\
&+ 0.05\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^6\\
&+ 0.05\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^6\\
&+ 0.40212240722222\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^4\\
&+ 25.819196415235\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log(c_s)^3\\
&+ 0.81008630481926\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^4\\
&+ 26.397200928284\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 1.653091436359\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5\\
&+ 0.20833333333333\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^6\\
&+ 0.052447270659166\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^4\\
&+ 0.84036073668172\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^2\\
&+ 0.052777777777778\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^6\\
&+ 1.7066734390847\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^5\\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^5\\
&+ 0.054166666666667\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^6\\
&+ 1.734469672974\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.10849518143933\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)\\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^2\\
&+ 3.5531737113717\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^4\\
&+ 14.322984189913\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log(c_s)^3\\
&+ 3.5812418710659\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)\\
&+ 0.45206325599723\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)\\
&+ 7.2913850158609\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 1.8520860297159\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 3.7122707381932\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^3 \\
&+ 0.46914280842593\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.058965375988161\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.030401548105772\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.060803096211544\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 7.8219860732394\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3 \\
&+ 0.122968451716\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 1.9682906549499\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.0625\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 0.125\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^6 \\
&- 0.37160619242309\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.2432123848462\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.2972278659039\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 1.5472278659039\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^5 \\
&- 0.15119507002401\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 3.7705900011252\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&- 3.8149915438042\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&- 1.1015569952058\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&- 0.14426939546663\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&- 0.60331196630802\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&- 0.038272859089754\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 6.1805625135049\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s) \\
&- 3.3046709856173\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.44533984554336\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&- 0.23140810510632\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 7.7410462163639\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 0.061026516259998\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 0.25396827869777\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.063818346989081\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&- 0.31889114636156\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 0.32249638856152\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&- 0.66435952734107\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 0.086933592605531\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s) \\
&- 45.877941340296\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 12.281261116629\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.048098658543061 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.3893850989372 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 1.5741502163105 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.39415679719784 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&- 1.6033822729929 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.43280818639989 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.0069444444444444 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.013888888888889 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.11111111111111 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.11111111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.7962892045289 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 7.2621467927354 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.014245226035509 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&- 16.252459877983 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.52388495827725 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.066666666666667 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.55008002830126 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.034722222222222 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.15 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.15 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.0097222222222222 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.038888888888889 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 10.152347601214 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.16012758726931 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&- 10.465461788424 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.16360425048705 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3 \\
&- 5.2547847787997 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.34182742977575 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&- 2.7987164960488 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.71728834014747 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.73249005291164 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 2.9602692794698 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 2.965378163789 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.19145504096724 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&- 0.39027403054521 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&- 0.4085624248471 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.43037300408848 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.89630382120519 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.92685108200819 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 15.2285102567 88 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.47665616232161 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 0.12049068681359 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&- 3.883336552878 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 1.0051921623161 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.50638113666945 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 16.213376005138 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.016393181695177 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&- 1.0529174134534 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.068093737474516 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&- 0.27361393295195 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&- 4.3834648139179 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 4.4608129701397 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 0.28454856655563 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 2.3129704878719 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.1567734639418 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 4.6293638245328 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 2.3219472412107 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.036481857726926 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&- 4.7531932087589 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 4.8101468189787 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.019088721025705 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.61481857726926 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.61481857726926 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 1.2544866335833 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 5.0315953664182 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.039396698011802 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right) \\
&- 1.2690959929127 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.3214783720645 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 20.72779833251 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 41.851796011342 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 1.3287131098398 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.020833333333333 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.041666666666667 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.16666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.16666666666667 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 5.3724191026842 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 10.767415112831 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 21.57901127459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 5.5760970736014 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.70710559689967 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&- 0.70802871201137 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.0013888888888889 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^6 \\
&- 0.72294412088157 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.091204644317315 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.73180474555193 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.36889114636156 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 2.9611920253651 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 12.071116016971 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 6.0442610646883 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5716548748318 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.05 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.10246976287821 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 1.6438227147986 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.20833333333333 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.20833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.013132232670601 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&- 0.84343480769516 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 1.6877158927332 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 13.51828198786 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.21388888888889 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 6.8834681430449 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.86481857726926 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 6.9225025307337 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.054534750162348 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.10944557318078 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&- 14.048765268237 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.89468800196401 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 1.800515759705 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&- 7.2741669985005 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 1.8444557318078 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 3.7507988315072 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 15.016195723647 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.23545752666231 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.23570186563322 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 1.8963038212052\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 0.23713207522502\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.48642496904545\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 6.3844887422415\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.0048539557736345\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 5.5411800022505\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.09578960465039\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.11157447993246\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 8.1141112084048\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 5.2002902596849 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 6.8077619240872\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 3.7113366057239\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.55469640319143\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.558382425184\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 5.2809716867895\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.083680859949347\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.34717984492254\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 6.7094033465856\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.055555555555556\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.030218401681359\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.033333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 8.7757228339852\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.13946809991558\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.072330120959556\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.15\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 1.237112201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 1.2733849986724 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.020446209223811\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.16412936339927\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.33436673284917\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.36632516576671 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.006043680336271 7\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 3.1734157790616\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.025557761529764\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.418786818888\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.12321021181804\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.5129617907935\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 4.1077045168942\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.0403479882781\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 2.1281629140805\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.26808160481482\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.28012024556057\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.14087510330506\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.018131041008815\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.018240928863463\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.29863916357776\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.30740928863463\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.61481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.6560968849833 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.020833333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.041666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.33333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 0.68144600487932\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 2.812077244294\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 11.327824475176\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.090412651199446\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 1.4720592863704\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 0.73959520425524\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.024321238484617\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.1367475940813\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.5829536939198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.39818555143702\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&+ 0.79722786590389\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.025\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.20106120361111\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.054247590719667\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right) \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.21883915119902\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.46290645989672\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 1.8520860297159\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.030401548105772\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&+ 1.9755645854462\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.125\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.5472278659039\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 1.1015569952058\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.14426939546663\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.063818346989081\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&- 1.5741502163105\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.39415679719784\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 1.6033822729929\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.006944444444444\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.52388495827725\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.0041666666666667\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.066666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 8.6289631813209\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.55008002830126\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.038888888888889\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 1.4816734390847\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.20428121242355\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.12049068681359\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 0.48196274725438\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 1.0051921623161\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 2.0937616170314\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 1.0529174134534\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.068093737474516\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&- 0.27237494989806\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&- 0.28454856655563\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 2.3129704878719\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.1567734639418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.036481857726926\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 4.7224506489316\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 0.30740928863463\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 1.2544866335833 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 5.3724191026842 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&- 0.0055555555555556\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.36147206044078\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&- 0.091204644317315\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.73180474555193\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.18444557318078\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 2.959274309077\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 0.05\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.2\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.013132232670601\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 13.51828198786\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 3.4169640369034\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 0.054534750162348\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.89468800196401\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.23570186563322\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 0.2459274309077\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 1.237112201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 2.1281629140805\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 1.5741502163105\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.066666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.12049068681359\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 0.068093737474516\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5
\end{aligned}
$$

Relative order 7.

$$
\begin{aligned}
F_{s,7} = {} & 13.526125616593\epsilon_1^7 + 0.15871531874236 \left(\alpha_0^{c_s}\right)^7 \\
&+ 0.0014664103195426\epsilon_2^7 - 0.015631872009159\alpha_6^{c_s} \\
&+ 0.041466618777825 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 + 2.5096614288275\epsilon_1\epsilon_2^6 \\
&+ 0.0083634560602465\epsilon_2^7 \log(c_s)^4 + 3.4227653584535 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \\
&+ 14.906400825649\epsilon_1^7 \log(c_s)^4 + 0.48526882747352\epsilon_1^7 \log(c_s)^6 \\
&+ 0.023065497615138 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 + 0.0010133849368591\epsilon_2^7 \log(c_s)^6 \\
&+ 8.3801584519089\alpha_0^{c_s}\epsilon_1^6 + 0.26451881971872 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^4 \\
&+ 0.036383142641105 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} + 0.15291716311094 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3^6 + 186.75333547383\epsilon_1^5\epsilon_2^2 \\
&+ 0.015819549741289\alpha_3^{c_s}\epsilon_2^3 + 0.12655639793031\alpha_3^{c_s}\epsilon_1^3 \\
&+ 0.13269089457421 \left(\alpha_0^{c_s}\right)^7 \log(c_s) + 0.26561094185838\epsilon_2^3\epsilon_3^4 \\
&+ 69.38765499797\epsilon_1^6\epsilon_2 + 290.16003078229\epsilon_1^4\epsilon_2^3 \\
&+ 0.017878350280854\alpha_0^{c_s}\epsilon_2^6 + 0.07199505490146\alpha_5^{c_s}\epsilon_1 \\
&+ 0.0047705026641029\alpha_5^{c_s}\epsilon_2 + 1.3757653546058 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \\
&+ 1.4431913666414 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 + 0.011530255013783\epsilon_2^7 \log(c_s)^2 \\
&+ 0.096983835686133\epsilon_2^5\epsilon_3^2 + 199.44762948292\epsilon_1^3\epsilon_2^4 \\
&+ 50.343944404109\epsilon_1^7 \log(c_s)^2 + 50.72372579961\epsilon_1^2\epsilon_2^5 \\
&+ 0.0065689404924146 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^6 \\
&+ 0.12353567880703 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 - 0.14457227867251 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \\
&- 1.0652754470039\alpha_2^{c_s}\alpha_3^{c_s} - 2.1785800766172 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \\
&- 0.18410013801603\epsilon_2^4\epsilon_3^3 - 0.02432534318265 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \\
&- 0.52007623736965 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^2 \\
&- 0.0091649883727582\alpha_6^{c_s} \log(c_s)^4 - 0.0092323963347793 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \\
&- 0.0052927687144946 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.042342149715957 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 - 6.018023026764 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \\
&- 0.20245846476613 \alpha_4^{c_s} \epsilon_1^2 - 3.4755890552558 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \\
&- 0.0017643928409187 \alpha_6^{c_s} \log\left(c_s\right)^6 - 1.9294652272048 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \\
&- 0.54085013974229 \alpha_2^{c_s} \epsilon_1^4 - 9.0659261481381 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \\
&- 39.756077714853 \epsilon_1^7 \log\left(c_s\right) - 1.3325381700745 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \\
&- 0.02112432326312 \alpha_2^{c_s} \epsilon_2^4 - 0.17977099342053 \alpha_0^{c_s} \alpha_5^{c_s} \\
&- 3.6897707177117 \epsilon_1^7 \log\left(c_s\right)^5 \\
&- 8.346072609726 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \\
&- 0.0041657144898142 \epsilon_2^7 \log\left(c_s\right)^5 - 35.457281751739 \epsilon_1^7 \log\left(c_s\right)^3 \\
&- 0.070153619641098 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^5 - 0.14830729060221 \epsilon_2^2 \epsilon_3^5 \\
&- 0.15287878756554 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^3 \\
&- 0.15466007702971 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 - 1.2372806162377 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \\
&- 0.63468761269402 \alpha_1^{c_s} \alpha_4^{c_s} - 0.65775671987519 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \\
&- 0.010536633951072 \alpha_1^{c_s} \epsilon_2^5 - 0.022250527857375 \alpha_6^{c_s} \log\left(c_s\right)^3 \\
&- 0.022326147299664 \epsilon_2^6 \epsilon_3 - 0.0001984126984127 \alpha_6^{c_s} \log\left(c_s\right)^7 \\
&- 0.0001984126984127 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^7 \\
&- 0.0001984126984127 \epsilon_2^7 \log\left(c_s\right)^7 - 0.025396825396825 \epsilon_1^7 \log\left(c_s\right)^7 \\
&- 0.0032973113571036 \alpha_6^{c_s} \log\left(c_s\right)^5 - 0.8504751077058 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \\
&- 0.43673483383443 \alpha_1^{c_s} \epsilon_1^5 - 0.013911167630854 \epsilon_2^7 \log\left(c_s\right)^3 \\
&- 0.029394749575775 \alpha_4^{c_s} \epsilon_2^2 - 0.029816698469064 \alpha_6^{c_s} \log\left(c_s\right)^2 \\
&- 0.0076684970179054 \epsilon_2^7 \log\left(c_s\right) - 0.031227024786627 \alpha_6^{c_s} \log\left(c_s\right) \\
&+ 0.283602409119 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \\
&+ 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.14060201617653 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \\
&+ 0.3647287221998 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right) \\
&+ 4.0876059601774 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.061551113432518 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 8.4779773139867 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 0.017320685029454 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&+ 0.039762442317096 \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right) \\
&+ 0.55134867048461 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.019145944217307 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.022929180386918 \epsilon_2^5 \epsilon_3 \epsilon_4 \\
&+ 0.78683019794595 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.83150633836597 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 6.6520507069278 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 7.7087452580871 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^4 \\
&+ 0.12127248465109 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.57196124249622 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 0.072399722191807 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \\
&+ 0.0012087360672543 \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.16341063684155\epsilon_2\epsilon_3^2\epsilon_4^4 \\
&+ 1.33153321404\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^3 \\
&+ 1.3463886580151\epsilon_2^3\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.044149685540028\alpha_5^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.40179100136283\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\log\left(c_s\right)^6 \\
&+ 0.11145693411224\alpha_0^{c_s}\epsilon_2^6\log\left(c_s\right)^4 \\
&+ 7.1742189197578\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 7.267526777404\epsilon_1^2\epsilon_2^5\log\left(c_s\right)^2 \\
&+ 0.0035820027256551\epsilon_1^3\epsilon_2^4\log\left(c_s\right)^6 \\
&+ 119.05428984673\epsilon_1^2\epsilon_2^4\epsilon_3 + 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3^4 \\
&+ 0.25606092541386\alpha_4^{c_s}\epsilon_1\epsilon_2 \\
&+ 2.0878085425212\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 1.1086607852255\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 8.9371990993361\epsilon_1\epsilon_2^3\epsilon_3^3 + 2.3331504099987\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.14657958390118\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.1726366712094\left(\alpha_0^{c_s}\right)^4\epsilon_1^3\log\left(c_s\right)^6 \\
&+ 0.041981399712342\alpha_5^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 2.8754542186212\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 0.045777117918338\alpha_2^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 94.23891389061\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 + 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \\
&+ 0.18700252535577\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 1.4960202028462\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log\left(c_s\right)^3 \\
&+ 1.5225558154057\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right) \\
&+ 0.78728405265197\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^4 \\
&+ 3.2917160411197\alpha_1^{c_s}\epsilon_1^5\log\left(c_s\right) \\
&+ 107.34250066966\epsilon_1^2\epsilon_2^3\epsilon_3^2 \\
&+ 27.081783246687\left(\alpha_0^{c_s}\right)^3\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 0.055171469825157\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \\
&+ 3.5424777501194\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^7 \\
&+ 0.006944444444444\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&+ 0.22222222222222\epsilon_1^4\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 1.8227101681826\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\log\left(c_s\right) \\
&+ 0.94973345227611\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.12087504753913\alpha_4^{c_s}\epsilon_2\epsilon_3 \\
&+ 7.900568681052\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right) \\
&+ 2.0547580674387\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \\
&+ 2.0604010712765\left(\alpha_0^{c_s}\right)^6\epsilon_1\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0010133849368591\epsilon_2\epsilon_3^6 \log(c_s)^6 \\
&+ 0.13269069501229 (\alpha_0^{c_s})^4 \alpha_2^{c_s} \log(c_s)^6 \\
&+ 2.1230511201966 (\alpha_0^{c_s})^3 \epsilon_1^4 \log(c_s)^6 \\
&+ 0.0041666666666667\alpha_1^{c_s}\alpha_4^{c_s} \log(c_s)^7 \\
&+ 0.0041666666666667 (\alpha_0^{c_s})^5 \alpha_1^{c_s} \log(c_s)^7 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2^5 \log(c_s)^7 \\
&+ 0.0041666666666667\epsilon_2^6\epsilon_3 \log(c_s)^7 \\
&+ 0.0083333333333333\epsilon_1^2\epsilon_2^5 \log(c_s)^6 \\
&+ 0.13333333333333\alpha_1^{c_s}\epsilon_1^5 \log(c_s)^7 \\
&+ 0.53826065204099 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^2 \\
&+ 277.04633249187\epsilon_1^3\epsilon_2^3\epsilon_3 \\
&+ 0.069444444444444\epsilon_2^4\epsilon_3^3 \log(c_s)^7 \\
&+ 0.14126450128459 (\alpha_0^{c_s})^2 \alpha_4^{c_s} \log(c_s)^5 \\
&+ 0.070936945580134\alpha_0^{c_s} (\alpha_2^{c_s})^2 \log(c_s)^6 \\
&+ 0.14187389116027\epsilon_2^5\epsilon_3^2 \log(c_s)^6 \\
&+ 0.56749556464107\alpha_2^{c_s}\epsilon_1^4 \log(c_s)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3^6 \log(c_s)^2 \\
&+ 4.6619661164781 (\alpha_0^{c_s})^5 \alpha_1^{c_s} \log(c_s) \\
&+ 2.3440660886726 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \epsilon_1 \\
&+ 0.14807208503687 (\alpha_1^{c_s})^2 \epsilon_2^3 \log(c_s)^6 \\
&+ 1.1845766802949 (\alpha_1^{c_s})^2 \epsilon_1^3 \log(c_s)^6 \\
&+ 37.986527841082\alpha_0^{c_s}\epsilon_1^5\epsilon_2 \\
&+ 2.3834020155985 (\alpha_0^{c_s})^4 \epsilon_2^3 \log(c_s)^4 \\
&+ 19.067216124788 (\alpha_0^{c_s})^4 \epsilon_1^3 \log(c_s)^4 \\
&+ 0.30502886599458\epsilon_2^3\epsilon_3^4 \log(c_s)^6 \\
&+ 162.62353243022\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \\
&+ 1.2799169323012\epsilon_1\epsilon_2^6 \log(c_s)^2 \\
&+ 20.664147947481\epsilon_1^6\epsilon_2 \log(c_s)^3 \\
&+ 10.412031294663\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3^6 \log(c_s)^4 \\
&+ 0.6568389315946 (\alpha_2^{c_s})^2 \epsilon_2 \log(c_s) \\
&+ 0.08210555372903\epsilon_2^6\epsilon_3 \log(c_s)^5 \\
&+ 0.005271310865856 4\epsilon_2\epsilon_3\epsilon_4^5 \\
&+ 0.084547812679114 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \epsilon_2 \\
&+ 10.94140348375 (\alpha_0^{c_s})^3 (\alpha_1^{c_s})^2 \log(c_s)^2 \\
&+ 0.34263520628067\epsilon_2\epsilon_3^4\epsilon_4^2 \\
&+ 0.021579583901178\alpha_2^{c_s}\epsilon_2^4 \log(c_s)^6 \\
&+ 11.153179135688\epsilon_1^3\epsilon_2^4 \log(c_s)^2 \\
&+ 91.483759555272\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \\
&+ 1.4396362076187\alpha_2^{c_s}\epsilon_1^4 \log(c_s)^4 \\
&+ 23.234439152968 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.4677667925392 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \\
&+ 24.362837709561 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \\
&+ 0.09583204558917 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 25.100246374544 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \\
&+ 3.1618329377428 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.012649250113569 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^6 \\
&+ 3.2435842243879 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&+ 0.10461441700737 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.22576804836722 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 57.936531532791 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^2 \\
&+ 3.7048746957403 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 3.7274472952054 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 0.12021577329567 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.24366163122576 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.0063255570776 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.0078855829926264 \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^6 \\
&+ 0.254348230708 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&+ 0.0079551086975774 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \\
&+ 0.25660539400928 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \\
&+ 0.2571899251759 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \\
&+ 0.0081840832197644 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&+ 4.1965982410753 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1 \\
&+ 0.52968498270955 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.26530039591397 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \\
&+ 1.0630245312265 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.016637663075189 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \\
&+ 0.13310130460151 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \\
&+ 34.270946294135 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 0.27069904579497 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2 \\
&+ 4.3629513770728 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 140.08541984115 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \\
&+ 1.1199283948041 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 2.2758059597235 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \\
&+ 36.515852247029 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^4 \\
&+ 0.28676502453237 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right) \\
&+ 2.3014709884593 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&+ 0.14434491207954 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.1547592966363 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.018049701100741\alpha_3^{c_s}\epsilon_2^3\log(c_s)\\
&+ 0.14439760880593\alpha_3^{c_s}\epsilon_1^3\log(c_s)\\
&+ 9.3371556519658\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\\
&+ 2.3350832556358\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\log(c_s)^4\\
&+ 0.14728432394378\alpha_0^{c_s}\epsilon_2^6\log(c_s)^2\\
&+ 0.073651036975815\alpha_3^{c_s}\epsilon_2^3\log(c_s)^4\\
&+ 0.58920829580652\alpha_3^{c_s}\epsilon_1^3\log(c_s)^4\\
&+ 2.3692541075066\left(\alpha_1^{c_s}\right)^3\epsilon_2\log(c_s)^2\\
&+ 75.860980725913\alpha_0^{c_s}\epsilon_1^6\log(c_s)^2\\
&+ 0.0092978733277052\epsilon_2\epsilon_3^6\log(c_s)^3\\
&+ 1.1911070883062\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log(c_s)^4\\
&+ 1.2008935471777\left(\alpha_2^{c_s}\right)^2\epsilon_2\log(c_s)^2\\
&+ 0.075346482592493\alpha_1^{c_s}\epsilon_2^5\log(c_s)^5\\
&+ 1.2057526615326\left(\alpha_2^{c_s}\right)^2\epsilon_1\log(c_s)^4\\
&+ 2.4143280109026\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log(c_s)^6\\
&+ 0.30209090177663\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)^4\\
&+ 2.416727214213\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)^4\\
&+ 1.225567085738\left(\alpha_0^{c_s}\right)^6\epsilon_2\log(c_s)^4\\
&+ 0.076724177881431\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)^2\\
&+ 0.61379342305145\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)^2\\
&+ 0.15407607564695\epsilon_2^3\epsilon_3^2\epsilon_4^2\\
&+ 0.15452504750448\alpha_1^{c_s}\epsilon_2^5\log(c_s)^3\\
&+ 0.078076278004916\left(\alpha_0^{c_s}\right)^6\epsilon_1\log(c_s)^6\\
&+ 0.079069662987846\epsilon_2\epsilon_3^5\epsilon_4\\
&+ 0.040427027891347\left(\alpha_0^{c_s}\right)^6\epsilon_2\log(c_s)^6\\
&+ 41.505267933799\epsilon_1^5\epsilon_2^2\log(c_s)^3\\
&+ 0.010323841911612\epsilon_2\epsilon_3^6\log(c_s)\\
&+ 0.66548109053378\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\\
&+ 0.010404342810659\alpha_5^{c_s}\epsilon_2\log(c_s)^5\\
&+ 0.020833333333333\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\log(c_s)^7\\
&+ 0.020833333333333\left(\alpha_1^{c_s}\right)^3\epsilon_2\log(c_s)^7\\
&+ 0.041666666666667\left(\alpha_1^{c_s}\right)^3\epsilon_1\log(c_s)^7\\
&+ 0.3356514283536\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)\\
&+ 2.6852114268288\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)\\
&+ 0.0026285276642088\alpha_0^{c_s}\alpha_5^{c_s}\log(c_s)^6\\
&+ 0.67473118709796\epsilon_1^3\epsilon_2^4\log(c_s)^5\\
&+ 5.4379454132748\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\\
&+ 0.02128108367404\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\log(c_s)^6\\
&+ 43.972501161492\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log(c_s)^4\\
&+ 177.54965927054\epsilon_1^4\epsilon_2^2\epsilon_3 + 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3^3\\
&+ 5.5747386016738\alpha_0^{c_s}\epsilon_1\epsilon_2^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 11.156074751285 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \\
&+ 0.043850059549077 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 2.8156061060124 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^4 \\
&+ 11.274341735187 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.17652106884375 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \\
&+ 22.651248438246 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \\
&+ 0.70990358604268 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \\
&+ 0.0013888888888889 \alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^7 \\
&+ 0.0013888888888889 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.0027777777777778 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.17777777777778 \epsilon_1^6 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 1.4359585306395 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.72370922356213 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.023072510554244 \epsilon_1 \epsilon_2 \epsilon_3^5 \\
&+ 2.9644738841103 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^3 \\
&+ 1.4953582260458 \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&+ 0.023381094377286 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.18704875501829 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 5.9963027277805 \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^5 \\
&+ 0.37777705177345 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right) \\
&+ 3.0222164141876 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right) \\
&+ 1.5156217662059 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \\
&+ 0.0029850022713792 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.77119027854793 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.19320977729263 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^3 + 12.621304893232 \epsilon_1 \epsilon_2^5 \epsilon_3 \\
&+ 0.39807208503687 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^6 \\
&+ 0.39922233018771 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&+ 0.39965756305792 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.0125 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 1.6095520072684 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^6 \\
&+ 0.40647562249085 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.81516505986175 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 3.3069166622047 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&+ 0.20696691297441 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.013142638321044 \alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.013199671646547 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 27.16968113359 \epsilon_1^5 \epsilon_2 \epsilon_3 \\
&+ 0.1064054183702 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&+ 0.003415658762607 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^6 \\
&+ 0.109623699342 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 14.176741754422\epsilon_1^6\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \\
&+ 0.11195795727128\epsilon_2^6\epsilon_3 \log\left(c_s\right) \\
&+ 0.45404906696095\epsilon_2^3\epsilon_3^3\epsilon_4 + 1.8209862873335\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 0.45561324943163\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3 \\
&+ 0.45630731581178\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3 \\
&+ 58.416295586503\epsilon_1^6\epsilon_2 \log\left(c_s\right)^2 \\
&+ 3.6634804807356\alpha_1^{c_s}\epsilon_1\epsilon_2^4 + 0.23039651826712\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.46486109255317\epsilon_2^3\epsilon_3^4 \log\left(c_s\right) \\
&+ 0.46714505954521\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 + 29.913068001236\epsilon_1^4\epsilon_2\epsilon_3^2 \\
&+ 0.23502159927654\epsilon_1^2\epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.47441797792708\epsilon_2\epsilon_3^3\epsilon_4^3 \\
&+ 0.059944935155284\alpha_5^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.48013509037638\left(\alpha_0^{c_s}\right)^6\epsilon_2 \log\left(c_s\right) \\
&+ 7.6969356562762\left(\alpha_1^{c_s}\right)^3\epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.97430616399878\epsilon_2^3\epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 15.682560356707\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right)^3 \\
&+ 0.015381390024579\left(\alpha_2^{c_s}\right)^2\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.99069708722409\epsilon_2^5\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 31.795851322583\epsilon_1^2\epsilon_2^2\epsilon_3^3 \\
&- 0.43286330838873\epsilon_1\epsilon_2^6 \log\left(c_s\right)^3 \\
&- 0.98455844477257\alpha_2^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.041312993288534\epsilon_1^2\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 7.6793206738769\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2 \\
&- 0.54454942783896\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s} \log\left(c_s\right)^5 \\
&- 1.2361774030638\alpha_2^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 2.6012405226941\epsilon_1^5\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.87681263279994\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2 \\
&- 0.50258327021796\epsilon_2^5\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 33.217100335061\epsilon_1^6\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.26190323836575\left(\alpha_0^{c_s}\right)^2\epsilon_2^5 \log\left(c_s\right) \\
&- 0.53887230275821\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2 \\
&- 2.2963618532826\left(\alpha_0^{c_s}\right)^4\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 18.370894826261\left(\alpha_0^{c_s}\right)^4\epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.14641771930678\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right)^4 \\
&- 0.30056632216664\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 1.2461022403933\epsilon_1^4\epsilon_2^3 \log\left(c_s\right)^6 \\
&- 1.2613943815125\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2 \\
&- 1.267915705564\left(\alpha_0^{c_s}\right)^5\epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.084079583901178\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s} \log\left(c_s\right)^6 \\
&- 2.9945639441009\left(\alpha_0^{c_s}\right)^5\epsilon_1^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.3750874323364 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.025447750340707 \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right)^6 \\
&- 0.42161489658181 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.42733904007019 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.059722222222222 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.27113967636939 \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^4 \\
&- 4.5474383245219 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.14329900907568 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&- 1.14905502779 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \\
&- 1.3310885578765 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.67869415274773 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 1.3865781597107 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&- 177.51396124579 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right) \\
&- 0.70329591015145 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.35468472790067 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.77017951129791 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.006053443568593 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \\
&- 0.2056051979197 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.82415558213343 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 - 0.10502075998396 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \\
&- 1.6815710487249 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.013888888888889 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^7 \\
&- 0.013888888888889 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.027777777777778 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.027777777777778 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.055555555555556 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right)^7 \\
&- 0.11111111111111 \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^7 \\
&- 0.11111111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^7 \\
&- 0.056030356804737 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 14.952098273969 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \\
&- 0.9371446419552 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^3 \\
&- 121.38380843232 \epsilon_1^6 \epsilon_2 \log\left(c_s\right) \\
&- 1.9095041250049 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^2 \\
&- 7.7096607579644 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.12120995986762 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \\
&- 0.49102837384947 \alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 2.0153849734197 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.25223875170353\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^6 \\
&- 2.0518923851351\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 0.064875665303839\alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 2.0828970265702\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.52590880485056 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^7 \\
&- 0.0041666666666667\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.016666666666667\alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.016666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.033333333333333\epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.13333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^7 \\
&- 1.1044043960423\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.55956900093041 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 4.6930694480441 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \\
&- 0.58794658797239\alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&- 0.5889146487871\alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.29614417007374 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^6 \\
&- 0.15264110595092\alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^3 \\
&- 4.8998543248159 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 1.2587338896647\epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.5521103486106\epsilon_1 \epsilon_2^6 \log\left(c_s\right) \\
&- 5.1239094223776 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \\
&- 0.32818669534768\alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right) \\
&- 21.12190346588 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right) \\
&- 2.641326236759\epsilon_1^6 \epsilon_2 \log\left(c_s\right)^6 \\
&- 1.3603291855551 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 1.3790201938444 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \\
&- 0.045233608579003\alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^2 \\
&- 0.75273796188413 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.012052249659293\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 1.568168704926\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \\
&- 0.19628586872574\epsilon_2^6 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.099325453885897\alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&- 0.10227100387378\alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.012808067807709\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.82729858155536 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.0272134125111\alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \\
&- 1.7965955152161 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 1.8262866300563\epsilon_1^2 \epsilon_2^5 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0071528414712283\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^3 \\
&- 0.057222731769826\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^3 \\
&- 0.94377972332185\epsilon_1^4\epsilon_2^3\log\left(c_s\right)^3 \\
&- 0.11960280397359\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^5 \\
&- 0.96555811016918\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\log\left(c_s\right)^5 \\
&- 7.7244648813534\left(\alpha_0^{c_s}\right)^4\epsilon_1^3\log\left(c_s\right)^5 \\
&- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4^4 \\
&- 0.063843251022121\epsilon_2^2\epsilon_3^5\log\left(c_s\right)^6 \\
&- 0.51146018570504\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 1.0271503517479\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 - 0.26258205490753\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \\
&- 1.052139418534\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&- 2.1049131609313\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^3 \\
&- 0.033649368621844\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \\
&- 0.26919494897475\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \\
&- 69.468119368551\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log\left(c_s\right)^3 \\
&- 0.13660188911032\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&- 69.948346823471\alpha_0^{c_s}\epsilon_1^6\log\left(c_s\right)^3 \\
&- 0.55296033969884\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \\
&- 4.4452077536386\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^2 \\
&- 1.123507865353\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^2 \\
&- 2.2631174107503\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log\left(c_s\right) \\
&- 0.0090559265475073\epsilon_2^4\epsilon_3\epsilon_4^2 - 0.14585872274498\epsilon_2^4\epsilon_3^2\epsilon_4 \\
&- 0.14762758795293\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^5 \\
&- 0.14787918058364\alpha_0^{c_s}\epsilon_2^6\log\left(c_s\right)^3 \\
&- 1.186557340739\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right) \\
&- 0.074728326829606\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^4 \\
&- 0.31543508132908\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^2 \\
&- 0.63561858441276\left(\alpha_0^{c_s}\right)^3\epsilon_2^4\log\left(c_s\right)^5 \\
&- 0.31813623218895\epsilon_2^2\epsilon_3^5\log\left(c_s\right) \\
&- 5.0965213922488\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \\
&- 10.246353528501\alpha_1^{c_s}\epsilon_1^5\log\left(c_s\right)^2 \\
&- 0.16034223239556\epsilon_2^6\epsilon_3\log\left(c_s\right)^4 \\
&- 0.040274418704724\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^5 \\
&- 10.347690605588\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^5 \\
&- 41.941129158108\alpha_0^{c_s}\epsilon_1^6\log\left(c_s\right) \\
&- 10.532787685008\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right) \\
&- 0.041409095306203\alpha_4^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 1.3259429352339\left(\alpha_0^{c_s}\right)^6\epsilon_2\log\left(c_s\right)^2 \\
&- 0.020833333333333\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^7 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.16666666666667 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^7 \\
&- 1.344705300913 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right) \\
&- 10.791724362904 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^5 \\
&- 0.1689054183702 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^6 \\
&- 0.02128108367404 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.3650460532027 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 0.6880142454305 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^5 \\
&- 44.039268751893 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.043143329313157 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 11.146785726338 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right) \\
&- 0.17596869412528 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&- 0.35402307841808 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&- 0.0013888888888889 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^7 \\
&- 0.0013888888888889 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0027777777777778 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.088888888888889 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^7 \\
&- 0.35555555555556 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.7157309250963 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \\
&- 0.090260038357562 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.045147906579984 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^5 \\
&- 185.45279486513 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right) \\
&- 2.9042743738388 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^3 \\
&- 0.022745071934116 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^5 \\
&- 0.73460409180932 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \\
&- 0.73590679603887 \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.023019722364911 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \\
&- 0.3685992628497 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \\
&- 1.4809946775693 \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^6 \\
&- 0.74518139945361 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.011731185144029 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \\
&- 0.75955979738813 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&- 97.432764572445 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.0007462505678448 1 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.005970004542758 5 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^6 \\
&- 0.19106480449444 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 1.5285184359555 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 6.1318642151552 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.39835938007783 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \\
&- 0.099940122944579 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 3.2040896340808 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 12.921960219369\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right)^4 \\
&- 0.0001984126984127\epsilon_2\epsilon_3^6 \log\left(c_s\right)^7 \\
&- 0.0003968253968254\epsilon_1\epsilon_2^6 \log\left(c_s\right)^7 \\
&- 0.2033433622445\epsilon_2^2\epsilon_3^2\epsilon_4^3 \\
&- 13.142746889989 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.20747360316505\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \\
&- 1.6605205363022 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 3.3363966835552 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 1.7065903234662\epsilon_2^4\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 1.7108388988859 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.1086441269531\epsilon_1\epsilon_2^2\epsilon_3^4 \\
&- 0.10878108367404 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^6 \\
&- 0.21895274261979 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^4 \\
&- 1.7590889276341 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \\
&- 3.5211020558198 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2\epsilon_2 \\
&- 3.5362839289653\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 - 0.11127952793457\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \\
&- 0.89769612855815 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 0.45072257738643 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right) \\
&- 0.46267878892292 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \\
&- 0.058124658146611\alpha_2^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 29.783802035272\epsilon_1^2\epsilon_2^5 \log\left(c_s\right) \\
&- 0.2334074351938 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^5 \\
&- 15.054253211022 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^5 \\
&- 0.47105340087901 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \\
&- 0.95469026550394 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&- 1.9131304594791 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 0.48456225421701\alpha_4^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 0.24232110853365\epsilon_2^2\epsilon_3^5 \log\left(c_s\right)^2 \\
&- 0.48504225319336\alpha_4^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.48902152953593\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \\
&- 0.062454513450476\alpha_0^{c_s}\epsilon_2^6 \log\left(c_s\right) \\
&- 0.12492616155684\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right)^2 \\
&- 3.9997119590648\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&+ 0.0625 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0625\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.0625 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.125\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.5\epsilon_1^4\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.375 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.283602409119 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 17.090054153866 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
&+ 8.9966276756045 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \\
&+ 2.5268650204424 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 1.3745592223967 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \\
&+ 0.6942162551106 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.8316126428638 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.86669957283667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 1.7634325102212 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.11500992688394 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.9442162551106 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.00743361725064 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 16.312376359405 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 66.630858027429 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 0.5211626208861 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \\
&+ 4.2590366258981 \epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 138.21952924126 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \\
&+ 0.14542297015121 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.078567844371532 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.63827625760585 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.1614636013489 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 0.69794305163033 \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2244740146464 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.47625271788051 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 7.6449647298756 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 1.926558773019 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&+ 7.9621926174265 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.50449966579951 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.5164540483422 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 2.0693563407957 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 1.041291279929 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right) \\
&+ 4.1920315257786 \alpha_0^{c_s} \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.5324023974515 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \\
&+ 4.3810933696754 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 35.5753434302 18 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \\
&+ 71.191360271899 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \\
&+ 2.2403046043432 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.28027921871828 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 0.28754065888181 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.0012087360672543 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.5802913513924 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 12.163774480037\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 24.571179543355\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^3 \\
&+ 1.5611950313882\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.40248587090152\epsilon_1\epsilon_2^5\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.82192413099829 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.7096379078705\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 13.770384427539 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \\
&+ 1.8240374453211 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8246367344773\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.0017910013628275\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.23072510554244\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 0.9456743890453\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 126.69318120361\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \\
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&+ 8.1156309888198 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right) \\
&+ 2.0349472724377\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.25953031744261 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 4.1632928871022 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.033631833560471\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 2.1529008992584\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4^3 \log\left(c_s\right) \\
&+ 1.1500402276596\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.14499301568959\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 0.14657958390118 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.0092288340147471\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.61191533605899\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.2378660084128\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^5\epsilon_4 \log\left(c_s\right) \\
&+ 0.039614530371135\epsilon_2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^4 \\
&+ 20.308200868717\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 2.6155456846794 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.082092701641087\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 5.2545504344912 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 5.4141056868106\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log\left(c_s\right) \\
&+ 5.4902533619229\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 21.988636990413\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right) \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 2.797310952196 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 45.308048218956\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \\
&+ 2.8449613918782\epsilon_1\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 12.03204620457\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 3.0241551419391\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right) \\
&+ 97.512533558923\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.105304273061\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 100.561678101\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 12.891884661491\epsilon_1^2\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 13.099091166858\epsilon_1^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 3.2827800507038\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 26.475194540859\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.8274158228117\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 3.3429530810965\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 1.7017436701908\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 0.86599350652391\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 27.744067277091\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 3.4969289585946\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 3.5045699210588\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 0.88027543624301\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.22036238510457\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_3^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.11111111111111\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.22222222222222\epsilon_1^4\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 1.826903322367\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 3.7363448378574\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.4750389757784\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 3.8003118062272\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^3 \\
&+ 3.9997248654602\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 2.0077234272374\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 4.0312710974665\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 0.0079365079365079\epsilon_1\epsilon_2^5\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.031944444444444\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 8.2163263813269 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \\
&+ 0.51550670714998 \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.0010133849368591 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^6 \\
&+ 2.0799619241536 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \\
&+ 0.13006216734808 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.13178277164641 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \\
&+ 1.0583657397333 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.26538139002458 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0041666666666667 \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&+ 0.0041666666666667 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0083333333333333 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.066666666666667 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.066666666666667 \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.53826065204099 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.13561897679917 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.54599679826601 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.55348764091493 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \\
&+ 0.55446749911886 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.0043801525759256 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.035468472790067 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.070936945580134 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.56815450840381 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.14286066757522 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.14329804046168 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.071957789884159 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.28823407315886 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 0.0090412651199445 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^2 \\
&+ 0.14472954235183 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \\
&+ 18.605290368784 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.58509032095382 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.29500344330898 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.59061213326153 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.14807208503687 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.3691533605899 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 9.5021189594973 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.018819772210186 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.15105708730825 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.4258343319362 \epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s)^7 \\
&+ 0.019168321147323\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^4 \\
&+ 19.860862559327 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^2 \epsilon_1 \log(c_s) \\
&+ 4.9896041554444 (\alpha_0^{c_s})^4 \alpha_1^{c_s} \epsilon_1 \log(c_s)^5 \\
&+ 2.5087039547538 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 1.257616802077\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 40.962891046419\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s) \\
&+ 10.345067997843\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 1.2941874226983 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 0.32409740727324\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \\
&+ 0.32630994966862\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 10.455543612956 (\alpha_0^{c_s})^4 \epsilon_1^2\epsilon_2 \log(c_s)^4 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^4 \\
&+ 1.3086119890807\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 2.6301615319913\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \\
&+ 5.3058524288054\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s) \\
&+ 21.477169360598\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \\
&+ 0.67621867393508\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 5.4381124699443\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2 \log(c_s)^4 \\
&+ 1.3653604251843 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.34534533668725\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^4 \\
&+ 2.762762693498\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^4 \\
&+ 0.34608765831366\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 11.094880384274\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 0.69518206668531\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log(c_s) \\
&+ 0.70873167381131\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^2 \\
&+ 2.8360067220395 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 1.4269206591657 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.17845643347688\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 5.715566677634\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 0.35864417007374 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&+ 2.8698020777222 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 0.18198689271555\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^3 \\
&+ 11.666518714949\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.36552432533617\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 1.4677667925392 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.73457297175297 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 1.5415629007437 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.012052249659293\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.5561671519782 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 101.62777554323 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.6110733396716 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&+ 0.81074714750101 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.82220125738198 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.10354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right) \\
&+ 1.6845766802949 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.6845766802949 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.84338232467116 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.052713108658564 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \\
&+ 0.10542621731713 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \\
&+ 1.6876729742042 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \\
&+ 0.10555038322718 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 6.7740492848867 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.3915052725649 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.21323568709799 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 6.8236464470962 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.21421167810765 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 1.7363326282422 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 13.908508560944 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.4406199803763 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 3.5318853490967 \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 0.11300835556341 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \\
&+ 0.45377677053351 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 7.3611799021144 \epsilon_1 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.92578767794158 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.92914577204504 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 1.87169992389 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.93598852529668 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 7.5976175769999 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 0.060060514728468 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 0.9629108761487 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 3.9066239849378 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.24476283952426 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 8.0098898393384 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 4.0066289736645 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.50172218096081\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 0.031414933042631\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^6 \\
&+ 0.031627865195139\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \\
&+ 0.25447750340707\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^6 \\
&+ 0.007955108697577 4\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.50930408871255\alpha_4^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 1.0200485701007 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log(c_s)^3 \\
&+ 0.12786052659616\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^5 \\
&+ 0.51169475985736\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^2 \\
&+ 2.0538948192574 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 16.431158554059 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s)^3 \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.2571899251759\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 16.504545011677\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log(c_s)^2 \\
&+ 33.316366438364\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.065870020895839\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^6 \\
&+ 17.27476589383\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.033930333787609\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log(c_s)^6 \\
&+ 8.6871519366246 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^2 \log(c_s)^3 \\
&+ 2.1739280972896\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 17.417503352423\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 34.969743576342\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 0.0086165505455699\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 0.13797252972985 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s) \\
&+ 1.1037802378388 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 2.212739135002 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s)^5 \\
&+ 17.701913080016 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s)^5 \\
&+ 1.121667419212\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 17.96331931736\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.1230559363038\epsilon_1\epsilon_2^2\epsilon_3^4 \log(c_s)^2 \\
&+ 36.292822459468\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 36.386956207935\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 18.193700485796\epsilon_1^3\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 2.2803298463673 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 4.580693010689\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.002238751703534 4\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 0.0044775034070689\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^6 \\
&+ 0.036048804329381\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 0.5768127638561\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 0.018131041008815\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^5 \\
&+ 4.6434429594143\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.14516267804535\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 4.6473620300359\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.58187407884207 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 2.3343708569418 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.2920378656354\alpha_4^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 2.3372366553909\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log(c_s)^5 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s)^5 \\
&+ 0.002288802190300 5\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s) \\
&+ 9.3975483904645 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1 \log(c_s) \\
&+ 0.5876822327964\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^2 \\
&+ 0.009297873327705 2\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^3 \\
&+ 4.7630613154248\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 0.59553922151997\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^5 \\
&+ 2.3848725164668 (\alpha_0^{c_s})^5 \epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 4.7806669969616 (\alpha_0^{c_s})^3 \epsilon_1^3\epsilon_2 \log(c_s)^5 \\
&+ 38.248428347496\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log(c_s)^3 \\
&+ 19.162846952341\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \\
&+ 0.037470818084885\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^5 \\
&+ 2.4019232291787 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.60436176630084\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^3 \\
&+ 1.2139601980143 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.2166666879998 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^2 \\
&+ 1.222078323428 (\alpha_0^{c_s})^2 \alpha_3^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 9.7941962694839 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.4516030057012 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 0.61319119602797\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s) \\
&+ 4.9055295682238\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 4.917421754625\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3 \\
&+ 0.61545674285693\alpha_0^{c_s}\epsilon_2^5\epsilon_3 \log(c_s) \\
&+ 0.61577463212638 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.0096277176214552\epsilon_2^4\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.61655099023173\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4 \log(c_s)^5 \\
&+ 0.15421126372135\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 4.9351803110836\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.61907759313501\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.62570574806691\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^5 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 80.369929433163\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \\
&+ 0.31399250113569 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2^2 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5142878457591 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.63229909114057 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 20.234173174947 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \\
&+ 0.31730334034339 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.039664693833783 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&+ 0.32003909925996 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right) \\
&+ 2.5929553826425 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.65034634591441 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.32523094283563 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&+ 5.2548211453976 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 2.6318372547995 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.32987658240761 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 5.2795082898276 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right) \\
&+ 0.66345793930697 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.083062724971734 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 21.334780689884 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.67104972425475\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s) \\
&+ 0.67226900769299\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.16877023722338\alpha_3^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.3519319769984\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 0.34005797202385 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^4 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.6828855362293\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 1.3689219474354 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.377525141583 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^3 \log(c_s)^3 \\
&+ 2.7621809155389\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^4 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^5 \\
&+ 22.15245108014\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 1.3861687477971\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 5.5609167833631 (\alpha_0^{c_s})^5 \epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 2.788548550865 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 22.420260581864\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 0.7058162817673\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.35317782801238\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3^3 \log(c_s)^7 \\
&+ 5.7014499821225 (\alpha_0^{c_s})^3 \epsilon_1^3\epsilon_2 \log(c_s)^4 \\
&+ 11.412135720541 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 0.17937770728689\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \\
&+ 2.8866535217196\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&+ 1.443652367121 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.090672898576701\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 2.9015480188435\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&+ 0.18200822860068 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^3 \log(c_s)^2 \\
&+ 5.8256024820915 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2^3 \log(c_s)^4 \\
&+ 0.091204644317315\epsilon_2\epsilon_3^3\epsilon_4^3 \log(c_s)^6 \\
&+ 5.8427599202718 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^4 \log(c_s)^2 \\
&+ 11.694273821868\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \\
&+ 5.8490906346812 (\alpha_0^{c_s})^2 \epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 5.8626483388079\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&+ 0.091666666666667\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.36798104988562\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\log(c_s)\\
&+ 0.092055501572812\epsilon_2^4\epsilon_3\epsilon_4^2\log(c_s)^5\\
&+ 0.36897249343705\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^4\log(c_s)\\
&+ 0.023072085036868\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log(c_s)^6\\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\\
&+ 0.7407240923369\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^2\\
&+ 23.717394652768\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log(c_s)^2\\
&+ 0.18668704102066\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^5\\
&+ 1.496546786904\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1\log(c_s)^4\\
&+ 0.75233620501921\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\log(c_s)^4\\
&+ 1.5087493432077\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log(c_s)^3\\
&+ 6.0845891182144\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log(c_s)^4\\
&+ 48.723299531068\epsilon_1^5\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 6.0935875495419\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^4\\
&+ 0.3817162551106\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^6\\
&+ 0.023865326092732\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\\
&+ 6.1114090830916\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\\
&+ 0.7640696867741\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\log(c_s)^3\\
&+ 12.296363749054\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log(c_s)\\
&+ 12.300145080654\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\\
&+ 6.1960687786702\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log(c_s)\\
&+ 6.2138555364937\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\log(c_s)^2\\
&+ 0.097619047619048\epsilon_1\epsilon_2^3\epsilon_3^3\log(c_s)^7\\
&+ 3.1248999889122\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\log(c_s)^5\\
&+ 6.2565725112554\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\\
&+ 0.78374778232054\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\log(c_s)^6\\
&+ 0.39212675352064\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\log(c_s)^6\\
&+ 12.623201336957\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log(c_s)^5\\
&+ 0.19742944671582\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log(c_s)^6\\
&+ 1.5794355737266\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log(c_s)^6\\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\\
&+ 6.3359842599186\epsilon_1^2\epsilon_2^2\epsilon_3^3\log(c_s)\\
&+ 25.564997527033\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log(c_s)^5\\
&+ 0.79943102109841\alpha_0^{c_s}\epsilon_1\epsilon_2^5\log(c_s)^4\\
&+ 0.4\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log(c_s)^7\\
&+ 0.20147517585805\alpha_4^{c_s}\epsilon_2\epsilon_3\log(c_s)\\
&+ 0.20185852525697\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log(c_s)^3\\
&+ 0.81371386079501\epsilon_2\epsilon_3^3\epsilon_4^3\log(c_s)^2\\
&+ 1.6281217899682\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\\
&+ 1.6419063030441\epsilon_2^4\epsilon_3^2\epsilon_4\log(c_s)^3\\
&+ 13.144005012089\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.41329471027545\epsilon_1\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 26.477002630062\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 1.6595083495818\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.83170124867828\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.10416666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.83680859949347\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.41965166893805 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.41965166893805 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 6.7194631035616 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 13.494555123319\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 6.7611375793337 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 6.7654939630812\epsilon_1^3\epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 6.7665865948426\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 6.7894049831095 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1 \log\left(c_s\right) \\
&+ 13.589712400096\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right) \\
&+ 13.610938500774\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.85080722735699\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.1064054183702\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 13.79054355376 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 0.43133966862408 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 3.4507173489926 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 0.21756216734808 \left(\alpha_0^{c_s}\right)^5 \epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.10878624605289\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.054633499738555\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 3.5015484541741\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 3.5058280535459\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right) \\
&+ 1.7548788628373\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.7553944052278\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 1.7774092536048\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 1.7984900508676 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.90114927736863\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right) \\
&+ 0.22606496582697\epsilon_1\epsilon_2^2\epsilon_3^4 \log\left(c_s\right) \\
&+ 58.282760307516 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.45630731581178 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.22851523899589\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 234.54159092974\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \\
&+ 3.6749668511501 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8386667568712\alpha_0^{c_s}\epsilon_2^5\epsilon_3\log\left(c_s\right)^3 \\
&+ 7.3709621687793\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 3.6923762895405\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 14.783364461862\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\log\left(c_s\right)^5 \\
&+ 1.8499628846753\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.4628108367404\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 29.913068001236\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \\
&+ 59.937423398081\epsilon_1^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 1.8776909284719\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 3.7599670009059\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 7.537102959895\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 1.8851990235708\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 3.7880206904046\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.95671981284112\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right) \\
&+ 7.6910162753865\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.97207514193013\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 0.015200774052886\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.12199182298468\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right) \\
&+ 0.030762780049157\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 0.49257765512728\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.99017825431461\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^3 \\
&- 0.0625\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.0625\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^7 \\
&- 0.0625\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^7 \\
&- 0.125\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.125\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^7 \\
&- 0.25\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^7 \\
&- 0.1188018061234\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.24180556639138\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^5 \\
&- 4.0920139253062\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.5878108367404\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^6 \\
&- 4.7024866939232\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^6 \\
&- 4.7024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\log\left(c_s\right)^6 \\
&- 0.7128108367404\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^6 \\
&- 2.8512433469616\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^6 \\
&- 0.40850809880337\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 1.1384325102212\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^6 \\
&- 5.0864792039617\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 0.64533381826314\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^2
\end{aligned}
$$

$$- 0.17263662095589\epsilon_2^4\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.8192162551106 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^6$$
$$- 3.290081048884\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^3$$

$$- 54.328712944773\epsilon_1^5\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.9499432158743 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)$$
$$- 0.069113177292634\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2$$
$$- 1.1870201995033\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 1.2524368155453\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2$$
$$- 0.66955374608661\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 2.6993739434035 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^4$$
$$- 2.9238663252536 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^3$$
$$- 0.74610224039326\epsilon_1^4\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 1.6215565118868\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 3.3967234750471 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 1.7261766945819 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^5$$
$$- 1.8722951175198\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^2$$
$$- 16.116438455036\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^2$$
$$- 4.031550454429 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^4$$
$$- 2.0648054853326\epsilon_1\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^3$$
$$- 2.0857852106217 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5$$
$$- 0.13611111111111\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.27484561414442\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^2$$
$$- 4.4009298027358 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)$$
$$- 4.4783044238993 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2 \log\left(c_s\right)$$
$$- 9.03624205057\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^3$$
$$- 0.57128818827926\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 2.3139875313223 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 2.5086390203806\alpha_1^{c_s}\epsilon_1^4\epsilon_2 \log\left(c_s\right)^4$$
$$- 2.7951119728006\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.023586887846698\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5$$
$$- 0.19344433755356\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^5$$
$$- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6$$
$$- 3.4899595062576 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.11685640642586 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4^2$$
$$- 3.7408423791047 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^4$$
$$- 4.0477523006346\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)$$
$$- 0.51194000908552\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^6$$
$$- 0.51378468859654\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)$$
$$- 2.0729843799514 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)$$
$$- 4.2269838882939 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5$$

$$
\begin{aligned}
&- 2.1469056750374\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \\
&- 0.28293802345048\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.28315049381564\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 18.484869922802\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right) \\
&- 0.28911553375919\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 38.055767524651\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^3\log\left(c_s\right) \\
&- 0.30407414121369\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^3 \\
&- 4.9522008415144\epsilon_1^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.32001349405734\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^3 \\
&- 83.741795038175\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\log\left(c_s\right) \\
&- 1.3324514818822\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^4 \\
&- 2.6866728577796\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^4 \\
&- 43.685541374842\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^4 \\
&- 0.085572085036868\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.17114417007374\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 2.7621058770989\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^5 \\
&- 5.6295203281256\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&- 5.6327481747005\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\log\left(c_s\right)^3 \\
&- 5.6429840327079\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^6 \\
&- 24.474503780972\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&- 3.1396634761712\epsilon_1^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^5 \\
&- 3.1723230737817\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&- 1.7141506311358\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^5 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3^5\log\left(c_s\right)^3 \\
&- 13.913374274044\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.0069444444444444\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.0069444444444444\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.013888888888889\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.013888888888889\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.013888888888889\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.027777777777778\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^7 \\
&- 0.027777777777778\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.055555555555556\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^7 \\
&- 0.22222222222222\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&- 0.44444444444444\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^7 \\
&- 119.17347065123\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right) \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^5 \\
&- 15.721228323927\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.49612024038158 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.50447750340707 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&- 4.0358200272565 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^6 \\
&\\
&\quad - 0.0039458492369539 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&- 0.063888888888889 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^7 \\
&- 2.0651970814477 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \\
&- 16.541122464207 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 4.1786685374046 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.13089358834693 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 4.2258865606026 \epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.016666666666667 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.033333333333333 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.066666666666667 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 1.0692484394637 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 8.6279627972668 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 8.7037041497217 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.27258726805639 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.0085406592529902 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 8.8947641864993 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 71.17923852506 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right) \\
&- 1.1137570336689 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^3 \\
&- 4.5350448396646 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.035468472790067 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.017857142857143 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.071728834014747 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^6 \\
&- 0.29614417007374 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 38.022116362118 \epsilon_1^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 9.5631078559908 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&- 9.7599215062997 \epsilon_1 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.61182804071221 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 2.4770709004094 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 39.916132517364 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.63619375851767 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.31908118491616 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)
\end{aligned}
$$

$$- 40.8475407063140_0^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)$$
$$- 1.28585223138570 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4$$
$$- 0.163154974834310 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^6$$
$$- 21.0694324547170 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3$$
$$- 5.28349775035580_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^3$$
$$- 21.4353103231090 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)$$
$$- 10.725010192130_0^{c_s} \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^4$$
$$- 1.345539221520 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^5$$
$$- 0.337888007489460 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2$$
$$- 0.341569716829770 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5$$
$$- 0.0215795839011780_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.699720320354240_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5$$
$$- 5.636778005912200_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^3$$
$$- 11.34349291146600_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)$$
$$- 2.85751781044010 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.179662929623120 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5$$
$$- 0.735389989121200 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)$$
$$- 1.472733080102300_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)$$
$$- 1.47813577858100 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^2$$
$$- 1.487913276194100_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^4$$
$$- 1.487930143357300_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.754477503407070 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^6$$
$$- 6.098111774231200_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^2$$
$$- 6.101628991156200_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.766352848038250 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5$$
$$- 0.0958773825897430 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$- 1.543822074715200_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.193216982149460 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.773550597842450_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.390784981686590 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 1.566346637119900 \epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^4$$
$$- 1.581826896507300_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^2$$
$$- 3.172150865950700 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)$$
$$- 12.85762191799400 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.0126492501135690_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6$$
$$- 6.643798277882 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.833304468998110_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^5$$
$$- 0.104614417007370 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 0.210572085036870_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^6$$
$$- 3.390930315649100_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2$$
$$- 0.427918446540820_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 0.85758798544528\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 1.7453672871882\alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&\\
&\quad - 1.7457730381464\alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 13.992493625105 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.21892340227879\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 1.7513872182303\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.43973875170353 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.87947750340707 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 57.265874606717\epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.90667912023267\epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.91068036774732 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.45923582329675\alpha_2^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.94087652260427\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.11892775435815\epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.23785550871631\alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.014911575617075\epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^4 \\
&- 1.9319951605924 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 3.8685809848949\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.24563909031422\alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 3.9420289301797\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 0.99650131219935\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.015607381455245\epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^2 \\
&- 4.0129442717571 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.50292734885002\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^2 \\
&- 1.0061401791377\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right) \\
&- 0.0039311479744497\epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \\
&- 2.0163503571234 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.015771165985253\alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^6 \\
&- 2.0231256993388 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 32.509311534941\epsilon_1^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 1.0198847105414\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 2.0427534670748 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.51258777243156\alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 8.2244664022349 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 2.0713835437119 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.12947750340707\alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.25895500681414\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 1.0361528371724\alpha_0^{c_s} \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 2.0726191565691\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right) \\
&- 33.231354625969 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2 \log\left(c_s\right)^3 \\
&- 133.76504098143\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right) \\
&- 0.26154027984748\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right) \\
&- 0.52430822545753\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 8.398062041006 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 2.1071480682383\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.0598216083142\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 8.5012482876864\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 2.1350024217635\epsilon_1\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 4.2880965741773 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 0.54115628959592\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 8.6602014806122\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 2.1676172638555 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 1.0849573774169\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^4 \\
&- 0.54614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.06831317525214\epsilon_1\epsilon_2^5\epsilon_3 \log\left(c_s\right)^6 \\
&- 8.8443057220446\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 2.2123038996248 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 2.2710265870989\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 18.246175862803 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.0090559265475073\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.58284841329387 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1 \log\left(c_s\right)^5 \\
&- 9.3385475026663\epsilon_1\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 9.3732079182375 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 4.7139903338338 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.1836596121236\epsilon_2^2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.29600354828714\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.14843050319635\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 1.1890133477563\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 1.1917729416635 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&- 0.075714739016334\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 38.827848241035 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.076169327882023\epsilon_1^3\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 1.2260367795487\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.2366528934307\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 2.5167394717702 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 5.0465787772897\epsilon_1^4\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.31723168030223\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.3192162551106\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6
\end{aligned}
$$

$$- 2.5646770236986\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^4$$

$$- 1.2926501452911\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.6484052962263\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.32427708806087\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 41.658354714779\epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.020493952575642\epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6$$
$$- 1.3240113581406\alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4$$
$$- 0.66210318344863\epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)$$
$$- 0.33205993463341\epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5$$
$$- 2.6652535496217 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2$$
$$- 2.6658913998455\alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.020833333333333\alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^7$$
$$- 0.020833333333333\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^7$$
$$- 0.020833333333333\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7$$
$$- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^7$$
$$- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.33333333333333\alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^7$$
$$- 0.6709401226385 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$
$$- 0.33551186364992\epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 2.6949967247252 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.1689054183702 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^6$$
$$- 1.3547178637278 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.34049733878464\epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6$$
$$- 87.203758990515\epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.68216400545131\epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6$$
$$- 1.3655521939166\epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 2.7414118696127 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^4$$
$$- 21.931294956902 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^4$$
$$- 0.043055555555556\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^7$$
$$- 0.34449702743915\epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)$$
$$- 5.512718846421 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 2.7645598592963\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.043271030346517\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 5.5647653464579 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3$$
$$- 5.5752234111102\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 1.4154432099143\epsilon_2^4\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 11.345293633365 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1^2 \log(c_s)^4 \\
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^3 \\
&- 0.0027777777777778\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log(c_s)^7 \\
&- 0.0055555555555556\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log(c_s)^7 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^7 \\
&- 0.088888888888889\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.088888888888889\epsilon_1^3\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&- 11.428717993195 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log(c_s)^3 \\
&- 0.022325834469023\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&- 0.17861645628807\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^5 \\
&- 92.069876566655\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 5.771435294536 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2 \log(c_s)^3 \\
&- 0.090277777777778\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2 \log(c_s)^7 \\
&- 1.4508615982863 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&- 0.090836438644002\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^2 \\
&- 0.72669150915202\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^2 \\
&- 3.0075184838554\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log(c_s)^4 \\
&- 0.75398569989259\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^5\epsilon_3 \log(c_s)^6 \\
&- 0.19003813959888\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log(c_s)^5 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^7 \\
&- 0.00074625056784481\alpha_3^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 0.011940009085517\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^6 \\
&- 1.5303454369154\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log(c_s) \\
&- 0.76728354669117\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4 \log(c_s)^3 \\
&- 0.048015873015873\epsilon_1\epsilon_2^4\epsilon_3^2 \log(c_s)^7 \\
&- 3.0777789614246\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^3 \\
&- 0.38473075276434\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^4 \\
&- 3.0882150849201\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log(c_s) \\
&- 0.38635049074622 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&- 0.048611111111111\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.048611111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.78074354194082 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log(c_s)^5 \\
&- 1.5674955646411 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log(c_s)^6 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s) \\
&- 0.0061507936507936\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^7 \\
&- 1.5907514582416\epsilon_1\epsilon_2^2\epsilon_3^4 \log(c_s)^5 \\
&- 6.3817551174283\epsilon_1\epsilon_2^5\epsilon_3 \log(c_s)^2 \\
&- 0.79959399375137 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)
\end{aligned}
$$

$$- 0.20021956232962 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} \epsilon_{2} \log\left(c_{s}\right)^{5}$$

$$- 1.6093752037 21 \epsilon_{2}^{2} \epsilon_{3}^{4} \epsilon_{4} \log\left(c_{s}\right)$$
$$- 25.793492270479 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{1}^{4} \log\left(c_{s}\right)^{4}$$
$$- 1.6121671711725 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{2}$$
$$- 0.80802225795671 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{5}$$
$$- 25.962298306289 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{3} \epsilon_{2} \log\left(c_{s}\right)$$
$$- 0.000198412698412 7 \epsilon_{2} \epsilon_{3} \epsilon_{4}^{5} \log\left(c_{s}\right)^{7}$$
$$- 0.051190476190476 \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3}^{4} \log\left(c_{s}\right)^{7}$$
$$- 0.05119400090855 2 \epsilon_{1}^{2} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{6}$$
$$- 1.64891930825 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{3}$$
$$- 0.012896825396825 \epsilon_{2} \epsilon_{3}^{4} \epsilon_{4}^{2} \log\left(c_{s}\right)^{7}$$
$$- 6.6359545261922 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)$$
$$- 0.10416666666667 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{3} \epsilon_{3}^{2} \log\left(c_{s}\right)^{7}$$
$$- 0.83365131923059 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)$$
$$- 0.84025205560132 \epsilon_{1} \epsilon_{2}^{3} \epsilon_{3}^{3} \log\left(c_{s}\right)^{6}$$
$$- 0.21017104205926 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}$$
$$- 1.7118505020499 \epsilon_{2}^{4} \epsilon_{3}^{2} \epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 0.85686822945277 \epsilon_{2}^{2} \epsilon_{3}^{4} \epsilon_{4} \log\left(c_{s}\right)^{3}$$
$$- 0.4298517272398 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)$$
$$- 6.88003415153 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \epsilon_{2} \log\left(c_{s}\right)^{3}$$
$$- 27.532300473228 \alpha_{1}^{c_{s}} \epsilon_{1}^{4} \epsilon_{2} \log\left(c_{s}\right)^{2}$$
$$- 3.4511448493566 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.013535530185334 \epsilon_{1} \epsilon_{2} \epsilon_{3}^{5} \log\left(c_{s}\right)^{4}$$
$$- 0.05420291941748 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{3}$$
$$- 0.87286714443532 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.027518035821148 \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5}^{2}$$
$$- 0.44156573829093 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}$$
$$- 0.11044804613841 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.4442162551106 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3} \log\left(c_{s}\right)^{6}$$
$$- 3.572809346701 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2} \log\left(c_{s}\right)^{4}$$
$$- 0.44683244626155 \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{6}$$
$$- 0.0034911584080563 \alpha_{3}^{c_{s}} \epsilon_{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{5}$$
$$- 1.8070001651475 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{5}$$
$$- 1.8101612552851 \left(\alpha_{0}^{c_{s}}\right)^{5} \epsilon_{1} \epsilon_{2} \log\left(c_{s}\right)^{5}$$
$$- 0.0070936945580134 \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{4} \log\left(c_{s}\right)^{6}$$
$$- 0.9109092620606 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{3}$$
$$- 1.8243780631062 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{2}$$
$$- 1.8248498515353 \alpha_{1}^{c_{s}} \epsilon_{2}^{3} \epsilon_{3}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.014270247672486 \alpha_{2}^{c_{s}} \epsilon_{2}^{3} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 7.306945650939 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)$$

$$
\begin{aligned}
&- 1.8319250931961\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^5 \\
&- 0.91738935700461\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&- 0.46057208503687\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.46082444890708\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&- 0.4649202936123\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^5 \\
&- 7.4520677023662\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\log\left(c_s\right) \\
&- 0.46650746960448\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&- 0.46818384082888\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.93868585738384\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 7.542115076376\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^2 \\
&- 7.6283502754279\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^3 \\
&- 7.6838625099137\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^4 \\
&- 15.424506606901\epsilon_1^2\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 0.96574058695534\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^4 \\
&- 7.7497719994203\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^2 \\
&- 7.8179136682924\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^3 \\
&- 15.696424727219\epsilon_1^5\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 15.722785861748\epsilon_1^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&- 0.24632381408297\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 3.9604141606788\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^5 \\
&- 63.501290309065\epsilon_1^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&- 0.062044394569045\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&- 31.885083409644\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 0.0625\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.5\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.5\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 1.0\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.283602409119\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.6695263309261\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.057399667189557\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.4752072244936\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 61.593507803496\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 4.9223993014284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.59584283672854\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^2 \\
&+ 3.8153132567197\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&+ 2.0403478321431\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&+ 8.4758963428635\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 17.090054153866\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.14050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^3 \\
&+ 1.2634325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.080985316506041\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 1.3745592223967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.5134325102212\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2 \log(c_s)^6 \\
&+ 6.5396866212029\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 1.7634325102212\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 0.8937642550928\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^2 \\
&+ 34.474086141622\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 34.795732187701\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 36.995767674597\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.14542297015121\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 1.1799361013441\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 20.296481889244\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 10.157597851841\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.1614636013489\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 0.088580662642395\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.4896070918213\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 3.2083244188107\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 0.10323841911612\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s) \\
&+ 0.20647683823223\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.83412483183811\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.21075412367249\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 3.4615837374334\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^5 \\
&+ 1.7488553451445\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.055787239966231\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^3 \\
&+ 14.520530384024\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 3.7608273038678\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.47625271788051\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 30.500287667791\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 31.935714491875\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^3 \\
&+ 0.50449966579951\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.0177811531358\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 4.1236776671902\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 2.0897795301017\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 4.2310238405948\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 16.94855057134\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 0.13611111111111\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^7 \\
&+ 2.2138349606223\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 4.6260985314157\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 2.3504333698703\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.15121383915265\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^5 \\
&+ 2.5137454445887\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 20.511967599192\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 43.001798974274\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.35125687278748\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 11.616496256472\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.022888021903005\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right) \\
&+ 1.55322439468\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right) \\
&+ 25.055954945861\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.026253648508397\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 1.7096379078705\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 28.197083105148\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.45689134486602\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 7.3275847403441\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.11536255277122\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.23072510554244\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 7.7776791432993\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 2.0080938748245\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 2.0349472724377\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.25953031744261\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 16.828930065782\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 2.1096191235776\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 4.260301238838\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 0.54928119569501\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.14166666666667\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.14657958390118\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 4.7109991088318\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.1824229749008\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 4.7382453535584\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 2.4425120715006\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 78.965908350521\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 0.15485762867417\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.64555950613272\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.010133849368591\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.020267698737181\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 84.331383789991\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.085572085036868\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.17114417007374\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 44.44409123573\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.0027918307290831\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 1.4732798516106\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 5.9283084118973\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.74777827947468\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.76045560073319\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^2 \\
&+ 0.39664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4 \\
&+ 12.758897829952\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&+ 6.5238108181595\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.10235187862276\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 54.407409221614\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 6.9906459033797\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 3.4969289585946\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 3.5045699210588\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3 \\
&+ 28.696778738213\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right) \\
&+ 0.90195047194819\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 7.2775029958087\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 3.6421154222527\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 3.6458800797204\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&+ 0.9131677771144\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&+ 29.304748402652\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 7.3548090171036\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.0072524164035261\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 0.029166666666667\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.93388836093442\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^4 \\
&+ 1.8968972734217\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.05952380952381\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.030218401681359\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.12208234279269\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.9543346393865\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 3.9237474492629\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 1.0089550068141\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.063102398042078\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.25298500227138\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.50751010128524\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.12691728706171\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 2.0307289452961\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.0179607910584\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.016014240503497\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 2.0515056182899\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 0.25809604779029\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right) \\
&+ 0.12961186213084\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 4.1572936768846\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 8.3567277951016\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.13178277164641\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \\
&+ 1.0598679538839\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.26572329945541\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^7 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.033333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.066666666666667\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.13561897679917\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 0.13561897679917\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.067896790769557\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 4.3876318545124\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.034332032854507\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right) \\
&+ 4.428975855492\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.27723374955943\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.55446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 0.034722222222222\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.069444444444444 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log(c_s)^7 \\
&+ 0.069444444444444 (\alpha_0^{c_s})^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \log(c_s)^7 \\
&+ 4.461308395978 (\alpha_0^{c_s})^4 \epsilon_1 \epsilon_2 \epsilon_3 \log(c_s)^5 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log(c_s)^3 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log(c_s)^3 \\
&+ 1.1178373176391 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \log(c_s) \\
&+ 0.0043801525759256 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^5 \\
&+ 0.56815450840381 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s) \\
&+ 4.5644186322318 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log(c_s) \\
&+ 0.14269162429701 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log(c_s) \\
&+ 0.035714285714286 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log(c_s)^7 \\
&+ 0.14286066757522 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log(c_s)^6 \\
&+ 0.14329804046168 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log(c_s)^3 \\
&+ 0.28691533605899 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log(c_s)^6 \\
&+ 0.071957789884159 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log(c_s)^4 \\
&+ 0.0090412651199445 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log(c_s)^2 \\
&+ 9.3075954956828 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log(c_s) \\
&+ 0.58509032095382 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^2 \\
&+ 2.3416327395402 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log(c_s)^5 \\
&+ 0.59223130921287 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log(c_s)^5 \\
&+ 0.14807208503687 (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \epsilon_4 \log(c_s)^6 \\
&+ 2.3691533605899 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log(c_s)^6 \\
&+ 38.198770167501 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log(c_s) \\
&+ 0.0375 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log(c_s)^7 \\
&+ 0.075 (\alpha_0^{c_s})^2 \epsilon_1 \epsilon_2^3 \epsilon_3 \log(c_s)^7 \\
&+ 77.145638294312 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log(c_s)^2 \\
&+ 9.6785949451246 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log(c_s)^2 \\
&+ 1.2120333869351 \alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \log(c_s)^5 \\
&+ 2.4258343319362 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^5 \\
&+ 0.0023809523809524 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log(c_s)^7 \\
&+ 0.019168321147323 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log(c_s)^4 \\
&+ 0.019168321147323 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log(c_s)^4 \\
&+ 2.4878095535125 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log(c_s)^5 \\
&+ 0.0097222222222222 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log(c_s)^7 \\
&+ 0.038888888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log(c_s)^7 \\
&+ 2.5087039547538 (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \epsilon_4 \log(c_s) \\
&+ 1.2573043991705 (\alpha_0^{c_s})^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^3 \\
&+ 1.2639664953669 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log(c_s)^3 \\
&+ 0.63619375851767 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^6 \\
&+ 5.1365073074262 (\alpha_0^{c_s})^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5828074540593 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.32633177362707 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.0012778880764882 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^4 \\
&+ 1.311866298823 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.33268049947131 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \\
&+ 0.67020401203704 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.005271310865856 4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^3 \\
&+ 0.086318335604713 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.34527334241885 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.69169740807797 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right) \\
&+ 0.34829658835028 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 2.8353555752171 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.4269206591657 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 5.715566677634 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 1.4333015652997 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.4455292452345 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 1.4539661414438 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 5.8332593574745 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.72928929805622 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 2.9856462328805 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 5.991956578917 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.75447750340707 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 6.0671548266403 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \\
&+ 48.562813619649 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.094883595585416 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \epsilon_6 \\
&+ 6.128022124502 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.77078145037184 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.012087360672543 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.024174721345087 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 3.1039417756258 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 1.5632156488383 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 3.1467163615364 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 25.353111816448 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 3.1870549082036 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 3.2195975051482 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.80516640251492 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.025334623421476 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 1.6339550068141 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.012778880764882 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.025557761529764 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.40912213356131 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 6.6109758564225 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.10354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&+ 0.20746010934642 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 13.416184601475 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 6.7179016942096 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.013140457727777 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.21057208503687 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.026356554329282 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6^2 \\
&+ 0.052713108658564 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6 \\
&+ 1.6876729742042 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 3.4091815301436 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 6.9299175587852 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 0.01372649186014 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.8898147479872 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 0.11300835556341 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 1.8473238963791 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 0.11613239792864 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.46796067810203 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 15.067555032057 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 1.8931107420498 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 3.8321563814859 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.97155890373526 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 7.9127811143661 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&+ 3.9568737414082 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 7.9283012622716 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right) \\
&+ 1.0000246730265 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 4.0205927965034 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 1.005803659257 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.031435985345908 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \\
&+ 2.0320305028017 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.12723875170353 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 0.007955108697577 4 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.063843251022121\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 8.1762620134314\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.031947201912205\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^4 \\
&+ 0.25629991270203 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.25692715012395 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 1.0277086004958 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.5159850819877\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.12906669572531\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s)^4 \\
&+ 1.0354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s) \\
&+ 4.1581476391656\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^5 \\
&+ 1.0427080330728\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 4.1809781990125 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 2.0935817755719\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 8.3853834063545 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 2.0979205577327\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&+ 0.26375589130157\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 8.440393500825 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^5 \\
&+ 1.0614870838816 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 2.1382787249839\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.26808160481482\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.13417824803126\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 34.470500131706\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.0840034007192\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 2.1707342215392\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 17.417503352423\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.5453887031273\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 0.54614417007374 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.06831317525214\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.27413480691961\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^5 \\
&+ 0.5506216734808\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 70.697360495133\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 2.2110568449174 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 8.8507779977314\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.13843506332546\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 1.1130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 1.114403590017\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.56083370960601\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 17.96331931736\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 36.292822459468\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.0983386677467 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 0.036048804329381 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.5768127638561 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \\
&+ 0.018131041008815 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.018131041008815 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.58187407884207 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.14583333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.14583333333333 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.018275653794641 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 0.0022877486433567 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.0022888021903005 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&+ 75.059172729481 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.036899176060995 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \\
&+ 18.99001349842 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.59497040750675 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.0092978733277052 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^3 \\
&+ 2.3804058041669 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 9.5522411565365 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 4.7802049778609 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.299069961259 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 1.2060424722911 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 9.6587651670055 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 2.4154405135787 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 0.60557557577091 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.30287521721998 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.60576476303628 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 38.8069598236 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.075895500681414 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 19.467620423568 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 2.438076118452 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&+ 2.4516030057012 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 2.4583532420847 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.4600454831545 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.61577463212638 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.0096277176214552 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 9.9033391601409 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \\
&+ 0.62295751295625 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 10.01770612657 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.62680455064463 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.63229909114057 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.079069662987846\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^4 \\
&+ 10.169080058175\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.039799791375128\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 1.2775742614705\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 1.2805778273542\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.16150757387971\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 0.16156714055971\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&+ 1.2932124155632\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 2.5887073244667\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right) \\
&+ 10.362692362775\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.32768650204424\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 10.504645362522\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 42.091727019527\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right) \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 85.536150188944\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.66966006672066\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.16877023722338\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.67942922725777\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 0.34005797202385 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.08561850112471\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^4 \\
&+ 1.373094822568\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 5.5039584018739\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 22.155015748157\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 1.3861687477971\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 2.7825438848769\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 11.282491542289\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2 \log(c_s) \\
&+ 11.325301795059\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&+ 11.349960476917\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.71094350871776\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.022222222222222\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.088888888888889\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 0.044651668938046\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 5.7401113918964\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 184.03821495922\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 1.4407287732424\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 1.4412945492201\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 0.090412651199446\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^2 \\
&+ 0.18082530239889\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 2.8940849272455\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 0.18275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 23.503507978842\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.938523857859\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 0.092055501572812\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.36897249343705 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3699746558113 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 94.789885261282 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.092978733277052 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.1859574665541 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 5.9727061359078 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 23.910786119577 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.4964673433274 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 6.0101854638924 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.5059700045428 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.75427775238602 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.75829947878613 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.023809523809524 \epsilon_1 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 1.5261948478304 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 6.1120382485829 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.7640696867741 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.38230091905161 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 12.237735016362 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.19152975306636 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.3881272493832 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 49.693404602015 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^6 \\
&+ 0.78074086418773 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.78127007784077 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 6.2833951759409 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 50.273335712843 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 6.2979380587169 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.19742944671582 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 3.1650022497367 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \\
&+ 1.5866561262393 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.79614417007374 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.025 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.05 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 1.6042839237028 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.40212240722222 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.20150492785441 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.20185852525697 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.20244396790257 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 3.2570585177784 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2055811237684 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \epsilon_6 \\
&+ 26.445986190954 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.10364374751986\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.82943409350405\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 13.332803247981 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.10416666666667 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 0.83334906302977 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 1.6815103074235\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 0.10555555555556\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 6.7654939630812\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 6.7665865948426\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.42364052989792\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&+ 0.84749975760912\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 27.1600714852 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.85049903188914\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.1064054183702\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.2128108367404\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&+ 1.7044635252114\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.42651103327838\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.85716400545131\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^5 \\
&+ 0.013492063492063\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.21587336965248\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.10814641298814\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 13.847842611253\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.054166666666667\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.21691039238422\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.054247590719667\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^2 \\
&+ 55.650256576065\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s) \\
&+ 0.21786066757522\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.87253782090723 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 1.7456222365262 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 3.5015484541741\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.7552709628614\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.054903341904819\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.88246198137885\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.22115425901672 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 3.5406997010804\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 7.0829426364527\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.44316616833261\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 7.1484492787561\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 3.5975000086257\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.028246155745906\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.22603162799861\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.45630731581178\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.91512186577351\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.057220054757513\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right) \\
&+ 29.368266114531\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 29.414322186728\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 7.3543542214839\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right) \\
&+ 29.578931646904\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 29.708075269555\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.23244683319263\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 0.93908520609823\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^3 \\
&+ 1.8851990235708\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.23584485562421\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&+ 0.94933283759418\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.47819222676498\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 3.8268735961966\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 15.365970887823\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 7.7270765702925\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.015200774052886\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^6 \\
&+ 0.015200774052886\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 7.7879280210316\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right) \\
&+ 0.97627669940905\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 31.283701494146\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.0076673284589293\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^4 \\
&+ 15.777120092034\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.98891616490187\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.99161734584458\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^7 \\
&- 0.125\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^7 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&- 1.0\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.75\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 0.13535530185334\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4 \\
&- 1.3404973387846\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.20303295278001\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.33838825463334\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 1.0506216734808\alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.5878108367404 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 1.3006216734808 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.3564054183702 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.73762915271703\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&- 4.1709280804459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&- 9.9038240896393\alpha_0^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.17263662095589\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.6942162551106\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 11.879146175862 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.40393026302571\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.069113177292634\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 2.4349853265097 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.17198347562984\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right) \\
&- 11.478951193993 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right) \\
&- 0.18164534428912\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.18342393394439\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^3 \\
&- 11.826086790539\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 5.9394199440843\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&- 26.557472114008 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.11106979298066\alpha_0^{c_s} \epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right) \\
&- 16.542717940057\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3\epsilon_2 \log\left(c_s\right)^4 \\
&- 1.1319210790497\alpha_1^{c_s} \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&- 36.606995163168 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.60877820268292\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2\epsilon_3\epsilon_4 \\
&- 4.886232976983\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 4.9666896838687 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 5.1002827444992 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 \\
&- 2.6310935946579\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.66666692137714\alpha_0^{c_s} \epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.34678002978461\alpha_0^{c_s} \epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&- 0.089469453702452\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4 \\
&- 23.910628067772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.011793443923349\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&- 12.174840876108\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.7954691204583\alpha_0^{c_s} \epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.025447750340707\alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 3.4187616731981\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^5
\end{aligned}
$$

$$- 0.027620944658677 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.11685640642586 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5$$
$$- 0.48017520972259 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$- 1.9504491234353 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3$$
$$- 32.690138115284 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3$$
$$- 0.13122532309992 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.52495887900117 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3$$
$$- 8.4419661844753 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4$$
$$- 8.6237220351557 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$- 4.4612825914141 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)$$
$$- 0.56152556009831 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 0.14166666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 4.6543744059378 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.58590022703573 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^5$$
$$- 0.2946820801116 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2$$
$$- 4.7884832490488 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 4.8938636036911 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5$$
$$- 4.9522008415144 \epsilon_1^4 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$- 1.2576405073618 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5$$
$$- 22.124354266105 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4$$
$$- 2.8030997829248 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 11.278810421262 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2$$
$$- 0.35468472790067 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 11.691721915146 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.38423624679474 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5$$
$$- 6.1999286258536 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4$$
$$- 3.1166049317077 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 3.1180863879623 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3$$
$$- 0.39358621211477 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)$$
$$- 0.049655861906094 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^6$$
$$- 6.4769838882939 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 0.10120649614624 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$
$$- 1.6453720623979 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 3.325341415587 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$
$$- 0.10439429624737 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.053647756620656 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^3$$
$$- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 0.013888888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7$$
$$- 0.027777777777778 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.027777777777778 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.027777777777778\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 0.027777777777778\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.027777777777778 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^7 \\
&- 0.11111111111111\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&- 0.4570615229317\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s) \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 0.029166666666667 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^7 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 60.658306486015 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 1.90143760861\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^5 \\
&- 0.48414774847339\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 0.12222222222222\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.48953361436881\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^5 \\
&- 0.49612024038158 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&- 3.989063199032\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&- 0.99830375639308 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&- 4.002076594912\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&- 16.018144961726\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&- 0.50447750340707\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^6 \\
&- 0.0039458492369539 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&- 0.12642230580704\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 0.12649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^6 \\
&- 0.001984126984127\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^7 \\
&- 0.003968253968254\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.007936507936507 9\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 2.0405482174791\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^3 \\
&- 65.606774900302\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&- 1.032076147538\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 0.52024866939232 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^6 \\
&- 1.0469743695034\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 0.13089358834693\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 33.774162647646\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^3 \\
&- 0.0041666666666667 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 0.0041666666666667\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^7
\end{aligned}
$$

$$- 0.066666666666667\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.53647756620656\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^3$$
$$- 4.3040026108317\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2$$
$$- 1.0779775777387 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.56388387551712\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 1.1339550068141 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.035468472790067\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.56880729880077\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 145.88152084845\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.14444444444444\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.58693366046564\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 0.14741440768272\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)$$
$$- 37.89821026928 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.59228834014747\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 1.1845766802949\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^6$$
$$- 1.1849834923934\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5$$
$$- 38.022116362118\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.14876859370575\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.0375\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.075\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.6029212735226\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 2.4164078009622\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 1.2171078188201 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4$$
$$- 0.0011904761904762\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 0.3048573404583\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.15268650204424\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6$$
$$- 2.4770709004094 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 2.4846659460049\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 0.077777777777778\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7$$
$$- 0.63795947289844 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.64718139896417\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.16260875825244\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5$$
$$- 1.3269069501229 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 5.3120821003551 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^2$$
$$- 1.3281712619247\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 1.3393033378761 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2$$
$$- 0.085295045821173\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 1.3653604251843 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.021579583901178\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6$$

$$- 0.35426873061524\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)$$

$$- 5.6903200770505\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4$$
$$- 0.71728834014747\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6$$
$$- 0.17966292962312\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^5$$
$$- 2.8865249043937\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)$$
$$- 0.092860667575218\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6$$
$$- 0.093644288731469\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^2$$
$$- 6.0095517845433\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4$$
$$- 48.255663307541\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 6.3282208146869\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3$$
$$- 0.80757365000135\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^6$$
$$- 0.81642398453535\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3$$
$$- 1.6479598444631\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^6$$
$$- 0.21399458960179\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^3$$
$$- 0.21549889625041\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5$$
$$- 1.7252725216995\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^3$$
$$- 6.9384803896015\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)$$
$$- 0.86788534060175\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6$$
$$- 0.10925167018671\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^2$$
$$- 14.075028383715\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)$$
$$- 3.5380724246783\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5$$
$$- 0.90856523085346\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^6$$
$$- 0.2309514391459\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3$$
$$- 0.11613239792864\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6$$
$$- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^6$$
$$- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^4$$
$$- 3.8685809848949\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)$$
$$- 0.97724300405892\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3$$
$$- 3.9420289301797\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 1.9768918822305\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5$$
$$- 0.993719716796\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^3$$
$$- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2$$
$$- 0.12500962144507\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2$$
$$- 0.015724591897799\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6$$
$$- 2.0128203679155\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4$$
$$- 4.0439059083856\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)$$
$$- 2.0273280449368\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2$$
$$- 32.509311534941\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3$$

$$
\begin{aligned}
&- 0.25447750340707\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.51234881439105\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.0256249519866\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.064738751703534\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6 \\
&- 8.3279936613912\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&- 16.725670233306\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 16.828880763191\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 8.4504050026489\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 2.1297136680042\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 4.2970860746032\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&- 2.1716854376574\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 2.172840835226\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.27307208503687\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.0972097302024\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right) \\
&- 8.8042242923602\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.27665408776252\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.13840235190498\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 2.2168721969105\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&- 0.55732103965136\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.55836150100673\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 2.2388828981459\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&- 0.14027777777778\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 17.974458018921\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 4.5219792289719\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.1355225837081\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&- 36.387015222254\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.57099495815828\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 36.555221539884\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&- 2.2855341748477\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^5 \\
&- 2.2871175350192\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 18.308980453102\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 4.578513687216\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.57257652000988\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 1.1705595061327\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&- 0.2953823947269\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 37.811491088254\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&\\
&\\
&\quad - 2.3652160524262\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 18.947536346787 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.14843050319635\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&- 1.1895552592552\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 0.59598889782906\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.30316755373845\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.2193901782507\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 78.329712712325\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.455667508524\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.30740928863463\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 9.8728027894596 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.61760171224383\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 9.9265053883888 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 39.904448659915\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 2.4965760730766\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.2497673759692 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 20.039147504151\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.62798500227138 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.078736938431355\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.31623125283922\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 2.5337820274285\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.31693096935032\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0049603174603175\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.63572133515044\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.15952380952381\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.6401738748752\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.020039682539683\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&- 2.5695894743793\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^5 \\
&- 5.1392083109517 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&- 5.1871700912588 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6 \\
&- 42.176437480344\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 5.3284266300007\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7
\end{aligned}
$$

$$- 0.020833333333333\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7$$
$$- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.33333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^7$$
$$- 1.3411939155164\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 0.6709401226385\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 10.780361901663\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.6756216734808\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^6$$
$$- 0.6756216734808\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6$$
$$- 10.825562205823\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.04256216734808\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^6$$
$$- 2.7327277861818\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3$$
$$- 5.4886766725646\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)$$
$$- 44.120166623467\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 22.071100998466\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 5.575223411102\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 2.8166211807988\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.35225581832578\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$
$$- 0.088066203091411\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4$$
$$- 90.438003923471\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.011111111111111\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.022222222222222\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.17813425238495\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6$$
$$- 1.4323518201262\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 5.7734918511847\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 2.8935371648477\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 2.8991839422853\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)$$
$$- 11.605742954685\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)$$
$$- 11.65722002761\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 5.8428223656647\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 2.9311240753298\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 1.4740045952581\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6$$

$$
\begin{aligned}
&- 23.683628416225\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&\\
&\quad - 2.9752260234873\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.093055555555556\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 24.018678756108\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 24.155994272926\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^2 \\
&- 0.023675095421723\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.18941084834089\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.76100274910263\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 0.0029761904761905\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^7 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.00074625056784481\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&- 6.1177199461393\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&- 0.19152975306636\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.38635049074622\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.77739621079385\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 24.904508819846\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 6.2377350163621\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 3.1357091669552\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right) \\
&- 0.098809523809524\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 1.5922883401475\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 0.0125\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.025\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.80471634930984\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^3 \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.20297740788983\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^7 \\
&- 0.40735593162251\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 104.42209573835\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 3.269693526464\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2 \\
&- 0.20493952575642\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^6 \\
&- 6.5604957638531\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 3.2860580442652\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.82338164463682\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 0.10416666666667\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&- 0.10438102931953\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&- 1.6725589370216\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.013293650793651\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.2128108367404\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.4256216734808\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.013492063492063\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^4 \\
&- 0.05420291941748\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.21755327337686\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&- 3.4874424175225\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.057862858282\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^2 \\
&- 0.11044804613841\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.44443048966007\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.11143439113742\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.44683244626155\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.0034911584080563\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 3.5794268513535\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.11186497706047\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 14.386519953561\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 14.522258389985\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6 \\
&- 0.056749556464107\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&- 3.6386317839698\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.9109092620606\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 29.237429982743\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.4628108367404\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.9301705366543\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 14.951412961501\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.93868585738384\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 1.8874697287411\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.060110371206268\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 30.884019087437\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.96933204849351\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 15.572293487982\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3 \\
&- 3.93332545326\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&+ 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.29792141836427\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.59584283672854\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.6012433469616\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 2.8512433469616\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6
\end{aligned}
$$

$$+ 3.8153132567197 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$

$$+ 1.0201739160715 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 8.4534702581682 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 0.070251374557497 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3$$
$$+ 0.14050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 0.62128975787201 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)$$
$$+ 0.6317162551106 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6$$
$$+ 1.3745592223967 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5$$
$$+ 7.7859147474771 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 0.14542297015121 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.58169188060482 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2$$
$$+ 2.4154992075448 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 2.8109988249382 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3$$
$$+ 0.088580662642395 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4$$
$$+ 23.399209363495 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 1.4896070918213 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2$$
$$+ 0.051619209558058 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)$$
$$+ 0.10323841911612 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6 \log\left(c_s\right)$$
$$+ 3.4615837374334 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.055787239966231 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^3$$
$$+ 0.055787239966231 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^3$$
$$+ 1.8804136519339 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^4$$
$$+ 15.938546530065 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$+ 1.0448897650509 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)$$
$$+ 1.1069174803111 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)$$
$$+ 2.3504333698703 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5$$
$$+ 0.60847012727131 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$+ 0.0012087360672543 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^3 \log\left(c_s\right)^5$$
$$+ 21.13950029507 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$+ 10.622099103241 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)$$
$$+ 0.16815916780236 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6$$
$$+ 11.169956663408 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.35125687278748 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 0.011444010951502 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)$$
$$+ 0.022888021903005 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)$$
$$+ 0.77911228776554 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.026253648508397 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.45689134486602 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$
$$+ 0.11536255277122 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6$$
$$+ 1.9444197858248 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6$$

$$
\begin{aligned}
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 2.0080938748245\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 16.828930065782\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 4.260301238838\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 68.201430253095\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.16084896288889\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.005066924684295 3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.010133849368591\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.16736171989869\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&+ 22.309384357425\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 1.3957211837146\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 5.8433300291216\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.18765712337037\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.19832346916892\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.39664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.04983763498304\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 13.119584902498\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.10965392276784\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 7.0513001096108\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.0069444444444444\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.006944444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 14.281706779697\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.44644004448044\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 3.6181274168734\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.014285714285714\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.47396233914517\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.2379881630027\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.05952380952381\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.030218401681359\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 4.0166192378359\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 1.0089550068141\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.063102398042078\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.063288855839612\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^2 \\
&+ 0.50751010128524\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.12792957656249\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 0.016021615332104\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 2.0515056182899 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.25809604779029\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.064805931065422\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 8.3009980879745\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.0041666666666667\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^7 \\
&+ 0.016666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.016666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.033333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.13561897679917\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 4.3755091052977\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.27723374955943\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.034722222222222\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.13946809991558\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.0043801525759256\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.56815450840381\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.14269162429701\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.14286066757522\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.57144267030087\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.0089452165354175\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^4 \\
&+ 0.28691533605899\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&+ 0.071957789884159\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.072266893381281\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s) \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^2 \\
&+ 0.58509032095382\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.075\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&+ 0.15\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 2.4258343319362\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^7 \\
&+ 0.019168321147323\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0097222222222222\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.038888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.078760945525191\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 1.2639664953669\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 1.2719974303204\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.162742772159\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^4 \\
&+ 1.3294985049978\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.16634024973566\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.67020401203704\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 0.021085243463426\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 1.3931863534011\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.70753456687263\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 2.8353555752171\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.4333015652997\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.023001985376788\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.094307956037723\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.76889973810609\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.012087360672543\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 25.353111816448\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 0.80516640251492\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 6.4752976134901\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.025334623421476\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 1.6339550068141\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.012778880764882\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.40912213356131\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&+ 0.21057208503687\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&+ 0.026356554329282\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&+ 6.7734567710397\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.7186042898853\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.86074600817697\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 0.054614417007374\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.21845766802949 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.0068632459300701 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.013732813141803 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right) \\
&+ 7.0551530405001 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.8898147479872 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 3.722296536703 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 7.6096335715431 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.97155890373526 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right) \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right) \\
&+ 2.0107536923257 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 1.005803659257 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.031435985345908 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 32.198627657435 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.015813932597569 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \epsilon_7 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \epsilon_7 \\
&+ 0.12723875170353 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 2.0397272999211 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.031947201912205 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.25629991270203 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.5159850819877 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.51774146489334 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 1.0354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.065085113293937 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 1.046790887786 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.1382787249839 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 34.228734843468 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.26763357198117 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.1437369275028 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.13404080240741 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.26808160481482 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 4.3271596206149 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.008461152470780 4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 8.7352760227158 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.06831317525214 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 2.1879447854299 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.069217531662732\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.27765285683648\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.55537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.55650877697538\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 1.1130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 4.4917903766253\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&+ 18.169874338259\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 18.336114745749\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&+ 0.036048804329381\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.018131041008815\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.58187407884207\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 4.6571251565894\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.018240928863463\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 1.1705595061327\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 0.0091509945734268\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right) \\
&+ 1.1771141746165\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 4.721294639774\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 9.49500674921\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 2.3796818499079\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.009297873327705 2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log\left(c_s\right)^3 \\
&+ 19.122329449221\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 1.2060424722911\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 9.6587651670055\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.075895500681414\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 0.60733190370772\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 2.4516030057012\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 2.4583532420847\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.61577463212638\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 9.9033391601409\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 2.5072182025785\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 2.5223875170353\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.63229909114057\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.039522012537503\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^4 \\
&+ 0.039799791375128\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.63900483764895\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^6 \\
&+ 2.5887073244667\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s) \\
&+ 20.965665035697\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 0.16384325102212\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log(c_s) \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.66781053237046\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 0.33483003336033\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^3 \\
&+ 0.084301649468996\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^3 \\
&+ 5.4333126826876\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^2 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^4 \\
&+ 0.34005797202385\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^3 \\
&+ 1.3602318880954\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^6 \\
&+ 10.948738459116\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^2 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^5 \\
&+ 0.086407908087229\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 2.7825438848769\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)^2 \\
&+ 0.021757249210578\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^2 \\
&+ 0.35260933967784\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 11.352753917383\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^5 \\
&+ 0.35547175435888\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^7 \\
&+ 0.0055555555555556\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.011111111111111\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.35750570203712\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.72064727461005\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s) \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log(c_s)^2 \\
&+ 0.090412651199446\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 0.72483805085067\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3626170597805\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.091378268973204\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.18275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.36897249343705 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 1.4758899737482 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.092290042216975\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.18582915440901\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.046489366638526\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.092978733277052\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 23.910786119577 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 6.0101854638924\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.5059700045428\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 24.101894647229\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.047140706622919\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.75829947878613\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.011904761904762\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.023809523809524\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 6.1120382485829\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 49.303535158437\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.006803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^6 \\
&+ 0.006803096211543\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&+ 12.458100792353\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.098351924380496\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 12.59981563941\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.19742944671582\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 3.160855213975\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 12.660008998947\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.79614417007374 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.0125\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.1 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 12.843053954807\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.40262983455285\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.20185852525697\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.20244396790257\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 0.20493952575642\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 3.2794986290945\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.83334906302977 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.41708998570998 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 6.7654939630812 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.42364052989792 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.2128108367404 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.21388888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.42858200272566 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.026808160481482 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.013492063492063 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.43626891045362 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 3.5015484541741 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.22115425901672 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 3.5406997010804 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 7.0829426364527 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.44316616833261 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.055446749911886 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \\
&+ 0.22178699964754 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6 \\
&+ 0.11130175539508 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.22603162799861 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.0070936945580134 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 29.110365697231 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.22768650204424 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.057220054757513 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right) \\
&+ 0.23244683319263 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.46849980415636 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.23584485562421 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.24021575820335 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 0.96086303281341 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.015200774052886 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^6 \\
&+ 31.283701494146 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.0076673284589293 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.0076673284589293 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^4 \\
&+ 0.49185486181541 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.49332075442919 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 3.9480225923654 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.99161734584458 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 15.916698398943 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.0625 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7
\end{aligned}
$$

$$- 0.067677650926669\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.13535530185334\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.33838825463334\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 1.0506216734808\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.5878108367404 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 4.1709280804459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 1.5134325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6$$
$$- 0.40393026302571\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.091711966972197\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3$$
$$- 3.0854643912349\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.11106979298066\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)$$
$$- 4.0282002135122\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 1.2117907890771\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.66666692137714\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.34678002978461\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2$$
$$- 0.044734726851226\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4$$
$$- 23.910628067772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 0.10179100136283\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.96863555478968\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.13122532309992\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.52495887900117 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 1.1427065425565\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 4.6543744059378 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.2946820801116 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 4.7884832490488 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.64555950613272\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.33320937894198\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)$$
$$- 22.578658817009\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.094748711297336\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 3.0859290263345\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 13.073981314037 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 13.184802070472\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5$$
$$- 3.325341415587 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3$$
$$- 0.43904425785335\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.055555555555556\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.0035714285714286\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^7 \\
&- 0.057142857142857\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 1.8537947599316\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 1.8777474538658\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.0077380952380952\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.99830375639308\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.0039458492369539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&- 0.015783396947815\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.063246250567845\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&- 0.12649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.00099206349206349\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&- 0.00198412698412 7\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0079365079365079\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 4.1523505182796\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 1.0403400893538\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&- 0.52024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.0041666666666667\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.016666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&- 0.033333333333333\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.26823878310328\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.53647756620656\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 0.53898878886935\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.14345766802949\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6 \\
&- 0.07370720384136\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&- 1.1947962577945\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.075\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 2.4161190122654\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.0011904761904762\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0011904761904762\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&- 0.076343251022121\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&- 2.5896511841563\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.081213181112002\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^4 \\
&- 20.986566344591\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2$$
$$- 1.3515520299578\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.021579583901178\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.35426873061524\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 0.17966292962312 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 0.71865171849247 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 2.9338136403805\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)$$
$$- 0.092860667575218\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.046822144365735\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2$$
$$- 24.817923209651\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3$$
$$- 0.80757365000135\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6$$
$$- 0.40586447885547\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.84228834014747\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 1.7123606872079\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.21549889625041\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 14.075028383715\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.11613239792864\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6$$
$$- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4$$
$$- 0.059646302468301\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.96200897969431\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 3.8685809848949\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 3.9420289301797\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2$$
$$- 0.062429525820979\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7$$
$$- 1.0136640224684\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.51234881439105\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 4.206375688665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 1.0648568340021\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 4.2970860746032\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.27307208503687 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 2.1986098440216\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.13840235190498\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.55836150100673 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.56545446469434\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2$$
$$- 4.578513687216 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.57257652000988\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.2953823947269\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.1895552592552\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 9.6671357552394\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.075895500681414\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&- 9.8728027894596\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.61760171224383\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 19.934655360969\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 9.9760242467609\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 1.263596906152\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.31623125283922\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&- 0.0049603174603175\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^7 \\
&- 5.1392083109517\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.32188653972394\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^3 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^6 \\
&- 21.223782788082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.041666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.16666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 1.3411939155164\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&- 0.6709401226385\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 10.780361901663\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.02128108367404\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&- 1.365952420559\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&- 10.945412271816\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 43.786276156717\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 44.120166623467\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.69223728262285\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 5.575223411102\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 1.4083105903994\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.088544750794983\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 1.4198091120028\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^7 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.044444444444444\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 1.4323518201262\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 5.7734918511847\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 2.9436249932636\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 2.9825052695538\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.37553429634459\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.011837547710862\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.18941084834089\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.023809523809524\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 6.1580419322535\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.097222222222222\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 1.560746008177\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right) \\
&- 0.09827627178848\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 1.5748766370035\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.0125\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.025\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.1\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&- 1.6027145364573\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.20297740788983\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^7 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.20493952575642\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 6.5604957638531\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.20833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.052777777777778\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 13.84186617469\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^4 \\
&- 0.054166666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.05420291941748\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.21755327337686\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 3.5133794651612\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.7578372471794\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&- 0.88690358400992\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 0.11143439113742\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.44683244626155\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.11186497706047\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 3.6002505307235\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.028374778232054\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.056749556464107\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.9109092620606\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 0.9301705366543\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 15.027743483948\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 1.8874697287411\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.95638445352996\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 3.8291912582748\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.060110371206268\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.9259759153191\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^3 \\
&- 0.1222826226296\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.49019528501559\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.12296371545385\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.29792141836427\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.070251374557497\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.310644878936\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&+ 0.14542297015121\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 1.4054994124691\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.051619209558058\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.055787239966231\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 2.3504333698703\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log\left(c_s\right)^5 \\
&+ 0.0048349442690174\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log\left(c_s\right)^5 \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 0.67263667120942\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.011444010951502\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.026253648508397\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.080424481444445\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.0050669246842953\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 5.8433300291216\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 3.1047501043929\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.19832346916892\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.054826961383922\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 0.0069444444444444\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.0071428571428571\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^7 \\
&+ 0.003626208201763\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log(c_s)^5 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.11899408150135\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^4 \\
&+ 4.0166192378359\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.50447750340707\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 8.3009980879745\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^6 \\
&+ 0.0040535397474362\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.0041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^7 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.033333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 4.3755091052977\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 0.14286066757522\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^6 \\
&+ 0.28691533605899\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^2 \\
&+ 0.036165060479778\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^2 \\
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^7 \\
&+ 0.0095238095238095\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.038888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^4 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^4 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s) \\
&+ 12.748219632814\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.80516640251492\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.41419317191467\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.21057208503687\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.054614417007374\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.0068664065709015\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.014050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.056201099645998\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.059584283672854\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.23833713469141\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s) \\
&+ 0.061943051469669\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 2.0107536923257\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.031435985345908\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 1.0198636499606\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.25629991270203\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.51774146489334\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.13404080240741\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.06831317525214\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.55650877697538\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 2.3285625782947\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.073102615178563\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.009155208761202\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 4.721294639774\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.0092978733277052\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 0.037191493310821\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 9.5611647246107\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 1.2060424722911\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.075895500681414\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.15865877533513\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s) \\
&+ 0.041295367646446\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.33390526618523\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.042150824734498\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 1.3598181999474\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.34005797202385\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&+ 0.0055555555555556\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 0.17875285101856\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.091378268973204\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.36897249343705\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.046489366638526\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.011904761904762\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 6.1120382485829\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.0030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^6 \\
&+ 0.0060803096211543\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6 \\
&+ 12.59981563941\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.20244396790257\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 0.10723264192593\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.027123795359834\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.054247590719667\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 3.5406997010804\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.44316616833261\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^2 \\
&+ 0.44520702158031\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 1.8739992166254\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.23584485562421\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.0076673284589293\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&- 0.067677650926669\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 1.5134325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.40393026302571\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.11106979298066\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&- 4.0282002135122\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.34678002978461\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.52495887900117\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.5429645131672\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 3.325341415587\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^3 \\
&- 0.21459102648262\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.0039458492369539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 0.063246250567845\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.0009920634920634 9\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.007936507936507 9\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.52024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.26823878310328\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.0005952380952380 9\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^7 \\
&- 0.001190476190476 2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.040606590556001\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^4 \\
&- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&- 0.17966292962312\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.050597000454276\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 2.0572860175563\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 4.206375688665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.037947750340707\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&- 0.16094326986197\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^3 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.081975810302568\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.000198412698412 7\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log\left(c_s\right)^7 \\
&- 0.00079365079365079\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^4 \\
&- 0.054142120741335\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 3.5133794651612\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&- 0.061481857726926\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^5 \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^2 \\
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^4 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.014050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.059584283672854\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.0092978733277052\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^3 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right) \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^7 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4
\end{aligned}
$$

1.2 Tensor spectrum

$$
P_t(k_*) = \frac{2H_*^2}{\pi^2 M_{\rm Pl}^2}\left[\sum_{d=0}^{7} F_{t,d} + O(\mathrm{SR}^8)\right].
$$

Relative order 0.

$$
F_{t,0} = 1.0
$$

Relative order 1.

$$
F_{t,1} = -0.54072569092296\epsilon_1
$$

Relative order 2.

$$
F_{t,2} = 1.5402686460338\epsilon_1^2 - 0.25062903478191\epsilon_1\epsilon_2
$$

Relative order 3.

$$
\begin{aligned}
F_{t,3} = {} & 1.6057835635673\epsilon_1^3 + 1.8891060194179\epsilon_1^2\epsilon_2 \\
& - 0.18929040711048\epsilon_1\epsilon_2^2 - 0.18929040711048\epsilon_1\epsilon_2\epsilon_3
\end{aligned}
$$

Relative order 4.

$$
\begin{aligned}
F_{t,4} = {} & 2.9412556561294\epsilon_1^4 + 4.0859368676311\epsilon_1^3\epsilon_2 \\
& + 1.8087367742501\epsilon_1^2\epsilon_2^2 - 0.077715927178017\epsilon_1\epsilon_2^3 \\
& + 1.696905383796\epsilon_1^2\epsilon_2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3^2 \\
& - 0.23314778153405\epsilon_1\epsilon_2^2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3\epsilon_4
\end{aligned}
$$

Relative order 5.

$$
\begin{aligned}
F_{t,5} = {} & 5.0146640695735\epsilon_1^5 + 10.182162879741\epsilon_1^3\epsilon_2^2 \\
& + 1.9912795134148\epsilon_1^2\epsilon_2^3 + 9.3282240106668\epsilon_1^4\epsilon_2 \\
& - 0.041550866698239\epsilon_1\epsilon_2^4 + 5.715558726935\epsilon_1^2\epsilon_2^2\epsilon_3 \\
& + 6.2270085551926\epsilon_1^3\epsilon_2\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3^2 \\
& - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3^3 - 0.29085606688767\epsilon_1\epsilon_2^2\epsilon_3^2 \\
& - 0.24930520018943\epsilon_1\epsilon_2^3\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
& - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
& - 0.16620346679296\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.12465260009472\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&- 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5
\end{aligned}
$$

Relative order 6.

$$
\begin{aligned}
F_{t,6} = {} & 8.3167926130457\epsilon_1^6 + 35.569920863237\epsilon_1^4\epsilon_2^2 \\
&+ 25.766288824979\epsilon_1^3\epsilon_2^3 + 1.9852568085143\epsilon_1^2\epsilon_2^4 \\
&+ 19.643791998445\epsilon_1^5\epsilon_2 - 0.020903182875016\epsilon_1\epsilon_2^5 \\
&+ 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3^3 + 17.436687309176\epsilon_1^4\epsilon_2\epsilon_3 \\
&+ 42.955365634287\epsilon_1^3\epsilon_2^2\epsilon_3 + 11.663061184146\epsilon_1^2\epsilon_2^3\epsilon_3 \\
&+ 8.6456966910171\epsilon_1^3\epsilon_2\epsilon_3^2 + 13.217874912669\epsilon_1^2\epsilon_2^2\epsilon_3^2 \\
&- 0.31354774312524\epsilon_1\epsilon_2^2\epsilon_3^3 - 0.52257957187539\epsilon_1\epsilon_2^3\epsilon_3^2 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3^4 - 0.20903182875016\epsilon_1\epsilon_2^4\epsilon_3 \\
&+ 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 5.6163090520775\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 7.692547567117\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 8.6456966910171\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.14632228012511\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&- 0.12541909725009\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \\
&- 0.52257957187539\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&- 0.10451591437508\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 0.20903182875016\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.062709548625047\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.083612731500063\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.10451591437508\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6
\end{aligned}
$$

Relative order 7.

$$
\begin{aligned}
F_{t,7} = {} & 13.526125616593\epsilon_1^7 + 100.70801814255\epsilon_1^5\epsilon_2^2 \\
&+ 1.9806997872497\epsilon_1^2\epsilon_2^5 + 142.68493110568\epsilon_1^4\epsilon_2^3 \\
&+ 38.679800565985\epsilon_1^6\epsilon_2 + 58.446173176621\epsilon_1^3\epsilon_2^4 \\
&- 0.010360561143303\epsilon_1\epsilon_2^6 + 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3^3 \\
&+ 28.833623477559\epsilon_1^2\epsilon_2^2\epsilon_3^3 + 176.51199110043\epsilon_1^4\epsilon_2^2\epsilon_3 \\
&+ 184.80744293643\epsilon_1^3\epsilon_2^3\epsilon_3 + 48.928533240646\epsilon_1^2\epsilon_2^3\epsilon_3^2 \\
&+ 27.152280310568\epsilon_1^4\epsilon_2\epsilon_3^2 + 119.8935936939\epsilon_1^3\epsilon_2^2\epsilon_3^2 \\
&+ 19.915427387063\epsilon_1^2\epsilon_2^4\epsilon_3 + 42.602054688957\epsilon_1^5\epsilon_2\epsilon_3 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3^4 - 0.32117739544239\epsilon_1\epsilon_2^2\epsilon_3^4 \\
&- 0.15540841714954\epsilon_1\epsilon_2^5\epsilon_3 - 0.010360561143303\epsilon_1\epsilon_2\epsilon_3^5 \\
&- 0.67343647431469\epsilon_1\epsilon_2^4\epsilon_3^2 - 0.93245050289726\epsilon_1\epsilon_2^3\epsilon_3^3 \\
&+ 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 11.508395867275\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&+ 48.49851562714\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 31.711521972802\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 13.426461845155\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 27.152280310568\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \\
&+ 69.890720011514\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 9.8324460747906\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 19.969642144346\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \\
&- 1.0464166754736\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&- 1.0878589200468\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&- 0.15540841714954\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&- 0.15540841714954\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \\
&- 0.6941575966013\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&- 0.25901402858257\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&- 0.10360561143303\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \\
&- 0.20721122286606\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 5.7541979336377\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 9.8324460747906\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 7.672263911517\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.07252392800312\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&- 0.15540841714954\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&- 0.18649010057945\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 0.062163366859817\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.25901402858257\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&- 0.40406188458881\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.051802805716515\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&- 0.10360561143303\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 0.041442244573212\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.031081683429909\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.051802805716515\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7
\end{aligned}
$$

2 Consistency relations

2.1 $n = 0$

For $p = 7$, the absolute cutoff is $W = 8$:

$$\alpha_0^t = \sum_{d=1}^{8} R_{0,d} + O(\mathrm{SR}^9).$$

Absolute order 1.

$$R_{0,1} = -\frac{0.125r}{c_s}$$

Absolute order 2.

$$\begin{aligned} R_{0,2} = {} & \frac{0.0078125r^2}{c_s^2} + \frac{0.125\alpha_0^s r}{c_s} \\ & + \frac{0.28379535568268\alpha_0^{c_s} r}{c_s} - \frac{0.125\alpha_0^s r \log(c_s)}{c_s} \end{aligned}$$

Absolute order 3.

$$\begin{aligned} R_{0,3} = {} & -\frac{0.0030712246746565r^3}{c_s^3} + \frac{0.125\alpha_1^s r}{c_s} \\ & + \frac{0.33325502603924\alpha_1^{c_s} r}{c_s} - \frac{0.10280837917801\left(\alpha_0^s\right)^2 r}{c_s} \\ & - \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^2 r}{c_s} - \frac{0.041327094794504\alpha_0^s r^2}{c_s^2} \\ & - \frac{0.061176514254839\alpha_0^{c_s} r^2}{c_s^2} + \frac{0.015625\alpha_0^s r^2 \log(c_s)}{c_s^2} \\ & + \frac{0.0625\alpha_1^s r \log(c_s)^2}{c_s} \\ & + \frac{0.125\left(\alpha_0^s\right)^2 r \log(c_s)}{c_s} \\ & - \frac{0.0625\left(\alpha_0^s\right)^2 r \log(c_s)^2}{c_s} \\ & - \frac{0.125\alpha_1^s r \log(c_s)}{c_s} - \frac{0.46478233218736\alpha_0^{c_s}\alpha_0^s r}{c_s} \\ & + \frac{0.28379535568268\alpha_0^{c_s}\alpha_0^s r \log(c_s)}{c_s} \end{aligned}$$

Absolute order 4.

$$\begin{aligned} R_{0,4} = {} & \frac{0.0014926374043055r^4}{c_s^4} + \frac{0.125\alpha_2^s r}{c_s} \\ & + \frac{0.076954635474829\left(\alpha_0^{c_s}\right)^3 r}{c_s} + \frac{0.065244100954277\left(\alpha_0^s\right)^3 r}{c_s} \\ & + \frac{0.36074999115751\alpha_2^{c_s} r}{c_s} + \frac{0.036259602621199\alpha_0^{c_s} r^3}{c_s^3} \\ & + \frac{0.024554893470954\alpha_0^s r^3}{c_s^3} + \frac{0.10320649151137\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\ & + \frac{0.21414669687749\left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2} - \frac{0.11879209843874\alpha_1^{c_s} r^2}{c_s^2} \\ & - \frac{0.060109233906372\alpha_1^s r^2}{c_s^2} \end{aligned}$$

$$
\begin{aligned}
&+ \frac{0.015625\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0625\alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.34966216656143\alpha_0^{c_s}\alpha_0^s r^2}{c_s^2} \\
&+ \frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r}{c_s} \\
&+ \frac{0.041327094794504\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.46184803450948\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{0.0078125\alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.125\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.0092136740239694\alpha_0^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.10280837917801\left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.51223106590429\alpha_0^{c_s}\alpha_1^s r}{c_s} - \frac{0.26465926210717\alpha_0^{c_s}\alpha_1^{c_s} r}{c_s} \\
&- \frac{0.58335484068555\alpha_0^s\alpha_1^{c_s} r}{c_s} \\
&- \frac{0.082654189589007\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.020833333333333\alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.020833333333333\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.23087387125098\alpha_0^s\alpha_1^s r}{c_s} \\
&+ \frac{0.0625\alpha_0^s\alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.14189767784134\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.46478233218736\alpha_0^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33061675835603\alpha_0^s\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33325502603924\alpha_0^s\alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.1875\alpha_0^s\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.14189767784134\alpha_0^{c_s}\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$- \frac{0.46478233218736\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.12235302850968\alpha_0^{c_s} \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$

Absolute order 5.

$$\begin{aligned}
R_{0,5} = & -\frac{0.00093280100983415 r^5}{c_s^5} + \frac{0.125\alpha_3^s r}{c_s} \\
& + \frac{0.077998779670661\alpha_1^{c_s} r^3}{c_s^3} + \frac{0.04315951309091\alpha_1^s r^3}{c_s^3} \\
& + \frac{0.37743788705055\alpha_3^{c_s} r}{c_s} + \frac{0.22678710229221 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
& - \frac{0.038536574146577 \left(\alpha_0^s\right)^4 r}{c_s} - \frac{0.018206214478227\alpha_0^s r^4}{c_s^4} \\
& - \frac{0.17317013837934\alpha_2^{c_s} r^2}{c_s^2} - \frac{0.46393123483107 \left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2} \\
& - \frac{0.077020534433109\alpha_2^s r^2}{c_s^2} - \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^4 r}{c_s} \\
& - \frac{0.14103704832205 \left(\alpha_1^s\right)^2 r}{c_s} - \frac{0.18695785481671 \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
& - \frac{0.025790978878929\alpha_0^{c_s} r^4}{c_s^4} - \frac{0.21229467061039 \left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3} \\
& - \frac{0.10777687087114 \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
& + \frac{0.0625\alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
& + \frac{0.0625 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s} \\
& + \frac{0.065244100954277 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s} \\
& + \frac{0.77902151158975\alpha_0^{c_s} \alpha_1^{c_s} r^2}{c_s^2} \\
& + \frac{0.33322659757276\alpha_0^s \alpha_1^s r^2}{c_s^2} \\
& + \frac{0.2807614807417 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r}{c_s} \\
& + \frac{0.073664680412863 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3} \\
& + \frac{0.0046068370119847\alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
& + \frac{0.0059705496172218\alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
& + \frac{0.91440223214728 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r}{c_s} \\
& + \frac{0.25691700713838 \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s} \\
& + \frac{0.585172074201 16\alpha_0^{c_s} \alpha_1^s r^2}{c_s^2} \\
& + \frac{0.64688363806266 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}
\end{aligned}$$

$$+\frac{0.0026041666666667\alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.67279698790137\alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.20641298302274\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.23087387125098\left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$+\frac{0.060109233906372\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.125\alpha_3^s r \log\left(c_s\right)}{c_s}-\frac{0.70604739146173\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$-\frac{0.24116427546487\alpha_0^s\alpha_2^s r}{c_s}-\frac{0.67016777237071\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$-\frac{0.37631034727105\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r}{c_s}$$
$$-\frac{0.54410907511208\alpha_0^{c_s}\alpha_2^s r}{c_s}-\frac{0.33187406198245\alpha_0^{c_s}\alpha_0^s r^3}{c_s^3}$$
$$-\frac{0.051404189589007\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.0075354959104\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$-\frac{0.020663547397252\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.082654189589007\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.16530837917801\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0052083333333333\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.020833333333333\alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2}{c_s^2}$$
$$-\frac{0.024554893470954\alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.025650784758331\alpha_0^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$-\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3 \alpha_0^s r}{c_s}$$
$$-\frac{0.8774300995702\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r}{c_s}$$

$$
- \frac{0.013820511035954 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}
$$

$$
+ \frac{0.03125 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s}
$$

$$
+ \frac{0.047299225947114 \alpha_0^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.047299225947114 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.076954635474829 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{1.2543932705273 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r}{c_s}
$$

$$
+ \frac{0.69932433312286 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
+ \frac{0.36074999115751 \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.12398128438351 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
$$

$$
+ \frac{1.2408463078633 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r}{c_s}
$$

$$
+ \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{0.51223106590429 \alpha_0^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.58335484068555 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.60410986672479 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.31952094794504 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{0.16662751301962 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}
$$

$$
+ \frac{0.083333333333333 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}
$$

$$
+ \frac{0.35587387125098 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.42829339375497 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
+ \frac{0.1087788078636 \alpha_0^{c_s} \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}
$$

$$
+ \frac{0.46184803450948 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}
$$

$$
+ \frac{0.061176514254839 \alpha_0^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
$$

$$
- \frac{0.015625 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}
$$

$$
- \frac{0.125 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{0.34966216656143 \alpha_0^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}
$$

$$
\begin{aligned}
&- \frac{0.10412751301962 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.42660617411381 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.23239116609368 \alpha_0^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.23239116609368 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.58335484068555 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.60410986672479 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.32663145083548 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.16662751301962 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{0.020833333333333 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.22780837917801 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.23758419687749 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.12235302850968 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.69717349828103 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.14189767784134 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.26465926210717 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{1.4359271349233 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

Absolute order 6.

$$
\begin{aligned}
R_{0,6} = &\frac{0.00070298503785145 r^6}{c_s^6} + \frac{0.125 \alpha_4^s r}{c_s} \\
&+ \frac{0.13193301624962 \alpha_2^{c_s} r^3}{c_s^3} + \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^5 r}{c_s} \\
&+ \frac{0.021919030958484 \alpha_0^{c_s} r^5}{c_s^5} + \frac{0.020902477635746 \left(\alpha_0^s\right)^5 r}{c_s} \\
&+ \frac{0.74453148636911 \left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} + \frac{0.015994052232973 \alpha_0^s r^5}{c_s^5} \\
&+ \frac{0.065362321729807 \alpha_2^s r^3}{c_s^3} + \frac{0.28417656846613 \left(\alpha_0^s\right)^4 r^2}{c_s^2} \\
&+ \frac{0.30605471800346 \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.67852861921274 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}
\end{aligned}
$$

$$
+\frac{0.34969699644176\left(\alpha_0^s\right)^3 r^3}{c_s^3}+\frac{0.38489206166781\alpha_4^{c_s} r}{c_s}
$$
$$
+\frac{0.83936081299974\left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3}
$$
$$
+\frac{0.22660705119567\left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4}
$$
$$
+\frac{0.12218812205202\left(\alpha_0^s\right)^2 r^4}{c_s^4}-\frac{0.093222530607224\alpha_3^s r^2}{c_s^2}
$$
$$
-\frac{0.22602670226893\alpha_3^{c_s} r^2}{c_s^2}-\frac{0.037217907105313\alpha_1^s r^4}{c_s^4}
$$
$$
-\frac{0.062708816862277\alpha_1^{c_s} r^4}{c_s^4}
$$
$$
+\frac{0.00390625\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}
$$
$$
+\frac{0.0625\alpha_4^s r\log\left(c_s\right)^2}{c_s}+\frac{0.4688109212146\alpha_0^s\alpha_2^s r^2}{c_s^2}
$$
$$
+\frac{0.032622050477138\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s}
$$
$$
+\frac{4.7025282057985\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2}{c_s^2}
$$
$$
+\frac{0.018206214478227\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}
$$
$$
+\frac{0.37293859690816\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}
$$
$$
+\frac{2.1030075443947\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2}{c_s^2}
$$
$$
+\frac{0.26533319667889\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}
$$
$$
+\frac{1.1071445237506\alpha_0^{c_s}\alpha_2^{c_s} r^2}{c_s^2}
$$
$$
+\frac{1.1098294432945\left(\alpha_0^{c_s}\right)^2\alpha_2^s r}{c_s}
$$
$$
+\frac{0.29046664127673\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}
$$
$$
+\frac{1.2266253802516\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}
$$
$$
+\frac{0.077020534433109\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}
$$
$$
+\frac{0.35392002562399\alpha_0^{c_s}\alpha_0^s r^4}{c_s^4}
$$
$$
+\frac{0.011941099234444\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}
$$
$$
+\frac{0.0068878491324173\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}
$$
$$
+\frac{0.97570715261837\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r}{c_s}
$$
$$
+\frac{0.49065057441855\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}
$$

$$
\begin{aligned}
&+ \frac{1.0359304553424\alpha_0^s \alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{1.0462369419396\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{0.26409856083906\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r}{c_s} \\
&+ \frac{0.27748910591119 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r}{c_s} \\
&+ \frac{2.2377699655728 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3}{c_s^3} \\
&+ \frac{0.28114043741982\alpha_0^{c_s} \alpha_3^{c_s} r}{c_s} \\
&+ \frac{0.16331572541774 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.0052083333333333\alpha_4^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0052083333333333 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.0052083333333333 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.78387416068464 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.012277446735477\alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.20641298302274 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.6575252194499\alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&+ \frac{0.83680003409838\alpha_0^{c_s} \alpha_2^s r^2}{c_s^2} \\
&+ \frac{1.7002909092331\alpha_1^{c_s} \alpha_2^{c_s} r}{c_s} \\
&+ \frac{0.11049702061929 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{3.5635228556462 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2}{c_s^2} \\
&+ \frac{0.90932998261448\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r}{c_s} \\
&+ \frac{0.93999642860003 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r}{c_s} \\
&- \frac{0.125\alpha_4^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.32333061261342 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.0046640050491707\alpha_0^s r^5 \log\left(c_s\right)}{c_s^5} \\
&- \frac{0.038536574146577 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$- \frac{0.22801627965519 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{0.93222801028114 \alpha_0^{c_s} \alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{0.25325135554738 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.017134729863002 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.072824857912906 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.33322659757276 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.015918735308 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{2.0506940177423 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.0010416666666667 \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0010416666666667 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.55534594081785 \alpha_0^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{0.57506946025867 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{2.5207294679791 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.04315951309091 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.0029852748086109 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.055102793059338 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.31399132156735 \alpha_1^s \alpha_2^s r}{c_s} - \frac{0.65984338269908 \alpha_0^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.041327094794504 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.00065104166666667 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.020833333333333 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.7283028812082 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.71961475433166 \alpha_0^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{0.37391570963342 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.75843981154214 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3} - \frac{0.77878205183275 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$

$$
\begin{aligned}
&- \frac{0.0015356123373282\alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.42145582743858\alpha_0^s \alpha_1^s r^3}{c_s^3} - \frac{0.84791917680706\alpha_1^s \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.013820511035954\left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.030054616953186\alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.24578024485779\alpha_0^s \alpha_3^s r}{c_s} \\
&- \frac{0.98936913734599\left(\alpha_0^{c_s}\right)^3 \alpha_1^s r}{c_s} \\
&+ \frac{0.078125\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.011824806486779\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.035474419460336\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.34503228101501\alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.038477317737414\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.70604739146173\alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.39124002268239\left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.67016777237071\alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.17483108328071\alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.69932433312286\alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.18037499557876\left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.36616427546487\alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.055542504339873\alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.055542504339873\left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.23399633901198\alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.52323837210896\alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.54410907511208\alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{2.3150163835374\alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&+ \frac{0.33187406198245\alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}
\end{aligned}
$$

$$+\frac{0.096769459726005\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.0498858380611\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.5420431097393\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.2273267595957\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.077463722031226\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.64688363806266\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.16316821179539\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.16530837917801\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3455939758027\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.17504590210035\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4082057040738\alpha_0^{c_s}\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.71796356746163\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.18614171251135\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.37743788705055\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.41106330372469\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.052083333333333\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.013820511035954\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.22342495932411\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.22678710229221\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.23092401725474\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.8632981771163\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.11879209843874\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.015625\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.011824806486779\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.99562218594735\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.67016777237071\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.34634027675869\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.18037499557876\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.37631034727105\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.92786246966213\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{1.2408463078633\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.63688401183118\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.02039217141828\alpha_0^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.081568685673119\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{5.3160260957473\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$
$$-\frac{0.044182861011306\left(\alpha_0^{c_s}\right)^4\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.4572148290863\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r}{c_s}$$

$$- \frac{1.7022391997606 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{0.055102793059338 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.91440223214728 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.7157456837503 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.23239116609368 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.0150709918208 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.25611553295215 \alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.26811675835603 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2680306396037 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.29167742034277 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.29167742034277 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.58517207420116 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.077463722031226 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.6362509253696 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.65487106259881 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.67279698790137 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.34379128896546 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.7810792247499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.18244310904102 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.9488138359183 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s}$$
$$- \frac{0.40881080687647 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&- \frac{0.10316391551572 \alpha_0^{c_s} \alpha_0^s r^4 \log(c_s)}{c_s^4} \\
&- \frac{0.026041666666667 \alpha_0^s \alpha_3^s r \log(c_s)^4}{c_s} \\
&- \frac{0.052083333333333 \alpha_1^s \alpha_2^s r \log(c_s)^4}{c_s} \\
&- \frac{0.052083333333333 (\alpha_0^s)^3 \alpha_1^s r \log(c_s)^4}{c_s} \\
&- \frac{0.41785905564102 (\alpha_0^{c_s})^3 (\alpha_0^s)^2 r \log(c_s)}{c_s} \\
&- \frac{0.21414669687749 (\alpha_0^{c_s})^2 \alpha_1^s r^2 \log(c_s)^2}{c_s^2} \\
&- \frac{0.054389403931798 \alpha_0^{c_s} \alpha_1^s r^3 \log(c_s)^2}{c_s^3} \\
&- \frac{0.8774300995702 (\alpha_0^{c_s})^2 (\alpha_0^s)^3 r \log(c_s)}{c_s} \\
&- \frac{0.11049702061929 \alpha_0^s \alpha_1^s r^3 \log(c_s)^2}{c_s^3} \\
&- \frac{0.23758419687749 (\alpha_0^s)^2 \alpha_1^{c_s} r^2 \log(c_s)^2}{c_s^2} \\
&- \frac{0.24043693562549 \alpha_0^s \alpha_3^s r \log(c_s)^2}{c_s} \\
&- \frac{0.48726766643898 \alpha_0^s \alpha_2^s r^2 \log(c_s)}{c_s^2} \\
&- \frac{0.49808128260325 (\alpha_0^s)^2 \alpha_2^s r \log(c_s)}{c_s} \\
&+ \frac{0.047299225947114 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log(c_s)^4}{c_s} \\
&+ \frac{0.97407910041377 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r \log(c_s)^2}{c_s} \\
&+ \frac{0.87503226102832 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log(c_s)^2}{c_s} \\
&+ \frac{1.5580430231795 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2 \log(c_s)}{c_s^2} \\
&+ \frac{2.3697773496765 \alpha_0^{c_s} (\alpha_0^s)^2 \alpha_1^s r \log(c_s)}{c_s} \\
&+ \frac{1.2543932705273 \alpha_0^{c_s} (\alpha_0^s)^2 \alpha_1^{c_s} r \log(c_s)}{c_s} \\
&+ \frac{0.2807614807417 (\alpha_0^{c_s})^2 \alpha_0^s \alpha_1^{c_s} r \log(c_s)}{c_s} \\
&+ \frac{2.6692624312877 (\alpha_0^{c_s})^2 \alpha_0^s \alpha_1^s r \log(c_s)}{c_s} \\
&+ \frac{0.10412751301962 (\alpha_0^{c_s})^2 \alpha_0^s \alpha_1^s r \log(c_s)^3}{c_s} \\
&+ \frac{0.46478233218736 \alpha_0^{c_s} (\alpha_0^s)^2 \alpha_1^s r \log(c_s)^3}{c_s} \\
&+ \frac{0.13232963105359 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r \log(c_s)^2}{c_s}
\end{aligned}
$$

$$+\frac{3.1854151402232\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{0.12235302850968\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log(c_s)^3}{c_s^2}$$
$$-\frac{0.070948838920671\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log(c_s)^4}{c_s}$$
$$-\frac{1.2543932705273\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$-\frac{1.4107356192259\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log(c_s)^2}{c_s}$$
$$-\frac{1.0489864996843\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log(c_s)^2}{c_s^2}$$
$$-\frac{0.13232963105359\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log(c_s)^2}{c_s}$$
$$-\frac{0.3098548881249\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.16662751301962\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.025650784758331\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r\log(c_s)}{c_s}$$
$$-\frac{1.7849553829754\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log(c_s)}{c_s}$$
$$-\frac{0.90616480008718\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r\log(c_s)^2}{c_s}$$
$$-\frac{1.9998146675871\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$

Absolute order 7.

$$R_{0,7} = -\frac{0.00061515419372413r^7}{c_s^7}+\frac{0.125\alpha_5^s r}{c_s}$$
$$+\frac{0.03707739098979\alpha_1^s r^5}{c_s^5}+\frac{2.3407142171543\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{2.5667836871093\left(\alpha_2^{c_s}\right)^2 r}{c_s}+\frac{0.38879543976614\alpha_5^{c_s} r}{c_s}$$
$$+\frac{0.19788693882443\alpha_3^{c_s} r^3}{c_s^3}+\frac{0.19980707266399\left(\alpha_1^s\right)^3 r}{c_s}$$
$$+\frac{0.059241081913115\alpha_1^{c_s} r^5}{c_s^5}+\frac{0.091144689305009\alpha_3^s r^3}{c_s^3}$$
$$-\frac{0.016058051152622\alpha_0^s r^6}{c_s^6}-\frac{0.27769091733145\alpha_4^{c_s} r^2}{c_s^2}$$
$$-\frac{0.011049369381434\left(\alpha_0^s\right)^6 r}{c_s}-\frac{0.18310571021651\left(\alpha_2^s\right)^2 r}{c_s}$$
$$-\frac{0.94736847967917\left(\alpha_0^s\right)^4 r^3}{c_s^3}-\frac{0.064533532306596\alpha_2^s r^4}{c_s^4}$$
$$-\frac{0.26530089857015\left(\alpha_0^{c_s}\right)^2 r^5}{c_s^5}$$
$$-\frac{0.60450331655168\left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$-\frac{2.5811637725884\left(\alpha_0^{c_s}\right)^4 r^3}{c_s^3}-\frac{0.12033084603899\alpha_2^{c_s} r^4}{c_s^4}$$

$$
\begin{aligned}
&- \frac{1.0143092264569\left(\alpha_0^{c_s}\right)^5 r^2}{c_s^2} \\
&- \frac{1.0633521719009\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3} \\
&- \frac{0.15064645355686\left(\alpha_0^{s}\right)^2 r^5}{c_s^5} \\
&- \frac{1.3700033889135\left(\alpha_0^{c_s}\right)^3 r^4}{c_s^4} - \frac{0.021416327590633\alpha_0^{c_s} r^6}{c_s^6} \\
&- \frac{0.011357552715594\left(\alpha_0^{c_s}\right)^6 r}{c_s} \\
&- \frac{0.38746735293638\left(\alpha_0^{s}\right)^5 r^2}{c_s^2} - \frac{0.10911851595073\alpha_4^s r^2}{c_s^2} \\
&- \frac{0.46539756860253\left(\alpha_1^{s}\right)^2 r^3}{c_s^3} \\
&+ \frac{0.0625\alpha_5^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.80783286717849\alpha_0^{c_s}\alpha_1^s r^4}{c_s^4} \\
&+ \frac{0.010018205651062\alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.92286927268498\alpha_0^s\alpha_1^{c_s} r^4}{c_s^4} \\
&+ \frac{1.9440126575957\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2} \\
&+ \frac{0.55277396843725\alpha_0^s\alpha_1^s r^4}{c_s^4} \\
&+ \frac{1.1340564400864\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s} \\
&+ \frac{2.2882998446743\left(\alpha_0^{s}\right)^2\alpha_1^s r^3}{c_s^3} \\
&+ \frac{0.0023320025245854\alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5} \\
&+ \frac{4.085557218263\left(\alpha_0^{s}\right)^2\alpha_1^{c_s} r^3}{c_s^3} \\
&+ \frac{0.093222530607224\alpha_4^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.00099509160287031\alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4} \\
&+ \frac{0.015921465645925\left(\alpha_0^{s}\right)^3 r^4 \log\left(c_s\right)^3}{c_s^4} \\
&+ \frac{5.0832038657942\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3}{c_s^3} \\
&+ \frac{2.0956100973709\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2} \\
&+ \frac{0.00013020833333333\alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2} \\
&+ \frac{0.0010416666666667\left(\alpha_0^{s}\right)^6 r \log\left(c_s\right)^5}{c_s}
\end{aligned}
$$

$$+\frac{0.0020833333333333\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{4.6482593983773\left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.036832340206432\left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.037217907105313\alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.2234132770562\left(\alpha_0^{c_s}\right)^2 \alpha_3^s r}{c_s}$$
$$+\frac{0.61514830647938\alpha_0^s \alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.020902477635746\left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}$$
$$+\frac{0.021579756545455\alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.17617169912302\left(\alpha_0^s\right)^4 \alpha_1^s r}{c_s}$$
$$+\frac{1.8262787303313\alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.92157132537899\left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.97696202212274\alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$+\frac{8.3512782381267\left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$+\frac{1.0490909893253\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.067029189589007\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0042179102271087\alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.13627026895882\left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.13760865534849\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.1112901936416\alpha_0^{c_s} \alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.56835313693226\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.1470507314253\alpha_0^{c_s} \alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{2.3093282152193\left(\alpha_0^s\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.30878621388554\left(\alpha_0^s\right)^2 \alpha_3^s r}{c_s}$$
$$+\frac{0.62770388126313\alpha_0^{c_s} \alpha_4^{c_s} r}{c_s}$$

$$+\frac{0.31399132156735\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.079970261164864\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.32743553129941\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0052083333333333\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010874016825713\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.17522053618254\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.4218383711188\alpha_0^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.00017361111111111\alpha_5^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.4423569751714\alpha_0^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{5.7757906705137\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{5.7882034932154\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{1.5032077495225\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.00038390308433206\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.42145582743858\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.428987465032\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.85840688998375\left(\alpha_0^{c_s}\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{3.4582830081386\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.87796108711258\left(\alpha_0^s\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.11049702061929\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{0.44777476863074\left(\alpha_0^s\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.48875248820807\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.125\alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.1725161405075 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.6316195715756\alpha_0^{c_s} \alpha_2^{c_s} r^3}{c_s^3}$$
$$- \frac{0.019268287073289 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.48499591892013 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.746412484849 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{1.5812089463636 \left(\alpha_0^s\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{3.6531079078719\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$- \frac{0.0042836824657506 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.4655191308847 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.56258489487217 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.0091031072391133\alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.14564971582581 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{2.7138496922622 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.37293859690816 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.011660012622927 \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{1.5449591478006 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{3.5119101964046 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4}{c_s^4}$$
$$- \frac{0.0017361111111111 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.26161918605448 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0010416666666667\alpha_5^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.038510267216554\alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{10.229424989613 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^3}{c_s^3}$$
$$- \frac{0.33131930046622\alpha_1^s \alpha_3^s r}{c_s}$$

$$
- \frac{0.010365383276966\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^4}{c_s^3}
$$

$$
- \frac{2.662257817471\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4}{c_s^4}
$$

$$
- \frac{0.17189671305273\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r}{c_s}
$$

$$
- \frac{11.469452958165\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2}{c_s^2}
$$

$$
- \frac{1.6586797430738\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}
$$

$$
- \frac{0.8505629755966\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r}{c_s}
$$

$$
- \frac{0.0017219622831043\alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}
$$

$$
- \frac{0.027551396529669\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^4}{c_s^2}
$$

$$
- \frac{14.360846192046\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^2}{c_s^2}
$$

$$
- \frac{0.97379986187793\alpha_2^{c_s}\alpha_2^s r}{c_s} - \frac{0.24794812760585\alpha_0^s\alpha_4^s r}{c_s}
$$

$$
- \frac{0.015994052232973\alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}
$$

$$
- \frac{0.065362321729807\alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}
$$

$$
- \frac{0.0040924822451591\alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$
- \frac{2.0996792408229\alpha_0^s\left(\alpha_1^s\right)^2 r^2}{c_s^2}
$$

$$
- \frac{1.1119348729237\alpha_0^{c_s}\alpha_2^s r^3}{c_s^3} - \frac{0.56176802379859\alpha_0^{c_s}\alpha_4^s r}{c_s}
$$

$$
- \frac{0.28144573547165\left(\alpha_0^s\right)^3\alpha_2^s r}{c_s}
$$

$$
- \frac{1.1743186271375\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}
$$

$$
- \frac{4.8007444114752\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}
$$

$$
- \frac{5.1702446365592\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}
$$

$$
- \frac{0.020833333333333\alpha_5^s r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{1.3842162383415\alpha_0^s\alpha_2^{c_s} r^3}{c_s^3} - \frac{0.7030684429864\alpha_0^s\alpha_2^s r^3}{c_s^3}
$$

$$
- \frac{0.00017361111111111\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^6}{c_s}
$$

$$
- \frac{0.18068103657977\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s}
$$

$$
- \frac{1.4476494273414\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r}{c_s}
$$

$$
\begin{aligned}
&- \frac{0.046535428127837 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.37391570963342 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.74847386567881 \alpha_0^s \alpha_4^{c_s} r}{c_s} \\
&- \frac{0.18736152582256 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r}{c_s} \\
&- \frac{6.0814673556343 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3}{c_s^3} \\
&- \frac{12.793078901177 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&- \frac{0.81963122522346 \alpha_1^{c_s} \alpha_3^s r}{c_s} \\
&- \frac{0.83503731372241 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r}{c_s} \\
&- \frac{0.41795922045706 \alpha_0^{c_s} \alpha_0^s r^5}{c_s^5} \\
&- \frac{3.4202702326943 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2} \\
&- \frac{6.9086156682632 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^2}{c_s^2} \\
&- \frac{0.0034551277589885 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3} \\
&- \frac{0.056503419012833 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} r}{c_s} \\
&- \frac{3.7471241817118 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2} \\
&- \frac{0.94496875489879 \alpha_1^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{3.8972700113507 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.0078125 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&+ \frac{0.015625 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.046875 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{2.8124778681067 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s} \\
&+ \frac{10.600737061141 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3} \\
&+ \frac{4.9725756583496 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.39579904874886 \alpha_0^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$+\frac{1.0025443404426\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{9.405056411597\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.617542792628\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.6439469066229\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.17317013837934\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.34966216656143\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.5070789015693\alpha_0^{c_s}\alpha_0^s\alpha_3^s r}{c_s}$$
$$+\frac{6.7133098967185\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.21641591416732\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.7420961970983\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.013885626084968\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{7.3007350994123\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.46393123483107\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.24501043721595\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.2060150887895\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.26533319667889\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.55534594081785\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.069803142191755\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{2.2565271622164\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.071382232292496\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.28552892916998\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.018129801310599\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{2.3955878750394\alpha_0^s\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{19.557553538885\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$

$$+\frac{0.076974672418247\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.62741937336644\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s}r}{c_s}$$
$$+\frac{2.5180824389992\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.31844200591559\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0050980428545699\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.020730766553931\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.022091430505653\left(\alpha_0^{c_s}\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.415680102496\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.4890629727382\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.097225806780925\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.1147078999265\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.10097897854183\alpha_0^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.10923728686936\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.45720111607364\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.7157456837503\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.060124998526252\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.060124998526252\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.97570715261837\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9535405777372\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.0718609106849\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.51848292093192\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.065179887853842\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.52447232554522\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.26409856083906\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0569874358737\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.53304443385823\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.017219622831043\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.034439245662086\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.13775698264835\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{4.4251045077376\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.27748910591119\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.008677292751635\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.55977156642514\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2422429534989\alpha_0^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.57686043079225\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.29258603710058\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.30187308722879\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.4236399493169\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{20.1874457206\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.3206543676526\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.32344181903133\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.2194118580986\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.16316821179539\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{0.65984338269908\alpha_0^{c_s}\alpha_2^s r^3\log(c_s)}{c_s^3}$$
$$+\frac{21.179468382787\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.041656878254905\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log(c_s)^4}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_0^s\right)^4\alpha_1^s r\log(c_s)^6}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_0^s\right)^2\alpha_3^s r\log(c_s)^6}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^2\alpha_2^s r^2\log(c_s)^5}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^3\alpha_2^s r\log(c_s)^5}{c_s}$$
$$+\frac{0.33639849395069\alpha_1^{c_s}\alpha_2^s r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{1.3455939758027\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log(c_s)^2}{c_s^2}$$
$$+\frac{1.3570572384255\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2\log(c_s)}{c_s^2}$$
$$+\frac{2.7283028812082\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log(c_s)}{c_s^2}$$
$$+\frac{0.085371844317382\alpha_0^{c_s}\alpha_4^s r\log(c_s)^3}{c_s}$$
$$+\frac{0.35099450851797\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^3\log(c_s)^2}{c_s^3}$$

$$+\frac{0.71961475433166\alpha_1^s\alpha_3^{c_s}r\log(c_s)}{c_s}$$
$$+\frac{0.36103361467261\left(\alpha_0^s\right)^2\alpha_2^s r^2\log(c_s)^3}{c_s^2}$$
$$+\frac{5.8657860400158\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{2.9488138359183\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log(c_s)}{c_s}$$
$$+\frac{0.37078024485779\alpha_0^s\alpha_4^s r\log(c_s)}{c_s}$$
$$+\frac{0.18871894352527\left(\alpha_0^s\right)^2\alpha_3^{c_s}r\log(c_s)^2}{c_s}$$
$$+\frac{0.75843981154214\alpha_1^{c_s}\alpha_1^s r^3\log(c_s)}{c_s^3}$$
$$+\frac{0.38489206166781\alpha_0^s\alpha_4^{c_s}r\log(c_s)}{c_s}$$
$$+\frac{0.77878205183275\alpha_1^{c_s}\alpha_3^s r\log(c_s)}{c_s}$$
$$+\frac{0.78387416068464\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log(c_s)}{c_s}$$
$$+\frac{0.049109786941909\alpha_0^s\alpha_2^s r^3\log(c_s)^3}{c_s^3}$$

$$
\begin{aligned}
&+ \frac{0.00625\alpha_0^s\alpha_4^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.10068497778746\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{12.976514652483\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.051581957757859\alpha_0^{c_s}\alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{0.84791917680706\alpha_2^{c_s}\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.43212277903406\left(\alpha_0^s\right)^2\alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.10959515479242\alpha_0^{c_s}\alpha_0^s r^5 \log\left(c_s\right)}{c_s^5} \\
&+ \frac{7.1270457112924\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.90387358971276\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s} \\
&+ \frac{0.90642820478266\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.11339355114611\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.8182909076782\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s} \\
&+ \frac{0.46621622220819\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.93999642860003\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.9751581788625\left(\alpha_0^s\right)^3\alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.98936913734599\left(\alpha_0^{c_s}\right)^3\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{3.9904721534406\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.99990733379353\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.0078125\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^6}{c_s} \\
&- \frac{0.015625\left(\alpha_0^s\right)^4\alpha_1^s r \log\left(c_s\right)^5}{c_s} \\
&- \frac{0.015625\left(\alpha_0^s\right)^2\alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&- \frac{0.44470132378692\alpha_1^s\alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{3.8958239296461\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r}{c_s} \\
&- \frac{1.0809203572215\alpha_1^s\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

$$- \frac{2.431975594982 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.35302369573087 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.5605533571684 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.45205340453786 \alpha_0^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.1334097679674 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r}{c_s}$$
$$- \frac{0.53624688613452 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.3212114965764 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.33508388618535 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.33508388618535 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.34634027675869 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{11.686557920991 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.18815517363553 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.1685437444805 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.013885626084968 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0034722222222222 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.92786246966213 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.11699816950599 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.94403048688644 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.24558213773243 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.1013880354846 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{8.4181034747365 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.26533319667889 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0010416666666667 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.27205453755604 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{1.1098294432945 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.57506946025867 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.0046068370119847 \alpha_{0}^{s} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{1.2266253802516 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.039597366146248 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.15838946458499 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.040784342836559 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.65525598242905 \alpha_{0}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.16593703099122 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{1.3346312156438 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.022091430505653 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.35392002562399 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{1.493433278921 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.011941099234444 \alpha_{0}^{s} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.097225806780925 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.026031878254905 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.23725541014387 \alpha_{0}^{s} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.25083526744911 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{2.0150709918208 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{4.0403165720169 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{8.2835749595316 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$

$$- \frac{1.0359304553424 \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{1.1009310462368 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.068878491324173 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$

$$- \frac{0.27748910591119 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.008677292751635 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2377699655728 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.070727793059338 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2753194346264 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.313458471641 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.29167742034277 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.4190860894037 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.019365930507806 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.019365930507806 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.33252866783392 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0013020833333333 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0026041666666667 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0026041666666667 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.16896718045038 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.69526980618747 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.7810792247499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.69938459427672 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{2.8472525164605 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{0.089372252785343 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.71961475433166 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.8815407477502 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{5.8496185983588 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2}{c_s^2}$$

$$- \frac{0.18335213671987 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.18871894352527 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.094511397743496 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.5688895826086 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.39324787252528 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.19831361616427 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.5927075701116 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.10068497778746 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.20632783103144 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.10331773698626 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.83680003409838 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.21055898610263 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.4387150497851 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.22099404123859 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{3.5635228556462 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.11339355114611 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.45457229316397 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8632981771163 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.058277027760238 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.029400698264835 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.95532601774677 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.03058825712742 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{0.023649612973557\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.035474419460336\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.27181536182636\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.5580430231795\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.62719663526363\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.62719663526363\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3529310295244\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.2080216279544\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.1104449038344\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.055542504339873\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{4.0586432792128\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.1716188371248\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.2142890475012\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.14038074037085\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1645322290437\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1798116019711\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.62678858346153\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.3160260957473\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4145715312565\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4572148290863\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.493433278921\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.096829652539032\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.19365930507806\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.19365930507806\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.05206375650981\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.9375093693803\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.49065057441855\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0052516585561\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.0462369419396\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{1.0498858380611\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.133323999351\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.3138083821357\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.28114043741982\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58335484068555\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.6507763649991\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.010416666666667\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{5.3893457519471\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.79493823987988\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.40273991114986\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.5546387959878\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.012825392379166\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7002909092331\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.5885065578923\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.4662162220819\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.23758419687749\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.12235302850968\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0625\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.011824806486779\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.023649612973557 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.023649612973557 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.038477317737414 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.0773663663259 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.77814389608161 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.77902151158975 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.25325135554738 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.6875483514272 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{2.1778796443127 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.642080228949 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.3986486662457 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.18037499557876 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.41006487778864 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.9635516448916 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.14038074037085 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.3150163835374 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.4156674981763 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{5.0414589359583 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.040784342836559 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{5.294580586997 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{10.632052191495 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.7966840308434 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.044109877017862 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.044109877017862 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.4572148290863 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$

$$
- \frac{0.75845902390662\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}
- \frac{0.19365930507806\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}
- \frac{0.3889032271237\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}
- \frac{0.80333541177901\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}
- \frac{2.0183909637041\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}
- \frac{1.0498858380611\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}
- \frac{0.03470917100654\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}
- \frac{2.2680306396037\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}
- \frac{0.2904889576171\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}
- \frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}
- \frac{0.16316821179539\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}
- \frac{0.08331375650981\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}
- \frac{2.7586334431168\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}
- \frac{5.7688031217184\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}
- \frac{2.9407834425827\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}
- \frac{2.9902005036081\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}
- \frac{3.2268656693028\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}
- \frac{1.6408017979371\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}
- \frac{0.012825392379166\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}
- \frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}
- \frac{13.740514000685\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}
- \frac{1.7918323317175\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}
- \frac{14.861662174013\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}
- \frac{1.9702327908875\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}
+ \frac{6.8510776627447\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}
$$

$$+\frac{0.13232963105359\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.8815899057909\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$

Absolute order 8.

$$\begin{aligned}
R_{0,8} = &\frac{0.00061140660566969r^8}{c_s^8} + \frac{0.125\alpha_6^s r}{c_s} \\
&+ \frac{2.2322232961121\left(\alpha_0^{c_s}\right)^3 r^5}{c_s^5} \\
&+ \frac{6.5136006339327\left(\alpha_0^{c_s}\right)^4 r^4}{c_s^4} \\
&+ \frac{1.2772051597239\left(\alpha_0^{c_s}\right)^6 r^2}{c_s^2} + \frac{0.12677013484287\alpha_2^{c_s} r^5}{c_s^5} \\
&+ \frac{0.39074942376728\alpha_6^{c_s} r}{c_s} + \frac{1.0447967616865\left(\alpha_0^s\right)^3 r^5}{c_s^5} \\
&+ \frac{2.2928865600198\left(\alpha_0^s\right)^5 r^3}{c_s^3} + \frac{0.018067720038389\alpha_0^s r^7}{c_s^7} \\
&+ \frac{2.4918512707835\left(\alpha_0^s\right)^4 r^4}{c_s^4} \\
&+ \frac{0.49267437033496\left(\alpha_0^s\right)^6 r^2}{c_s^2} \\
&+ \frac{1.0481157911506\left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2} + \frac{0.27564064831379\alpha_4^{c_s} r^3}{c_s^3} \\
&+ \frac{0.072314017264823\alpha_2^s r^5}{c_s^5} + \frac{0.33908203112739\left(\alpha_0^{c_s}\right)^2 r^6}{c_s^6} \\
&+ \frac{0.70247462467147\left(\alpha_1^s\right)^2 r^4}{c_s^4} + \frac{0.0056650541491964\left(\alpha_0^s\right)^7 r}{c_s} \\
&+ \frac{0.0058573620994733\left(\alpha_0^{c_s}\right)^7 r}{c_s} + \frac{0.023538003261948\alpha_0^{c_s} r^7}{c_s^7} \\
&+ \frac{1.5384823286979\left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4} \\
&+ \frac{0.20146749405845\left(\alpha_0^s\right)^2 r^6}{c_s^6} \\
&+ \frac{6.7377862272052\left(\alpha_0^{c_s}\right)^5 r^3}{c_s^3} \\
&+ \frac{0.88925775895482\left(\alpha_2^s\right)^2 r^2}{c_s^2} + \frac{0.12067047718437\alpha_4^s r^3}{c_s^3} \\
&- \frac{0.20311412630578\alpha_3^{c_s} r^4}{c_s^4} - \frac{1.6690815935664\left(\alpha_1^s\right)^3 r^2}{c_s^2} \\
&- \frac{0.32829871256724\alpha_5^{c_s} r^2}{c_s^2} - \frac{3.6967714592569\left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2} \\
&- \frac{0.12487397340982\alpha_5^s r^2}{c_s^2} - \frac{0.063716453308469\alpha_1^{c_s} r^6}{c_s^6} \\
&- \frac{0.041647970158248\alpha_1^s r^6}{c_s^6} - \frac{0.10160512010316\alpha_3^s r^4}{c_s^4} \\
&+ \frac{0.0625\alpha_6^s r\log\left(c_s\right)^2}{c_s}
\end{aligned}$$

$$+\frac{1.9789457792797\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.10513140495085\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r}{c_s}$$
$$+\frac{1.9178925733355\alpha_0^s\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.016058051152622\alpha_1^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.58304100923735\alpha_0^s\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{9.3501270983511\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.52018445238947\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.54046017861076\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{13.337362155861\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{4.3751075063473\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^5}{c_s^5}$$
$$+\frac{5.1789181331976\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{5.665589363247\alpha_0^s\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.012836755738851\alpha_5^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.8897730215079\alpha_0^s\alpha_4^{c_s} r^2}{c_s^2}$$
$$+\frac{8.0528637643823\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.015921465645925\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{33.328269607161\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{2.3145467258216\alpha_0^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.62608105518152\left(\alpha_0^s\right)^4\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.082872765464471\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{21.744530465273\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.411773164777\alpha_0^{c_s}\alpha_4^s r^2}{c_s^2}$$
$$+\frac{5.649392815689\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^5}{c_s^5}$$
$$+\frac{0.77461528261071\alpha_0^s\alpha_4^s r^2}{c_s^2}$$

$$+\frac{0.00043402777777778\left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{8.1210209866197\left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{0.064533532306596\alpha_3^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{2.0701705693369\left(\alpha_1^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$+\frac{67.217970241945\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{1.0549993620509\alpha_0^s \alpha_2^s r^4}{c_s^4}$$
$$+\frac{4.2294720827157\left(\alpha_0^s\right)^2 \alpha_2^s r^3}{c_s^3}$$
$$+\frac{2.1377839646507\alpha_1^{c_s} \alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.54055925892829\alpha_0^{c_s} \alpha_0^s r^6}{c_s^6}$$
$$+\frac{9.4898146235027\left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{41.284701960244\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$+\frac{0.010451238817873\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{21.46921224069\left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{2.8573142579793\alpha_1^{c_s} \alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.0029852748086109\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.0030343690797044\alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{1.5736364839879\left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.012653730681326\left(\alpha_0^s\right)^2 r^6 \log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{1.6553209734162\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{1.729391816817\left(\alpha_0^{c_s}\right)^4 \alpha_2^s r}{c_s}$$
$$+\frac{14.27051490521\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{1.8953280476969\left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.9950146768246\alpha_0^{c_s} \alpha_5^{c_s} r}{c_s}$$
$$+\frac{15.948149561606\left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2}{c_s^2}$$

$$+\frac{0.0079970261164864\alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.032681160864904\alpha_4^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0010231205612898\alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{2.0996792408229\left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.4696127969398\left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.068804327674247\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{9.0822958672459\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.56835313693226\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{36.410139179336\left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^3}{c_s^3}$$
$$+\frac{2.3175371357445\alpha_1^{c_s} \alpha_1^s r^4}{c_s^4}$$
$$+\frac{18.545354654261\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3}{c_s^3}$$

$$+\frac{18.814472890514\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{9.6439787343813\left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.31878765728327\left(\alpha_0^s\right)^2 \alpha_4^s r}{c_s}$$
$$+\frac{0.64230625028991\left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} r}{c_s}$$
$$+\frac{1.2877576015477\left(\alpha_0^{c_s}\right)^2 \alpha_4^s r}{c_s}$$
$$+\frac{0.657482051725\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r}{c_s}$$
$$+\frac{0.65768969098089\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.020663547397252\left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_6^s r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{10.672090649762\alpha_2^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$+\frac{10.769002064985\left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{0.68089585870391\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{0.0027185042064282\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.00034439245662086\alpha_5^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{5.6435552176573\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2}{c_s^2}$$
$$+\frac{11.298128525794\left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^2}{c_s^2}$$
$$+\frac{5.6882730962969\alpha_1^{c_s}\alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.00017361111111111\alpha_6^s r \log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.00017361111111111\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.00069444444444444\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{23.00198990186\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+\frac{1.4441965956328\alpha_1^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.045838034179967\left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.4705900357921\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{24.059643518974\left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^4}{c_s^4}$$
$$+\frac{24.495298142232\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{1.5492771725266\alpha_0^{c_s}\alpha_2^s r^4}{c_s^4}$$
$$+\frac{0.19662393626264\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.7921659467659\left(\alpha_1^s\right)^2 \alpha_2^s r}{c_s}$$
$$+\frac{0.19992565291216\left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{3.2374324765281\alpha_1^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{1.6446035824634\left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} r}{c_s}$$
$$+\frac{1.6668507743821\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{53.40751093858\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$+\frac{0.41778342731558\left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.10628280446093\left(\alpha_0^{c_s}\right)^6 \alpha_0^s r}{c_s}$$
$$+\frac{1.7228280986346\alpha_0^{c_s}\alpha_4^{c_s} r^2}{c_s^2}$$

$$+\frac{0.10911851595073\alpha_5^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.2381319432611\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{14.73031578932\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$+\frac{29.751643589358\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$+\frac{3.7193431352355\alpha_2^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.93980928485466\left(\alpha_0^s\right)^2\alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.23857889803321\left(\alpha_0^s\right)^4\alpha_2^s r}{c_s}$$
$$+\frac{0.97750497641613\left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.9578984183527\left(\alpha_1^{c_s}\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{3.9928539899132\left(\alpha_0^s\right)^3\alpha_2^s r^2}{c_s^2}$$
$$-\frac{0.125\alpha_6^s r \log\left(c_s\right)}{c_s}$$
$$-\frac{0.12560153325758\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.019433354371545\left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$-\frac{0.0025045514127655\alpha_5^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0064227623577628\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.0081403143741\alpha_1^s\alpha_4^{c_s} r}{c_s}$$
$$-\frac{0.55277396843725\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4}$$
$$-\frac{2.5443012545134\alpha_0^{c_s}\alpha_3^{c_s} r^3}{c_s^3}$$
$$-\frac{11.008466854462\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r^4}{c_s^4}$$
$$-\frac{0.69091598524513\alpha_0^s\left(\alpha_1^s\right)^3 r}{c_s}$$
$$-\frac{0.096348306915731\left(\alpha_0^s\right)^2 r^6 \log\left(c_s\right)}{c_s^6}$$
$$-\frac{0.48499591892013\left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$-\frac{1.0739267790989\alpha_0^{c_s}\alpha_1^s r^5}{c_s^5}$$
$$-\frac{4.5604577017774\left(\alpha_0^s\right)^2\alpha_1^s r^4}{c_s^4}$$

$$
\begin{aligned}
&- \frac{0.68518187210089 \left(\alpha_0^{c_s}\right)^5 \alpha_1^s r}{c_s} \\
&- \frac{0.046611265303612 \alpha_5^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{3.0960484294442 \alpha_1^{c_s} \alpha_2^s r^3}{c_s^3} \\
&- \frac{0.0062192299661794 \left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^5}{c_s^3} \\
&- \frac{0.00024877290071758 \alpha_3^s r^4 \log\left(c_s\right)^4}{c_s^4} \\
&- \frac{1.0550875317977 \alpha_2^{c_s} \alpha_3^s r}{c_s} \\
&- \frac{0.036412428956453 \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^3}{c_s^4} \\
&- \frac{0.03707739098979 \alpha_2^s r^5 \log\left(c_s\right)}{c_s^5} \\
&- \frac{0.32103667242701 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r}{c_s} \\
&- \frac{1.3219734533115 \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.011049369381434 \left(\alpha_0^s\right)^7 r \log\left(c_s\right)}{c_s} \\
&- \frac{3.3581596830505 \alpha_1^s \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{0.00085673649315012 \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^5}{c_s} \\
&- \frac{1.8023531518461 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r}{c_s} \\
&- \frac{16.343218965609 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3}{c_s^3} \\
&- \frac{0.0010416666666667 \alpha_6^s r \log\left(c_s\right)^5}{c_s} \\
&- \frac{4.4097637958518 \left(\alpha_0^s\right)^4 \alpha_1^s r^2}{c_s^2} \\
&- \frac{8.843883674683 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2}{c_s^2} \\
&- \frac{1.120684288304 \alpha_2^s \alpha_3^{c_s} r}{c_s} - \frac{2.2434286218493 \alpha_0^s \alpha_3^{c_s} r^3}{c_s^3} \\
&- \frac{2.2742026182736 \left(\alpha_0^s\right)^2 \alpha_3^s r^2}{c_s^2} \\
&- \frac{0.018608953552656 \alpha_3^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{2.4180132662067 \left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)}{c_s^4} \\
&- \frac{1.2173855417145 \alpha_0^s \alpha_1^{c_s} r^5}{c_s^5} \\
&- \frac{5.1536147331798 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r^2}{c_s^2}
\end{aligned}
$$

$$- \frac{11.020507880643 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.75323226778428 \left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.76499980337558 \alpha_0^s \alpha_5^{c_s} r}{c_s}$$
$$- \frac{0.19419962110108 \left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{25.454821862658 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{0.40024060130122 \alpha_2^s \alpha_3^s r}{c_s} - \frac{0.84312637632428 \alpha_1^{c_s} \alpha_4^s r}{c_s}$$
$$- \frac{0.0068878491324173 \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{3.5410957982993 \alpha_0^s \left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.0071932521818183 \alpha_4^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{7.5222290451591 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4}{c_s^4}$$
$$- \frac{0.97696202212274 \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.12510598545753 \left(\alpha_0^s\right)^5 \alpha_1^s r}{c_s}$$
$$- \frac{0.13326110846456 \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.0720917571744 \alpha_0^s \alpha_3^s r^3}{c_s^3}$$
$$- \frac{0.0021089551135544 \alpha_1^s r^6 \log\left(c_s\right)^2}{c_s^6}$$
$$- \frac{0.0043060793560689 \alpha_0^s r^7 \log\left(c_s\right)}{c_s^7}$$
$$- \frac{9.0143186490212 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4}{c_s^4}$$
$$- \frac{0.56461779705915 \alpha_0^{c_s} \alpha_5^s r}{c_s}$$
$$- \frac{9.2516757968649 \left(\alpha_0^s\right)^3 \alpha_1^s r^3}{c_s^3}$$
$$- \frac{19.495051770182 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{9.9830050494586 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{7.6780616866412 \cdot 10^{-5} \alpha_4^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.31693193066182 \left(\alpha_0^s\right)^3 \alpha_3^s r}{c_s}$$
$$- \frac{5.1314324134181 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} r^2}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.0013020833333333 \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^6}{c_s^2} \\
&- \frac{0.020833333333333 \alpha_6^s r \log\left(c_s\right)^3}{c_s} - \frac{0.34112392763691 \alpha_1^s \alpha_4^s r}{c_s} \\
&- \frac{0.011020558611868 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&- \frac{2.8421054390375 \left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{2.1701388888889 \cdot 10^{-5} \alpha_5^s r^2 \log\left(c_s\right)^6}{c_s^2} \\
&- \frac{0.091144689305009 \alpha_4^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{1.5078497707305 \alpha_0^{c_s} \alpha_1^{c_s} r^5}{c_s^5} \\
&- \frac{0.19228681026408 \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.77125072805494 \alpha_0^s \alpha_1^s r^5}{c_s^5} \\
&- \frac{0.77493470587277 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.00077733417486179 \alpha_2^s r^5 \log\left(c_s\right)^3}{c_s^5} \\
&- \frac{2.4801587301587 \cdot 10^{-5} \alpha_6^s r \log\left(c_s\right)^7}{c_s} \\
&- \frac{2.4801587301587 \cdot 10^{-5} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^7}{c_s} \\
&- \frac{13.313786678181 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{6.659013522117 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2}{c_s^2} \\
&- \frac{26.746143612647 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3}{c_s^3} \\
&- \frac{1.7066149459326 \alpha_0^{c_s} \alpha_3^s r^3}{c_s^3} - \frac{1.7535198370235 \alpha_1^s \alpha_2^s r^3}{c_s^3} \\
&- \frac{0.87950349176495 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r}{c_s} \\
&- \frac{3.8216726518489 \alpha_0^s \left(\alpha_1^{c_s}\right)^3 r}{c_s} \\
&- \frac{3.8936213201434 \alpha_1^{c_s} \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{1.9729813459225 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r}{c_s} \\
&- \frac{0.24899178727859 \alpha_0^s \alpha_5^s r}{c_s} \\
&- \frac{0.24927713975561 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.0078125 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^6}{c_s^2}
\end{aligned}
$$

$$+\frac{0.86808816982528\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.6914770907399\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{3.9616291032182\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{4.024605823404\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.11767456524362\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0096193294343536\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{2.9456422127989\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.012071035255149\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0069218063196336\alpha_0^s\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.03183507899542\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{36.220547158865\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{4.5353601958092\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s}r}{c_s}$$
$$+\frac{9.405056411597\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.29556502406601\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.59369857312328\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.1935510536047\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.4879524377664\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r}{c_s}$$
$$+\frac{0.19409589705296\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.10269404591081\alpha_0^s\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.6492055656695\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.22602670226893\alpha_1^s\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.6818612242792\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{0.97739655975224\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.062906314508424\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{0.062906314508424\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0039803664114812\alpha_0^s\alpha_2^sr^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{4.4655191308847\left(\alpha_0^{c_s}\right)^2\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.29129943165163\left(\alpha_0^s\right)^2\alpha_1^sr^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.29620540956557\alpha_0^s\alpha_1^{c_s}r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{20.266232829277\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{1.3249768624083\alpha_0^s\left(\alpha_1^s\right)^3r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.4688751980273\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^sr}{c_s}$$
$$+\frac{0.045093748894689\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.092731284383511\alpha_0^s\left(\alpha_1^s\right)^3r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.011660012622927\alpha_0^s\alpha_1^sr^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{12.256671654789\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.5449591478006\left(\alpha_0^{c_s}\right)^3\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42085052182175\alpha_0^s\alpha_4^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.10781393967711\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.5119101964046\left(\alpha_0^{c_s}\right)^2\alpha_1^sr^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.00086805555555556\alpha_2^s\alpha_3^sr\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.00086805555555556\left(\alpha_0^s\right)^3\alpha_3^sr\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0034722222222222\left(\alpha_0^s\right)^3\alpha_2^sr^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.45351356549616\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.23175660206249\left(\alpha_0^{c_s}\right)^2\alpha_3^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0036458333333333\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.48667986206266\alpha_0^s\alpha_1^sr^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.99673350120272\alpha_0^{c_s}\left(\alpha_1^s\right)^3r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{0.0039416021622595\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.0096160053861\alpha_0^s\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{2.0830434247625\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.032759729863002\alpha_2^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{4.2060150887895\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{8.4181034747365\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.13266659833945\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.13266659833945\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.00026041666666667\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.00052083333333333\alpha_1^s\alpha_4^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.00052083333333333\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{8.5411066645479\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.27105975047327\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.55491472164724\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.14276446458499\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.57926742807207\alpha_1^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{9.2965187967546\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.018176396529669\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.3407142171543\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.0011517092529962\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.0023034185059924\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.59023194935719\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.2078337490882\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.61331269012581\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.019243668104562\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.038999389835331\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{19.995932677853\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$+\frac{2.5194474137699\alpha_0^s\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{2.5231332962161\alpha_0^{c_s}\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{0.0098993415365619\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{10.229424989613\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.020025698264835\alpha_1^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.5667836871093\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.32264656529863\alpha_2^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.6472902934985\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.020730766553931\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{22.594175588211\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.17696001281199\alpha_0^{c_s}\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{2.8313602049919\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.090684845852014\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.7384988350241\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4890629727382\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.0534752804283\alpha_0^s\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.38879543976614\alpha_0^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.79106066263665\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.20083385294475\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6338635801915\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{6.5559931951205\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.0032064431447845\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6586797430738\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{26.820215028221\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.42550579438292\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.1365868777723\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.89706265053516\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.23009448717312\alpha_1^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{7.4943431572973\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{30.431074536677\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.015031249631563\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.97379986187793\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.48785357630919\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.97650251090143\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.12237615884655\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.0038731861015613\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.12541763372455\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{32.208348162788\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{2.0616508872779\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.51796522767122\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.0718609106849\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{33.637545410269\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.13204928041953\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.066693799769758\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s} r}{c_s}$$

$$+\frac{2.1823706866746\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s}r}{c_s}$$
$$+\frac{34.965741472013\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{0.273987886981 05\alpha_0^{c_s}\left(\alpha_0^s\right)^2r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.13812127577412\alpha_0^s\left(\alpha_1^s\right)^2r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.1387445529556\left(\alpha_0^{c_s}\right)^4\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.1387445529556\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.06946588361584\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.1119348729237\alpha_0^{c_s}\alpha_3^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.13916093655617\left(\alpha_0^s\right)^5\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.06964317594017\left(\alpha_0^{c_s}\right)^3\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.1188849827864\left(\alpha_0^{c_s}\right)^2\alpha_2^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.56176802379859\alpha_0^{c_s}\alpha_5^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58074659384733\left(\alpha_0^s\right)^2\alpha_3^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.018229166666667\left(\alpha_1^s\right)^2\alpha_2^sr\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.018229166666667\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.5936608164733\alpha_0^s\alpha_3^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.30008526183669\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.037797850382036\left(\alpha_1^{c_s}\right)^2\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.037797850382036\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.077884491161114\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{10.069964845078\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{5.1702446365592\left(\alpha_1^{c_s}\right)^2\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.1719775950741\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r}{c_s}$$
$$+\frac{0.32512553341148\left(\alpha_1^s\right)^2\alpha_2^sr\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.040792052948849\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{10.570264428301\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.020663547397252\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.082654189589007\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{10.65437345274\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.00065104166666667\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.0026041666666667\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.67279698790137\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.3570572384255\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.3798087943308\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3842162383415\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.69753072089924\alpha_2^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8053682241974\alpha_0^s\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.35099450851797\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{2.8115055593223\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{45.355576057915\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{0.35536295590548\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0027771252169937\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0027771252169937\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.00017361111111111\alpha_0^s\alpha_5^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{2.8815407477502\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8847139503429\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4703917212914\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.092080850516079\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$

$$+\frac{0.37294812760585\alpha_0^s\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.74847386567881\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.18736152582256\left(\alpha_0^{c_s}\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.7532856237553\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{6.1007043296177\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.19244603083391\left(\alpha_0^s\right)^2\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0060763888888889\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.012152777777778\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.5597992898232\alpha_0^{c_s}\alpha_0^s\alpha_4^s r}{c_s}$$
$$+\frac{0.39193708034232\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.10066489326008\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.025171244446866\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.025171244446866\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6134328346514\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.00039416021622595\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.81963122522346\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{13.168144295785\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.10349440441658\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.41795922045706\alpha_0^{c_s}\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$

$$+\frac{0.41840001704919\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.3598201494798\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{13.558614433971\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.10707334843874\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{6.9086156682632\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.4544536884359\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s} r}{c_s}$$

$$+\frac{0.87796108711258\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.5378124499775\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{56.60672804931\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.055312343663742\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.7817614278231\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.1270457112924\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.11169462872845\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.22368232321636\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.44777476863074\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.8128564095653\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{3.6485514615555\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.028636952261405\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{7.3967625233437\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.4308310870067\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.4588634875244\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.014569256940059\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.23310811104095\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.46999821430002\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.7771236584988\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.94496875489879\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.24246791541163\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9399649686307\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.9798497467454\alpha_1^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^6}{c_s}$$

$$- \frac{3.8193920664844 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.80783286717849 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{0.92286927268498 \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{0.019840768091318 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.19789952437443 \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{1.9440126575957 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{4.3156972416713 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.1340564400864 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{11.127343127304 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.5683696861121 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.012071035255149 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.057723379459781 \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.23089351783912 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{64.065020743147 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.063670157990839 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{8.4754524236404 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.5553818346629 \alpha_{0}^{s} \alpha_{4}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.14623834992837 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.15464374494369 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.61857497977476 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{1.2434567343278 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.746412484849 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.5921103286021 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.79895937505159 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$

$$- \frac{0.84087903413593\alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.45205340453786 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{7.3062158157438\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{14.865711264611\alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.49781109297367\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{4.1526487150246 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.0041327094794504\alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{9.0324565912835\alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{72.719455502682 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.59387710477992\alpha_2^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{38.37923670353 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{5.0832038657942 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{81.513972901141 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{20.693685518395\alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.33508388618535 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.3433806612139\alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{94.301911109664 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.6320262712977 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.83338533838084\alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{13.437503538281\alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4}{c_s^4}$$
$$- \frac{14.047640785618 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.00086805555555556 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{0.0017361111111111\alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{7.3007350994123\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$

$$- \frac{1.8540528164999 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2}$$

$$- \frac{0.0036458333333333 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$

$$- \frac{0.0036458333333333 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^6}{c_s}$$

$$- \frac{30.68827496884 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$

$$- \frac{0.12398128438351 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2}$$

$$- \frac{0.062718391211842 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{4.1013880354846 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{2.0956100973709 \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{0.13255830069524 \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$

$$- \frac{0.00052083333333333 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^7}{c_s}$$

$$- \frac{0.017193985919286 \alpha_0^{c_s} \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$

$$- \frac{0.27510377470858 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^3}{c_s^4}$$

$$- \frac{0.27767297040892 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.55673434149138 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{2.2322823825542 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r}{c_s}$$

$$- \frac{4.5601422075292 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r}{c_s}$$

$$- \frac{0.017845558073124 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{0.57143685695808 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$- \frac{0.28753473012933 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.0045324503276498 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$

$$- \frac{0.29495290049278 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{2.3955878750394 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{76.926126068278 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3}$$

$$- \frac{19.251833854769 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}$$

$$- \frac{1.2234132770562 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0012152777777778 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{1.2590412194996 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.079194732292496 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.010365383276966 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{10.649031269884 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{21.65039047208 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$- \frac{5.4717461079464 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.17189671305273 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.71110799978368 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{22.938905916329 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.71717427860053 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.74453148636911 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{5.9727923951562 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.493433278921 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{1.5032948077047 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.094580586118676 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.023882198468887 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.048549905275271 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.024306451695231 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.024306451695231 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0032064431447845 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.8505629755966 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.4129791519396 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{0.055102793059338 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.1121328313169 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{28.721692384092 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.45761743459468 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{7.4667123928265 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.058552820351165 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.015031249631563 \alpha_{2}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.48132338415597 \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{15.425216633651 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{7.7351327213995 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{15.736019414543 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.0038731861015613 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{6} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.50167053489821 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.25214846013092 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{2.0286184529139 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{0}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{16.402548432967 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.1284979655438 \alpha_{0}^{c_{s}} \alpha_{0}^{s} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$
$$- \frac{66.097660687595 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.52170311632398 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{8.3512782381267 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.001019608570914 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.016313737134624 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{2.0897961022853 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{33.522200863136 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$

$$- \frac{0.52736490353322 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0551433129135 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{2.1569041910678 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0869792999293 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.3975051736335 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.1375141025399 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.27624255154824 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{4.4251045077376 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1112901936416 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.06964317594017 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.55873023910368 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2422429534989 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{18.244402066903 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{4.5894265868112 \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.6224668478379 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.018229166666667 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{1.1743186271375 \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.29917159948162 \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{2.4174074912201 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r}{c_s}$$
$$- \frac{0.15240037202455 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.30740642191755 \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.038731861015613 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{20.1874457206 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.0543931131786 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r}{c_s}$$

$$- \frac{1.2672716913643 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{10.145047420981 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.079348723177287 \alpha_{1}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{10.340489273118 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.2698399464036 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{0.32992169134954 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.010331773698626 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{1.3265044928507 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{0.0013020833333333 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{0.0026041666666667 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0026041666666667 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0052083333333333 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{5.4239147335877 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.67852861921274 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.3641514406041 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.021342961079345 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{5.4800135556538 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{1.3905396123749 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{1.3923400904454 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{44.70889856349 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{2.8373593208084 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.35980737716583 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.35980737716583 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.4423569751714 \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$

$$- \frac{1.4462786649585 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.4476494273414 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{4} r \log{\left(c_{s} \right)}}{c_{s}}$$
$$- \frac{0.011357552715594 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{0}^{s} r \log{\left(c_{s} \right)}}{c_{s}}$$
$$- \frac{0.73022722375257 \alpha_{1}^{s} \alpha_{2}^{s} r^{3} \log{\left(c_{s} \right)}^{2}}{c_{s}^{3}}$$
$$- \frac{11.726122275354 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.091806633515928 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log{\left(c_{s} \right)}^{5}}{c_{s}}$$
$$- \frac{5.9604476787096 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.74847386567881 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r \log{\left(c_{s} \right)}}{c_{s}}$$
$$- \frac{0.18736152582256 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{2} r \log{\left(c_{s} \right)}}{c_{s}}$$
$$- \frac{1.5076452583131 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{3.0155270836414 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log{\left(c_{s} \right)}^{3}}{c_{s}^{2}}$$
$$- \frac{0.37921990577107 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3} \log{\left(c_{s} \right)}^{2}}{c_{s}^{3}}$$
$$- \frac{1.5196244773627 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{4} \log{\left(c_{s} \right)}^{2}}{c_{s}^{4}}$$
$$- \frac{0.19244603083391 \alpha_{1}^{s} \alpha_{4}^{c_{s}} r \log{\left(c_{s} \right)}^{2}}{c_{s}}$$
$$- \frac{0.0060763888888889 \alpha_{2}^{s} \alpha_{3}^{s} r \log{\left(c_{s} \right)}^{6}}{c_{s}}$$
$$- \frac{0.0060763888888889 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r \log{\left(c_{s} \right)}^{6}}{c_{s}}$$
$$- \frac{0.38939102591638 \alpha_{1}^{c_{s}} \alpha_{4}^{s} r \log{\left(c_{s} \right)}^{2}}{c_{s}}$$
$$- \frac{0.097528679033527 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r^{2} \log{\left(c_{s} \right)}^{3}}{c_{s}^{2}}$$
$$- \frac{6.2864458776615 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{3.1900565157026 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{3} \log{\left(c_{s} \right)}}{c_{s}^{3}}$$
$$- \frac{0.00039416021622595 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r \log{\left(c_{s} \right)}^{6}}{c_{s}}$$
$$- \frac{0.81090809766364 \alpha_{0}^{s} \alpha_{2}^{s} r^{4} \log{\left(c_{s} \right)}}{c_{s}^{4}}$$
$$- \frac{0.40681487890871 \alpha_{0}^{s} \alpha_{3}^{s} r^{3} \log{\left(c_{s} \right)}^{2}}{c_{s}^{3}}$$
$$- \frac{3.2773193979939 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log{\left(c_{s} \right)}^{2}}{c_{s}^{2}}$$

$$- \frac{52.518648942235 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.6488627011611 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r}{c_s}$$
$$- \frac{0.83503731372241 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.42395958840353 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.1061473353052 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{6.8097692162555 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{6.8117518830757 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{6.8405404653886 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.85840688998375 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{13.817231336526 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{13.981296348936 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.05479757739621 \alpha_0^{c_s} \alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{0.0069102555179771 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.001735458550327 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.001735458550327 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.7813431761745 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{0.11169462872845 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{7.1548283736385 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{0.22590163892217 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.45321410239133 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.11389235582964 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.2289717668242 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{59.181410507486 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.46527590564147\alpha_1^s\alpha_4^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.0073638101685509\left(\alpha_0^{c_s}\right)^4\alpha_2^s r\log\left(c_s\right)^3}{c_s} \\
&- \frac{0.0073638101685509\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s} \\
&- \frac{0.059396049219372\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.95532601774677\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.1199553917473\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5} \\
&- \frac{7.7434913177653\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^3\log\left(c_s\right)}{c_s^3} \\
&- \frac{0.030453077968791\alpha_0^s\alpha_5^s r\log\left(c_s\right)^4}{c_s} \\
&- \frac{0.12223911302124\alpha_2^s\alpha_3^s r\log\left(c_s\right)^4}{c_s} \\
&- \frac{0.015346808419346\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3} \\
&- \frac{0.030693616838693\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3} \\
&- \frac{3.9491936370452\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r}{c_s} \\
&- \frac{0.030910428127837\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^5}{c_s} \\
&- \frac{0.49468456867299\left(\alpha_0^{c_s}\right)^3\alpha_3^s r\log\left(c_s\right)^2}{c_s} \\
&- \frac{0.2478901224289\alpha_0^s\alpha_5^s r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{2.8124778681067\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)}{c_s} \\
&+ \frac{0.0059124032433893\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^6}{c_s} \\
&+ \frac{1.0794221314975\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.017737209730168\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^6}{c_s} \\
&+ \frac{8.072198985642\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{31.802211183424\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3} \\
&+ \frac{2.1588965561317\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{40.14660736514\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)}{c_s^3} \\
&+ \frac{2.5952086570972\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{12.706720849215\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.6317933374917\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.20906554508788\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.6348253295864\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.431975594982\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{40.565460936453\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.39327053399037\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{7.2432100396775\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.12662567777369\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.6875483514272\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.456259684435\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.30335007239191\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.62719663526363\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.2594487928547\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.1037796786769\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.1192372067023\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3212114965764\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.67016777237071\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.34634027675869\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{45.424248860346\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.686557920991\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.2948543557431\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.6365335683157\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7420961970983\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{0.027771252169937\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.92786246966213\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.95942841251933\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.007883204324519\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.0806328651232\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{8.7680527897616\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2142890475012\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.14276446458499\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.1575081917687\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{9.3157004186184\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{9.3235233141705\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58277027760238\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{74.783250315694\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{39.115107077769\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.9137232004656\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.62741937336644\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.5207294679791\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.01019608570914\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.02039217141828\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.081568685673119\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.3983420154217\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.011027469254465\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.022091430505653\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.9345391734756\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{95.044414304326\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{2.986866557842\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{0.37756866670299\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{12.25960275229\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{12.306128789928\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.1843382915908\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{6.8254424077307\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.4129791519396\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.7104311403909\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.87415541640357\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.89706265053516\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.6404886695367\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.6525574606627\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.92101723950463\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.92157132537899\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.060124998526252\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.12153225847616\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24306451695231\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24306451695231\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24532528720928\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.12385918052651\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.25171244446866\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{4.0403165720169\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.2835749595316\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.25967383719658\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.0386953487863\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.52311847096981\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.52494291903055\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.52494291903055\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.5558471036559\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{8.5595611129882\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.364610479646\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{17.545106718189\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{1.1077212734706\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.008677292751635\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.01735458550327\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.01735458550327\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.14057021870991\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.5882029257011\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.018229166666667\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.62770388126313\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{10.159133968215\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{40.835769399736\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.5595328411769\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{20.723046092407\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.082654189589007\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{42.358936765573\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.041656878254905\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{2.6777744729419\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.03176066013\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.5621584494997\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.3489982275698\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17522053618254\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8436767422377\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.8733805858721\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.551581341027\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4685455213798\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.9443921994635\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4870315876684\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.046793580123617\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.046793580123617\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.18731187050219\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.74967781593037\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.5554497948405\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.5688895826086\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.6467909718562\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.20632783103144\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$

$$+\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.85014545461657\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{13.64415862106\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.428987465032\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.4582830081386\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.054389403931798\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.4826936943614\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.87856082255399\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.7877649281786\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{7.1977127824434\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{3.6370553675471\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.23758419687749\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.95532601774677\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.9650762899644\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.9904721534406\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$-\frac{10.600737061141\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{3.1152933934206\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.0992854094649\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.019238658868707\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.20906554508788\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.1175818990371\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{2.431975594982\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$

$$- \frac{4.8948587147269 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.5842363612536 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.9342428705831 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{13.147153665747 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{3.5314729100719 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.12662567777369 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.212061315214 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.5039447782455 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.7643944180593 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.30125077941713 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.9781354755247 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.3212114965764 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.090187497789378 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{6.4104185597239 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.7420961970983 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.013885626084968 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.027771252169937 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.027771252169937 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.8540528164999 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{3.9517006756456 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.0395631236561 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.0688469253679 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.1950260462651 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.0042751307930552 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$
- \frac{0.0042751307930552\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}
- \frac{1.1071445237506\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}
- \frac{9.1152357877447\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^sr\log\left(c_s\right)}{c_s}
- \frac{4.6383515909834\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s}
- \frac{0.29075431454321\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^sr\log\left(c_s\right)^4}{c_s}
- \frac{0.1456925694006\alpha_0^{c_s}\alpha_0^s\alpha_3^sr^2\log\left(c_s\right)^4}{c_s^2}
- \frac{0.29138513880119\alpha_0^{c_s}\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^4}{c_s^2}
- \frac{1.1655405552048\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^sr^2\log\left(c_s\right)^4}{c_s^2}
- \frac{0.62741937336644\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}
- \frac{5.0414589359583\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}
- \frac{0.079194732292496\alpha_0^s\alpha_1^{c_s}\alpha_2^sr^2\log\left(c_s\right)^4}{c_s^2}
- \frac{0.63560874666123\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^sr\log\left(c_s\right)^4}{c_s}
- \frac{0.040784342836559\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^sr^2\log\left(c_s\right)^5}{c_s^2}
- \frac{5.2629426612614\alpha_1^{c_s}\alpha_1^s\alpha_2^sr\log\left(c_s\right)}{c_s}
- \frac{10.552407823246\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s}r}{c_s}
- \frac{0.6637481239649\alpha_0^{c_s}\alpha_0^s\alpha_2^sr^3\log\left(c_s\right)^3}{c_s^3}
- \frac{2.6580130478737\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^sr^2\log\left(c_s\right)^2}{c_s^2}
- \frac{10.632052191495\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}
- \frac{10.636539718184\alpha_0^{c_s}\alpha_0^s\alpha_2^sr^3\log\left(c_s\right)}{c_s^3}
- \frac{0.011027469254465\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s}r\log\left(c_s\right)^4}{c_s}
- \frac{0.72860741454317\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^sr\log\left(c_s\right)^2}{c_s}
- \frac{0.72860741454317\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}
- \frac{2.9339524502189\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}
- \frac{0.023239116609368\alpha_0^{c_s}\alpha_0^s\alpha_4^sr\log\left(c_s\right)^5}{c_s}
$$

$$- \frac{5.9700636555381 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.1077913660273 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{3.1147078999265 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.39799979501834 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{13.152673408459 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.41623365886679 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.026031878254905 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{3.3693877369173 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.4255388313724 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8527653179501 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.058097791523419 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.24306451695231 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{7.8050440694112 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{0.24475231769309 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.24532528720928 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.12585622223433 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.25171244446866 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.25171244446866 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{16.567149919063 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{8.3364134707847 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.52311847096981 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{33.747569327667 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.033082407763396 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.1235201537439 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$

$$- \frac{0.53871509262535 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.0880000223376 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{8.7845203661073 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.01735458550327 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.27857270376068 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14057021870991 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.5201556464504 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.1340153198018 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.56865157508509 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.036458333333333 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{2.3836449901151 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.6014888229504 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.4190860894037 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.4236399493169 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.077463722031226 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{10.069964845078 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.536998274363 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.200486132044 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{21.179468382787 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.6551127162402 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0026041666666667 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{10.690568566939 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.3382919119021 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{2.6911879516055 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{2.7008909291239 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{22.152544178264 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.17429337457026 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.35099450851797 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{5.6784078415816 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.36459677542847 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{1.4808695655722 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.18871894352527 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{3.0761583874399 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{24.675751849201 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.096429887853842 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{1.5688895826086 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{12.661655337875 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.85014545461657 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.42829339375497 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{3.5212603055266 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.4467785149138 \alpha_{0}^{s} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.056503419012833 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{28.969246791409 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.11339355114611 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.9078394710372 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{29.118483982369 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{7.4942483634235 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$

$$
- \frac{3.7493218550682\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}
- \frac{0.47886225553326\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}
- \frac{30.780985144605\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}
- \frac{15.40073436802\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}
- \frac{0.061176514254839\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}
+ \frac{0.83626218035151\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}
+ \frac{6.8275847907779\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}
+ \frac{2.1858222436295\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}
+ \frac{11.802256251354\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}
+ \frac{0.23239116609368\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}
+ \frac{4.0894859130731\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}
+ \frac{0.066164815526793\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}
+ \frac{5.8657860400158\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}
+ \frac{12.272143984934\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}
+ \frac{0.012825392379166\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}
+ \frac{7.2618121281244\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}
+ \frac{15.948078287242\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}
- \frac{0.023649612973557\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^6}{c_s}
- \frac{1.5580430231795\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}
- \frac{1.2543932705273\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}
- \frac{62.488222919751\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}
- \frac{17.124981955747\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}
- \frac{0.14038074037085\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}
- \frac{0.044109877017862\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}
- \frac{12.021260878898\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}
$$

$$- \frac{1.5748287570916 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{9.0376861206214 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.5830470231411 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.1882087738702 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$