SRI (k-inflation): N08LO

The spectra are evaluated at $-k_*\eta_* = 1$, through relative amplitude order $p = 8$. The Hubble-flow parameters are denoted by ϵ_j and $M_{\rm Pl}$ is the reduced Planck mass. Coefficients are generated numerically from the normalized mode equations, using the iterative algebra. The convention for the spectral derivatives is

$$\alpha_n^A = \frac{d^{n+1}\ln P_A}{d(\ln k)^{n+1}}, \qquad \alpha_0^s = n_s - 1, \qquad \alpha_0^t = n_t, \qquad r = P_t/P_s.$$

For k-inflation, $c_t = 1$. The scalar amplitude includes transport from the acoustic reference to the common tensor reference. The sound speed is $c_{s*} > 0$, with

$$\alpha_n^{c_s} = \frac{d^{n+1}\ln c_s}{d(\ln k)^{n+1}}.$$

1 Spectra

1.1 Scalar spectrum

$$P_s(k_*) = \frac{H_*^2}{8\pi^2 M_{\rm Pl}^2 \epsilon_{1*} c_{s*}} \left[\sum_{d=0}^{8} F_{s,d} + O(\mathrm{SR}^9)\right].$$

Relative order 0.

$$F_{s,0} = 1.0$$

Relative order 1.

$$\begin{aligned} F_{s,1} = {} & 0.72963715453852\epsilon_2 - 0.54072569092296\epsilon_1 \\ & - 1.2703628454615\alpha_0^{c_s} - 1.0\alpha_0^{c_s}\log(c_s) \\ & - 1.0\epsilon_2\log(c_s) - 2.0\epsilon_1\log(c_s) \end{aligned}$$

Relative order 2.

$$\begin{aligned} F_{s,2} = {} & 1.5402686460338\epsilon_1^2 + 0.49988573877771\epsilon_2^2 \\ & - 0.39567736285244\alpha_1^{c_s} - 0.22975141576082\left(\alpha_0^{c_s}\right)^2 \\ & + 0.5\left(\alpha_0^{c_s}\right)^2\log(c_s)^2 + 0.5\epsilon_2^2\log(c_s)^2 \\ & + 2.0\epsilon_1^2\log(c_s)^2 + 0.27036284546148\left(\alpha_0^{c_s}\right)^2\log(c_s) \\ & + 1.0192767657904\epsilon_1\epsilon_2 + 1.0809943369567\alpha_0^{c_s}\epsilon_1 \\ & + 0.14504832807052\epsilon_2\epsilon_3 - 0.5\alpha_1^{c_s}\log(c_s)^2 \\ & - 0.91854861815409\epsilon_1^2\log(c_s) - 0.72986567698311\alpha_0^{c_s}\epsilon_2 \\ & - 1.2703628454615\alpha_1^{c_s}\log(c_s) - 0.72963715453852\epsilon_2^2\log(c_s) \\ & + 1.0\alpha_0^{c_s}\epsilon_2\log(c_s)^2 + 1.0\epsilon_1\epsilon_2\log(c_s)^2 \\ & + 2.0\alpha_0^{c_s}\epsilon_1\log(c_s)^2 + 1.0814513818459\alpha_0^{c_s}\epsilon_1\log(c_s) \\ & + 0.72963715453852\epsilon_2\epsilon_3\log(c_s) - 0.5\epsilon_2\epsilon_3\log(c_s)^2 \\ & - 0.45927430907704\alpha_0^{c_s}\epsilon_2\log(c_s) \\ & - 2.459274309077\epsilon_1\epsilon_2\log(c_s) \end{aligned}$$

Relative order 3.

$$\begin{aligned} F_{s,3} = {} & 0.20072294544592\epsilon_2^3 + 1.6057835635673\epsilon_1^3 \\ & - 0.2199597209462\alpha_2^{c_s} - 0.028914209092607\left(\alpha_0^{c_s}\right)^3 \\ & + 4.2977813647689\epsilon_1^2\epsilon_2 + 1.1508618640566\alpha_1^{c_s}\epsilon_1 \\ & + 0.50011426122229\left(\alpha_0^{c_s}\right)^3\log(c_s) + 0.17975356917588\alpha_1^{c_s}\epsilon_2 \end{aligned}$$

$$
\begin{aligned}
&+ 0.36481857726926 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2^3 \log\left(c_s\right)^2 + 2.9185486181541\epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 1.959600275274\epsilon_1\epsilon_2^2 + 0.030669313835717\epsilon_2\epsilon_3^2 \\
&- 0.39567736285244\alpha_2^{c_s} \log\left(c_s\right) - 1.0906092762856\alpha_0^{c_s}\alpha_1^{c_s} \\
&- 0.12746831820078\alpha_0^{c_s}\epsilon_2^2 - 0.25470811395696 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \\
&- 0.63518142273074\alpha_2^{c_s} \log\left(c_s\right)^2 - 0.32050476429836\alpha_0^{c_s}\epsilon_1^2 \\
&- 0.16666666666667\alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&- 0.16666666666667\epsilon_2^3 \log\left(c_s\right)^3 - 1.3333333333333\epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.3571054727393 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 - 0.23520055946694\epsilon_2^2\epsilon_3 \\
&- 0.49988573877771\epsilon_2^3 \log\left(c_s\right) - 3.9990859102216\epsilon_1^3 \log\left(c_s\right) \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^3 + 0.5\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.5\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 + 1.0\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 3.0\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.50034278366688 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 2.2898599312799\alpha_0^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.1889114636156 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 2.3778229272311\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^2 \\
&+ 1.8110885363844\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^2 + 0.49443659507158\alpha_0^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0944557318078\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 1.0944557318078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 1.2296371545385\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right)^2 \\
&+ 0.40554426819222\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.85472314948489\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.45995987641081 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 1.8723490626616\alpha_1^{c_s}\epsilon_1 \log\left(c_s\right) + 0.030669313835717\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.5\alpha_0^{c_s}\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.5 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 1.0 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&- 2.0\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.33418831413068\alpha_1^{c_s}\epsilon_2 \log\left(c_s\right) \\
&- 4.957559194624\epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 2.0800802471784\alpha_0^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 1.0944557318078\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 - 0.65969152604436\epsilon_1\epsilon_2\epsilon_3 \\
&- 0.16666666666667\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.33333333333333\epsilon_1\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.3341883141307\alpha_0^{c_s}\alpha_1^{c_s} \log\left(c_s\right) \\
&- 2.7294086320939\epsilon_1\epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.49965721633312\alpha_0^{c_s}\epsilon_2^2\log(c_s)\\
&+ 0.5\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 1.4588172641879\epsilon_1\epsilon_2\epsilon_3\log(c_s)\\
&+ 0.14504832807052\epsilon_2\epsilon_3\epsilon_4\log(c_s)\\
&+ 0.66666666666667\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.36481857726926\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2\\
&+ 3.1889114636156\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^2\\
&- 1.0\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)^3\\
&- 0.14527685051511\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)\\
&- 1.0944557318078\alpha_0^{c_s}\epsilon_2\epsilon_3\log(c_s)^2\\
&- 2.459274309077\epsilon_1\epsilon_2\epsilon_3\log(c_s)^2\\
&- 0.16666666666667\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3\\
&- 0.74845687543973\alpha_0^{c_s}\epsilon_1\epsilon_2\log(c_s)
\end{aligned}
$$

Relative order 4.

$$
\begin{aligned}
F_{s,4} = {} & 0.086152301850743\left(\alpha_0^{c_s}\right)^4 + 0.083467005785127\epsilon_2^4\\
&+ 2.9412556561294\epsilon_1^4 - 0.13350316714425\alpha_3^{c_s}\\
&- 0.65234365420886\left(\alpha_1^{c_s}\right)^2 + 0.125\left(\alpha_1^{c_s}\right)^2\log(c_s)^4\\
&+ 0.055787239966231\epsilon_2\epsilon_3^3 + 8.1576664436908\epsilon_1^2\epsilon_2^2\\
&+ 0.13518142273074\left(\alpha_1^{c_s}\right)^2\log(c_s)^3 + 9.1655563981061\epsilon_1^3\epsilon_2\\
&+ 0.35823966089031\alpha_2^{c_s}\epsilon_1 + 6.9176345283757\epsilon_1^4\log(c_s)^2\\
&+ 0.11476144665811\left(\alpha_0^{c_s}\right)^4\log(c_s)^2\\
&+ 0.5290284703149\left(\alpha_0^{c_s}\right)^4\log(c_s) + 0.034705229808718\alpha_0^{c_s}\epsilon_2^3\\
&+ 0.27764183846974\alpha_0^{c_s}\epsilon_1^3 + 2.2830486720555\epsilon_1\epsilon_2^3\\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^4\log(c_s)^4\\
&+ 0.041666666666667\epsilon_2^4\log(c_s)^4 + 0.66666666666667\epsilon_1^4\log(c_s)^4\\
&+ 0.029535258092405\alpha_1^{c_s}\epsilon_2^2 + 0.24994286938885\epsilon_2^4\log(c_s)^2\\
&- 0.63704346883458\alpha_1^{c_s}\epsilon_1^2 - 0.19535327126822\left(\alpha_0^{c_s}\right)^3\epsilon_1\\
&- 0.20996470057763\epsilon_2^3\epsilon_3 - 1.2600809095931\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\\
&- 0.19783868142622\alpha_3^{c_s}\log(c_s)^2\\
&- 1.0906092762856\left(\alpha_1^{c_s}\right)^2\log(c_s)\\
&- 0.21172714091025\alpha_3^{c_s}\log(c_s)^3 - 0.2199597209462\alpha_3^{c_s}\log(c_s)\\
&- 0.12659084472672\left(\alpha_0^{c_s}\right)^3\epsilon_2 - 0.26150492255387\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\\
&- 0.5615601604977\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\\
&- 0.28827285908975\left(\alpha_0^{c_s}\right)^4\log(c_s)^3 - 0.04083989050104\alpha_2^{c_s}\epsilon_2\\
&- 0.65647697429967\alpha_0^{c_s}\alpha_2^{c_s} - 0.041666666666667\alpha_3^{c_s}\log(c_s)^4\\
&- 0.66709415706534\left(\alpha_1^{c_s}\right)^2\log(c_s)^2\\
&- 0.20072294544592\epsilon_2^4\log(c_s) - 3.2790324121027\epsilon_1^4\log(c_s)^3\\
&- 7.2106530373563\epsilon_1^4\log(c_s) - 0.058660421836305\epsilon_2^2\epsilon_3^2\\
&- 0.12160619242309\epsilon_2^4\log(c_s)^3\\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^4\\
&+ 1.0\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.45881726418786\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.59422720936319\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.16736171989869\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.34690856364099\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.38664546255166\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.78219898544963\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 0.1995931888627\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \\
&+ 0.22963715453852\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.77249640855299\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right) \\
&+ 1.590781305949\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.0271504606153\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^3 + 0.26604756153058\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0941129481409\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.27437646670959\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.29166666666667\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 2.4802661893204\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3^2 + 2.6436935116586\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \\
&+ 1.3318518941832\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.083333333333333\epsilon_1\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.16666666666667\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.16666666666667\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 0.33333333333333\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^4 \\
&+ 1.3333333333333\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^4 \\
&+ 2.687540328948\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^2 \\
&+ 1.364704316047\epsilon_1\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 0.18024189697432\alpha_0^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.72963715453852\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9584732844024\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.39971329012208\alpha_2^{c_s}\epsilon_2\log\left(c_s\right) + 1.6213444503115\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.83736939580468\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.86459005482467\alpha_0^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 6.9167204385974\alpha_0^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&+ 0.88636246549879\left(\alpha_0^{c_s}\right)^3\epsilon_2\log\left(c_s\right) \\
&+ 1.822809817091\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 3.7110251386503\alpha_0^{c_s}\epsilon_1\epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.12160619242309\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.030744524360879\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 1.9904900950312\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s)^4 \\
&- 0.25\alpha_1^{c_s}\epsilon_2^2\log(c_s)^4 - 0.25\epsilon_2^3\epsilon_3\log(c_s)^4 \\
&- 1.0\alpha_1^{c_s}\epsilon_1^2\log(c_s)^4 \\
&- 13.260103415181\epsilon_1^3\epsilon_2\log(c_s) \\
&- 0.15309143635901\epsilon_1^2\epsilon_2^2\log(c_s)^3 \\
&- 0.3303216651229\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\log(c_s) \\
&- 0.57314036602284\alpha_0^{c_s}\epsilon_2^3\log(c_s) \\
&- 4.5851229281828\alpha_0^{c_s}\epsilon_1^3\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.054300921230608\epsilon_1^3\epsilon_2\log(c_s)^3 \\
&- 0.016062214045699\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2^3\log(c_s)^3 \\
&- 5.2247314908721\alpha_0^{c_s}\epsilon_1^3\log(c_s)^3 \\
&- 2.6309687842081\epsilon_1\epsilon_2^3\log(c_s) \\
&- 0.39486939801397\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2 \\
&- 0.79065642344446\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s) \\
&- 0.015083425393042\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s) \\
&- 7.81010212695\epsilon_1^2\epsilon_2^2\log(c_s) \\
&- 0.5010704327696\epsilon_2^2\epsilon_3^2\log(c_s) \\
&- 1.1044368983699\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s)^2 \\
&- 1.177190182909\epsilon_2^3\epsilon_3\log(c_s)^2 \\
&- 0.30722188737666\alpha_1^{c_s}\epsilon_2^2\log(c_s) \\
&- 1.2296371545385\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\log(c_s)^3 \\
&- 1.2663269181918\alpha_0^{c_s}\alpha_2^{c_s}\log(c_s) \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3^2 \\
&- 0.081451381845913\alpha_1^{c_s}\epsilon_1^2\log(c_s)^3 \\
&- 0.08273445110122\alpha_1^{c_s}\epsilon_2^2\log(c_s)^2 \\
&- 0.041666666666667\epsilon_2\epsilon_3^3\log(c_s)^4 \\
&- 0.66666666666667\epsilon_1^3\epsilon_2\log(c_s)^4 \\
&- 0.095364228769985\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \\
&- 0.40987905151284\epsilon_1\epsilon_2^3\log(c_s)^3 \\
&- 1.6395162060514\left(\alpha_0^{c_s}\right)^3\epsilon_1\log(c_s)^3 \\
&- 1.6420263407893\alpha_1^{c_s}\epsilon_1^2\log(c_s)^2 \\
&- 0.85124334696161\epsilon_2^2\epsilon_3^2\log(c_s)^3 \\
&- 0.91389525644738\epsilon_1\epsilon_2^2\epsilon_3 - 1.8308737667068\alpha_1^{c_s}\epsilon_1^2\log(c_s) \\
&- 3.9185486181541\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\log(c_s)^3 \\
&- 0.98642476969235\left(\alpha_0^{c_s}\right)^3\epsilon_2\log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.25\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.5(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 2.3932895232622\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s) \\
&+ 4.9739619735052\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 5.0759816810454\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.91854861815409\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 2.3260301557806\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.9276156949378(\alpha_0^{c_s})^2\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.7400753659898\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 3.8236358414571\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 0.95927430907704\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.95927430907704\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 2.0493952575642\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.59514129914155\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 1.2296371545385(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.15965542786054\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.16666666666667\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&+ 2.6690621955951\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.67419016424746\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.34055047747869\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 2.7883647605464\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.35483741070718\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.36481857726926\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 3.306182872718\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.21757249210578\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 7.1464706582396\alpha_0^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 1.959274309077\alpha_0^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&- 0.125\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 0.25(\alpha_0^{c_s})^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.5\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.5\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 3.0\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&- 0.77164591471679\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 8.8847452959004\alpha_0^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 2.0943544454802\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 6.3968711705769\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22963715453852\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.26586987330266\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.13754355249956\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4338437485217\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&- 5.1785875133866\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.806182872718\alpha_0^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.23973258232289\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.079171041433698\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.33333333333333\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.959274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 0.41666666666667\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.48642476969235\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 1.9488360976258\alpha_0^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.99681891832599\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.25\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.60881560930639\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 3.6123657454361\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 2.6896298543859\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.21965598797644\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.94917888129267\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.12160619242309\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 3.6472716829143\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.65309143635901\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.57598182564527\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3
\end{aligned}
$$

$$- 0.041666666666667\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.66666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$

Relative order 5.

$$\begin{aligned}
F_{s,5} = {} & 5.0146640695735\epsilon_1^5 + 0.14510543918768\left(\alpha_0^{c_s}\right)^5 \\
& + 0.023060510027566\epsilon_2^5 - 0.059633396938128\alpha_4^{c_s} \\
& + 0.019702425223352\alpha_1^{c_s}\epsilon_2^3 + 0.15761940178682\alpha_1^{c_s}\epsilon_1^3 \\
& + 27.144156780677\epsilon_1^3\epsilon_2^2 + 1.5818596986645\alpha_0^{c_s}\epsilon_1^4 \\
& + 0.27467720026606\alpha_3^{c_s}\epsilon_1 + 0.018082530239889\epsilon_2\epsilon_3^4 \\
& + 18.923628528471\epsilon_1^4\epsilon_2 + 1.2398234275838\left(\alpha_1^{c_s}\right)^2\epsilon_1 \\
& + 0.081513616262169\alpha_0^{c_s}\epsilon_2^4 + 0.11373488143911\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^4 \\
& + 0.0038354329887805\alpha_3^{c_s}\epsilon_2 + 2.3061828727185\epsilon_1^5 \log\left(c_s\right)^4 \\
& + 2.4064328576811\epsilon_1\epsilon_2^4 + 0.15472627942479\epsilon_2^3\epsilon_3^2 \\
& + 0.024194121922026\left(\alpha_0^{c_s}\right)^4\epsilon_2 + 0.10036147272296\epsilon_2^5 \log\left(c_s\right)^2 \\
& + 14.128287565732\epsilon_1^5 \log\left(c_s\right)^2 \\
& + 0.44287616846416\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right) + 14.228251540965\epsilon_1^2\epsilon_2^3 \\
& + 0.030401548105772\epsilon_2^5 \log\left(c_s\right)^4 - 0.032431940416945\left(\alpha_1^{c_s}\right)^2\epsilon_2 \\
& - 0.065946227142073\alpha_4^{c_s} \log\left(c_s\right)^3 - 0.12391635985743\left(\alpha_0^{c_s}\right)^4\epsilon_1 \\
& - 0.13890612714825\epsilon_2^4\epsilon_3 - 0.088837720678366\left(\alpha_0^{c_s}\right)^2\epsilon_2^3 \\
& - 0.71070176542693\left(\alpha_0^{c_s}\right)^2\epsilon_1^3 - 13.093164349615\epsilon_1^5 \log\left(c_s\right) \\
& - 0.10759865658691\epsilon_2^2\epsilon_3^3 - 0.13257598297347\alpha_2^{c_s}\epsilon_2^2 \\
& - 1.0678878616169\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s} - 1.2631996618091\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} \\
& - 0.0083333333333333\alpha_4^{c_s} \log\left(c_s\right)^5 \\
& - 0.0083333333333333\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^5 \\
& - 0.0083333333333333\epsilon_2^5 \log\left(c_s\right)^5 - 0.26666666666667\epsilon_1^5 \log\left(c_s\right)^5 \\
& - 0.13350316714425\alpha_4^{c_s} \log\left(c_s\right) - 2.4277285251203\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 \\
& - 0.083314289796284\epsilon_2^5 \log\left(c_s\right)^3 - 0.083467005785127\epsilon_2^5 \log\left(c_s\right) \\
& - 0.052931785227562\alpha_4^{c_s} \log\left(c_s\right)^4 - 0.1099798604731\alpha_4^{c_s} \log\left(c_s\right)^2 \\
& - 0.26820214417863\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \\
& - 0.14975278849934\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^2 - 1.2068847160081\alpha_1^{c_s}\alpha_2^{c_s} \\
& - 0.32652667464246\left(\alpha_0^{c_s}\right)^5 \log\left(c_s\right)^3 - 0.668583871838\alpha_2^{c_s}\epsilon_1^2 \\
& - 0.84854109635368\left(\alpha_0^{c_s}\right)^3\epsilon_1^2 - 0.48313062224591\alpha_0^{c_s}\alpha_3^{c_s} \\
& - 7.8907887643532\epsilon_1^5 \log\left(c_s\right)^3 + 0.125\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^5 \\
& + 0.25\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
& + 0.80401548105772\left(\alpha_0^{c_s}\right)^3\epsilon_2^2 \log\left(c_s\right)^4 \\
& + 0.63687452512323\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^2 \\
& + 0.070375148593445\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right) \\
& + 0.31577483530863\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^3 \\
& + 2.526198682469\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^3 \\
& + 0.79554507611972\left(\alpha_0^{c_s}\right)^4\epsilon_1 \log\left(c_s\right) \\
& + 0.055787239966231\epsilon_2\epsilon_3^4 \log\left(c_s\right)
\end{aligned}$$

$$
\begin{aligned}
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3^2 + 0.59532818615497\epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 0.076194401929032\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.2743684518732\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 1.5065893100918\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 3.0460275902823\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 13.827503033791\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.49729126895467\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.27504914438567\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&+ 0.13965892613781\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.1559908021279\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.2914511516581\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.3344168365753\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^3 \\
&+ 0.00072161320469033\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.092663276643208\alpha_3^{c_s}\epsilon_2\log\left(c_s\right) + 2.9656408144517\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 3.0302649010892\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.8456243369872\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2 \\
&+ 0.21943869777489\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right) \\
&+ 0.23534107386219\alpha_0^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 0.12657771167922\epsilon_2\epsilon_3^2\epsilon_4^2 + 0.06391567355745\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 2.1657132936956\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.55697942543888\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right) \\
&+ 2.2872540379167\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^3 + 0.62524599517881\alpha_3^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 1.315484392104\epsilon_1\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 2.8827285908975\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^4 \\
&+ 0.36265118560895\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.72565388682147\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 0.37898175537415\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 0.78872771949954\epsilon_1\epsilon_2^3\epsilon_3 + 13.321145761703\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.45167792281367\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.47653286189302\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.8758981992336\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.48534107386219\left(\alpha_0^{c_s}\right)^4\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.0153503739207\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 17.106712840569\alpha_0^{c_s}\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 0.54383272371813\epsilon_2^4\epsilon_3\log\left(c_s\right) \\
&+ 0.57584308567856\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 1.1587019505326\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.2696156042609 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 0.14719409133747 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 + 4.7125934158056 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \\
\\
&\quad + 2.3929458455419 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.30401548105772 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 0.30983650553414 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.0049502975692885 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 5.0987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.16204644317315 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.65847342808803 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.0051699717163127 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.041359773730502 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 0.041666666666667 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.041666666666667 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.083333333333333 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 2.8202591913185 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.4187170349455 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \\
&+ 0.37059004080674 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \\
&+ 0.37301234188754 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.76003870264429 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.5576847508769 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.5727526864799 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 0.80238984101837 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.10246976287821 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 3.2951774034489 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 0.20602322158658 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.052881543173058 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 + 6.8892004085456 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.21606192423087 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.10849518143933 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.88734881439105 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.056325592804475 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.11265118560895 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 1.810257870895 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8138016181032 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \\
&+ 0.45602322158658 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&+ 0.92680100837476 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.125 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.125 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.25 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&- 2.5971798503324 \epsilon_1 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.35346758874937 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 23.129704339975 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.39974932345996 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&- 1.8689629252194 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^3 \\
&- 1.1932216326561 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \\
&- 0.63643427183539 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.31889518103976 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&- 0.029317852275616 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.49311716716093 \alpha_0^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.35318010054155 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \\
&- 0.45490143868232 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.13295923932309 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 1.0636739145848 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.016666666666667 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.037826325154033 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 9.6874458248189 \alpha_0^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&- 1.3059924373475 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 10.44793949878 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.043093080975839 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.34634067327769 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right) \\
&- 2.7707253862215 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right) \\
&- 0.72068214772438 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 3.0987905151284 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.81287507083351 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 0.82013058879417 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.41276798644663 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \\
&- 1.7924172070399 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.0117890945648 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.51392654655813 \alpha_0^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.51640508968745 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 2.11054082645 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.57123367989657\epsilon_2^3\epsilon_3^2 \log\left(c_s\right) \\
&\\
&\\
&\quad - 0.30401548105772\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.2227543216994 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&- 0.083333333333333\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.33333333333333\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.66666666666667\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.66666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 5.3634859554415 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 10.957719780338\epsilon_1^2\epsilon_2^3 \log\left(c_s\right) \\
&- 0.17209805827618\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 0.17310808363884\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&- 1.4379231780589\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.72102228004904\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 2.958427441263\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.74293352810162\alpha_0^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.18904409552179\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2 - 0.097698061448331\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 13.114606165447\alpha_0^{c_s}\epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.82625986577067\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.025825314700028 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3 \\
&- 1.6560572008328\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2 \\
&- 0.20833333333333\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.7237727353815\alpha_1^{c_s}\alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^4 \\
&- 0.4506047424358\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.45211118404544\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.11346825854365 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.45602322158658\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.45645941040353 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \log\left(c_s\right)^2 \\
&- 0.91360334872281\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 29.685083771381\epsilon_1^4\epsilon_2 \log\left(c_s\right) \\
&- 1.8699308534853 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 1.96116428271740\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right) \\
&+ 0.250\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 0.250\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.5\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 1.0\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&+ 1.5\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.53695172718477\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 6.1220499689937\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 9.1459314190322\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 1.793188411824\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \\
&+ 2.0842227586428\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 2.3369014336126\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.16922304941561\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.1699447771956\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.20784664185765\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&+ 0.029317852275616\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.2746976287821\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.55161963455367\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.33472343979739\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 5.6896740025099\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 5.9611679626113\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.83812905168341\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right) \\
&+ 1.6849281958985\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.96114046919443\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 1.0341872290325\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 8.5496985358942\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 4.5359856886893\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.072330120959556\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 1.1742909471328\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.15\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.36576769945603\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.092007941507151\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 2.9614837119164\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.37898175537415 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 12.381982488089 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.38961122438351\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.39051067976362\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 1.6473875170353\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.6676910609276\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.398052399779\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.10734259842501\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 1.7419859689296\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.44158227401241\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.0016659261528\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right) \\
&+ 8.0653570333157\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.0702962694775\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 4.2327948368789\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.0688768746599\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right) \\
&+ 2.2091784933325\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.14504832807052\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 4.6571410059236\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 4.6702883265469 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 9.5569214145701\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.30401548105772\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.60803096211543\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 19.474387038792\alpha_0^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.0049502975692885\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.63734881439105\alpha_0^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.63734881439105 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.2848311436406\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.6362359695415\alpha_0^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.66204644317315\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.083333333333333\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 0.16666666666667 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.66666666666667 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 1.3611868251558 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.68550010006928 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 2.838373321568 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.3615973117706 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.72353664815543 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.18240928863463 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.36587312407998 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 2.9994329210317 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.094104415557308 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.5246976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.39527956214598 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.40659881500293 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 3.3035516730492 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.20833333333333 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 3.3791349258582 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.2128108367404 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.42570298939112 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.10803096211543 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.21606192423087 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 1.7746976287821 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.5955102786185 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.22520767102954 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.95185659694577 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 15.232910945983 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2397726251184 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 1.9229839522598 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 3.867878416142 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.030401548105772 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.015334656917859 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.12456484344384 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.25 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 2.0 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 9.8967949792677 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 5.0350021535642 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.80401548105772 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 4.1167122563588 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 3.9947134655926 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.1393257706809 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 1.6357853025952 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.28333333333333 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.14826959356919 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.69136429544877 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.69136429544877 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 2.8764176622292 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.19390248653193 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.058333333333333 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.23534107386219 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.6676910609276 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 17.383935082396 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.58316127583974 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 4.9917676795191 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.16007620753044 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.65642902320133 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 5.4441071047613 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.17016295427916 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 5.5269588291262 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^3 \\
&- 2.8557310752356 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 23.86770518824 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&- 11.949777441624 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.76440276180682 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.98352540392342 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.24613606262309 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 16.102904559213 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 2.0309942802262 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.51067586453873 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 4.3416220292336 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 4.4529038727215 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.069662685987338 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 0.071849454011931 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&- 1.1620464431732 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.29166666666667 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 2.3368546193827 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.15200774052886 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 2.4844190698542\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.62485747250178\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.3168069916627\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&- 2.576347090012\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 2.625860668585\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^5 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.083333333333333\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.33333333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&- 1.3977862297623\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 1.4120464431732\alpha_0^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 2.8240928863463\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 1.4173891489202\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\log\left(c_s\right) \\
&- 0.72752806091709\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&- 0.76003870264429\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.05\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.20287906106843\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&- 0.81294427682583\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 0.40851390759352\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 1.6620464431732\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.10742440708814\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&- 7.0554684868336\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&- 1.7654571817951\alpha_0^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^4 \\
&- 3.6481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^4 \\
&- 0.92222786590389\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 0.0073838564830734\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&- 0.47404173076104\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 1.9120464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.125\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.5\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.22314895986493\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.079924208372801\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.51195040121044\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.16736171989869\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 1.3827285908975\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 3.4725068480317\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.94136429544877\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0573676569726\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 4.8681469641362\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.35363978144467\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.046003970753576\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.096698885380347\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 12.701845066533\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 0.40361250519007\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 6.6832440584672\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 1.6913642954488\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 4.0631515474607\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 1.0847919353118\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 9.0516947865561\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.072524164035261\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 1.1620464431732\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 1.1689491304914\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.14719409133747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.1962846432667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 2.5028960847981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.63734881439105\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.64150288677693\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.041666666666667\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.33333333333333\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.33333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 1.4174060059311\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.72353664815543\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.091204644317315\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.094104415557308\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 12.37808558001\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 1.6665456837704\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.41666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.42570298939112\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.86153130736607\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.92222786590389\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.12160619242309\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.061338627671434\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.25\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 4.2160619242309\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 2.6158455479593\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 3.9947134655926\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.14826959356919\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 0.2098698982548\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 0.033333333333333\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.58316127583974\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.15\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 3.1867440719553\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.98352540392342\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 2.0025923735881\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 2.0309942802262\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.071849454011931\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 4.7922735226879\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.15200774052886\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 1.2296371545385\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 10.596618671754\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^2 \\
&- 1.3275346017955\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.16666666666667\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 0.33333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5 \\
&- 0.084131781578822\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 1.399462710333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s) \\
&- 0.70602322158658\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^4 \\
&- 2.8240928863463\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^4 \\
&- 0.72237365031156\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^3 \\
&- 0.73840818786928\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^2 \\
&- 3.0493952575642\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log(c_s)^4 \\
&- 0.025\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^5 \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&- 1.6424183590224\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^2 \\
&- 0.0066921981154829\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.22068214772438\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&- 1.8575905146641\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\log(c_s)^2 \\
&- 0.48022862259133\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s) \\
&- 15.525453255179\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^2 \\
&+ 0.055787239966231\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.3896497101638\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.066666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.17065013373682\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.13453750173002\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 2.4666797156853\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.3615973117706\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 1.9005306867443\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 1.9120464431732\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 0.030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&- 0.25\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 3.2730432451944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.23534107386219\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.0083333333333333\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&- 0.16007620753044\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&- 0.24613606262309\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2
\end{aligned}
$$

$$- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4$$

Relative order 6.

$$\begin{aligned}
F_{s,6} &= 8.3167926130457\epsilon_1^6 + 0.16507983470227 (\alpha_0^{c_s})^6 \\
&+ 0.0076684970179054\epsilon_2^6 - 1.6699160604489 (\alpha_1^{c_s})^3 \\
&- 0.59806000451369 (\alpha_2^{c_s})^2 - 0.031227024786627\alpha_5^{c_s} \\
&+ 37.072173733221\epsilon_1^5\epsilon_2 + 72.521097458045\epsilon_1^3\epsilon_2^3 \\
&+ 0.097604164250968\epsilon_2^4\epsilon_3^2 + 0.012623034762 45\alpha_4^{c_s}\epsilon_2 \\
&+ 26.371954409687\epsilon_1^2\epsilon_2^4 + 0.013888888888889 (\alpha_2^{c_s})^2 \log(c_s)^6 \\
&+ 0.11228652218641 (\alpha_0^{c_s})^5 \epsilon_2 + 0.031725506405004\alpha_0^{c_s}\epsilon_2^5 \\
&+ 75.454092624244\epsilon_1^4\epsilon_2^2 + 2.4764082020822\epsilon_1\epsilon_2^5 \\
&+ 0.020828572449071\epsilon_2^6 \log(c_s)^4 + 0.041733502892564\epsilon_2^6 \log(c_s)^2 \\
&+ 0.1036516324715\epsilon_2^3\epsilon_3^3 + 27.221451915347\epsilon_1^6 \log(c_s)^2 \\
&+ 3.9012937638193\alpha_0^{c_s}\epsilon_1^5 + 0.14451286340115\alpha_4^{c_s}\epsilon_1 \\
&+ 0.29777072927648 (\alpha_0^{c_s})^6 \log(c_s) + 0.010323841911612\epsilon_2\epsilon_3^5 \\
&+ 0.042136599885884 (\alpha_0^{c_s})^2 \epsilon_2^4 \\
&+ 0.0013888888888889 (\alpha_0^{c_s})^6 \log(c_s)^6 \\
&+ 0.0013888888888889\epsilon_2^6 \log(c_s)^6 + 0.088888888888889\epsilon_1^6 \log(c_s)^6 \\
&+ 0.02253023712179 (\alpha_2^{c_s})^2 \log(c_s)^5 \\
&+ 0.091204644317315 (\alpha_1^{c_s})^3 \log(c_s)^5 \\
&+ 6.2515772548946\epsilon_1^6 \log(c_s)^4 \\
&+ 0.19536655009972 (\alpha_0^{c_s})^6 \log(c_s)^4 \\
&+ 0.39318817161996 (\alpha_1^{c_s})^3 \log(c_s)^4 + 0.029028427193342\alpha_1^{c_s}\epsilon_1^4 \\
&- 0.016486556785518\alpha_5^{c_s} \log(c_s)^4 - 0.0080369359120923\alpha_1^{c_s}\epsilon_2^4 \\
&- 0.033453824240986\epsilon_2^6 \log(c_s)^3 - 0.036659953491033\alpha_5^{c_s} \log(c_s)^3 \\
&- 0.14810247858975 (\alpha_0^{c_s})^3 \epsilon_2^3 - 1.184819828718 (\alpha_0^{c_s})^3 \epsilon_1^3 \\
&- 0.37119087273142 (\alpha_0^{c_s})^6 \log(c_s)^2 - 0.025357620941547\alpha_2^{c_s}\epsilon_2^3 \\
&- 0.20286096753237\alpha_2^{c_s}\epsilon_1^3 - 0.065637834002547 (\alpha_0^{c_s})^5 \epsilon_1 \\
&- 0.065946975163844\epsilon_2^5\epsilon_3 - 0.066751583572124\alpha_5^{c_s} \log(c_s)^2 \\
&- 0.036516167252782 (\alpha_0^{c_s})^2 \epsilon_1^4 \\
&- 2.4277285251203 (\alpha_1^{c_s})^3 \log(c_s) \\
&- 0.3035219246156 (\alpha_1^{c_s})^2 \epsilon_2^2 - 0.15390619513867\epsilon_2^2\epsilon_3^4 \\
&- 0.31480332129096\alpha_3^{c_s}\epsilon_1^2 - 0.20321876770838 (\alpha_2^{c_s})^2 \log(c_s)^4 \\
&- 0.2189753816044 (\alpha_0^{c_s})^4 \epsilon_2^2 - 17.309647141508\epsilon_1^6 \log(c_s)^3 \\
&- 1.0874852316572 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \\
&- 0.27660907847601 (\alpha_0^{c_s})^6 \log(c_s)^3 \\
&- 0.57459091179384 (\alpha_2^{c_s})^2 \log(c_s)^3 \\
&- 1.1891398157539\epsilon_1^6 \log(c_s)^5 - 0.29978032319618\alpha_0^{c_s}\alpha_4^{c_s} \\
&- 0.15070372801515 (\alpha_1^{c_s})^3 \log(c_s)^3 \\
&- 1.2068847160081 (\alpha_2^{c_s})^2 \log(c_s) \\
&- 0.603703598836 (\alpha_0^{c_s})^4 \alpha_1^{c_s}
\end{aligned}$$

$$
\begin{aligned}
&- 5.1944866308335 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \\
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^6 \\
&- 0.010586357045512 \alpha_5^{c_s} \log\left(c_s\right)^5 - 0.043407322042288 \alpha_3^{c_s} \epsilon_2^2 \\
&- 0.0013888888888889 \alpha_5^{c_s} \log\left(c_s\right)^6 - 23.122492488762 \epsilon_1^6 \log\left(c_s\right) \\
&- 0.023060510027566 \epsilon_2^6 \log\left(c_s\right) \\
&- 1.4792137206315 \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&- 0.0060803096211543 \epsilon_2^6 \log\left(c_s\right)^5 - 0.8381374684109 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \\
&- 0.88677701754282 \alpha_1^{c_s} \alpha_3^{c_s} - 1.8015674718374 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \\
&- 1.8276000747427 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} - 0.059633396938128 \alpha_5^{c_s} \log\left(c_s\right) \\
&- 0.9805821413587 \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.031080309621154 \left(\alpha_0^{c_s}\right)^6 \log\left(c_s\right)^5 \\
&+ 0.0625 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^6 \\
&+ 0.0625 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.25 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 1.2985899251662 \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 0.26912190825587 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&+ 0.0048539557736345 \epsilon_1 \epsilon_2 \epsilon_3^4 + 5.3721189690976 \epsilon_1 \epsilon_2^4 \epsilon_3 \\
&+ 1.5178528830171 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.09578960465039 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 + 0.10323841911612 \epsilon_2 \epsilon_3^4 \epsilon_4 \\
&+ 0.013518142273074 \alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&+ 0.027893619983116 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 0.47380492997599 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.029930407425899 \epsilon_2^4 \epsilon_3 \epsilon_4 \\
&+ 0.5293127633833 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \\
&+ 2.1503772818914 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \\
&+ 0.010699191579298 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.085593532634381 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right) \\
&+ 12.079048200109 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.095195191276171 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \\
&+ 6.9022719186146 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.063468829926908 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.032129503738001 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \\
&+ 0.25703602990401 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \\
&+ 0.035535157267776 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 18.232367303381 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \\
&+ 1.1647371985009 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \\
&+ 2.3834780895005 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&+ 0.3015425661354 \alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.15485762867417 \epsilon_2 \epsilon_3^2 \epsilon_4^3 + 5.6575079379471 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \\
&+ 0.1888521410956 \alpha_3^{c_s} \epsilon_2 \epsilon_3 + 0.39394399414231 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.20668884911004\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^4 \\
&\\
&\\
&\quad + 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.22222222222222\alpha_2^{c_s}\epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.22222222222222 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.44444444444444\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.11308322189373\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.11372535967058\epsilon_1\epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.11808389430564\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 + 0.47491676129932\alpha_3^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \\
&+ 0.25661125481544\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^3 \\
&+ 1.0303388303516\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right) \\
&+ 0.25809604779029\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 2.1259409757437\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&+ 0.0083333333333333\alpha_0^{c_s}\alpha_4^{c_s} \log\left(c_s\right)^6 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.0083333333333333\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.0083333333333333 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.016666666666667\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.016666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.26666666666667\alpha_0^{c_s}\epsilon_1^5 \log\left(c_s\right)^6 \\
&+ 0.033795355682685\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.0085667529568716 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 2.200300533968 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \\
&+ 1.1354495987583\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 4.5607365601542\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \\
&+ 0.018082530239889\epsilon_2\epsilon_3^5 \log\left(c_s\right) \\
&+ 37.328340339179\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \\
&+ 0.038518142273074\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 10.057811129131\epsilon_1^4\epsilon_2\epsilon_3 + 0.31564752470391\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 40.749413397007\epsilon_1^3\epsilon_2^2\epsilon_3 \\
&+ 0.005111523059529\epsilon_2\epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 0.092718977817119\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.093702951212814\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.75750144726505 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right) \\
&+ 3.0617372172421\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 3.0677835094285 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right) \\
&+ 6.1843742317416 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \\
&+ 0.0060436803362717\epsilon_2\epsilon_3^5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 24.781494840772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^2 \\
&+ 6.6319787595161 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^3 \\
&+ 1.6787243399876 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.87266132294767 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.516033785506 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^2 \\
&+ 3.8581779755407 \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.0009711075418 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \\
&+ 16.060686114957 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 0.25420867728608 \epsilon_2^5 \epsilon_3 \log\left(c_s\right) + 16.986257068607 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \\
&+ 1.0710664322148 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \\
&+ 1.0851346813362 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.27200038070694 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \\
&+ 0.54722786590389 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 4.3929644001223 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 0.017354931524974 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \\
&+ 0.13993878866908 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.143507910142 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right) \\
&+ 0.57177749486128 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right) \\
&+ 1.1453661162277 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 9.1629289298215 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 36.946067358874 \alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)^2 \\
&+ 0.073502783142091 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.58802226513673 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^3 \\
&+ 4.7694840047772 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 9.5864240626752 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
&+ 2.4020913187819 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \\
&+ 38.863372803321 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \\
&+ 0.15227840819682 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 1.2182272655746 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 2.4618611225033 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \\
&+ 0.61702036414414 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right) \\
&+ 2.5093654865485 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.62925055760179 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right) \\
&+ 2.531327286178 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 + 0.020302689804444 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \\
&+ 5.2313457046257 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 + 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4^4 \\
&+ 5.3022179719125 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^4 \\
&+ 0.33311395354425 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \\
&+ 0.020833333333333 \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^6 \\
&+ 0.083780066622151 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&+ 0.68511847498931 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 1.3732822873846 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.043055555555556 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.17450941234507 \alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 1.4119512254879 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 11.295609803903 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.17672961468439 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \\
&+ 0.088400290115666 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.70720232092533 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.17693388499068 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 5.6886748825141 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \\
&+ 0.0027777777777778 \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.0055555555555556 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 2.8798585529869 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \\
&+ 0.090277777777778 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.091204644317315 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^5 \\
&+ 0.091204644317315 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 0.091204644317315 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9386552143959 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&+ 0.3759649755729 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 1.5578083632426 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.10071828009788 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \\
&+ 0.4117700316223 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 27.47321752324 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \\
&+ 0.44064598413632 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.44612616473365 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 28.656083980384 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 14.448548891966 \alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)^4 \\
&+ 0.2259427646299 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.93571538084386 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&+ 3.7511291708925 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.058778927080912 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \\
&+ 1.9126532463998 \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.96949245228196 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 0.24260195414106 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.061811191038817 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.125\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.16148185772693 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.37160619242309 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 2.9728495393847 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 3.0240137828264 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \\
&- 0.28555633395072\epsilon_2^5\epsilon_3 \log\left(c_s\right)^4 \\
&- 5.0010251916733\alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^4 \\
&- 0.64861393295195 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.59820369036228 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \\
&- 0.2332798434137\epsilon_2^2\epsilon_3^4 \log\left(c_s\right) \\
&- 0.43500524602535\alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 17.41988010704\epsilon_1^2\epsilon_2^4 \log\left(c_s\right) \\
&- 0.13667355838199\alpha_0^{c_s} \epsilon_2^4\epsilon_3 \\
&- 0.038272859089754\alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.30618287271803\alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.77029647802544\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 4.2629242553428 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.26962703366739\alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.28553705507953 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \\
&- 0.18804113207486\alpha_0^{c_s} \epsilon_2^5 \log\left(c_s\right) \\
&- 1.5230025676648 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right) \\
&- 1.5957038884228\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.20222300061739\alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^4 \\
&- 1.6746190532931 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \log\left(c_s\right) \\
&- 0.013575230307652\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.11111111111111\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.014245226035509\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&- 7.7558626121986 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right) \\
&- 1.974085596888 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 67.997349617635\epsilon_1^4\epsilon_2^2 \log\left(c_s\right) \\
&- 0.033795355682685\alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.55700039245203\alpha_0^{c_s} \alpha_4^{c_s} \log\left(c_s\right) \\
&- 0.14736024504316\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \\
&- 2.3888600222756 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2 \\
&- 0.30629704878719 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^5 \\
&- 2.5598338646024\epsilon_1\epsilon_2^5 \log\left(c_s\right) \\
&- 1.2845209427409 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 1.2971081169276 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \log\left(c_s\right)^2 \\
&- 20.807084947851\alpha_0^{c_s} \epsilon_1^5 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.16492686508158\alpha_0^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^4 \\
&- 0.66069109362285\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^2 \\
&- 43.108262263584\epsilon_1^3\epsilon_2^3\log\left(c_s\right) \\
&- 0.68283746918859\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^4 \\
&- 0.34938161209759\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^3 \\
&- 2.8310167475827\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right) \\
&- 0.71035078801778\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&- 1.5950861183561\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2 \\
&- 0.4034256631516\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2 \\
&- 1.6169745960853\left(\alpha_0^{c_s}\right)^5\epsilon_1\log\left(c_s\right)^3 \\
&- 0.81493167181018\alpha_1^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^3 \\
&- 3.300752780595\alpha_0^{c_s}\epsilon_1^5\log\left(c_s\right)^5 \\
&- 0.41548846310613\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3 \\
&- 0.84445573180778\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^5 \\
&- 0.86208794859402\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.873974829712\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \\
&- 0.22110136476117\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.44525600202513\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&- 3.7343625009934\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\log\left(c_s\right) \\
&- 0.95093193808161\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right) \\
&- 0.48573054382025\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\log\left(c_s\right)^3 \\
&- 4.1259409757437\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\log\left(c_s\right)^5 \\
&- 0.032602588438566\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&- 0.26082070750853\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&- 0.13641141596225\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right) \\
&- 1.0916426590462\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right)^3 \\
&- 0.27361393295195\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 1.1350139726851\left(\alpha_0^{c_s}\right)^5\epsilon_2\log\left(c_s\right)^3 \\
&- 2.2790324121027\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.28827285908975\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\log\left(c_s\right)^5 \\
&- 1.1726808289492\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^3 \\
&- 2.3759427132522\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \\
&- 1.1976027771239\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\log\left(c_s\right)^4 \\
&- 1.2027652007828\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&- 0.61757326857909\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2 \\
&- 0.31157107662356\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right) \\
&- 1.248521403813\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 0.15661215510484\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right) \\
&- 1.2814852439359\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\log\left(c_s\right)^5 \\
&- 0.16203257637804\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 1.301683687825\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.020493952575642\epsilon_1\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 0.32905962241168\alpha_0^{c_s}\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.33170040434791\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^6 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2^5\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.33333333333333\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^6 \\
&- 1.3520489054095\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 5.5230395036608\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s} \\
&- 11.101754988253\epsilon_1^5\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.043414399735989\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3^5 \log\left(c_s\right)^6 \\
&- 0.011144064024881\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 5.7391066032429 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.36519782612597\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.18848959825578\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.38280838503951 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \\
&- 0.39522012537503\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.098947756503859 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.79830684696311 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.4\epsilon_1^5\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.20100170362196\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.41469504095178\alpha_0^{c_s}\alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 1.690015338254\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.4311749950547\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \\
&- 0.21620464431732 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 27.91422204352 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.21851475606407\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.43849479736801\epsilon_1\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.028505181770766\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 3.6561951366333\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.11732267281639 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 1.9117175635544 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 15.293740508435 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.23937755135172\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 0.48058387632188\epsilon_2^5\epsilon_3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 61.601972115761\epsilon_1^5\epsilon_2 \log(c_s) \\
&- 1.9388889505716 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log(c_s)^3 \\
&- 0.48551926236648 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \\
&- 0.007654571817950 7\epsilon_1^2\epsilon_2^4 \log(c_s)^5 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2^5 \log(c_s)^5 \\
&- 31.534388757196\alpha_0^{c_s}\epsilon_1^5 \log(c_s)^3 \\
&- 0.98988136654064 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \log(c_s)^3 \\
&+ 0.125\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log(c_s)^6 \\
&+ 0.125\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&+ 0.125 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log(c_s)^6 \\
&+ 0.25\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log(c_s)^6 \\
&+ 1.0080717027104\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 1.1148185772693 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log(c_s)^5 \\
&+ 1.1148185772693 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 0.34120464431732 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 1.8588039442473 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log(c_s) \\
&+ 4.0893572900281\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 0.55906858863085 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 4.6889114636156 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log(c_s)^5 \\
&+ 20.583910482672\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 1.2972278659039 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log(c_s)^5 \\
&+ 1.2972278659039 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 0.0048539557736345\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.31403178089924 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 7.0298182571717 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 17.220954618198 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2 \log(c_s)^2 \\
&+ 0.1521190579151 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 10.072136764816\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 6.0779513818876\epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.09578960465039\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.051619209558058\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.10323841911612\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 0.0016329289854236\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2 \\
&+ 0.029123734641807\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.5293127633833 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 2.1503772818914\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.1358045943397\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 2.5517111351213\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.64722021133687 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 42.960282831345\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 2.7234836727788\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^3 \\
&+ 3.7945845987002\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 1.0017552886155\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&+ 1.0240393404378\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.5306182872718\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^5 \\
&+ 4.312128774789\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.033977690415441\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^3 \\
&+ 1.1312985085359\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 0.57473762790234\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.58646753433726\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.15109200840679\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.6248400090734\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right) \\
&+ 1.3044622143465\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 10.538414262312\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right) \\
&+ 2.73554707435\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log\left(c_s\right) \\
&+ 2.8477287545776\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right)^3 \\
&+ 11.40274309314\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 5.9349942110678\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1 \log\left(c_s\right)^2 \\
&+ 1.5086691544053\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 6.1215386980809\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 12.53672049141\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.5904571839854\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.40131588959349\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 6.4511318456741\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 6.8238115449628\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.027777777777778\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.055555555555556\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.11111111111111\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.05740928863463\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.11481857726926\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.11481857726926\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 3.7178012417786\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.23329640937429\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.060436803362717\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^4 \\
&+ 0.12222222222222\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 1.9917827240958\epsilon_1^3\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 7.9911233384979\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 0.031485243935928\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 0.062970487871855\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 4.1152599348217 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log(c_s) \\
&+ 0.25809604779029\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 8.3824476529465\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 1.0521044869923\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 2.1097546954763 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.26574262196796\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.016666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^6 \\
&+ 0.033795355682685\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.27123795359834\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s) \\
&+ 0.27893619983116\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.57029974820522\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.14444444444444\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.072266893381281\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s) \\
&+ 2.3557526524959 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 2.35597350153 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2 \log(c_s) \\
&+ 0.29528658464688\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 4.8778675004985\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.076673284589293\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 2.4663999378868 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 1.2484765516539 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.31414939462238\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&+ 0.31564752470391\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.15893547383638\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 5.1348555860916\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 5.2154865771341 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.33436673284917\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 0.67052723255273\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 21.531041543731\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.67945641973301\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.69734049957789\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.08763575641812\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.17956451485989 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 1.4456294313759 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 2.9188974229361\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 0.36632516576671 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.36886760512503\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 1.4778495331868 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 12.150773399126\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^2 \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^4 \\
&+ 1.6259405770375\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 0.051115523059528\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^3 \\
&+ 3.3225415631144 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.7178854547482\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 7.0900341949708\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 0.11223739035892\alpha_3^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 3.7136537487776\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 7.4574695954651 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1 \log(c_s) \\
&+ 7.524334530511\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.061943051469669\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 1.0042036762065\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&+ 2.038394529874\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 8.1565596236399\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^3 \\
&+ 0.12778880764882\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^3 \\
&+ 4.1009049380204 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.5129617907935\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 1.0279483108015\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 2.0629704878719 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 4.1803089061737\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 4.1990054440265\alpha_0^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^2 \\
&+ 1.0561467262679\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 4.305018152734\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.1632100993135 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1 \log(c_s) \\
&+ 1.0910409342901\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 8.728327474321\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.27361393295195 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 0.28012024556057 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.14027777777778 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 2.2575857643697 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.28226274423964 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 4.523106072477 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.1381003982897 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.57751022398036 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 2.310779689893 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 0.14583333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.357792208348 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 19.093714329402 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \\
&+ 1.1949023783473 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 38.326762840524 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.59889764097026 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 9.5864240626752 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 9.7058622889321 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 4.859577100943 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.15200774052886 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.61481857726926 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.61481857726926 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.459274309077 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 4.9185486181541 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 4.9207155975785 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.30908243784005 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 2.5153859214885 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.2614784447002 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.31872957808125 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.63843251022121 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.63843251022121 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 20.440010193948 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \\
&+ 2.5708422043269 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 10.378573852281 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.020302689804444 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.32545533021033 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.6208182715177 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.6560968849833 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.65721885111413 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.3322383962641 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.020833333333333\alpha_1^{c_s} \epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.020833333333333\alpha_3^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.083333333333333\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_0^{c_s} \epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.33333333333333\alpha_1^{c_s} \epsilon_1^3\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.34501618081599\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.34749649545939\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 5.5852152848208\alpha_0^{c_s} \epsilon_1^4\epsilon_2 \log\left(c_s\right)^5 \\
&+ 5.6291899459068 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.70925536640247 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 1.4283116134522\alpha_1^{c_s} \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 2.8650741675536\alpha_0^{c_s} \epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 1.437637522539\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2\epsilon_3^2 \\
&+ 0.17976871318412\alpha_3^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.18024189697432\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.18082530239889\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right) \\
&+ 0.090655205044076\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.091204644317315\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.091204644317315\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 23.399239707947\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 47.303263628691\alpha_0^{c_s} \epsilon_1^4\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.18489880106381\alpha_0^{c_s} \epsilon_2\epsilon_3^4 \log\left(c_s\right) \\
&+ 1.4856082141424\alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.093055555555556\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 2.9966170637686\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.75102656521901\alpha_0^{c_s} \epsilon_1\epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.75752095109968\alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 12.368995095634\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 3.1145369224453\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 1.558634499478\alpha_1^{c_s} \epsilon_1\epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 3.1367475940813\alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3928182046539\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^3 \\
&+ 6.3121333221293\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log(c_s) \\
&+ 25.333392170304\epsilon_1^3\epsilon_2^2\epsilon_3\log(c_s) \\
&+ 6.3340284435459\epsilon_1^2\epsilon_2^2\epsilon_3^2\log(c_s)^4 \\
&+ 0.19815191060259\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log(c_s)^5 \\
&+ 12.715512554297\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log(c_s)^2 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3^4\log(c_s) \\
&+ 3.2022636105818\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 3.321430575993\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^2 \\
&+ 0.20833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^6 \\
&+ 0.41840429974674\epsilon_2\epsilon_3^2\epsilon_4^3\log(c_s)^2 \\
&+ 0.83958989107088\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.6802416976212\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^4 \\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\log(c_s)^5 \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3^4\log(c_s)^2 \\
&+ 3.5194036781152\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log(c_s) \\
&+ 3.5713689725846\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\log(c_s)^4 \\
&+ 0.45206325599723\epsilon_2\epsilon_3^3\epsilon_4^2\log(c_s) \\
&+ 1.812926459393\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 7.2913850158609\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 1.8269939335568\epsilon_2^3\epsilon_3^2\epsilon_4\log(c_s)^3 \\
&+ 3.6738288225427\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log(c_s)^3 \\
&+ 0.92222786590389\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^5 \\
&+ 0.92562147412771\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log(c_s)^4 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3^4\log(c_s)^4 \\
&+ 0.23192694715093\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log(c_s) \\
&+ 1.8615460958427\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log(c_s)^2 \\
&+ 1.8644262917017\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 3.7698216469786\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\log(c_s)^2 \\
&+ 0.058965375988161\epsilon_2^3\epsilon_3\epsilon_4^2\log(c_s) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3^3\log(c_s)^3 \\
&+ 15.388135466879\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.060803096211544\epsilon_2\epsilon_3^4\epsilon_4\log(c_s)^5 \\
&+ 0.48737518428889\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log(c_s)^2 \\
&+ 0.9788085599598\alpha_3^{c_s}\epsilon_1\epsilon_2\log(c_s)^2 \\
&- 0.0625\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log(c_s)^6 \\
&- 0.125\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\log(c_s)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\log(c_s)^6 \\
&- 0.25\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.5 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.5 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.5 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.37160619242309 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.2432123848462 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.054271778976 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 8.4341742318084 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&- 4.1283646653224 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.87512814895916 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 0.47714898584971 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 1.0890372547404 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.15119507002401 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.15771185920563 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5134325102212 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 6.5422872386305 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 1.1015569952058 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 5.2189149099785 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 3.0736483297011 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right) \\
&- 6.4972911195656 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3 \\
&- 13.844818197882 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.13611111111111 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.14426939546663 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&- 0.038272859089754 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 5.1887171483748 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&- 5.2372729113818 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.70368391386311 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 6.1137197616071 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 0.87347385460051 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.91840057999492 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.061026516259998 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.063818346989081 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&- 1.0961101153955 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&- 1.1259409757437 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 2.3043278483433 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 10.015694551915 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.5442912167099 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.32167488171285 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.32404579624733 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.33824007567737 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \\
&- 0.67659011307168 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&\quad - 5.5715488887711 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 6.3890395195658 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.6033822729929 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.013888888888889 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.44827482649649 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&- 7.2082657589045 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.014245226035509 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&- 0.45927430907704 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.52384169343988 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.52388495827725 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 1.0629704878719 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.27036284546148 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.27254362412801 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 2.1954126836599 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 2.2057656112056 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.034722222222222 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.58391178555644 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 2.43038853086 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 4.9222725748944 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.077633262406718 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.038888888888889 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.2475455462825 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.31264214324831 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 20.037677685831 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 10.152347601214 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 1.2716895070259 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 10.66360806797 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 1.3404060034836 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.085368565220173 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&- 0.17356982454636 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 45.552997312113 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.7240759553013 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.72870117588122 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.73249005291164 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 6.0626126185247 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 3.045031331989 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.5309361104572 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5375980376653 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.38862849904312 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 25.138213793706 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.099683517555536 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 0.79746814044429 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 3.2422193624901 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 55.144370142364 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right) \\
&- 28.292707435498 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&- 1.8652181071865 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.4651503506246 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 7.6062005071314 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.23941935314652 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.12049068681359 \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.24403957664003 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.0122021653093 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&- 8.1361359405679 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right) \\
&- 32.576596362644 \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 1.0267849982794 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.51574262196796 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.016393181695177 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \\
&- 1.0656855339334 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 4.3539869056154 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&- 0.068093737474516 \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.54722786590389 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.13744361174779 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&- 2.2024858965108 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.1097131394684 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&- 2.2257383942002 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&- 17.8381409152 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.57264287848152 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 4.6486983685293 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&- 0.14583333333333 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.14583333333333 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.036481857726926 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 2.3902398262614 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.019088721025705 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.61411127173659 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.61481857726926 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.038974507127932 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.31207323943731 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&- 0.62668727409672 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&- 0.079284402421545 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 1.2733435124508 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.15987905151284\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.080638774709086\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 0.010242035138289\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.16463038212052\alpha_0^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^5 \\
&- 1.3216981396691\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^4 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.020833333333333\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_1^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.041666666666667\alpha_3^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_2^4\epsilon_3\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.083333333333333\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.16666666666667\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&- 0.16666666666667\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.33333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\log\left(c_s\right)^6 \\
&- 0.66666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^6 \\
&- 0.66666666666667\alpha_0^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^6 \\
&- 10.673052657806\alpha_0^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^4 \\
&- 5.3616366231011\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 0.67222786590389\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&- 5.38806663007\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right) \\
&- 1.3477667931402\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 2.6994773332238\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&- 0.042735678106526\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 2.7428088841268\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 1.3717438631508\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^4 \\
&- 0.69815191060259\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.69999885980148\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 45.219783153042\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)
\end{aligned}
$$

$$- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6$$
$$- 0.022222222222222\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.71452069379492 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 0.35870806195894 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2 \log\left(c_s\right)$$
$$- 0.091204644317315\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5$$
$$- 0.36481857726926\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 1.459274309077\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.045920615162863\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 1.4725936401726\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4$$
$$- 11.817336741346\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2$$
$$- 0.74383083701966\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2$$
$$- 12.071116016971\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 1.5370464431732\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 1.5944557318078\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5$$
$$- 0.05\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.0031637993419818\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)$$
$$- 0.025310394735855\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)$$
$$- 0.2028218007057\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.40738074461734\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 1.6376051123094\alpha_0^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.20482584824799\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4$$
$$- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5$$
$$- 1.6438227147986 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^2$$
$$- 3.2930854653737 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.82654571817951 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.025924044698703\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$
$$- 6.6570490190187 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.013132232670601\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)$$
$$- 0.85023221859773\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3$$
$$- 27.339441046693\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2$$
$$- 3.4255567990092\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)$$
$$- 0.054534750162348\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 6.9817540507654\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^2$$
$$- 0.22065610642292\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2$$
$$- 3.5565277263847\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)$$
$$- 0.45725007444928\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.92222786590389\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5$$
$$- 0.93186045418556\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 3.7368478045243 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.23566533422583 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.23570186563322\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)$$

$$
\begin{aligned}
&- 1.901944308422 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.96398112962689 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 7.7238164465489 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.12160619242309 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.061481857726926 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 3.9494773332238 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.0625 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.25 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 2.0 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.5 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 2.5338130081238 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.64861393295195 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 2.8444557318078 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.0048539557736345 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 0.019415823094538 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 2.5382438165117 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 6.0779513818876 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.09578960465039 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 0.38315841860156 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 0.051619209558058 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.027893619983116 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.014561867320903 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 2.1503772818914 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 8.7979752626387 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 17.972725944171 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 5.2002902596849 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.042305762353902 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.34690836428789 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 5.7243728031983 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.5780343483244 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.22928834764097 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.97716924407199 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.0031001985475 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.1093928063829 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.139595606296 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 1.1312985085359 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.28333333333333 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.28736881395117 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.15109200840679\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 1.2942916074467\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 1.3044622143465 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 0.16736171989869\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^2 \\
&+ 1.3845208219257\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.69435968984508\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 6.2576594468195\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 6.7094033465856\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.027777777777778 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.055555555555556\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.23329640937429\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.058333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 1.8982319984739\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.030218401681359\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.060436803362717\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.25250698369989\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.12657771167922\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 1.020825291577\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 2.065005111324 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 8.7757228339852\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.0989754973001 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.13946809991558\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 0.27893619983116\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.03578086614167\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&+ 9.3115722248765 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.038367877421902\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 4.9457620903677\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 1.2371122201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 1.2733849986724 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 20.429068499316\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5787131098398 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.005111523059529 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 1.3129704878719 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.32825872679853 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.33436673284917 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 5.4200723171787 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 1.3559465084294 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.69734049957789 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 1.4456294313759 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 2.8963038212052 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9038907741129 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.36632516576671 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 1.4816734390847 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.9648247786477 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.0060436803362717 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^4 \\
&+ 0.19525533988181 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 1.5708038114583 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 3.1734157790616 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.025557761529764 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.051115523059528 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.83757363777599 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 14.39005501306 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 14.644473113351 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.12321021181804 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.030971525734835 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6 \\
&+ 0.12778880764882 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.5129617907935 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 4.1077045168942 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.0403479882781 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.52817574098539 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 2.1281629140805 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.067020401203704 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 4.3522681399287 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 17.433643392861 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.27986329702363 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.28012024556057 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.14087510330506 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.03626208201763 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.036481857726926 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 37.372599767791 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.4102427822438\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 4.7302429406736\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&+ 0.59727832715552\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 2.4180068665331\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.15200774052886\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.2294341254199\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.30740928863463\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.61481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 10.025894830643\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 10.049955102057\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.31872957808125\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.31975810302568\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.32545533021033\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.6560968849833\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.65721885111413\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 10.55106522216\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.041295367646446\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.020833333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 0.083333333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.083333333333333\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.16666666666667\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.04256216734808\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.68144600487932\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 22.275015069594\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.69682471501478\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&+ 44.92553716906\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&+ 2.840348303504\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 1.4226270900266\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.437637522539\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.090412651199446\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right) \\
&+ 0.18082530239889\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.091204644317315\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.36481857726926\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&+ 1.4720592863704\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)\\
&+ 1.4796371545385\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log(c_s)^5\\
&+ 0.38296851459829\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^2\\
&+ 1.5370464431732\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^5\\
&+ 1.5388853723805\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)\\
&+ 1.5432286513104\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^3\\
&+ 12.368995095634\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2\\
&+ 0.19425251145089\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^4\\
&+ 0.097222222222222\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^6\\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^5\\
&+ 3.1145369224453\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\\
&+ 12.462456345032\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\\
&+ 3.1367475940813\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\\
&+ 0.3928182046539\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3\\
&+ 1.5829536939198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^2\\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)\\
&+ 0.79722786590389\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log(c_s)^5\\
&+ 0.025\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6\\
&+ 0.05\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^6\\
&+ 0.05\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^6\\
&+ 0.40212240722222\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^4\\
&+ 25.819196415235\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log(c_s)^3\\
&+ 0.81008630481926\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^4\\
&+ 26.397200928284\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 1.653091436359\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5\\
&+ 0.20833333333333\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^6\\
&+ 0.052447270659166\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^4\\
&+ 0.84036073668172\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^2\\
&+ 0.052777777777778\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^6\\
&+ 1.7066734390847\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^5\\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^5\\
&+ 0.054166666666667\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^6\\
&+ 1.734469672974\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.10849518143933\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)\\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^2\\
&+ 3.5531737113717\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^4\\
&+ 14.322984189913\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log(c_s)^3\\
&+ 3.5812418710659\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)\\
&+ 0.45206325599723\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)\\
&+ 7.2913850158609\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 1.8520860297159\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 3.7122707381932\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^3 \\
&+ 0.46914280842593\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.058965375988161\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.030401548105772\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.060803096211544\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 7.8219860732394\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.030669313835717\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3 \\
&+ 0.122968451716\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 1.9682906549499\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.0625\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 0.125\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^6 \\
&- 0.37160619242309\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.2432123848462\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.2972278659039\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 1.5472278659039\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^5 \\
&- 0.15119507002401\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 3.7705900011252\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^4 \\
&- 3.8149915438042\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&- 1.1015569952058\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&- 0.14426939546663\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&- 0.60331196630802\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&- 0.038272859089754\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 6.1805625135049\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s) \\
&- 3.3046709856173\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.44533984554336\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&- 0.23140810510632\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 7.7410462163639\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 0.061026516259998\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 0.25396827869777\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.063818346989081\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&- 0.31889114636156\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 0.32249638856152\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&- 0.66435952734107\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 0.086933592605531\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s) \\
&- 45.877941340296\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 12.281261116629\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.048098658543061 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.3893850989372 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 1.5741502163105 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.39415679719784 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&- 1.6033822729929 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.43280818639989 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.0069444444444444 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.013888888888889 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.11111111111111 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.11111111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.7962892045289 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 7.2621467927354 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.014245226035509 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&- 16.252459877983 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.52388495827725 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.0083333333333333 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.066666666666667 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.55008002830126 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.034722222222222 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.15 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.15 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.0097222222222222 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.038888888888889 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 10.152347601214 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.16012758726931 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&- 10.465461788424 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.16360425048705 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3 \\
&- 5.2547847787997 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.34182742977575 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&- 2.7987164960488 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.71728834014747 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.73249005291164 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 2.9602692794698 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 2.965378163789 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.19145504096724 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&- 0.39027403054521 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&- 0.4085624248471 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.43037300408848 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.89630382120519 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.92685108200819 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 15.2285102567 88 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.47665616232161 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 0.12049068681359 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&- 3.883336552878 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 1.0051921623161 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.50638113666945 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 16.213376005138 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.016393181695177 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&- 1.0529174134534 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.068093737474516 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&- 0.27361393295195 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&- 4.3834648139179 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 4.4608129701397 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 0.28454856655563 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 2.3129704878719 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.1567734639418 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 4.6293638245328 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 2.3219472412107 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.036481857726926 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&- 4.7531932087589 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 4.8101468189787 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.019088721025705 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.61481857726926 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.61481857726926 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 1.2544866335833 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 5.0315953664182 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.039396698011802 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right) \\
&- 1.2690959929127 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.3214783720645 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 20.72779833251 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 41.851796011342 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 1.3287131098398 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.020833333333333 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.041666666666667 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.083333333333333 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.16666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.16666666666667 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 5.3724191026842 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 10.767415112831 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 21.57901127459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 5.5760970736014 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.70710559689967 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&- 0.70802871201137 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.0013888888888889 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^6 \\
&- 0.72294412088157 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.091204644317315 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.73180474555193 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.36889114636156 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 2.9611920253651 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 12.071116016971 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 6.0442610646883 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.5716548748318 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.05 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.10246976287821 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^5 \\
&- 1.6438227147986 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 0.20833333333333 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.20833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.013132232670601 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&- 0.84343480769516 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 1.6877158927332 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 13.51828198786 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.21388888888889 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 6.8834681430449 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.86481857726926 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 6.9225025307337 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.054534750162348 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.10944557318078 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&- 14.048765268237 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.89468800196401 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 1.800515759705 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&- 7.2741669985005 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 1.8444557318078 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 3.7507988315072 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 15.016195723647 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.23545752666231 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.23570186563322 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 1.8963038212052\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 0.23713207522502\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.48642496904545\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 6.3844887422415\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.0048539557736345\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 5.5411800022505\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.09578960465039\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.11157447993246\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 8.1141112084048\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 5.2002902596849 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 6.8077619240872\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 3.7113366057239\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.55469640319143\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.558382425184\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.040989483905333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 5.2809716867895\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.083680859949347\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.34717984492254\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 6.7094033465856\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.055555555555556\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.030218401681359\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.033333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 8.7757228339852\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.13946809991558\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.017482423553055\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.56889114636156\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.28691533605899\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.072330120959556\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.15\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 1.237112201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 1.2733849986724 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.020446209223811\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.16412936339927\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.33436673284917\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.36632516576671 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.006043680336271 7\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.024174721345087\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 3.1734157790616\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.025557761529764\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.418786818888\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.12321021181804\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.5129617907935\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 4.1077045168942\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.0403479882781\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 2.1281629140805\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.26808160481482\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.28012024556057\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.14087510330506\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.018131041008815\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.018240928863463\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.29863916357776\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.30740928863463\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.61481857726926\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.6560968849833 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.020833333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.041666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.33333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 0.68144600487932\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 2.812077244294\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 11.327824475176\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.090412651199446\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 1.4720592863704\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 0.73959520425524\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.024321238484617\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.1367475940813\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.5829536939198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.39818555143702\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&+ 0.79722786590389\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.025\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.20106120361111\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.21620464431732\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.054247590719667\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right) \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.21883915119902\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.46290645989672\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 1.8520860297159\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 1.9081242677328\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.030401548105772\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&+ 1.9755645854462\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.125\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.5472278659039\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 1.1015569952058\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.14426939546663\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.063818346989081\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&- 1.5741502163105\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.39415679719784\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 1.6033822729929\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.006944444444444\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.52388495827725\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.0041666666666667\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.066666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 8.6289631813209\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.55008002830126\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.038888888888889\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 1.4816734390847\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.20428121242355\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.12049068681359\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 0.48196274725438\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 1.0051921623161\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 2.0937616170314\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 1.0529174134534\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.068093737474516\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&- 0.27237494989806\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&- 0.28454856655563\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 2.3129704878719\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.1567734639418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.036481857726926\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 4.7224506489316\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 0.30740928863463\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 1.2544866335833 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 5.3724191026842 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&- 0.0055555555555556\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.36147206044078\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&- 0.091204644317315\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.73180474555193\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.18444557318078\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 2.959274309077\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 0.05\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.2\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 0.40987905151284\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.013132232670601\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 13.51828198786\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 3.4169640369034\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 0.054534750162348\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.89468800196401\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.23570186563322\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 0.2459274309077\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.139595606296\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.93735908143135\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 1.237112201908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 2.1281629140805\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.067020401203704\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.65852152848208\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.18489880106381\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.0060803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.099546387859254\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.054709787799755\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.11572661497418\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 1.5741502163105\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.066666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.12049068681359\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 0.068093737474516\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.061481857726926\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5
\end{aligned}
$$

Relative order 7.

$$
\begin{aligned}
F_{s,7} = {} & 13.526125616593\epsilon_1^7 + 0.15871531874236 \left(\alpha_0^{c_s}\right)^7 \\
&+ 0.0014664103195426\epsilon_2^7 - 0.015631872009159\alpha_6^{c_s} \\
&+ 0.041466618777825 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 + 2.5096614288275\epsilon_1\epsilon_2^6 \\
&+ 0.0083634560602465\epsilon_2^7 \log(c_s)^4 + 3.4227653584535 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \\
&+ 14.906400825649\epsilon_1^7 \log(c_s)^4 + 0.48526882747352\epsilon_1^7 \log(c_s)^6 \\
&+ 0.023065497615138 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 + 0.0010133849368591\epsilon_2^7 \log(c_s)^6 \\
&+ 8.3801584519089\alpha_0^{c_s}\epsilon_1^6 + 0.26451881971872 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^4 \\
&+ 0.036383142641105 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} + 0.15291716311094 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3^6 + 186.75333547383\epsilon_1^5\epsilon_2^2 \\
&+ 0.015819549741289\alpha_3^{c_s}\epsilon_2^3 + 0.12655639793031\alpha_3^{c_s}\epsilon_1^3 \\
&+ 0.13269089457421 \left(\alpha_0^{c_s}\right)^7 \log(c_s) + 0.26561094185838\epsilon_2^3\epsilon_3^4 \\
&+ 69.38765499797\epsilon_1^6\epsilon_2 + 290.16003078229\epsilon_1^4\epsilon_2^3 \\
&+ 0.017878350280854\alpha_0^{c_s}\epsilon_2^6 + 0.07199505490146\alpha_5^{c_s}\epsilon_1 \\
&+ 0.0047705026641029\alpha_5^{c_s}\epsilon_2 + 1.3757653546058 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \\
&+ 1.4431913666414 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 + 0.011530255013783\epsilon_2^7 \log(c_s)^2 \\
&+ 0.096983835686133\epsilon_2^5\epsilon_3^2 + 199.44762948292\epsilon_1^3\epsilon_2^4 \\
&+ 50.343944404109\epsilon_1^7 \log(c_s)^2 + 50.72372579961\epsilon_1^2\epsilon_2^5 \\
&+ 0.0065689404924146 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^6 \\
&+ 0.12353567880703 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 - 0.14457227867251 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \\
&- 1.0652754470039\alpha_2^{c_s}\alpha_3^{c_s} - 2.1785800766172 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \\
&- 0.18410013801603\epsilon_2^4\epsilon_3^3 - 0.02432534318265 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \\
&- 0.52007623736965 \left(\alpha_0^{c_s}\right)^7 \log(c_s)^2 \\
&- 0.0091649883727582\alpha_6^{c_s} \log(c_s)^4 - 0.0092323963347793 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \\
&- 0.0052927687144946 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.042342149715957 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 - 6.018023026764 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \\
&- 0.20245846476613 \alpha_4^{c_s} \epsilon_1^2 - 3.4755890552558 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \\
&- 0.0017643928409187 \alpha_6^{c_s} \log\left(c_s\right)^6 - 1.9294652272048 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \\
&- 0.54085013974229 \alpha_2^{c_s} \epsilon_1^4 - 9.0659261481381 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \\
&- 39.756077714853 \epsilon_1^7 \log\left(c_s\right) - 1.3325381700745 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \\
&- 0.02112432326312 \alpha_2^{c_s} \epsilon_2^4 - 0.17977099342053 \alpha_0^{c_s} \alpha_5^{c_s} \\
&- 3.6897707177117 \epsilon_1^7 \log\left(c_s\right)^5 \\
&- 8.346072609726 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \\
&- 0.0041657144898142 \epsilon_2^7 \log\left(c_s\right)^5 - 35.457281751739 \epsilon_1^7 \log\left(c_s\right)^3 \\
&- 0.070153619641098 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^5 - 0.14830729060221 \epsilon_2^2 \epsilon_3^5 \\
&- 0.15287878756554 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^3 \\
&- 0.15466007702971 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 - 1.2372806162377 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \\
&- 0.63468761269402 \alpha_1^{c_s} \alpha_4^{c_s} - 0.65775671987519 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \\
&- 0.010536633951072 \alpha_1^{c_s} \epsilon_2^5 - 0.022250527857375 \alpha_6^{c_s} \log\left(c_s\right)^3 \\
&- 0.022326147299664 \epsilon_2^6 \epsilon_3 - 0.0001984126984127 \alpha_6^{c_s} \log\left(c_s\right)^7 \\
&- 0.0001984126984127 \left(\alpha_0^{c_s}\right)^7 \log\left(c_s\right)^7 \\
&- 0.0001984126984127 \epsilon_2^7 \log\left(c_s\right)^7 - 0.025396825396825 \epsilon_1^7 \log\left(c_s\right)^7 \\
&- 0.0032973113571036 \alpha_6^{c_s} \log\left(c_s\right)^5 - 0.8504751077058 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \\
&- 0.43673483383443 \alpha_1^{c_s} \epsilon_1^5 - 0.013911167630854 \epsilon_2^7 \log\left(c_s\right)^3 \\
&- 0.029394749575775 \alpha_4^{c_s} \epsilon_2^2 - 0.029816698469064 \alpha_6^{c_s} \log\left(c_s\right)^2 \\
&- 0.0076684970179054 \epsilon_2^7 \log\left(c_s\right) - 0.031227024786627 \alpha_6^{c_s} \log\left(c_s\right) \\
&+ 0.283602409119 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \\
&+ 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.14060201617653 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \\
&+ 0.3647287221998 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right) \\
&+ 4.0876059601774 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.061551113432518 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 8.4779773139867 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&+ 0.017320685029454 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&+ 0.039762442317096 \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right) \\
&+ 0.55134867048461 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.019145944217307 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.022929180386918 \epsilon_2^5 \epsilon_3 \epsilon_4 \\
&+ 0.78683019794595 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.83150633836597 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 6.6520507069278 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 7.7087452580871 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^4 \\
&+ 0.12127248465109 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.57196124249622 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 0.072399722191807 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \\
&+ 0.0012087360672543 \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.16341063684155\epsilon_2\epsilon_3^2\epsilon_4^4 \\
&+ 1.33153321404\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^3 \\
&+ 1.3463886580151\epsilon_2^3\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.044149685540028\alpha_5^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.40179100136283\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\log\left(c_s\right)^6 \\
&+ 0.11145693411224\alpha_0^{c_s}\epsilon_2^6\log\left(c_s\right)^4 \\
&+ 7.1742189197578\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 7.267526777404\epsilon_1^2\epsilon_2^5\log\left(c_s\right)^2 \\
&+ 0.0035820027256551\epsilon_1^3\epsilon_2^4\log\left(c_s\right)^6 \\
&+ 119.05428984673\epsilon_1^2\epsilon_2^4\epsilon_3 + 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3^4 \\
&+ 0.25606092541386\alpha_4^{c_s}\epsilon_1\epsilon_2 \\
&+ 2.0878085425212\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 1.1086607852255\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 8.9371990993361\epsilon_1\epsilon_2^3\epsilon_3^3 + 2.3331504099987\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.14657958390118\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.1726366712094\left(\alpha_0^{c_s}\right)^4\epsilon_1^3\log\left(c_s\right)^6 \\
&+ 0.041981399712342\alpha_5^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 2.8754542186212\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\log\left(c_s\right)^2 \\
&+ 0.045777117918338\alpha_2^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 94.23891389061\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 + 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \\
&+ 0.18700252535577\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 1.4960202028462\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log\left(c_s\right)^3 \\
&+ 1.5225558154057\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right) \\
&+ 0.78728405265197\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^4 \\
&+ 3.2917160411197\alpha_1^{c_s}\epsilon_1^5\log\left(c_s\right) \\
&+ 107.34250066966\epsilon_1^2\epsilon_2^3\epsilon_3^2 \\
&+ 27.081783246687\left(\alpha_0^{c_s}\right)^3\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 0.055171469825157\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \\
&+ 3.5424777501194\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^7 \\
&+ 0.006944444444444\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&+ 0.22222222222222\epsilon_1^4\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 1.8227101681826\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\log\left(c_s\right) \\
&+ 0.94973345227611\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.12087504753913\alpha_4^{c_s}\epsilon_2\epsilon_3 \\
&+ 7.900568681052\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right) \\
&+ 2.0547580674387\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \\
&+ 2.0604010712765\left(\alpha_0^{c_s}\right)^6\epsilon_1\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0010133849368591\epsilon_2\epsilon_3^6 \log(c_s)^6 \\
&+ 0.13269069501229 (\alpha_0^{c_s})^4 \alpha_2^{c_s} \log(c_s)^6 \\
&+ 2.1230511201966 (\alpha_0^{c_s})^3 \epsilon_1^4 \log(c_s)^6 \\
&+ 0.0041666666666667\alpha_1^{c_s}\alpha_4^{c_s} \log(c_s)^7 \\
&+ 0.0041666666666667 (\alpha_0^{c_s})^5 \alpha_1^{c_s} \log(c_s)^7 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2^5 \log(c_s)^7 \\
&+ 0.0041666666666667\epsilon_2^6\epsilon_3 \log(c_s)^7 \\
&+ 0.0083333333333333\epsilon_1^2\epsilon_2^5 \log(c_s)^6 \\
&+ 0.13333333333333\alpha_1^{c_s}\epsilon_1^5 \log(c_s)^7 \\
&+ 0.53826065204099 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^2 \\
&+ 277.04633249187\epsilon_1^3\epsilon_2^3\epsilon_3 \\
&+ 0.069444444444444\epsilon_2^4\epsilon_3^3 \log(c_s)^7 \\
&+ 0.14126450128459 (\alpha_0^{c_s})^2 \alpha_4^{c_s} \log(c_s)^5 \\
&+ 0.070936945580134\alpha_0^{c_s} (\alpha_2^{c_s})^2 \log(c_s)^6 \\
&+ 0.14187389116027\epsilon_2^5\epsilon_3^2 \log(c_s)^6 \\
&+ 0.56749556464107\alpha_2^{c_s}\epsilon_1^4 \log(c_s)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3^6 \log(c_s)^2 \\
&+ 4.6619661164781 (\alpha_0^{c_s})^5 \alpha_1^{c_s} \log(c_s) \\
&+ 2.3440660886726 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \epsilon_1 \\
&+ 0.14807208503687 (\alpha_1^{c_s})^2 \epsilon_2^3 \log(c_s)^6 \\
&+ 1.1845766802949 (\alpha_1^{c_s})^2 \epsilon_1^3 \log(c_s)^6 \\
&+ 37.986527841082\alpha_0^{c_s}\epsilon_1^5\epsilon_2 \\
&+ 2.3834020155985 (\alpha_0^{c_s})^4 \epsilon_2^3 \log(c_s)^4 \\
&+ 19.067216124788 (\alpha_0^{c_s})^4 \epsilon_1^3 \log(c_s)^4 \\
&+ 0.30502886599458\epsilon_2^3\epsilon_3^4 \log(c_s)^6 \\
&+ 162.62353243022\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \\
&+ 1.2799169323012\epsilon_1\epsilon_2^6 \log(c_s)^2 \\
&+ 20.664147947481\epsilon_1^6\epsilon_2 \log(c_s)^3 \\
&+ 10.412031294663\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3^6 \log(c_s)^4 \\
&+ 0.6568389315946 (\alpha_2^{c_s})^2 \epsilon_2 \log(c_s) \\
&+ 0.08210555372903\epsilon_2^6\epsilon_3 \log(c_s)^5 \\
&+ 0.005271310865856 4\epsilon_2\epsilon_3\epsilon_4^5 \\
&+ 0.084547812679114 (\alpha_0^{c_s})^2 \alpha_3^{c_s} \epsilon_2 \\
&+ 10.94140348375 (\alpha_0^{c_s})^3 (\alpha_1^{c_s})^2 \log(c_s)^2 \\
&+ 0.34263520628067\epsilon_2\epsilon_3^4\epsilon_4^2 \\
&+ 0.021579583901178\alpha_2^{c_s}\epsilon_2^4 \log(c_s)^6 \\
&+ 11.153179135688\epsilon_1^3\epsilon_2^4 \log(c_s)^2 \\
&+ 91.483759555272\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \\
&+ 1.4396362076187\alpha_2^{c_s}\epsilon_1^4 \log(c_s)^4 \\
&+ 23.234439152968 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.4677667925392 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \\
&+ 24.362837709561 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \\
&+ 0.09583204558917 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 25.100246374544 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \\
&+ 3.1618329377428 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.012649250113569 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^6 \\
&+ 3.2435842243879 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&+ 0.10461441700737 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.22576804836722 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 57.936531532791 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^2 \\
&+ 3.7048746957403 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 3.7274472952054 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 0.12021577329567 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.24366163122576 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.0063255570776 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.0078855829926264 \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^6 \\
&+ 0.254348230708 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&+ 0.0079551086975774 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \\
&+ 0.25660539400928 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \\
&+ 0.2571899251759 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \\
&+ 0.0081840832197644 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&+ 4.1965982410753 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1 \\
&+ 0.52968498270955 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.26530039591397 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \\
&+ 1.0630245312265 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.016637663075189 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \\
&+ 0.13310130460151 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \\
&+ 34.270946294135 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 0.27069904579497 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2 \\
&+ 4.3629513770728 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 140.08541984115 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \\
&+ 1.1199283948041 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 2.2758059597235 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \\
&+ 36.515852247029 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^4 \\
&+ 0.28676502453237 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right) \\
&+ 2.3014709884593 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&+ 0.14434491207954 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 1.1547592966363 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.018049701100741\alpha_3^{c_s}\epsilon_2^3\log(c_s)\\
&+ 0.14439760880593\alpha_3^{c_s}\epsilon_1^3\log(c_s)\\
&+ 9.3371556519658\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\\
&+ 2.3350832556358\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\log(c_s)^4\\
&+ 0.14728432394378\alpha_0^{c_s}\epsilon_2^6\log(c_s)^2\\
&+ 0.073651036975815\alpha_3^{c_s}\epsilon_2^3\log(c_s)^4\\
&+ 0.58920829580652\alpha_3^{c_s}\epsilon_1^3\log(c_s)^4\\
&+ 2.3692541075066\left(\alpha_1^{c_s}\right)^3\epsilon_2\log(c_s)^2\\
&+ 75.860980725913\alpha_0^{c_s}\epsilon_1^6\log(c_s)^2\\
&+ 0.0092978733277052\epsilon_2\epsilon_3^6\log(c_s)^3\\
&+ 1.1911070883062\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log(c_s)^4\\
&+ 1.2008935471777\left(\alpha_2^{c_s}\right)^2\epsilon_2\log(c_s)^2\\
&+ 0.075346482592493\alpha_1^{c_s}\epsilon_2^5\log(c_s)^5\\
&+ 1.2057526615326\left(\alpha_2^{c_s}\right)^2\epsilon_1\log(c_s)^4\\
&+ 2.4143280109026\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log(c_s)^6\\
&+ 0.30209090177663\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)^4\\
&+ 2.416727214213\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)^4\\
&+ 1.225567085738\left(\alpha_0^{c_s}\right)^6\epsilon_2\log(c_s)^4\\
&+ 0.076724177881431\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)^2\\
&+ 0.61379342305145\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)^2\\
&+ 0.15407607564695\epsilon_2^3\epsilon_3^2\epsilon_4^2\\
&+ 0.15452504750448\alpha_1^{c_s}\epsilon_2^5\log(c_s)^3\\
&+ 0.078076278004916\left(\alpha_0^{c_s}\right)^6\epsilon_1\log(c_s)^6\\
&+ 0.079069662987846\epsilon_2\epsilon_3^5\epsilon_4\\
&+ 0.040427027891347\left(\alpha_0^{c_s}\right)^6\epsilon_2\log(c_s)^6\\
&+ 41.505267933799\epsilon_1^5\epsilon_2^2\log(c_s)^3\\
&+ 0.010323841911612\epsilon_2\epsilon_3^6\log(c_s)\\
&+ 0.66548109053378\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\\
&+ 0.010404342810659\alpha_5^{c_s}\epsilon_2\log(c_s)^5\\
&+ 0.020833333333333\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\log(c_s)^7\\
&+ 0.020833333333333\left(\alpha_1^{c_s}\right)^3\epsilon_2\log(c_s)^7\\
&+ 0.041666666666667\left(\alpha_1^{c_s}\right)^3\epsilon_1\log(c_s)^7\\
&+ 0.3356514283536\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log(c_s)\\
&+ 2.6852114268288\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log(c_s)\\
&+ 0.0026285276642088\alpha_0^{c_s}\alpha_5^{c_s}\log(c_s)^6\\
&+ 0.67473118709796\epsilon_1^3\epsilon_2^4\log(c_s)^5\\
&+ 5.4379454132748\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\\
&+ 0.02128108367404\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\log(c_s)^6\\
&+ 43.972501161492\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log(c_s)^4\\
&+ 177.54965927054\epsilon_1^4\epsilon_2^2\epsilon_3 + 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3^3\\
&+ 5.5747386016738\alpha_0^{c_s}\epsilon_1\epsilon_2^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 11.156074751285 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \\
&+ 0.043850059549077 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 2.8156061060124 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^4 \\
&+ 11.274341735187 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.17652106884375 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \\
&+ 22.651248438246 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \\
&+ 0.70990358604268 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \\
&+ 0.0013888888888889 \alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^7 \\
&+ 0.0013888888888889 \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.0027777777777778 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.17777777777778 \epsilon_1^6 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 1.4359585306395 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.72370922356213 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.023072510554244 \epsilon_1 \epsilon_2 \epsilon_3^5 \\
&+ 2.9644738841103 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^3 \\
&+ 1.4953582260458 \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&+ 0.023381094377286 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.18704875501829 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&+ 5.9963027277805 \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^5 \\
&+ 0.37777705177345 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right) \\
&+ 3.0222164141876 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right) \\
&+ 1.5156217662059 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \\
&+ 0.0029850022713792 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.77119027854793 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.19320977729263 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^3 + 12.621304893232 \epsilon_1 \epsilon_2^5 \epsilon_3 \\
&+ 0.39807208503687 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^6 \\
&+ 0.39922233018771 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&+ 0.39965756305792 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.0125 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 1.6095520072684 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^6 \\
&+ 0.40647562249085 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.81516505986175 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^5 \\
&+ 3.3069166622047 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&+ 0.20696691297441 \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.013142638321044 \alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.013199671646547 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^5 \\
&+ 27.16968113359 \epsilon_1^5 \epsilon_2 \epsilon_3 \\
&+ 0.1064054183702 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&+ 0.003415658762607 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^6 \\
&+ 0.109623699342 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 14.176741754422\epsilon_1^6\epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \\
&+ 0.11195795727128\epsilon_2^6\epsilon_3 \log\left(c_s\right) \\
&+ 0.45404906696095\epsilon_2^3\epsilon_3^3\epsilon_4 + 1.8209862873335\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 0.45561324943163\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3 \\
&+ 0.45630731581178\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3 \\
&+ 58.416295586503\epsilon_1^6\epsilon_2 \log\left(c_s\right)^2 \\
&+ 3.6634804807356\alpha_1^{c_s}\epsilon_1\epsilon_2^4 + 0.23039651826712\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 0.46486109255317\epsilon_2^3\epsilon_3^4 \log\left(c_s\right) \\
&+ 0.46714505954521\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 + 29.913068001236\epsilon_1^4\epsilon_2\epsilon_3^2 \\
&+ 0.23502159927654\epsilon_1^2\epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 0.47441797792708\epsilon_2\epsilon_3^3\epsilon_4^3 \\
&+ 0.059944935155284\alpha_5^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.48013509037638\left(\alpha_0^{c_s}\right)^6\epsilon_2 \log\left(c_s\right) \\
&+ 7.6969356562762\left(\alpha_1^{c_s}\right)^3\epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.97430616399878\epsilon_2^3\epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 15.682560356707\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right)^3 \\
&+ 0.015381390024579\left(\alpha_2^{c_s}\right)^2\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.99069708722409\epsilon_2^5\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 31.795851322583\epsilon_1^2\epsilon_2^2\epsilon_3^3 \\
&- 0.43286330838873\epsilon_1\epsilon_2^6 \log\left(c_s\right)^3 \\
&- 0.98455844477257\alpha_2^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.041312993288534\epsilon_1^2\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 7.6793206738769\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2 \\
&- 0.54454942783896\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s} \log\left(c_s\right)^5 \\
&- 1.2361774030638\alpha_2^{c_s}\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 2.6012405226941\epsilon_1^5\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.87681263279994\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2 \\
&- 0.50258327021796\epsilon_2^5\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 33.217100335061\epsilon_1^6\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.26190323836575\left(\alpha_0^{c_s}\right)^2\epsilon_2^5 \log\left(c_s\right) \\
&- 0.53887230275821\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2 \\
&- 2.2963618532826\left(\alpha_0^{c_s}\right)^4\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 18.370894826261\left(\alpha_0^{c_s}\right)^4\epsilon_1^3 \log\left(c_s\right)^3 \\
&- 0.14641771930678\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right)^4 \\
&- 0.30056632216664\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 1.2461022403933\epsilon_1^4\epsilon_2^3 \log\left(c_s\right)^6 \\
&- 1.2613943815125\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2 \\
&- 1.267915705564\left(\alpha_0^{c_s}\right)^5\epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.084079583901178\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s} \log\left(c_s\right)^6 \\
&- 2.9945639441009\left(\alpha_0^{c_s}\right)^5\epsilon_1^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.3750874323364 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.025447750340707 \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right)^6 \\
&- 0.42161489658181 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.42733904007019 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.059722222222222 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.27113967636939 \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^4 \\
&- 4.5474383245219 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.14329900907568 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&- 1.14905502779 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \\
&- 1.3310885578765 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.67869415274773 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 1.3865781597107 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&- 177.51396124579 \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right) \\
&- 0.70329591015145 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.35468472790067 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.77017951129791 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.006053443568593 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \\
&- 0.2056051979197 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.82415558213343 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 - 0.10502075998396 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \\
&- 1.6815710487249 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.013888888888889 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^7 \\
&- 0.013888888888889 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.027777777777778 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.027777777777778 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.055555555555556 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \log\left(c_s\right)^7 \\
&- 0.11111111111111 \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^7 \\
&- 0.11111111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^7 \\
&- 0.056030356804737 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 14.952098273969 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \\
&- 0.9371446419552 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^3 \\
&- 121.38380843232 \epsilon_1^6 \epsilon_2 \log\left(c_s\right) \\
&- 1.9095041250049 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^2 \\
&- 7.7096607579644 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 0.12120995986762 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \\
&- 0.49102837384947 \alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 2.0153849734197 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.25223875170353\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^6 \\
&- 2.0518923851351\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 0.064875665303839\alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 2.0828970265702\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.52590880485056 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^7 \\
&- 0.0041666666666667\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.016666666666667\alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.016666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.033333333333333\epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.13333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^7 \\
&- 1.1044043960423\alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.55956900093041 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 4.6930694480441 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \\
&- 0.58794658797239\alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&- 0.5889146487871\alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.29614417007374 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^6 \\
&- 0.15264110595092\alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^3 \\
&- 4.8998543248159 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 1.2587338896647\epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.5521103486106\epsilon_1 \epsilon_2^6 \log\left(c_s\right) \\
&- 5.1239094223776 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \\
&- 0.32818669534768\alpha_0^{c_s} \alpha_5^{c_s} \log\left(c_s\right) \\
&- 21.12190346588 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right) \\
&- 2.641326236759\epsilon_1^6 \epsilon_2 \log\left(c_s\right)^6 \\
&- 1.3603291855551 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 1.3790201938444 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \\
&- 0.045233608579003\alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^2 \\
&- 0.75273796188413 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.012052249659293\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 1.568168704926\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \\
&- 0.19628586872574\epsilon_2^6 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.099325453885897\alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&- 0.10227100387378\alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.012808067807709\alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.82729858155536 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.0272134125111\alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \\
&- 1.7965955152161 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 1.8262866300563\epsilon_1^2 \epsilon_2^5 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0071528414712283\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^3 \\
&- 0.057222731769826\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^3 \\
&- 0.94377972332185\epsilon_1^4\epsilon_2^3\log\left(c_s\right)^3 \\
&- 0.11960280397359\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^5 \\
&- 0.96555811016918\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\log\left(c_s\right)^5 \\
&- 7.7244648813534\left(\alpha_0^{c_s}\right)^4\epsilon_1^3\log\left(c_s\right)^5 \\
&- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4^4 \\
&- 0.063843251022121\epsilon_2^2\epsilon_3^5\log\left(c_s\right)^6 \\
&- 0.51146018570504\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 1.0271503517479\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 - 0.26258205490753\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \\
&- 1.052139418534\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&- 2.1049131609313\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^3 \\
&- 0.033649368621844\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \\
&- 0.26919494897475\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \\
&- 69.468119368551\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\log\left(c_s\right)^3 \\
&- 0.13660188911032\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&- 69.948346823471\alpha_0^{c_s}\epsilon_1^6\log\left(c_s\right)^3 \\
&- 0.55296033969884\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \\
&- 4.4452077536386\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^2 \\
&- 1.123507865353\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^2 \\
&- 2.2631174107503\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\log\left(c_s\right) \\
&- 0.0090559265475073\epsilon_2^4\epsilon_3\epsilon_4^2 - 0.14585872274498\epsilon_2^4\epsilon_3^2\epsilon_4 \\
&- 0.14762758795293\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^5 \\
&- 0.14787918058364\alpha_0^{c_s}\epsilon_2^6\log\left(c_s\right)^3 \\
&- 1.186557340739\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right) \\
&- 0.074728326829606\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^4 \\
&- 0.31543508132908\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^2 \\
&- 0.63561858441276\left(\alpha_0^{c_s}\right)^3\epsilon_2^4\log\left(c_s\right)^5 \\
&- 0.31813623218895\epsilon_2^2\epsilon_3^5\log\left(c_s\right) \\
&- 5.0965213922488\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \\
&- 10.246353528501\alpha_1^{c_s}\epsilon_1^5\log\left(c_s\right)^2 \\
&- 0.16034223239556\epsilon_2^6\epsilon_3\log\left(c_s\right)^4 \\
&- 0.040274418704724\alpha_0^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^5 \\
&- 10.347690605588\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^5 \\
&- 41.941129158108\alpha_0^{c_s}\epsilon_1^6\log\left(c_s\right) \\
&- 10.532787685008\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right) \\
&- 0.041409095306203\alpha_4^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 1.3259429352339\left(\alpha_0^{c_s}\right)^6\epsilon_2\log\left(c_s\right)^2 \\
&- 0.020833333333333\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^7 \\
&- 0.020833333333333\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.16666666666667 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^7 \\
&- 1.344705300913 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right) \\
&- 10.791724362904 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^5 \\
&- 0.1689054183702 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^6 \\
&- 0.02128108367404 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^6 \\
&- 1.3650460532027 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 0.6880142454305 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^5 \\
&- 44.039268751893 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.043143329313157 \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 11.146785726338 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right) \\
&- 0.17596869412528 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&- 0.35402307841808 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&- 0.0013888888888889 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^7 \\
&- 0.0013888888888889 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0027777777777778 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.088888888888889 \alpha_0^{c_s} \epsilon_1^6 \log\left(c_s\right)^7 \\
&- 0.35555555555556 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.7157309250963 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \\
&- 0.090260038357562 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.045147906579984 \alpha_0^{c_s} \epsilon_2^6 \log\left(c_s\right)^5 \\
&- 185.45279486513 \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right) \\
&- 2.9042743738388 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^3 \\
&- 0.022745071934116 \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^5 \\
&- 0.73460409180932 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \\
&- 0.73590679603887 \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.023019722364911 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \\
&- 0.3685992628497 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \\
&- 1.4809946775693 \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^6 \\
&- 0.74518139945361 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.011731185144029 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \\
&- 0.75955979738813 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right)^4 \\
&- 97.432764572445 \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.0007462505678448 1 \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.005970004542758 5 \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^6 \\
&- 0.19106480449444 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 1.5285184359555 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 6.1318642151552 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.39835938007783 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \\
&- 0.099940122944579 \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 3.2040896340808 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 12.921960219369\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right)^4 \\
&- 0.0001984126984127\epsilon_2\epsilon_3^6 \log\left(c_s\right)^7 \\
&- 0.0003968253968254\epsilon_1\epsilon_2^6 \log\left(c_s\right)^7 \\
&- 0.2033433622445\epsilon_2^2\epsilon_3^2\epsilon_4^3 \\
&- 13.142746889989 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.20747360316505\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \\
&- 1.6605205363022 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 3.3363966835552 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&- 1.7065903234662\epsilon_2^4\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 1.7108388988859 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.1086441269531\epsilon_1\epsilon_2^2\epsilon_3^4 \\
&- 0.10878108367404 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \log\left(c_s\right)^6 \\
&- 0.21895274261979 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^4 \\
&- 1.7590889276341 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \\
&- 3.5211020558198 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2\epsilon_2 \\
&- 3.5362839289653\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 - 0.11127952793457\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \\
&- 0.89769612855815 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 0.45072257738643 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \log\left(c_s\right) \\
&- 0.46267878892292 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \\
&- 0.058124658146611\alpha_2^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 29.783802035272\epsilon_1^2\epsilon_2^5 \log\left(c_s\right) \\
&- 0.2334074351938 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \log\left(c_s\right)^5 \\
&- 15.054253211022 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \log\left(c_s\right)^5 \\
&- 0.47105340087901 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \\
&- 0.95469026550394 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&- 1.9131304594791 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 0.48456225421701\alpha_4^{c_s}\epsilon_1^2 \log\left(c_s\right) \\
&- 0.24232110853365\epsilon_2^2\epsilon_3^5 \log\left(c_s\right)^2 \\
&- 0.48504225319336\alpha_4^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.48902152953593\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \\
&- 0.062454513450476\alpha_0^{c_s}\epsilon_2^6 \log\left(c_s\right) \\
&- 0.12492616155684\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right)^2 \\
&- 3.9997119590648\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^2 \\
&+ 0.0625 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0625\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.0625 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.125\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.5\epsilon_1^4\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.375 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.283602409119 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 17.090054153866 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
&+ 8.9966276756045 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \\
&+ 2.5268650204424 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^6 \\
&+ 1.3745592223967 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \\
&+ 0.6942162551106 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.8316126428638 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.86669957283667 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 1.7634325102212 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.11500992688394 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.9442162551106 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.00743361725064 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 16.312376359405 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 66.630858027429 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 0.5211626208861 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \\
&+ 4.2590366258981 \epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 138.21952924126 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \\
&+ 0.14542297015121 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.078567844371532 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.63827625760585 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.1614636013489 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 0.69794305163033 \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2244740146464 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.47625271788051 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 7.6449647298756 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^2 \\
&+ 1.926558773019 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right) \\
&+ 7.9621926174265 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.50449966579951 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.5164540483422 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 2.0693563407957 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 1.041291279929 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right) \\
&+ 4.1920315257786 \alpha_0^{c_s} \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.5324023974515 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \\
&+ 4.3810933696754 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 35.5753434302 18 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \\
&+ 71.191360271899 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \\
&+ 2.2403046043432 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.28027921871828 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 0.28754065888181 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.0012087360672543 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.5802913513924 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 12.163774480037\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 24.571179543355\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^3 \\
&+ 1.5611950313882\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.40248587090152\epsilon_1\epsilon_2^5\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.82192413099829 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.7096379078705\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 13.770384427539 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \\
&+ 1.8240374453211 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8246367344773\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.0017910013628275\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^6 \\
&+ 0.23072510554244\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 0.9456743890453\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 126.69318120361\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \\
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&+ 8.1156309888198 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right) \\
&+ 2.0349472724377\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.25953031744261 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 4.1632928871022 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.033631833560471\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 2.1529008992584\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4^3 \log\left(c_s\right) \\
&+ 1.1500402276596\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.14499301568959\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 0.14657958390118 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.0092288340147471\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.61191533605899\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.2378660084128\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^5\epsilon_4 \log\left(c_s\right) \\
&+ 0.039614530371135\epsilon_2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^4 \\
&+ 20.308200868717\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 2.6155456846794 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.082092701641087\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 5.2545504344912 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 5.4141056868106\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log\left(c_s\right) \\
&+ 5.4902533619229\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 21.988636990413\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right) \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 2.797310952196 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 45.308048218956\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \\
&+ 2.8449613918782\epsilon_1\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 12.03204620457\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 3.0241551419391\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right) \\
&+ 97.512533558923\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.105304273061\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 100.561678101\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 12.891884661491\epsilon_1^2\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 13.099091166858\epsilon_1^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 3.2827800507038\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 26.475194540859\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.8274158228117\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 3.3429530810965\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 1.7017436701908\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 0.86599350652391\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 27.744067277091\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 3.4969289585946\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 3.5045699210588\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 0.88027543624301\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.22036238510457\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_3^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.11111111111111\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.22222222222222\epsilon_1^4\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 1.826903322367\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 3.7363448378574\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^4 \\
&+ 0.4750389757784\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 3.8003118062272\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^3 \\
&+ 3.9997248654602\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 2.0077234272374\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 4.0312710974665\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 0.0079365079365079\epsilon_1\epsilon_2^5\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.031944444444444\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 8.2163263813269 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \\
&+ 0.51550670714998 \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.0010133849368591 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^6 \\
&+ 2.0799619241536 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \\
&+ 0.13006216734808 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.13178277164641 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \\
&+ 1.0583657397333 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.26538139002458 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0041666666666667 \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&+ 0.0041666666666667 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0083333333333333 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.066666666666667 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.066666666666667 \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.53826065204099 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.13561897679917 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.54599679826601 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.55348764091493 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \\
&+ 0.55446749911886 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.0043801525759256 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.035468472790067 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.070936945580134 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.56815450840381 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.14286066757522 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.14329804046168 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.071957789884159 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.28823407315886 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 0.0090412651199445 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^2 \\
&+ 0.14472954235183 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \\
&+ 18.605290368784 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.58509032095382 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.29500344330898 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.59061213326153 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 0.14807208503687 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.3691533605899 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 9.5021189594973 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.018819772210186 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.15105708730825 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.4258343319362 \epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s)^7 \\
&+ 0.019168321147323\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^4 \\
&+ 19.860862559327 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^2 \epsilon_1 \log(c_s) \\
&+ 4.9896041554444 (\alpha_0^{c_s})^4 \alpha_1^{c_s} \epsilon_1 \log(c_s)^5 \\
&+ 2.5087039547538 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 1.257616802077\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 40.962891046419\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s) \\
&+ 10.345067997843\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 1.2941874226983 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 0.32409740727324\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \\
&+ 0.32630994966862\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 10.455543612956 (\alpha_0^{c_s})^4 \epsilon_1^2\epsilon_2 \log(c_s)^4 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^4 \\
&+ 1.3086119890807\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 2.6301615319913\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \\
&+ 5.3058524288054\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s) \\
&+ 21.477169360598\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \\
&+ 0.67621867393508\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 5.4381124699443\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2 \log(c_s)^4 \\
&+ 1.3653604251843 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.34534533668725\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^4 \\
&+ 2.762762693498\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^4 \\
&+ 0.34608765831366\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 11.094880384274\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 0.69518206668531\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log(c_s) \\
&+ 0.70873167381131\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^2 \\
&+ 2.8360067220395 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 1.4269206591657 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.17845643347688\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 5.715566677634\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 0.35864417007374 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&+ 2.8698020777222 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 0.18198689271555\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^3 \\
&+ 11.666518714949\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.36552432533617\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^5 \\
&+ 1.4677667925392 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.73457297175297 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2\epsilon_3 \\
&+ 1.5415629007437 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.012052249659293\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.5561671519782 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 101.62777554323 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.6110733396716 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^3 \\
&+ 0.81074714750101 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.82220125738198 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.10354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right) \\
&+ 1.6845766802949 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.6845766802949 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.84338232467116 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.052713108658564 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \\
&+ 0.10542621731713 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \\
&+ 1.6876729742042 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \\
&+ 0.10555038322718 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 6.7740492848867 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.3915052725649 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.21323568709799 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 6.8236464470962 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.21421167810765 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 1.7363326282422 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 13.908508560944 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.4406199803763 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 3.5318853490967 \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 0.11300835556341 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \\
&+ 0.45377677053351 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 7.3611799021144 \epsilon_1 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.92578767794158 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.92914577204504 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 1.87169992389 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.93598852529668 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 7.5976175769999 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 0.060060514728468 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 0.9629108761487 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 3.9066239849378 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.24476283952426 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 8.0098898393384 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 4.0066289736645 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.50172218096081\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 0.031414933042631\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^6 \\
&+ 0.031627865195139\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \\
&+ 0.25447750340707\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^6 \\
&+ 0.007955108697577 4\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.50930408871255\alpha_4^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 1.0200485701007 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log(c_s)^3 \\
&+ 0.12786052659616\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^5 \\
&+ 0.51169475985736\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^2 \\
&+ 2.0538948192574 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 16.431158554059 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s)^3 \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.2571899251759\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 16.504545011677\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log(c_s)^2 \\
&+ 33.316366438364\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.065870020895839\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^6 \\
&+ 17.27476589383\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \\
&+ 0.033930333787609\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log(c_s)^6 \\
&+ 8.6871519366246 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^2 \log(c_s)^3 \\
&+ 2.1739280972896\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 17.417503352423\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 34.969743576342\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 0.0086165505455699\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 0.13797252972985 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s) \\
&+ 1.1037802378388 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 2.212739135002 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log(c_s)^5 \\
&+ 17.701913080016 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log(c_s)^5 \\
&+ 1.121667419212\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 17.96331931736\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.1230559363038\epsilon_1\epsilon_2^2\epsilon_3^4 \log(c_s)^2 \\
&+ 36.292822459468\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 36.386956207935\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 18.193700485796\epsilon_1^3\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 2.2803298463673 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 4.580693010689\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.002238751703534 4\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 0.0044775034070689\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^6 \\
&+ 0.036048804329381\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 0.5768127638561\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 0.018131041008815\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^5 \\
&+ 4.6434429594143\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.14516267804535\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 4.6473620300359\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.58187407884207 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 2.3343708569418 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.2920378656354\alpha_4^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 2.3372366553909\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log(c_s)^5 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s)^5 \\
&+ 0.002288802190300 5\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s) \\
&+ 9.3975483904645 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1 \log(c_s) \\
&+ 0.5876822327964\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^2 \\
&+ 0.009297873327705 2\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^3 \\
&+ 4.7630613154248\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 0.59553922151997\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^5 \\
&+ 2.3848725164668 (\alpha_0^{c_s})^5 \epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 4.7806669969616 (\alpha_0^{c_s})^3 \epsilon_1^3\epsilon_2 \log(c_s)^5 \\
&+ 38.248428347496\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log(c_s)^3 \\
&+ 19.162846952341\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \\
&+ 0.037470818084885\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^5 \\
&+ 2.4019232291787 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.60436176630084\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^3 \\
&+ 1.2139601980143 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.2166666879998 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^2 \\
&+ 1.222078323428 (\alpha_0^{c_s})^2 \alpha_3^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 9.7941962694839 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.4516030057012 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 0.61319119602797\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s) \\
&+ 4.9055295682238\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 4.917421754625\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3 \\
&+ 0.61545674285693\alpha_0^{c_s}\epsilon_2^5\epsilon_3 \log(c_s) \\
&+ 0.61577463212638 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.0096277176214552\epsilon_2^4\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.61655099023173\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4 \log(c_s)^5 \\
&+ 0.15421126372135\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 4.9351803110836\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.61907759313501\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.62570574806691\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^5 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 80.369929433163\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \\
&+ 0.31399250113569 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2^2 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5142878457591 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.63229909114057 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 20.234173174947 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \\
&+ 0.31730334034339 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.039664693833783 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&+ 0.32003909925996 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right) \\
&+ 2.5929553826425 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.65034634591441 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.32523094283563 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&+ 5.2548211453976 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 2.6318372547995 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.32987658240761 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 5.2795082898276 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.010323841911612 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right) \\
&+ 0.66345793930697 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.083062724971734 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 0.16666666666667 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 21.334780689884 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.67104972425475\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s) \\
&+ 0.67226900769299\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 0.16877023722338\alpha_3^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.3519319769984\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 0.34005797202385 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^4 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.6828855362293\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 1.3689219474354 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.377525141583 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^3 \log(c_s)^3 \\
&+ 2.7621809155389\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^4 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^5 \\
&+ 22.15245108014\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 1.3861687477971\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 5.5609167833631 (\alpha_0^{c_s})^5 \epsilon_1\epsilon_2 \log(c_s)^4 \\
&+ 2.788548550865 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 22.420260581864\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 0.7058162817673\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.35317782801238\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3^3 \log(c_s)^7 \\
&+ 5.7014499821225 (\alpha_0^{c_s})^3 \epsilon_1^3\epsilon_2 \log(c_s)^4 \\
&+ 11.412135720541 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 0.17937770728689\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \\
&+ 2.8866535217196\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&+ 1.443652367121 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.090672898576701\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 2.9015480188435\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&+ 0.18200822860068 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^3 \log(c_s)^2 \\
&+ 5.8256024820915 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2^3 \log(c_s)^4 \\
&+ 0.091204644317315\epsilon_2\epsilon_3^3\epsilon_4^3 \log(c_s)^6 \\
&+ 5.8427599202718 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^4 \log(c_s)^2 \\
&+ 11.694273821868\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \\
&+ 5.8490906346812 (\alpha_0^{c_s})^2 \epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 5.8626483388079\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&+ 0.091666666666667\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.36798104988562\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\log(c_s)\\
&+ 0.092055501572812\epsilon_2^4\epsilon_3\epsilon_4^2\log(c_s)^5\\
&+ 0.36897249343705\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^4\log(c_s)\\
&+ 0.023072085036868\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log(c_s)^6\\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\\
&+ 0.7407240923369\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log(c_s)^2\\
&+ 23.717394652768\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log(c_s)^2\\
&+ 0.18668704102066\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^5\\
&+ 1.496546786904\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1\log(c_s)^4\\
&+ 0.75233620501921\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\log(c_s)^4\\
&+ 1.5087493432077\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log(c_s)^3\\
&+ 6.0845891182144\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log(c_s)^4\\
&+ 48.723299531068\epsilon_1^5\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 6.0935875495419\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log(c_s)^4\\
&+ 0.3817162551106\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log(c_s)^6\\
&+ 0.023865326092732\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\\
&+ 6.1114090830916\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\\
&+ 0.7640696867741\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\log(c_s)^3\\
&+ 12.296363749054\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log(c_s)\\
&+ 12.300145080654\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\\
&+ 6.1960687786702\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log(c_s)\\
&+ 6.2138555364937\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\log(c_s)^2\\
&+ 0.097619047619048\epsilon_1\epsilon_2^3\epsilon_3^3\log(c_s)^7\\
&+ 3.1248999889122\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\log(c_s)^5\\
&+ 6.2565725112554\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\\
&+ 0.78374778232054\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\log(c_s)^6\\
&+ 0.39212675352064\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\log(c_s)^6\\
&+ 12.623201336957\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log(c_s)^5\\
&+ 0.19742944671582\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log(c_s)^6\\
&+ 1.5794355737266\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log(c_s)^6\\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\\
&+ 6.3359842599186\epsilon_1^2\epsilon_2^2\epsilon_3^3\log(c_s)\\
&+ 25.564997527033\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log(c_s)^5\\
&+ 0.79943102109841\alpha_0^{c_s}\epsilon_1\epsilon_2^5\log(c_s)^4\\
&+ 0.4\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log(c_s)^7\\
&+ 0.20147517585805\alpha_4^{c_s}\epsilon_2\epsilon_3\log(c_s)\\
&+ 0.20185852525697\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log(c_s)^3\\
&+ 0.81371386079501\epsilon_2\epsilon_3^3\epsilon_4^3\log(c_s)^2\\
&+ 1.6281217899682\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\\
&+ 1.6419063030441\epsilon_2^4\epsilon_3^2\epsilon_4\log(c_s)^3\\
&+ 13.144005012089\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.41329471027545\epsilon_1\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 26.477002630062\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 1.6595083495818\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.83170124867828\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.10416666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.83680859949347\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.41965166893805 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.41965166893805 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 6.7194631035616 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 13.494555123319\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 6.7611375793337 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 6.7654939630812\epsilon_1^3\epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 6.7665865948426\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 6.7894049831095 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1 \log\left(c_s\right) \\
&+ 13.589712400096\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right) \\
&+ 13.610938500774\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.85080722735699\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.1064054183702\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 13.79054355376 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \\
&+ 0.43133966862408 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 3.4507173489926 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 0.21756216734808 \left(\alpha_0^{c_s}\right)^5 \epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.10878624605289\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.054633499738555\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 3.5015484541741\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 3.5058280535459\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right) \\
&+ 1.7548788628373\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^2 \\
&+ 1.7553944052278\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 1.7774092536048\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 1.7984900508676 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.90114927736863\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right) \\
&+ 0.22606496582697\epsilon_1\epsilon_2^2\epsilon_3^4 \log\left(c_s\right) \\
&+ 58.282760307516 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.45630731581178 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.22851523899589\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 234.54159092974\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \\
&+ 3.6749668511501 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.8386667568712\alpha_0^{c_s}\epsilon_2^5\epsilon_3\log\left(c_s\right)^3 \\
&+ 7.3709621687793\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 3.6923762895405\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 14.783364461862\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\log\left(c_s\right)^5 \\
&+ 1.8499628846753\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.4628108367404\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 29.913068001236\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \\
&+ 59.937423398081\epsilon_1^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 1.8776909284719\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 3.7599670009059\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^5 \\
&+ 7.537102959895\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 1.8851990235708\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 3.7880206904046\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&+ 0.95671981284112\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right) \\
&+ 7.6910162753865\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.97207514193013\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 0.015200774052886\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.12199182298468\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right) \\
&+ 0.030762780049157\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 0.49257765512728\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.99017825431461\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^3 \\
&- 0.0625\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.0625\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^7 \\
&- 0.0625\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^7 \\
&- 0.125\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.125\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^7 \\
&- 0.25\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^7 \\
&- 0.1188018061234\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.24180556639138\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^5 \\
&- 4.0920139253062\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.5878108367404\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^6 \\
&- 4.7024866939232\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^6 \\
&- 4.7024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\log\left(c_s\right)^6 \\
&- 0.7128108367404\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^6 \\
&- 2.8512433469616\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^6 \\
&- 0.40850809880337\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 1.1384325102212\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^6 \\
&- 5.0864792039617\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&- 0.64533381826314\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^2
\end{aligned}
$$

$$- 0.17263662095589\epsilon_2^4\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.8192162551106 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^6$$
$$- 3.290081048884\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^3$$

$$- 54.328712944773\epsilon_1^5\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.9499432158743 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)$$
$$- 0.069113177292634\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2$$
$$- 1.1870201995033\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 1.2524368155453\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2$$
$$- 0.66955374608661\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 2.6993739434035 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^4$$
$$- 2.9238663252536 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^3$$
$$- 0.74610224039326\epsilon_1^4\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 1.6215565118868\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 3.3967234750471 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 1.7261766945819 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^5$$
$$- 1.8722951175198\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^2$$
$$- 16.116438455036\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^2$$
$$- 4.031550454429 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^4$$
$$- 2.0648054853326\epsilon_1\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^3$$
$$- 2.0857852106217 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5$$
$$- 0.13611111111111\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.27484561414442\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)^2$$
$$- 4.4009298027358 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)$$
$$- 4.4783044238993 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2 \log\left(c_s\right)$$
$$- 9.03624205057\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^3$$
$$- 0.57128818827926\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 2.3139875313223 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^5$$
$$- 2.5086390203806\alpha_1^{c_s}\epsilon_1^4\epsilon_2 \log\left(c_s\right)^4$$
$$- 2.7951119728006\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.023586887846698\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5$$
$$- 0.19344433755356\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^5$$
$$- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6$$
$$- 3.4899595062576 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.11685640642586 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4^2$$
$$- 3.7408423791047 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2 \log\left(c_s\right)^4$$
$$- 4.0477523006346\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)$$
$$- 0.51194000908552\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^6$$
$$- 0.51378468859654\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log\left(c_s\right)$$
$$- 2.0729843799514 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)$$
$$- 4.2269838882939 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5$$

$$
\begin{aligned}
&- 2.1469056750374\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \\
&- 0.28293802345048\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.28315049381564\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 18.484869922802\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right) \\
&- 0.28911553375919\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 38.055767524651\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^3\log\left(c_s\right) \\
&- 0.30407414121369\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^3 \\
&- 4.9522008415144\epsilon_1^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.32001349405734\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^3 \\
&- 83.741795038175\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\log\left(c_s\right) \\
&- 1.3324514818822\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^4 \\
&- 2.6866728577796\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^4 \\
&- 43.685541374842\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^4 \\
&- 0.085572085036868\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.17114417007374\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 2.7621058770989\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^5 \\
&- 5.6295203281256\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&- 5.6327481747005\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\log\left(c_s\right)^3 \\
&- 5.6429840327079\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^6 \\
&- 24.474503780972\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&- 3.1396634761712\epsilon_1^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^5 \\
&- 3.1723230737817\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&- 1.7141506311358\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^5 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3^5\log\left(c_s\right)^3 \\
&- 13.913374274044\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.0069444444444444\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.0069444444444444\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.013888888888889\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.013888888888889\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.013888888888889\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.027777777777778\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^7 \\
&- 0.027777777777778\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.055555555555556\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^7 \\
&- 0.22222222222222\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&- 0.44444444444444\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^7 \\
&- 119.17347065123\alpha_0^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right) \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^5 \\
&- 15.721228323927\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.49612024038158 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.50447750340707 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&- 4.0358200272565 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^6 \\
&\\
&\quad - 0.0039458492369539 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&- 0.063888888888889 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^7 \\
&- 2.0651970814477 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \\
&- 16.541122464207 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 4.1786685374046 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.13089358834693 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 4.2258865606026 \epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.0041666666666667 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.0083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.016666666666667 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.033333333333333 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.066666666666667 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 1.0692484394637 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 8.6279627972668 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 8.7037041497217 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.27258726805639 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.0085406592529902 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 8.8947641864993 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 71.17923852506 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2 \log\left(c_s\right) \\
&- 1.1137570336689 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^3 \\
&- 4.5350448396646 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.035468472790067 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.017857142857143 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.071728834014747 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^6 \\
&- 0.29614417007374 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 38.022116362118 \epsilon_1^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 9.5631078559908 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&- 9.7599215062997 \epsilon_1 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.61182804071221 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 2.4770709004094 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 39.916132517364 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.63619375851767 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.31908118491616 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)
\end{aligned}
$$

$$- 40.8475407063140_0^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)$$
$$- 1.28585223138570 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4$$
$$- 0.163154974834310 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^6$$
$$- 21.0694324547170 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3$$
$$- 5.28349775035580_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^3$$
$$- 21.4353103231090 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)$$
$$- 10.725010192130_0^{c_s} \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^4$$
$$- 1.345539221520 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^5$$
$$- 0.337888007489460 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2$$
$$- 0.341569716829770 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5$$
$$- 0.0215795839011780_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.699720320354240_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5$$
$$- 5.636778005912200_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^3$$
$$- 11.34349291146600_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)$$
$$- 2.85751781044010 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.179662929623120 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5$$
$$- 0.735389989121200 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)$$
$$- 1.472733080102300_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)$$
$$- 1.47813577858100 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^2$$
$$- 1.487913276194100_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^4$$
$$- 1.487930143357300_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.754477503407070 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^6$$
$$- 6.098111774231200_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^2$$
$$- 6.101628991156200_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.766352848038250 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5$$
$$- 0.0958773825897430 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$- 1.543822074715200_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.193216982149460 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.773550597842450_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.390784981686590 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 1.566346637119900 \epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^4$$
$$- 1.581826896507300_0^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^2$$
$$- 3.172150865950700 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)$$
$$- 12.85762191799400 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.0126492501135690_0^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6$$
$$- 6.643798277882 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.833304468998110_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^5$$
$$- 0.104614417007370 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 0.210572085036870_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^6$$
$$- 3.390930315649100_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2$$
$$- 0.427918446540820_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 0.85758798544528\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 1.7453672871882\alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&\\
&\quad - 1.7457730381464\alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 13.992493625105 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.21892340227879\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 1.7513872182303\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 0.43973875170353 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.87947750340707 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 57.265874606717\epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.90667912023267\epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.91068036774732 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.45923582329675\alpha_2^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.94087652260427\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.11892775435815\epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.23785550871631\alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.014911575617075\epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^4 \\
&- 1.9319951605924 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 3.8685809848949\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.24563909031422\alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 3.9420289301797\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 0.99650131219935\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.015607381455245\epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^2 \\
&- 4.0129442717571 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.50292734885002\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^2 \\
&- 1.0061401791377\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right) \\
&- 0.0039311479744497\epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \\
&- 2.0163503571234 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.015771165985253\alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^6 \\
&- 2.0231256993388 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 32.509311534941\epsilon_1^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 1.0198847105414\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 2.0427534670748 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.51258777243156\alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 8.2244664022349 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&- 2.0713835437119 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.12947750340707\alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.25895500681414\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 1.0361528371724\alpha_0^{c_s} \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 2.0726191565691\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right) \\
&- 33.231354625969 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2 \log\left(c_s\right)^3 \\
&- 133.76504098143\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right) \\
&- 0.26154027984748\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right) \\
&- 0.52430822545753\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 8.398062041006 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3 \log\left(c_s\right)^3 \\
&- 2.1071480682383\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.0598216083142\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 8.5012482876864\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right) \\
&- 2.1350024217635\epsilon_1\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 4.2880965741773 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 0.54115628959592\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 8.6602014806122\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 2.1676172638555 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 1.0849573774169\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4 \log\left(c_s\right)^4 \\
&- 0.54614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.06831317525214\epsilon_1\epsilon_2^5\epsilon_3 \log\left(c_s\right)^6 \\
&- 8.8443057220446\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4 \log\left(c_s\right)^2 \\
&- 2.2123038996248 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 2.2710265870989\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 18.246175862803 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.0090559265475073\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.58284841329387 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1 \log\left(c_s\right)^5 \\
&- 9.3385475026663\epsilon_1\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 9.3732079182375 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 4.7139903338338 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 1.1836596121236\epsilon_2^2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.29600354828714\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.14843050319635\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 1.1890133477563\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 1.1917729416635 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^5 \\
&- 0.075714739016334\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 38.827848241035 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.076169327882023\epsilon_1^3\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 1.2260367795487\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.2366528934307\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 2.5167394717702 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 5.0465787772897\epsilon_1^4\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.31723168030223\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.3192162551106\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6
\end{aligned}
$$

$$- 2.5646770236986\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^4$$

$$- 1.2926501452911\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.6484052962263\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.32427708806087\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 41.658354714779\epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.020493952575642\epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6$$
$$- 1.3240113581406\alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4$$
$$- 0.66210318344863\epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)$$
$$- 0.33205993463341\epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5$$
$$- 2.6652535496217 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2$$
$$- 2.6658913998455\alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.020833333333333\alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^7$$
$$- 0.020833333333333\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^7$$
$$- 0.020833333333333\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7$$
$$- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^7$$
$$- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^7$$
$$- 0.33333333333333\alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^7$$
$$- 0.6709401226385 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$
$$- 0.33551186364992\epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 2.6949967247252 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.1689054183702 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^6$$
$$- 1.3547178637278 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.34049733878464\epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6$$
$$- 87.203758990515\epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.68216400545131\epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6$$
$$- 1.3655521939166\epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 2.7414118696127 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^4$$
$$- 21.931294956902 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^4$$
$$- 0.043055555555556\alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^7$$
$$- 0.34449702743915\epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)$$
$$- 5.512718846421 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 2.7645598592963\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.043271030346517\alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 5.5647653464579 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3$$
$$- 5.5752234111102\epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 1.4154432099143\epsilon_2^4\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 11.345293633365 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1^2 \log(c_s)^4 \\
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^3 \\
&- 0.0027777777777778\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log(c_s)^7 \\
&- 0.0055555555555556\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4 \log(c_s)^7 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3^4 \log(c_s)^7 \\
&- 0.088888888888889\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.088888888888889\epsilon_1^3\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&- 11.428717993195 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2 \log(c_s)^3 \\
&- 0.022325834469023\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&- 0.17861645628807\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^5 \\
&- 92.069876566655\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 5.771435294536 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2 \log(c_s)^3 \\
&- 0.090277777777778\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2 \log(c_s)^7 \\
&- 1.4508615982863 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&- 0.090836438644002\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^2 \\
&- 0.72669150915202\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^2 \\
&- 3.0075184838554\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2 \log(c_s)^4 \\
&- 0.75398569989259\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^5\epsilon_3 \log(c_s)^6 \\
&- 0.19003813959888\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2 \log(c_s)^5 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^7 \\
&- 0.00074625056784481\alpha_3^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 0.011940009085517\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^6 \\
&- 1.5303454369154\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log(c_s) \\
&- 0.76728354669117\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4 \log(c_s)^3 \\
&- 0.048015873015873\epsilon_1\epsilon_2^4\epsilon_3^2 \log(c_s)^7 \\
&- 3.0777789614246\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^3 \\
&- 0.38473075276434\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^4 \\
&- 3.0882150849201\alpha_0^{c_s}\epsilon_1\epsilon_2^5 \log(c_s) \\
&- 0.38635049074622 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&- 0.048611111111111\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.048611111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.78074354194082 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log(c_s)^5 \\
&- 1.5674955646411 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2 \log(c_s)^6 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4^4 \log(c_s) \\
&- 0.0061507936507936\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^7 \\
&- 1.5907514582416\epsilon_1\epsilon_2^2\epsilon_3^4 \log(c_s)^5 \\
&- 6.3817551174283\epsilon_1\epsilon_2^5\epsilon_3 \log(c_s)^2 \\
&- 0.79959399375137 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)
\end{aligned}
$$

$$- 0.20021956232962 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} \epsilon_{2} \log\left(c_{s}\right)^{5}$$

$$- 1.6093752037 21 \epsilon_{2}^{2} \epsilon_{3}^{4} \epsilon_{4} \log\left(c_{s}\right)$$
$$- 25.793492270479 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{1}^{4} \log\left(c_{s}\right)^{4}$$
$$- 1.6121671711725 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{2}$$
$$- 0.80802225795671 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{5}$$
$$- 25.962298306289 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{3} \epsilon_{2} \log\left(c_{s}\right)$$
$$- 0.000198412698412 7 \epsilon_{2} \epsilon_{3} \epsilon_{4}^{5} \log\left(c_{s}\right)^{7}$$
$$- 0.051190476190476 \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3}^{4} \log\left(c_{s}\right)^{7}$$
$$- 0.05119400090855 2 \epsilon_{1}^{2} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{6}$$
$$- 1.64891930825 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{3}$$
$$- 0.012896825396825 \epsilon_{2} \epsilon_{3}^{4} \epsilon_{4}^{2} \log\left(c_{s}\right)^{7}$$
$$- 6.6359545261922 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)$$
$$- 0.10416666666667 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{3} \epsilon_{3}^{2} \log\left(c_{s}\right)^{7}$$
$$- 0.83365131923059 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)$$
$$- 0.84025205560132 \epsilon_{1} \epsilon_{2}^{3} \epsilon_{3}^{3} \log\left(c_{s}\right)^{6}$$
$$- 0.21017104205926 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}$$
$$- 1.7118505020499 \epsilon_{2}^{4} \epsilon_{3}^{2} \epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 0.85686822945277 \epsilon_{2}^{2} \epsilon_{3}^{4} \epsilon_{4} \log\left(c_{s}\right)^{3}$$
$$- 0.4298517272398 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)$$
$$- 6.88003415153 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \epsilon_{2} \log\left(c_{s}\right)^{3}$$
$$- 27.532300473228 \alpha_{1}^{c_{s}} \epsilon_{1}^{4} \epsilon_{2} \log\left(c_{s}\right)^{2}$$
$$- 3.4511448493566 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.013535530185334 \epsilon_{1} \epsilon_{2} \epsilon_{3}^{5} \log\left(c_{s}\right)^{4}$$
$$- 0.05420291941748 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{3}$$
$$- 0.87286714443532 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.027518035821148 \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5}^{2}$$
$$- 0.44156573829093 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}$$
$$- 0.11044804613841 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.4442162551106 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3} \log\left(c_{s}\right)^{6}$$
$$- 3.572809346701 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2} \log\left(c_{s}\right)^{4}$$
$$- 0.44683244626155 \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{6}$$
$$- 0.0034911584080563 \alpha_{3}^{c_{s}} \epsilon_{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{5}$$
$$- 1.8070001651475 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{5}$$
$$- 1.8101612552851 \left(\alpha_{0}^{c_{s}}\right)^{5} \epsilon_{1} \epsilon_{2} \log\left(c_{s}\right)^{5}$$
$$- 0.0070936945580134 \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{4} \log\left(c_{s}\right)^{6}$$
$$- 0.9109092620606 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{3}$$
$$- 1.8243780631062 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{2}$$
$$- 1.8248498515353 \alpha_{1}^{c_{s}} \epsilon_{2}^{3} \epsilon_{3}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.014270247672486 \alpha_{2}^{c_{s}} \epsilon_{2}^{3} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 7.306945650939 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)$$

$$
\begin{aligned}
&- 1.8319250931961\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^5 \\
&- 0.91738935700461\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&- 0.46057208503687\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.46082444890708\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&- 0.4649202936123\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^5 \\
&- 7.4520677023662\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\log\left(c_s\right) \\
&- 0.46650746960448\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&- 0.46818384082888\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.93868585738384\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 7.542115076376\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^2 \\
&- 7.6283502754279\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^3 \\
&- 7.6838625099137\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^4 \\
&- 15.424506606901\epsilon_1^2\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 0.96574058695534\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^4 \\
&- 7.7497719994203\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^2 \\
&- 7.8179136682924\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^3 \\
&- 15.696424727219\epsilon_1^5\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 15.722785861748\epsilon_1^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&- 0.24632381408297\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 3.9604141606788\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^5 \\
&- 63.501290309065\epsilon_1^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&- 0.062044394569045\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&- 31.885083409644\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 0.0625\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.5\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.5\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 1.0\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.283602409119\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.6695263309261\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.057399667189557\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.4752072244936\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 61.593507803496\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 4.9223993014284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.59584283672854\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^2 \\
&+ 3.8153132567197\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&+ 2.0403478321431\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&+ 8.4758963428635\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 17.090054153866\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.14050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^3 \\
&+ 1.2634325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.080985316506041\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 1.3745592223967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.5134325102212\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2 \log(c_s)^6 \\
&+ 6.5396866212029\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 1.7634325102212\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 0.8937642550928\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^2 \\
&+ 34.474086141622\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 34.795732187701\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 36.995767674597\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.14542297015121\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 1.1799361013441\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s) \\
&+ 20.296481889244\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 10.157597851841\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.1614636013489\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 0.088580662642395\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 1.4896070918213\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 3.2083244188107\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 0.10323841911612\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s) \\
&+ 0.20647683823223\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.83412483183811\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.21075412367249\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 3.4615837374334\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^5 \\
&+ 1.7488553451445\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&+ 0.055787239966231\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^3 \\
&+ 14.520530384024\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 3.7608273038678\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.47625271788051\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 30.500287667791\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 31.935714491875\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^3 \\
&+ 0.50449966579951\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.0177811531358\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 4.1236776671902\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 2.0897795301017\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 4.2310238405948\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 16.94855057134\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s)^3 \\
&+ 0.13611111111111\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^7 \\
&+ 2.2138349606223\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 4.6260985314157\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 2.3504333698703\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 0.15121383915265\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^5 \\
&+ 2.5137454445887\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 20.511967599192\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 43.001798974274\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 0.35125687278748\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 11.616496256472\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.022888021903005\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right) \\
&+ 1.55322439468\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right) \\
&+ 25.055954945861\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.026253648508397\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 1.7096379078705\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 28.197083105148\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.45689134486602\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 7.3275847403441\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.11536255277122\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.23072510554244\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 1.9444197858248\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 7.7776791432993\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 2.0080938748245\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 2.0349472724377\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.25953031744261\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 16.828930065782\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 2.1096191235776\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 4.260301238838\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 0.54928119569501\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.14166666666667\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.14657958390118\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 4.7109991088318\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.1824229749008\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 4.7382453535584\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 2.4425120715006\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 78.965908350521\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 0.15485762867417\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.64555950613272\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.010133849368591\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.020267698737181\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 84.331383789991\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.085572085036868\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.17114417007374\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 44.44409123573\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.0027918307290831\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 1.4732798516106\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 5.9283084118973\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.74777827947468\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.76045560073319\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^2 \\
&+ 0.39664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4 \\
&+ 12.758897829952\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&+ 6.5238108181595\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.10235187862276\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 54.407409221614\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 6.9906459033797\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 3.4969289585946\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 3.5045699210588\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.0069444444444444\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.055555555555556\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3 \\
&+ 28.696778738213\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right) \\
&+ 0.90195047194819\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 7.2775029958087\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 3.6421154222527\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 3.6458800797204\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&+ 0.9131677771144\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&+ 29.304748402652\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 7.3548090171036\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.0072524164035261\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 0.029166666666667\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.93388836093442\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^4 \\
&+ 1.8968972734217\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.05952380952381\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.030218401681359\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.12208234279269\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.9543346393865\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 3.9237474492629\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 1.0089550068141\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.063102398042078\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.25298500227138\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.50751010128524\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.12691728706171\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 2.0307289452961\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.0179607910584\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.016014240503497\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 2.0515056182899\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 0.25809604779029\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right) \\
&+ 0.12961186213084\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 4.1572936768846\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 8.3567277951016\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.13178277164641\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \\
&+ 1.0598679538839\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.26572329945541\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^7 \\
&+ 0.0083333333333333\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.033333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 0.066666666666667\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.13561897679917\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 0.13561897679917\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.067896790769557\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 4.3876318545124\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.034332032854507\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right) \\
&+ 4.428975855492\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.27723374955943\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 0.55446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 0.034722222222222\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.069444444444444 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log(c_s)^7 \\
&+ 0.069444444444444 (\alpha_0^{c_s})^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \log(c_s)^7 \\
&+ 4.461308395978 (\alpha_0^{c_s})^4 \epsilon_1 \epsilon_2 \epsilon_3 \log(c_s)^5 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log(c_s)^3 \\
&+ 0.13946809991558 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log(c_s)^3 \\
&+ 1.1178373176391 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \log(c_s) \\
&+ 0.0043801525759256 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^5 \\
&+ 0.56815450840381 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s) \\
&+ 4.5644186322318 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log(c_s) \\
&+ 0.14269162429701 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log(c_s) \\
&+ 0.035714285714286 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log(c_s)^7 \\
&+ 0.14286066757522 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log(c_s)^6 \\
&+ 0.14329804046168 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log(c_s)^3 \\
&+ 0.28691533605899 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log(c_s)^6 \\
&+ 0.071957789884159 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log(c_s)^4 \\
&+ 0.0090412651199445 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log(c_s)^2 \\
&+ 9.3075954956828 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log(c_s) \\
&+ 0.58509032095382 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^2 \\
&+ 2.3416327395402 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log(c_s)^5 \\
&+ 0.59223130921287 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log(c_s)^5 \\
&+ 0.14807208503687 (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \epsilon_4 \log(c_s)^6 \\
&+ 2.3691533605899 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log(c_s)^6 \\
&+ 38.198770167501 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log(c_s) \\
&+ 0.0375 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log(c_s)^7 \\
&+ 0.075 (\alpha_0^{c_s})^2 \epsilon_1 \epsilon_2^3 \epsilon_3 \log(c_s)^7 \\
&+ 77.145638294312 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log(c_s)^2 \\
&+ 9.6785949451246 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log(c_s)^2 \\
&+ 1.2120333869351 \alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \log(c_s)^5 \\
&+ 2.4258343319362 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log(c_s)^5 \\
&+ 0.0023809523809524 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log(c_s)^7 \\
&+ 0.019168321147323 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log(c_s)^4 \\
&+ 0.019168321147323 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log(c_s)^4 \\
&+ 2.4878095535125 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log(c_s)^5 \\
&+ 0.0097222222222222 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log(c_s)^7 \\
&+ 0.038888888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log(c_s)^7 \\
&+ 2.5087039547538 (\alpha_1^{c_s})^2 \epsilon_2 \epsilon_3 \epsilon_4 \log(c_s) \\
&+ 1.2573043991705 (\alpha_0^{c_s})^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^3 \\
&+ 1.2639664953669 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log(c_s)^3 \\
&+ 0.63619375851767 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^6 \\
&+ 5.1365073074262 (\alpha_0^{c_s})^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.5828074540593 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.32633177362707 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.0012778880764882 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^4 \\
&+ 1.311866298823 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.33268049947131 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \\
&+ 0.67020401203704 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.005271310865856 4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^3 \\
&+ 0.086318335604713 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.34527334241885 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.69169740807797 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right) \\
&+ 0.34829658835028 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 2.8353555752171 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.4269206591657 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 5.715566677634 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 1.4333015652997 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.4455292452345 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 1.4539661414438 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 5.8332593574745 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.72928929805622 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 2.9856462328805 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 5.991956578917 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.75447750340707 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 6.0671548266403 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \\
&+ 48.562813619649 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.094883595585416 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \epsilon_6 \\
&+ 6.128022124502 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.77078145037184 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.012087360672543 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.024174721345087 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 3.1039417756258 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 1.5632156488383 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 3.1467163615364 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 25.353111816448 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 3.1870549082036 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 3.2195975051482 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.80516640251492 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.025334623421476 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 1.6339550068141 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.012778880764882 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.025557761529764 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.40912213356131 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 6.6109758564225 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.10354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&+ 0.20746010934642 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 13.416184601475 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 6.7179016942096 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.013140457727777 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.21057208503687 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.026356554329282 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6^2 \\
&+ 0.052713108658564 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6 \\
&+ 1.6876729742042 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 3.4091815301436 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 6.9299175587852 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.054614417007374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 0.01372649186014 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.8898147479872 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 0.11300835556341 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 1.8473238963791 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 0.11613239792864 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.46796067810203 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 15.067555032057 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 1.8931107420498 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 3.8321563814859 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.97155890373526 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 7.9127811143661 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&+ 3.9568737414082 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 7.9283012622716 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right) \\
&+ 1.0000246730265 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 4.0205927965034 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 1.005803659257 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.031435985345908 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \\
&+ 2.0320305028017 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.12723875170353 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 0.007955108697577 4 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.063843251022121\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 8.1762620134314\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 0.031947201912205\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^4 \\
&+ 0.25629991270203 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 0.25692715012395 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 1.0277086004958 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.5159850819877\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.12906669572531\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s)^4 \\
&+ 1.0354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s) \\
&+ 4.1581476391656\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^5 \\
&+ 1.0427080330728\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 4.1809781990125 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 2.0935817755719\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 8.3853834063545 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 2.0979205577327\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&+ 0.26375589130157\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 8.440393500825 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2 \log(c_s)^5 \\
&+ 1.0614870838816 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 2.1382787249839\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.26808160481482\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.13417824803126\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 34.470500131706\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.0840034007192\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 2.1707342215392\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 17.417503352423\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.5453887031273\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 0.54614417007374 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.06831317525214\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.27413480691961\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^5 \\
&+ 0.5506216734808\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 70.697360495133\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 2.2110568449174 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 8.8507779977314\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.13843506332546\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 1.1130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 1.114403590017\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.56083370960601\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 17.96331931736\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 36.292822459468\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.0983386677467 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 0.036048804329381 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.5768127638561 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \\
&+ 0.018131041008815 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.018131041008815 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.58187407884207 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.14583333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.14583333333333 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.018275653794641 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 0.0022877486433567 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.0022888021903005 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&+ 75.059172729481 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.036899176060995 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \\
&+ 18.99001349842 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.59497040750675 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.0092978733277052 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^3 \\
&+ 2.3804058041669 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 9.5522411565365 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 4.7802049778609 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.299069961259 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 1.2060424722911 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 9.6587651670055 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 2.4154405135787 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 0.60557557577091 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.30287521721998 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.60576476303628 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 38.8069598236 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.075895500681414 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 19.467620423568 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 2.438076118452 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&+ 2.4516030057012 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 2.4583532420847 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 2.4600454831545 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.61577463212638 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.0096277176214552 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 9.9033391601409 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \\
&+ 0.62295751295625 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 10.01770612657 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.62680455064463 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.63229909114057 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.079069662987846\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^4 \\
&+ 10.169080058175\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.039799791375128\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 1.2775742614705\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 1.2805778273542\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.16150757387971\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 0.16156714055971\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&+ 1.2932124155632\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 2.5887073244667\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right) \\
&+ 10.362692362775\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.32768650204424\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 10.504645362522\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 42.091727019527\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right) \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.16666666666667\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^7 \\
&+ 0.16666666666667\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 85.536150188944\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.66966006672066\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.16877023722338\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.67942922725777\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 0.34005797202385 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.08561850112471\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^4 \\
&+ 1.373094822568\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 5.5039584018739\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 22.155015748157\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 1.3861687477971\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 11.105455479455\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 2.7825438848769\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 11.282491542289\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2 \log(c_s) \\
&+ 11.325301795059\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&+ 11.349960476917\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.71094350871776\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.011111111111111\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.022222222222222\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.088888888888889\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 0.044651668938046\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 5.7401113918964\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 184.03821495922\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 1.4407287732424\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 1.4412945492201\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 0.090412651199446\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^2 \\
&+ 0.18082530239889\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 2.8940849272455\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 0.18275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 23.503507978842\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 2.938523857859\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^2 \\
&+ 0.092055501572812\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.36897249343705 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3699746558113 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 94.789885261282 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.092978733277052 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.1859574665541 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 5.9727061359078 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 23.910786119577 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.4964673433274 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 6.0101854638924 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.5059700045428 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.75427775238602 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.75829947878613 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.023809523809524 \epsilon_1 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 1.5261948478304 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 6.1120382485829 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.7640696867741 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.38230091905161 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 12.237735016362 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.19152975306636 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.3881272493832 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 49.693404602015 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.0060803096211543 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^6 \\
&+ 0.78074086418773 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.78127007784077 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 6.2833951759409 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 50.273335712843 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 6.2979380587169 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.19742944671582 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 3.1650022497367 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \\
&+ 1.5866561262393 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.79614417007374 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.025 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.05 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 1.6042839237028 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.40212240722222 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.20150492785441 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.20185852525697 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.20244396790257 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 3.2570585177784 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2055811237684 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \epsilon_6 \\
&+ 26.445986190954 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.10364374751986\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.82943409350405\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 13.332803247981 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.10416666666667 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 0.83334906302977 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 1.6815103074235\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 0.10555555555556\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 6.7654939630812\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 6.7665865948426\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.42364052989792\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&+ 0.84749975760912\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 27.1600714852 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.85049903188914\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.1064054183702\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.2128108367404\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&+ 1.7044635252114\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.42651103327838\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.85716400545131\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^5 \\
&+ 0.013492063492063\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.21587336965248\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.10814641298814\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 13.847842611253\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 0.054166666666667\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.21691039238422\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.054247590719667\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^2 \\
&+ 55.650256576065\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s) \\
&+ 0.21786066757522\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.87253782090723 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 1.7456222365262 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 3.5015484541741\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.7552709628614\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 0.054903341904819\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.88246198137885\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.22115425901672 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 3.5406997010804\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 7.0829426364527\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.44316616833261\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 7.1484492787561\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 3.5975000086257\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.028246155745906\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.22603162799861\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.45630731581178\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.91512186577351\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.057220054757513\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right) \\
&+ 29.368266114531\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 29.414322186728\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 7.3543542214839\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right) \\
&+ 29.578931646904\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 29.708075269555\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 0.23244683319263\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^3 \\
&+ 0.93908520609823\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^3 \\
&+ 1.8851990235708\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.23584485562421\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&+ 0.94933283759418\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.47819222676498\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 3.8268735961966\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 15.365970887823\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 7.7270765702925\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 0.015200774052886\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^6 \\
&+ 0.015200774052886\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 7.7879280210316\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right) \\
&+ 0.97627669940905\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 31.283701494146\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.0076673284589293\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^4 \\
&+ 15.777120092034\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.98891616490187\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.99161734584458\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^7 \\
&- 0.125\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^7 \\
&- 0.125\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&- 1.0\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.75\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 0.13535530185334\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4 \\
&- 1.3404973387846\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.20303295278001\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.33838825463334\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 1.0506216734808\alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.5878108367404 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 1.3006216734808 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1\epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.3564054183702 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.73762915271703\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&- 4.1709280804459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&- 9.9038240896393\alpha_0^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.17263662095589\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.6942162551106\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 11.879146175862 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.40393026302571\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.069113177292634\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 2.4349853265097 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.17198347562984\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right) \\
&- 11.478951193993 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right) \\
&- 0.18164534428912\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.18342393394439\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^3 \\
&- 11.826086790539\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 5.9394199440843\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&- 26.557472114008 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.11106979298066\alpha_0^{c_s} \epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right) \\
&- 16.542717940057\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3\epsilon_2 \log\left(c_s\right)^4 \\
&- 1.1319210790497\alpha_1^{c_s} \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&- 36.606995163168 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.60877820268292\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2\epsilon_3\epsilon_4 \\
&- 4.886232976983\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 4.9666896838687 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 5.1002827444992 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 \\
&- 2.6310935946579\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.66666692137714\alpha_0^{c_s} \epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.34678002978461\alpha_0^{c_s} \epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&- 0.089469453702452\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4 \\
&- 23.910628067772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.011793443923349\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&- 12.174840876108\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.7954691204583\alpha_0^{c_s} \epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.025447750340707\alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 3.4187616731981\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^5
\end{aligned}
$$

$$- 0.027620944658677 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.11685640642586 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5$$
$$- 0.48017520972259 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$- 1.9504491234353 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3$$
$$- 32.690138115284 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3$$
$$- 0.13122532309992 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.52495887900117 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3$$
$$- 8.4419661844753 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4$$
$$- 8.6237220351557 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$- 4.4612825914141 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)$$
$$- 0.56152556009831 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 0.14166666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 4.6543744059378 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.58590022703573 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^5$$
$$- 0.2946820801116 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2$$
$$- 4.7884832490488 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 4.8938636036911 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^5$$
$$- 4.9522008415144 \epsilon_1^4 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$- 1.2576405073618 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5$$
$$- 22.124354266105 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4$$
$$- 2.8030997829248 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 11.278810421262 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2$$
$$- 0.35468472790067 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 11.691721915146 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.38423624679474 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5$$
$$- 6.1999286258536 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4$$
$$- 3.1166049317077 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 3.1180863879623 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3$$
$$- 0.39358621211477 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)$$
$$- 0.049655861906094 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^6$$
$$- 6.4769838882939 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 0.10120649614624 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$
$$- 1.6453720623979 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^3$$
$$- 3.325341415587 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4$$
$$- 0.10439429624737 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.053647756620656 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^3$$
$$- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 0.013888888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^7$$
$$- 0.027777777777778 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.027777777777778 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.027777777777778\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 0.027777777777778\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.027777777777778 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^7 \\
&- 0.11111111111111\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&- 0.4570615229317\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s) \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 0.029166666666667 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^7 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 60.658306486015 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 1.90143760861\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log(c_s)^5 \\
&- 0.48414774847339\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&- 0.12222222222222\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 0.48953361436881\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^5 \\
&- 0.49612024038158 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&- 3.989063199032\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&- 0.99830375639308 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&- 4.002076594912\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&- 16.018144961726\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&- 0.50447750340707\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^6 \\
&- 0.0039458492369539 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&- 0.12642230580704\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 0.12649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^6 \\
&- 0.001984126984127\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^7 \\
&- 0.003968253968254\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.007936507936507 9\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 2.0405482174791\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^3 \\
&- 65.606774900302\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&- 1.032076147538\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 0.52024866939232 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^6 \\
&- 1.0469743695034\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 0.13089358834693\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 33.774162647646\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^3 \\
&- 0.0041666666666667 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 0.0041666666666667\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^7
\end{aligned}
$$

$$- 0.066666666666667\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.53647756620656\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^3$$
$$- 4.3040026108317\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2$$
$$- 1.0779775777387 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.56388387551712\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 1.1339550068141 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.035468472790067\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.56880729880077\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 145.88152084845\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.14444444444444\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.58693366046564\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 0.14741440768272\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)$$
$$- 37.89821026928 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 0.59228834014747\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 1.1845766802949\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^6$$
$$- 1.1849834923934\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5$$
$$- 38.022116362118\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.14876859370575\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.0375\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.075\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.6029212735226\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 2.4164078009622\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 1.2171078188201 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4$$
$$- 0.0011904761904762\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 0.3048573404583\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.15268650204424\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6$$
$$- 2.4770709004094 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 2.4846659460049\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 0.077777777777778\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7$$
$$- 0.63795947289844 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.64718139896417\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.16260875825244\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5$$
$$- 1.3269069501229 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 5.3120821003551 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^2$$
$$- 1.3281712619247\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 1.3393033378761 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2$$
$$- 0.085295045821173\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 1.3653604251843 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.021579583901178\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6$$

$$- 0.35426873061524\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)$$

$$- 5.6903200770505\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4$$
$$- 0.71728834014747\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6$$
$$- 0.17966292962312\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^5$$
$$- 2.8865249043937\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)$$
$$- 0.092860667575218\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6$$
$$- 0.093644288731469\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^2$$
$$- 6.0095517845433\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4$$
$$- 48.255663307541\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 6.3282208146869\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3$$
$$- 0.80757365000135\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^6$$
$$- 0.81642398453535\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3$$
$$- 1.6479598444631\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^6$$
$$- 0.21399458960179\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^3$$
$$- 0.21549889625041\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5$$
$$- 1.7252725216995\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^3$$
$$- 6.9384803896015\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)$$
$$- 0.86788534060175\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6$$
$$- 0.10925167018671\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^2$$
$$- 14.075028383715\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)$$
$$- 3.5380724246783\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5$$
$$- 0.90856523085346\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^6$$
$$- 0.2309514391459\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3$$
$$- 0.11613239792864\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6$$
$$- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^6$$
$$- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^4$$
$$- 3.8685809848949\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)$$
$$- 0.97724300405892\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3$$
$$- 3.9420289301797\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 1.9768918822305\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5$$
$$- 0.993719716796\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^3$$
$$- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2$$
$$- 0.12500962144507\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2$$
$$- 0.015724591897799\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6$$
$$- 2.0128203679155\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4$$
$$- 4.0439059083856\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)$$
$$- 2.0273280449368\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2$$
$$- 32.509311534941\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3$$

$$
\begin{aligned}
&- 0.25447750340707\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.51234881439105\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.0256249519866\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.064738751703534\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.51791001362828\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6 \\
&- 8.3279936613912\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^2 \\
&- 16.725670233306\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 16.828880763191\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 8.4504050026489\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 2.1297136680042\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 4.2970860746032\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&- 2.1716854376574\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 2.172840835226\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.27307208503687\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.0972097302024\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right) \\
&- 8.8042242923602\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.27665408776252\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.13840235190498\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 2.2168721969105\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&- 0.55732103965136\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.55836150100673\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 2.2388828981459\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&- 0.14027777777778\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 17.974458018921\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 4.5219792289719\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.1355225837081\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&- 36.387015222254\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.57099495815828\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 36.555221539884\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^2 \\
&- 2.2855341748477\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^5 \\
&- 2.2871175350192\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 18.308980453102\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 4.578513687216\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.57257652000988\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 1.1705595061327\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&- 0.2953823947269\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 37.811491088254\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&\\
&\\
&\quad - 2.3652160524262\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 18.947536346787 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.14843050319635\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&- 1.1895552592552\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 0.59598889782906\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.30316755373845\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.2193901782507\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 78.329712712325\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.455667508524\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.30740928863463\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 9.8728027894596 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.61760171224383\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 9.9265053883888 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 39.904448659915\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 2.4965760730766\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.2497673759692 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 20.039147504151\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.62798500227138 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.078736938431355\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.31623125283922\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 2.5337820274285\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.31693096935032\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0049603174603175\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.63572133515044\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.15952380952381\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.6401738748752\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.020039682539683\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&- 2.5695894743793\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^5 \\
&- 5.1392083109517 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&- 5.1871700912588 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6 \\
&- 42.176437480344\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 5.3284266300007\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7
\end{aligned}
$$

$$- 0.020833333333333\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.041666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7$$
$$- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.33333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^7$$
$$- 1.3411939155164\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 0.6709401226385\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 10.780361901663\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.6756216734808\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^6$$
$$- 0.6756216734808\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^6$$
$$- 10.825562205823\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.04256216734808\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^6$$
$$- 2.7327277861818\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3$$
$$- 5.4886766725646\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)$$
$$- 44.120166623467\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3$$
$$- 22.071100998466\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 5.575223411102\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 2.8166211807988\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.35225581832578\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$
$$- 0.088066203091411\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4$$
$$- 90.438003923471\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.011111111111111\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.022222222222222\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.17813425238495\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6$$
$$- 1.4323518201262\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 5.7734918511847\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 2.8935371648477\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 2.8991839422853\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)$$
$$- 11.605742954685\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)$$
$$- 11.65722002761\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 5.8428223656647\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 2.9311240753298\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 1.4740045952581\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^6$$

$$
\begin{aligned}
&- 23.683628416225\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&\\
&\quad - 2.9752260234873\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.093055555555556\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 24.018678756108\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&- 24.155994272926\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^2 \\
&- 0.023675095421723\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.18941084834089\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.76100274910263\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 0.0029761904761905\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^7 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.00074625056784481\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&- 6.1177199461393\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&- 0.19152975306636\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.38635049074622\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.77739621079385\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^4 \\
&- 24.904508819846\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 6.2377350163621\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 3.1357091669552\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right) \\
&- 0.098809523809524\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 1.5922883401475\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 0.0125\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.025\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.80471634930984\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^3 \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.20297740788983\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^7 \\
&- 0.40735593162251\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 104.42209573835\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 3.269693526464\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2 \\
&- 0.20493952575642\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^6 \\
&- 6.5604957638531\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 3.2860580442652\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.82338164463682\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 0.10416666666667\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&- 0.10438102931953\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&- 1.6725589370216\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.013293650793651\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.2128108367404\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.4256216734808\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.013492063492063\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^4 \\
&- 0.05420291941748\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.21755327337686\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&- 3.4874424175225\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 7.057862858282\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^2 \\
&- 0.11044804613841\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.44443048966007\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.11143439113742\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.44683244626155\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.0034911584080563\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 3.5794268513535\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.11186497706047\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 14.386519953561\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 14.522258389985\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6 \\
&- 0.056749556464107\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&- 3.6386317839698\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.9109092620606\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 29.237429982743\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.4628108367404\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.9301705366543\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 14.951412961501\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.93868585738384\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 1.8874697287411\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.060110371206268\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 30.884019087437\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.96933204849351\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 15.572293487982\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3 \\
&- 3.93332545326\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&+ 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.29792141836427\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.59584283672854\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.6012433469616\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 2.8512433469616\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6
\end{aligned}
$$

$$+ 3.8153132567197 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$

$$+ 1.0201739160715 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 8.4534702581682 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 0.070251374557497 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3$$
$$+ 0.14050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 0.62128975787201 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)$$
$$+ 0.6317162551106 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6$$
$$+ 1.3745592223967 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5$$
$$+ 7.7859147474771 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 0.14542297015121 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.58169188060482 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2$$
$$+ 2.4154992075448 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 2.8109988249382 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3$$
$$+ 0.088580662642395 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4$$
$$+ 23.399209363495 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 1.4896070918213 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2$$
$$+ 0.051619209558058 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)$$
$$+ 0.10323841911612 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6 \log\left(c_s\right)$$
$$+ 3.4615837374334 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.055787239966231 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^3$$
$$+ 0.055787239966231 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^3$$
$$+ 1.8804136519339 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^4$$
$$+ 15.938546530065 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$+ 1.0448897650509 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)$$
$$+ 1.1069174803111 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)$$
$$+ 2.3504333698703 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5$$
$$+ 0.60847012727131 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$+ 0.0012087360672543 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^3 \log\left(c_s\right)^5$$
$$+ 21.13950029507 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$+ 10.622099103241 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)$$
$$+ 0.16815916780236 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6$$
$$+ 11.169956663408 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.35125687278748 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 0.011444010951502 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)$$
$$+ 0.022888021903005 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)$$
$$+ 0.77911228776554 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.026253648508397 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.45689134486602 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$
$$+ 0.11536255277122 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6$$
$$+ 1.9444197858248 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6$$

$$
\begin{aligned}
&+ 0.99521541096016\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 2.0080938748245\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 16.828930065782\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 4.260301238838\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 68.201430253095\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&+ 0.034547915839952\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.15485762867417\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.16084896288889\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.005066924684295 3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.010133849368591\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.16736171989869\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&+ 22.309384357425\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 1.3957211837146\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 5.8433300291216\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.18694456986867\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.18765712337037\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.19832346916892\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.39664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.04983763498304\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 13.119584902498\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.10965392276784\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 7.0513001096108\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.0069444444444444\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 0.0069444444444444\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.006944444444444\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.11111111111111\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 14.281706779697\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.44644004448044\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 3.6181274168734\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.014285714285714\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.47396233914517\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.2379881630027\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.05952380952381\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.030218401681359\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 4.0166192378359\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 1.0089550068141\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.063102398042078\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.063288855839612\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^2 \\
&+ 0.50751010128524\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.12792957656249\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 0.016021615332104\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 2.0515056182899 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.25809604779029\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.064805931065422\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 8.3009980879745\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.0041666666666667\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&+ 0.0083333333333333\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^7 \\
&+ 0.016666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.016666666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.033333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.13561897679917\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 4.3755091052977\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.27723374955943\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.034722222222222\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.13946809991558\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.0043801525759256\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.56815450840381\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.14269162429701\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.14286066757522\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.57144267030087\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.0089452165354175\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^4 \\
&+ 0.28691533605899\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&+ 0.071957789884159\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.072266893381281\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s) \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^2 \\
&+ 0.58509032095382\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.075\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&+ 0.15\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 2.4258343319362\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^7 \\
&+ 0.019168321147323\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0097222222222222\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.038888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.078760945525191\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 1.2639664953669\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 1.2719974303204\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.162742772159\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^4 \\
&+ 1.3294985049978\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.16634024973566\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.67020401203704\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 0.021085243463426\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 1.3931863534011\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.70753456687263\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 2.8353555752171\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.4333015652997\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.023001985376788\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.094307956037723\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.76889973810609\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.012087360672543\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 25.353111816448\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 0.80516640251492\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 6.4752976134901\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.025334623421476\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 1.6339550068141\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.012778880764882\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.40912213356131\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&+ 0.21057208503687\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&+ 0.026356554329282\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&+ 6.7734567710397\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.7186042898853\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.86074600817697\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 0.054614417007374\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.21845766802949 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.0068632459300701 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.013732813141803 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right) \\
&+ 7.0551530405001 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.8898147479872 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.014050274911499 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 3.722296536703 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 7.6096335715431 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.0009306102430277 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.059584283672854 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.97155890373526 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right) \\
&+ 0.061943051469669 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right) \\
&+ 2.0107536923257 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 1.005803659257 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.031435985345908 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 32.198627657435 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.015813932597569 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \epsilon_7 \\
&+ 0.031627865195139 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \epsilon_7 \\
&+ 0.12723875170353 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 2.0397272999211 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.031947201912205 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.25629991270203 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.25692715012395 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.5159850819877 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.51774146489334 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 1.0354829297867 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.065085113293937 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 1.046790887786 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.1382787249839 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 34.228734843468 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.26763357198117 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.1437369275028 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.13404080240741 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.26808160481482 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 4.3271596206149 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.008461152470780 4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 8.7352760227158 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.06831317525214 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 2.1879447854299 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.069217531662732\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.27765285683648\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.55537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.55650877697538\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 1.1130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 4.4917903766253\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&+ 18.169874338259\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 18.336114745749\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&+ 0.036048804329381\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.018131041008815\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.58187407884207\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 4.6571251565894\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.018240928863463\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 1.1705595061327\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 0.0091509945734268\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right) \\
&+ 1.1771141746165\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 4.721294639774\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 9.49500674921\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 2.3796818499079\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.009297873327705 2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log\left(c_s\right)^3 \\
&+ 19.122329449221\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 1.2060424722911\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 9.6587651670055\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.075895500681414\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 0.60733190370772\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 2.4516030057012\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 2.4583532420847\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.61577463212638\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 9.9033391601409\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 2.5072182025785\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 2.5223875170353\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.63229909114057\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.039522012537503\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^4 \\
&+ 0.039799791375128\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.63900483764895\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^6 \\
&+ 2.5887073244667\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s) \\
&+ 20.965665035697\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 0.16384325102212\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log(c_s) \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.020833333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.083333333333333\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^7 \\
&+ 0.66781053237046\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 0.33483003336033\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^3 \\
&+ 0.084301649468996\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^3 \\
&+ 5.4333126826876\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^2 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^4 \\
&+ 0.34005797202385\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^3 \\
&+ 1.3602318880954\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.02128108367404\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^6 \\
&+ 10.948738459116\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^2 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^5 \\
&+ 0.086407908087229\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 2.7825438848769\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)^2 \\
&+ 0.021757249210578\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^2 \\
&+ 0.35260933967784\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 11.352753917383\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^5 \\
&+ 0.35547175435888\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^7 \\
&+ 0.0055555555555556\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.011111111111111\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.011111111111111\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.35750570203712\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 11.490166710569\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.72064727461005\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s) \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log(c_s)^2 \\
&+ 0.090412651199446\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 0.72483805085067\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.3626170597805\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.18179623437577\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.091378268973204\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.18275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.36897249343705 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 1.4758899737482 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.092290042216975\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.18582915440901\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.046489366638526\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.092978733277052\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 23.910786119577 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 6.0101854638924\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 1.5059700045428\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 24.101894647229\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.047140706622919\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.75829947878613\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.011904761904762\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.023809523809524\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 6.1120382485829\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 49.303535158437\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.006803096211543\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^6 \\
&+ 0.006803096211543\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&+ 12.458100792353\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.098351924380496\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 12.59981563941\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.19742944671582\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 3.160855213975\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 12.660008998947\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.79614417007374 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.0125\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.1 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 12.843053954807\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.40262983455285\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.20185852525697\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.20244396790257\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 0.20493952575642\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 3.2794986290945\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.83334906302977 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.41708998570998 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 6.7654939630812 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.42364052989792 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.2128108367404 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.21388888888889 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.42858200272566 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.026808160481482 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.013492063492063 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.054247590719667 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.43626891045362 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 3.5015484541741 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.22115425901672 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 3.5406997010804 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 7.0829426364527 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.44316616833261 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.055446749911886 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \\
&+ 0.22178699964754 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6 \\
&+ 0.11130175539508 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.22603162799861 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.0070936945580134 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 29.110365697231 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&+ 0.22768650204424 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.057220054757513 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right) \\
&+ 0.23244683319263 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.46849980415636 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.23584485562421 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.24021575820335 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 0.96086303281341 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.015200774052886 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^6 \\
&+ 31.283701494146 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.0076673284589293 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.0076673284589293 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^4 \\
&+ 0.49185486181541 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.49332075442919 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 3.9480225923654 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.99161734584458 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 15.916698398943 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.0625 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7
\end{aligned}
$$

$$- 0.067677650926669\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.13535530185334\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.1188018061234 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.33838825463334\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 1.0506216734808\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.5878108367404 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 4.1709280804459 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 1.5134325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6$$
$$- 0.40393026302571\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.091711966972197\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3$$
$$- 3.0854643912349\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.11106979298066\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)$$
$$- 4.0282002135122\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 1.2117907890771\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.66666692137714\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.34678002978461\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2$$
$$- 0.044734726851226\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4$$
$$- 23.910628067772 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 0.10179100136283\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.96863555478968\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.13122532309992\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.52495887900117 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 1.1427065425565\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 4.6543744059378 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.2946820801116 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 4.7884832490488 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.64555950613272\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.33320937894198\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)$$
$$- 22.578658817009\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.094748711297336\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 3.0859290263345\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 13.073981314037 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2$$
$$- 13.184802070472\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5$$
$$- 3.325341415587 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3$$
$$- 0.43904425785335\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.055555555555556\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.0035714285714286\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^7 \\
&- 0.057142857142857\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 1.8537947599316\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 1.8777474538658\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.0077380952380952\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.99830375639308\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.0039458492369539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&- 0.015783396947815\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.063246250567845\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&- 0.12649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.00099206349206349\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&- 0.00198412698412 7\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0079365079365079\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 4.1523505182796\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 1.0403400893538\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&- 0.52024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.0041666666666667\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.016666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&- 0.033333333333333\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.26823878310328\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.53647756620656\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 0.53898878886935\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.14345766802949\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6 \\
&- 0.07370720384136\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&- 1.1947962577945\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.075\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 2.4161190122654\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.0011904761904762\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0011904761904762\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&- 0.076343251022121\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&- 2.5896511841563\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&- 0.081213181112002\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^4 \\
&- 20.986566344591\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2$$
$$- 1.3515520299578\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.021579583901178\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.35426873061524\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 0.17966292962312 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 0.71865171849247 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 2.9338136403805\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)$$
$$- 0.092860667575218\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.046822144365735\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2$$
$$- 24.817923209651\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3$$
$$- 0.80757365000135\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6$$
$$- 0.40586447885547\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 0.84228834014747\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 1.7123606872079\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.21549889625041\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 14.075028383715\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.11613239792864\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6$$
$$- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4$$
$$- 0.059646302468301\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.96200897969431\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 3.8685809848949\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 3.9420289301797\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2$$
$$- 0.062429525820979\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.0039311479744497\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7$$
$$- 1.0136640224684\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.51234881439105\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 4.206375688665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 1.0648568340021\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3$$
$$- 4.2970860746032\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.033735498715413\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.27307208503687 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 2.1986098440216\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.13840235190498\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.55836150100673 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.56545446469434\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2$$
$$- 4.578513687216 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.57257652000988\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.2953823947269\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.1895552592552\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 9.6671357552394\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.075895500681414\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&- 9.8728027894596\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.61760171224383\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 19.934655360969\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 9.9760242467609\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 1.263596906152\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.31623125283922\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&- 0.0049603174603175\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^7 \\
&- 5.1392083109517\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&- 0.32188653972394\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^3 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^6 \\
&- 21.223782788082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&- 0.020833333333333\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.041666666666667\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.041666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.083333333333333\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.083333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.16666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 0.16666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 1.3411939155164\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&- 0.6709401226385\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 10.780361901663\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.02128108367404\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&- 1.365952420559\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&- 10.945412271816\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 43.786276156717\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 44.120166623467\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.69223728262285\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 5.575223411102\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 1.4083105903994\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.088544750794983\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 1.4198091120028\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.0013888888888889\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^7 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.044444444444444\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 1.4323518201262\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 5.7734918511847\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 2.9436249932636\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 2.9825052695538\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.37553429634459\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.011837547710862\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.18941084834089\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.18973875170353\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.0029761904761905\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.023809523809524\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 6.1580419322535\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.097222222222222\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 1.560746008177\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right) \\
&- 0.09827627178848\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 1.5748766370035\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.0125\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.025\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.1\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&- 1.6027145364573\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.20297740788983\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^7 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&- 0.20493952575642\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 6.5604957638531\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.20833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.052777777777778\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 13.84186617469\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^4 \\
&- 0.054166666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.05420291941748\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.21755327337686\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 3.5133794651612\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.7578372471794\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&- 0.88690358400992\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 0.11143439113742\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.44683244626155\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.11186497706047\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 3.6002505307235\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.028374778232054\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.056749556464107\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.9109092620606\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 0.9301705366543\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&- 15.027743483948\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 1.8874697287411\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.95638445352996\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 3.8291912582748\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 0.060110371206268\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.9259759153191\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^3 \\
&- 0.1222826226296\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.49019528501559\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 0.12296371545385\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.29792141836427\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.070251374557497\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.310644878936\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&+ 0.14542297015121\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 1.4054994124691\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.051619209558058\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.027893619983116\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.055787239966231\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 2.3504333698703\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log\left(c_s\right)^5 \\
&+ 0.0048349442690174\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log\left(c_s\right)^5 \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 0.67263667120942\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.011444010951502\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.026253648508397\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.080424481444445\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.0050669246842953\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.34893029592866\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 5.8433300291216\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 1.4972634588751\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 3.1047501043929\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.19832346916892\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.054826961383922\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 0.0069444444444444\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.11161001112011\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.0071428571428571\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^7 \\
&+ 0.003626208201763\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log(c_s)^5 \\
&+ 0.007252416403526 1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&+ 3.7842513057942\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.11849058478629\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 0.11899408150135\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^4 \\
&+ 4.0166192378359\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.50447750340707\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 8.3009980879745\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^6 \\
&+ 0.0040535397474362\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^6 \\
&+ 4.1527002641177\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.0041666666666667\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^7 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.033333333333333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 4.3755091052977\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 0.14286066757522\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^6 \\
&+ 0.28691533605899\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^2 \\
&+ 0.036165060479778\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^2 \\
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^7 \\
&+ 0.0095238095238095\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.038888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^4 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^4 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 0.34829658835028\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.0060436803362717\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s) \\
&+ 12.748219632814\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.80516640251492\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.41419317191467\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.21057208503687\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.054614417007374\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.0068664065709015\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.014050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.056201099645998\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.059584283672854\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.23833713469141\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s) \\
&+ 0.061943051469669\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 2.0107536923257\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.031435985345908\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 1.0198636499606\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.25629991270203\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.51774146489334\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.13404080240741\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.06831317525214\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.55650877697538\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 2.2578189236799\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 2.3285625782947\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.073102615178563\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.0022877486433567\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.009155208761202\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 4.721294639774\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.0092978733277052\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 0.037191493310821\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 9.5611647246107\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 1.2060424722911\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.075895500681414\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.62680455064463\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.15865877533513\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 1.3160075307885\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s) \\
&+ 0.041295367646446\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.33390526618523\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.042150824734498\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 1.3598181999474\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.34005797202385\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&+ 0.021601977021807\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 2.8178234193894\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^7 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&+ 0.0055555555555556\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 0.17875285101856\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.091378268973204\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.36897249343705\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.023072510554244\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.046489366638526\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.011904761904762\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 6.1120382485829\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.0030401548105772\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^6 \\
&+ 0.0060803096211543\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6 \\
&+ 12.59981563941\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 3.1650022497367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.05\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.20244396790257\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 0.10723264192593\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 0.027123795359834\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.054247590719667\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 3.5406997010804\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.44316616833261\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.055446749911886\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^2 \\
&+ 0.44520702158031\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 1.8739992166254\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&+ 0.23584485562421\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.24021575820335\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.0076673284589293\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&- 0.067677650926669\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 1.5134325102212\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.40393026302571\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.11106979298066\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&- 4.0282002135122\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.34678002978461\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&- 0.025447750340707\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.52495887900117\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 1.5429645131672\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 3.325341415587\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^3 \\
&- 0.21459102648262\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.055555555555556\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.45531747351967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.23074576087428\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.46943686346646\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.0039458492369539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 0.063246250567845\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.0009920634920634 9\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.007936507936507 9\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.52024866939232\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.033333333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.26823878310328\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.0005952380952380 9\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^7 \\
&- 0.001190476190476 2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.040606590556001\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^4 \\
&- 0.33788800748946\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&- 0.17966292962312\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.050597000454276\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.4708456698466\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.014911575617075\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&- 0.015607381455245\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 2.0572860175563\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 4.206375688665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&- 0.14634808595112\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.5859457490598\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.037947750340707\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&- 0.16094326986197\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^3 \\
&- 0.32287851826323\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.16339842833853\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&- 0.081975810302568\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.041666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&- 0.3549522780007\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&- 0.011111111111111\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&- 0.18848482156478\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 0.02456906794712\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&- 0.80537300408848\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.000198412698412 7\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log\left(c_s\right)^7 \\
&- 0.00079365079365079\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&- 0.10246976287821\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^4 \\
&- 0.054142120741335\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&- 6.9955221148636\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&- 3.5133794651612\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.0070936945580134\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6 \\
&- 0.030570655657399\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&- 0.061481857726926\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^5 \\
&+ 0.16815916780236\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.77618752609823\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^6 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^2 \\
&+ 0.0023809523809524\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^4 \\
&+ 3.1870549082036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.10354829297867\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.014050274911499\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^3 \\
&+ 0.059584283672854\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^2 \\
&+ 0.018275653794641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^5 \\
&+ 0.0022888021903005\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 0.0092978733277052\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right)^3 \\
&+ 0.039664693833783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.010323841911612\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log\left(c_s\right) \\
&+ 0.33995454998685\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.026808160481482\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^5 \\
&+ 0.11130175539508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2 \\
&+ 0.46849980415636\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.053647756620656\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3 \\
&- 0.013888888888889\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.012649250113569\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6 \\
&- 0.51432150438908\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6 \\
&- 0.0001984126984127\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^7 \\
&- 0.013535530185334\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4
\end{aligned}
$$

Relative order 8.

$$
\begin{aligned}
F_{s,8} = {} & 0.00049604426390103\epsilon_2^8 + 0.13576642583512\left(\alpha_0^{c_s}\right)^8 \\
&+ 21.635835262724\epsilon_1^8 - 0.53950377474289\left(\alpha_3^{c_s}\right)^2 \\
&- 0.0077855429463086\alpha_7^{c_s} - 5.7485039396239\left(\alpha_1^{c_s}\right)^4 \\
&+ 0.0084471713875443\alpha_4^{c_s}\epsilon_2^3 + 0.067577371100354\alpha_4^{c_s}\epsilon_1^3 \\
&+ 90.100022118962\epsilon_1^8 \log\left(c_s\right)^2 \\
&+ 0.018261210432598\left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^6 \\
&+ 0.15986391839497\left(\alpha_0^{c_s}\right)^7\epsilon_2 + 0.038032357940401\alpha_6^{c_s}\epsilon_1 \\
&+ 2.5281164366964\epsilon_1\epsilon_2^7 + 0.020035962215945\left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^6 \\
&+ 0.75220673352296\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s} + 0.0032083457385897\epsilon_2^5\epsilon_3^3 \\
&+ 0.00086805555555556\left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^8 + 959.56743402568\epsilon_1^5\epsilon_2^3 \\
&+ 1.7151924000441\epsilon_1^8 \log\left(c_s\right)^6 + 0.0035020153608826\left(\alpha_0^{c_s}\right)^3\epsilon_2^5 \\
&+ 32.635041701518\epsilon_1^8 \log\left(c_s\right)^4 + 16.627552493358\alpha_0^{c_s}\epsilon_1^7 \\
&+ 560.04721894605\epsilon_1^3\epsilon_2^5 + 1126.5353626893\epsilon_1^4\epsilon_2^4 \\
&+ 0.56312122120247\left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^5 \\
&+ 0.57536774711482\left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^4 \\
&+ 0.0022971993052199\left(\alpha_0^{c_s}\right)^7\epsilon_1 \\
&+ 0.30273851661011\left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^4 + 0.039658393115516\epsilon_2^6\epsilon_3^2 \\
&+ 5.2016819614576\left(\alpha_0^{c_s}\right)^2\epsilon_1^6 \\
&+ 0.020479958224344\left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^3 + 0.0025750181969943\epsilon_2\epsilon_3^7 \\
&+ 0.0026041666666667\left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^8 + 0.02095539533829\alpha_3^{c_s}\epsilon_1^4 \\
&+ 0.00069428574830237\epsilon_2^8 \log\left(c_s\right)^6 + 99.377115014742\epsilon_1^2\epsilon_2^6 \\
&+ 2.4801587301587 \cdot 10^{-5}\left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^8 \\
&+ 2.4801587301587 \cdot 10^{-5}\epsilon_2^8 \log\left(c_s\right)^8 \\
&+ 0.0063492063492063\epsilon_1^8 \log\left(c_s\right)^8 + 425.10010514066\epsilon_1^6\epsilon_2^2 \\
&+ 0.026180299395451\left(\alpha_0^{c_s}\right)^2\epsilon_2^6 + 0.0033843069610413\alpha_6^{c_s}\epsilon_2 \\
&+ 0.0034777919077136\epsilon_2^8 \log\left(c_s\right)^4 + 0.0036319086910157\alpha_0^{c_s}\epsilon_2^7 \\
&+ 0.0018775197601492\left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^7 + 125.17166542404\epsilon_1^7\epsilon_2 \\
&+ 0.0038342485089527\epsilon_2^8 \log\left(c_s\right)^2 + 0.49421174549299\epsilon_2^3\epsilon_3^5
\end{aligned}
$$

$$
\begin{aligned}
&- 2.9209454182245 \left(\alpha_0^{c_s}\right)^4 \alpha_3^{c_s} \\
&- 28.233703726212 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^3 \\
&- 1.8176080768191 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} - 0.058564275697295 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^4 \\
&- 0.0018329976745516 \alpha_7^{c_s} \log\left(c_s\right)^5 - 0.00025205612013125 \alpha_7^{c_s} \log\left(c_s\right)^7 \\
&- 1.0652754470039 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right) \\
&- 69.019911354479 \epsilon_1^8 \log\left(c_s\right)^3 - 0.15992912079022 \epsilon_2^2 \epsilon_3^6 \\
&- 1.3332373196883 \left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^3 - 0.002833484738989 \alpha_1^{c_s} \epsilon_2^6 \\
&- 0.94055253686928 \alpha_2^{c_s} \epsilon_1^5 - 0.302458674984 67 \epsilon_2^4 \epsilon_3^4 \\
&- 0.68396412837837 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^3 - 0.0086505599569768 \epsilon_2^7 \epsilon_3 \\
&- 0.0005495518928506 \alpha_7^{c_s} \log\left(c_s\right)^6 - 0.16404506181783 \epsilon_1^8 \log\left(c_s\right)^7 \\
&- 1.3681920198827 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^5 \\
&- 0.024604597992156 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^6 - 0.42717570038771 \alpha_1^{c_s} \alpha_5^{c_s} \\
&- 0.059463228983385 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^4 - 0.0038434183379277 \epsilon_2^8 \log\left(c_s\right)^3 \\
&- 0.99375381345012 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^4 - 0.015631872009159 \alpha_7^{c_s} \log\left(c_s\right) \\
&- 8.2920194977019 \alpha_1^{c_s} \left(\alpha_2^{c_s}\right)^2 \\
&- 1.0414485132851 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&- 0.27610109901058 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 9.0659261481381 \left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right) \\
&- 0.58642168465676 \left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^2 \\
&- 0.59745100717161 \left(\alpha_0^{c_s}\right)^2 \alpha_5^{c_s} - 9.6523310479712 \epsilon_1^8 \log\left(c_s\right)^5 \\
&- 0.31653583606082 \left(\alpha_2^{c_s}\right)^2 \epsilon_2^2 - 0.009938899489688 \alpha_7^{c_s} \log\left(c_s\right)^3 \\
&- 0.39210144585228 \left(\alpha_0^{c_s}\right)^6 \epsilon_1^2 \\
&- 0.02602442416815 \left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right) - 0.86444637012413 \alpha_2^{c_s} \alpha_4^{c_s} \\
&- 0.11189387963976 \alpha_5^{c_s} \epsilon_1^2 - 0.0019285382786583 \alpha_2^{c_s} \epsilon_2^5 \\
&- 0.062836738583165 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \\
&- 0.12595608723285 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^3 - 1.0076486978628 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^3 \\
&- 66.80832894804 \epsilon_1^8 \log\left(c_s\right) - 2.111274706371 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \\
&- 2.1743090273944 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^4 - 2.2076474101468 \left(\alpha_0^{c_s}\right)^5 \alpha_2^{c_s} \\
&- 0.017781462381231 \alpha_5^{c_s} \epsilon_2^2 - 0.036034107386219 \left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^7 \\
&- 0.0011368327687576 \left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^7 \\
&- 0.00014476927669415 \epsilon_2^8 \log\left(c_s\right)^7 - 5.1946090873862 \left(\alpha_1^{c_s}\right)^3 \epsilon_1^2 \\
&- 11.012366541883 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \\
&- 5.5733928631692 \left(\alpha_1^{c_s}\right)^4 \log\left(c_s\right)^2 - 1.4210134045918 \alpha_1^{c_s} \epsilon_1^6 \\
&- 0.0055626319643437 \alpha_7^{c_s} \log\left(c_s\right)^4 \\
&- 11.434181918963 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^{c_s}\right)^2 \\
&- 0.0014664103195426 \epsilon_2^8 \log\left(c_s\right) - 6.1625122603578 \left(\alpha_1^{c_s}\right)^2 \alpha_3^{c_s} \\
&- 0.098205674769893 \left(\alpha_3^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 2.4801587301587 \cdot 10^{-5} \alpha_7^{c_s} \log\left(c_s\right)^8 - 0.0066000626620014 \alpha_3^{c_s} \epsilon_2^4 \\
&- 0.10600207787138 \alpha_0^{c_s} \alpha_6^{c_s} - 0.0016726912120493 \epsilon_2^8 \log\left(c_s\right)^5 \\
&- 0.86043994734542 \left(\alpha_1^{c_s}\right)^3 \epsilon_2^2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.12305738358484 \left(\alpha_0^{c_s}\right)^8 \log\left(c_s\right)^5 \\
&- 0.015613512393314 \alpha_7^{c_s} \log\left(c_s\right)^2 \\
&+ 0.10821582709718 \epsilon_1 \epsilon_2^7 \log\left(c_s\right)^4 \\
&+ 0.03213964810713 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_2 + 0.65083141944575 \alpha_3^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 1.148927168066 \alpha_3^{c_s} \epsilon_1^4 \log\left(c_s\right)^2 \\
&+ 0.30946319985189 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^6 \log\left(c_s\right)^2 \\
&+ 79.300115681737 \alpha_0^{c_s} \epsilon_1^6 \epsilon_2 \\
&+ 5.6294301300484 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^4 \\
&+ 0.38566458855372 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.00020145601120906 \epsilon_2 \epsilon_3^7 \log\left(c_s\right)^6 \\
&+ 0.1054129303158 \alpha_6^{c_s} \epsilon_1 \log\left(c_s\right)^3 + 64.645540808042 \epsilon_1^6 \epsilon_2 \epsilon_3 \\
&+ 0.12999044650175 \alpha_1^{c_s} \epsilon_2 \epsilon_3^5 + 0.27619349266276 \alpha_3^{c_s} \epsilon_2 \epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 574.1055876891 \epsilon_1^5 \epsilon_2^2 \epsilon_3 + 0.070747199159181 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^3 \\
&+ 0.56597759327344 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^3 + 74.54406725686 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^4 \\
&+ 0.30538590973882 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_2 \\
&+ 0.67700940747567 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^3 \log\left(c_s\right) \\
&+ 5.4160752598053 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^3 \log\left(c_s\right) \\
&+ 0.010587689312048 \alpha_2^{c_s} \epsilon_2^5 \log\left(c_s\right) \\
&+ 1392.475991926 \epsilon_1^3 \epsilon_2^4 \epsilon_3 + 5.7679304328448 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \\
&+ 2.9490883302207 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 3.0498935742008 \epsilon_1^5 \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.1994520869418 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 13.762917624813 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \\
&+ 1.7642406418719 \left(\alpha_0^{c_s}\right)^5 \alpha_2^{c_s} \log\left(c_s\right) \\
&+ 0.015693312391031 \epsilon_1 \epsilon_2 \epsilon_3^6 \\
&+ 4.0845128511565 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \epsilon_3 \\
&+ 0.00025557761529764 \epsilon_2 \epsilon_3^7 \log\left(c_s\right)^5 \\
&+ 568.04978637561 \epsilon_1^2 \epsilon_2^4 \epsilon_3^2 \\
&+ 19.245500410014 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^3 \\
&+ 0.020548865753165 \alpha_6^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.65796351392854 \alpha_4^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.16586943209869 \epsilon_2^6 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.3541297243054 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^6 \\
&+ 1.4516865607701 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \epsilon_3 \\
&+ 1563.8794692863 \epsilon_1^4 \epsilon_2^3 \epsilon_3 \\
&+ 3.0997634098601 \left(\alpha_0^{c_s}\right)^5 \alpha_2^{c_s} \log\left(c_s\right)^3 \\
&+ 411.27038052401 \epsilon_1^2 \epsilon_2^5 \epsilon_3 \\
&+ 0.42327646746978 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&+ 109.48168530029 \epsilon_1^6 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 3.4433710378767 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.86747044203333\epsilon_2^4\epsilon_3^4 \log(c_s)^6 \\
&+ 0.1146338698876 (\alpha_0^{c_s})^7 \epsilon_2 \log(c_s)^6 \\
&+ 514.50450423595\alpha_0^{c_s}\epsilon_1^4\epsilon_2^3 \\
&+ 1.0088892913919 (\alpha_0^{c_s})^6 \alpha_1^{c_s} \log(c_s)^2 \\
&+ 0.031742559185181\epsilon_2^2\epsilon_3^6 \log(c_s)^6 \\
&+ 0.032885014329094 (\alpha_0^{c_s})^2 \alpha_5^{c_s} \log(c_s)^6 \\
&+ 8.5987213443876 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^3 \log(c_s)^4 \\
&+ 8.6440503968782\alpha_1^{c_s}\epsilon_1^6 \log(c_s) \\
&+ 0.033954037646425\alpha_0^{c_s}\epsilon_2\epsilon_3^6 \\
&+ 70.123929999627 (\alpha_0^{c_s})^3 \epsilon_1^5 \log(c_s)^2 \\
&+ 73.151274071939\epsilon_1\epsilon_2^5\epsilon_3^2 + 18.47252175059\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2 \\
&+ 0.0022836090279604\alpha_6^{c_s}\epsilon_2 \log(c_s)^6 \\
&+ 0.1488332399354\epsilon_1^3\epsilon_2^5 \log(c_s)^5 \\
&+ 2.5025500799908\alpha_2^{c_s}\epsilon_1\epsilon_2^4 \\
&+ 0.040535397474362\alpha_1^{c_s} (\alpha_2^{c_s})^2 \log(c_s)^7 \\
&+ 0.64883923355655 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^3 \\
&+ 0.16850260852307 (\alpha_0^{c_s})^7 \epsilon_2 \log(c_s) \\
&+ 0.6801759192548\epsilon_2^6\epsilon_3^2 \log(c_s)^4 \\
&+ 43.895456396804\epsilon_1^7\epsilon_2 \log(c_s)^5 \\
&+ 0.3605025475792\epsilon_2\epsilon_3^5\epsilon_4^2 \\
&+ 11.622099136745 (\alpha_1^{c_s})^2 \epsilon_1^2\epsilon_2^2 \\
&+ 94.590870047874 (\alpha_0^{c_s})^3 \epsilon_1^5 \log(c_s)^4 \\
&+ 6.0199452171473\alpha_0^{c_s}\epsilon_1^7 \log(c_s)^6 \\
&+ 1.5255994904642 (\alpha_1^{c_s})^2 \epsilon_1^3\epsilon_2 \\
&+ 0.0015020158081193\alpha_1^{c_s}\alpha_5^{c_s} \log(c_s)^7 \\
&+ 0.0030040316162386\alpha_2^{c_s}\alpha_4^{c_s} \log(c_s)^7 \\
&+ 1.5611820373371 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^3 \\
&+ 0.097852214034365\alpha_3^{c_s}\epsilon_1^4 \log(c_s)^5 \\
&+ 0.049417094204409\alpha_2^{c_s}\epsilon_2^5 \log(c_s)^4 \\
&+ 0.10325879891978\alpha_6^{c_s}\epsilon_1 \log(c_s) \\
&+ 0.0016151427273498\alpha_4^{c_s}\epsilon_2^3 \log(c_s)^7 \\
&+ 0.012921141818798\alpha_4^{c_s}\epsilon_1^3 \log(c_s)^7 \\
&+ 13.261679351372\epsilon_1^2\epsilon_2^6 \log(c_s)^2 \\
&+ 0.85635975492423\epsilon_2^3\epsilon_3^5 \log(c_s)^2 \\
&+ 0.0068896283036679\epsilon_1^2\epsilon_2^6 \log(c_s)^6 \\
&+ 0.0017361111111111 (\alpha_0^{c_s})^4 \epsilon_2^4 \log(c_s)^8 \\
&+ 0.0069444444444444 (\alpha_0^{c_s})^2 (\alpha_2^{c_s})^2 \log(c_s)^8 \\
&+ 0.0069444444444444 (\alpha_2^{c_s})^2 \epsilon_2^2 \log(c_s)^8 \\
&+ 0.027777777777778 (\alpha_0^{c_s})^4 \epsilon_1^4 \log(c_s)^8 \\
&+ 0.027777777777778 (\alpha_2^{c_s})^2 \epsilon_1^2 \log(c_s)^8 \\
&+ 0.44524634443881\alpha_3^{c_s}\epsilon_1^4 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.2242187734077\alpha_0^{c_s}\epsilon_2^5\epsilon_3^2 \\
&+ 0.2266618738763\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_2 \\
&+ 14.820988072058\alpha_2^{c_s}\epsilon_1^2\epsilon_2^3 \\
&+ 0.0590751404092\left(\alpha_0^{c_s}\right)^2\epsilon_2^6\log\left(c_s\right)^6 \\
&+ 0.50602494227971\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^4 \\
&+ 0.5070910273986\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\epsilon_3 \\
&+ 8.2340694175279\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\epsilon_1 \\
&+ 4.1330842873516\alpha_1^{c_s}\epsilon_1\epsilon_2^5 \\
&+ 1.0338424678772\left(\alpha_0^{c_s}\right)^4\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 0.0040535397474362\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s}\log\left(c_s\right)^7 \\
&+ 0.0040535397474362\epsilon_2^7\epsilon_3\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.032782215066675\alpha_4^{c_s}\epsilon_2^3\log\left(c_s\right)^5 \\
&+ 0.2622577205334\alpha_4^{c_s}\epsilon_1^3\log\left(c_s\right)^5 \\
&+ 0.13471048127383\alpha_6^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.008564063458743 7\alpha_4^{c_s}\epsilon_2^3\log\left(c_s\right)^4 \\
&+ 0.06851250766995\alpha_4^{c_s}\epsilon_1^3\log\left(c_s\right)^4 \\
&+ 0.54954339184893\epsilon_2^6\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 2.1989579050185\left(\alpha_0^{c_s}\right)^6\epsilon_1^2\log\left(c_s\right) \\
&+ 2.2043708502577\alpha_3^{c_s}\epsilon_1^2\epsilon_2^2 + 0.13874010924247\alpha_3^{c_s}\epsilon_2^3\epsilon_3 \\
&+ 35.622219434583\epsilon_1^5\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 71.321882220222\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2^2 \\
&+ 0.14164550584844\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3\log\left(c_s\right)^2 \\
&+ 18.568056359621\epsilon_1^6\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 1.1670183519846\left(\alpha_0^{c_s}\right)^3\epsilon_2^5\log\left(c_s\right)^4 \\
&+ 18.897851300467\epsilon_1\epsilon_2^3\epsilon_3^4 \\
&+ 0.0092323217818253\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right)^6 \\
&+ 0.14828690783457\alpha_5^{c_s}\epsilon_1\epsilon_2 \\
&+ 9.5405856995067\left(\alpha_0^{c_s}\right)^6\epsilon_1^2\log\left(c_s\right)^4 \\
&+ 0.076094102561069\alpha_5^{c_s}\epsilon_2\epsilon_3 + 1.2298979277981\epsilon_2^3\epsilon_3^3\epsilon_4^2 \\
&+ 4.9679319727121\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_1 \\
&+ 10.023793018897\left(\alpha_0^{c_s}\right)^2\epsilon_1^6\log\left(c_s\right)^6 \\
&+ 1.2760551743053\epsilon_1\epsilon_2^7\log\left(c_s\right)^2 \\
&+ 2.5543664150257\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_1 \\
&+ 0.64144565350813\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2\epsilon_2 \\
&+ 41.168958973192\epsilon_1^6\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 84.681757882076\alpha_0^{c_s}\epsilon_1^7\log\left(c_s\right)^4 \\
&+ 0.00065100676170803\epsilon_2^5\epsilon_3\epsilon_4^2 \\
&+ 1.3483871261148\epsilon_1^7\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3^7\log\left(c_s\right) \\
&+ 1.3528104469601\epsilon_2^5\epsilon_3^3\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 22.49674512366\epsilon_1\epsilon_2^6\epsilon_3 + 1.417945923883\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4 \\
&+ 0.022245190123184\alpha_2^{c_s}\epsilon_2^5\log\left(c_s\right)^6 \\
&+ 91.305257173569\alpha_1^{c_s}\epsilon_1^3\epsilon_2^3 \\
&+ 5.7365902050335\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s}\log\left(c_s\right) \\
&+ 23.193530192963\left(\alpha_0^{c_s}\right)^4\epsilon_1^4\log\left(c_s\right)^2 \\
&+ 1.4585006181085\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s}\log\left(c_s\right)^5 \\
&+ 5.863261009137\left(\alpha_0^{c_s}\right)^5\alpha_2^{c_s}\log\left(c_s\right)^2 \\
&+ 0.046074224626214\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)^3 \\
&+ 0.046591760247974\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right)^2 \\
&+ 24.618047851405\epsilon_1^4\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 0.003013755039981 5\epsilon_2\epsilon_3^7\log\left(c_s\right)^3 \\
&+ 0.04881104311387\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right)^4 \\
&+ 0.78510288862734\left(\alpha_0^{c_s}\right)^3\epsilon_2^5\log\left(c_s\right)^2 \\
&+ 0.20079393223971\left(\alpha_1^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 0.051574930683804\alpha_1^{c_s}\epsilon_2^6\log\left(c_s\right)^5 \\
&+ 211.87528519639\alpha_0^{c_s}\epsilon_1^2\epsilon_2^5 + 1.6555330003911\alpha_3^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 3.3382187995647\left(\alpha_1^{c_s}\right)^2\epsilon_1^4\log\left(c_s\right)^6 \\
&+ 0.42382128305533\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_1 + 0.10750509914808\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_2 \\
&+ 1.7219153802095\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^3 \\
&+ 0.86343578564234\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2 \\
&+ 0.21612985879037\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)^6 \\
&+ 0.00042914737374838\alpha_0^{c_s}\alpha_6^{c_s}\log\left(c_s\right)^7 \\
&+ 28.14567444202\epsilon_1^3\epsilon_2^5\log\left(c_s\right)^2 \\
&+ 0.45154571817951\left(\alpha_1^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^7 \\
&+ 1.8100968466279\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s}\log\left(c_s\right)^3 \\
&+ 0.22746976287821\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3\log\left(c_s\right)^7 \\
&+ 58.414382089014\left(\alpha_0^{c_s}\right)^4\epsilon_1^4\log\left(c_s\right)^4 \\
&+ 3.7534171088532\alpha_2^{c_s}\epsilon_1^5\log\left(c_s\right)^4 \\
&+ 0.059427708251846\alpha_6^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 0.030455937300527\alpha_6^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 128.54037047084\left(\alpha_0^{c_s}\right)^2\epsilon_1^6\log\left(c_s\right)^2 \\
&+ 0.25187065336087\epsilon_2^3\epsilon_3^2\epsilon_4^3 \\
&+ 0.25257028235105\epsilon_1^3\epsilon_2^5\log\left(c_s\right)^6 \\
&+ 8.1085646526069\left(\alpha_1^{c_s}\right)^3\epsilon_1\epsilon_2 \\
&+ 2.0437973362739\epsilon_1^2\epsilon_2\epsilon_3^5 \\
&+ 16.366861781601\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2^2 \\
&+ 0.0080050625851594\epsilon_2^6\epsilon_3\epsilon_4 \\
&+ 0.25719080253003\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^6 \\
&+ 0.0080960037377583\alpha_6^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&+ 0.032591019536462\epsilon_2^7\epsilon_3\log\left(c_s\right) \\
&+ 1.0550798668433\epsilon_2^3\epsilon_3^5\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.1112952445027\alpha_2^{c_s}\epsilon_1^5\log\left(c_s\right)\\
&+ 0.13460263245436\left(\alpha_1^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right)^6\\
&+ 4.3122542021622\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_1\\
&+ 35.485100498053\alpha_1^{c_s}\epsilon_1^6\log\left(c_s\right)^3\\
&+ 2.2200252531955\epsilon_2^5\epsilon_3^3\log\left(c_s\right)^3\\
&+ 4.4608885353018\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^5\\
&+ 0.13984721128655\epsilon_2^3\epsilon_3^5\log\left(c_s\right)^7\\
&+ 0.28076320069818\left(\alpha_0^{c_s}\right)^5\epsilon_2^3\log\left(c_s\right)^2\\
&+ 2.2461056055854\left(\alpha_0^{c_s}\right)^5\epsilon_1^3\log\left(c_s\right)^2\\
&+ 9.0306328984117\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^3\\
\\
&+ 2.2636325200591\epsilon_2^4\epsilon_3^4\log\left(c_s\right)^4\\
&+ 18.149870325484\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_1\\
&+ 0.035514397385625\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^6\\
&+ 1.1405831770635\left(\alpha_0^{c_s}\right)^6\epsilon_1^2\log\left(c_s\right)^6\\
&+ 0.071334668847587\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\\
&+ 0.57067735078069\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\\
&+ 0.071623427897736\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)\\
&+ 4.6057804977367\left(\alpha_0^{c_s}\right)^3\epsilon_1^4\epsilon_2\\
&+ 0.0090090146040242\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_2\\
&+ 0.14425660898472\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\epsilon_2\\
&+ 297.39202851648\epsilon_1^2\epsilon_2^3\epsilon_3^3\\
&+ 149.24139498583\alpha_0^{c_s}\epsilon_1^7\log\left(c_s\right)^2\\
&+ 1194.1062899694\epsilon_1^3\epsilon_2^3\epsilon_3^2\\
&+ 1.1726671406673\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^4\\
&+ 2.3548128213042\left(\alpha_0^{c_s}\right)^4\epsilon_1^4\log\left(c_s\right)\\
&+ 75.704383871541\epsilon_1\epsilon_2^4\epsilon_3^3\\
&+ 0.037040028952739\alpha_4^{c_s}\epsilon_2^3\log\left(c_s\right)^2\\
&+ 0.29632023162191\alpha_4^{c_s}\epsilon_1^3\log\left(c_s\right)^2\\
&+ 2.371126625548\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)^4\\
&+ 0.00014476927669415\epsilon_2\epsilon_3^7\log\left(c_s\right)^7\\
&+ 0.0023244683319263\epsilon_2\epsilon_3^7\log\left(c_s\right)^4\\
&+ 4.7991231522815\epsilon_1^4\epsilon_2^4\log\left(c_s\right)^4\\
&+ 2.4015801684222\left(\alpha_1^{c_s}\right)^2\epsilon_1^4\log\left(c_s\right)\\
&+ 0.037538542167852\alpha_6^{c_s}\epsilon_2\log\left(c_s\right)^2\\
&+ 9.6232665171055\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^{c_s}\right)^2\log\left(c_s\right)^3\\
&+ 38.570717367736\epsilon_1^4\epsilon_2\epsilon_3^3\\
&+ 0.60636485421882\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^3\\
&+ 0.037911627146368\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s}\log\left(c_s\right)^7\\
&+ 310.7998538283\epsilon_1^3\epsilon_2^2\epsilon_3^3\\
&+ 0.15200774052886\epsilon_2^5\epsilon_3^3\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.30501208598933 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 78.342395722315 \epsilon_1^5 \epsilon_2 \epsilon_3^2 + 627.71557432934 \epsilon_1^4 \epsilon_2^2 \epsilon_3^2 \\
&+ 4.909653898092 \alpha_2^{c_s} \epsilon_1^3 \epsilon_2^2 \\
&+ 2.4591978727641 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.15770729562565 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3^2 \\
&+ 0.16189595051915 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \epsilon_3 \\
&+ 664.05095649818 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^4 + 0.16222614641064 \epsilon_2 \epsilon_3^2 \epsilon_4^5 \\
&+ 10.406346800309 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^5 \log\left(c_s\right)^6 \\
&+ 0.081428345008039 \alpha_4^{c_s} \epsilon_2^3 \log\left(c_s\right)^3 \\
&+ 0.65142676006431 \alpha_4^{c_s} \epsilon_1^3 \log\left(c_s\right)^3 \\
&+ 0.020402374673262 \alpha_6^{c_s} \epsilon_2 \log\left(c_s\right) + 0.0025750181969943 \epsilon_2 \epsilon_3 \epsilon_4^6 \\
&+ 0.0051619209558058 \epsilon_2 \epsilon_3^7 \log\left(c_s\right)^2 \\
&+ 1.3256196494316 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^3 \\
&+ 0.0052083333333333 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^8 \\
&+ 0.0052083333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^8 \\
&+ 0.083333333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^8 \\
&+ 0.66901931644669 \epsilon_2^5 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.16784796040837 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^3 + 1.3427836832669 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^3 \\
&+ 0.33661121972918 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^6 \log\left(c_s\right)^4 \\
&+ 2.6953226884719 \epsilon_1^5 \epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.0421875 \epsilon_2^4 \epsilon_3^4 \log\left(c_s\right)^8 \\
&+ 0.34109950278816 \epsilon_2^4 \epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.010662934782557 \alpha_6^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.0054424286363251 \alpha_1^{c_s} \epsilon_2^6 \log\left(c_s\right)^7 \\
&+ 0.043777284963457 \epsilon_2^7 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.17586794383078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^5 \\
&+ 0.00069444444444444 \alpha_1^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^8 \\
&+ 0.0069444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^6 \log\left(c_s\right)^8 \\
&+ 0.0069444444444444 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \alpha_2^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^5 \alpha_2^{c_s} \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \alpha_2^{c_s} \epsilon_2^5 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \alpha_4^{c_s} \epsilon_2^3 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^5 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^3 \log\left(c_s\right)^8 \\
&+ 0.0027777777777778 \left(\alpha_0^{c_s}\right)^6 \epsilon_1^2 \log\left(c_s\right)^8 \\
&+ 0.011111111111111 \alpha_4^{c_s} \epsilon_1^3 \log\left(c_s\right)^8 \\
&+ 0.011111111111111 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^3 \log\left(c_s\right)^8 \\
&+ 0.044444444444444 \alpha_2^{c_s} \epsilon_1^5 \log\left(c_s\right)^8 \\
&+ 0.044444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^6 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.044444444444444 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^5 \log\left(c_s\right)^8 \\
&+ 0.7153643391237 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \log\left(c_s\right) \\
&+ 0.011220878643821 \alpha_2^{c_s} \epsilon_2^5 \log\left(c_s\right)^2 \\
&+ 0.35930977629574 \left(\alpha_0^{c_s}\right)^5 \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&+ 23.073663907697 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^2 \\
&+ 0.045214299317064 \alpha_4^{c_s} \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.36171439453651 \alpha_4^{c_s} \epsilon_1^3 \log\left(c_s\right) \\
&+ 1.4500821324927 \left(\alpha_0^{c_s}\right)^7 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.090736828500206 \alpha_1^{c_s} \epsilon_2^6 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0014212108658119 \alpha_6^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.36608036667686 \epsilon_1^2 \epsilon_2^6 \log\left(c_s\right)^4 \\
&+ 0.091666666666667 \epsilon_1^4 \epsilon_2^4 \log\left(c_s\right)^8 \\
&+ 0.092332551274073 \epsilon_2^7 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 2.9568854651314 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \\
&+ 1.4843854236842 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_1 \\
&+ 0.74831543272481 \alpha_1^{c_s} \epsilon_1^6 \log\left(c_s\right)^7 \\
&+ 48.17023978029 \epsilon_1^5 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.047362816453958 \alpha_1^{c_s} \epsilon_2^5 \epsilon_3 \\
&+ 0.0060315270308325 \alpha_4^{c_s} \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 0.04825221624666 \alpha_4^{c_s} \epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.77508047729529 \epsilon_2 \epsilon_3^3 \epsilon_4^4 + 1.5602752703669 \epsilon_2^3 \epsilon_3^4 \epsilon_4 \\
&+ 0.19648171535134 \alpha_4^{c_s} \epsilon_2 \epsilon_3^2 \\
&+ 101.31879905979 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^3 \\
&+ 12.681992264271 \epsilon_1^3 \epsilon_2 \epsilon_3^4 \\
&+ 0.3972283127523 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3^2 \\
&+ 0.19961116509385 \left(\alpha_1^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.2 \epsilon_1^6 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.0031498015873016 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right)^8 \\
&+ 1.6246149910018 \alpha_2^{c_s} \epsilon_1^5 \log\left(c_s\right)^6 \\
&+ 4.9603174603175 \cdot 10^{-5} \epsilon_1 \epsilon_2^7 \log\left(c_s\right)^8 \\
&+ 9.9206349206349 \cdot 10^{-5} \epsilon_1^2 \epsilon_2^6 \log\left(c_s\right)^8 \\
&+ 0.0001984126984127 \alpha_0^{c_s} \alpha_6^{c_s} \log\left(c_s\right)^8 \\
&+ 0.0001984126984127 \alpha_0^{c_s} \epsilon_2^7 \log\left(c_s\right)^8 \\
&+ 0.0001984126984127 \alpha_6^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.0001984126984127 \left(\alpha_0^{c_s}\right)^7 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.0003968253968254 \alpha_6^{c_s} \epsilon_1 \log\left(c_s\right)^8 \\
&+ 0.0003968253968254 \left(\alpha_0^{c_s}\right)^7 \epsilon_1 \log\left(c_s\right)^8 \\
&+ 0.025396825396825 \alpha_0^{c_s} \epsilon_1^7 \log\left(c_s\right)^8 \\
&+ 0.0031894049241461 \alpha_3^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 52.595038046733 \epsilon_1^7 \epsilon_2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0032392471284491\alpha_6^{c_s}\epsilon_1 \log\left(c_s\right)^7 \\
&+ 212.92244374476\alpha_0^{c_s}\epsilon_1^5\epsilon_2^2 \\
&+ 1.6780531045294\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&+ 0.026275761969658\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s} \log\left(c_s\right)^7 \\
&+ 0.84302693363413\epsilon_2^3\epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 0.0065972222222222\epsilon_2^6\epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 3.3852022036406\left(\alpha_0^{c_s}\right)^5\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 27.081617629125\left(\alpha_0^{c_s}\right)^5\epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 0.21190776050896\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2 \\
&+ 6.7839515531499\epsilon_1^4\epsilon_2^4 \log\left(c_s\right)^5 \\
&+ 0.84861690576416\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\epsilon_3 \\
&+ 0.026584931100504\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^3 \\
&+ 0.21267944880403\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^3 \\
&+ 0.10658603434189\alpha_3^{c_s}\epsilon_1^4 \log\left(c_s\right)^7 \\
&+ 110.3773537174\left(\alpha_0^{c_s}\right)^2\epsilon_1^6 \log\left(c_s\right)^4 \\
&+ 0.054075382136881\epsilon_2\epsilon_3^6\epsilon_4 \\
&+ 13.963319512653\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_1 \\
&+ 113.71779350187\epsilon_1^7\epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.44538903252193\left(\alpha_0^{c_s}\right)^5\epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 3.5631122601755\left(\alpha_0^{c_s}\right)^5\epsilon_1^3 \log\left(c_s\right)^6 \\
&+ 0.027920492279322\alpha_6^{c_s}\epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.90125636894801\epsilon_2\epsilon_3^4\epsilon_4^3 \\
&+ 0.028414984231925\alpha_1^{c_s}\epsilon_2^6 \log\left(c_s\right) \\
&+ 14.576111791897\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3 \log\left(c_s\right)^3 \\
&+ 7.343270088069\left(\alpha_0^{c_s}\right)^4\epsilon_1^4 \log\left(c_s\right)^6 \\
&+ 0.94514011617734\epsilon_2^3\epsilon_3^5 \log\left(c_s\right) \\
&+ 7.5732980574275\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right) \\
&+ 1.9384160867261\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 0.0037908453223527\epsilon_1\epsilon_2^7 \log\left(c_s\right)^6 \\
&+ 0.48540743601774\alpha_2^{c_s}\epsilon_2^3\epsilon_3^2 + 0.0075893264714163\epsilon_2^3\epsilon_3\epsilon_4^4 \\
&+ 0.030401548105772\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s} \log\left(c_s\right)^7 \\
&+ 62.267854451113\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^4 \\
&+ 15.578547486541\alpha_1^{c_s}\epsilon_1^6 \log\left(c_s\right)^5 \\
&+ 0.24549597995309\alpha_2^{c_s}\epsilon_2\epsilon_3^4 \\
&+ 0.12330309621154\left(\alpha_1^{c_s}\right)^3\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 31.57206221508\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\epsilon_2 \\
&+ 1.989463433381\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\epsilon_1 \\
&+ 63.923686511891\epsilon_1^2\epsilon_2^2\epsilon_3^4 \\
&- 0.028940412828206\left(\alpha_0^{c_s}\right)^3\epsilon_2^5 \log\left(c_s\right)^7 \\
&- 0.15540154810577\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^7 \\
&- 7.2564220137156\epsilon_1^5\epsilon_2^3 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 1.0954834198999 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.082818718198308 \epsilon_2^7 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.67310461342774 \left(\alpha_0^{c_s}\right)^7 \epsilon_2 \log\left(c_s\right)^5 \\
&- 43.361800652228 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^5 \log\left(c_s\right)^5 \\
&- 2.9033133511733 \epsilon_1^2 \epsilon_2^6 \log\left(c_s\right)^3 \\
&- 49.486343073439 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^6 \log\left(c_s\right) \\
&- 3.3228764399943 \alpha_1^{c_s} \epsilon_1^5 \epsilon_2 \\
&- 4.3441882322824 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \epsilon_2
\end{aligned}
$$

$$
\begin{aligned}
&- 1.1038709882804 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^6 \log\left(c_s\right)^7 \\
&- 0.2774096558387 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 4.7282575172143 \alpha_1^{c_s} \epsilon_1^6 \log\left(c_s\right)^6 \\
&- 1.4280447784886 \left(\alpha_1^{c_s}\right)^3 \epsilon_2^2 \log\left(c_s\right) \\
&- 0.75737201804334 \alpha_1^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^2 \\
&- 0.38961464314479 \alpha_5^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.025267660064573 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \epsilon_3 \\
&- 0.051108477883786 \alpha_1^{c_s} \epsilon_2^6 \log\left(c_s\right)^2 \\
&- 0.026564184325946 \alpha_2^{c_s} \epsilon_2^5 \log\left(c_s\right)^3 \\
&- 57.524074979959 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^4 \log\left(c_s\right)^3 \\
&- 0.90651533798273 \left(\alpha_0^{c_s}\right)^6 \alpha_1^{c_s} \log\left(c_s\right)^4 \\
&- 1.0020114939225 \epsilon_2^4 \epsilon_3^4 \log\left(c_s\right) \\
&- 2.0130896144248 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \\
&- 17.608373433868 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right) \\
&- 0.073973972869765 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right)^4 \\
&- 19.462195650363 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \\
&- 159.47806957903 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^6 \log\left(c_s\right)^3 \\
&- 2.5473746722318 \epsilon_1 \epsilon_2^7 \log\left(c_s\right) \\
&- 5.4386200442688 \left(\alpha_0^{c_s}\right)^6 \epsilon_1^2 \log\left(c_s\right)^5 \\
&- 1.3994906936604 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.17703776714876 \left(\alpha_0^{c_s}\right)^4 \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&- 0.17766259052098 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2^2 \\
&- 0.3807568453931 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^6 \log\left(c_s\right)^3 \\
&- 0.024728969301374 \epsilon_1^3 \epsilon_2^5 \log\left(c_s\right)^4 \\
&- 0.013584292087316 \alpha_3^{c_s} \epsilon_2^4 \log\left(c_s\right)^6 \\
&- 7.1973665010806 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^{c_s} \\
&- 1.8815857103388 \epsilon_2^4 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 15.317335669471 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^5 \log\left(c_s\right) \\
&- 1.9269136317485 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \\
&- 0.000487951251801 \epsilon_1 \epsilon_2^7 \log\left(c_s\right)^7 \\
&- 0.063192840219513 \alpha_3^{c_s} \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.12984167525243 \left(\alpha_0^{c_s}\right)^7 \epsilon_2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 4.252490305061\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^{c_s} \\
&- 1.068308175282\alpha_3^{c_s}\epsilon_1^4\log\left(c_s\right)^3 \\
&- 0.034165252239878\alpha_5^{c_s}\epsilon_2^2\log\left(c_s\right) \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right)^7 \\
&- 1.1483154327248\left(\alpha_0^{c_s}\right)^3\epsilon_1^5\log\left(c_s\right)^7 \\
&- 0.018544259192955\epsilon_2^7\epsilon_3\log\left(c_s\right)^6 \\
&- 1.1894897193664\epsilon_2^2\epsilon_3^5\epsilon_4 \\
&- 38.373165560679\epsilon_1^6\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.07560105702203\alpha_1^{c_s}\epsilon_2^6\log\left(c_s\right)^4 \\
&- 2.4470737596061\left(\alpha_0^{c_s}\right)^4\epsilon_2^4\log\left(c_s\right)^3 \\
&- 0.63078342187449\alpha_0^{c_s}\epsilon_1^7\log\left(c_s\right)^7 \\
&- 0.085259951160434\epsilon_2^7\epsilon_3\log\left(c_s\right)^4 \\
&- 0.021423030431972\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^3 \\
&- 0.17138424345577\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^3 \\
&- 0.34672812169394\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s}\log\left(c_s\right)^3 \\
&- 0.17337628994434\left(\alpha_0^{c_s}\right)^2\epsilon_2^6\log\left(c_s\right)^5 \\
&- 0.0219247398684\epsilon_1\epsilon_2^7\log\left(c_s\right)^5 \\
&- 2.8417702411316\left(\alpha_0^{c_s}\right)^6\epsilon_1^2\log\left(c_s\right)^2 \\
&- 0.096090953029918\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^7 \\
&- 1.5403869793694\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4 \\
&- 0.38577507272579\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3^2 \\
&- 0.195366146198\alpha_0^{c_s}\alpha_6^{c_s}\log\left(c_s\right) \\
&- 0.40890183881342\left(\alpha_1^{c_s}\right)^3\epsilon_2^2\log\left(c_s\right)^4 \\
&- 1.6426181713145\alpha_2^{c_s}\epsilon_1^5\log\left(c_s\right)^3 \\
&- 0.82369438411176\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s}\log\left(c_s\right)^2 \\
&- 0.10339836134647\left(\alpha_0^{c_s}\right)^2\epsilon_2^6\log\left(c_s\right) \\
&- 1.6999630596979\alpha_2^{c_s}\alpha_4^{c_s}\log\left(c_s\right) \\
&- 0.053830412125699\alpha_5^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.0017361111111111\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s}\log\left(c_s\right)^8 \\
&- 0.0017361111111111\alpha_3^{c_s}\epsilon_2^4\log\left(c_s\right)^8 \\
&- 0.0069444444444444\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^8 \\
&- 0.027777777777778\alpha_3^{c_s}\epsilon_1^4\log\left(c_s\right)^8 \\
&- 0.44670435926461\alpha_3^{c_s}\epsilon_1^4\log\left(c_s\right) \\
&- 114.69936713872\left(\alpha_0^{c_s}\right)^3\epsilon_1^5\log\left(c_s\right)^3 \\
&- 467.60951121046\epsilon_1^6\epsilon_2^2\log\left(c_s\right) \\
&- 0.014341396565811\alpha_5^{c_s}\epsilon_1^2\log\left(c_s\right)^7 \\
&- 0.23333333333333\epsilon_1^5\epsilon_2^3\log\left(c_s\right)^8 \\
&- 30.366729914291\alpha_1^{c_s}\epsilon_1^6\log\left(c_s\right)^4 \\
&- 0.47535155218291\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2^2 \\
&- 3.8298816573076\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2^2 \\
&- 0.24252575050709\alpha_4^{c_s}\epsilon_1^2\epsilon_2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.12423687566284 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \epsilon_3 \\
&- 0.063492063492063 \epsilon_1^7 \epsilon_2 \log\left(c_s\right)^8 \\
&- 16.634318698132 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^{c_s} \\
&- 0.06508418439125 \epsilon_1^2 \epsilon_2^6 \log\left(c_s\right)^5 \\
&- 1.0426265362254 \left(\alpha_0^{c_s}\right)^6 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 2.0953694977111 \epsilon_2^5 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.016409979048473 \alpha_0^{c_s} \alpha_6^{c_s} \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 1.0584667501627 \alpha_2^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.0083333333333333 \epsilon_1^3 \epsilon_2^5 \log\left(c_s\right)^8 \\
&- 0.54810080342558 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \epsilon_3 \\
&- 2.1944266320104 \alpha_1^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 0.06911930186276 \left(\alpha_0^{c_s}\right)^2 \alpha_5^{c_s} \log\left(c_s\right)^5 \\
&- 0.070643055265411 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right)^5 \\
&- 0.017726953650416 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^4 \log\left(c_s\right) \\
&- 0.071357484100428 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^4 \\
&- 0.14337784867203 \left(\alpha_2^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 4.6025908440652 \left(\alpha_1^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 1.2059019875733 \left(\alpha_0^{c_s}\right)^7 \epsilon_1 \log\left(c_s\right)^5 \\
&- 0.30188589207027 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right) \\
&- 0.019218190605984 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^7 \\
&- 0.038508627600644 \epsilon_2^6 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 9.8675167488759 \epsilon_1^5 \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 0.078808256564116 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.020082398195413 \alpha_1^{c_s} \epsilon_2^6 \log\left(c_s\right)^6 \\
&- 0.32329815314476 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right)^2 \\
&- 5.2198342193091 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 5.2265466532208 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right) \\
&- 1.3098303169804 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.65814804834004 \left(\alpha_2^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.16456116072908 \epsilon_2^2 \epsilon_3^6 \log\left(c_s\right)^3 \\
&- 2.6429404976091 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 1.3569021834768 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 11.114544419013 \left(\alpha_1^{c_s}\right)^2 \alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.0013575230307652 \epsilon_1^3 \epsilon_2^5 \log\left(c_s\right)^7 \\
&- 0.34911076877601 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.17646030057448 \left(\alpha_0^{c_s}\right)^2 \alpha_5^{c_s} \log\left(c_s\right)^4 \\
&- 0.71378001992938 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 1.4370874336834 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \\
&- 0.3718714723044 \alpha_5^{c_s} \epsilon_1^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 24.105091674749\alpha_1^{c_s}\epsilon_1^6\log\left(c_s\right)^2 \\
&- 1.5247910674774\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2 \\
&- 0.38235736932989\epsilon_2^6\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.77325270100856\left(\alpha_0^{c_s}\right)^4\epsilon_1^4\log\left(c_s\right)^7 \\
&- 0.19550789021958\left(\alpha_1^{c_s}\right)^3\epsilon_2^2\log\left(c_s\right)^6 \\
&- 6.2707350210755\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1^2 \\
&- 1.5907837235943\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3\log\left(c_s\right)^5 \\
&- 1.5954546063882\left(\alpha_1^{c_s}\right)^2\epsilon_1^4\log\left(c_s\right)^3 \\
&- 0.0062715605038148\epsilon_2^4\epsilon_3\epsilon_4^3 \\
&- 0.81445860611455\alpha_1^{c_s}\alpha_5^{c_s}\log\left(c_s\right) \\
&- 1.6347271836546\alpha_2^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^2 \\
&- 3.300752780595\epsilon_1^6\epsilon_2^2\log\left(c_s\right)^7 \\
&- 1.6522845559994\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2^2 \\
&- 6.6215097565225\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^3 \\
&- 27.119077407378\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3\log\left(c_s\right) \\
&- 3.3962188916503\alpha_2^{c_s}\epsilon_1^5\log\left(c_s\right)^5 \\
&- 13.598719792585\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2\log\left(c_s\right)^2 \\
&- 0.42663897743373\epsilon_1\epsilon_2^7\log\left(c_s\right)^3 \\
&- 0.10682980268446\left(\alpha_1^{c_s}\right)^2\epsilon_2^4\log\left(c_s\right)^2 \\
&- 1.7112713222676\left(\alpha_1^{c_s}\right)^3\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.027013257618302\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right) \\
&- 3.552681525617\left(\alpha_2^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^4 \\
&- 7.4180521859063\epsilon_1^6\epsilon_2^2\log\left(c_s\right)^4 \\
&- 0.11745665547738\alpha_0^{c_s}\alpha_6^{c_s}\log\left(c_s\right)^3 \\
&- 1.909255164416\left(\alpha_0^{c_s}\right)^5\epsilon_2^3\log\left(c_s\right)^5 \\
&- 15.274041315328\left(\alpha_0^{c_s}\right)^5\epsilon_1^3\log\left(c_s\right)^5 \\
&- 30.802224394697\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^{c_s} \\
&- 0.24183193170939\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3^2 \\
&- 0.49164718034467\epsilon_2^3\epsilon_3^5\log\left(c_s\right)^4 \\
&- 0.98512429444848\left(\alpha_1^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^5 \\
&- 0.0038687351030612\alpha_5^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.99798378302302\epsilon_1^4\epsilon_2^4\log\left(c_s\right)^6 \\
&- 0.99889080963295\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s}\log\left(c_s\right) \\
&- 1.0025172543008\left(\alpha_2^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^5 \\
&- 1.0086184410053\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^4 \\
&- 0.01580837191917\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)^7 \\
&- 0.0079272440655221\alpha_0^{c_s}\alpha_6^{c_s}\log\left(c_s\right)^6 \\
&- 6.3054598966409\cdot 10^{-5}\left(\alpha_0^{c_s}\right)^3\alpha_4^{c_s}\log\left(c_s\right)^6 \\
&- 0.0081025986579977\left(\alpha_0^{c_s}\right)^7\epsilon_2\log\left(c_s\right)^7 \\
&- 531.37352414154\epsilon_1^4\epsilon_2^4\log\left(c_s\right) \\
&- 0.13209709939872\epsilon_1\epsilon_2^2\epsilon_3^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.033231995740663\alpha_5^{c_s}\epsilon_1^2\log\left(c_s\right)^6 \\
&- 0.066849360616708\alpha_0^{c_s}\epsilon_2^7\log\left(c_s\right)^3 \\
&- 2.1560650556694\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2^2 \\
&- 8.68121163025\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1^2 \\
&- 1.1025349820706\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3\log\left(c_s\right)^6 \\
&- 0.27573633964611\left(\alpha_0^{c_s}\right)^3\epsilon_2^5\log\left(c_s\right) \\
&- 0.0691736006398\alpha_1^{c_s}\alpha_5^{c_s}\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.1389228217849\alpha_5^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&- 2.224559380679\left(\alpha_0^{c_s}\right)^7\epsilon_1\log\left(c_s\right)^2 \\
&- 8.899577218312\epsilon_1^3\epsilon_2^5\log\left(c_s\right)^3 \\
&- 1.1207736249304\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1^2 \\
&- 4.4854875883288\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1^2 \\
&- 0.28399452499579\alpha_5^{c_s}\epsilon_1^2\log\left(c_s\right) \\
&- 0.56840057999492\epsilon_1^4\epsilon_2^4\log\left(c_s\right)^7 \\
&- 146.37746608057\alpha_0^{c_s}\epsilon_1^7\log\left(c_s\right)^3 \\
&- 2.2965244469448\left(\alpha_0^{c_s}\right)^5\alpha_2^{c_s}\log\left(c_s\right)^4 \\
&- 0.0089976219604821\alpha_3^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&- 2.3472992484887\left(\alpha_0^{c_s}\right)^5\epsilon_2^3\log\left(c_s\right)^3 \\
&- 18.778393987909\left(\alpha_0^{c_s}\right)^5\epsilon_1^3\log\left(c_s\right)^3 \\
&- 0.018385698140157\epsilon_2^2\epsilon_3^6\log\left(c_s\right)^7 \\
&- 0.036943873004409\alpha_3^{c_s}\epsilon_2^4\log\left(c_s\right) \\
&- 9.5170179863469\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s}\log\left(c_s\right)^2 \\
&- 0.14883816862609\epsilon_2^4\epsilon_3^2\epsilon_4^2 - 0.59910391600226\alpha_2^{c_s}\epsilon_1^4\epsilon_2 \\
&- 1.2016250580181\alpha_2^{c_s}\epsilon_2^2\epsilon_3^3 \\
&- 0.60359618938589\epsilon_2^5\epsilon_3^3\log\left(c_s\right)^6 \\
&- 9.6588554451657\left(\alpha_1^{c_s}\right)^3\epsilon_1^2\log\left(c_s\right)^3 \\
&- 1.2117301124417\epsilon_2^5\epsilon_3^3\log\left(c_s\right)^2 \\
&- 2.423695420412\left(\alpha_0^{c_s}\right)^3\alpha_4^{c_s}\log\left(c_s\right) \\
&- 0.15243361004377\alpha_2^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^5 \\
&- 0.038438967445024\alpha_2^{c_s}\epsilon_2^5\log\left(c_s\right)^5 \\
&- 1.231716169005\left(\alpha_1^{c_s}\right)^3\epsilon_2^2\log\left(c_s\right)^2 \\
&- 39.759467033185\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} \\
&- 0.62653613786361\left(\alpha_0^{c_s}\right)^3\epsilon_2^5\log\left(c_s\right)^5 \\
&- 2.5105353290554\epsilon_2^2\epsilon_3^4\epsilon_4^2 \\
&- 2.5122322601627\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s}\log\left(c_s\right) \\
&- 0.039319194632165\alpha_2^{c_s}\epsilon_2^4\epsilon_3 \\
&- 80.544364291565\alpha_0^{c_s}\epsilon_1^7\log\left(c_s\right) \\
&- 0.63131740397419\alpha_0^{c_s}\epsilon_2^4\epsilon_3^3 \\
&- 5.0762703339084\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s}\log\left(c_s\right)^3 \\
&- 0.63753690794819\left(\alpha_2^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^4
\end{aligned}
$$

$$- 1.280616309717 \left(\alpha_{0}^{c_{s}}\right)^{6} \epsilon_{2}^{2} \log\left(c_{s}\right)^{2}$$
$$- 2.6002224859545 \epsilon_{2}^{4} \epsilon_{3}^{4} \log\left(c_{s}\right)^{3}$$
$$- 0.081309459026194 \alpha_{4}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}$$
$$- 0.32648781656561 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{1}^{c_{s}} \log\left(c_{s}\right)^{6}$$
$$- 0.32888363667825 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{2}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.041158840306472 \alpha_{2}^{c_{s}} \alpha_{4}^{c_{s}} \log\left(c_{s}\right)^{6}$$
$$- 0.33064142854587 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{c_{s}} \epsilon_{2}$$
$$- 0.041440412828206 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{2}^{c_{s}} \log\left(c_{s}\right)^{7}$$
$$- 10.621710607462 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{2}^{c_{s}}\right)^{2} \log\left(c_{s}\right)^{2}$$
$$- 680.1997336364 \epsilon_{1}^{5} \epsilon_{2}^{3} \log\left(c_{s}\right)$$
$$- 0.083059219403934 \left(\alpha_{2}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \log\left(c_{s}\right)^{6}$$
$$- 0.66564667900188 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{2}^{c_{s}} \log\left(c_{s}\right)^{5}$$
$$- 0.0052083333333333 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} \log\left(c_{s}\right)^{8}$$
$$- 0.010416666666667 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.010416666666667 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{2}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.041666666666667 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{1}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.04171272455521 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{2}^{4} \log\left(c_{s}\right)$$
$$- 0.041762632896144 \alpha_{0}^{c_{s}} \alpha_{6}^{c_{s}} \log\left(c_{s}\right)^{4}$$
$$- 1.3492280654343 \alpha_{2}^{c_{s}} \epsilon_{1}^{5} \log\left(c_{s}\right)^{2}$$
$$- 0.67649601850587 \left(\alpha_{2}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \log\left(c_{s}\right)$$
$$- 1.3644128533993 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}$$
$$- 87.510670142131 \epsilon_{1}^{7} \epsilon_{2} \log\left(c_{s}\right)^{4}$$
$$- 0.042829301717095 \left(\alpha_{0}^{c_{s}}\right)^{5} \epsilon_{2}^{3} \log\left(c_{s}\right)^{7}$$
$$- 0.34263441373676 \left(\alpha_{0}^{c_{s}}\right)^{5} \epsilon_{1}^{3} \log\left(c_{s}\right)^{7}$$
$$- 10.967788650389 \epsilon_{1}^{7} \epsilon_{2} \log\left(c_{s}\right)^{6}$$
$$- 2.7776868061348 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3}^{2}$$
$$- 44.547685928941 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{6} \log\left(c_{s}\right)^{5}$$
$$- 11.144586611665 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{1}^{2} \log\left(c_{s}\right)^{2}$$
$$- 0.0027263585944683 \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{5}$$
$$- 11.185019269886 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{1}^{2} \log\left(c_{s}\right)$$
$$- 0.010997984191881 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{6} \log\left(c_{s}\right)^{7}$$
$$- 2.8160795795256 \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{1}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.00069444444444444 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{1}^{c_{s}} \log\left(c_{s}\right)^{8}$$
$$- 0.00069444444444444 \alpha_{1}^{c_{s}} \epsilon_{2}^{6} \log\left(c_{s}\right)^{8}$$
$$- 0.00069444444444444 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{5}^{c_{s}} \log\left(c_{s}\right)^{8}$$
$$- 0.00069444444444444 \alpha_{5}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.00069444444444444 \epsilon_{2}^{7} \epsilon_{3} \log\left(c_{s}\right)^{8}$$
$$- 0.0027777777777778 \alpha_{5}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.044444444444444 \alpha_{1}^{c_{s}} \epsilon_{1}^{6} \log\left(c_{s}\right)^{8}$$
$$- 0.17829653374959 \alpha_{0}^{c_{s}} \alpha_{6}^{c_{s}} \log\left(c_{s}\right)^{2}$$

$$
\begin{aligned}
&- 0.0055747838114954\alpha_3^{c_s}\epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.044856071590813\left(\alpha_0^{c_s}\right)^4\epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.7228040998595\epsilon_2^6\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.73404914237394\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\epsilon_1 \\
&- 2.9567524244704\left(\alpha_0^{c_s}\right)^6\epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.0028909046970082\alpha_5^{c_s}\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.1853889386845\alpha_1^{c_s}\alpha_5^{c_s} \log\left(c_s\right)^4 \\
&\\
&\quad - 0.37205898913168\alpha_1^{c_s}\epsilon_2^4\epsilon_3^2 \\
&- 0.02326664543177\alpha_1^{c_s}\alpha_5^{c_s} \log\left(c_s\right)^6 \\
&- 5.9670729293747\left(\alpha_1^{c_s}\right)^2\epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.00018225170995121\epsilon_1^2\epsilon_2^6 \log\left(c_s\right)^7 \\
&- 0.00036450803564342\alpha_3^{c_s}\epsilon_2^4 \log\left(c_s\right)^2 \\
&- 0.37693370549231\left(\alpha_0^{c_s}\right)^4\alpha_3^{c_s} \log\left(c_s\right)^5 \\
&- 0.023958333333333\epsilon_2^3\epsilon_3^5 \log\left(c_s\right)^8 \\
&- 3.0693872586275\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2 \\
&- 1.5394286498301\left(\alpha_0^{c_s}\right)^6\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.19317022382606\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s} \log\left(c_s\right)^5 \\
&- 0.19321717557715\left(\alpha_1^{c_s}\right)^2\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.0967697145453\left(\alpha_0^{c_s}\right)^6\epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.097943622679437\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^4 \\
&- 1.5780533659793\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2^2 \\
&- 1.5820499397705\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\epsilon_2^2 \\
&- 0.02488687308077\left(\alpha_0^{c_s}\right)^6\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.049940208176907\alpha_5^{c_s}\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 3.2064345761919\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^3 \\
&- 1.603543911245\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 0.40106176324715\epsilon_2^3\epsilon_3^5 \log\left(c_s\right)^6 \\
&- 0.20172249580056\alpha_1^{c_s}\left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right)^5 \\
&- 0.80722668282834\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2^2 \\
&- 0.025338507615372\alpha_5^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3^7 \log\left(c_s\right)^8 \\
&- 1.631567064845\epsilon_2^2\epsilon_3^3\epsilon_4^3 \\
&- 1.6323559277092\left(\alpha_0^{c_s}\right)^7\epsilon_2 \log\left(c_s\right)^2 \\
&- 0.051234881439105\left(\alpha_1^{c_s}\right)^2\epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.20613995832706\alpha_5^{c_s}\epsilon_1^2 \log\left(c_s\right)^4 \\
&- 0.051576138968903\alpha_0^{c_s}\epsilon_2^6\epsilon_3 \\
&- 13.305058240673\epsilon_1^4\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.026041666666667\epsilon_2^5\epsilon_3^3 \log\left(c_s\right)^8 \\
&- 54.180040779095\epsilon_1^2\epsilon_2^6 \log\left(c_s\right) \\
&- 0.42332976120735\alpha_2^{c_s}\alpha_4^{c_s} \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.026646508585473 \left(\alpha_2^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 6.8345439778307 \left(\alpha_2^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 0.0033474231418839 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \\
&- 0.0067181906059836 \alpha_2^{c_s} \epsilon_2^5 \log\left(c_s\right)^7 \\
&- 0.026881944779518 \alpha_5^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.86304368552916 \left(\alpha_2^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.4372043216137 \alpha_2^{c_s} \epsilon_1^5 \log\left(c_s\right)^7 \\
&- 0.22331867793982 \alpha_3^{c_s} \epsilon_1^4 \log\left(c_s\right)^6 \\
&- 229.34630913281 \epsilon_1^7 \epsilon_2 \log\left(c_s\right) \\
&- 0.028129792524311 \alpha_0^{c_s} \epsilon_2^7 \log\left(c_s\right)^5 \\
&- 0.90646327596753 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^5 \\
&- 0.45413176887314 \left(\alpha_0^{c_s}\right)^4 \alpha_3^{c_s} \log\left(c_s\right)^2 \\
&- 0.45679783573432 \epsilon_2^4 \epsilon_3^3 \epsilon_4 - 1.8362929118457 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^4 \\
&- 0.23094071948412 \epsilon_2^6 \epsilon_3^2 \log\left(c_s\right) \\
&- 29.629660877824 \alpha_0^{c_s} \epsilon_1^7 \log\left(c_s\right)^5 \\
&- 237.20776448425 \epsilon_1^3 \epsilon_2^5 \log\left(c_s\right) \\
&- 0.46505405747127 \left(\alpha_1^{c_s}\right)^3 \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 30.116315979919 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^4 \log\left(c_s\right)^5 \\
&- 0.029921635872196 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^5 \\
&- 7.6629677552743 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^{c_s}\right)^2 \log\left(c_s\right)^4 \\
&- 0.47964764889403 \alpha_1^{c_s} \alpha_5^{c_s} \log\left(c_s\right)^3 \\
&- 0.24171987862427 \epsilon_2^2 \epsilon_3^2 \epsilon_4^4 \\
&- 15.511635108784 \alpha_1^{c_s} \left(\alpha_2^{c_s}\right)^2 \log\left(c_s\right) \\
&- 3.9190525386513 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \epsilon_2 \\
&- 0.24625253965675 \epsilon_2^4 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.98642476969235 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^4 \log\left(c_s\right)^7 \\
&- 0.015473434710187 \left(\alpha_0^{c_s}\right)^3 \alpha_4^{c_s} \log\left(c_s\right)^4 \\
&- 0.4999617524775 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \\
&+ 0.03125 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.0625 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^8 \\
&+ 0.125 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^8 \\
&+ 0.13546371545385 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 0.28940412828206 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 4.1674194472616 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.18580309621154 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.43410619242309 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.22592244066448 \alpha_1^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 1.1182123848462 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 5.831723543668 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 28.328751080833 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \\
&+ 0.028075396825397 \epsilon_1^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 38.853263415189\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \\
&+ 23.137771958138\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 0.057862103174603\epsilon_2^2\epsilon_3^4\epsilon_4^2\log\left(c_s\right)^8 \\
&+ 0.23175163772949\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3 \\
&+ 4.0342811264898\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 2.0773564606374\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.0980316450322\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&+ 34.639762512283\alpha_1^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^2 \\
&+ 0.67918539628246\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 5.7283270115888\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^4\log\left(c_s\right)^4 \\
&+ 0.36276416612368\alpha_0^{c_s}\epsilon_2^6\epsilon_3\log\left(c_s\right) \\
&+ 12.15370627008\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^2 \\
&+ 48.979193371588\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2\log\left(c_s\right) \\
&+ 0.00020145601120906\epsilon_2\epsilon_3\epsilon_4^6\log\left(c_s\right)^6 \\
&+ 0.0066462718027414\alpha_1^{c_s}\epsilon_2\epsilon_3^5\log\left(c_s\right)^6 \\
&+ 1.7993870410958\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.24061868327626\alpha_5^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.9658601318052\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 0.0078753164751066\epsilon_2^3\epsilon_3\epsilon_4^4\log\left(c_s\right)^4 \\
&+ 8.2108882426512\alpha_0^{c_s}\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.12999044650175\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 8.3667624473799\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 4.183769832547\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 4.2220741601587\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.53536083963114\epsilon_2^3\epsilon_3^2\epsilon_4^3\log\left(c_s\right) \\
&+ 34.312828963942\alpha_0^{c_s}\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 8.6058440811728\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 1.0820469176696\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^4 \\
&+ 280.05452361551\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 0.27619349266276\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 18.092722810984\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 1.1329376216684\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^6 \\
&+ 9.0635009733476\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log\left(c_s\right)^6 \\
&+ 18.639506337726\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 149.6487168405\alpha_0^{c_s}\epsilon_1^5\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 1.1807420566675\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 0.30502869319073\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^5\log\left(c_s\right) \\
&+ 0.15265065348659\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 0.0095535451804933\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^5\log\left(c_s\right)^5 \\
&+ 0.32542556646968\epsilon_2\epsilon_3^5\epsilon_4^2\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.6485310099571\epsilon_2^3\epsilon_3^3\epsilon_4^2 \log(c_s) \\
&+ 11.343951054513 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^3 \log(c_s) \\
&+ 23.485129579403\alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log(c_s)^2 \\
&+ 1.5131378597806\epsilon_2^5\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 1.5537382076975\epsilon_2\epsilon_3^3\epsilon_4^4 \log(c_s)^2 \\
&+ 12.500867589922 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_1 \log(c_s) \\
&+ 3.2161970702792 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log(c_s)^6 \\
&+ 3.2497611625438\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 0.88058852751821\alpha_3^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^5 \\
&+ 14.371488142711\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4 \\
&+ 63.818042213877\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^5 \log(c_s)^3 \\
&+ 0.015693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5 \\
&+ 0.031415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3^5 \log(c_s)^4 \\
&+ 4.1244623426241\alpha_2^{c_s}\epsilon_1\epsilon_2^4 \log(c_s) \\
&+ 0.00025557761529764\epsilon_2\epsilon_3\epsilon_4^6 \log(c_s)^5 \\
&+ 1.0481291578962\epsilon_2^4\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 0.067181906059836\alpha_2^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^7 \\
&+ 69.201555300241 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2^2 \log(c_s)^2 \\
&+ 4.3329897153166\alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log(c_s) \\
&+ 0.27872083832044\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 2.2297667065635\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^3 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3^6 \log(c_s)^5 \\
&+ 0.0091021825396825\epsilon_2^2\epsilon_3^2\epsilon_4^4 \log(c_s)^8 \\
&+ 0.58719000311449\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 4.7644649974794\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.61692034003368\alpha_3^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^3 \\
&+ 0.62316754531418\epsilon_2^3\epsilon_3^2\epsilon_4^3 \log(c_s)^5 \\
&+ 0.62983873535045 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^3 \log(c_s)^7 \\
&+ 2.5193549414018\alpha_0^{c_s}\epsilon_1^4\epsilon_2^3 \log(c_s)^7 \\
&+ 20.157787403024\epsilon_1^4\epsilon_2\epsilon_3^3 \log(c_s)^3 \\
&+ 84.824525422667 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5\epsilon_2 \log(c_s)^5 \\
&+ 5.3588022105681 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s}\epsilon_2 \log(c_s) \\
&+ 85.895670479697 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3^2 \\
&+ 0.0053671299212505\epsilon_2\epsilon_3^6\epsilon_4 \log(c_s)^5 \\
&+ 0.69966496790982\epsilon_2\epsilon_3^3\epsilon_4^4 \log(c_s)^4 \\
&+ 0.73737691258874 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2^3 \log(c_s)^6 \\
&+ 5.8990153007099 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^3 \log(c_s)^6 \\
&+ 2.9770397281038 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^4 \\
&+ 2.9993755617647\epsilon_2^3\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.75117815355674\epsilon_1\epsilon_2^2\epsilon_3^5 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.0361496536783 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.19359803115911 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 0.049854723162 \alpha_3^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 6.3824442174485 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.81113073205321 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \epsilon_5 \\
&+ 26.365843114066 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.82858047798829 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 217.96310338481 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \\
&+ 0.10721770211649 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&+ 13.920883086215 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \\
&+ 111.68222652618 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \\
&+ 0.21995968383761 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 28.360809942556 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 3.5719918053705 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.89648783405415 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 940.44082614063 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^4 \epsilon_3 \\
&+ 1.8449588030497 \epsilon_2 \epsilon_3^4 \epsilon_4^3 \log\left(c_s\right) \\
&+ 14.837750203741 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&+ 1.8803405890804 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 30.253895038423 \epsilon_1^3 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.059722222222222 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^8 \\
&+ 30.839596736591 \alpha_1^{c_s} \epsilon_1^5 \epsilon_2 \log\left(c_s\right) \\
&+ 0.4934079168241 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 3.9689201007975 \epsilon_1 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 8.0273874157372 \epsilon_1 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 16.266777629689 \epsilon_1^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 1.0426073992721 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 8.4632705361783 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 0.2653091436359 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 33.998615950756 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 1.0703011089036 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&+ 4.3052411267919 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^4 \\
&+ 4.3076397178978 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^6 \\
&+ 0.033954037646425 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^5 \\
&+ 4.3966985957695 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \\
&+ 2.2070124470176 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4^2 \\
&+ 0.1382316698501 \alpha_3^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.27774694487228 \alpha_5^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 0.07011329431983 \alpha_3^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 1.1219472903305 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.07050960392317\epsilon_2\epsilon_3^4\epsilon_4^3 \log(c_s)^6 \\
&+ 0.28245110768776\epsilon_1\epsilon_2^2\epsilon_3^5 \log(c_s)^2 \\
&+ 1.130934534191\alpha_0^{c_s}\epsilon_2^6\epsilon_3 \log(c_s)^3 \\
&+ 9.2897654575955\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 37.237678341363 (\alpha_1^{c_s})^2 \alpha_2^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.14558128861243\alpha_2^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^6 \\
&+ 2.3410294685531\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \\
&+ 0.14644150491136\epsilon_2\epsilon_3^2\epsilon_4^5 \log(c_s)^4 \\
&+ 9.3735250658033 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2^3 \log(c_s)^4 \\
&+ 0.58911178531515 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 1.1896584070114\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5^2 \\
&+ 2.4246055726598 (\alpha_0^{c_s})^3 (\alpha_1^{c_s})^2 \epsilon_1 \log(c_s)^2 \\
&+ 19.514676794841\alpha_2^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^2 \\
&+ 2.460772334198 (\alpha_2^{c_s})^2 \epsilon_2\epsilon_3 \log(c_s) \\
&+ 9.9267449007199\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \\
&+ 636.99117488762\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 1.2478325004454 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_2 \log(c_s) \\
&+ 0.07836713409427\alpha_2^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&+ 0.078562407447495\alpha_5^{c_s}\epsilon_1\epsilon_2 \log(c_s)^3 \\
&+ 20.377715271011 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2 \\
&+ 82.120723739132\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4 \\
&+ 0.16078133500392\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^6 \\
&+ 165.8302167264\epsilon_1^4\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.010133849368591\epsilon_2^5\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.020267698737181\epsilon_2\epsilon_3^5\epsilon_4^2 \log(c_s)^7 \\
&+ 0.040535397474362\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s} \log(c_s)^7 \\
&+ 0.6485663595898\alpha_2^{c_s}\epsilon_1^4\epsilon_2 \log(c_s)^7 \\
&+ 0.64883923355655 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 1.2999044650175\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 0.32520102021576\epsilon_2\epsilon_3^2\epsilon_4^5 \log(c_s)^2 \\
&+ 1.3019510562784\epsilon_1\epsilon_2^2\epsilon_3^5 \log(c_s)^5 \\
&+ 2.6132344848707 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 20.905875878966 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1^3 \log(c_s)^3 \\
&+ 20.948417102893\epsilon_1\epsilon_2^4\epsilon_3^3 \log(c_s) \\
&+ 1.318427590711\epsilon_1^3\epsilon_2^4\epsilon_3 \log(c_s)^6 \\
&+ 5.2861689579832 (\alpha_2^{c_s})^2 \epsilon_1\epsilon_2 \log(c_s) \\
&+ 2.659343740698 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 1.3381114297186 (\alpha_0^{c_s})^4 \epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 11.038855770896 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^2 \epsilon_1^2 \log(c_s)^6 \\
&+ 0.043575552284939\epsilon_2\epsilon_3^3\epsilon_4^4 \log(c_s)^7 \\
&+ 0.69772796835558 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^3 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.398729152811 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&+ 0.35378101294477 \alpha_3^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.089452165354175 \epsilon_2 \epsilon_3^4 \epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 23.00347205085 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 0.090125636894801 \epsilon_2 \epsilon_3^5 \epsilon_4 \epsilon_5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.090125636894801 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5^2 \\
&+ 1.4485821614583 \epsilon_2^4 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 1.4529488207945 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.18207176382691 \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.73137533129651 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right)^3 \\
&+ 0.36726805964626 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 95.708411668242 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 3.0558633881783 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4^3 \\
&+ 0.7670135139126 \alpha_4^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 1.5495910961541 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \\
&+ 3.0999116695921 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 6.2395355138819 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 1.5611820373371 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 49.969027131942 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^3 \\
&+ 50.574665901163 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^3 \\
&+ 25.506730201602 \epsilon_1^4 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 3.2176420398078 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^5 \\
&+ 0.10077285908975 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 12.917088721713 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \\
&+ 1.6237912950273 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \\
&+ 0.81356391617421 \epsilon_2 \epsilon_3^4 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.82129328964648 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 3.2949591744015 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 13.183836589731 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right) \\
&+ 0.0016151427273498 \alpha_4^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.8304610986957 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 0.42073063682318 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \\
&+ 0.013174683798627 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.21664540147343 \alpha_3^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 55.738169325718 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.21945662490689 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&+ 7.0716916947293 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.11069752818298 \epsilon_2 \epsilon_3^6 \epsilon_4 \log\left(c_s\right) \\
&+ 0.44399553021497 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.0017361111111111 \alpha_3^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0034722222222222 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^8 \\
&+ 0.0069444444444444 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^8 \\
&+ 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.0069444444444444 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.013888888888889 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.013888888888889 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^8 \\
&+ 0.013888888888889 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^8 \\
&+ 0.013888888888889 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.013888888888889 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.027777777777778 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^8 \\
&+ 0.027777777777778 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.027777777777778 \alpha_3^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.055555555555556 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^8 \\
&+ 0.055555555555556 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^8 \\
&+ 0.055555555555556 \alpha_2^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.055555555555556 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.11111111111111 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^8 \\
&+ 0.11111111111111 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^8 \\
&+ 0.22222222222222 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.1114723430545 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 1.806672334532 \epsilon_2 \epsilon_3^4 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.91430939665138 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 14.631897933493 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \\
&+ 7.3538175403035 \alpha_2^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 3.7055228626713 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 30.002239673467 \epsilon_1 \epsilon_2^5 \epsilon_3 \epsilon_4 \\
&+ 0.93874209434196 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 3.7629844301686 \epsilon_2^3 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 15.155912331974 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.015051523939317 \alpha_1^{c_s} \epsilon_1 \epsilon_2^5 \log\left(c_s\right)^7 \\
&+ 0.12116661811187 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&+ 0.4849588004952 \epsilon_2^4 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 3.8821569000761 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.49379691054527 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.0038578712247568 \alpha_0^{c_s} \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^6 \\
&+ 3.9873163842107 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 63.895228475713 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.12564555020323 \alpha_5^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 8.0823505994998 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.50602494227971 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.063288855839612\epsilon_2\epsilon_3^6\epsilon_4 \log(c_s)^3 \\
&+ 0.25335176410855\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)^5 \\
&+ 2.0268141128684\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s)^5 \\
&+ 8.1174938774966 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2\epsilon_3^3 \\
&+ 0.508725433648\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^3 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 4.069803469184\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 0.031985106934425\epsilon_2^5\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 4.1001896790174\alpha_0^{c_s} (\alpha_1^{c_s})^2 \alpha_2^{c_s} \log(c_s)^4 \\
&+ 0.016101389763751\epsilon_2\epsilon_3^2\epsilon_4^5 \log(c_s)^5 \\
&+ 2.0695194474426\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.0040535397474362\epsilon_2^3\epsilon_3\epsilon_4^4 \log(c_s)^7 \\
&+ 4.1697475480199 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^3 \\
&+ 1.0454986422386\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2 \log(c_s)^5 \\
&+ 2.0975750351059\alpha_0^{c_s}\epsilon_1^3\epsilon_2^4 \log(c_s)^4 \\
&+ 1.0548142639935\epsilon_2\epsilon_3^4\epsilon_4^3 \log(c_s)^3 \\
&+ 0.0041666666666667\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2^2 \log(c_s)^8 \\
&+ 0.0041666666666667 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_2 \log(c_s)^8 \\
&+ 0.0083333333333333 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_1 \log(c_s)^8 \\
&+ 0.016666666666667\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1^2 \log(c_s)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\epsilon_1^3\epsilon_2^4 \log(c_s)^8 \\
&+ 2.133969209194 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2^4 \log(c_s)^3 \\
&+ 0.26743952575642 (\alpha_1^{c_s})^3 \epsilon_1\epsilon_2 \log(c_s)^7 \\
&+ 4.2846199674974\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2 \log(c_s) \\
&+ 0.26882403949587 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^4 \log(c_s)^2 \\
&+ 0.53790461714494\alpha_1^{c_s}\epsilon_2^5\epsilon_3 \log(c_s)^2 \\
&+ 0.26913642954488 (\alpha_0^{c_s})^4 \epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&+ 8.6490146663612 (\alpha_0^{c_s})^4 \epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 2.1735973233084\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.068069626131226\alpha_3^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&+ 0.54550497638165\alpha_0^{c_s}\epsilon_2^6\epsilon_3 \log(c_s)^5 \\
&+ 1.0931019080839 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^3 \log(c_s)^5 \\
&+ 2.2048005252115 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3^3 \log(c_s)^2 \\
&+ 282.4100881591\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3 \\
&+ 1.1035042235851 (\alpha_2^{c_s})^2 \epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.034722222222222\alpha_2^{c_s}\epsilon_2^3\epsilon_3^2 \log(c_s)^8 \\
&+ 0.034722222222222 (\alpha_0^{c_s})^3 \epsilon_2^3\epsilon_3^2 \log(c_s)^8 \\
&+ 4.4481766752671 (\alpha_0^{c_s})^2 \epsilon_2^5\epsilon_3 \log(c_s)^3 \\
&+ 4.4609827718823 (\alpha_0^{c_s})^4 \alpha_2^{c_s}\epsilon_2 \log(c_s) \\
&+ 8.9249982523631\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3^2 \\
&+ 36.00773547667 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 9.0625414141317 \left(\alpha_{1}^{c_s}\right)^{2} \epsilon_{1} \epsilon_{2} \epsilon_{3}^{2} \\
&+ 1164.5259265321 \alpha_{0}^{c_s} \epsilon_{1}^{2} \epsilon_{2}^{3} \epsilon_{3}^{2} \\
&+ 18.289654965532 \left(\alpha_{0}^{c_s}\right)^{3} \epsilon_{1}^{3} \epsilon_{2}^{2} \log\left(c_s\right)^{3} \\
&+ 0.03578086614167 \epsilon_{2} \epsilon_{3}^{5} \epsilon_{4}^{2} \log\left(c_s\right)^{5} \\
&+ 2.2952283061933 \alpha_{0}^{c_s} \epsilon_{2}^{3} \epsilon_{3}^{4} \log\left(c_s\right)^{6} \\
&+ 0.28779984653852 \alpha_{1}^{c_s} \epsilon_{2}^{5} \epsilon_{3} \log\left(c_s\right)^{6} \\
&+ 0.01802512737896 \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5}^{4} \\
&+ 0.072222222222222 \epsilon_{1}^{4} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_s\right)^{8} \\
&+ 4.6483480011573 \left(\alpha_{0}^{c_s}\right)^{2} \epsilon_{1}^{2} \epsilon_{2}^{4} \log\left(c_s\right)^{2} \\
&+ 4.6968840861449 \left(\alpha_{0}^{c_s}\right)^{3} \epsilon_{1}^{3} \epsilon_{2}^{2} \log\left(c_s\right)^{6} \\
&+ 9.3940661797131 \left(\alpha_{0}^{c_s}\right)^{3} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_s\right)^{3} \\
&+ 9.4499350825969 \left(\alpha_{0}^{c_s}\right)^{2} \epsilon_{2}^{3} \epsilon_{3}^{3} \log\left(c_s\right)^{3} \\
&+ 1.1817065175284 \left(\alpha_{0}^{c_s}\right)^{4} \alpha_{2}^{c_s} \epsilon_{2} \log\left(c_s\right)^{6} \\
&+ 2.3726246464236 \alpha_{1}^{c_s} \epsilon_{2}^{4} \epsilon_{3}^{2} \log\left(c_s\right)^{5} \\
&+ 9.4951977350649 \alpha_{0}^{c_s} \left(\alpha_{1}^{c_s}\right)^{3} \epsilon_{2} \log\left(c_s\right) \\
&+ 2.3832614392169 \left(\alpha_{1}^{c_s}\right)^{2} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_s\right)^{2} \\
&+ 0.59672390209207 \alpha_{3}^{c_s} \epsilon_{2}^{3} \epsilon_{3} \log\left(c_s\right)^{3} \\
&+ 2.3944472055077 \left(\alpha_{0}^{c_s}\right)^{5} \epsilon_{1}^{2} \epsilon_{2} \log\left(c_s\right) \\
&+ 0.14985944058673 \alpha_{4}^{c_s} \epsilon_{1} \epsilon_{2}^{2} \log\left(c_s\right)^{4} \\
&+ 4.8344987796371 \left(\alpha_{0}^{c_s}\right)^{3} \alpha_{2}^{c_s} \epsilon_{1}^{2} \log\left(c_s\right)^{6} \\
&+ 2.4180239023107 \alpha_{0}^{c_s} \epsilon_{1}^{3} \epsilon_{2}^{4} \log\left(c_s\right)^{5} \\
&+ 2.4204120506295 \left(\alpha_{0}^{c_s}\right)^{2} \epsilon_{2}^{5} \epsilon_{3} \log\left(c_s\right)^{5} \\
&+ 1.2166735704574 \epsilon_{1}^{2} \epsilon_{2}^{4} \epsilon_{3}^{2} \log\left(c_s\right)^{6} \\
&+ 0.30429486895317 \left(\alpha_{0}^{c_s}\right)^{2} \epsilon_{2}^{3} \epsilon_{3} \epsilon_{4}^{2} \\
&+ 2.4658686727747 \left(\alpha_{1}^{c_s}\right)^{3} \epsilon_{2} \epsilon_{3} \log\left(c_s\right)^{2} \\
&+ 0.038625272954915 \epsilon_{2} \epsilon_{3} \epsilon_{4}^{5} \epsilon_{5} \\
&+ 2.4729833442448 \epsilon_{1} \epsilon_{2}^{3} \epsilon_{3}^{4} \log\left(c_s\right)^{6} \\
&+ 4.9588883734028 \left(\alpha_{1}^{c_s}\right)^{3} \epsilon_{2} \epsilon_{3} \log\left(c_s\right) \\
&+ 0.31134020562749 \alpha_{2}^{c_s} \epsilon_{2} \epsilon_{3}^{4} \log\left(c_s\right)^{3} \\
&+ 39.932297494208 \alpha_{0}^{c_s} \epsilon_{1}^{4} \epsilon_{2} \epsilon_{3}^{2} \\
&+ 322.22846328942 \alpha_{0}^{c_s} \epsilon_{1}^{4} \epsilon_{2}^{2} \epsilon_{3} \\
&+ 2.5236667462983 \alpha_{0}^{c_s} \epsilon_{2}^{3} \epsilon_{3}^{3} \epsilon_{4} \\
&+ 0.63251763760585 \left(\alpha_{0}^{c_s}\right)^{5} \epsilon_{1}^{2} \epsilon_{2} \log\left(c_s\right)^{6} \\
&+ 0.31718190605984 \left(\alpha_{0}^{c_s}\right)^{3} \alpha_{1}^{c_s} \epsilon_{2}^{3} \log\left(c_s\right)^{7} \\
&+ 0.63436381211967 \left(\alpha_{0}^{c_s}\right)^{4} \epsilon_{1}^{3} \epsilon_{2} \log\left(c_s\right)^{7} \\
&+ 2.5374552484787 \left(\alpha_{0}^{c_s}\right)^{3} \alpha_{1}^{c_s} \epsilon_{1}^{3} \log\left(c_s\right)^{7} \\
&+ 0.079422127120458 \epsilon_{2}^{5} \epsilon_{3} \epsilon_{4}^{2} \log\left(c_s\right)^{5} \\
&+ 1.2713258189017 \left(\alpha_{1}^{c_s}\right)^{2} \alpha_{2}^{c_s} \epsilon_{2} \log\left(c_s\right)^{5} \\
&+ 20.489745921019 \epsilon_{1}^{4} \epsilon_{2}^{3} \epsilon_{3} \log\left(c_s\right)^{5} \\
&+ 0.32068993459676 \left(\alpha_{1}^{c_s}\right)^{2} \epsilon_{1}^{3} \epsilon_{2} \log\left(c_s\right)^{6} \\
&+ 5.1377403944337 \left(\alpha_{0}^{c_s}\right)^{2} \alpha_{2}^{c_s} \epsilon_{2} \epsilon_{3}^{2}
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.080309606906471\alpha_5^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.080553280901426\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_1 \log(c_s)^6 \\
&+ 41.283966922806\alpha_0^{c_s}(\alpha_1^{c_s})^3\epsilon_1 \log(c_s) \\
&+ 41.333379571147(\alpha_0^{c_s})^3\epsilon_1^4\epsilon_2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0050784996613545\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s)^6 \\
&+ 0.65174958632589(\alpha_0^{c_s})^3\alpha_1^{c_s}\epsilon_2^3 \log(c_s) \\
&+ 5.2139966906071(\alpha_0^{c_s})^3\alpha_1^{c_s}\epsilon_1^3 \log(c_s) \\
&+ 20.929707860944\alpha_0^{c_s}(\alpha_2^{c_s})^2\epsilon_1 \log(c_s) \\
&+ 2.6252294568817\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3 \log(c_s)^2 \\
&+ 0.65952667775623\alpha_1^{c_s}\epsilon_1^2\epsilon_2^4 \log(c_s)^5 \\
&+ 0.16496976287821(\alpha_0^{c_s})^2\epsilon_2^5\epsilon_3 \log(c_s)^7 \\
&+ 0.65987905151284\alpha_0^{c_s}(\alpha_1^{c_s})^3\epsilon_1 \log(c_s)^7 \\
&+ 2.6401627118929(\alpha_0^{c_s})^4\alpha_1^{c_s}\epsilon_1^2 \log(c_s)^2 \\
&+ 0.00065100676170803\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5 \\
&+ 2.6814531191014(\alpha_0^{c_s})^2\alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^5 \\
&+ 1.3415880141752(\alpha_0^{c_s})^4\epsilon_1^2\epsilon_2^2 \log(c_s)^6 \\
&+ 0.020965166714704\epsilon_2^4\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 85.965686434525\epsilon_1^6\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.00065707647376394\alpha_4^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&+ 10.794568050816\alpha_1^{c_s}\epsilon_1^5\epsilon_2 \log(c_s)^6 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4^6 \log(c_s) \\
&+ 0.16871528772608\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4 \log(c_s)^7 \\
&+ 0.33813285602458\alpha_3^{c_s}\epsilon_1^2\epsilon_2^2 \log(c_s)^2 \\
&+ 21.664604059902(\alpha_0^{c_s})^2\alpha_1^{c_s}\epsilon_1\epsilon_2^3 \\
&+ 21.750526734438\epsilon_1^2\epsilon_2^4\epsilon_3^2 \log(c_s)^4 \\
&+ 0.1705127590107\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^4 \log(c_s)^6 \\
&+ 1.3705075315768\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_2^3 \log(c_s)^3 \\
&+ 10.964060252614\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_1^3 \log(c_s)^3 \\
&+ 0.042905168114922\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2 \log(c_s)^6 \\
&+ 5.5034768288842(\alpha_0^{c_s})^3\alpha_1^{c_s}\epsilon_2^3 \log(c_s)^5 \\
&+ 44.027814631074(\alpha_0^{c_s})^3\alpha_1^{c_s}\epsilon_1^3 \log(c_s)^5 \\
&+ 0.69880800384142\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3 \log(c_s)^2 \\
&+ 5.5904640307314\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3 \log(c_s)^2 \\
&+ 44.745654263553\alpha_1^{c_s}\epsilon_1^5\epsilon_2 \log(c_s)^3 \\
&+ 11.196515954232(\alpha_0^{c_s})^2\epsilon_2^3\epsilon_3^3 \log(c_s)^5 \\
&+ 1.4062900752074\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.70364534405341\epsilon_1^3\epsilon_2\epsilon_3^4 \log(c_s)^6 \\
&+ 1.4115060849339(\alpha_0^{c_s})^3\alpha_2^{c_s}\epsilon_2^2 \log(c_s)^6 \\
&+ 0.35298742082878\alpha_4^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.35303432161075\alpha_1^{c_s}\epsilon_1\epsilon_2^5 \log(c_s)^5 \\
&+ 0.17701171378551 (\alpha_1^{c_s})^2 \epsilon_1^2\epsilon_2^2 \log(c_s)^4 \\
&+ 1.4224222569486 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^2 \\
&+ 91.297565104172\alpha_0^{c_s}\epsilon_1^6\epsilon_2 \log(c_s)^5 \\
&+ 0.044593253968254\epsilon_2^2\epsilon_3^3\epsilon_4^3 \log(c_s)^8 \\
&+ 0.71521785266553\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \\
&+ 5.7311996490722\epsilon_1^2\epsilon_2^2\epsilon_3^4 \log(c_s)^2 \\
&+ 2.8671733972887\epsilon_1^6\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 0.090128833233382\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3 \log(c_s)^5 \\
&+ 0.72103066586705\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3 \log(c_s)^5 \\
&+ 5.7705349158488\alpha_1^{c_s}\epsilon_1\epsilon_2^5 \log(c_s) \\
&+ 0.72266893381281\epsilon_2\epsilon_3^5\epsilon_4^2 \log(c_s)^2 \\
&+ 46.331247124616\epsilon_1^2\epsilon_2^3\epsilon_3^3 \log(c_s) \\
&+ 0.045535958828498\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 0.72891462194576 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2^3 \log(c_s)^6 \\
&+ 0.7350843180953\epsilon_1\epsilon_2^5\epsilon_3^2 \log(c_s)^6 \\
&+ 47.065466634264\epsilon_1^5\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.092016636999048 (\alpha_2^{c_s})^2 \epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s)^3 \\
&+ 0.37036041083387\alpha_2^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^4 \\
&+ 0.18534776988068\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^4 \log(c_s)^4 \\
&+ 0.0058131752521401\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^7 \\
&+ 3.0014175919613\alpha_2^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s)^3 \\
&+ 96.11910055442\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \\
&+ 96.232437820741\alpha_0^{c_s}\epsilon_1^3\epsilon_2^4 \log(c_s) \\
&+ 0.75257619696585\alpha_0^{c_s}\epsilon_2^4\epsilon_3^3 \log(c_s)^7 \\
&+ 1.5094983280709 (\alpha_0^{c_s})^6 \epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.37806497271502\alpha_4^{c_s}\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 97.246151855716\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 0.011886256672027\epsilon_2^3\epsilon_3\epsilon_4^4 \log(c_s) \\
&+ 3.0449922199867 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 6.109532721984 (\alpha_0^{c_s})^4 \epsilon_1^3\epsilon_2 \log(c_s)^5 \\
&+ 1.5323159153431 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4^6 \log(c_s)^3 \\
&+ 1.5474299197762 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_2^3 \log(c_s)^3 \\
&+ 12.379439358209 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_1^3 \log(c_s)^3 \\
&+ 0.38770995627463\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 3.1017447199103\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4 \log(c_s)^2 \\
&+ 0.048813834970452\epsilon_2\epsilon_3^6\epsilon_4 \log(c_s)^4 \\
&+ 0.097653041555123 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2^2 \log(c_s) \\
&+ 25.114638114151 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_1^2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 6.3081885748581\epsilon_1\epsilon_2^3\epsilon_3^4 \log(c_s)^2 \\
&+ 12.629155258322 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\alpha_2^{c_s} \log(c_s)^4 \\
&+ 1.5866645706228\epsilon_2\epsilon_3^3\epsilon_4^4 \log(c_s) \\
&+ 12.766213816559\epsilon_1^2\epsilon_2^3\epsilon_3^3 \log(c_s)^5 \\
\\
&+ 51.094933406848\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 12.898265400536\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 0.050669246842953\epsilon_2\epsilon_3^4\epsilon_4^3 \log(c_s)^7 \\
&+ 0.012691728706171\epsilon_2\epsilon_3^2\epsilon_4^5 \log(c_s)^6 \\
&+ 0.81332643052247\epsilon_1^2\epsilon_2^2\epsilon_3^4 \log(c_s) \\
&+ 1.6380219491675\alpha_1^{c_s}\epsilon_1\epsilon_2^5 \log(c_s)^3 \\
&+ 1.6478412111031 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 0.051537698412698\epsilon_1\epsilon_2^3\epsilon_3^4 \log(c_s)^8 \\
&+ 26.423704341701\alpha_2^{c_s}\epsilon_1^2\epsilon_2^3 \log(c_s) \\
&+ 0.41457792971608\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \\
&+ 0.82915585943217\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \\
&+ 0.026093510259707\epsilon_1^2\epsilon_2^5\epsilon_3 \log(c_s)^7 \\
&+ 214.67773454322 (\alpha_0^{c_s})^2 \epsilon_1^5\epsilon_2 \log(c_s)^2 \\
&+ 0.8386881085551 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \\
&+ 26.853481500507 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^4\epsilon_3 \\
&+ 6.7290438740897 (\alpha_1^{c_s})^2 \alpha_2^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 0.42192570559741\epsilon_2\epsilon_3^5\epsilon_4^2 \log(c_s)^3 \\
&+ 3.3764414593257\epsilon_2^3\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.10619199026317\alpha_3^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&+ 0.85630719829782\alpha_2^{c_s}\epsilon_1^4\epsilon_2 \log(c_s) \\
&+ 1.7213566423999 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^4 \log(c_s)^4 \\
&+ 6.9881318214901\alpha_0^{c_s}\epsilon_2^4\epsilon_3^3 \log(c_s)^5 \\
&+ 0.87388357759232 (\alpha_1^{c_s})^2 \epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 0.2185434750558\alpha_4^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&+ 224.56677167029\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2 \\
&+ 3.5142719048222\epsilon_2^4\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 1.7586794383078 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 1.7607976829292\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2^3 \log(c_s) \\
&+ 14.086381463434\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_1^3 \log(c_s) \\
&+ 56.571169305351\alpha_0^{c_s}\epsilon_1^2\epsilon_2^5 \log(c_s)^2 \\
&+ 0.88459564644505\epsilon_2^3\epsilon_3^2\epsilon_4^3 \log(c_s)^2 \\
&+ 0.22131720686838\epsilon_1^4\epsilon_2\epsilon_3^3 \log(c_s)^7 \\
&+ 3.542174595958 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 3.5449331214964\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_1 \log(c_s)^3 \\
&+ 0.0034879051512841\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_2 \log(c_s)^7 \\
&+ 3.5962120731697\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.45154571817951 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&+ 115.71215210321 \epsilon_1^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 3.6237805371514 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.45447229605184 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 232.75855336007 \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \\
&+ 58.352966200115 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \\
&+ 7.2973570360628 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 116.93022265528 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right) \\
&+ 3.6599283975659 \alpha_0^{c_s} \epsilon_1^6 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.028645034199024 \epsilon_1^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 1.8417235029885 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right) \\
&+ 1.8520542412293 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 1.8667182558048 \alpha_3^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.9343728846395 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.47054697898767 \alpha_2^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 484.25042913941 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \\
&+ 30.317829726769 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \\
&+ 1.8997392980779 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 1.9006501453037 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 3.8025578751792 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 7.6113617284782 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 0.02994013753441 \alpha_5^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 15.351733107275 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 0.47977734994559 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6 \\
&+ 1.9465177006697 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 7.7979487350733 \epsilon_1 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.24401385562427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^2 \\
&+ 31.489161180835 \alpha_0^{c_s} \epsilon_1^6 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.49252803976631 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 31.581572765048 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \\
&+ 0.49548303540823 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \\
&+ 128.45507467849 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \\
&+ 1.0037258153846 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^6 \\
&+ 0.50235001235364 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^3 \\
&+ 0.50248849246595 \epsilon_1^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.12565973217052 \epsilon_2^3 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 2.0131091531824 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right) \\
&+ 16.124791672095 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \\
&+ 4.0340368788694 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.063034124981401 \alpha_4^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.50466569855581 \epsilon_2^3 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.031631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3^5\log\left(c_s\right)^5 \\
&+ 0.50931056469638\alpha_0^{c_s}\epsilon_2\epsilon_3^5\epsilon_4 \\
&+ 1.019438185786\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^3 \\
\\
&+ 1.020065305417\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \\
&+ 2.0403853032709\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 8.1619464579785\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^3 \\
&+ 8.1653393418696\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3 \\
&+ 2.0437973362739\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 0.12848790515128\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 8.22479790666\epsilon_1^4\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 1.0297912951984\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 8.2485875598489\epsilon_1^4\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 4.1264670120754\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4 \\
&+ 0.032302854546995\alpha_3^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 4.1379307223308\alpha_0^{c_s}\epsilon_1\epsilon_2^6\log\left(c_s\right)^2 \\
&+ 0.51730925473662\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 4.1384740378929\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log\left(c_s\right)^2 \\
&+ 2.0705709799116\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&+ 8.2862163493022\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.51853284303165\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 66.459962780757\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2 \\
&+ 0.52087985754556\epsilon_2^3\epsilon_3^4\epsilon_4\log\left(c_s\right)^7 \\
&+ 4.1702865031745\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.0432365694133\left(\alpha_1^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 2.0964810951517\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 1.0525751670392\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^4 \\
&+ 0.13170303126035\epsilon_2^6\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.054571073778\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4 \\
&+ 135.18433857668\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 16.965420144209\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 0.53172589114913\alpha_3^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.53349549502105\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^5\log\left(c_s\right)^5 \\
&+ 0.13341544494222\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^6 \\
&+ 0.0083441377357052\alpha_4^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^6 \\
&+ 0.53598818799915\left(\alpha_1^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.033505551347864\epsilon_2^6\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.53632708710166\alpha_3^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.26948378940108\alpha_2^{c_s}\epsilon_2^4\epsilon_3\log\left(c_s\right)^5 \\
&+ 17.263966441122\epsilon_1\epsilon_2^4\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 69.154331419043\epsilon_1^3\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.54079233429489\alpha_3^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)\\
&+ 0.0042305762353902\epsilon_2\epsilon_3^6\epsilon_4\log\left(c_s\right)^6\\
&+ 34.754299601416\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_1\log\left(c_s\right)^2\\
&+ 2.179742882954\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^2\\
&+ 4.3599444891473\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\\
&+ 0.54548375778478\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^4\log\left(c_s\right)^6\\
&+ 139.72289376513\alpha_1^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)\\
&+ 4.3722148248997\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1\epsilon_2\\
&+ 1.0940855221676\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\epsilon_3\\
&+ 0.13682123848462\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^7\\
&+ 0.27402202013067\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2\log\left(c_s\right)\\
&+ 17.584342630638\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\epsilon_3\\
&+ 0.27510563772025\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^6\\
&+ 0.27513906862951\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\epsilon_4\\
&+ 0.017218728594875\epsilon_2^3\epsilon_3\epsilon_4^4\log\left(c_s\right)^3\\
&+ 17.709072993189\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3^2\\
&+ 0.0043303549329555\alpha_2^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^6\\
&+ 8.8893048392807\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^4\log\left(c_s\right)^2\\
&+ 0.017373873100247\epsilon_2^3\epsilon_3\epsilon_4^4\log\left(c_s\right)^5\\
&+ 2.2366513983631\epsilon_1^5\epsilon_2\epsilon_3^2\log\left(c_s\right)^6\\
&+ 0.56047963030223\left(\alpha_0^{c_s}\right)^3\epsilon_2^4\epsilon_3\log\left(c_s\right)\\
&+ 2.2433999580213\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^5\\
&+ 35.925831064538\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\\
&+ 9.0253997030496\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\epsilon_1\log\left(c_s\right)^5\\
&+ 18.074769228984\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^{c_s}\log\left(c_s\right)^3\\
&+ 0.28271615869434\epsilon_2^2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^6\\
&+ 581.16853098167\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4\\
&+ 0.56835265912489\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^4\log\left(c_s\right)\\
&+ 0.035591857554662\epsilon_2^4\epsilon_3\epsilon_4^3\log\left(c_s\right)^4\\
&+ 0.56975810302568\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\epsilon_2\log\left(c_s\right)^7\\
&+ 4.5801486504681\alpha_3^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\\
&+ 1.1534462618726\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^4\log\left(c_s\right)^3\\
&+ 2.3078601313411\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^3\\
&+ 1.1564512133513\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^4\\
&+ 2.3191351169134\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^3\\
&+ 0.28996976287821\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^7\\
&+ 0.14521349148422\alpha_2^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^3\\
&+ 0.036458333333333\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^8\\
&+ 0.0091204644317315\epsilon_2\epsilon_3^2\epsilon_4^5\log\left(c_s\right)^7\\
&+ 1.1688243925537\alpha_4^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)\\
&+ 74.814793027232\left(\alpha_0^{c_s}\right)^4\epsilon_1^3\epsilon_2\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 4.6835461120112 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 9.4014425407639 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
\\
&\quad + 1.1768712460994 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 9.4149699687956 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&+ 1207.1836138271 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \epsilon_3 \\
&+ 0.29527739336576 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&+ 1.1827854380082 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \\
&+ 37.869221162251 \epsilon_1^4 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 1.1835519119611 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.00014476927669415 \epsilon_2 \epsilon_3 \epsilon_4^6 \log\left(c_s\right)^7 \\
&+ 151.84886411079 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \\
&+ 75.981161806074 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \\
&+ 0.59364290670459 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 0.037137622065693 \epsilon_2^2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^6 \\
&+ 0.074305555555556 \epsilon_2^4 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^8 \\
&+ 76.091953585626 \epsilon_1^3 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 2.3782796315078 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^7 \\
&+ 0.0023244683319263 \epsilon_2 \epsilon_3 \epsilon_4^6 \log\left(c_s\right)^4 \\
&+ 0.001162635050428 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 19.049170158746 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \\
&+ 0.59588887960246 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 4.769564541604 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \log\left(c_s\right)^5 \\
&+ 19.108747602246 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \\
&+ 0.59821652530128 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 4.7857322024103 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 2.3957509635084 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^5 \log\left(c_s\right)^4 \\
&+ 1.204217879747 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.2043777977816 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.2044174309567 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.037654458432996 \alpha_5^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 38.570717367736 \epsilon_1^4 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 19.307638761957 \epsilon_1^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.2119082910995 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.30329301717095 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^7 \\
&+ 2.4263441373676 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.00014816569464487 \alpha_3^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 2.433417548331 \epsilon_1^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 4.8788131624036 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.07635165488659 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 78.342395722315 \epsilon_1^5 \epsilon_2 \epsilon_3 \epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&+ 156.80318612732 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 39.222372296021 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 0.15341068377458 \alpha_1^{c_s} \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 9.8234106985376 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.30740928863463 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.07692886220459 \epsilon_2 \epsilon_3^3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 0.6166074711297 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \\
&+ 0.61876174468344 \alpha_4^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 2.4956541804153 \epsilon_1^3 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.15663235182812 \epsilon_1 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 20.054058644216 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 1.2587246333867 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 2.5183332922349 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.15758328268454 \epsilon_1^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^5 \\
&+ 20.17667195142 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \\
&+ 0.039447227010553 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^6 \\
&+ 0.002465984724367 \alpha_0^{c_s} \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^4 \\
&+ 5.0881576185703 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 0.039835469685766 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^6 \\
&+ 0.079825564106824 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^4 \\
&+ 20.437973362739 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \\
&+ 10.220377095801 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 20.443088419215 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 82.195168995006 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \\
&+ 10.290712191276 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 0.020102837738277 \alpha_3^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 2.5763874163459 \alpha_2^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^2 \\
&+ 10.315326713877 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \\
&+ 0.080726636243021 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^5 \log\left(c_s\right)^6 \\
&+ 82.767340025966 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \\
&+ 10.352511075354 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^3 \\
&+ 1.2953830452761 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&+ 5.1850756027168 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right) \\
&+ 0.64946490561126 \left(\alpha_0^{c_s}\right)^6 \epsilon_1 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 41.720036146243 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^5 \\
&+ 0.65265237019509 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 21.075945425852 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.32938802314723 \epsilon_2^4 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.0025750181969943 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^5 \\
&+ 2.6380191574617 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \\
&+ 10.556961008339 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4^6 \log(c_s)^2 \\
&+ 5.2897364208505\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \\
&+ 10.583610498498(\alpha_1^{c_s})^3\epsilon_1\epsilon_2\log(c_s) \\
&+ 0.33209258454895\epsilon_2\epsilon_3^2\epsilon_4^5\log(c_s) \\
&+ 5.3139619409394\alpha_0^{c_s}(\alpha_2^{c_s})^2\epsilon_2\log(c_s)^3 \\
&+ 5.3278649113865(\alpha_0^{c_s})^5\alpha_1^{c_s}\epsilon_2\log(c_s)^5 \\
&+ 5.3325542182989(\alpha_1^{c_s})^3\epsilon_1\epsilon_2\log(c_s)^2 \\
&+ 0.010416666666667(\alpha_0^{c_s})^2\alpha_1^{c_s}\alpha_3^{c_s}\log(c_s)^8 \\
&+ 0.010416666666667\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2^2\log(c_s)^8 \\
&+ 0.010416666666667\alpha_1^{c_s}\epsilon_2^5\epsilon_3\log(c_s)^8 \\
&+ 0.010416666666667\alpha_3^{c_s}\epsilon_2^3\epsilon_3\log(c_s)^8 \\
&+ 0.010416666666667(\alpha_1^{c_s})^2\epsilon_1\epsilon_2^3\log(c_s)^8 \\
&+ 0.010416666666667(\alpha_1^{c_s})^3\epsilon_2\epsilon_3\log(c_s)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}(\alpha_1^{c_s})^2\alpha_2^{c_s}\log(c_s)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_2^3\log(c_s)^8 \\
&+ 0.020833333333333(\alpha_1^{c_s})^2\alpha_2^{c_s}\epsilon_2\log(c_s)^8 \\
&+ 0.020833333333333(\alpha_0^{c_s})^3(\alpha_1^{c_s})^2\epsilon_2\log(c_s)^8 \\
&+ 0.020833333333333(\alpha_1^{c_s})^2\epsilon_1^2\epsilon_2^2\log(c_s)^8 \\
&+ 0.041666666666667\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2\log(c_s)^8 \\
&+ 0.041666666666667(\alpha_1^{c_s})^2\alpha_2^{c_s}\epsilon_1\log(c_s)^8 \\
&+ 0.041666666666667(\alpha_0^{c_s})^3(\alpha_1^{c_s})^2\epsilon_1\log(c_s)^8 \\
&+ 0.16666666666667\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_1^3\log(c_s)^8 \\
&+ 2.6708016401098(\alpha_0^{c_s})^2\alpha_3^{c_s}\epsilon_2\epsilon_3 \\
&+ 10.705718213846\epsilon_1\epsilon_2^3\epsilon_3^4\log(c_s)^4 \\
&+ 10.707921067266(\alpha_0^{c_s})^4\epsilon_1\epsilon_2^3\log(c_s)^2 \\
&+ 0.16737618280463\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5^2 \\
&+ 1.3397188441052\alpha_3^{c_s}\epsilon_1^3\epsilon_2\log(c_s)^2 \\
&+ 0.084429991731154\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 2.7098258408741\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2 \\
&+ 2.7146073301598(\alpha_0^{c_s})^2\alpha_1^{c_s}\epsilon_1^4\log(c_s) \\
&+ 1.3583062153698\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_2^3\log(c_s)^4 \\
&+ 10.866449722958\alpha_0^{c_s}(\alpha_1^{c_s})^2\epsilon_1^3\log(c_s)^4 \\
&+ 10.909178412717(\alpha_1^{c_s})^2\alpha_2^{c_s}\epsilon_2\log(c_s)^2 \\
&+ 2.732902932453\epsilon_2^3\epsilon_3^3\epsilon_4^2\log(c_s)^5 \\
&+ 0.34202090254545(\alpha_0^{c_s})^2\alpha_4^{c_s}\epsilon_2\log(c_s)^4 \\
&+ 1.3692024383725\alpha_1^{c_s}\epsilon_1^5\epsilon_2\log(c_s)^4 \\
&+ 0.68675037578249(\alpha_0^{c_s})^2\alpha_2^{c_s}\epsilon_2^3\log(c_s)^4 \\
&+ 5.4940030062599(\alpha_0^{c_s})^2\alpha_2^{c_s}\epsilon_1^3\log(c_s)^4 \\
&+ 22.01423622298\epsilon_1^3\epsilon_2^3\epsilon_3^2\log(c_s)^4 \\
&+ 0.021527777777778(\alpha_0^{c_s})^2\epsilon_2^2\epsilon_3^4\log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.5154344290756\alpha_2^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.69158042077535\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 88.773945849897\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 2.7753747115483\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^5\log\left(c_s\right)^4 \\
&+ 0.043384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3^6\log\left(c_s\right)^3 \\
&+ 2.7841601655228\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&+ 1.3931636631886\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.043548917965556\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 1.3936721881799\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 5.5750558154779\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 11.164806691428\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^2 \\
&+ 0.17527348503514\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_1\log\left(c_s\right)^5 \\
&+ 2.8053874707914\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 0.35077285908975\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.17581228374629\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^6 \\
&+ 0.17586794383078\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 0.010997984191881\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^5\log\left(c_s\right)^7 \\
&+ 1.4123981151928\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3 \\
&+ 362.0216138532\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^3 \\
&+ 0.35375786136113\alpha_1^{c_s}\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^7 \\
&+ 0.088535908839834\alpha_4^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 2.8375336017437\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \\
&+ 0.17740336058423\epsilon_1^2\epsilon_2\epsilon_3^5\log\left(c_s\right)^2 \\
&+ 2.8423260149359\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^3\log\left(c_s\right) \\
&+ 2.8431622625006\epsilon_1^4\epsilon_2^3\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3^6\log\left(c_s\right)^8 \\
&+ 0.0006944444444444\alpha_1^{c_s}\epsilon_2\epsilon_3^5\log\left(c_s\right)^8 \\
&+ 0.0006944444444444\alpha_5^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_2^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_4^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^5\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^4\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\epsilon_2^6\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\epsilon_2^4\epsilon_3\epsilon_4^3\log\left(c_s\right)^8 \\
&+ 0.0027777777777778\alpha_2^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^8 \\
&+ 0.0027777777777778\alpha_4^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^8 \\
&+ 0.0027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^4\log\left(c_s\right)^8 \\
&+ 0.0027777777777778\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2^2\log\left(c_s\right)^8 \\
&+ 0.0027777777777778\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0055555555555556\epsilon_1^3\epsilon_2\epsilon_3^4 \log(c_s)^8 \\
&+ 0.044444444444444\epsilon_1^6\epsilon_2\epsilon_3 \log(c_s)^8 \\
&+ 0.35555555555556\alpha_0^{c_s}\epsilon_1^5\epsilon_2^2 \log(c_s)^8 \\
&+ 5.6907240410159\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^4 \log(c_s) \\
&+ 0.022325834469023\alpha_3^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&+ 22.887185622133\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.044856071590813 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3^3 \log(c_s)^7 \\
&+ 1.438750585154 (\alpha_0^{c_s})^3 \epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 0.045138888888889 (\alpha_0^{c_s})^2 \epsilon_2^4\epsilon_3^2 \log(c_s)^8 \\
&+ 0.045154571817951\alpha_0^{c_s}\epsilon_2^6\epsilon_3 \log(c_s)^7 \\
&+ 184.98371822041\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&+ 0.72454095452748\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3 \\
&+ 0.18153725175157 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^4 \log(c_s)^6 \\
&+ 11.623478489829\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \\
&+ 0.090830531651468\alpha_3^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&+ 93.435751352357\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^4 \\
&+ 0.022853730734143\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s) \\
&+ 0.36616789845426\alpha_0^{c_s}\epsilon_1^4\epsilon_2^3 \log(c_s)^2 \\
&+ 2.9302975141055\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4 \log(c_s) \\
&+ 0.0014329072723968\alpha_5^{c_s}\epsilon_1\epsilon_2 \log(c_s)^6 \\
&+ 1.4715126777704\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3 \log(c_s)^6 \\
&+ 1.4729758797186\alpha_2^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 0.00017983542935039\epsilon_2^2\epsilon_3\epsilon_4^5 \log(c_s)^6 \\
&+ 0.36866259368513\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 0.7379835212199\epsilon_2\epsilon_3^5\epsilon_4^2 \log(c_s) \\
&+ 0.73899987235907 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2^2 \log(c_s)^3 \\
&+ 0.0028909046970082\alpha_5^{c_s}\epsilon_2\epsilon_3 \log(c_s)^7 \\
&+ 2.9666301370964 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2\epsilon_3^2 \\
&+ 5.9354774713042 (\alpha_0^{c_s})^3 \epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.74245192522013\alpha_3^{c_s}\epsilon_1^2\epsilon_2^2 \log(c_s) \\
&+ 5.9491870796874 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^5 \log(c_s)^2 \\
&+ 5.954258737712 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 1.4922900532106 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2\epsilon_3 \\
&+ 1.4930287616478\alpha_2^{c_s}\epsilon_2^3\epsilon_3^2 \log(c_s)^3 \\
&+ 5.9883544474197 (\alpha_0^{c_s})^2 \alpha_4^{c_s}\epsilon_1 \log(c_s)^2 \\
&+ 0.093847741925324\alpha_2^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^6 \\
&+ 0.75191183707918\epsilon_2^3\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 3.0104988586268 (\alpha_1^{c_s})^2 \alpha_2^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 3.0175488554898\epsilon_1^3\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 0.18888888888889\epsilon_1^4\epsilon_2^3\epsilon_3 \log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.0253973568057\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^2 \\
&+ 0.047362323812845\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&+ 1.5177045041817\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^2 \\
&+ 12.141636033454\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^2 \\
&+ 0.18986656751884\epsilon_2\epsilon_3^2\epsilon_4^5\log\left(c_s\right)^3 \\
&+ 0.047479841918807\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.094959683837614\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.37983873535045\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&+ 0.75967747070091\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right)^7 \\
&+ 0.0029729933435498\alpha_5^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.011904761904762\epsilon_1\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 48.772804634161\epsilon_1^2\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 3.0509690614978\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 12.234588339213\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3 \\
&+ 24.48842650564\alpha_0^{c_s}\epsilon_1^5\epsilon_2\epsilon_3 \\
&+ 0.38287592747495\alpha_3^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 6.152628607821\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^4\log\left(c_s\right)^4 \\
&+ 1.5402908605249\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^3\log\left(c_s\right) \\
&+ 12.3223268842\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^3\log\left(c_s\right) \\
&+ 3.0940666209173\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right) \\
&+ 0.19361068712709\alpha_2^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.0060685796690661\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^3 \\
&+ 0.048548637352529\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^3 \\
&+ 0.19426954767135\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.38888777676163\left(\alpha_0^{c_s}\right)^5\alpha_1^{c_s}\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.012152777777778\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 0.0030401548105772\epsilon_2\epsilon_3^6\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.024321238484617\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^{c_s}\log\left(c_s\right)^7 \\
&+ 3.1403218934127\epsilon_2^3\epsilon_3^4\epsilon_4\log\left(c_s\right) \\
&+ 0.049074654549507\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^4\log\left(c_s\right) \\
&+ 0.78559617321391\alpha_0^{c_s}\epsilon_1\epsilon_2^6\log\left(c_s\right)^4 \\
&+ 0.19648171535134\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 201.37167995892\alpha_0^{c_s}\epsilon_1^6\epsilon_2\log\left(c_s\right)^2 \\
&+ 12.681992264271\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 6.3478394406672\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^6 \\
&+ 6.3478476869698\alpha_2^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 0.3972283127523\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.19866423824773\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_1\log\left(c_s\right)^6 \\
&+ 0.02485119047619\epsilon_2^2\epsilon_3^5\epsilon_4\log\left(c_s\right)^8 \\
&+ 101.7967713507\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.02488687308077 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 102.33719073024 \epsilon_1^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 12.799276646168 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^3 \\
&+ 0.2 \alpha_1^{c_s} \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.10067669327006 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right) \\
&+ 3.2252147821123 \alpha_2^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \\
&+ 1.6141758175374 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \\
&+ 6.4665202903707 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right) \\
&+ 6.4799180833893 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \\
&+ 12.992633519642 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^2 \\
&+ 0.0001984126984127 \alpha_0^{c_s} \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^8 \\
&+ 0.0001984126984127 \epsilon_2^2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^8 \\
&+ 0.0003968253968254 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^8 \\
&+ 0.025424013163542 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^3 \\
&+ 0.40695134400203 \epsilon_1 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 1.6297874567951 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 6.5245581961203 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \\
&+ 0.051077685515569 \alpha_5^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.051234881439105 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 3.306182872718 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^7 \\
&+ 13.273093156734 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \\
&+ 3.3219583965668 \epsilon_2^3 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.10391766993051 \epsilon_2^6 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 426.70658902515 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&+ 53.432137796226 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 13.377437841643 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 6.6887211691035 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \\
&+ 53.596312408357 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^5 \\
&+ 0.83951906149207 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.053125285299914 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 3.4054505916605 \epsilon_2^3 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.013323254292737 \alpha_3^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.026646508585473 \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 3.4163730643245 \epsilon_1^3 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 6.8358073295351 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \\
&+ 0.053487905151284 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right)^7 \\
&+ 0.013392857142857 \epsilon_1^2 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 1.7184718596716 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \\
&+ 0.013436381211967 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 0.86372537594427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.7299236344753 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.054075382136881 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^3 \\
&+ 0.86520611419009 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \epsilon_5 \\
&+ 13.8456422776361 \epsilon_1^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 1.732130547141 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 13.8666172668 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.027083333333333 \epsilon_2^4 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.10840034007192 \epsilon_2 \epsilon_3^6 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 1.7375596440101 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 3.4793750044527 \alpha_0^{c_s} \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 13.930455918596 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \\
&+ 27.867828228354 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \\
&+ 0.43582039394216 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 1.746281202319 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.2191605553847 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^6 \\
&+ 0.054864124090112 \alpha_4^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.44001458196487 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.7664624831381 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \epsilon_5 \\
&+ 28.277053710469 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right) \\
&+ 7.0705549380137 \epsilon_1 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right) \\
&+ 14.152017889942 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \\
&+ 0.055508777816395 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^3 \\
&+ 0.22209312652269 \alpha_0^{c_s} \alpha_5^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.055653490653473 \alpha_0^{c_s} \epsilon_2 \epsilon_3^6 \log\left(c_s\right)^2 \\
&+ 7.138083377946 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 7.1490329788802 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^4 \\
&+ 0.11214158989745 \epsilon_1^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.44864074193823 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.44917016892358 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 3.5933613513886 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^3 \log\left(c_s\right)^4 \\
&+ 57.577296114489 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^5 \log\left(c_s\right) \\
&+ 0.028203841569268 \epsilon_2 \epsilon_3^5 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 1.8060140498724 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \\
&+ 0.90714026703444 \epsilon_2 \epsilon_3^3 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 14.573780059744 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 0.22809712133401 \epsilon_2^2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 58.52512252587 \alpha_0^{c_s} \epsilon_1 \epsilon_2^5 \epsilon_3 \\
&+ 0.45822554837705 \alpha_2^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.92062434311385 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.92245081563118 \epsilon_1^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&\quad + 0.46157455574115\epsilon_2^2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 0.92365800353602\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 7.3938510893234\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.23116283764514\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3 \log\left(c_s\right) \\
&+ 1.8493027011611\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3 \log\left(c_s\right) \\
&+ 1.8572354463288\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 0.93052529841668\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2 \\
&+ 3.7227483176889\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \\
&+ 0.93126225701561\alpha_1^{c_s}\epsilon_2^5\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.11692428636325\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^7 \\
&+ 3.7557013364049\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_2 \log\left(c_s\right)^3 \\
&+ 1.880178123068\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 0.058793832270643\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4 \\
&+ 15.054180529527\epsilon_1^2\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.23539968586547\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4 \\
&+ 60.300756077701\epsilon_1^3\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 7.5406722190353\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 30.187832611896\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3 \\
&+ 0.059052653362111\left(\alpha_2^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.029558491893536\epsilon_2^3\epsilon_3\epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 0.94673749596683\epsilon_2^5\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 1.9082438302907\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.11944979386335\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right) \\
&+ 30.598462983037\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^4 \\
&+ 30.656960044109\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 0.11980294244761\epsilon_2^5\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.060057363832412\alpha_2^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5 \\
&+ 7.7008213444011\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right) \\
&+ 3.8682201043624\alpha_1^{c_s}\epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 0.060499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3^6 \log\left(c_s\right) \\
&+ 0.24239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3^5 \log\left(c_s\right) \\
&+ 0.060638259373926\epsilon_2\epsilon_3^3\epsilon_4^4 \log\left(c_s\right)^6 \\
&+ 0.0075893264714163\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 0.48649268412197\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4 \\
&+ 1.9498566975263\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 3.9137420964057\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \\
&+ 1.9569487246865\left(\alpha_2^{c_s}\right)^2\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 1.9624222440486\alpha_3^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right) \\
&+ 0.12266261770356\alpha_5^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.24549597995309\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 505.01793921229\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3^2 \\
&+ 0.12330309621154\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^7 \\
&+ 0.98981857726926\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^7 \\
&- 0.03125\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^8 \\
&- 0.0625\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^8 \\
&- 0.028940412828206\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^4\log\left(c_s\right)^7 \\
&- 0.11576165131282\epsilon_1^3\epsilon_2\epsilon_3^4\log\left(c_s\right)^7 \\
&- 1.3152330262565\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^4\log\left(c_s\right)^7 \\
&- 10.404270983228\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^4\log\left(c_s\right) \\
&- 0.30910619242309\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^3\log\left(c_s\right)^7 \\
&- 2.4728495393847\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^3\log\left(c_s\right)^7 \\
&- 0.99321238484617\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_1\log\left(c_s\right)^7 \\
&- 0.72351032070515\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^7 \\
&- 2.3546371545385\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right)^7 \\
&- 0.61990928863463\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right)^7 \\
&- 37.64831542777\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^2 \\
&- 0.74735675914127\alpha_0^{c_s}\epsilon_2^6\epsilon_3\log\left(c_s\right)^2 \\
&- 111.74444503102\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2^2\log\left(c_s\right) \\
&- 3.8104643114709\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^2 \\
&- 16.257123428571\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.0082162155250631\epsilon_2^2\epsilon_3\epsilon_4^5\log\left(c_s\right)^3 \\
&- 0.017446454929366\epsilon_2^2\epsilon_3\epsilon_4^5\log\left(c_s\right)^2 \\
&- 0.5862415097765\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 5.1223576403847\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2 \\
&- 0.3783302277627\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 24.322256748263\epsilon_1^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.024235927072875\epsilon_2^3\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^4 \\
&- 0.79769624279899\alpha_1^{c_s}\epsilon_1^3\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.87269097974533\left(\alpha_0^{c_s}\right)^2\epsilon_2^5\epsilon_3\log\left(c_s\right)^6 \\
&- 0.25277831357545\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 1.0897095389568\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3\epsilon_2\log\left(c_s\right)^6 \\
&- 8.8173141771692\epsilon_1^2\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^5 \\
&- 8.8876080586685\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^3 \\
&- 4.6575918191467\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^{c_s}\right)^2\epsilon_2\log\left(c_s\right)^5 \\
&- 0.076963249408392\epsilon_2^6\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.15519951104157\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 10.116654732117\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right) \\
&- 82.093129901614\epsilon_1^5\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 2.618668108549\left(\alpha_0^{c_s}\right)^6\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 1.3307926470087\left(\alpha_0^{c_s}\right)^5\epsilon_2^2\epsilon_3\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 21.300808048842 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^2 \\
&- 5.5185897109981 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^4 \log\left(c_s\right)^2 \\
&- 0.089236111111111 \epsilon_2^3 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^8 \\
&- 3.1177759898304 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \log\left(c_s\right) \\
&- 1.5807118922644 \epsilon_1^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.79514550970764 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \\
&- 3.3305062567328 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \\
&- 0.4226323062539 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 243.63863606161 \alpha_0^{c_s} \epsilon_1^6 \epsilon_2 \log\left(c_s\right) \\
&- 15.276813513902 \epsilon_1^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 63.816191958663 \epsilon_1^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 8.0574597632311 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 0.51239425814024 \epsilon_1^3 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.065309143635901 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 2.1129456610373 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 17.085298276378 \epsilon_1^4 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.067181906059836 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^7 \\
&- 17.216849019179 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.067482362394151 \alpha_4^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^6 \\
&- 8.9072980301008 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 0.0011312691923043 \alpha_3^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.0022625383846087 \alpha_2^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.14505881524754 \epsilon_2^2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^7 \\
&- 9.4445519551635 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^3 \\
&- 4.7788591534826 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^5 \\
&- 4.8690268485691 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.019136429544877 \alpha_3^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&- 2.5548968827456 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.16059999137084 \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^6 \\
&- 2.6896870611914 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^4 \\
&- 11.091411125027 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 0.35157723391619 \epsilon_1^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 5.6380057924742 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \\
&- 180.50427468903 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right) \\
&- 0.35334062455111 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.35787325724172 \alpha_2^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4 \\
&- 46.707884782319 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^3 \\
&- 46.806289878136 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 0.092228006851166 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.18505457462746 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.37298794025805\epsilon_2^2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^4 \\
&- 0.094294253276346 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.38674349953974 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2\epsilon_3 \\
&- 12.465284020004 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 12.783616042191 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.20453706604161\alpha_2^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^6 \\
&- 6.5915469779563 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.82977343391979\epsilon_2^3\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 3.3535714488164\epsilon_2^2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right) \\
&- 26.914459622597\alpha_0^{c_s}\epsilon_1^6\epsilon_2 \log\left(c_s\right)^6 \\
&- 27.854622425488 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 0.11016267373488 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 0.055647464225437\epsilon_2^4\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3 \\
&- 3.654069165481\alpha_1^{c_s}\epsilon_1^2\epsilon_2^4 \log\left(c_s\right)^4 \\
&- 0.46770653257348\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^5 \log\left(c_s\right)^2 \\
&- 1.8948296480544 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^5 \\
&- 0.0074652777777778\epsilon_2\epsilon_3^3\epsilon_4^4 \log\left(c_s\right)^8 \\
&- 1.9473659259106 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 4.0541205475008 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.015922619047619\epsilon_1\epsilon_2^2\epsilon_3^5 \log\left(c_s\right)^8 \\
&- 65.750206314346\epsilon_1^2\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 2.0583572672817\epsilon_1^5\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.2613624191526\epsilon_2^3\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 0.033047888069249\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2 \\
&- 69.039611131665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^5 \log\left(c_s\right)^4 \\
&- 0.13553341721763 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4^3 \\
&- 2.1723694294572\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 4.3507750764374 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.068158964861708\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \\
&- 0.27469851384026 \left(\alpha_2^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3^6 \log\left(c_s\right)^7 \\
&- 2.2075638206594\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 8.8457261884027 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.27849582981053\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \\
&- 4.4621285103155 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 2.2520679661915\epsilon_2^2\epsilon_3^5\epsilon_4 \log\left(c_s\right) \\
&- 0.071333333870635\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2^2 \log\left(c_s\right)^6 \\
&- 0.57172313430399 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^6 \\
&- 36.729518753067\epsilon_1^3\epsilon_2^2\epsilon_3^3 \log\left(c_s\right) \\
&- 9.3221390565498 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^3 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 2.3436303858964 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.036821238484617 \left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&- 310.28815237305 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.30382054075921 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^6 \\
&- 0.038007191794275 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.019097222222222 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^8 \\
&- 1.2316308037104 \epsilon_2^3 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 9.857134247694 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4 \\
&- 1.2381812479049 \epsilon_2^2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^3 \\
&- 40.446676444884 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^4 \\
&- 10.476065921445 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&- 5.2624153860735 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^5 \\
&- 42.252129446089 \epsilon_1^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.66170141465172 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^5 \\
&- 5.2936113172138 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^5 \\
&- 42.641289642678 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 21.740971165423 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^4 \\
&- 0.34438913196165 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 2.7595307461509 \epsilon_2^2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 0.17247984191881 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&- 1.3831431761717 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^5 \\
&- 0.086458333333333 \epsilon_2^3 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 5.5944616143459 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \\
&- 2.8455800374519 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^3 \\
&- 0.35666304765721 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 2.8819733374294 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 2.8882043207833 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \\
&- 1.4441881476901 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&- 0.36347245829598 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^2 \\
&- 5.8655282126229 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \\
&- 95.012907674239 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^4 \\
&- 23.839704325407 \epsilon_1^4 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.1864337109072 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_2 \log\left(c_s\right)^6 \\
&- 3.0646001990057 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.77413833559838 \epsilon_2^5 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 396.59788772361 \epsilon_1^4 \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&- 3.1256714801737 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 1.589784371989 \epsilon_2^4 \epsilon_3^3 \epsilon_4 \log\left(c_s\right) \\
&- 104.12079898267 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.012720130535429 \alpha_4^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6
\end{aligned}
$$

$$- 26.34043880431 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{3}\epsilon_{2}^{3} \log\left(c_{s}\right)^{3}$$
$$- 13.282105278196 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{4}\epsilon_{3}^{2} \log\left(c_{s}\right)^{3}$$
$$- 1.6618701997136 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1}^{2}\epsilon_{2}$$
$$- 1.6749415745066 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{3} \epsilon_{1} \log\left(c_{s}\right)^{6}$$
$$- 1.6944838751173 \alpha_{0}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}^{5} \log\left(c_{s}\right)$$
$$- 0.85811836685821 \epsilon_{1}^{4}\epsilon_{2}^{3}\epsilon_{3} \log\left(c_{s}\right)^{7}$$
$$- 13.766407678065 \alpha_{1}^{c_{s}} \epsilon_{1}^{3}\epsilon_{2}^{3} \log\left(c_{s}\right)^{3}$$
$$- 3.4617169521456 \epsilon_{1}^{3}\epsilon_{2}\epsilon_{3}^{4} \log\left(c_{s}\right)$$
$$- 0.43372875297568 \epsilon_{2}^{4}\epsilon_{3}^{3}\epsilon_{4} \log\left(c_{s}\right)^{7}$$
$$- 224.07032926629 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{4}\epsilon_{2}^{2} \log\left(c_{s}\right)$$
$$- 0.21882970225975 \alpha_{0}^{c_{s}} \epsilon_{2}^{4}\epsilon_{3}^{3} \log\left(c_{s}\right)$$
$$- 0.0547816654332 \alpha_{3}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}^{2} \log\left(c_{s}\right)^{6}$$
$$- 0.0017361111111111 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{2}\epsilon_{3}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.0017361111111111 \epsilon_{2}^{5}\epsilon_{3}\epsilon_{4}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0034722222222222 \alpha_{3}^{c_{s}} \epsilon_{1}\epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.0034722222222222 \epsilon_{2}\epsilon_{3}^{5}\epsilon_{4}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \alpha_{3}^{c_{s}} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \alpha_{2}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{c_{s}} \epsilon_{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \alpha_{3}^{c_{s}} \epsilon_{1}^{2}\epsilon_{2}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0069444444444444 \left(\alpha_{2}^{c_{s}}\right)^{2} \epsilon_{2}\epsilon_{3} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \alpha_{2}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \alpha_{2}^{c_{s}} \epsilon_{2}^{4}\epsilon_{3} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{8}$$
$$- 0.013888888888889 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}^{4}\epsilon_{3} \log\left(c_{s}\right)^{8}$$
$$- 0.027777777777778 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{1}^{3}\epsilon_{2} \log\left(c_{s}\right)^{8}$$
$$- 0.027777777777778 \epsilon_{1}^{3}\epsilon_{2}^{2}\epsilon_{3}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.055555555555556 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.055555555555556 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{3}\epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.11111111111111 \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{1}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.11111111111111 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \epsilon_{1}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.11111111111111 \alpha_{2}^{c_{s}} \epsilon_{1}^{4}\epsilon_{2} \log\left(c_{s}\right)^{8}$$
$$- 0.11111111111111 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{4}\epsilon_{2} \log\left(c_{s}\right)^{8}$$
$$- 0.22222222222222 \alpha_{0}^{c_{s}} \epsilon_{1}^{4}\epsilon_{2}^{3} \log\left(c_{s}\right)^{8}$$
$$- 0.22222222222222 \alpha_{1}^{c_{s}} \epsilon_{1}^{4}\epsilon_{2}^{2} \log\left(c_{s}\right)^{8}$$
$$- 228.18479210139 \epsilon_{1}^{4}\epsilon_{2}^{3}\epsilon_{3} \log\left(c_{s}\right)^{2}$$

$$
\begin{aligned}
&- 28.592282829731 \left(\alpha_0^{c_s}\right)^5 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^3 \\
&- 57.686486196439 \epsilon_1^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.90274310029525 \alpha_0^{c_s} \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.028571428571429 \epsilon_1^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.0580584532664 \alpha_2^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^6 \\
&- 7.4679326811165 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 1.8939065936062 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&- 0.94936230034103 \alpha_2^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^6 \\
&- 61.317683216581 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2^2 \log\left(c_s\right)^2 \\
&- 1.9182022471485 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \\
&- 0.98815667743121 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 31.857752345996 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^2 \\
&- 0.24904857197719 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 3.9978337071567 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.12615902722906 \alpha_2^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&- 4.0486454582847 \epsilon_1^4 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 2.0261125366046 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 0.50698135062124 \epsilon_1 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 129.94473216533 \epsilon_1^3 \epsilon_2^4 \epsilon_3 \log\left(c_s\right) \\
&- 0.001984126984127 \epsilon_1^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^8 \\
&- 2.0368285956607 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^{c_s} \log\left(c_s\right)^4 \\
&- 0.25504422380238 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^5 \\
&- 0.015987905151284 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.016070694709506 \alpha_5^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^5 \\
&- 0.064825270100856 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.0081070794948725 \epsilon_2^6 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7 \\
&- 0.0081070794948725 \epsilon_2^4 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.25958533823986 \epsilon_1 \epsilon_2^2 \epsilon_3^5 \log\left(c_s\right) \\
&- 2.0808106971594 \epsilon_1^4 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.52317118475778 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \epsilon_4 \\
&- 1.0465054020171 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.53320488973713 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \\
&- 0.00052083333333333 \epsilon_2 \epsilon_3^6 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^5 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \alpha_0^{c_s} \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \alpha_4^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.0041666666666667 \left(\alpha_0^{c_s}\right)^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8
\end{aligned}
$$

$$- 0.0083333333333333 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^5 \log\left(c_s\right)^7$$
$$- 0.0083333333333333 \alpha_1^{c_s} \alpha_4^{c_s} \epsilon_1 \log\left(c_s\right)^8$$
$$- 0.0083333333333333 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^8$$
$$- 0.13333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^8$$
$$- 1.0692556767949 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5$$
$$- 2.1649106968829 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^5$$
$$- 0.54247400644781 \epsilon_2^2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^5$$
$$- 8.7554966915527 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2$$
$$- 4.3919454289506 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^2$$
$$- 0.13802495549857 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^6$$
$$- 2.2157021476103 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^3 \log\left(c_s\right)^6$$
$$- 17.725617180882 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^3 \log\left(c_s\right)^6$$
$$- 0.0086805555555556 \epsilon_2 \epsilon_3^4 \epsilon_4^3 \log\left(c_s\right)^8$$
$$- 0.069444444444444 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^8$$
$$- 0.13980422336613 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4$$
$$- 4.5111574583434 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^4$$
$$- 1.1284101605019 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3$$
$$- 2.2568461277487 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^3$$
$$- 0.56670476635102 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \epsilon_3$$
$$- 2.2725732708181 \epsilon_1 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.035658603434189 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^4 \log\left(c_s\right)^7$$
$$- 0.57795965727946 \epsilon_2^2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)$$
$$- 0.14493349497622 \alpha_3^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^6$$
$$- 37.439686845188 \epsilon_1^6 \epsilon_2 \epsilon_3 \log\left(c_s\right)$$
$$- 1.1709946187751 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^6$$
$$- 1.1765301356058 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \log\left(c_s\right)^5$$
$$- 9.4122410848463 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \log\left(c_s\right)^5$$
$$- 0.0092024588403061 \epsilon_2^2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)$$
$$- 0.2954576701787 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^6$$
$$- 9.4835454147982 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.29808126842234 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^3$$
$$- 76.365888239496 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4 \epsilon_2 \log\left(c_s\right)$$
$$- 0.59661835425773 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 0.29949363761538 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^4 \log\left(c_s\right)^2$$
$$- 0.018814681511445 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \epsilon_5$$
$$- 0.075449721375182 \epsilon_1^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^4$$
$$- 4.8287989989025 \epsilon_1^4 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6$$
$$- 1.2125630791681 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)$$
$$- 2.4319427543248 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^4$$
$$- 19.493259345138 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2$$

$$
\begin{aligned}
&- 0.00059523809523809\epsilon_1^2\epsilon_2^5\epsilon_3 \log\left(c_s\right)^8 \\
&- 0.61181402112984\alpha_0^{c_s}\epsilon_1^3\epsilon_2^4 \log\left(c_s\right)^6 \\
&- 4.9731328837192 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^2 \\
&- 9.9536946395021\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2 \log\left(c_s\right)^2 \\
&- 4.988661555376 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 0.077993673721269\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \\
&- 10.011529440687\alpha_0^{c_s}\epsilon_2^4\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 0.31630853719184\alpha_4^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.1581554685541\epsilon_1^2\epsilon_2^5\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.31668765775807 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^4 \log\left(c_s\right)^4 \\
&- 10.265303077084\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^3 \\
&- 2.5674194472616\alpha_1^{c_s}\epsilon_1^5\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.020380825656412\alpha_2^{c_s}\epsilon_1\epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.081636429544877\alpha_1^{c_s}\epsilon_2^5\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.16327285908975 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.32654571817951 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1 \log\left(c_s\right)^7 \\
&- 0.040895378917025\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3 \\
&- 0.66147404267032\alpha_1^{c_s}\epsilon_1\epsilon_2^5 \log\left(c_s\right)^2 \\
&- 0.16542909652216\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^4 \log\left(c_s\right)^3 \\
&- 2.6492820159774 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s}\epsilon_1 \log\left(c_s\right)^4 \\
&- 10.61258944482\epsilon_1\epsilon_2^5\epsilon_3^2 \log\left(c_s\right) \\
&- 0.16777983742679\epsilon_2^2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^5 \\
&- 0.16795476514959\alpha_2^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 1.3484103520813 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.33774672252745\epsilon_2^2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 5.4166160281668\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s} \log\left(c_s\right)^3 \\
&- 348.54409447486\alpha_0^{c_s}\epsilon_1^5\epsilon_2^2 \log\left(c_s\right) \\
&- 0.3421072238307\alpha_2^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right) \\
&- 88.271274570313 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^4\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.0013575230307652\alpha_1^{c_s}\alpha_4^{c_s}\epsilon_1 \log\left(c_s\right)^7 \\
&- 2.7860473866431 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 1.3937816378629\epsilon_2^5\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 1.3992810326292\epsilon_2^4\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 5.6245039509257 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \\
&- 5.6268944261386\epsilon_2^2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 1.4086064374498\epsilon_2^3\epsilon_3^4\epsilon_4 \log\left(c_s\right)^4 \\
&- 5.6415239036026 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^5 \log\left(c_s\right)^3 \\
&- 0.70810146773475\alpha_3^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right) \\
&- 0.17852802235357\alpha_2^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^5 \\
&- 0.71486897247224 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^7
\end{aligned}
$$

$$- 0.35864417007374 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{7}$$
$$- 5.742079017354 \alpha_{0}^{c_{s}} \epsilon_{1}^{5} \epsilon_{2}^{2} \log\left(c_{s}\right)^{7}$$
$$- 11.564432060176 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)^{4}$$
$$- 11.610359804397 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \epsilon_{1}^{4} \log\left(c_{s}\right)^{2}$$
$$- 372.26067964966 \epsilon_{1}^{4} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)$$
$$- 5.9378034134871 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \log\left(c_{s}\right)^{4}$$
$$- 12.046288970246 \epsilon_{1}^{2} \epsilon_{2}^{4} \epsilon_{3}^{2} \log\left(c_{s}\right)$$
$$- 196.00967310258 \epsilon_{1}^{3} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{2}$$
$$- 3.0675316340839 \left(\alpha_{0}^{c_{s}}\right)^{5} \epsilon_{1} \epsilon_{2}^{2} \log\left(c_{s}\right)$$
$$- 0.024095344558449 \alpha_{3}^{c_{s}} \epsilon_{1}^{3} \epsilon_{2} \log\left(c_{s}\right)^{6}$$
$$- 0.09665658762607 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{1} \epsilon_{2}^{3} \log\left(c_{s}\right)^{7}$$
$$- 3.0943661359477 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2}$$
$$- 0.77968823083054 \epsilon_{2}^{2} \epsilon_{3}^{4} \epsilon_{4} \epsilon_{5}$$
$$- 1.5619300662709 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4}$$
$$- 0.19741799834895 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{4}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{6}$$
$$- 3.1590209894605 \epsilon_{2}^{4} \epsilon_{3}^{3} \epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 6.334602852834 \epsilon_{1}^{2} \epsilon_{2}^{5} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 51.025694392134 \epsilon_{1}^{3} \epsilon_{2}^{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{4}$$
$$- 12.766015622774 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)^{3}$$
$$- 3.1937158281389 \epsilon_{1}^{3} \epsilon_{2}^{3} \epsilon_{3}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.10023399968538 \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{3}$$
$$- 0.0062715605038148 \epsilon_{2}^{4} \epsilon_{3} \epsilon_{4} \epsilon_{5}^{2}$$
$$- 0.2045560160222 \alpha_{0}^{c_{s}} \epsilon_{1} \epsilon_{2}^{6} \log\left(c_{s}\right)^{5}$$
$$- 0.20607079494872 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{2}^{3} \log\left(c_{s}\right)^{7}$$
$$- 1.6485663595898 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \epsilon_{1}^{3} \log\left(c_{s}\right)^{7}$$
$$- 0.41502830498587 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{5} \log\left(c_{s}\right)^{6}$$
$$- 3.3381360037862 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.20904145606187 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}$$
$$- 0.41960002655965 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \log\left(c_{s}\right)^{3}$$
$$- 0.052752550105599 \epsilon_{2}^{5} \epsilon_{3} \epsilon_{4}^{2} \log\left(c_{s}\right)^{2}$$
$$- 6.7794893839726 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.84798185940735 \alpha_{2}^{c_{s}} \epsilon_{1}^{4} \epsilon_{2} \log\left(c_{s}\right)^{5}$$
$$- 0.053130324546753 \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4}^{4} \log\left(c_{s}\right)^{7}$$
$$- 1.7141619960988 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{5}$$
$$- 0.10766948331388 \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3}^{5} \log\left(c_{s}\right)^{6}$$
$$- 0.10793731417675 \epsilon_{1}^{2} \epsilon_{2}^{4} \epsilon_{3}^{2} \log\left(c_{s}\right)^{7}$$
$$- 3.4590614093314 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{3} \epsilon_{2}^{2} \log\left(c_{s}\right)^{5}$$
$$- 13.842385521327 \epsilon_{1}^{3} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 0.21856647420934 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{2}^{5} \log\left(c_{s}\right)^{6}$$
$$- 56.042504768202 \epsilon_{1}^{2} \epsilon_{2}^{3} \epsilon_{3}^{3} \log\left(c_{s}\right)^{2}$$

$$
\begin{aligned}
&- 0.4387477929279 \left(\alpha_{2}^{c_{s}}\right)^{2} \epsilon_{1} \epsilon_{2} \log\left(c_{s}\right)^{4} \\
&- 1.7608446262415 \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{4} \log\left(c_{s}\right)^{3} \\
&- 0.89230145653371 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{5} \log\left(c_{s}\right)^{3} \\
&- 3.6146319346858 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \epsilon_{2}^{2} \log\left(c_{s}\right)^{2} \\
&- 14.484598707915 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} \log\left(c_{s}\right)^{2} \\
&- 0.90605082138294 \alpha_{1}^{c_{s}} \epsilon_{2}^{5} \epsilon_{3} \log\left(c_{s}\right)^{3} \\
&- 1.8315045384857 \left(\alpha_{0}^{c_{s}}\right)^{4} \epsilon_{2}^{3} \epsilon_{3} \log\left(c_{s}\right) \\
&- 0.92253966508675 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4} \\
&- 7.404837211048 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{1}^{4} \log\left(c_{s}\right)^{5} \\
&- 0.11601013564135 \epsilon_{1}^{6} \epsilon_{2} \epsilon_{3} \log\left(c_{s}\right)^{5} \\
&- 0.029046154876536 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{4} \\
&- 7.440414733683 \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right) \\
&- 0.11710830043224 \epsilon_{1} \epsilon_{2}^{5} \epsilon_{3}^{2} \log\left(c_{s}\right)^{7} \\
&- 0.94131732208683 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \epsilon_{2}^{4} \log\left(c_{s}\right)^{2} \\
&- 1.8829012918902 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{2} \\
&- 7.5701304579913 \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)^{3} \\
&- 15.143583095213 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{3} \\
&- 0.95120953352716 \alpha_{2}^{c_{s}} \epsilon_{1}^{2} \epsilon_{2}^{3} \log\left(c_{s}\right)^{5} \\
&- 15.324387871668 \alpha_{0}^{c_{s}} \epsilon_{1}^{4} \epsilon_{2}^{3} \log\left(c_{s}\right)^{5} \\
&- 15.377954153361 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{3} \epsilon_{2}^{2} \log\left(c_{s}\right)^{4} \\
&- 61.616739650596 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{c_{s}} \log\left(c_{s}\right) \\
&- 0.97052498169261 \alpha_{1}^{c_{s}} \epsilon_{1} \epsilon_{2}^{5} \log\left(c_{s}\right)^{4} \\
&- 31.252521299831 \epsilon_{1}^{6} \epsilon_{2} \epsilon_{3} \log\left(c_{s}\right)^{4} \\
&- 7.8140217499778 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1} \epsilon_{2}^{5} \log\left(c_{s}\right) \\
&- 0.12273746161539 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{c_{s}}\right)^{2} \epsilon_{2} \log\left(c_{s}\right)^{7} \\
&- 1.9766060342278 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{6} \\
&- 0.49542349185778 \alpha_{0}^{c_{s}} \alpha_{4}^{c_{s}} \epsilon_{1}^{2} \log\left(c_{s}\right)^{5} \\
&- 0.06230145705136 \alpha_{4}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \log\left(c_{s}\right)^{4} \\
&- 0.12599044942332 \alpha_{2}^{c_{s}} \epsilon_{2}^{4} \epsilon_{3} \log\left(c_{s}\right)^{3} \\
&- 0.50456935259818 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{6} \\
&- 259.55318337667 \alpha_{0}^{c_{s}} \epsilon_{1}^{4} \epsilon_{2}^{3} \log\left(c_{s}\right) \\
&- 16.232327549066 \epsilon_{1} \epsilon_{2}^{4} \epsilon_{3}^{3} \log\left(c_{s}\right)^{4} \\
&- 1.0181140321161 \alpha_{1}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{4} \\
&- 8.1659575081896 \epsilon_{1}^{4} \epsilon_{2} \epsilon_{3}^{3} \log\left(c_{s}\right)^{2} \\
&- 130.99173252207 \epsilon_{1}^{4} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{3} \\
&- 0.51189520141384 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{c_{s}} \epsilon_{1} \log\left(c_{s}\right)^{2} \\
&- 0.51280781378329 \alpha_{0}^{c_{s}} \alpha_{4}^{c_{s}} \epsilon_{2}^{2} \log\left(c_{s}\right)^{2} \\
&- 0.25660878545975 \alpha_{2}^{c_{s}} \epsilon_{1} \epsilon_{2}^{4} \log\left(c_{s}\right)^{5} \\
&- 2.0565900314507 \epsilon_{2}^{2} \epsilon_{3}^{3} \epsilon_{4}^{3} \log\left(c_{s}\right)^{3}
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0020095252004077\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s)^5 \\
&- 0.51474131297466\alpha_0^{c_s} (\alpha_2^{c_s})^2 \epsilon_1 \log(c_s)^6 \\
&- 0.51743952575642 (\alpha_0^{c_s})^3 (\alpha_1^{c_s})^2 \epsilon_2 \log(c_s)^7 \\
&- 4.1474108084739 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&- 16.598802150376 (\alpha_1^{c_s})^2 \epsilon_1^2\epsilon_2^2 \log(c_s)^3 \\
&- 0.25952505010897\alpha_4^{c_s} \epsilon_1^2\epsilon_2 \log(c_s)^5 \\
&- 0.26029515949608\epsilon_2^2\epsilon_3^3\epsilon_4^3 \log(c_s)^7 \\
&- 16.681469601386 (\alpha_0^{c_s})^3 \epsilon_1^4\epsilon_2 \log(c_s)^6 \\
&- 0.13047821326872 (\alpha_1^{c_s})^2 \epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&- 4.1791893989041 (\alpha_0^{c_s})^4 \epsilon_1^3\epsilon_2 \log(c_s)^6 \\
&- 8.4050326224009 (\alpha_0^{c_s})^4 \alpha_2^{c_s}\epsilon_1 \log(c_s)^4 \\
&- 0.52729828392982\alpha_0^{c_s} \epsilon_2^2\epsilon_3^5 \log(c_s)^4 \\
&- 1.0551780331162\alpha_3^{c_s} \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&- 2.1147319615376 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2^2 \log(c_s)^4 \\
&- 4.2356048043248\epsilon_2^2\epsilon_3^3\epsilon_4^3 \log(c_s)^2 \\
&- 16.983642897477\epsilon_1\epsilon_2^4\epsilon_3^3 \log(c_s)^2 \\
&- 4.2465373536034 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&- 4.2798918090641 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2^2 \log(c_s)^3 \\
&- 2.1417909774817\alpha_1^{c_s} \epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 4.2836333836172\epsilon_2^4\epsilon_3^3\epsilon_4 \log(c_s)^3 \\
&- 68.643188361597 (\alpha_0^{c_s})^4 \epsilon_1^3\epsilon_2 \log(c_s)^3 \\
&- 17.173328254581 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2^3 \log(c_s)^3 \\
&- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s)^4 \\
&- 1.0743728580001\epsilon_2^4\epsilon_3^2\epsilon_4^2 \log(c_s)^5 \\
&- 4.3025408366749\alpha_1^{c_s} \epsilon_1^4\epsilon_2^2 \log(c_s)^5 \\
&- 4.3057275280501\alpha_1^{c_s} \epsilon_2^2\epsilon_3^3\epsilon_4 \\
&- 2.1621128598436\alpha_0^{c_s} (\alpha_1^{c_s})^2 \epsilon_2^2\epsilon_3 \\
&- 1.0827835044321 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2^2 \log(c_s)^5 \\
&- 4.351870993276 (\alpha_1^{c_s})^2 \epsilon_2^2\epsilon_3^2 \log(c_s) \\
&- 0.017011035245085\epsilon_2^4\epsilon_3\epsilon_4^3 \log(c_s) \\
&- 0.54512678492805 (\alpha_1^{c_s})^3 \epsilon_1\epsilon_2 \log(c_s)^6 \\
&- 0.5455702633229 (\alpha_1^{c_s})^3 \epsilon_1\epsilon_2 \log(c_s)^5 \\
&- 0.06831317525214\alpha_0^{c_s} \alpha_2^{c_s}\epsilon_2^4 \log(c_s)^7 \\
&- 34.98934414931 (\alpha_0^{c_s})^4 \epsilon_1^2\epsilon_2^2 \log(c_s) \\
&- 8.7601098081612 (\alpha_0^{c_s})^5 \epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 4.3911535558676\alpha_0^{c_s} \epsilon_2^2\epsilon_3^4\epsilon_4 \\
&- 17.58727858618 (\alpha_0^{c_s})^4 \epsilon_1^2\epsilon_2^2 \log(c_s)^3 \\
&- 0.27551523939317 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_2^2 \log(c_s)^7 \\
&- 141.73474793758\alpha_0^{c_s} \epsilon_1^6\epsilon_2 \log(c_s)^4 \\
&- 8.8608589451215 (\alpha_0^{c_s})^4 \epsilon_2^2\epsilon_3^2 \log(c_s)^5 \\
&- 8.8723069875356 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2^3 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 70.999357735619\epsilon_1^6\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 1.1123620745563\alpha_3^{c_s}\epsilon_1^2\epsilon_2^2 \log(c_s)^4 \\
&- 0.017393977129841\epsilon_2^4\epsilon_3^2\epsilon_4^2 \log(c_s)^2 \\
&- 2.2358609934912 (\alpha_0^{c_s})^3 \alpha_2^{c_s}\epsilon_1^2 \log(c_s)^5 \\
&- 1.1243192315258\alpha_0^{c_s}\epsilon_2^5\epsilon_3^2 \log(c_s) \\
&- 0.0043929205051275\alpha_5^{c_s}\epsilon_1\epsilon_2 \log(c_s)^7 \\
&- 2.2498125796842\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3 \log(c_s)^5 \\
&- 0.035163875988494\epsilon_2^5\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&- 0.00013817569651673\epsilon_1\epsilon_2\epsilon_3^6 \log(c_s)^2 \\
&- 0.14160036924054\epsilon_2^6\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 2.2692138034456\alpha_0^{c_s} (\alpha_1^{c_s})^3 \epsilon_2 \log(c_s)^5 \\
&- 18.184847914396 (\alpha_0^{c_s})^4 \epsilon_1^3\epsilon_2 \log(c_s) \\
&- 4.55486227168 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_1^2 \log(c_s) \\
&- 0.28468530667464\alpha_4^{c_s}\epsilon_2^2\epsilon_3 \log(c_s) \\
&- 73.026051472453 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1^4 \log(c_s)^4 \\
&- 1.1411673180662\alpha_0^{c_s}\epsilon_2^2\epsilon_3^5 \log(c_s)^2 \\
&- 1.1419433704784\epsilon_1\epsilon_2^2\epsilon_3^5 \log(c_s)^4 \\
&- 1.1444980491238 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&- 9.1887022044493\alpha_2^{c_s}\epsilon_1^4\epsilon_2 \log(c_s)^3 \\
&- 18.390841598711\alpha_1^{c_s}\epsilon_1^5\epsilon_2 \log(c_s)^5 \\
&- 2.3005514049297 (\alpha_0^{c_s})^4 \epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&- 4.6023269753646\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4 \log(c_s)^5 \\
&- 0.28794842960239\alpha_2^{c_s}\epsilon_2^3\epsilon_3^2 \log(c_s)^5 \\
&- 4.6094185135883 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2^3 \log(c_s)^5 \\
&- 0.14413642954488 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\alpha_3^{c_s} \log(c_s)^7 \\
&- 0.28827285908975\alpha_0^{c_s} (\alpha_1^{c_s})^2 \alpha_2^{c_s} \log(c_s)^7 \\
&- 9.2275164564591 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_1^2 \log(c_s)^6 \\
&- 36.949807856097 (\alpha_0^{c_s})^2 (\alpha_1^{c_s})^2 \epsilon_1^2 \log(c_s)^2 \\
&- 0.57741065873469\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2 \log(c_s)^6 \\
&- 9.2479155216433 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2^4 \log(c_s)^3 \\
&- 0.5820521531582\alpha_1^{c_s}\epsilon_2^4\epsilon_3^2 \log(c_s) \\
&- 0.29201405019214\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s} \log(c_s)^5 \\
&- 1.1687290954111 (\alpha_0^{c_s})^2 \alpha_3^{c_s}\epsilon_2^2 \log(c_s)^2 \\
&- 1.173140254994\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^{c_s} \log(c_s)^4 \\
&- 0.14667971711188\alpha_1^{c_s}\epsilon_2^5\epsilon_3 \log(c_s) \\
&- 9.4467358857007\alpha_0^{c_s}\epsilon_1^2\epsilon_2^5 \log(c_s)^3 \\
&- 0.0011581542135532\epsilon_2^2\epsilon_3\epsilon_4^5 \log(c_s)^7 \\
&- 0.59454562755488\alpha_0^{c_s} (\alpha_1^{c_s})^3 \epsilon_1 \log(c_s)^4 \\
&- 2.4049304905899 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\alpha_2^{c_s} \log(c_s)^5 \\
&- 4.8100293638733 (\alpha_0^{c_s})^5 \epsilon_1\epsilon_2^2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.30103047878634\alpha_0^{c_s}\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.30195427695909\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 0.009457310077378\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.075658480619024\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^3\log\left(c_s\right)^6 \\
&- 4.8538700709327\epsilon_2^2\epsilon_3^4\epsilon_4^2\log\left(c_s\right) \\
&- 0.30411634422982\left(\alpha_0^{c_s}\right)^6\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 1.2167639209818\epsilon_2^2\epsilon_3^4\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.30891561075471\alpha_2^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 2.4755546414131\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\log\left(c_s\right) \\
&- 0.077427915500434\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s}\epsilon_2\log\left(c_s\right)^6 \\
&- 0.0048454281820493\alpha_4^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&- 4.9620761085886\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&- 2.4821445985305\epsilon_2^2\epsilon_3^5\epsilon_4\log\left(c_s\right)^2 \\
&- 9.9327363895787\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\log\left(c_s\right)^3 \\
&- 2.4866459368117\alpha_2^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right) \\
&- 4.9788796000266\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 4.9808594770112\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^6 \\
&- 0.31306178430343\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^4\log\left(c_s\right)^5 \\
&- 0.62742664118793\epsilon_1\epsilon_2^2\epsilon_3^5\log\left(c_s\right)^6 \\
&- 0.31399250113569\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.15805615075439\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&- 0.15808805015001\epsilon_2^4\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 2.5308221856667\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 2.5319568232999\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 5.0757954827176\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&- 2.5433965427863\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^3\log\left(c_s\right)^3 \\
&- 1.2729720021045\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^2 \\
&- 0.009967132246276\epsilon_2^2\epsilon_3\epsilon_4^5\log\left(c_s\right)^4 \\
&- 0.03996976287821\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2^2\log\left(c_s\right)^7 \\
&- 5.1390176006472\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^3\log\left(c_s\right)^4 \\
&- 41.112140805177\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^3\log\left(c_s\right)^4 \\
&- 0.64242490104988\epsilon_2^2\epsilon_3^5\epsilon_4\log\left(c_s\right)^4 \\
&- 20.701362397105\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^4\log\left(c_s\right)^6 \\
&- 0.64721552939063\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4\log\left(c_s\right)^7 \\
&- 0.32380059493715\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2^2\log\left(c_s\right)^3 \\
&- 1.2961517565118\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 165.98379370787\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\epsilon_2\log\left(c_s\right) \\
&- 10.392208892329\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2^2\log\left(c_s\right)^3 \\
&- 1.313109444239\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3 \\
&- 5.2652339340163\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 2.6327420745203 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right) \\
&- 0.65942654383592 \epsilon_1^6 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&- 0.041369047619048 \epsilon_1 \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.16553539747436 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.33107079494872 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 2.664697695988 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.0052083333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^4 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^3 \epsilon_1 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1^2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \epsilon_1^3 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.041666666666667 \epsilon_1^3 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.083333333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^4 \log\left(c_s\right)^8 \\
&- 2.6705190200699 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 2.6708141280322 \left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 0.33434726384043 \left(\alpha_0^{c_s}\right)^6 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 0.33595893926797 \alpha_3^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 0.33636426020027 \left(\alpha_0^{c_s}\right)^3 \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^6 \\
&- 0.021050521540557 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^4 \\
&- 0.67400842007752 \alpha_1^{c_s} \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^5 \\
&- 2.7039823881557 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 5.4143720001435 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 0.3409375099483 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^7 \\
&- 0.34255441646745 \alpha_4^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 0.042829301717095 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.0013392857142857 \epsilon_1 \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^8 \\
&- 10.988013015903 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$- 5.4961501293443\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^4$$
$$- 0.021527777777778\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^8$$
$$- 0.021527777777778\epsilon_2^3\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^8$$
$$- 5.5275524078974\alpha_0^{c_s}\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^3$$
$$- 0.086445880064866\alpha_1^{c_s}\epsilon_1\epsilon_2^5\log\left(c_s\right)^6$$
$$- 0.34628986413841\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2$$
$$- 0.005442428636325 1\alpha_1^{c_s}\epsilon_2\epsilon_3^5\log\left(c_s\right)^7$$
$$- 0.0027263585944683\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4$$
$$- 44.715769191377\alpha_0^{c_s}\epsilon_1^4\epsilon_2^3\log\left(c_s\right)^3$$
$$- 1.3998607252309\epsilon_2^3\epsilon_3^4\epsilon_4\log\left(c_s\right)^6$$
$$- 0.04379035595559\epsilon_1^4\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^7$$
$$- 2.802984599686\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1^2\log\left(c_s\right)^3$$
$$- 1.4016304258883\left(\alpha_0^{c_s}\right)^4\alpha_2^{c_s}\epsilon_2\log\left(c_s\right)^5$$
$$- 0.088099518276119\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5$$
$$- 0.17627347414156\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4$$
$$- 2.8262901177306\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4^2$$
$$- 1.4133679818832\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3$$
$$- 0.00069444444444444\left(\alpha_0^{c_s}\right)^6\epsilon_2\epsilon_3\log\left(c_s\right)^8$$
$$- 0.00069444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^5\log\left(c_s\right)^8$$
$$- 0.00069444444444444\epsilon_2^3\epsilon_3\epsilon_4^4\log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_2\log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_1^{c_s}\epsilon_1\epsilon_2^5\log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_5^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^8$$
$$- 0.0027777777777778\alpha_0^{c_s}\alpha_5^{c_s}\epsilon_1\log\left(c_s\right)^8$$
$$- 0.0027777777777778\alpha_1^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^8$$
$$- 0.0055555555555556\epsilon_1^4\epsilon_2\epsilon_3^3\log\left(c_s\right)^8$$
$$- 0.011111111111111\epsilon_1^5\epsilon_2\epsilon_3^2\log\left(c_s\right)^8$$
$$- 0.17777777777778\alpha_0^{c_s}\epsilon_1^6\epsilon_2\log\left(c_s\right)^8$$
$$- 11.392932230848\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right)^2$$
$$- 1.4265852752064\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4$$
$$- 0.35678761515383\epsilon_1^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^7$$
$$- 0.089401720560642\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3\epsilon_4$$
$$- 2.8663774577954\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^6$$
$$- 0.71836746389131\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^6$$
$$- 0.089825270100856\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2^2\log\left(c_s\right)^7$$
$$- 1.4374715934995\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1^2\log\left(c_s\right)^5$$
$$- 0.71933012773158\left(\alpha_0^{c_s}\right)^4\epsilon_2^3\epsilon_3\log\left(c_s\right)^2$$
$$- 0.18015250412639\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2$$
$$- 1.4437032497343\epsilon_1^3\epsilon_2\epsilon_3^4\log\left(c_s\right)^3$$
$$- 0.045138888888889\alpha_1^{c_s}\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^8$$
$$- 0.045255327686582\epsilon_2^6\epsilon_3\epsilon_4\log\left(c_s\right)$$

$$
\begin{aligned}
&- 46.396181736202 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5 \epsilon_2 \log\left(c_s\right)^3 \\
&- 11.614102009271 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right) \\
&- 1.4521318075706 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right)^6 \\
&- 1.4530912757566 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \\
&- 11.62564952672 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.0056893243001223 \alpha_0^{c_s} \epsilon_1 \epsilon_2^6 \log\left(c_s\right)^7 \\
&- 2.9137718013046 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.72848692164221 \alpha_4^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&- 5.8279599791612 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&- 11.67238791364 \epsilon_1 \epsilon_2^3 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.045639014016529 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6 \\
&- 2.9434138848574 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&- 0.18410619242309 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&- 0.046254475152131 \epsilon_1^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.18539429090601 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^3 \log\left(c_s\right)^7 \\
&- 2.9690434136234 \epsilon_1 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 1.4876858141048 \alpha_4^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 2.9758493651739 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right) \\
&- 0.37222846216105 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.7468821903278 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 1.4970596813455 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 11.980701732291 \epsilon_1 \epsilon_2^5 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 5.9941425656889 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^5 \\
&- 192.38076541129 \epsilon_1^3 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&- 0.18850430686126 \alpha_0^{c_s} \epsilon_2^6 \epsilon_3 \log\left(c_s\right)^6 \\
&- 24.145220851021 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^{c_s} \log\left(c_s\right) \\
&- 0.18888888888889 \epsilon_1^5 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.04728495393847 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 3.028194348969 \epsilon_1^2 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 1.5190103894504 \epsilon_2^2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&- 6.1255586397398 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right)^2 \\
&- 3.0649590038146 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.76730741554815 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.7683997974694 \alpha_4^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.0060038745597949 \epsilon_2^3 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^6 \\
&- 49.533494947396 \epsilon_1^2 \epsilon_2^5 \epsilon_3 \log\left(c_s\right) \\
&- 0.048580835185477 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \\
&- 0.012152777777778 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.19456990787694 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^4 \log\left(c_s\right)^7 \\
&- 0.77886019895736 \alpha_3^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.048748168075811\alpha_3^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.048918882168801\epsilon_2^4\epsilon_3\epsilon_4^3\log\left(c_s\right)^5 \\
&- 12.655324397207\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^3 \\
&- 1.5860040993017\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&- 0.099436433093368\epsilon_1^2\epsilon_2\epsilon_3^5\log\left(c_s\right) \\
&- 0.012460099109249\epsilon_2^4\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&- 3.1934222822219\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^4 \\
&- 0.0015625\epsilon_2\epsilon_3^2\epsilon_4^5\log\left(c_s\right)^8 \\
&- 0.0125\alpha_0^{c_s}\epsilon_2^2\epsilon_3^5\log\left(c_s\right)^8 \\
&- 0.025\alpha_4^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^7 \\
&- 0.025\left(\alpha_0^{c_s}\right)^5\epsilon_1^2\epsilon_2\log\left(c_s\right)^7 \\
&- 0.2\left(\alpha_0^{c_s}\right)^2\epsilon_1^5\epsilon_2\log\left(c_s\right)^8 \\
&- 1.6156382774942\epsilon_1\epsilon_2^6\epsilon_3\log\left(c_s\right)^4 \\
&- 0.80896252570362\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^5\log\left(c_s\right)^4 \\
&- 2.4801587301587\cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4^6\log\left(c_s\right)^8 \\
&- 26.028718623986\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\log\left(c_s\right) \\
&- 0.0031894049241461\alpha_3^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&- 0.10206095757268\alpha_2^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^7 \\
&- 13.065321082327\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s}\log\left(c_s\right) \\
&- 3.2680657308562\alpha_0^{c_s}\epsilon_2^5\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.051162635050428\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2\log\left(c_s\right)^7 \\
&- 6.5665780137249\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 0.41104762648098\epsilon_2^2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^3 \\
&- 0.82288206840772\alpha_4^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^3 \\
&- 0.20599994823238\epsilon_1^2\epsilon_2\epsilon_3^5\log\left(c_s\right)^3 \\
&- 0.0032378927387127\epsilon_2^2\epsilon_3\epsilon_4^5\log\left(c_s\right)^5 \\
&- 0.41462717800465\alpha_3^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&- 3.3210759691306\alpha_1^{c_s}\epsilon_1^4\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.20815607658714\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \\
&- 0.20827400551616\alpha_2^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 1.6678796860713\alpha_0^{c_s}\epsilon_2^3\epsilon_3^4\log\left(c_s\right)^3 \\
&- 1.673155011152\alpha_1^{c_s}\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^2 \\
&- 0.026162635050428\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^5\log\left(c_s\right)^7 \\
&- 0.42101244816772\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^6 \\
&- 1.6907347679863\epsilon_2^2\epsilon_3^4\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.84669180102573\epsilon_2^2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^2 \\
&- 0.10661213356933\epsilon_2^5\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 13.70050955637\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.0067181906059836\alpha_2^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^7 \\
&- 3.4516447562729\left(\alpha_0^{c_s}\right)^6\epsilon_1\epsilon_2\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.217697145453\alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 \epsilon_1 \log\left(c_s\right)^7 \\
&- 0.8711309671852 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^3 \\
&- 0.027263585944683\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3^6 \log\left(c_s\right)^7 \\
&- 0.054744290535213\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^6 \\
&- 0.4379543242817\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^6 \\
&- 3.5060636636031\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2\epsilon_2 \\
&- 0.43849827185678\alpha_0^{c_s} \epsilon_1^2\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 1.758186442023 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.87969799273313 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^5 \log\left(c_s\right)^5 \\
&- 14.144458491047\epsilon_1^2\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^3 \\
&- 0.88910640618453\epsilon_2^2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 56.919128042893 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^4 \log\left(c_s\right) \\
&- 28.5081240987 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^3 \log\left(c_s\right)^2 \\
&- 3.5714819230792 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^3\epsilon_2 \log\left(c_s\right)^5 \\
&- 1.7961560450177 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^4 \\
&- 14.37637089268 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 14.399100562545\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^5 \log\left(c_s\right)^6 \\
&- 7.1999286887929\epsilon_1^2\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 115.38146739001\epsilon_1^3\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 115.39777370795\epsilon_1^5\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&- 28.939237174754 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} \log\left(c_s\right) \\
&- 7.2365108098729\epsilon_1\epsilon_2^3\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 29.024477808387 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^5\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.11351990817316 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^3 \log\left(c_s\right)^2 \\
&- 0.90815926538528 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^3 \log\left(c_s\right)^2 \\
&- 0.056787615153826\epsilon_1^3\epsilon_2^4\epsilon_3 \log\left(c_s\right)^7 \\
&- 1.8352033659447\epsilon_1^3\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 7.3493413357053\alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^{c_s} \log\left(c_s\right) \\
&- 3.6860216080685 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 1.848898214949 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&- 0.0004525076769217 4\alpha_0^{c_s} \alpha_5^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&- 59.468460040402 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^3 \log\left(c_s\right) \\
&- 0.9344250249414\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 7.5469718945065\epsilon_1\epsilon_2^6\epsilon_3 \log\left(c_s\right) \\
&- 0.11821238484617\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1^2 \log\left(c_s\right)^7 \\
&- 0.23889608024481 \left(\alpha_1^{c_s}\right)^3 \epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.9561444107829\alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2^2 \log\left(c_s\right) \\
&- 0.0009638121196715\alpha_4^{c_s} \epsilon_1\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.48201722732694\epsilon_2^4\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 62.17499044093\alpha_1^{c_s}\epsilon_1^5\epsilon_2\log\left(c_s\right)^2 \\
&- 0.12152291986288\alpha_1^{c_s}\epsilon_1^2\epsilon_2^4\log\left(c_s\right)^6 \\
&- 0.97279316802489\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right) \\
&- 0.12206950960063\alpha_4^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&- 0.48964834045012\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2^2\log\left(c_s\right)^4 \\
&- 0.48981857726926\alpha_1^{c_s}\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^7 \\
&- 0.49030153425078\alpha_1^{c_s}\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^4 \\
&- 0.12330309621154\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^3\log\left(c_s\right)^7 \\
&- 0.12330309621154\left(\alpha_1^{c_s}\right)^3\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 0.24707410647295\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2\epsilon_3 \\
&- 0.99094984646157\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^7 \\
&- 0.99992973144886\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^4\log\left(c_s\right)^6 \\
&+ 0.03125\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 0.03125\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^8 \\
&+ 0.0625\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^8 \\
&+ 0.0625\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^8 \\
&+ 0.0625\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^8 \\
&+ 0.125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^7 \\
&+ 0.125\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.25\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.25\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.14470206414103\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.39233280977578\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \\
&+ 0.5834274309077\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.61821238484617\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.22592244066448\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^2 \\
&+ 38.954595387433\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 0.72351032070515\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 7.0832292717296\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.61651548105772\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.61990928863463\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.63560032908856\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 12.672731317043\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 14.28877130438\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 0.12617589165272\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \\
&+ 4.4365698523911\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 2.2592244066448\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^2 \\
&+ 18.359148578757\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 1.1604411823488\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^6 \\
&+ 0.59990974452222\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.3006216734808 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.16996981383748 \epsilon_1 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 5.9766485645891 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.75852149443466 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 13.21570748453 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \\
&+ 0.47446583586023 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 9.1349766599601 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 81.397009040182 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 183.10560237047 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.7170855252995 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 23.61415918912 \epsilon_1 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.093426406239427 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^4 \log\left(c_s\right)^3 \\
&+ 0.37423940144014 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^4 \\
&+ 0.74847880288027 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 48.792484854928 \epsilon_1^2 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 24.812331791439 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.00020145601120906 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^5 \log\left(c_s\right)^6 \\
&+ 3.3888366099671 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.0066462718027414 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^6 \\
&+ 14.306581353917 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 1.7993870410958 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 7.3653900307506 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 0.11959400796746 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^6 \\
&+ 0.0078753164751066 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^4 \\
&+ 0.50515548827524 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.12999044650175 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \\
&+ 33.705620227664 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 4.2154637453458 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.034135945800734 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^7 \\
&+ 0.27619349266276 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.28140779639711 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 2.2673172813218 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right) \\
&+ 0.57759631921637 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 4.7669941605096 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&+ 0.30502869319073 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&+ 0.15265065348659 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.0095535451804933 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 630.18282311985 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 5.0972491142064 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 10.370077551686 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.081356391617421\epsilon_2\epsilon_3^5\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.081356391617421\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 0.6629366265913\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 5.4180421496172\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.3688211668599\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log(c_s)^2 \\
&+ 43.847785534364\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 5.5089182508606 (\alpha_0^{c_s})^2 \alpha_3^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 5.6480610166119\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&+ 1.4854924977193\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s) \\
&+ 24.85062857096 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^5 \\
&+ 399.54586806849\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log(c_s)^2 \\
&+ 3.2497611625438\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 0.025982129597733\alpha_2^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 0.84868104940288\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log(c_s) \\
&+ 1.6973620988058\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 0.42967551298536\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^7 \\
&+ 57.444962546112 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^3 \\
&+ 14.371488142711\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.23883862951233 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^5 \\
&+ 3.8902434951945\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.24398390018417\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 0.015693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \\
&+ 0.031415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^4 \\
&+ 32.176420398078\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 2.0193549414018\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^7 \\
&+ 8.2794980660577\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.032654571817951\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&+ 0.00025557761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5 \log(c_s)^5 \\
&+ 2.1110155757277 (\alpha_0^{c_s})^2 \alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 1.058756866397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4 \log(c_s)^3 \\
&+ 0.53091773617418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log(c_s)^3 \\
&+ 0.1332914582807\alpha_0^{c_s}\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^5 \\
&+ 8.5969866947274\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.033590953029918\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 4.3121373677043 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s) \\
&+ 0.068055555555556\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^8 \\
&+ 0.13611111111111\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^8 \\
&+ 17.469579262907\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 1.0990974481545\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&+ 0.27546901378011\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0021715391504123\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5 \log(c_s)^7 \\
&+ 0.56515517960549\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^5 \\
&+ 4.5530983419592\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 0.071317540032163\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 0.0044878475775187\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log(c_s)^7 \\
&+ 2.3011602566187\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^3 \\
&+ 0.018204365079365\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 2.4239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s) \\
&+ 2.4401385562427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 4.9255174083739\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 1.2358469383517\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 9.9643717711848\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 20.157787403024\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 1.2717976967425\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 2.5483605575431\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^5 \\
&+ 0.65077055129124\alpha_0^{c_s}\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^3 \\
&+ 0.16341063684155\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log(c_s) \\
&+ 21.106182088589 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log(c_s) \\
&+ 2.6661393760226\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 2.6999527476356\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.021096285279871\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4 \log(c_s)^3 \\
&+ 0.0053671299212505\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3 \log(c_s)^5 \\
&+ 0.085874078740008\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5 \log(c_s)^5 \\
&+ 92.574904180273\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 5.9189616303372 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&+ 2.9770397281038 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.74883384497603\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&+ 12.012611497599\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 1.5180748268391 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 3.0850914984475\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&+ 0.77994267901052\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 12.50924264406 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 26.294380551 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log(c_s)^2 \\
&+ 6.5933619372601 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^6 \\
&+ 6.6536571553204\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3 \log(c_s)^5 \\
&+ 26.64645056598 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 6.7146136345092\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 1.6875091417142\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 3.4437830527293\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 7.0245698551199 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.10997984191881 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.88716074110463 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.90748921436461 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right) \\
&+ 29.111817641596 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 14.576863443754 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 1.8680412337649 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.05856781662577 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 30.11938099404 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right) \\
&+ 15.851493197413 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.1278091436359 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \log\left(c_s\right)^7 \\
&+ 2.0497655411262 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 2.0506078722738 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 16.492164837733 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 1.0323871065176 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 264.59629288598 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 2.0674359574273 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 1.0552076629847 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \\
&+ 0.066462718027414 \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 8.5126008052312 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \\
&+ 0.53301160932477 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 1.07390436935 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 68.731550468466 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \\
&+ 68.891261201845 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.033954037646425 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \\
&+ 4.3735273544466 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 4.3966985957695 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \\
&+ 0.54968529226884 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 1.1139182245469 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.07011329431983 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.56212768609097 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 144.63215146845 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 9.0890463505147 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 2.2804315425275 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.5741577163624 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.0044958857337598 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 36.984883802836 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 9.2627473452055 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.14487512412717 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^4 \\
&+ 2.3230561689757 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.29126921751129 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 18.764342575564 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 75.086566415127 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \\
&+ 18.821393036071 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.29788702850771 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 154.7975706739 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 2.4327311801572 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.076177494920318 \epsilon_1 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 312.30247705826 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&+ 1.2310756068155 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 9.901298161367 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 2.4773233449734 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.077428814337086 \epsilon_2 \epsilon_3 \epsilon_4^5 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.07836713409427 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.31550728925217 \epsilon_1^2 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 2.5613787302328 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 82.065300858883 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.16028925070839 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.0050669246842953 \epsilon_2 \epsilon_3^5 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.0050669246842953 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 0.010133849368591 \epsilon_2^5 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.64883923355655 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 0.64995223250877 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \\
&+ 1.2999044650175 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \\
&+ 10.441207037293 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&+ 2.61221346962 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 2.62748401183 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 168.62942398026 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 5.2849384330777 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.66395162060514 \epsilon_1^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.67060038666328 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 10.739313227989 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 86.228928856267 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 5.4181481308321 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 10.881976889547 \epsilon_1^4 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.34280596101214 \epsilon_1 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right) \\
&+ 2.7434739667685 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^5 \\
&+ 0.17252621919862 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6^2 \\
&+ 0.34618505060429 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 1.3923548284715 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.69772796835558 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.35378101294477\alpha_3^{c_s} \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.08953301688571\alpha_3^{c_s} \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 11.489779527678 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.090125636894801\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.0014101920784634\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4 \log\left(c_s\right)^6 \\
&+ 23.202105192748\alpha_1^{c_s} \epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 5.8111494394496\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^3\epsilon_2 \log\left(c_s\right) \\
&+ 0.36765495990493\alpha_1^{c_s} \epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.4771504499256\alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 1.4900115811419 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.023307853547758\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^7 \\
&+ 0.046615707095517\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 0.094159874346187\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \\
&+ 48.264630597117\alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 24.35248163249 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 1.5292421685569 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 98.037023805281\alpha_1^{c_s} \epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 1.5611820373371 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 6.2609519137057\alpha_0^{c_s} \epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.1958940775988\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.78501054522235 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^4 \\
&+ 1.5801161715365\alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 6.3274264426679\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 1.5819702266605 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.39695855433274\alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 0.099311723812188\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&+ 1.5946745999043\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 1.5959449876471\alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^5 \\
&+ 0.40084982371612\alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1\epsilon_2^2 \log\left(c_s\right)^4 \\
&+ 3.2176420398078\alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \\
&+ 1.608981261305\alpha_3^{c_s} \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&+ 3.2229379536306 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&+ 1.6138538356277\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right) \\
&+ 12.952216834029\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 1.6237912950273\alpha_3^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 52.644816123564 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.0016151427273498\alpha_4^{c_s} \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.10424323860148\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 6.7093541660176\alpha_2^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.3687492295521\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log(c_s)\\
&+ 0.013174683798627\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4\log(c_s)^7\\
&+ 13.61916335867\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\log(c_s)\\
&+ 3.4101159547493\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)\\
&+ 27.435571902438\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2\log(c_s)^3\\
&+ 1.7266722847401\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4\log(c_s)^4\\
&+ 27.65375613691\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log(c_s)\\
&+ 0.86563062237137\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log(c_s)^4\\
&+ 3.5066432196242\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^5\\
&+ 3.5164500864754\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^3\\
&+ 225.9223706836\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log(c_s)^3\\
&+ 0.88550324968405\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)\\
&+ 0.11069752818298\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3\log(c_s)\\
&+ 1.7711604509278\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5\log(c_s)\\
&+ 0.22193896251931\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3\log(c_s)^4\\
&+ 0.0017361111111111\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^8\\
&+ 0.0069444444444444\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4\log(c_s)^8\\
&+ 0.0069444444444444\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log(c_s)^8\\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^4\log(c_s)^8\\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^8\\
&+ 0.013888888888889\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log(c_s)^8\\
&+ 0.013888888888889\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^8\\
&+ 0.013888888888889\alpha_2^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^8\\
&+ 0.013888888888889\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log(c_s)^8\\
&+ 0.013888888888889\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3\epsilon_4\log(c_s)^8\\
&+ 0.013888888888889\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^8\\
&+ 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log(c_s)^8\\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\epsilon_2\log(c_s)^8\\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log(c_s)^8\\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log(c_s)^8\\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3^2\log(c_s)^8\\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3^2\log(c_s)^8\\
&+ 0.055555555555556\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log(c_s)^8\\
&+ 3.6022741687741\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log(c_s)\\
&+ 3.6174768924757\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4^2\log(c_s)^2\\
&+ 3.6358697967083\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\log(c_s)\\
&+ 0.91430939665138\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^3\\
&+ 7.3170194187836\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2\log(c_s)^6\\
&+ 7.332227154025\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log(c_s)^6\\
&+ 0.11485663595898\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3\log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.92326478363507\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 0.057868068371352\alpha_0^{c_s}\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.11579301717095\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&+ 0.23158603434189\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^7 \\
&+ 0.92915249937073\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&+ 29.74871732632\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 0.11731207323482\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 7.5502115954488\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^6 \\
&+ 60.473362209071\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 60.749484513571\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&+ 1.9030723801563\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.015051523939317\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^7 \\
&+ 0.0018849206349206\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^8 \\
&+ 15.490511863765\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&+ 0.12116661811187\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^4 \\
&+ 0.48521456143702\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^3 \\
&+ 0.97042912287405\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 31.057533226063\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.48667843923192\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6 \\
&+ 0.48667843923192\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 3.9046233077474\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^3 \\
&+ 0.061111111111111\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 1.9580784252622\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.061321794296926\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 3.9395820671135\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.0038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5\log\left(c_s\right)^6 \\
&+ 0.0078373015873016\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.12544460012672\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 0.50602494227971\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 2.0240997691189\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.063288855839612\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3\log\left(c_s\right)^3 \\
&+ 1.0126216934338\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5\log\left(c_s\right)^3 \\
&+ 8.1174938774966\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.063458643530853\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.001984126984127\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.001984126984127\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^8 \\
&+ 0.50824819089694\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.25424013163542\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.50936381211967\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.015972222222222\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.063888888888889\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2\log(c_s)^8 \\
&+ 0.015987905151284\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3\log(c_s)^7 \\
&+ 0.031985106934425\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.12925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^5\log(c_s)^3 \\
&+ 8.2748620464644\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^4\log(c_s)^3 \\
&+ 0.25930108040342\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^3\log(c_s)^7 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4\log(c_s)^7 \\
&+ 0.0040535397474362\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 0.5192274934101\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log(c_s)^4 \\
&+ 4.1559631860123\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2\log(c_s)^6 \\
&+ 33.256014602585\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3^2\log(c_s)^2 \\
&+ 2.0818612024824\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3\log(c_s)^3 \\
&+ 4.1697475480199\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 16.726792794327\alpha_0^{c_s}\epsilon_1^5\epsilon_2\epsilon_3\log(c_s)^5 \\
&+ 134.08060463332\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 8.380783791638\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log(c_s)^4 \\
&+ 4.2057367431287\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log(c_s) \\
&+ 4.2218720643205\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^6 \\
&+ 16.949176611755\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3\log(c_s)^3 \\
&+ 8.5015045139871\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 8.5269780448077\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s) \\
&+ 2.1322540024029\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^3 \\
&+ 0.0041666666666667\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3\log(c_s)^8 \\
&+ 0.0041666666666667\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^8 \\
&+ 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^3\log(c_s)^8 \\
&+ 0.0083333333333333\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2\log(c_s)^8 \\
&+ 0.0083333333333333\alpha_2^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^8 \\
&+ 0.0083333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3^2\log(c_s)^8 \\
&+ 0.033333333333333\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^8 \\
&+ 0.033333333333333\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^8 \\
&+ 0.066666666666667\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3^2\log(c_s)^8 \\
&+ 0.26743952575642\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1\epsilon_2\log(c_s)^7 \\
&+ 0.26882403949587\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^2 \\
&+ 0.13456821477244\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^7 \\
&+ 0.27123795359834\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3\log(c_s)^3 \\
&+ 2.1758480748658\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4^2\log(c_s)^5 \\
&+ 0.54414842579285\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3\log(c_s)^5 \\
&+ 1.0892235105094\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 17.45240111661\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 1.0931019080839\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 17.511010214507\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.54856993865989\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 1.0974807093165\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 70.376660142282\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 35.24289924118\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.13819882368941\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5\log\left(c_s\right)^6 \\
&+ 4.4350840146057\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 71.023032330052\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.13876865081621\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.017361111111111\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^8 \\
&+ 0.017361111111111\alpha_3^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^8 \\
&+ 0.017414942707965\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 8.9249982523631\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.034867024978895\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5\log\left(c_s\right)^4 \\
&+ 2.2316487232614\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 17.862238368623\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 35.828426251515\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.56244293384368\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 36.104765103132\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 18.112997026427\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^5 \\
&+ 9.0625414141317\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 9.0762044284889\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 4.5513888304427\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&+ 36.429816910002\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 4.5577308854397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^2 \\
&+ 0.57090526098417\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^6 \\
&+ 0.017857142857143\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^8 \\
&+ 0.0089452165354175\epsilon_2\epsilon_3^5\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.0089452165354175\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.28645034199024\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.071750462586955\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^2 \\
&+ 2.3010012941142\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 0.072058518289716\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4\log\left(c_s\right)^4 \\
&+ 0.01802512737896\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \\
&+ 0.14420101903168\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \\
&+ 0.072222222222222\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^8 \\
&+ 0.03613344669064\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4\log\left(c_s\right)^2 \\
&+ 18.594123259599\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3^2\log\left(c_s\right)
\end{aligned}
$$

$$+ 18.621202048473\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^5$$

$$+ 9.3835079054118\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^5$$
$$+ 0.29625900957854\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^6$$
$$+ 0.14825270100856\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^7$$
$$+ 1.186246457743\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^4$$
$$+ 0.074260494324008\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6$$
$$+ 2.3832614392169\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$+ 2.3848074815823\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^2$$
$$+ 19.175971333614\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5$$
$$+ 0.60077285908975\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^7$$
$$+ 0.009410002985119 8\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5^2\log\left(c_s\right)^7$$
$$+ 38.751973889743\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)$$
$$+ 0.009461339014956 3\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^5$$
$$+ 0.075961543988761\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^5$$
$$+ 19.454531419426\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4\log\left(c_s\right)^3$$
$$+ 0.30429486895317\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5$$
$$+ 4.8768308822641\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^4$$
$$+ 0.076707784427703\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6$$
$$+ 1.2282514657426\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3$$
$$+ 78.768506268816\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2$$
$$+ 0.038625272954915\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3$$
$$+ 0.038625272954915\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2$$
$$+ 79.182104022783\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)$$
$$+ 0.31013349107786\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^2$$
$$+ 39.712455159258\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^5$$
$$+ 4.9703788988358\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^2$$
$$+ 0.0097222222222222\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^8$$
$$+ 0.009722222222222 2\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^8$$
$$+ 0.019444444444444\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^8$$
$$+ 0.038888888888889\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^8$$
$$+ 0.31134020562749\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3$$
$$+ 39.932297494208\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4$$
$$+ 641.81557741635\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3\log\left(c_s\right)$$
$$+ 20.066163507311\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5$$
$$+ 0.15693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5$$
$$+ 0.31386624782062\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5$$
$$+ 0.31415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4$$
$$+ 80.441050995195\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2$$
$$+ 2.5185206969072\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6$$
$$+ 5.0520931927381\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^3$$

$$
\begin{aligned}
&+ 0.31718190605984 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 10.153811444533 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.079422127120458 \epsilon_2^5 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 41.063939537307 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.64182918212637 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 5.1377403944337 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.64944600672965 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.0050784996613545 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^6 \\
&+ 0.081523302625646 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.020411706349206 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 84.293889631686 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.16496976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 0.16496976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.65987905151284 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 1.3197581030257 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^7 \\
&+ 5.2857165986273 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.020965166714704 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 0.16795476514959 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 10.754698339601 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^2 \\
&+ 5.3803584874843 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.00065707647376394 \alpha_4^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.005271310865856 4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^5 \log\left(c_s\right) \\
&+ 0.16870739566115 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 86.687324289455 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \\
&+ 5.4225268905831 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 5.4449352861877 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 10.909854036761 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^3 \\
&+ 0.68363240701805 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 5.4693606854197 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.34263520628067 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 87.908587519761 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 2.7493532902623 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 88.441012759679 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.3469768670804 \epsilon_1 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 22.321848382366 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \\
&+ 0.70012724999837 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.17520192092704 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.17532624409418 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.70297996777945 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \\
&+ 0.70364534405341 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 2.820005722262 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.35298742082878\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^2 \\
&+ 90.563497835689\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 0.70846565275842\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4\log(c_s) \\
&+ 0.70936294919885\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log(c_s)^4 \\
&+ 0.17735095136122\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 2.8476003162004\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log(c_s)^2 \\
&+ 0.044588937221799\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2\log(c_s)^7 \\
&+ 183.25779637028\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3^2\log(c_s)^2 \\
&+ 5.7491106073131\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^3\log(c_s) \\
&+ 0.36034418299447\alpha_2^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^5 \\
&+ 0.1806672334532\epsilon_2\epsilon_3^5\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.1806672334532\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 1.4477410191843\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2\log(c_s)^5 \\
&+ 5.8200619205502\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log(c_s)^3 \\
&+ 0.022767979414249\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.73220752455679\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&+ 23.505037638275\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 47.065466634264\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 0.023001985376788\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3\log(c_s)^5 \\
&+ 1.4775841192989\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^4 \\
&+ 5.9104975982204\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log(c_s) \\
&+ 11.824561268571\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5\log(c_s)^3 \\
&+ 0.74154006410617\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^4\log(c_s)^6 \\
&+ 95.036172936165\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2\log(c_s)^4 \\
&+ 23.786437240203\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^3\log(c_s)^3 \\
&+ 1.5048626286008\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)^2 \\
&+ 0.37806497271502\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 24.235630359952\alpha_2^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log(c_s) \\
&+ 6.0597829945139\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log(c_s) \\
&+ 97.246151855716\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \\
&+ 6.079776577817\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3^2\log(c_s)^6 \\
&+ 0.095044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^5\log(c_s)^5 \\
&+ 0.011886256672027\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log(c_s) \\
&+ 12.174048701262\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log(c_s) \\
&+ 3.0449922199867\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 6.1003463906066\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4^2\log(c_s)^2 \\
&+ 0.38134182718384\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log(c_s)^2 \\
&+ 0.38136019745314\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^3\log(c_s)^3 \\
&+ 12.262784017643\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5 \log(c_s)^3 \\
&+ 0.006030973582448\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 3.0883673843816\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^2 \\
&+ 0.0030218401681359\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5 \log(c_s)^6 \\
&+ 12.396122562365\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.19380408212327\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 12.425790038759 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 0.048813834970452\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&+ 0.78102135952724\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5 \log(c_s)^4 \\
&+ 1.5684792192669 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 100.60041699898\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 201.47593748664\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 25.312677209353\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \log(c_s) \\
&+ 6.3522540613518\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.09969407704112\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^6 \\
&+ 51.094933406848\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 6.4120232848524\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s) \\
&+ 1.6129442369752 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 0.81271306318508\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.20372422587855\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \\
&+ 52.168075525988\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 6.5346683917055\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 52.36456633823\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 1.6408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s)^2 \\
&+ 6.5737391895823 (\alpha_0^{c_s})^3 \epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 3.2938288529137\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 1.6477978010583\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \\
&+ 0.025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \\
&+ 0.051500363939886\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \\
&+ 1.6518235131675\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 1.6604629227448\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 6.6435318274333\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.83106927388473\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log(c_s)^2 \\
&+ 1.6621385477695\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log(c_s)^2 \\
&+ 13.354005691421 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^3 \\
&+ 6.7183641065294\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 0.21033988295949\alpha_3^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 0.10548142639935\epsilon_2\epsilon_3^5\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.10548142639935\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.053125\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.85259869497274\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 27.39619467484\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 0.21527759816172\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 6.9824081483398\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right) \\
&+ 0.87361462195988\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&+ 0.2185434750558\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.8793397191539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 1.7586794383078\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 0.11048836603495\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.88456648168731\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 0.22131720686838\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 28.44202935858\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 14.243666692714\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\log\left(c_s\right)^3 \\
&+ 7.132122880682\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^4 \\
&+ 14.328728982954\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 3.5962120731697\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 115.19138259224\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^3 \\
&+ 1.806182872718\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^7 \\
&+ 3.6161192539775\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5\log\left(c_s\right) \\
&+ 0.22686796992815\alpha_3^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.11378648600245\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.0017890433070835\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4\log\left(c_s\right)^5 \\
&+ 0.22905496465977\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.028645034199024\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^7 \\
&+ 117.50293443754\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \\
&+ 0.46457288602252\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 29.826543145078\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right) \\
&+ 7.4754811768779\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 15.02030177727\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right) \\
&+ 0.47020280456562\alpha_2^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.47054697898767\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 15.125497936201\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 1.8970342207934\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 60.881854899173\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 7.6257173297682\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right) \\
&+ 3.8260822257395\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^2 \\
&+ 3.8352670943644\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.48111095798533\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^5 \\
&+ 0.030109126984127\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.48180124386433\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.12053110016413\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 0.48328293813035 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^7 \\
&+ 1.9404784791605\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^5 \\
&+ 0.24401385562427 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2 \\
&+ 0.49252803976631 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 7.8920309441138 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 31.626750783098\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3 \log(c_s) \\
&+ 15.841534482167 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^5 \\
&+ 127.25930114086 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&+ 3.9824076883088\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^2 \\
&+ 0.25076162960919\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^6 \\
&+ 0.12554181807546\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.50235001235364 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.50261854533773\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4 \\
&+ 0.062895500144112\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.063034124981401\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 16.137073244669\alpha_0^{c_s}\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s) \\
&+ 64.58527808543 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 2.0208979952512 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^6 \\
&+ 64.719039036921 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^4 \\
&+ 0.031631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^5 \\
&+ 0.0079229060742269\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log(c_s)^5 \\
&+ 8.131089545535 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^4\epsilon_3 \log(c_s) \\
&+ 0.50931056469638\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \\
&+ 0.50931056469638\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \\
&+ 2.0403853032709 (\alpha_0^{c_s})^5 \epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 2.0437973362739\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 32.712714449827\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log(c_s)^5 \\
&+ 65.795515994752 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^3 \\
&+ 2.0568357660728\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3 \log(c_s) \\
&+ 0.064375454924858\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \\
&+ 8.2467669169485 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^3 \log(c_s)^5 \\
&+ 8.2485875598489\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 1.0323557963628\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 0.064529891471674\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.032434417804658\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log(c_s)^6 \\
&+ 0.064868835609316\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log(c_s)^6 \\
&+ 0.26007683789643\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \\
&+ 0.016271278323484\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4 \log(c_s)^4 \\
&+ 1.0432253051986\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.0462152914807 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 2.0931839050667 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 4.1993072339161 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 1.0514519301991 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \\
&+ 1.0523208633124 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.0537227416376 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 1.054571073778 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \\
&+ 0.26388583611225 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 135.18433857668 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \\
&+ 8.4543349086292 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 1.056902411401 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 8.4602803674437 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 4.2358985991604 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 4.2377645640877 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 1.0613430388343 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 1.06192027402 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&+ 33.996891613232 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.016612544994347 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 68.08830510084 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^2 \\
&+ 1.0641398157539 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 8.5196527852188 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.016645057861923 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 2.1319202365228 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.066883405832698 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 68.54494935602 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.53632708710166 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 17.200254424317 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 0.033668636374269 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 17.238824664021 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 0.53896830430858 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 2.1571740628043 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 4.3152566383775 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 1.0814459871894 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.2703769106844 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \epsilon_6 \\
&+ 0.54079233429489 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 17.32789254154 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^6 \\
&+ 0.0042305762353902 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^6 \\
&+ 0.067689219766243 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 2.168894851347 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 4.3453675467604 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.1793814393924\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 4.3591595290879\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.2724915949544\alpha_3^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.06831317525214\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 140.1118674781\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\log\left(c_s\right) \\
&+ 0.27494960479702\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 1.1000367347894\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.017218728594875\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^3 \\
&+ 8.8162977526612\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.27551523939317\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 1.1029415331008\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 2.2063463405359\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^5 \\
&+ 565.00297368155\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&+ 0.13807729042628\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^2 \\
&+ 2.2136141900085\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 2.2155331736557\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.0043303549329555\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 0.017373873100247\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 2.2365027367301\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 2.2366513983631\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 2.2396646609438\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right) \\
&+ 0.14013425184765\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 8.9712899601193\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 35.909583936523\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right) \\
&+ 0.070138888888889\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^8 \\
&+ 9.0029055431358\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&+ 2.2522396702599\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 1.1277583026133\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 9.0512084503542\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 1.1335542038144\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 0.1417633846489\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.56835265912489\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 145.52223134271\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right) \\
&+ 2.2749205223105\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \\
&+ 9.1051220369674\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^5 \\
&+ 1.1384854830504\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.035591857554662\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.5709274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&+ 4.5754303978609\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right) \\
&+ 0.1433031777074\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&\quad + 18.384738440272\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&+ 36.89523667253\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.14421634229629\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 1.1547883401475\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 1.1556252244089\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 9.2621969659299\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 18.550636687851\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.018131041008815\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3\log\left(c_s\right)^6 \\
&+ 18.578231634878\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^4 \\
&+ 0.29076105126685\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.14565555504824\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 18.650385541221\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \\
&+ 0.072916666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^8 \\
&+ 74.786059461711\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.58727961148314\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&+ 9.4014425407639\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \\
&+ 75.442206466089\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 4.7227614752052\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^2 \\
&+ 0.036899176060995\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4\log\left(c_s\right) \\
&+ 2.3637492402681\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^5 \\
&+ 1.1827854380082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 37.852731076942\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.036989827086551\alpha_0^{c_s}\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.592697145453\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.00014476927669415\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5\log\left(c_s\right)^7 \\
&+ 19.015116014438\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&+ 2.3778027693654\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 38.045976792813\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 0.0023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5\log\left(c_s\right)^4 \\
&+ 19.049170158746\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.59918595229498\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 4.7940259958972\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&+ 0.1500833307987\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 2.4050155539682\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 0.30070633688451\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 0.075257619696585\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.075257619696585\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^7 \\
&+ 38.570717367736\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.15109044157521\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 2.4219355330768\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.2112819481133\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&+ 1.2116661811187\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.15146108189124\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 310.47789774041\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&+ 0.00014816569464487\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 9.7150470128689\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 2.4318444210199\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^3 \\
&+ 2.4353456200257\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5^2\log\left(c_s\right) \\
&+ 0.07635165488659\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.076445642645539\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^4 \\
&+ 0.15341068377458\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^3 \\
&+ 0.15370464431732\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 78.805063908162\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 19.780639064332\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&+ 4.9466246608637\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.62178829807056\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^6 \\
&+ 39.888516483966\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^3 \\
&+ 4.9872619880052\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \\
&+ 2.4956541804153\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^4 \\
&+ 5.0088141588125\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 10.055823659433\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 0.15743348950199\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^6 \\
&+ 0.078769841269841\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.15758328268454\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^5 \\
&+ 2.5213775537787\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^4 \\
&+ 20.17667195142\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 20.184554995717\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\log\left(c_s\right)^4 \\
&+ 80.799639143358\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2 \\
&+ 0.0024659884724367\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5\log\left(c_s\right)^4 \\
&+ 0.07906966298784 6\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5\log\left(c_s\right) \\
&+ 0.31631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^5 \\
&+ 2.5333277992312\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^3 \\
&+ 10.145766335362\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 0.0049603174603175\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 1.270760762261\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 10.21898668137\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 20.437973362739\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 10.224508247883\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right) \\
&+ 0.03996976287821\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.03996976287821\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.039980158730159\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^8 \\
&+ 0.16001954962998\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log(c_s)^2 \\
&+ 1.281969117471 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3^3 \log(c_s)^7 \\
&+ 2.5666223090625\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.3209043019798\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 20.549528909663 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \\
&+ 10.299755544883\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 0.080506948818757\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 10.310732586116\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s) \\
&+ 10.352511075354\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.16222614641064\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 20.839278096727 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 10.462592217902 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^5 \\
&+ 0.65394613766745\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.65554745366174\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log(c_s)^6 \\
&+ 20.99511132451\alpha_2^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^2 \\
&+ 5.2544474989391\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 5.2544744825176 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 336.77470858734\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s) \\
&+ 0.04114799606292\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log(c_s)^5 \\
&+ 0.082295992125841\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 0.0025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \\
&+ 0.16481357522219\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&+ 1.3201480866239 (\alpha_0^{c_s})^2 \epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.33004620645732\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&+ 0.33010247798804\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s)^6 \\
&+ 5.2843703215116 (\alpha_1^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5 \log(c_s)^2 \\
&+ 0.66092994543095\alpha_2^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s) \\
&+ 21.170573067309 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^3 \\
&+ 0.33118373258651 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&+ 0.16615679506853\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^6 \\
&+ 2.6610504087634\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^2 \\
&+ 0.08320379670419\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&+ 1.3312714172812\alpha_3^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 0.16652633344919\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 5.333142471817\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log(c_s)^3 \\
&+ 0.0052083333333333\alpha_3^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8 \\
&+ 0.0052083333333333\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^8 \\
&+ 0.010416666666667 (\alpha_0^{c_s})^4 \alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^8 \\
&+ 0.010416666666667 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^8 \\
&+ 0.010416666666667 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.010416666666667 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.020833333333333 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.020833333333333 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.020833333333333 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.020833333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.041666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^8 \\
&+ 0.041666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.041666666666667 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^8 \\
&+ 0.041666666666667 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.041666666666667 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.083333333333333 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.16666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.33333333333333 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^8 \\
&+ 0.33333333333333 \alpha_2^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.33333333333333 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 21.389535090154 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 1.3371976287821 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 343.42576588564 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \\
&+ 0.33552486212737 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 2.6851873635739 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 1.3449258060019 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 1.3450774456924 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 1.345707416873 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.084429991731154 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.67603047878634 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.33815021749809 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 10.832624129432 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^4 \\
&+ 0.67731857726926 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.33954037646425 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \\
&+ 0.67908075292851 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \\
&+ 21.749080601123 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.7207327541566 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.3410779250089 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 21.873325641289 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^3 \\
&+ 87.610975284368 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.4765231783135 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 2.7429281899541 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&+ 44.025436080876\alpha_1^{c_s} \epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.17209675878973\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.010763888888889\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^8 \\
&+ 0.3450939459524\alpha_4^{c_s} \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.0026975314402559\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^6 \\
&+ 0.69144424977285\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3\epsilon_3 \log\left(c_s\right) \\
&+ 0.043384703419416\alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^5 \log\left(c_s\right)^3 \\
&+ 5.5549110012516\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.34720841022811\alpha_0^{c_s} \epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 1.3894786340735\epsilon_2^3\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 44.482712016683\alpha_0^{c_s} \epsilon_1\epsilon_2^2\epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.0027281746031746\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.0027281746031746\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3 \log\left(c_s\right)^8 \\
&+ 0.69915509152952 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 1.3995737778301\alpha_0^{c_s} \epsilon_1\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^7 \\
&+ 0.17507120502645\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 0.043828911599309\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 2.8053638384573\alpha_0^{c_s} \epsilon_1^5\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.70154571817951 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.70154571817951 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.17586794383078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 0.010997984191881 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^7 \\
&+ 1.4111042161995\alpha_2^{c_s} \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^5 \\
&+ 2.823281873926\alpha_2^{c_s} \epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right) \\
&+ 2.8251763760585 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1^2\epsilon_2 \log\left(c_s\right)^6 \\
&+ 2.8375336017437\alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.17740336058423\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^2 \\
&+ 2.8423260149359 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5 \log\left(c_s\right)^8 \\
&+ 0.0006944444444444\alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_2^{c_s} \epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_4^{c_s} \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 0.0055555555555556\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^8 \\
&+ 0.011111111111111\alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^4 \log\left(c_s\right)^8 \\
&+ 0.011111111111111\alpha_1^{c_s} \epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.088888888888889 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.088888888888889 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^8 \\
&+ 5.6924727035803 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.7161258549756 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 91.759640301937 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.044856071590813 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.717697145453 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.17965054020171 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 46.004319980909 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 11.541445893552 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.022569444444444 \epsilon_1 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.72247314908721 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.045206325599723 \epsilon_2 \epsilon_3 \epsilon_4^5 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 5.7965588290293 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \log\left(c_s\right)^5 \\
&+ 2.9004477257442 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 92.835030466196 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 2.9022855741454 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 2.9026220375394 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&+ 0.18153725175157 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 0.090830531651468 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.72740569219768 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.36464271863378 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.045602322158658 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 5.8431239650816 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.022853730734143 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right) \\
&+ 0.36627689070599 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.1834274309077 \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 23.482452578434 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \\
&+ 0.73648793985928 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.00017983542935039 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^6 \\
&+ 0.18449588030497 \epsilon_2 \epsilon_3^5 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.18449588030497 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 2.9666301370964 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.046527777777778 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.093072677178584 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 47.896786868749 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 12.002203411684 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^4 \\
&+ 1.5035664240151 \epsilon_1 \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.37632079501879 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^5 \\
&+ 1.5066035643057 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.0141000741218 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 3.0184166454979 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&+ 0.047222222222222 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.047222222222222 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.04725189885064 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.75705941915064 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right) \\
&+ 3.0291654527968 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 1.5157861014295 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 12.133993534962 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.047420634920635 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.047479841918807 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.094959683837614 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^7 \\
&+ 0.75967747070091 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^7 \\
&+ 0.0029761904761905 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.0029761904761905 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^8 \\
&+ 3.0502869319073 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right) \\
&+ 24.429205523985 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&+ 0.095535451804933 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 24.520731151117 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 6.1332343926741 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 3.068206843685 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 1.5341068377458 \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 12.273526939207 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 3.0706864924943 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.0014996774467911 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.048015873015873 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 12.313922779991 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.38510715192198 \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 24.745762679547 \epsilon_1^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 793.66263709092 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right) \\
&+ 3.1041056147191 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 1.5550756118138 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&+ 0.048611111111111 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 3.1122638527769 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&+ 0.0030401548105772 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^7 \\
&+ 0.024321238484617 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.048642476969235 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.38949998730511 \alpha_4^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 3.1213983442496 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.1255011282755\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 3.1291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^5 \log(c_s) \\
&+ 0.78267924484448\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^7 \\
&+ 1.5662076060844\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 6.2664111889818\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1 \log(c_s)^4 \\
&+ 25.107899013363\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \\
&+ 0.39263441373676 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&+ 0.78537678769756\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^4 \\
&+ 25.151989645764\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3 \log(c_s)^5 \\
&+ 6.2883653367385 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s) \\
&+ 0.006150793650793 6\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^4 \log(c_s)^8 \\
&+ 1.5758328268454\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.79077639310038\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.0061871453763859\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^6 \\
&+ 1.5850245514942\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \\
&+ 12.681992264271\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 50.727969057084\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 25.423694240257 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 12.743335607414\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 1.5945852757014\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5 \log(c_s)^4 \\
&+ 204.16578559498\alpha_0^{c_s}\epsilon_1^5\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.0062451363474808\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log(c_s)^6 \\
&+ 102.33719073024\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.7997487496842\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3 \log(c_s)^5 \\
&+ 0.025\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s)^8 \\
&+ 3.2075788386393\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^2 \\
&+ 12.852632896804 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 0.80372290557864 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^5 \\
&+ 6.4433775360559\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \\
&+ 1.6141758175374\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.80804727298246\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4 \log(c_s)^7 \\
&+ 6.4799180833893 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \\
&+ 3.2408289051384\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log(c_s)^6 \\
&+ 0.40532142892855\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^5 \\
&+ 6.4860928221531 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log(c_s)^4 \\
&+ 1.6223770028847\alpha_3^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 3.2493667869271\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log(c_s)^3 \\
&+ 3.2497307790996\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3 \log(c_s)^5 \\
&+ 0.0001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s)^8 \\
&+ 0.0001984126984127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^8 \\
&+ 1.6260051010788\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.025424013163542 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^3 \\
&+ 0.20405174243088 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.012757619696585 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.10206095757268 \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 6.5451685478733 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right) \\
&+ 13.104229595577 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right) \\
&+ 0.051190476190476 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^8 \\
&+ 104.91118033629 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \\
&+ 0.051234881439105 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.40987905151284 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.81975810302568 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 1.6395162060514 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^7 \\
&+ 0.81982392879732 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 3.2793057242518 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 104.97536977174 \epsilon_1^3 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 6.5652268724784 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^2 \\
&+ 13.16088622892 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 0.10296592217786 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 0.012896825396825 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 26.428850187263 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&+ 0.10331237156925 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.41327285908975 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^7 \\
&+ 0.20690944325475 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 105.98010105626 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 212.11958573835 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \\
&+ 13.273093156734 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.013029234902474 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^3 \log\left(c_s\right)^7 \\
&+ 0.83480235980209 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.20875729699297 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 6.6887211691035 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 1.6726639570305 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^2 \\
&+ 0.20920214987337 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^3 \log\left(c_s\right)^4 \\
&+ 53.58057479294 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \\
&+ 0.013094640728589 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 1.6774554075121 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&+ 13.428000228346 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 6.7246161338112 \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.42040154682689 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 54.00939867222 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&+ 13.52987381285 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.84885094116063\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \\
&+ 13.663134579503\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 0.10677557266399\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.21394137144501\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.053487905151284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^4\log\left(c_s\right)^7 \\
&+ 3.4235130606128\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 6.8501860151068\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 27.412653319127\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&+ 3.429357802289\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \\
&+ 3.4340254781022\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 0.21483760661412\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^7 \\
&+ 1.7252582102577\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^2 \\
&+ 0.0033730158730159\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.43239569377394\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.054075382136881\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.10815076427376\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \\
&+ 0.4332777751927\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.86708409500542\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.10840034007192\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 1.7344054411507\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5\log\left(c_s\right)^2 \\
&+ 6.9389998091555\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^6 \\
&+ 0.1088485727265\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 55.78341968618\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^4 \\
&+ 27.921350854443\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \\
&+ 7.0148583225427\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.054864124090112\alpha_4^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.87823934658131\alpha_4^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&+ 0.44001458196487\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.11021825396825\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.055127215325747\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.22061921457516\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 3.5410777756828\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&+ 1.7740336058423\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^2 \\
&+ 7.0967126280495\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 7.104516692777\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.055508777816395\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.055653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5\log\left(c_s\right)^2 \\
&+ 3.5651739528747\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \\
&+ 7.1356361393529\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 28.5457117097\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 7.1497843176506 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 114.72498566471 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4 \\
&+ 7.1951030501772 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 3.6006693215054 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2 \\
&+ 1.8004017556008 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.007050960392317 \epsilon_2 \epsilon_3^5 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.007050960392317 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 1.8060140498724 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 0.028374778232054 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 1.8174992716781 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 0.90993312551228 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 0.00044449708393462 \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.45607079494872 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 14.601018331273 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^4 \\
&+ 0.45706496952191 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^3 \log\left(c_s\right)^6 \\
&+ 3.660207834364 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.45779377146141 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.45822554837705 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2 \\
&+ 0.91931297309284 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.0017983542935039 \epsilon_2^2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 7.3819975164459 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \\
&+ 0.92731857726926 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7 \\
&+ 0.0036243220691966 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^5 \\
&+ 3.7227483176889 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 59.686286007049 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4 \\
&+ 29.922234875701 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \\
&+ 14.973925082492 \epsilon_1^3 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&+ 3.7453294631019 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&+ 1.8754777096869 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right) \\
&+ 1.880178123068 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 15.053003248699 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \\
&+ 1.8817682764711 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.23539968586547 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \\
&+ 0.23539968586547 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \\
&+ 0.47122607261853 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 30.187832611896 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \\
&+ 0.11807685826751 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 60.53001585426 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \\
&+ 0.029558491893536 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.47441797792708 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^3 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.94933283759418\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.23816981433172\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.11936428199756\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&+ 0.11980294244761\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.0018727624239343\alpha_4^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^7 \\
&+ 61.380767656296 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \\
&+ 0.060057363832412\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 0.96379638634158 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3\epsilon_3\epsilon_4 \log(c_s) \\
&+ 30.850202106212\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log(c_s) \\
&+ 0.060499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^5 \log(c_s) \\
&+ 124.02547522392\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.24239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s) \\
&+ 0.030312484530688\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 1.9407763638473 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.24280432447726\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^6 \\
&+ 0.0075893264714163\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.030357305885665\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.12161711170173\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 0.12209960001811\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2 \log(c_s)^5 \\
&+ 500.35274177984\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 3.9137420964057\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 0.12248288407795\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3^2 \log(c_s)^6 \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5 \log(c_s)^5 \\
&+ 0.24549597995309\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 0.98198391981237\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 7.8588838592199\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log(c_s)^3 \\
&+ 3.9324532622466\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4^2 \log(c_s) \\
&+ 0.98365367793918\alpha_4^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.49321238484617\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log(c_s)^7 \\
&+ 7.9024379023432\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 15.813608828281\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 0.015450109181966\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \\
&+ 253.83522588046\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3 \log(c_s) \\
&+ 0.99340057999492\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^7 \\
&+ 3.9784686138742 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s) \\
&+ 127.65787226594 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^3 \\
&- 0.0078125\epsilon_2\epsilon_3^4\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&- 0.015625 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8 \\
&- 0.03125 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log(c_s)^8 \\
&- 0.0625\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&\quad - 0.0625\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8 \\
&- 0.25\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.5\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.375\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.028940412828206\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.11576165131282\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7 \\
&- 0.16440412828206\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3 \log\left(c_s\right)^7 \\
&- 0.17364247696923\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.69456990787694\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&- 1.3935912497436\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.45380825656412\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.28940412828206\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.57880825656412\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.20258288979744\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.81033155918976\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.30910619242309\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 2.4728495393847\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.68071238484617\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.18580309621154\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^7 \\
&- 8.2841531911563\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 1.1148185772693\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3 \log\left(c_s\right)^7 \\
&- 1.3023185772693\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2 \log\left(c_s\right)^7 \\
&- 0.77660791110532\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&- 16.334543952433\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5 \\
&- 82.312251149466\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 1.3505793494645\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^5 \\
&- 0.7228584027327\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.2389592470701\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 8.1036724799546\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right) \\
&- 0.0082162155250631\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^3 \\
&- 0.54935595220653\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&- 0.017446454929366\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^2 \\
&- 9.814621136728\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 1.3604570226223\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.34790345833757\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.011581542135532\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^7 \\
&- 47.868866429677\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.3783302277627\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 97.887078717275\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2 \log\left(c_s\right)^2
\end{aligned}
$$

$$- 0.20666889110638\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^4$$
$$- 0.10588542164082\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^7$$
$$- 7.7185995520892\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^5$$
$$- 0.99436433093368\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)$$
$$- 0.1306191380265\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2\log\left(c_s\right)^5$$
$$- 0.0337431605586\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^5$$
$$- 8.6679715012676\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^2$$
$$- 1.1080643257022\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4$$
$$- 18.082359208591\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right)^5$$
$$- 4.648469156498\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2$$
$$- 0.036805555555556\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^8$$
$$- 9.8067969731298\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^2$$
$$- 4.9686054750595\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^2$$
$$- 0.62213880097313\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)$$
$$- 4.985379790748\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)$$
$$- 4.9973906276767\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5$$
$$- 82.093129901614\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3$$
$$- 1.2952657451536\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6$$
$$- 5.194038143998\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)$$
$$- 168.00379586598\alpha_0^{c_s}\epsilon_1^5\epsilon_2\epsilon_3\log\left(c_s\right)^2$$
$$- 10.895305930884\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right)^3$$
$$- 2.7431593333777\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4$$
$$- 3.0899992234857\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^3$$
$$- 6.5599479729962\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^2$$
$$- 3.5203321539119\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3$$
$$- 57.205283371221\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3$$
$$- 0.056081573074494\alpha_2^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 15.276813513902\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 0.96327052815026\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3\log\left(c_s\right)^6$$
$$- 0.4921625511173\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^2$$
$$- 3.9589498734553\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6$$
$$- 1.9874096010768\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^3$$
$$- 0.50109465857154\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3$$
$$- 0.25174481613793\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^4$$
$$- 16.346203926013\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 0.51239425814024\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2$$
$$- 4.1188903902965\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^4$$
$$- 8.3270891944034\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^4$$
$$- 33.406166085304\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2\log\left(c_s\right)^4$$
$$- 0.01635815156681\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6$$
$$- 16.812656428187\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)$$

$$
\begin{aligned}
&- 17.085298276378\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.2677722398416\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^6 \\
&- 0.067181906059836\alpha_2^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.13606071590813\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.017013888888889\epsilon_2\epsilon_3^3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^8 \\
&- 0.068055555555556 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.0042834465920186\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4 \log\left(c_s\right)^2 \\
&- 0.017372313203298\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^7 \\
&- 0.278557553624\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&- 8.9163382721848\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right) \\
&- 1.1166853864832 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.118092273889\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6 \\
&- 9.0187494718658 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 1.1317458206277\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^4 \\
&- 1.1349906832881 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 4.6090172187898\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 0.03602324735877\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.0095682147724384\alpha_3^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.15309143635901\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&- 79.070288507987\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4 \\
&- 4.9584087136106\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3 \\
&- 1.2435709117357\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4 \\
&- 80.392240254699\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.31491936767523\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 5.1416948218095\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^6 \\
&- 2.6001668501088 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^4\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.32543585204208\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.082162155250631\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^3 \\
&- 1.320312271948\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 5.4192006509733\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log\left(c_s\right)^4 \\
&- 11.011220195668\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.17446454929366\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^2 \\
&- 1.4852770116803\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 1.4915464964005\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right) \\
&- 0.094294253276346 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.047702793140402\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6 \\
&- 98.738481123511\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&- 3.1758886911012 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.09967132246276\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.025784469029723\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 3.3162802825293 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^2 \\
&- 0.21072133515044 \alpha_1^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^7 \\
&- 0.0034088307981678 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&- 0.21995968383761 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7 \\
&- 1.7633867916711 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.055647464225437 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.45639014016529 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^6 \\
&- 1.832595183248 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&- 0.96970785770126 \epsilon_1^2 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7 \\
&- 1.9473659259106 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 7.8450749866609 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 2.032241601707 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.00099978496452743 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.032019078973842 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&- 16.50399177874 \epsilon_1 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 16.503995974734 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^4 \\
&- 8.3169803100471 \left(\alpha_0^{c_s}\right)^5 \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right) \\
&- 66.733605542172 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \log\left(c_s\right)^4 \\
&- 33.580326584337 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4 \\
&- 0.2641751305761 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&- 0.033047888069249 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \\
&- 0.53335392445797 \alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^3 \\
&- 8.5883137748971 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 2.1619576420396 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^6 \\
&- 0.13553341721763 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&- 0.5451100734021 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&- 0.068158964861708 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \\
&- 8.7319899208232 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 4.3958971023147 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^3 \log\left(c_s\right) \\
&- 0.0021502177056167 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^7 \\
&- 0.55115690278528 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 2.2253540009558 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5 \\
&- 0.27849582981053 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&- 9.1121883683423 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 4.6321697975511 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&- 4.6677702616389 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^5 \\
&- 9.3881730124376 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 4.753409316072 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.30054137840381 \epsilon_2^3 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&- 0.30580648242054 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&\quad - 1.2249535693114\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 2.4859108273342\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right) \\
&- 4.9823652422541\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^5 \\
&- 5.0108405664933\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&- 2.5185904350789\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^5 \\
&- 1.267990077971\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^3\epsilon_2\log\left(c_s\right) \\
&- 0.64220395437461\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 83.345206753456\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 5.2535798926877\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&- 1.3162075189251\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^6 \\
&- 42.993477666585\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^3 \\
&- 2.691737082847\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 1.3628198250854\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3 \\
&- 0.68342686433956\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&- 44.060630111662\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^3 \\
&- 5.5096913177553\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 0.69237010120858\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 2.7736296221182\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^5 \\
&- 0.72546667361413\alpha_2^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^6 \\
&- 0.72692621339712\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.36396608447749\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^6 \\
&- 0.72828705530765\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right)^6 \\
&- 2.919256441257\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&- 0.73686494085601\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 0.3709274309077\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\log\left(c_s\right)^7 \\
&- 23.839704325407\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 0.093231414191033\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 1.5104688968276\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^4 \\
&- 1.5105011873128\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&- 0.37851746024152\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 24.497872524569\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&- 3.0743655488414\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&- 6.1573905076731\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.77004156272954\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^4 \\
&- 49.655279218082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^2 \\
&- 1.5525594694907\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 25.288097464735\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 12.800325140079\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right) \\
&- 0.80551034778197\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 0.10077285908975\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 1.6207357952627 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 25.97625681293 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.81321278015284 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&- 6.5612171749751 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.82151174977847 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 26.762358385761 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.85877703755125 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.026837318849055 \epsilon_1 \epsilon_2^5 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7 \\
&- 0.026837318849055 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 1.7243356920709 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 3.4617169521456 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&- 0.10860333843667 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right) \\
&- 0.003422619047619 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.11063189046135 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^2 \\
&- 0.88876779469897 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^5 \\
&- 0.00086805555555556 \epsilon_2 \epsilon_3^5 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.00086805555555556 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^8 \\
&- 0.0017361111111111 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.0017361111111111 \epsilon_2^5 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \alpha_1^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \epsilon_1^3 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&- 0.027777777777778\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^8 \\
&- 0.055555555555556\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3 \log(c_s)^8 \\
&- 0.11111111111111\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^8 \\
&- 0.22222222222222\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\epsilon_3 \log(c_s)^8 \\
&- 7.2546362477604 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^5 \\
&- 116.45234762554\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.11450645568112 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^4 \log(c_s)^4 \\
&- 0.23006147100765\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s) \\
&- 7.3675865230656 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 3.7343396525704 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 1.8783707058206 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^5 \\
&- 0.93991936767523 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3^2 \log(c_s)^7 \\
&- 60.629889920178 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&- 0.029761904761905\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^8 \\
&- 0.95441145537943 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.030142878006115\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4 \log(c_s)^5 \\
&- 0.96784263639503\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^2 \\
&- 31.004481185222\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s) \\
&- 31.033789306067 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^5 \\
&- 0.0076388888888889\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&- 0.061111111111111\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2 \log(c_s)^8 \\
&- 3.9409522976881 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&- 0.12324323287595\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^3 \\
&- 126.49959573299\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&- 0.49596169668757\epsilon_2^3\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 8.0694373013726\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4 \log(c_s) \\
&- 32.461707409322 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^5 \\
&- 0.001984126984127\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^8 \\
&- 0.0079365079365079\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3 \log(c_s)^8 \\
&- 0.0039930555555556\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^3 \log(c_s)^8 \\
&- 0.0079861111111111\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5^2 \log(c_s)^8 \\
&- 0.031944444444444\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^8 \\
&- 4.1137312221732\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^6 \\
&- 2.0746285663604\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^3 \\
&- 1.0375356548052\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^5 \\
&- 0.0081070794948725\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&- 2.0808106971594\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&- 0.13081317525214 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^4 \log(c_s)^7 \\
&- 0.26169682394049\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^2
\end{aligned}
$$

$$- 8.3804911980629\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 1.0486214148268\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5$$
$$- 8.4345705213733 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 2.125674572343 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^6$$
$$- 0.066616271463684\alpha_3^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.00052083333333333\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^8$$
$$- 0.0041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^4 \log\left(c_s\right)^8$$
$$- 0.0041666666666667\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^8$$
$$- 0.0041666666666667\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^8$$
$$- 0.0041666666666667\epsilon_2^3\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.0083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4 \log\left(c_s\right)^8$$
$$- 0.0083333333333333\epsilon_2\epsilon_3^2\epsilon_4^4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.016666666666667\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.066666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.066666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^8$$
$$- 0.13333333333333\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7$$
$$- 0.53487905151284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^7$$
$$- 17.13236732316 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^2$$
$$- 8.5854881547308\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3$$
$$- 137.3868658795 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^4$$
$$- 2.1561568206493\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^6$$
$$- 1.0908942032643\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 2.1821741287291\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^4$$
$$- 2.1932699913719 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 2.2168136043065 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.017361111111111 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^8$$
$$- 0.017361111111111 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.034722222222222\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.034722222222222 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 8.8967887914494 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2$$
$$- 0.28288275982904 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 36.39265903419\alpha_0^{c_s}\epsilon_1^4\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5$$
$$- 4.569840066821\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6$$
$$- 0.0022321428571429\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^3 \log\left(c_s\right)^8$$
$$- 4.5966425179481\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^3\epsilon_2 \log\left(c_s\right)^5$$
$$- 18.464256705817 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)$$
$$- 0.072222222222222\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^8$$
$$- 4.6251715522578 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.28993435954994\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.14615337185829\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^6$$

$$- 4.6921590575725 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^2$$

$$- 0.14675664650403 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$
$$- 0.0092024588403061 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)$$
$$- 2.3575047755805 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3$$
$$- 9.4499583071081 \alpha_0^{c_s} \epsilon_1 \epsilon_2^5 \epsilon_3 \log\left(c_s\right)^4$$
$$- 1.1855197543385 \alpha_0^{c_s} \epsilon_1^5 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7$$
$$- 4.7608094004608 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^5$$
$$- 4.7648446737722 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.074621568511712 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3$$
$$- 0.14950698369414 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^4$$
$$- 0.037380297327746 \epsilon_2^4 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2$$
$$- 0.075449721375182 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^4$$
$$- 0.037753999687435 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right)^6$$
$$- 0.30374552484787 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^7$$
$$- 0.0023809523809524 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^8$$
$$- 19.554956235038 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)$$
$$- 2.4451442580718 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$- 314.27950914315 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.019246866894136 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^5$$
$$- 39.475829366474 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^4$$
$$- 4.9469030540863 \epsilon_2^2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^2$$
$$- 0.0048611111111111 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^8$$
$$- 0.019444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^4 \epsilon_3 \log\left(c_s\right)^8$$
$$- 0.3117057524591 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \epsilon_6$$
$$- 9.9847386538878 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.62633725678594 \epsilon_2^4 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5$$
$$- 2.5208088465144 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4$$
$$- 20.23960626503 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^3$$
$$- 0.31668765775807 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4$$
$$- 10.221769810441 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^4$$
$$- 2.5561862160909 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.079976489792714 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^4$$
$$- 0.040309143635901 \alpha_0^{c_s} \alpha_4^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^7$$
$$- 0.040309143635901 \alpha_2^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 0.32323689560663 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6$$
$$- 166.0823196316 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.081636429544877 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.081636429544877 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7$$
$$- 0.32654571817951 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_1 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.08191155443145\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^5 \\
&- 1.3117438658373\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^6 \\
&- 0.16431723037039\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^2 \\
&- 5.2692151319609\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^6 \\
&- 5.2921192104121\left(\alpha_0^{c_s}\right)^3\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.16694239267631\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&- 5.3671670920595\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\log\left(c_s\right) \\
&- 2.6837612238458\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3 \\
&- 0.042027121918565\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^6 \\
&- 2.6900137845251\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&- 43.040607697225\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right) \\
&- 2.7125952346947\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.67930358905452\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^3 \\
&- 10.906121199606\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3\log\left(c_s\right)^2 \\
&- 0.68458521024793\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 5.4803518024658\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&- 11.004130143187\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^2 \\
&- 44.112087690413\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.346474036159\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 11.096561027967\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^3 \\
&- 0.17427692925921\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \\
&- 0.6986610761603\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 5.6136554230932\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^5 \\
&- 0.011002465028755\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^7 \\
&- 0.35274006793224\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^4 \\
&- 45.155990680307\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^3\log\left(c_s\right)^4 \\
&- 5.660015821727\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&- 0.17745642611052\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3 \\
&- 11.365654921777\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^5 \\
&- 2.8572266172513\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 5.8081777757171\alpha_0^{c_s}\epsilon_2^2\epsilon_3^4\epsilon_4\log\left(c_s\right)^2 \\
&- 0.18151422859586\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.18204808978244\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 1.4570898953169\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^5 \\
&- 93.343153053415\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^3 \\
&- 5.8420977777317\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&- 0.022863224805008\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.73392283471578\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^4\log\left(c_s\right)^7 \\
&- 0.092024588403061\epsilon_2^2\epsilon_3\epsilon_4^4\epsilon_5\log\left(c_s\right) \\
&- 0.36855720683894\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.011651134302127\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^5 \\
&- 0.18747385223477\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&\\
&- 24.232018665019\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&- 0.75936381211967\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.76664418209233\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.1935195935055\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^7 \\
&- 0.048568391080691\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right)^5 \\
&- 0.012173979907979\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&- 0.3895779924825\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&- 0.39380416975457\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^5 \\
&- 0.39815275737036\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\log\left(c_s\right)^2 \\
&- 0.10023399968538\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.80232608046802\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^3 \\
&- 0.0062715605038148\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 12.846423561613\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 0.012587925391676\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 51.650892240135\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 0.050555404000853\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.20226253838461\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&- 0.4066002516529\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 0.20332308413575\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&- 0.40681755597309\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&- 0.82094714883008\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.20540538812658\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^3 \\
&- 0.20607079494872\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 211.30991925265\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&- 1.6522395611365\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&- 0.02584058530695\alpha_4^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&- 1.6557907236335\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.82935413119271\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 13.47028552847\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right) \\
&- 0.052752550105599\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&- 54.050297780566\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.10626064909351\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 6.8157390842801\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 3.4129865794484\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 13.661247415884\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^4 \\
&- 0.10744047619048\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^8 \\
&- 3.4384041398026\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^4 \\
&- 0.10766948331388\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&- 1.7300043970217\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right) \\
&- 0.43558402077202\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 28.053134026255\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 7.0288827897126\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2 \\
&- 3.5185101253458\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right) \\
&- 3.5480510581533 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 3.5867598069817\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 28.697967862626 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^2 \\
&- 14.388905696627 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^3 \\
&- 0.22515938049499\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&- 57.642318488786 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.22728045090635\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5 \\
&- 116.73432931792\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 7.329506506303 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 14.664394318522 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 14.683272931282\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.057481445045234\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.8401640818111 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.029046154876536\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \\
&- 1.8602037995247 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \\
&- 0.46648139672176\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.11676825344001\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.11703244487778\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.94081664833995 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^2 \\
&- 0.94351592913832 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 1.8906607531457\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.47344743911034\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.47416845226316 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.94865801698238 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^4 \\
&- 7.6237156756073 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right) \\
&- 0.11914511471929\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 15.305800742374 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 15.370238433205\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right) \\
&- 1.9436090237115 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^6 \\
&- 15.682313255146\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.12273746161539\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 3.9388258128443 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^2 \\
&- 1.9741182974358 \left(\alpha_0^{c_s}\right)^5 \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.24863307338985\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.2491783061569\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 7.9840711553284 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 16.038491465129 \epsilon_1^2 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.50277528364726 \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.1270210909401 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^5 \log\left(c_s\right)^6 \\
&- 8.1518745798236 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 8.1659575081896 \epsilon_1^4 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&- 4.0885010002861 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2 \\
&- 0.25637920216622 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5 \\
&- 2.0516498606552 \epsilon_1^2 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&- 2.0544139539637 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \\
&- 16.445019611341 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 4.1126520904148 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 263.31456180561 \epsilon_1^3 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right) \\
&- 0.0020095252004077 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^5 \log\left(c_s\right)^5 \\
&- 2.0599994823238 \epsilon_1^2 \epsilon_2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.032253265584251 \alpha_0^{c_s} \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^7 \\
&- 8.275844494707 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right) \\
&- 16.553062672831 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.032378927387127 \epsilon_2^2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^5 \\
&- 8.2980794398854 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^2 \\
&- 8.3211418961121 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 33.296922943795 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \log\left(c_s\right) \\
&- 0.52027262001838 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^4 \\
&- 33.306280036447 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_1 \epsilon_2 \log\left(c_s\right)^2 \\
&- 0.13028758930204 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^4 \log\left(c_s\right) \\
&- 66.751092568084 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 2.094004102596 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right) \\
&- 16.82570155454 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^4 \epsilon_2 \log\left(c_s\right)^5 \\
&- 4.2088548912329 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&- 0.065987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7 \\
&- 271.54559058089 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.0020726354477509 \epsilon_1 \epsilon_2 \epsilon_3^5 \epsilon_4 \log\left(c_s\right)^2 \\
&- 2.1264646620835 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 34.036034575852 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 17.020975640093 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 17.030457467326 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&- 8.5169223078763 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right) \\
&- 1.0653550800812 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6 \\
&- 0.066656748874118 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^4 \log\left(c_s\right)^7 \\
&- 1.0679906920687 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.066749883601791\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5\log\left(c_s\right)^4 \\
&- 0.53758818802924\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 1.0751763760585\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^6 \\
&- 1.0766948331388\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^6 \\
&- 0.2693867567932\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^6 \\
&- 2.1583862321955\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^6 \\
&- 4.3260082894804\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 8.6622194984057\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&- 1.0842276815018\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 34.802931837458\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&- 17.411686040385\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right) \\
&- 0.017011035245085\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right) \\
&- 17.452358026719\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^2 \\
&- 0.54650540201712\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&- 2.191432490124\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5 \\
&- 17.534614128543\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.13706496027372\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 2.1945945157426\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&- 0.034375\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4\log\left(c_s\right)^8 \\
&- 1.1020295917146\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^7 \\
&- 0.55131213187031\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^5 \\
&- 0.13803688260459\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^3\log\left(c_s\right) \\
&- 0.13833512294953\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^4 \\
&- 0.034672619047619\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^8 \\
&- 1.1107964033799\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^7 \\
&- 8.9083151780329\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right) \\
&- 0.13935559927905\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^6 \\
&- 71.51911297622\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right) \\
&- 0.13976415086509\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4^2\log\left(c_s\right)^7 \\
&- 2.2376646957311\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right) \\
&- 0.070138888888889\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^8 \\
&- 4.4891689844499\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^6 \\
&- 0.035163875988494\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 144.27232378991\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 9.0257580457097\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&- 0.0001381756965167 3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5\log\left(c_s\right)^2 \\
&- 144.99315373268\left(\alpha_0^{c_s}\right)^2\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.14243952575642\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&- 0.28487905151284\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^7 \\
&- 1.1409753504132\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^6
\end{aligned}
$$

$$- 0.57145500681414\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7$$

$$- 4.5751763760585 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^6$$
$$- 0.035763888888889\epsilon_2^3\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.57238172721912\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 18.358005973453 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 4.5928275432379\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right)^3$$
$$- 0.0089814202735873\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^2$$
$$- 4.6123657454361\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^4\epsilon_2 \log\left(c_s\right)^7$$
$$- 1.1544451658892\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2 \log\left(c_s\right)^4$$
$$- 4.6219215987789\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)$$
$$- 1.1594892755522 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 0.28996976287821 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 0.28996976287821 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7$$
$$- 1.1616564568379 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$
$$- 4.6545513973552 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^3$$
$$- 4.6553373243174\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6$$
$$- 0.14574250555643\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6$$
$$- 0.072916666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^8$$
$$- 0.072916666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 37.517609888696 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 1.1774657615692 \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 37.815192039153\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.0011581542135532\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^7$$
$$- 0.074302197017911\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^4$$
$$- 1.1904573107871\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^4$$
$$- 4.7674125776707\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 9.5666999516077\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)$$
$$- 19.145570151073\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 76.595068638884\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2$$
$$- 9.5772808285605\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5$$
$$- 4.7901908163492 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6$$
$$- 2.3990607937925\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \log\left(c_s\right)^6$$
$$- 0.30045582033157\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)$$
$$- 4.8092731481796\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\epsilon_3 \log\left(c_s\right)^6$$
$$- 38.47800715413\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right)^2$$
$$- 0.30070199905615\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5$$
$$- 0.075257619696585\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.30195427695909 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5$$
$$- 1.2124764793054 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3$$
$$- 4.8566746547058 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6$$

$$- 0.15235883541395\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 0.019084510161278\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2$$
$$- 1.2258582566953\alpha_0^{c_s}\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.30652281914614\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2 \log\left(c_s\right)^6$$
$$- 2.4547428613688 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^4\epsilon_2\epsilon_3 \log\left(c_s\right)^6$$
$$- 0.30730896941421\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)$$
$$- 1.2295796878995\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)$$
$$- 0.30740928863463\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.038484708182826\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 0.15452507676922\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7$$
$$- 19.787086382111 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^4$$
$$- 0.31009579067887\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7$$
$$- 317.57822362794\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 4.9720359267258\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 4.9769804266027 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.62232800998344\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^5$$
$$- 0.31306178430343 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 1.2528716292106\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 40.12522024745 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4$$
$$- 2.5080129685605\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4$$
$$- 5.0525759368168 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4$$
$$- 10.10592274814\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 0.15805615075439 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 323.8876467832 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2$$
$$- 2.5319698222802\alpha_0^{c_s}\epsilon_2^4\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 2.533251249448 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^3 \log\left(c_s\right)^4$$
$$- 0.63400567018787\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 10.155345365927\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2^2\epsilon_3 \log\left(c_s\right)$$
$$- 0.01984126984127\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.039783915300171\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 0.009967132246276\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^4$$
$$- 0.15958093314851\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 5.1078420552836 \left(\alpha_0^{c_s}\right)^4 \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6$$
$$- 5.1213616564305 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2 \log\left(c_s\right)^5$$
$$- 41.183946610956 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^4$$
$$- 5.1499987058095\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^3$$
$$- 10.355890429962 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^3$$
$$- 0.080947318467818\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 20.770301712873\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)$$
$$- 0.020311700865691\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.32515112121387\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5$$

$$
\begin{aligned}
&- 41.625980983028 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 5.2166446551982 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&- 0.32617958739828 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^3 \\
&- 2.6199392890166 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^3 \\
&- 0.082142857142857 \epsilon_1 \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^8 \\
&- 42.057237044621 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.16482196863866 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^6 \\
&- 1.3193960022442 \epsilon_2^2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^3 \\
&- 5.2880070809581 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^4 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.66117085820183 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^3 \log\left(c_s\right)^3 \\
&- 10.616097394902 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^5 \\
&- 5.3133173200689 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right) \\
&- 0.66588293039851 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \log\left(c_s\right)^5 \\
&- 0.0052083333333333 \left(\alpha_1^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.0052083333333333 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \alpha_1^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^8 \\
&- 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^8 \\
&- 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.041666666666667 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^8 \\
&- 0.083333333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.16666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1^2 \log\left(c_s\right)^8 \\
&- 0.16666666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3 \epsilon_2^2 \log\left(c_s\right)^8 \\
&- 5.3436164490659 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \log\left(c_s\right)^3 \\
&- 0.33427752787973 \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^6 \\
&- 5.3643816000388 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \log\left(c_s\right)^3 \\
&- 0.67301179031959 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.084460532235376 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^4 \log\left(c_s\right)^5 \\
&- 2.7039823881557 \left(\alpha_0^{c_s}\right)^5 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 2.7126702996381 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \log\left(c_s\right)^6
\end{aligned}
$$

$$- 5.4357598771255\alpha_1^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\log\left(c_s\right)$$
$$- 0.68261853104084\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^3$$
$$- 5.4659146656415\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 10.949866783204\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)$$
$$- 0.042829301717095\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7$$
$$- 0.085708160848882\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)$$
$$- 0.0013392857142857\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^8$$
$$- 0.6884082403148\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3^2\log\left(c_s\right)^7$$
$$- 2.7591329295944\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^2$$
$$- 2.7630061585163\left(\alpha_0^{c_s}\right)^2\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 0.0054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^7$$
$$- 0.0027263585944683\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3$$
$$- 44.803160679258\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^2$$
$$- 0.087540422386018\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^6$$
$$- 89.83176440001\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^3$$
$$- 0.70202959508162\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\log\left(c_s\right)^4$$
$$- 0.1757499019067\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^7$$
$$- 5.6309814728517\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4$$
$$- 5.6495738616777\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3\log\left(c_s\right)^3$$
$$- 0.70667291003236\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2$$
$$- 0.00017361111111111\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^4\log\left(c_s\right)^8$$
$$- 0.00069444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^8$$
$$- 0.00069444444444444\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^8$$
$$- 0.0055555555555556\alpha_4^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^8$$
$$- 0.0055555555555556\left(\alpha_0^{c_s}\right)^5\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^8$$
$$- 0.0055555555555556\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3\log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^8$$
$$- 0.011111111111111\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^8$$
$$- 0.011111111111111\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^8$$
$$- 0.011111111111111\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^3\epsilon_3\log\left(c_s\right)^8$$
$$- 0.022222222222222\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3\log\left(c_s\right)^8$$
$$- 0.17806212356555\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^3$$
$$- 0.17942428636325\left(\alpha_0^{c_s}\right)^4\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7$$
$$- 5.7460614456152\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^6$$
$$- 5.7549914105325\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^2$$
$$- 0.18015250412639\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5$$
$$- 1.4423168689161\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3$$
$$- 1.4437032497343\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3$$

$$- 0.045154571817951\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^7$$

$$\begin{aligned}
&- 23.12555917838\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^2\\
&- 23.130032262278\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\log\left(c_s\right)^3\\
&- 0.18085726803669\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3\log\left(c_s\right)^5\\
&- 0.72387746120339\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3\\
&- 23.164436127543\left(\alpha_0^{c_s}\right)^4\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)\\
&- 11.603332566766\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^3\\
&- 0.045639014016529\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^6\\
&- 0.73103836678889\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^4\log\left(c_s\right)^6\\
&- 0.045747091435352\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5^2\log\left(c_s\right)^7\\
&- 0.011458333333333\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^8\\
&- 0.091666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^8\\
&- 2.9379424813763\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^6\\
&- 0.18410619242309\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_2\log\left(c_s\right)^7\\
&- 0.73652897243026\alpha_0^{c_s}\epsilon_1\epsilon_2^5\epsilon_3\log\left(c_s\right)^6\\
&- 0.73752467302653\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^7\\
&- 1.4750493460531\alpha_0^{c_s}\epsilon_2^3\epsilon_3^3\epsilon_4\log\left(c_s\right)^7\\
&- 0.36990928863463\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^7\\
&- 0.046254475152131\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^7\\
&- 0.37023880077839\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5\\
&- 0.023173706332762\epsilon_2^4\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2\\
&- 23.781765646576\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)\\
&- 0.046527777777778\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^8\\
&- 0.37222846216105\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^6\\
&- 47.658127657347\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^2\\
&- 5.9638167209738\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\log\left(c_s\right)^3\\
&- 1.4970596813455\left(\alpha_0^{c_s}\right)^5\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)\\
&- 47.979409384535\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4\log\left(c_s\right)^4\\
&- 0.18774763803685\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^3\log\left(c_s\right)^5\\
&- 0.047027334241885\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7\\
&- 12.05653892349\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^5\\
&- 0.75449721375182\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4\log\left(c_s\right)^4\\
&- 0.04736850191838\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^4\log\left(c_s\right)^4\\
&- 3.0358798952336\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\epsilon_3\log\left(c_s\right)^2\\
&- 0.0003702380952381\epsilon_2\epsilon_3\epsilon_4^5\epsilon_5\log\left(c_s\right)^8\\
&- 3.0610637668631\left(\alpha_1^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^6\\
&- 24.499567545797\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^3\log\left(c_s\right)^2\\
&- 0.0060038745597949\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^6\\
&- 24.726805686193\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2^2\log\left(c_s\right)^2
\end{aligned}$$

$$
\begin{aligned}
&- 24.82201776889\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2 \log\left(c_s\right) \\
&- 0.048580835185477\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 1.5563404416649 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.024321238484617\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.77841393304222 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&- 99.677417902496\alpha_0^{c_s} \epsilon_1^5\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&- 24.954030596967\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 6.2424320914781\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.561642830572 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.097619047619048\alpha_0^{c_s} \epsilon_1\epsilon_2^3\epsilon_3^3 \log\left(c_s\right)^8 \\
&- 200.15492203592 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^3 \\
&- 0.04891888216801\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&- 1.5682823854964 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 100.5513799531 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.0007688492063492 1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^4 \log\left(c_s\right)^8 \\
&- 6.3224573903002 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 0.79111993962383\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 6.3297848580026\alpha_1^{c_s} \epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.049603174603175\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^8 \\
&- 3.1772949976597 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2^2\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 0.099436433093368\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right) \\
&- 0.012435812686506\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3 \log\left(c_s\right)^2 \\
&- 51.023408976568 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^3\epsilon_3 \log\left(c_s\right)^4 \\
&- 0.012460099109249\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 3.1974339912428\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.025\alpha_2^{c_s} \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^8 \\
&- 0.025 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^8 \\
&- 0.025 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^8 \\
&- 51.255894829134\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.20035961489544\alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.80231857726926\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^7 \\
&- 0.80290324121027\alpha_0^{c_s} \epsilon_1^2\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.0063029662118171\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^3 \\
&- 6.4575630270202 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 1.6150422497082\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^6 \\
&- 25.875102097616 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 3.2423941378719 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \log\left(c_s\right)^6 \\
&- 3.2497550205693\alpha_2^{c_s} \epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^5 \log\left(c_s\right)^8 \\
&- 1.6297460683987\alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$- 0.0031894049241461\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^7$$
$$- 0.051033105735254\epsilon_2^4\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)$$

$$- 0.051234881439105\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4\log\left(c_s\right)^7$$
$$- 0.20493952575642\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7$$
$$- 26.318077833437\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 1.6452382076023\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\log\left(c_s\right)^6$$
$$- 52.666377125217\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1^2\epsilon_2\log\left(c_s\right)^4$$
$$- 0.20577930863497\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\log\left(c_s\right)^6$$
$$- 0.20599994823238\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^3$$
$$- 0.0016121031746032\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5^2\log\left(c_s\right)^8$$
$$- 0.82585647503268\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}\epsilon_1\log\left(c_s\right)^6$$
$$- 0.20652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^4\log\left(c_s\right)^7$$
$$- 6.6238489346017\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2^2\epsilon_3\log\left(c_s\right)^5$$
$$- 0.82888996658208\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^2$$
$$- 0.0032378927387127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^5$$
$$- 3.3181961066493\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^6$$
$$- 3.3189820162811\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3$$
$$- 6.6440150784786\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^3$$
$$- 0.8307508885189\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^3$$
$$- 0.052083333333333\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^8$$
$$- 0.10416666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3^2\log\left(c_s\right)^8$$
$$- 26.689787987036\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^3$$
$$- 0.41793544311138\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5$$
$$- 1.6774688712259\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 27.009003385863\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5$$
$$- 3.3766302188905\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\log\left(c_s\right)^6$$
$$- 6.757657845074\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^6$$
$$- 3.3788977805712\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^3\epsilon_3\log\left(c_s\right)^3$$
$$- 3.3851711864513\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^3$$
$$- 6.7862838526064\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^5$$
$$- 0.85284687901433\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4$$
$$- 0.10661213356933\epsilon_2^5\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4$$
$$- 13.65025519808\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right)^2$$
$$- 0.21329753211628\alpha_0^{c_s}\epsilon_1^3\epsilon_2^3\epsilon_3\log\left(c_s\right)^7$$
$$- 109.5587219089\left(\alpha_0^{c_s}\right)^3\epsilon_1^3\epsilon_2\epsilon_3\log\left(c_s\right)^4$$
$$- 0.21409267951106\left(\alpha_1^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5$$
$$- 1.7196499256492\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4^2\log\left(c_s\right)^4$$
$$- 0.0067181906059836\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^7$$
$$- 0.43065043011299\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)$$

$$
\begin{aligned}
&- 0.0033730158730159\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8 \\
&- 27.63527679547 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&- 13.830951286772\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log\left(c_s\right)^4 \\
&- 1.7313076656135\epsilon_2^2\epsilon_3^4\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 3.4758907491833 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 1.7380311457129\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right)^4 \\
&- 3.4798255892601\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^3 \log\left(c_s\right)^5 \\
&- 0.054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.217697145453\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^7 \\
&- 0.87103074797018\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^4\epsilon_3 \log\left(c_s\right) \\
&- 0.43616137323414\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 0.013631792972342\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \\
&- 0.027263585944683\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \\
&- 0.43644326392464\epsilon_2^3\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&- 27.960695824567\alpha_0^{c_s}\epsilon_1^2\epsilon_2^4\epsilon_3 \log\left(c_s\right)^4 \\
&- 3.4965743961431\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1^2\epsilon_2 \log\left(c_s\right)^4 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5 \log\left(c_s\right)^7 \\
&- 0.87499988220624 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^4 \log\left(c_s\right)^2 \\
&- 7.0090157596847 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&- 0.027464915563922\alpha_3^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 1.758186442023 \left(\alpha_0^{c_s}\right)^5 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.87961469565653\alpha_1^{c_s}\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 112.61945952383\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.013762851305955 \left(\alpha_0^{c_s}\right)^3 \alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&- 0.4407425357518\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&- 7.0542118325357\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 56.588287758154\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 14.151553751707\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^3 \log\left(c_s\right)^4 \\
&- 0.22201781956946\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 0.89093198703522 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right) \\
&- 115.39777370795\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 1.803384143934\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^5 \\
&- 7.2202456717218\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 7.2430236604452 \left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&- 0.22654624587967\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3 \log\left(c_s\right)^3 \\
&- 3.6285644552275\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.11377398557331 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2^2\epsilon_3 \log\left(c_s\right)^6 \\
&- 3.6580196726848\alpha_1^{c_s}\epsilon_1\epsilon_2^4\epsilon_3 \log\left(c_s\right)^5 \\
&- 14.643062873652 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^2\epsilon_2^2 \log\left(c_s\right)^4 \\
&- 1.8317071296248 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_1\epsilon_2^2 \log\left(c_s\right)^2 \\
&- 0.9171978665751\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 1.8352033659447\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 1.8420722479406\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&\\
&- 3.6908354883049\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2 \log(c_s)^6 \\
&- 0.02895385533883\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^7 \\
&- 3.7125081219786 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.46451002657202 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_1\epsilon_2 \log(c_s)^6 \\
&- 59.628890618858 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^3\epsilon_2 \log(c_s)^2 \\
&- 1.8727456935379\epsilon_2^2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s) \\
&- 7.4940758030754\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^2 \\
&- 0.46929127724051\alpha_0^{c_s}\alpha_4^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&- 7.5257932296987 \left(\alpha_1^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 3.7710538455609\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s) \\
&- 15.087960575578\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 1.8862430343795\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^4 \\
&- 0.94358430060996\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^3 \log(c_s)^6 \\
&- 30.247025834122\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&- 0.94640751108943\alpha_2^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^4 \\
&- 1.9001259465484 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&- 0.95154571817951 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^7 \\
&- 0.95277777116405\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3 \log(c_s) \\
&- 15.265726187254 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&- 7.6440315439162\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^4 \\
&- 0.47819222676498\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&- 1.9131483910596 \left(\alpha_0^{c_s}\right)^4 \epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 0.11970371037891\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&- 122.83456033308\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2^2 \log(c_s)^2 \\
&- 0.48223424314101\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&- 0.96933204849351\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&- 7.7575147129794\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4^2 \log(c_s)^2 \\
&- 3.8810869235976\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4^2 \log(c_s)^5 \\
&- 3.8811180427416\epsilon_2^2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s) \\
&- 7.7727195884705 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&- 0.015205584775423\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 15.589243885101\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4 \log(c_s)^5 \\
&- 3.911959637582 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 1.9562608772588\alpha_2^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s) \\
&- 7.8721824716917\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^3 \log(c_s)^2 \\
&- 0.12330309621154 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s}\epsilon_2\epsilon_3 \log(c_s)^7 \\
&- 0.12336104997468 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&- 15.795075775654\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 7.8990324219387\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^3\log\left(c_s\right)^6 \\
&- 7.9639413632985\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&- 0.062295281212638\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4\log\left(c_s\right)^5 \\
&- 0.1247371924937\alpha_3^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.03125\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.03125\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.90761651312823\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.14470206414103\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.39233280977578\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \\
&+ 1.3614247696923\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^7 \\
&+ 0.74321238484617\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 1.6114247696923\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&+ 0.22592244066448\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 17.547223456808\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.16522122765326\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^4 \\
&+ 0.18978633434409\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^5 \\
&+ 14.348358787884\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&+ 0.038075186118512\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.038075186118512\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 1.2398185772693\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\log\left(c_s\right)^7 \\
&+ 0.63560032908856\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^3 \\
&+ 1.3555346439869\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&+ 12.672731317043\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^5 \\
&+ 0.013497552751007\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2\log\left(c_s\right)^6 \\
&+ 14.28877130438\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 4.4365698523911\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 1.1296122033224\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 2.2592244066448\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 18.359148578757\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.1604411823488\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 4.6629759200327\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.59990974452222\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^3 \\
&+ 0.75852149443466\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 1.5814570846513\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 0.79318531436053\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 13.21570748453\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 0.58141224636981\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 38.018193951129\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^5 \\
&+ 19.500431528314\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^3 \\
&+ 0.36299568574584\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right) \\
&+ 0.0014476927669415\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6\log\left(c_s\right)^7
\end{aligned}
$$

$$+ 0.002895385533883\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s)^7$$

$$+ 0.00020145601120906\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log(c_s)^6$$
$$+ 0.006646271802741 4\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^6$$
$$+ 0.86150880419606\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^6$$
$$+ 0.43384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^3$$
$$+ 0.86769406838832\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^3$$
$$+ 6.9626470940927\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6$$
$$+ 0.014621696946109\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log(c_s)^7$$
$$+ 0.99627775364686\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)$$
$$+ 0.99627775364686\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)$$
$$+ 0.0078753164751066\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4$$
$$+ 0.031501265900427\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4$$
$$+ 0.50515548827524\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3$$
$$+ 0.25293412683448\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^2$$
$$+ 4.0534518241619\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)$$
$$+ 0.12696249153386\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^6$$
$$+ 0.12999044650175\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2$$
$$+ 0.51996178600702\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6$$
$$+ 2.1008747558408\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^4$$
$$+ 0.034135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^7$$
$$+ 0.075343875999538\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log(c_s)^3$$
$$+ 2.4335158199253\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)$$
$$+ 0.30502869319073 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)$$
$$+ 0.0095535451804933 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^5$$
$$+ 39.64712245359\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4$$
$$+ 0.31644427919806\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log(c_s)^3$$
$$+ 0.081356391617421\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4$$
$$+ 45.060905331808\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)$$
$$+ 5.6480610166119\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^2$$
$$+ 49.074473453808\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4$$
$$+ 6.2151068441254 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^5$$
$$+ 0.38964499370044\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s)^6$$
$$+ 0.051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log(c_s)^2$$
$$+ 0.10323841911612\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s)^2$$
$$+ 0.012991064798866\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6$$
$$+ 0.013946809991558\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log(c_s)^4$$
$$+ 14.371488142711\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2$$
$$+ 57.485952570844\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5$$
$$+ 0.92379564551557\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5$$
$$+ 0.23883862951233 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5$$

$$
\begin{aligned}
&+ 0.24398390018417\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 0.015693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \\
&+ 0.031415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&+ 16.088210199039\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&+ 32.176420398078\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 8.1230882764415\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&+ 0.03265457181795\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.0002555761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log(c_s)^5 \\
&+ 4.1993682116556 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&+ 1.058756866397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.53091773617418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 0.5324023974515\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log(c_s) \\
&+ 0.1332914582807\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^5 \\
&+ 0.1332914582807\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.033590953029918\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 276.63489296758\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 4.3309867752583\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^5 \\
&+ 2.1727554418103\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^7 \\
&+ 1.0990974481545\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.0021715391504123\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3 \log(c_s)^7 \\
&+ 0.0021715391504123\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&+ 0.56515517960549\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^5 \\
&+ 0.035658770016081\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.28597895484702\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^7 \\
&+ 0.59825177729765\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 1.2119565989028\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 2.4239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 1.2200692781213 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 2.4401385562427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 9.8962426491217 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 9.9558157643104\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 1.2458763505074\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^3 \\
&+ 20.157787403024\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.039877630816448\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^6 \\
&+ 0.65077055129124\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^3 \\
&+ 0.65077055129124\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 1.3242074682106\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 2.6661393760226\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 2.6943551948133\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.021096285279871\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^3 \\
&+ 0.16877028223896\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.021152881176951\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 0.0053671299212505\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.010734259842501\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^5 \\
&+ 92.574904180273\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 5.8436165186146\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 2.9770397281038 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 11.908158912415 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.74883384497603\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&+ 6.1104273767217\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 0.38997133950526\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 104.23069835791\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s) \\
&+ 0.025813339145062\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log(c_s)^5 \\
&+ 26.64645056598 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 26.872134546502\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.10536066757522\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 1.6875091417142\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 3.3826295458109\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 7.0245698551199 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 0.054989920959403 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.10997984191881 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 114.72576252981\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 0.90748921436461\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s) \\
&+ 0.90748921436461\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 0.93402061688247\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.94549969610724\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^5 \\
&+ 0.01479593083462\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&+ 2.014522898883 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 2.0497655411262\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s) \\
&+ 0.51292846579681\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s)^6 \\
&+ 0.0020145601120906\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log(c_s)^6 \\
&+ 0.0040291202241811\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.25892878960586\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 2.0778032530107\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.52760383149234 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 135.80956995189\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.033231359013707\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.066462718027414\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 8.5428009486013\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.0846175854854\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log(c_s)^3 \\
&+ 0.033954037646425\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \\
&+ 17.449938612013\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\log(c_s) \\
&+ 69.969730052819\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log(c_s) \\
&+ 2.2035824999688\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log(c_s)^3 \\
&+ 35.321466272898\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s) \\
&+ 0.069772688976256\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 35.878588367279\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^3 \\
&+ 0.07011329431983\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.56212768609097\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\log(c_s)^4 \\
&+ 9.0890463505147\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\log(c_s) \\
&+ 72.917402280902\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^2 \\
&+ 0.5741577163624\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^7 \\
&+ 0.0044958857337598\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log(c_s)^6 \\
&+ 0.14487512412717\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\log(c_s)^4 \\
&+ 2.3230561689757\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&+ 0.29126921751129\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 2.336310905008\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log(c_s)^3 \\
&+ 1.1707945461214\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\log(c_s)^6 \\
&+ 0.14644150491136\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^4 \\
&+ 38.005014966715\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^5 \\
&+ 0.29788702850771\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^4 \\
&+ 2.4327311801572\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^4 \\
&+ 0.076177494920318\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log(c_s)^6 \\
&+ 0.076177494920318\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log(c_s)^6 \\
&+ 39.27101128724\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log(c_s) \\
&+ 0.077428814337086\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3\log(c_s)^2 \\
&+ 0.077428814337086\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2\log(c_s)^2 \\
&+ 0.15652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log(c_s)^7 \\
&+ 0.07836713409427\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^4 \\
&+ 0.31346853637708\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^4 \\
&+ 2.5613787302328\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 0.0050669246842953\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 1.2976290187245\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^6 \\
&+ 0.64995223250877\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.32520102021576\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^2 \\
&+ 2.61221346962\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 2.6208438658796\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^4 \\
&+ 5.2849384330777\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s) \\
&+ 0.33392094392084\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&\quad + 1.3418250249848\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^6 \\
&+ 43.114464428133\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 0.34135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\log(c_s)^7 \\
&+ 0.34280596101214\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\log(c_s) \\
&+ 0.34280596101214\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\log(c_s) \\
&+ 1.3771864210052\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^7 \\
&+ 2.7693936679569\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 0.69772796835558\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.35378101294477\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 90.598176460758\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\log(c_s)^4 \\
&+ 0.0014101920784634\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3\log(c_s)^6 \\
&+ 0.011281536627707\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2\log(c_s)^6 \\
&+ 0.7319517005525\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^2 \\
&+ 1.4640831337456\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 1.4647608226235\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log(c_s) \\
&+ 1.4771504499256\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^3 \\
&+ 0.046350327545898\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \\
&+ 0.046523902619189\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log(c_s)^6 \\
&+ 0.37662545422639\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^3 \\
&+ 0.094159874346187\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \\
&+ 0.094159874346187\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.18849042904741\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^4 \\
&+ 0.097963715453852\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^7 \\
&+ 0.0015334656917859\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3\log(c_s)^5 \\
&+ 1.5801161715365\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^6 \\
&+ 3.163713221334\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.39695855433274\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&+ 6.3525411983818\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^3 \\
&+ 0.79569979115055\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 3.1855064170451\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^3 \\
&+ 3.2176420398078\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&+ 12.952216834029\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.40507647859946\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 0.82846374255767\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 0.05212161930074\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^5 \\
&+ 13.437987965663\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log(c_s) \\
&+ 3.3687492295521\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s) \\
&+ 0.013174683798627\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 13.61916335867\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 1.7050579773747\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.05331658331228\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^5 \\
&+ 1.7127822927231 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 27.435571902438\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 1.7266722847401\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.43264902688888\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 3.4709182692656\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 6.9640268991504\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.11069752818298\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.22139505636597\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s) \\
&+ 0.0017361111111111\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.0034722222222222\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&+ 0.0034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^8 \\
&+ 0.0069444444444444\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.006944444444444 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^8 \\
&+ 0.0069444444444444\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.013888888888889 (\alpha_0^{c_s})^2 \alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&+ 0.027777777777778\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&+ 0.027777777777778\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^8 \\
&+ 0.027777777777778\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&+ 0.027777777777778 (\alpha_0^{c_s})^2 \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&+ 0.027777777777778 (\alpha_0^{c_s})^3 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&+ 0.055555555555556\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^8 \\
&+ 0.055555555555556 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^8 \\
&+ 0.11389894826439\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^4 \\
&+ 0.91430939665138 (\alpha_1^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 3.6577270755728\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 7.3170194187836\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.92326478363507\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.057868068371352\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^6 \\
&+ 0.057868068371352\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 3.7734410685092\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.95044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^5 \\
&+ 0.015051523939317\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^7 \\
&+ 0.12041219151454\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.0018849206349206\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&+ 15.490511863765\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 0.12116661811187 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&+ 0.24456990787694\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&+ 31.397203196816\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 15.750120149509\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 3.9395820671135\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 0.0038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^6 \\
&+ 1.9948995689274 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.0078373015873016\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.12544460012672\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.50225323810869\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^2 \\
&+ 16.105554043698\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s) \\
&+ 16.156500979091\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 0.50602494227971 (\alpha_0^{c_s})^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.063288855839612\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.12657771167922\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^3 \\
&+ 4.0568769581603 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&+ 8.1174938774966 (\alpha_0^{c_s})^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.0009920634920634\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&+ 0.001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^8 \\
&+ 0.001984126984127\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&+ 0.001984126984127\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.003968253968254\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.0079365079365079\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log(c_s)^8 \\
&+ 0.12712006581771 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.25424013163542 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 16.408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^2 \\
&+ 0.016101389763751\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.12904802389514\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log(c_s)^2 \\
&+ 0.25829423242697\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s) \\
&+ 0.12925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^3 \\
&+ 0.25930108040342 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^7 \\
&+ 0.0040535397474362\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&+ 0.0081070794948725\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&+ 0.016214158989745\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.5192274934101\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^4 \\
&+ 0.2603082205165\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^3 \\
&+ 4.1697475480199 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 134.08060463332\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.0081845238095238\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&+ 0.13178277164641\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log(c_s) \\
&+ 0.52740521232872 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 2.1109360321602\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.53173080792133\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.1322540024029\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.0020833333333333\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log\left(c_s\right)^8 \\
&+ 0.0041666666666667\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.0041666666666667\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.0041666666666667\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.0041666666666667\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.016666666666667\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^8 \\
&+ 0.066666666666667\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^8 \\
&+ 2.1352008523351\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right) \\
&+ 0.53487905151284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 1.0697581030257\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log\left(c_s\right)^7 \\
&+ 0.066874816263453\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.26882403949587\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 1.0752961579835\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 2.1758480748658\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.54461175525472\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&+ 1.0931019080839\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.0974807093165\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 4.3901958651033\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 35.264554311344\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&+ 0.55348764091493\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&+ 4.4350840146057\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.0086805555555556\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.017361111111111\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 4.4463080428174\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&+ 71.149361111489\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^4 \\
&+ 4.449240384637\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.017414942707965\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.034867024978895\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3\log\left(c_s\right)^4 \\
&+ 0.034867024978895\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2\log\left(c_s\right)^4 \\
&+ 2.2316487232614\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 8.9311191843114\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 2.2465015349281\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.56478886240302\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 9.0552499364938\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 4.5513888304427\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 4.5577308854397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.0089452165354175\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.14322517099512\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.28645034199024\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 4.5910652577996\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 0.071750462586955\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^2 \\
&+ 0.57529452587338\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 18.449313736391\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 0.01802512737896\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \\
&+ 0.01802512737896\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 0.072100509515841\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 0.14420101903168\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.03613344669064\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^2 \\
&+ 0.28906757352512\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log(c_s)^3 \\
&+ 37.06509290107\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 9.3111614721503\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 4.6801381456865\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&+ 9.4045959183585\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 2.3693853368576\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 2.3761094805786\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^5 \\
&+ 2.3832614392169\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 4.7937041008864\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 0.0375\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.075\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^8 \\
&+ 0.075\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8 \\
&+ 19.354384585076\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^2 \\
&+ 2.4288380695628\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.075961543988761\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&+ 0.0011904761904762\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^8 \\
&+ 0.0011904761904762\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^8 \\
&+ 1.220112587662\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s) \\
&+ 0.15254407898125\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3 \\
&+ 78.227866154984\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s) \\
&+ 0.61117267763566\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.076985889343165\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^6 \\
&+ 0.077157424495136\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.038625272954915\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.31013349107786\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.0096995415385081\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2 \log(c_s)^7 \\
&+ 0.0048611111111111\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.019444444444444\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.077777777777778\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.31134020562749\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 1.24536082251\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.078466561955156\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \\
&+ 0.15693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \\
&+ 0.15707535753951\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 0.31415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 80.441050995195\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 5.0323662225364 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&+ 5.0625274251426\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.31718190605984 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 41.021711105818\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.64182918212637 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.3209274309077\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.16064858175395\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.0012588480054528\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 1.2925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right)^3 \\
&+ 5.1907804487432 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 0.0050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^6 \\
&+ 0.081523302625646\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 0.0025557761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.0051115523059529\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.16496976287821 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 1.3412092164036\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^6 \\
&+ 0.020965166714704\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 5.3914075439694\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2 \\
&+ 0.67454254973696\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log\left(c_s\right) \\
&+ 0.68363240701805 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 87.908587519761 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 1.3746766451311\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.17187020519414\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.34584870403899\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.3469768670804\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 0.3469768670804\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 1.3913372663368\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.02174593241518\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 22.321848382366\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.70012724999837\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.6164328324476\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.70364534405341\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 2.8145813762136\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 1.409204420935\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^2 \\
&+ 2.8368273429653\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\log\left(c_s\right)^2 \\
&+ 0.70936294919885\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.088675475680609\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^2 \\
&+ 0.088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.17772194437427\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.1779680921448\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^3 \\
&+ 2.8476003162004\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 11.397247065108\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right) \\
&+ 0.044588937221799\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 5.7491106073131\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&+ 0.18017209149724\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.1806672334532\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^2 \\
&+ 5.7853661270774\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right)^3 \\
&+ 1.4477410191843\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 1.4543479186833\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right) \\
&+ 11.708647699214\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 5.9104975982204\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^3 \\
&+ 0.74154006410617\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^6 \\
&+ 95.036172936165\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 95.804783626931\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.37441533605899\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&+ 0.37633380038015\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&+ 12.086705993181\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 6.0597829945139\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 0.095044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right)^5 \\
&+ 0.011886256672027\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right) \\
&+ 0.047545026688108\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 3.0449922199867\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 6.1003463906066\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.38134182718384\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 1.5311999591875\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log\left(c_s\right) \\
&+ 6.1313920088217\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 12.298593246757\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right) \\
&+ 24.613026663491\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^2 \\
&+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4\log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.006030973582448\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0030218401681359\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3 \log(c_s)^6 \\
&+ 0.0030218401681359\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&+ 0.19343702620416\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.19380408212327\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 6.2218562899586\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^6 \\
&+ 0.048813834970452\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.09762766994090 5\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^4 \\
&+ 1.5684792192669 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.20051523939317\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.10042570968278\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 0.80647211848762 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.20192158767876\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2 \log(c_s)^3 \\
&+ 0.012691728706171\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 0.050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^6 \\
&+ 0.10156999322709\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.20372422587855\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \\
&+ 0.20372422587855\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log(c_s)^5 \\
&+ 52.36456633823\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.6408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^2 \\
&+ 0.82275512591495\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 0.012875090984972\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \\
&+ 0.025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \\
&+ 0.42040275554294\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 3.3727661165458\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^4 \\
&+ 0.052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log(c_s) \\
&+ 0.10542621731713\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.10548142639935\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 3.3833735808817 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 0.84816632678309 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^4 \\
&+ 6.7879047213651 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&+ 1.6986795485403\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 27.206266866318\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log(c_s)^4 \\
&+ 27.226180097024 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 54.534278103088\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 27.346385312638\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^2 \\
&+ 0.026835649606252\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.21527759816172\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 1.7224731490872\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 6.9824081483398\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.87361462195988\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&+ 0.10985318673722\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \\
&+ 0.8793397191539\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.21990550055532\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log(c_s)^4 \\
&+ 56.529929617533\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log(c_s)^2 \\
&+ 0.027628968253968\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^8 \\
&+ 0.88456648168731\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s)^3 \\
&+ 0.22131720686838\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.00086861566016491\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3\log(c_s)^7 \\
&+ 0.45154571817951\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log(c_s)^7 \\
&+ 29.061784966638\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 3.6345924538707\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^4 \\
&+ 7.2955332630599\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^3 \\
&+ 58.375377583279\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^4 \\
&+ 29.257388822533\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.001789043307083 5\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3\log(c_s)^5 \\
&+ 0.014312346456668\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2\log(c_s)^5 \\
&+ 0.028645034199024\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 1.8348767603665\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\log(c_s) \\
&+ 3.6766998531582\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^6 \\
&+ 0.23131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\log(c_s)^3 \\
&+ 0.46263582277387\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 7.4112980647787\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^3 \\
&+ 3.7164241532193\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\log(c_s)^3 \\
&+ 0.93159885433466\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\log(c_s)^6 \\
&+ 3.7287838737827\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\log(c_s)^2 \\
&+ 0.11710830043224\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log(c_s)^7 \\
&+ 15.02030177727\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s) \\
&+ 0.23510140228281\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&+ 0.47054697898767\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s) \\
&+ 1.8821879159507\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s) \\
&+ 7.6257173297682\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s) \\
&+ 0.95360772967078\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log(c_s)^5 \\
&+ 3.8352670943644\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)^3 \\
&+ 0.48180124386433\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.12120024954256\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\log(c_s)^5 \\
&+ 0.030470997968127\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\log(c_s)^6 \\
&+ 0.97560306064729\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 0.97560306064729\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.24401385562427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 3.9260056431299 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 0.49252803976631 \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log\left(c_s\right)^2 \\
&+ 16.051256599381 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.12554181807546\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 0.50235001235364 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 2.0094000494145 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.12564007704991\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.031627865195139\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log\left(c_s\right) \\
&+ 0.031631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 259.59876536856\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 32.50522209874\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.50931056469638\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 2.0437973362739\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 8.1751893450957\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.51203918701101\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^7 \\
&+ 16.42956953494 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.064375454924858\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7 \\
&+ 8.2485875598489\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.064529891471674\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.25847737205871\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 33.286723681644\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right) \\
&+ 0.016271278323484\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^4 \\
&+ 0.13017022658787\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4 \\
&+ 0.52135401653638\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log\left(c_s\right)^2 \\
&+ 1.0462152914807 \left(\alpha_1^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 1.0523208633124\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 0.52680333787609\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 1.054571073778\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 4.2182842951119\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 0.065987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&+ 1.0644201635054\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.53324246444223\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&+ 136.64082318477\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.53632708710166\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 1.073874786422\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 17.200254424317\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.033668636374269\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.53896830430858\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 17.247331821939 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 4.3152566383775 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.54079233429489 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 0.0042305762353902 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.0084611524707804 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.5420017003596 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^2 \\
&+ 2.1731268619076 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \log\left(c_s\right)^4 \\
&+ 17.461464363879 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.06831317525214 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^7 \\
&+ 4.381855045361 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.017123700224942 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 0.13712238440486 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right) \\
&+ 0.27494960479702 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.017218728594875 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 0.068874914379501 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 1.1030829787918 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 2.2091754448728 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \log\left(c_s\right)^6 \\
&+ 0.13807729042628 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^2 \\
&+ 0.0010790125761024 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^6 \\
&+ 4.4314513497768 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 2.2161311833705 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 2.2163941750676 \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.0043303549329555 \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 0.017321419731822 \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.13879074683216 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 0.017373873100247 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 0.069495492400987 \epsilon_2^3 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.55653490653473 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 1.1130698130695 \alpha_0^{c_s} \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 142.92442852782 \alpha_0^{c_s} \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 2.2396646609438 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right) \\
&+ 0.14013425184765 \alpha_0^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 0.035069444444444 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^8 \\
&+ 9.0210205644715 \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.28247962303856 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \epsilon_6 \\
&+ 0.56835265912489 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right) \\
&+ 2.2734106364995 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&+ 4.5553938590387 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.035591857554662 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.56959970255651 \epsilon_2 \epsilon_3^2 \epsilon_4^3 \epsilon_5 \epsilon_6 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.56959970255651\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.5709274309077 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 0.57134326835356\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s) \\
&+ 36.747163335625\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^2 \\
&+ 0.57456202490143\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 9.2035568813233\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log(c_s)^2 \\
&+ 0.14421634229629\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 2.3082268041484\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 9.2524415640508\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^2 \\
&+ 0.57829477846734\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^3 \\
&+ 0.14565555504824\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 0.036458333333333\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&+ 0.0091204644317315\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&+ 0.58700943363336\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.036899176060995\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s) \\
&+ 0.29519340848796\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 302.33626761398\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s) \\
&+ 0.14767399695909\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^3 \\
&+ 1.1827854380082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 4.731141752033\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.036989827086551\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^4 \\
&+ 0.036989827086551\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 4.7403485146095\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 0.00014476927669415\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log(c_s)^7 \\
&+ 0.018561436129158\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 2.3778027693654 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 0.0023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log(c_s)^4 \\
&+ 0.59536851365379\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 1.1908756629982\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&+ 4.7654832828147\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 76.317770122715\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&+ 2.399641727085\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.30070633688451 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.075257619696585\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.075257619696585\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^7 \\
&+ 19.305852238847\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 154.55404669557\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 77.328618398328\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&+ 0.60499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s) \\
&+ 1.2099856191528\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.60583309055935 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 1.2116661811187 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.00014816569464487 \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6 \\
&+ 9.7150470128689 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&+ 2.4318444210199 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3 \\
&+ 0.30438925903813 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.07635165488659 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2 \\
&+ 78.220630474424 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right) \\
&+ 0.61203918325022 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \epsilon_6 \\
&+ 0.15341068377458 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^3 \\
&+ 2.4581642736823 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^5 \\
&+ 0.61779553306717 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 19.780639064332 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \\
&+ 4.9466246608637 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 1.2418235240896 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.15573937823906 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^4 \\
&+ 2.4956541804153 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 9.9826167216612 \epsilon_1^3 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4 \\
&+ 80.207528487177 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right) \\
&+ 10.035983742183 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 10.055823659433 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \\
&+ 0.15758328268454 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 20.17667195142 \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6 \\
&+ 0.0024659884724367 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^4 \log\left(c_s\right)^4 \\
&+ 10.106018875012 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 10.106247688656 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right) \\
&+ 0.0098713445492438 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.039522012537503 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.079048102791762 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^3 \log\left(c_s\right) \\
&+ 0.079069662987846 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6^2 \log\left(c_s\right) \\
&+ 0.15815527862008 \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.31631055724015 \alpha_1^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5 \\
&+ 40.576977882759 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.63457985461588 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.0049603174603175 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 0.0049603174603175 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^8 \\
&+ 1.2750679337318 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&+ 10.205096930589 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^6 \\
&+ 0.15952380952381 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 10.21898668137\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.03996976287821\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.020039682539683\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^8 \\
&+ 2.5666223090625\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 20.549528909663\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \\
&+ 0.0050364002802264\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 20.677106154791\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 10.352511075354\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 10.360033708441\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.020347057132115\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.65394613766745\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 84.165213390546\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 10.538613764823\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^2 \\
&+ 0.0025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \\
&+ 1.3201480866239\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 5.2843703215116\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log\left(c_s\right)^2 \\
&+ 0.33118373258651\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.33209258454895\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right) \\
&+ 0.16615679506853\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&+ 42.542337188947\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right) \\
&+ 0.0052083333333333\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^8 \\
&+ 0.0052083333333333\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 0.010416666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.010416666666667\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8 \\
&+ 0.010416666666667\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^8 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^8 \\
&+ 0.041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^8 \\
&+ 0.083333333333333\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^8 \\
&+ 2.6851873635739\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&+ 21.497064534254\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^4 \\
&+ 0.16977018823213\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \\
&+ 0.33954037646425\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \\
&+ 0.34025947731075\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 5.4765231783135\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 5.4865029231704\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 0.043036829103435\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 2.7579389192785\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^6 \\
&+ 2.7697943509052\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.043384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^3 \\
&+ 5.5549110012516\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 22.316892947718\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 44.688897139125\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^4 \\
&+ 0.0027281746031746\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.17507120502645\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.043828911599309\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 5.6210025560007\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.1758422836376\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.17586794383078\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 0.70347177532312\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 11.257831626795\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\log\left(c_s\right)^4 \\
&+ 22.523494278655\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 0.010997984191881\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^7 \\
&+ 1.411640936963\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 0.35317782801238\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2\log\left(c_s\right) \\
&+ 2.8375336017437\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.17740336058423\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 2.8423260149359\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^8 \\
&+ 0.0006944444444444\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^8 \\
&+ 0.0013888888888889\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\log\left(c_s\right)^8 \\
&+ 0.0055555555555556\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.0055555555555556\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^8 \\
&+ 0.0055555555555556\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^8 \\
&+ 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.022222222222222\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.022222222222222\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^8 \\
&+ 5.6924727035803\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 1.4256656883472\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^5 \\
&+ 45.816179835113\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right) \\
&+ 0.7161258549756\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 22.935376322284\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 22.950520258803\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s) \\
&+ 0.044856071590813\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.717697145453\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&+ 46.004319980909\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&+ 1.4390678663788\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.72076145524504\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&+ 0.090309143635901\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^7 \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3 \log(c_s)^3 \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.005654761904761 9\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&+ 0.022619047619048\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 1.4487512412717\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^4 \\
&+ 2.9004477257442\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 11.608129944419\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^6 \\
&+ 2.9026220375394\alpha_0^{c_s}\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 46.471535591296\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&+ 0.18153725175157\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&+ 0.72614900700629\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.090830531651468\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 2.9067751291009\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 0.18168845294152\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.72699970867122\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^4 \\
&+ 0.72841297343177\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 187.18549333957\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.022853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s) \\
&+ 0.045736932587662\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 0.36627689070599\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&+ 46.93671969299\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s) \\
&+ 11.741226289217\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 46.994830275688\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^4 \\
&+ 0.00017983542935039\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 1.4744564795032\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.092222786590389\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.18449588030497\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.023147227348541\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^6 \\
&+ 0.023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log(c_s)^4 \\
&+ 0.046489366638526\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.023263888888889\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^8 \\
&+ 11.967372170901\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 1.5070500370609 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&+ 48.243194028747\alpha_0^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.75441049176663\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&+ 3.0184166454979 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&+ 0.02362594942532\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4 \\
&+ 1.512482023941\alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right) \\
&+ 1.5133602638325\alpha_0^{c_s} \epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 3.0291654527968 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 12.133993534962\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.18986656751884\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.047479841918807\alpha_0^{c_s}\alpha_3^{c_s} \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.094959683837614\alpha_1^{c_s}\alpha_2^{c_s} \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 6.0928045732897\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.0029761904761905\alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^8 \\
&+ 0.0029761904761905\alpha_0^{c_s} \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 0.005952380952381\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^8 \\
&+ 0.011904761904762\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 1.5251434659536 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&+ 3.0502869319073 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&+ 24.438478461737 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 0.047767725902467 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.095535451804933 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 3.0595715679636 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^5 \\
&+ 3.066004591116\alpha_0^{c_s} \epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.76705341887289\alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 1.5341068377458\alpha_1^{c_s} \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.09644678061892\alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 197.53466213827\alpha_0^{c_s} \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.048304169291254\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.048304169291254\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 1.5498300062925\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 1.5550756118138 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.048611111111111 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^8 \\
&+ 0.77790324121027 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.0030401548105772\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7 \\
&+ 0.0060803096211543\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.012160619242309\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&+ 3.1153649604606\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^4 \\
&+ 49.994936216364\alpha_0^{c_s}\alpha_1^{c_s} \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4
\end{aligned}
$$

$$
\begin{aligned}
&+ 12.510307706077\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 3.1291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\log\left(c_s\right) \\
&+ 25.12301804996\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\log\left(c_s\right)^5 \\
&+ 0.78537678769756\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.7879164134227\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 1.5758328268454\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.024659884724368\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.049319769448735\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.39459883562166\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&+ 0.098809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^8 \\
&+ 0.79077639310038\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&+ 0.0061871453763859\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&+ 6.3382415872657\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 12.681992264271\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 6.3524245005523\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 0.0125\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.0125\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.025\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^8 \\
&+ 0.025\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.025\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 0.025\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^8 \\
&+ 25.643349438098\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log\left(c_s\right)^2 \\
&+ 0.012523303149584\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 25.719478168927\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\log\left(c_s\right)^2 \\
&+ 3.2235551623533\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 51.60076327295\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 3.2313854131084\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^3 \\
&+ 0.025370254484376\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.0001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^8 \\
&+ 0.0001984126984127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log\left(c_s\right)^8 \\
&+ 0.40639114636156\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.025424013163542\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^3 \\
&+ 52.180746333489\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\log\left(c_s\right) \\
&+ 0.20405174243088\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&+ 6.539884598782\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\log\left(c_s\right)^5 \\
&+ 6.5451685478733\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right) \\
&+ 26.226373934127\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.051234881439105\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.20493952575642\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^7 \\
&+ 0.81982392879732\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^4
\end{aligned}
$$

$$+ 13.152117981479 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6$$

$$+ 0.82202064141029 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^7$$
$$+ 0.10296592217786 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \log\left(c_s\right)^5$$
$$+ 0.051656185784626 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^3$$
$$+ 6.6137502289771 \alpha_0^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2$$
$$+ 6.6393278304333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3$$
$$+ 425.01134986034 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)$$
$$+ 6.6477340279501 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)$$
$$+ 0.10416666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^8$$
$$+ 0.10416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^8$$
$$+ 26.696766969579 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4$$
$$+ 0.83480235980209 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^2$$
$$+ 0.83480235980209 \alpha_0^{c_s} \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 6.6825615651297 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6$$
$$+ 6.6887211691035 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6$$
$$+ 1.6726639570305 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^2$$
$$+ 1.6774554075121 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^3$$
$$+ 13.428000228346 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.026388888888889 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8$$
$$+ 13.542765160336 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3$$
$$+ 1.6967392384639 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)$$
$$+ 0.84885094116063 \alpha_0^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6$$
$$+ 0.21225471681668 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7$$
$$+ 0.013293650793651 \alpha_0^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^8$$
$$+ 27.242547408563 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^5$$
$$+ 0.85339864501834 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^7$$
$$+ 13.663134579503 \left(\alpha_0^{c_s}\right)^4 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^4$$
$$+ 1.7080969893699 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^2$$
$$+ 0.10694444444444 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^8$$
$$+ 0.053487905151284 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^7$$
$$+ 54.827079598902 \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \log\left(c_s\right)$$
$$+ 0.42890915033308 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^7$$
$$+ 27.530749713986 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3 \log\left(c_s\right)^4$$
$$+ 0.43050277552173 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^2$$
$$+ 0.013492063492063 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8$$
$$+ 3.4555424597579 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5$$
$$+ 0.43239569377394 \alpha_1^{c_s} \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^3$$
$$+ 0.054075382136881 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \epsilon_6 \epsilon_7$$
$$+ 0.054075382136881 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \epsilon_7$$
$$+ 0.86544558930076 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5$$

$$
\begin{aligned}
&+ 55.394635457981\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^4 \\
&+ 0.4332777751927\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.027083333333333\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^8 \\
&+ 0.86708409500542\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.10840034007192\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2\log\left(c_s\right)^2 \\
&+ 0.21680068014384\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6\log\left(c_s\right)^2 \\
&+ 6.9389998091555\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^6 \\
&+ 0.43696666514473\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.027361393295195\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 0.027361393295195\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^7 \\
&+ 0.43932451473407\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.43932451473407\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.054997491060073\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.22061921457516\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.22141739006811\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.88701680292114\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 1.7740336058423\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 3.5483563140247\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 0.055508777816395\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.22215243046783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log\left(c_s\right)^5 \\
&+ 0.055653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^2 \\
&+ 0.89088272445871\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right) \\
&+ 7.1340626375201\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^6 \\
&+ 7.1356361393529\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.89366108552314\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 7.1720854726004\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^3 \\
&+ 0.89749581909005\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^5 \\
&+ 3.5994584671333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.90211901065354\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.007050960392317\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 1.8060140498724\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 3.6218781031793\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\log\left(c_s\right)^4 \\
&+ 0.0070936945580134\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2\log\left(c_s\right)^7 \\
&+ 1.8171301916843\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.45576926393257\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&+ 7.2981935404715\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.22853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\log\left(c_s\right) \\
&+ 0.45707461468285\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 1.8301721591444\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right) \\
&+ 0.45822554837705\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^2 \\
&+ 1.8329021935082\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.05732127108296 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.91931297309284 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&+ 14.712739221915 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5 \\
&+ 0.92046410264746 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^3 \\
&+ 1.8410867385817 \epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.00089917714675197 \epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.0017983542935039 \epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.92620674859063 \epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.0036192319173538 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log\left(c_s\right)^7 \\
&+ 59.341917192997 \alpha_0^{c_s} \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 14.839873982591 \alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.0036243220691966 \alpha_0^{c_s} \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^5 \\
&+ 0.058111708298158 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6^2 \log\left(c_s\right)^4 \\
&+ 0.9330402079649 \alpha_0^{c_s} \epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.93539429090601 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&+ 7.4869625412459 \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.23477130152456 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3\epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.23539968586547 \epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 30.187832611896 \alpha_0^{c_s} \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.029558491893536 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.11823396757414 \epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.23767826352498 \alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \\
&+ 3.8069327559568 \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.23816981433172 \epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.11936428199756 \alpha_2^{c_s} \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.060057363832412 \alpha_2^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.24022945532965 \alpha_2^{c_s} \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 15.38828635641 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.030137550399815 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.06027510079963 \epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 123.6063950357 \alpha_0^{c_s} \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 0.96654103298395 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.060499280957641 \alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right) \\
&+ 1.9388312478651 \alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log\left(c_s\right)^3 \\
&+ 0.24239131978055 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right) \\
&+ 7.76523978946 \alpha_0^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5 \\
&+ 0.24280432447726 \epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 0.0075893264714163 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.015200774052886 \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.24406917485226 \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.12209960001811\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 31.291146461994\alpha_0^{c_s} \epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log\left(c_s\right) \\
&+ 3.9137420964057\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 15.654968385623\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 15.677652626607 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 1.9618384130023\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3 \log\left(c_s\right)^5 \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 0.24549597995309\alpha_2^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.2459274309077\alpha_1^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 3.9348938026368\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4 \\
&+ 0.061649711810919\alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 7.9024379023432\alpha_1^{c_s} \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&+ 15.813009322026\alpha_2^{c_s} \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.015450109181966\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \\
&+ 0.015450109181966\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 15.832718863708\alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right) \\
&+ 15.854815299233\alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right) \\
&+ 15.882609237268\alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right) \\
&+ 0.99355119775954 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&+ 63.623324453603\alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right) \\
&+ 0.24906483571611\alpha_0^{c_s} \epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4 \\
&+ 31.904116198078\alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.0625 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^8 \\
&- 0.5\alpha_0^{c_s} \epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 1.0\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^3\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.028940412828206 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.11576165131282\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.11576165131282 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.46304660525129\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.086821238484617 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.34728495393847\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.13546371545385\alpha_0^{c_s} \epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.19796371545385 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 1.1114247696923\alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.5834274309077 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.30910619242309\alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.18580309621154 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^7 \\
&- 26.675514216819 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.55740928863463 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 1.3505793494645 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5 \\
&- 2.9181931078044\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^5 \\
&- 13.709520200463\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6 \\
&- 63.387001968313 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.0082162155250631\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^3 \\
&- 0.54935595220653\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 0.017446454929366\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^2 \\
&- 9.814621136728 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.33231227831978 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.16782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.33565975485057\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.67963873763901\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^3 \\
&- 0.005790771067766\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7 \\
&- 0.011581542135532\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.3783302277627 \left(\alpha_0^{c_s}\right)^4 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 1.6590177809246\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.49718216546684\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right) \\
&- 0.99436433093368\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 8.1034760967871 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.064417211882143\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right) \\
&- 0.0337431605586\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&- 8.6679715012676 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&- 17.414611758586\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&- 5.1900131910651\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right) \\
&- 5.194038143998\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 45.797178561762 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 0.049297293150379\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^3 \\
&- 12.716261643391 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^2 \\
&- 54.169964202255 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^3 \\
&- 0.21575245701673\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&- 28.886173001117 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.50109465857154\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 0.25174481613793\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^4 \\
&- 0.25174481613793\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&- 0.51239425814024\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 2.049577032561\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 4.1188903902965 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^4 \\
&- 0.032654571817951\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7 \\
&- 0.0081790757834049\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \\
&- 1.0657493275429\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&- 17.085298276378\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 4.3029640862281\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s) \\
&- 0.13463818842732\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^5 \\
&- 0.13606071590813\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&- 0.069489252813193\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.278557553624\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 143.83411109778\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3 \log(c_s)^3 \\
&- 36.662198013123\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.018011623679385\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&- 9.4540554462516\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^5 \\
&- 0.0092577716666208\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^2 \\
&- 0.019427356432276\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^5 \\
&- 0.31491936767523\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 10.097528828664\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&- 2.5533094918556\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&- 0.020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^5 \\
&- 0.040190504008154\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 5.1538168118785\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^4 \\
&- 0.32543585204208\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.041081077625316\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&- 0.082162155250631\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 10.75119515172\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 5.5056100978341\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 11.085054805766\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 2.7803318468588\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^3 \\
&- 0.087232274646829\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&- 0.17446454929366\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 5.670182996895\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^6 \\
&- 1.4260813648907\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&- 3.0064300732446\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 0.75368638319716\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^6 \\
&- 0.094294253276346\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.047702793140402\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^6 \\
&- 0.78278372316957\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.04983566123138\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&- 0.09967132246276\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 12.819575053785\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 0.1012294816758\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&- 0.41957469356321\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^4 \\
&- 0.21072133515044\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0034088307981678\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&- 0.0034543924129182\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \log(c_s)^2 \\
&- 0.055647464225437\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 7.2291462949315\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^4 \\
&- 0.22819507008264 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&- 0.45639014016529 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 7.3517773822023 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^6 \\
&- 0.057513508675442\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^3 \\
&- 0.014508448134256\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&- 7.5997537483439 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^4 \\
&- 1.9473659259106 (\alpha_0^{c_s})^4 \epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&- 16.274916901747 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log(c_s)^3 \\
&- 0.51123657454361\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^7 \\
&- 0.00099978496452743\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 0.032019078973842 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&- 2.0730181285708\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log(c_s)^6 \\
&- 0.26427799781204\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^6 \\
&- 0.53236927833155 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&- 2.1619576420396 (\alpha_0^{c_s})^3 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 0.13553341721763 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 2.1715099170165\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log(c_s)^4 \\
&- 0.27178884725316\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 4.3760498498227\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&- 4.3958971023147\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^7 \\
&- 0.55115690278528 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&- 8.8291987796605\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 2.2203527578195\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.034953402906382\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&- 1.1300685823077\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s) \\
&- 18.095186392225\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^5 \\
&- 0.14166666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2 \log(c_s)^8 \\
&- 36.484228974512 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 1.1502822927231\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log(c_s)^7 \\
&- 1.1626437532611\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^2 \\
&- 9.3881730124376\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&- 2.4859108273342\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s) \\
&- 2.5185904350789\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^5 \\
&- 0.64220395437461\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&- 5.1575118611105\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2
\end{aligned}
$$

$$- 83.345206753456 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \epsilon_{4} \log\left(c_{s}\right)^{3}$$
$$- 2.6137551483937 \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{2}$$
$$- 5.2838088518369 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 1.3269252696382 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} \epsilon_{1} \epsilon_{2} \epsilon_{3} \log\left(c_{s}\right)^{4}$$
$$- 2.691737082847 \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{6}$$
$$- 0.68184135271904 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 0.085391469065175 \epsilon_{1} \epsilon_{2} \epsilon_{3} \epsilon_{4}^{3} \epsilon_{5}^{2} \log\left(c_{s}\right)^{7}$$
$$- 0.68342686433956 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{2}$$
$$- 11.056873846371 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3}^{2} \log\left(c_{s}\right)^{6}$$
$$- 0.04412076348272 \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5}^{2} \log\left(c_{s}\right)^{3}$$
$$- 46.043264318674 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \log\left(c_{s}\right)^{5}$$
$$- 5.8162209355368 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 2.919256441257 \alpha_{1}^{c_{s}} \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3} \epsilon_{4}^{2} \log\left(c_{s}\right)^{5}$$
$$- 11.816477438533 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4} \log\left(c_{s}\right)^{2}$$
$$- 0.3709274309077 \alpha_{1}^{c_{s}} \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3} \epsilon_{4}^{2} \log\left(c_{s}\right)^{7}$$
$$- 23.839704325407 \epsilon_{1}^{4} \epsilon_{2} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)$$
$$- 1.5032839757146 \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 1.5105011873128 \alpha_{2}^{c_{s}} \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3} \epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 1.5371827744207 \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{2}$$
$$- 12.356671170889 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1} \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 1.5525594694907 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)$$
$$- 25.288097464735 \alpha_{0}^{c_{s}} \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \epsilon_{4}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.20024965080537 \alpha_{1}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{6}$$
$$- 12.858805770449 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \log\left(c_{s}\right)$$
$$- 0.80551034778197 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{3} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{6}$$
$$- 1.6207357952627 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{3} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{4}$$
$$- 0.81321278015284 \alpha_{2}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 6.5612171749751 \epsilon_{1}^{2} \epsilon_{2}^{3} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{4}$$
$$- 26.762358385761 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{1}^{2} \epsilon_{2} \epsilon_{3} \epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 0.21100014604281 \epsilon_{1} \epsilon_{2} \epsilon_{3}^{3} \epsilon_{4}^{2} \epsilon_{5} \log\left(c_{s}\right)^{5}$$
$$- 0.84615433207146 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 0.026837318849055 \epsilon_{1} \epsilon_{2}^{3} \epsilon_{3} \epsilon_{4} \epsilon_{5}^{2} \log\left(c_{s}\right)^{7}$$
$$- 1.7243356920709 \epsilon_{1} \epsilon_{2}^{4} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{2}$$
$$- 3.4617169521456 \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3} \epsilon_{4} \epsilon_{5}^{2} \log\left(c_{s}\right)$$
$$- 13.846867808582 \epsilon_{1}^{3} \epsilon_{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)$$
$$- 3.4705033387686 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3}^{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 0.10860333843667 \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5} \epsilon_{6}^{2} \log\left(c_{s}\right)$$
$$- 0.003422619047619 \epsilon_{1} \epsilon_{2}^{4} \epsilon_{3} \epsilon_{4} \epsilon_{5} \log\left(c_{s}\right)^{8}$$
$$- 0.43926929952635 \epsilon_{1} \epsilon_{2}^{2} \epsilon_{3}^{2} \epsilon_{4} \epsilon_{5}^{2} \log\left(c_{s}\right)^{6}$$
$$- 0.11063189046135 \alpha_{0}^{c_{s}} \epsilon_{2}^{2} \epsilon_{3} \epsilon_{4} \epsilon_{5}^{3} \log\left(c_{s}\right)^{2}$$

$$
\begin{aligned}
&- 0.88876779469897 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5 \\
&- 0.00086805555555556 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^8 \\
&- 0.0017361111111111 \left(\alpha_0^{c_s}\right)^4 \epsilon_2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.0034722222222222 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_0^{c_s} \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_1^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.0069444444444444 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.013888888888889 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^8 \\
&- 0.027777777777778 \alpha_1^{c_s} \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^8 \\
&- 0.055555555555556 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.055555555555556 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^8 \\
&- 0.22652399812461 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \log\left(c_s\right)^6 \\
&- 0.22884913709467 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.11450645568112 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \log\left(c_s\right)^4 \\
&- 0.23006147100765 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5^2 \epsilon_6 \log\left(c_s\right) \\
&- 0.23158603434189 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&- 0.46317206868379 \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^7 \\
&- 29.670020300772 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.029166666666667 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.93918535291028 \left(\alpha_0^{c_s}\right)^3 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^5 \\
&- 0.93991936767523 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7 \\
&- 1.8932677002702 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4 \\
&- 0.05952380952381 \alpha_0^{c_s} \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \log\left(c_s\right)^8 \\
&- 0.059802793477656 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^3 \epsilon_6 \log\left(c_s\right)^4 \\
&- 1.9229611334619 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^6 \\
&- 0.030142878006115 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \epsilon_5^3 \log\left(c_s\right)^5 \\
&- 0.030142878006115 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5 \\
&- 0.96784263639503 \alpha_2^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^2 \\
&- 31.004481185222 \epsilon_1^3 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right) \\
&- 0.0076388888888889 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6 \log\left(c_s\right)^8 \\
&- 0.49295169111116 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5^2 \epsilon_6 \log\left(c_s\right)^2 \\
&- 126.49959573299 \alpha_0^{c_s} \epsilon_1^4 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^3 \\
&- 0.031273348463866 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \log\left(c_s\right)^4
\end{aligned}
$$

$$- 2.0138975161191\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^4$$
$$- 2.0244312253814\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^6$$
$$- 0.00024801587301587\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\epsilon_6 \log(c_s)^8$$
$$- 0.00049603174603175\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5\epsilon_6 \log(c_s)^8$$
$$- 0.001984126984127\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^8$$
$$- 16.345010258501\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^3$$
$$- 16.348363239636\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^5$$
$$- 0.0080357142857143\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^8$$
$$- 0.0081070794948725\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7$$
$$- 0.0081070794948725\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^7$$
$$- 2.0808106971594\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6$$
$$- 0.13081317525214\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^7$$
$$- 0.033007395086266\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7$$
$$- 8.4633660468357\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log(c_s)^6$$
$$- 0.26495391376475\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^5$$
$$- 0.00052083333333333\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^8$$
$$- 0.0010416666666667\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^8$$
$$- 0.0020833333333333\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8$$
$$- 0.0041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log(c_s)^8$$
$$- 0.0041666666666667\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8$$
$$- 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^8$$
$$- 0.0083333333333333\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^8$$
$$- 0.033333333333333\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8$$
$$- 0.033333333333333\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8$$
$$- 0.066666666666667\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8$$
$$- 0.13333333333333\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7$$
$$- 0.26743952575642\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^7$$
$$- 34.334739432481\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^5$$
$$- 1.0753833738841\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log(c_s)^6$$
$$- 8.6276842749413\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^5$$
$$- 4.3178489700769\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^3$$
$$- 0.27383408409917\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^6$$
$$- 1.1056716205168\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5$$
$$- 0.017361111111111\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^8$$
$$- 0.069444444444444\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log(c_s)^8$$
$$- 8.8967887914494\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2$$
$$- 0.28152330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^7$$
$$- 4.524000160134\alpha_0^{c_s}\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \log(c_s)^5$$
$$- 4.569840066821\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6$$
$$- 0.035714285714286\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \log(c_s)^8$$

$$- 0.28621675884241\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^6$$

$$- 1.1590937060445\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6$$
$$- 0.28993435954994\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5$$
$$- 0.0092024588403061\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)$$
$$- 1.1814125092637\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5$$
$$- 0.59661859856021\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)$$
$$- 0.074621568511712\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3$$
$$- 0.0046875\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^8$$
$$- 0.0046875\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^8$$
$$- 0.009375\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^8$$
$$- 0.0375\alpha_0^{c_s}\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^8$$
$$- 0.075 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8$$
$$- 0.075449721375182\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^4$$
$$- 0.037753999687435\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^6$$
$$- 0.037817797270903\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3$$
$$- 0.0001488095238095 2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^3 \log(c_s)^8$$
$$- 0.0023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log(c_s)^8$$
$$- 1.2346758518098\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log(c_s)^6$$
$$- 0.0012152777777778\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^8$$
$$- 0.0048611111111111 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^8$$
$$- 0.0097222222222222\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^8$$
$$- 0.019444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^8$$
$$- 9.9847386538878 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5$$
$$- 2.5208088465144 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4$$
$$- 2.5326623316966\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^4$$
$$- 0.31668765775807 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4$$
$$- 1.2667506310323 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4$$
$$- 5.1173023734725 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^2$$
$$- 0.079976489792714\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4$$
$$- 0.020154571817951\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7$$
$$- 2.58564510592\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^6$$
$$- 10.42767224755 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^3$$
$$- 0.081636429544877\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7$$
$$- 0.020452984789007\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)$$
$$- 0.16431723037039\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2$$
$$- 0.33157951342866\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^4$$
$$- 2.6837612238458\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^3$$
$$- 0.67930358905452 \left(\alpha_0^{c_s}\right)^4 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3$$
$$- 0.021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^7$$
$$- 0.043004354112334\alpha_0^{c_s}\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^7$$

$$- 11.101527678678 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.087138464629607 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6$$
$$- 0.04360119047619 \epsilon_1 \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^8$$
$$- 0.011002465028755 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)^7$$
$$- 0.0013817569651673 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^4 \epsilon_5 \log\left(c_s\right)^2$$
$$- 0.0027635139303346 \epsilon_1 \epsilon_2 \epsilon_3^4 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2$$
$$- 2.8347858125447 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^6$$
$$- 2.8381883309141 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)$$
$$- 0.17745642611052 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^3$$
$$- 22.829394310027 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^4$$
$$- 22.871147026822 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)$$
$$- 22.893509707729 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4$$
$$- 2.8624757480871 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^5$$
$$- 0.35864417007374 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^7$$
$$- 1.4456631183795 \alpha_0^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \epsilon_4^2 \log\left(c_s\right)^7$$
$$- 1.4464988291924 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2 \epsilon_3 \log\left(c_s\right)^4$$
$$- 0.022665249170989 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \epsilon_6^2 \log\left(c_s\right)^5$$
$$- 0.18151422859586 \alpha_0^{c_s} \alpha_3^{c_s} \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^5$$
$$- 0.18204808978244 \alpha_2^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$- 5.8308270711346 \left(\alpha_0^{c_s}\right)^3 \epsilon_1 \epsilon_2 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^6$$
$$- 0.046012294201531 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \epsilon_6^2 \log\left(c_s\right)$$
$$- 0.092024588403061 \epsilon_2^2 \epsilon_3 \epsilon_4^3 \epsilon_5 \epsilon_6 \log\left(c_s\right)$$
$$- 0.36855720683894 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5$$
$$- 1.4782475804175 \alpha_0^{c_s} \epsilon_2^2 \epsilon_3^3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^4$$
$$- 0.74021344703803 \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \epsilon_5 \log\left(c_s\right)^2$$
$$- 0.011651134302127 \alpha_2^{c_s} \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5$$
$$- 0.18747385223477 \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \epsilon_5 \log\left(c_s\right)^6$$
$$- 1.5070144259241 \alpha_1^{c_s} \epsilon_1 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^5$$
$$- 0.75936381211967 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2 \epsilon_2 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 24.403846440745 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2^2 \epsilon_3 \log\left(c_s\right)^5$$
$$- 49.177064055895 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3 \log\left(c_s\right)^2$$
$$- 0.096057236921526 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2 \epsilon_3 \epsilon_4^2 \epsilon_5 \log\left(c_s\right)^4$$
$$- 0.77026381616899 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.19343702620416 \alpha_0^{c_s} \epsilon_1 \epsilon_2^4 \epsilon_3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 0.3895779924825 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)$$
$$- 0.78487905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_1 \epsilon_2 \epsilon_3^3 \epsilon_4 \log\left(c_s\right)^7$$
$$- 0.39380416975457 \epsilon_1 \epsilon_2^3 \epsilon_3 \epsilon_4 \epsilon_5^2 \log\left(c_s\right)^5$$
$$- 50.67175190948 \alpha_0^{c_s} \epsilon_1 \epsilon_2^3 \epsilon_3^2 \epsilon_4 \log\left(c_s\right)^4$$
$$- 12.737362072428 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2 \epsilon_2 \epsilon_3^2 \log\left(c_s\right)^2$$
$$- 0.10023399968538 \alpha_1^{c_s} \epsilon_2^2 \epsilon_3 \epsilon_4 \epsilon_5 \epsilon_6$$
$$- 0.050238130010192 \epsilon_1 \epsilon_2 \epsilon_3 \epsilon_4^3 \epsilon_5^2 \log\left(c_s\right)^5$$

$$
\begin{aligned}
&- 1.6215631372923\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^4 \\
&- 0.20296204524118\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log(c_s)^5 \\
&- 0.40681755597309\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&- 13.044419735143\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s)^6 \\
&- 13.121621425407\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\log(c_s) \\
&- 0.20540538812658\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log(c_s)^3 \\
&- 0.41119488082114\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log(c_s)^6 \\
&- 0.20607079494872\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\log(c_s)^7 \\
&- 1.6522395611365\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^5 \\
&- 3.3114685531626\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\log(c_s) \\
&- 0.82935413119271\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.84301803264884\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&- 6.80150457642\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\log(c_s)^4 \\
&- 0.42892138348335\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^7 \\
&- 3.4384041398026\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\log(c_s)^4 \\
&- 0.053755442640418\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\log(c_s)^7 \\
&- 0.10766948331388\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^6 \\
&- 1.7300043970217\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s) \\
&- 0.43558402077202\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&- 27.9609718572\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\log(c_s)^5 \\
&- 1.7622137129655\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&- 3.5425909077389\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\log(c_s)^4 \\
&- 0.0069489252813193\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log(c_s)^7 \\
&- 0.4459274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^7 \\
&- 57.120125769994\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.22386470553514\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^3 \\
&- 0.22515938049499\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s)^5 \\
&- 0.22577285908975\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5\log(c_s)^7 \\
&- 0.22728045090635\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^5 \\
&- 0.11378648600245\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\log(c_s)^7 \\
&- 14.683272931282\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.9193751731673\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log(c_s)^3 \\
&- 0.057481445045234\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^6 \\
&- 14.735671286313\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\log(c_s)^3 \\
&- 0.029046154876536\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 0.11618461950614\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.11676825344001\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^6 \\
&- 0.94081664833995\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&- 0.94351592913832\left(\alpha_0^{c_s}\right)^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^6 \\
&- 7.6237156756073\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&- 0.11935174590051\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5 \\
&- 3.8384854090834\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 15.370238433205\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 1.9436090237115\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.060935102597072\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&- 124.85730792345\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4 \\
&- 3.9292742411492\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&- 3.9388258128443\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.98893181183195\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.49709006595813\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&- 0.2491783061569\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4 \\
&- 7.9840711553284\left(\alpha_0^{c_s}\right)^3\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 4.0097590150565\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^6 \\
&- 8.0512836715373\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.50676319341225\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.1270210909401\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \log\left(c_s\right)^6 \\
&- 8.1659575081896\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 4.0885010002861\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2 \\
&- 2.0478555931225\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.0020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log\left(c_s\right)^5 \\
&- 1.0299997411619\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&- 2.0599994823238\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.032253265584251\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^7 \\
&- 0.032253265584251\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 2.0663642954488\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3 \log\left(c_s\right)^7 \\
&- 2.0697581030257\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.016189463693564\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&- 0.032378927387127\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&- 16.620742999525\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&- 0.52011537912537\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^4 \\
&- 4.1613317798198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.13028758930204\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right) \\
&- 66.751092568084\alpha_0^{c_s}\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 0.52170363606972\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 2.094004102596\left(\alpha_0^{c_s}\right)^4\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right) \\
&- 4.2088548912329\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^6 \\
&- 0.065987905151284\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&- 0.52814804962627\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^4 \\
&- 1.0595804943285\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^3 \\
&- 16.960678760673\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0020726354477509\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log(c_s)^2 \\
&- 0.0020726354477509\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&- 0.26655338986888\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 1.0679906920687 (\alpha_0^{c_s})^3 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.066749883601791\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&- 1.0683727413933\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3 \\
&- 17.185628627737\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^4 \\
&- 0.033591820885232\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.5383474165694\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&- 1.0766948331388\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.2693867567932\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 4.3311097492028\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&- 69.435989531665\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^3 \\
&- 2.1738043442062\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&- 0.017011035245085\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 0.03415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \log(c_s)^7 \\
&- 0.06831317525214\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.27325270100856\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 8.7577693237711\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&- 0.13706496027372\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&- 8.7897791459378\alpha_0^{c_s}\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 17.630133045552\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^5 \\
&- 0.13833512294953\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&- 8.8847563665148\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s) \\
&- 4.4445859873584\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^3\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 1.1127822927231\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&- 0.069769925723932\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^4 \\
&- 1.1244601787494\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^4 \\
&- 0.56324291411056\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 0.0001381756965167 3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \log(c_s)^2 \\
&- 0.28421101151028\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^4 \\
&- 1.1409753504132 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&- 2.283257111788\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^3 \\
&- 2.2871083686492\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \log(c_s)^7 \\
&- 0.14406458627632\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&- 1.1537537804706\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^6 \\
&- 1.1589673433274\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log(c_s)^7 \\
&- 0.28996976287821 (\alpha_0^{c_s})^4 \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^7
\end{aligned}
$$

$$- 18.613338029777 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}^{2}\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 4.6553373243174\alpha_{1}^{c_{s}} \epsilon_{1}^{3}\epsilon_{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{6}$$
$$- 1.1687339774475\alpha_{1}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5} \log\left(c_{s}\right)$$
$$- 9.3743750315245\epsilon_{1}^{2}\epsilon_{2}^{2}\epsilon_{3}^{2}\epsilon_{4}\epsilon_{5} \log\left(c_{s}\right)^{5}$$
$$- 37.665535190505\alpha_{0}^{c_{s}}\alpha_{1}^{c_{s}} \epsilon_{1}\epsilon_{2}^{2}\epsilon_{3}^{2} \log\left(c_{s}\right)^{4}$$
$$- 9.4295370284788\alpha_{0}^{c_{s}}\alpha_{1}^{c_{s}} \epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}^{2} \log\left(c_{s}\right)^{6}$$
$$- 2.3616389195154 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{1}\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2} \log\left(c_{s}\right)^{6}$$
$$- 37.815192039153\alpha_{0}^{c_{s}} \epsilon_{1}^{4}\epsilon_{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 0.59122372564763\alpha_{0}^{c_{s}}\alpha_{1}^{c_{s}} \epsilon_{2}\epsilon_{3}^{2}\epsilon_{4}^{2} \log\left(c_{s}\right)^{5}$$
$$- 75.864292394206\alpha_{0}^{c_{s}} \epsilon_{1}^{3}\epsilon_{2}\epsilon_{3}^{2}\epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 0.0011581542135532\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}\epsilon_{6}^{3} \log\left(c_{s}\right)^{7}$$
$$- 0.074302197017911\epsilon_{1}\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}^{3} \log\left(c_{s}\right)^{4}$$
$$- 19.145570151073\alpha_{1}^{c_{s}} \epsilon_{1}^{3}\epsilon_{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{4}$$
$$- 2.4228884653503\alpha_{0}^{c_{s}}\alpha_{1}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2} \log\left(c_{s}\right)$$
$$- 1.2155248745427\alpha_{0}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}^{2}\epsilon_{4}\epsilon_{5}^{2} \log\left(c_{s}\right)^{3}$$
$$- 0.15235883541395\epsilon_{2}^{2}\epsilon_{3}^{3}\epsilon_{4}\epsilon_{5}\epsilon_{6} \log\left(c_{s}\right)^{5}$$
$$- 0.038097000454276\alpha_{1}^{c_{s}} \epsilon_{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5}^{2} \log\left(c_{s}\right)^{7}$$
$$- 1.2204526679193\alpha_{1}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5} \log\left(c_{s}\right)^{2}$$
$$- 0.038484708182826\alpha_{3}^{c_{s}} \epsilon_{1}\epsilon_{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 1.2359996893943\epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}\epsilon_{4}^{3}\epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 1.2391398157539\alpha_{0}^{c_{s}} \epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}^{3}\epsilon_{4} \log\left(c_{s}\right)^{7}$$
$$- 1.2464348649588\alpha_{0}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5}^{2} \log\left(c_{s}\right)^{3}$$
$$- 5.0085870533017\alpha_{0}^{c_{s}}\alpha_{1}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}^{2}\epsilon_{4} \log\left(c_{s}\right)^{5}$$
$$- 0.31306178430343 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}^{2} \log\left(c_{s}\right)^{5}$$
$$- 1.2522471372137 \left(\alpha_{0}^{c_{s}}\right)^{3} \epsilon_{2}\epsilon_{3}^{2}\epsilon_{4}\epsilon_{5} \log\left(c_{s}\right)^{5}$$
$$- 1.2528716292106\epsilon_{1}^{2}\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}^{2} \log\left(c_{s}\right)^{5}$$
$$- 161.28839091945\alpha_{0}^{c_{s}} \epsilon_{1}^{3}\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4} \log\left(c_{s}\right)^{3}$$
$$- 0.15805615075439 \left(\alpha_{1}^{c_{s}}\right)^{2} \epsilon_{2}\epsilon_{3}\epsilon_{4}\epsilon_{5} \log\left(c_{s}\right)^{5}$$
$$- 2.533251249448 \left(\alpha_{0}^{c_{s}}\right)^{2}\alpha_{1}^{c_{s}} \epsilon_{2}\epsilon_{3}\epsilon_{4}^{2} \log\left(c_{s}\right)^{4}$$
$$- 0.00062003968253968\epsilon_{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}^{3}\epsilon_{6}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.0099206349206349\epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}^{2}\epsilon_{4}\epsilon_{5}^{2} \log\left(c_{s}\right)^{8}$$
$$- 0.01984126984127\epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}^{3}\epsilon_{4}\epsilon_{5} \log\left(c_{s}\right)^{8}$$
$$- 1.270210909401\alpha_{0}^{c_{s}} \epsilon_{1}\epsilon_{2}\epsilon_{3}^{4}\epsilon_{4} \log\left(c_{s}\right)^{6}$$
$$- 0.039783915300171\alpha_{1}^{c_{s}} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}^{2} \log\left(c_{s}\right)^{5}$$
$$- 0.009967132246276\epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}\epsilon_{5}\epsilon_{6}^{3} \log\left(c_{s}\right)^{4}$$
$$- 0.3194730981157 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5}^{2} \log\left(c_{s}\right)^{6}$$
$$- 0.0025049603174603\epsilon_{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5}^{3}\epsilon_{6} \log\left(c_{s}\right)^{8}$$
$$- 5.1499987058095\epsilon_{1}^{2}\epsilon_{2}\epsilon_{3}^{2}\epsilon_{4}^{2}\epsilon_{5} \log\left(c_{s}\right)^{3}$$
$$- 0.080511956547165\epsilon_{1}\epsilon_{2}^{3}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5} \log\left(c_{s}\right)^{7}$$
$$- 1.291951290339 \left(\alpha_{0}^{c_{s}}\right)^{2} \epsilon_{2}^{2}\epsilon_{3}\epsilon_{4}^{2}\epsilon_{5} \log\left(c_{s}\right)$$

$$- 0.64601689988328\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^6$$

$$- 0.32352979972775\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 0.080947318467818\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5$$
$$- 10.385150856437\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)$$
$$- 0.020311700865691\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 0.32581001531001\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)$$
$$- 0.32617958739828\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^3$$
$$- 1.308081732055\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 5.2499992932374\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^2$$
$$- 42.057237044621\left(\alpha_0^{c_s}\right)^2\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.16482196863866\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^6$$
$$- 0.66379134276809\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^2$$
$$- 2.6663033840969\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^5$$
$$- 0.0026041666666667\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.0052083333333333\left(\alpha_1^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.010416666666667\alpha_3^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.010416666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.020833333333333\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.041666666666667\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.041666666666667\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2 \log\left(c_s\right)^8$$
$$- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2 \log\left(c_s\right)^8$$
$$- 0.083333333333333\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^8$$
$$- 0.33391955198281\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 2.6727959611057\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)$$
$$- 0.33427752787973\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 1.3371976287821\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7$$
$$- 1.3474827100911\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 2.696707254359\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 0.084460532235376\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^5$$
$$- 1.3520609575727\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^7$$
$$- 21.656472896024\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.68020838950489\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.68261853104084\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3$$
$$- 2.7367553568856\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.085708160848882\alpha_0^{c_s}\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 0.0013392857142857\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^8$$
$$- 0.68703873408669\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^4$$

$$- 0.34498153502331\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^7$$
$$- 44.27361213869\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3 \log\left(c_s\right)^3$$
$$- 0.69605503165357\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)$$
$$- 0.0054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 2.7893152680525\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^3 \log\left(c_s\right)^5$$
$$- 0.0027263585944683\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2$$
$$- 0.010905434377873\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7$$
$$- 1.3966479797307\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^2$$
$$- 0.087540422386018\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 0.35030476032004\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^6$$
$$- 2.8080956055196\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 5.6183044070077\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^4$$
$$- 2.8224499450199\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.70667291003236\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 1.4166417507305\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^7$$
$$- 0.00017361111111111\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^8$$
$$- 0.00069444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^8$$
$$- 0.00069444444444444\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^8$$
$$- 0.0013888888888889\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 0.0027777777777778\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.0055555555555556\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.011111111111111\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.022222222222222\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.088888888888889\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.17806212356555\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3$$
$$- 2.8583333134921\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)$$
$$- 0.71682637897904\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$- 1.4404551604448\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^6$$
$$- 1.4419996376266\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^3$$
$$- 5.7740213028058\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 1.4437032497343\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3$$
$$- 5.7748129989371\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 5.7786472899611\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)$$
$$- 0.045154571817951\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 0.045639014016529\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6$$
$$- 0.045747091435352\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.1834274309077\alpha_2^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 23.616547415075\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^2 \\
&- 0.36990928863463\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&- 2.9646395418371\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&- 5.9399066138119\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^2 \\
&- 11.89440276005\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 0.37222846216105\left(\alpha_0^{c_s}\right)^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 1.4970255513301\alpha_1^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log(c_s)^4 \\
&- 2.9942412964452\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&- 0.18774763803685\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 0.37724860687591\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&- 0.75449721375182\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.04736850191838\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&- 0.00037202380952381\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^3 \log(c_s)^8 \\
&- 0.00037202380952381\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&- 0.011904761904762\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&- 0.011904761904762\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^8 \\
&- 0.023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \log(c_s)^8 \\
&- 48.832697710448\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3 \log(c_s)^5 \\
&- 0.023861815587175\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s) \\
&- 0.76438073202081\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2 \log(c_s)^5 \\
&- 6.1249991754437\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^2 \\
&- 0.0060038745597949\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&- 0.02401549823918\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.012057151202446\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log(c_s)^5 \\
&- 0.77442323322944\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^2 \\
&- 0.048580835185477\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.048611111111111\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log(c_s)^8 \\
&- 0.77841393304222\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&- 1.561642830572\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.78172553581221\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s) \\
&- 0.04891888216801\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 12.626564673699\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&- 0.79111993962383\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.049603174603175\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&- 3.1755272735026\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \log(c_s)^6 \\
&- 1.5906439000655\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&- 0.099436433093368\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&- 0.012460099109249\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 0.0015625\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&- 0.0125\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^8
\end{aligned}
$$

$$- 0.025\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.025\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.025 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 0.8015451897678 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \log\left(c_s\right)^4$$
$$- 0.10069792645517\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^4$$
$$- 0.0063029662118171\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3$$
$$- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^4 \log\left(c_s\right)^8$$
$$- 0.40639114636156\alpha_0^{c_s}\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.0031894049241461\alpha_3^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.051234881439105\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 0.051234881439105\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 26.318077833437\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.20577930863497\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^6$$
$$- 0.41172010266597\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4$$
$$- 0.20599994823238\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^3$$
$$- 13.187691306944\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)$$
$$- 0.0129013062337\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^7$$
$$- 0.20652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \log\left(c_s\right)^7$$
$$- 0.0032378927387127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^5$$
$$- 0.4150053688486\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.83116273351193\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^5$$
$$- 26.689787987036 \left(\alpha_0^{c_s}\right)^3 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^3$$
$$- 0.10467872957619\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.026388888888889\alpha_1^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.10555555555556\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 1.6950817619954\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.00082905417910037\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \log\left(c_s\right)^2$$
$$- 27.195381288061 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right)^5$$
$$- 0.0016617063492063\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 13.65025519808\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.10694444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^8$$
$$- 1.7196499256492\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.0067181906059836\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 0.026872762423934\alpha_2^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.43065043011299 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)$$
$$- 0.0033730158730159\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.013492063492063\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2 \log\left(c_s\right)^8$$
$$- 27.63527679547 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)$$
$$- 0.0067708333333333\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.027083333333333\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$

$$
\begin{aligned}
&- 0.054166666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&- 0.21717198826729\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^7 \\
&- 3.4758907491833\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&- 0.027212143181626\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\log\left(c_s\right)^7 \\
&- 0.054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&- 0.43616137323414\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^2 \\
&- 0.013631792972342\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4\log\left(c_s\right)^7 \\
&- 0.87499988220624\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\log\left(c_s\right)^2 \\
&- 112.06485768538\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^3 \\
&- 0.21930123974608\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.4407425357518\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.055214753041837\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log\left(c_s\right) \\
&- 7.0890979183301\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right) \\
&- 0.89093198703522\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right) \\
&- 0.44581318210746\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^4 \\
&- 0.01395574534819\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5\log\left(c_s\right)^2 \\
&- 7.1501129079256\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.45269832825109\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^4 \\
&- 0.22654624587967\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^3 \\
&- 0.91201312511425\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\log\left(c_s\right) \\
&- 0.91569222676498\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\log\left(c_s\right)^7 \\
&- 1.8352033659447\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^5 \\
&- 7.3408134637788\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.9215962763655\alpha_0^{c_s}\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&- 29.632104841393\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^2 \\
&- 0.02895385533883\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log\left(c_s\right)^7 \\
&- 3.7084626571691\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^6 \\
&- 0.058482142857143\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^8 \\
&- 3.7586148876318\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^5 \\
&- 1.8862430343795\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&- 15.111542610473\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\log\left(c_s\right)^5 \\
&- 0.47418262258965\alpha_1^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&- 0.9500629732742\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&- 1.9053163641015\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\log\left(c_s\right)^6 \\
&- 0.95277777116405\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right) \\
&- 15.265726187254\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^4 \\
&- 0.11970371037891\alpha_2^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&- 0.23992946937814\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^4 \\
&- 1.9405910584713\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 7.7825276615041 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3 \log\left(c_s\right) \\
&- 0.015205584775423 \alpha_3^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^6 \\
&- 0.12212518450556 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^2 \\
&- 1.9570775243897 \alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \log\left(c_s\right)^3 \\
&- 7.8721824716917 \alpha_0^{c_s} \epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^2 \\
&- 0.49321238484617 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} \epsilon_2\epsilon_3 \log\left(c_s\right)^7 \\
&- 0.49321238484617 \alpha_0^{c_s} \alpha_2^{c_s} \epsilon_1\epsilon_2\epsilon_3^2 \log\left(c_s\right)^7 \\
&- 0.12336104997468 \left(\alpha_0^{c_s}\right)^3 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 15.823170708319 \epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.49730074928226 \epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.49759503121957 \epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 1.6114247696923 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.22592244066448 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.9036897626579 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.094893167172046 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.15045697776551 \alpha_0^{c_s} \epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 1.2398185772693 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.67776732199343 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2 \\
&+ 12.672731317043 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 1.1296122033224 \alpha_1^{c_s} \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&+ 1.1604411823488 \alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6 \\
&+ 4.6417647293952 \alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.59990974452222 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3 \\
&+ 2.3996389780889 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 13.21570748453 \alpha_0^{c_s} \alpha_1^{c_s} \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 0.36299568574584 \alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right) \\
&+ 0.36299568574584 \alpha_0^{c_s} \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right) \\
&+ 0.0007238463834707 6 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log\left(c_s\right)^7 \\
&+ 0.0014476927669415 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log\left(c_s\right)^7 \\
&+ 0.00020145601120906 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log\left(c_s\right)^6 \\
&+ 0.006646271802741 4 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.026585087210965 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.86150880419606 \alpha_1^{c_s} \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.21692351709708 \alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 0.43384703419416 \alpha_0^{c_s} \epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 3.4813235470464 \alpha_0^{c_s} \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.0078753164751066 \epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4 \\
&+ 0.12696249153386 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.12999044650175 \alpha_1^{c_s} \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 2.1008747558408 \alpha_0^{c_s} \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.034135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^7 \\
&+ 0.075343875999538\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7\log(c_s)^3 \\
&+ 0.30502869319073\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s) \\
&+ 1.2201147727629\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s) \\
&+ 0.0095535451804933\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^5 \\
&+ 0.038214180721973\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^5 \\
&+ 0.025809604779029\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2\log(c_s)^2 \\
&+ 0.051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7\log(c_s)^2 \\
&+ 0.013946809991558\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7\log(c_s)^4 \\
&+ 0.013946809991558\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^4 \\
&+ 14.371488142711\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.90213985440904\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.92379564551557\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&+ 0.24398390018417\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 0.015693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 0.062773249564125\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 0.031415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^4 \\
&+ 0.12566028603161\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^4 \\
&+ 16.088210199039\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.032654571817951\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.00025557761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3\log(c_s)^5 \\
&+ 1.058756866397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^3 \\
&+ 4.2350274655878\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.53091773617418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^3 \\
&+ 2.1236709446967\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 0.1332914582807\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&+ 1.0889870572375\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log(c_s) \\
&+ 0.0021715391504123\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7\log(c_s)^7 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log(c_s)^5 \\
&+ 1.2119565989028\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&+ 1.2200692781213\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 9.8452106653964\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log(c_s)^2 \\
&+ 9.8962426491217\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\log(c_s) \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7\log(c_s)^6 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^6 \\
&+ 9.9558157643104\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s)^3 \\
&+ 1.2458763505074\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^3 \\
&+ 0.019938815408224\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^6 \\
&+ 0.65077055129124\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^3 \\
&+ 0.021096285279871\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2\log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.021096285279871\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 0.084385141119482\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.16877028223896\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.0053671299212505\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.0053671299212505\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^5 \\
&+ 2.9770397281038 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.74883384497603\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 6.3026242675225\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.2048156748044\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^7 \\
&+ 26.872134546502\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 1.6875091417142\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.054989920959403 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.90748921436461\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.47274984805362\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.01479593083462\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^4 \\
&+ 0.01479593083462\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 2.0497655411262\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 8.1990621645049\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0010072800560453\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log(c_s)^6 \\
&+ 0.0020145601120906\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.033231359013707\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 1.0846175854854\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 2.1704861354854\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.033954037646425\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&+ 0.1358161505857\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&+ 17.449938612013\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 2.2035824999688\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^3 \\
&+ 0.56212768609097\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 2.2485107443639\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 9.0890463505147\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 36.356185402059\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.5741577163624\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 1.1502822927231\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^7 \\
&+ 0.14487512412717\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s)^4 \\
&+ 0.29788702850771\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 2.4327311801572\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.076177494920318\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 19.63550564362\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.077428814337086\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.15652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.07836713409427\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 5.2849384330777\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0026058469804947\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^7 \\
&+ 0.33392094392084\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^2 \\
&+ 0.33392094392084\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.041840429974674\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^4 \\
&+ 0.17067972900367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.34135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.34280596101214\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.0014101920784634\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \log(c_s)^6 \\
&+ 0.0014101920784634\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^6 \\
&+ 0.0056407683138536\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.011281536627707\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.091412993904382\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 0.7320415668728 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 1.4771504499256\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.047079937173094\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \\
&+ 0.094159874346187\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.094245214523707\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.38957443457431\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^2 \\
&+ 0.0015334656917859\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \log(c_s)^5 \\
&+ 0.0015334656917859\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^5 \\
&+ 1.5801161715365\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 0.39695855433274\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 3.1762705991909\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.79569979115055\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 1.5927532085225\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 3.2176420398078\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 12.870568159231\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&+ 25.972218986528\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.41423187127883\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 6.7189939828315 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 3.3687492295521\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.013174683798627\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&+ 0.052698735194508\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.05331658331228\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^5 \\
&+ 0.05331658331228\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 1.7266722847401\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&+ 6.9066891389604\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 3.4709182692656\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.11069752818298\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.11069752818298\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s) \\
&+ 0.0017361111111111\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&+ 0.0034722222222222\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.0034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.0069444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&+ 0.027777777777778\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.0035714285714286\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&+ 0.057142857142857\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.92326478363507\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.057868068371352\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.003626208201763\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^6 \\
&+ 0.11753644655928\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.47522189611573\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.95044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.23895162060514\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^7 \\
&+ 0.015051523939317\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&+ 0.060206095757268\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.12041219151454\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.0018849206349206\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 15.490511863765\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.12116661811187\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.48466647244748\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 31.397203196816\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 0.007738095238095\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.12544460012672\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.0078567844371532\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 16.105554043698\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s) \\
&+ 0.063288855839612\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.063288855839612\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^3 \\
&+ 1.0141258688902\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^4 \\
&+ 0.00099206349206349\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&+ 0.00099206349206349\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.001984126984127\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.0079365079365079\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&+ 0.12712006581771\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 8.2043422211637\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 16.408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 4.1174710182149\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^6 \\
&+ 0.12904802389514\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7\log(c_s)^2 \\
&+ 0.12925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log(c_s)^3 \\
&+ 0.25930108040342\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2\log(c_s)^7 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^7 \\
&+ 0.0040535397474362\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^7 \\
&+ 0.0040535397474362\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^7 \\
&+ 0.008107079494872 5\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^7 \\
&+ 0.5192274934101\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^4 \\
&+ 2.0769099736404\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^4 \\
&+ 0.2603082205165\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log(c_s)^3 \\
&+ 0.2603082205165\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^3 \\
&+ 0.13178277164641\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7\log(c_s) \\
&+ 0.52740521232872\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.0020833333333333\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^8 \\
&+ 0.0020833333333333\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\log(c_s)^8 \\
&+ 0.0020833333333333\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^8 \\
&+ 0.0041666666666667\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^8 \\
&+ 0.0041666666666667\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log(c_s)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^8 \\
&+ 0.26882403949587\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^2 \\
&+ 35.264554311344\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 0.069441682045622\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^6 \\
&+ 0.0086805555555556\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\log(c_s)^8 \\
&+ 4.4463080428174\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log(c_s) \\
&+ 2.2246201923185\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log(c_s)^6 \\
&+ 0.034867024978895\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7\log(c_s)^4 \\
&+ 0.56478886240302\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^6 \\
&+ 4.5577308854397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 18.230923541759\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.14322517099512\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&+ 0.071750462586955\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log(c_s)^2 \\
&+ 0.28700185034782\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log(c_s)^2 \\
&+ 0.01802512737896\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 0.03613344669064\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2\log(c_s)^2 \\
&+ 0.03613344669064\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^2 \\
&+ 0.14453378676256\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.28906757352512\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \log(c_s)^3 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 4.6801381456865\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&+ 2.359471957348\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 2.3761094805786\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 9.6766498411982\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.075961543988761\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&+ 0.30384617595505\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.00059523809523809\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&+ 0.0011904761904762\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^8 \\
&+ 0.0011904761904762\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&+ 1.220112587662\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 0.076272039490627\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 78.227866154984\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 0.019289356123784\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&+ 0.038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.0024305555555556\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^8 \\
&+ 0.019444444444444\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.31134020562749\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.078466561955156\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.15707535753951\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 41.021711105818\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.16046371545385\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.16064858175395\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.64627708262169\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^3 \\
&+ 1.2925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.16192253797085\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^3 \\
&+ 0.0050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^6 \\
&+ 0.081523302625646\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log(c_s)^5 \\
&+ 0.0025557761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 1.3412092164036\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&+ 5.3914075439694\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^2 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log(c_s) \\
&+ 0.085935102597072\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&+ 0.34655779152982\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.3469768670804\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 1.3913372663368\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.01087296620759\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.70364534405341\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 2.8368273429653\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\log\left(c_s\right)^2 \\
&+ 0.044387792503861\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^4 \\
&+ 0.044430486093567\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log\left(c_s\right)^5 \\
&+ 0.088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^5 \\
&+ 2.8476003162004\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^2 \\
&+ 5.7491106073131\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right) \\
&+ 0.72717395934166\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right) \\
&+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\log\left(c_s\right)^3 \\
&+ 0.74154006410617\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\log\left(c_s\right)^6 \\
&+ 2.9661602564247\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\log\left(c_s\right)^6 \\
&+ 0.094883595585416\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right) \\
&+ 0.095044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^5 \\
&+ 0.011886256672027\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 6.1492966233787\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3\log\left(c_s\right)^3 \\
&+ 0.0030218401681359\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^6 \\
&+ 0.19343702620416\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^7 \\
&+ 0.19380408212327\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log\left(c_s\right) \\
&+ 0.048813834970452\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.048813834970452\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\log\left(c_s\right)^4 \\
&+ 0.025392498306773\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\log\left(c_s\right)^6 \\
&+ 0.050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\log\left(c_s\right)^6 \\
&+ 0.10186211293928\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \\
&+ 0.20372422587855\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.0063894403824411\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7\log\left(c_s\right)^5 \\
&+ 1.6408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\log\left(c_s\right)^2 \\
&+ 13.137116518139\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\log\left(c_s\right)^5 \\
&+ 0.012875090984972\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \\
&+ 6.6107474999064\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\log\left(c_s\right)^3 \\
&+ 0.41637224049648\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\log\left(c_s\right)^3 \\
&+ 1.6863830582729\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.026356554329282\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2\log\left(c_s\right) \\
&+ 0.052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7\log\left(c_s\right) \\
&+ 1.6920034333572\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\log\left(c_s\right)^3 \\
&+ 6.7879047213651\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^5 \\
&+ 27.267139051544\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right) \\
&+ 13.673192656319\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\log\left(c_s\right)^2 \\
&+ 0.86925074476302\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.87361462195988\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log\left(c_s\right)^4 \\
&+ 0.00086861566016491\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7\log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.00086861566016491\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^7 \\
&+ 0.89129549863156\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.22577285908975\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.0017890433070835\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \log\left(c_s\right)^5 \\
&+ 0.0017890433070835\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^5 \\
&+ 0.007156173228334\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^5 \\
&+ 0.014312346456668\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^5 \\
&+ 0.028645034199024\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7 \\
&+ 0.1145801367961\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.11565895569347\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 0.23131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.93159885433466\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&+ 0.11710830043224\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&+ 15.02030177727\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&+ 0.47054697898767\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 15.486860476578\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.030470997968127\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.030470997968127\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.24401385562427\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.97605542249706\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \log\left(c_s\right)^2 \\
&+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^2 \\
&+ 0.062202680530994\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 1.0017628317625\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.12554181807546\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.50235001235364\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.031627865195139\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \log\left(c_s\right) \\
&+ 0.031627865195139\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right) \\
&+ 0.031631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 0.12652422289606\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 2.0437973362739\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.016271278323484\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \log\left(c_s\right)^4 \\
&+ 0.016271278323484\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^4 \\
&+ 0.065085113293937\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^4 \\
&+ 0.13017022658787\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4 \\
&+ 1.054571073778\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.032993952575642\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&+ 8.5104820288958\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^2 \\
&+ 0.53221008175269\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2 \\
&+ 17.200254424317\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0042305762353902\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.0042305762353902\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^6 \\
&+ 17.461464363879\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.06831317525214\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.13712238440486\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s) \\
&+ 0.13712238440486\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.017218728594875\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 2.2091754448728\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^6 \\
&+ 0.13807729042628\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.55230916170511\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.017261919307057\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^4 \\
&+ 0.00053950628805118\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^6 \\
&+ 0.0043303549329555\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.13879074683216\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log(c_s)^3 \\
&+ 0.13879074683216\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.017373873100247\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.27826745326736\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&+ 0.55653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 2.2396646609438\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 8.9586586437753\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.14013425184765\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 0.56835265912489\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.035549497629482\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^6 \\
&+ 0.57026627533887\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^5 \\
&+ 0.5709274309077\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.57134326835356\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.14421634229629\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 9.2524415640508\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.57829477846734\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 0.14565555504824\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 18.774687877196\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s) \\
&+ 0.004600397075357 6\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^5 \\
&+ 0.036899176060995\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \log(c_s) \\
&+ 0.036899176060995\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s) \\
&+ 0.14759670424398\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.29519340848796\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 1.1827854380082\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.036989827086551\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.00014476926769415\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log(c_s)^7 \\
&+ 0.0023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.30070633688451 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.075257619696585\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7 \\
&+ 0.30103047878634\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 9.6529261194234\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 0.3024964047882\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right) \\
&+ 0.60499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&+ 0.60583309055935 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.30369292393591\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 2.4318444210199 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&+ 0.15341068377458\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3 \\
&+ 0.61364273509831\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.30889776653359\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5 \\
&+ 19.780639064332\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 4.9466246608637\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 19.841250686931\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&+ 2.4956541804153\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 80.207528487177\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&+ 5.0179918710915\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.15758328268454\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5 \\
&+ 0.63033313073816\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.0024659884724367\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^4 \\
&+ 0.039524051395881\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.079069662987846\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right) \\
&+ 0.15815527862008\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.0049603174603175\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.009967526996608 1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^5 \\
&+ 0.15994974993684\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5 \\
&+ 0.159976115139\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right) \\
&+ 0.0050364002802264\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7 \log\left(c_s\right)^6 \\
&+ 5.1800168542203\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4 \\
&+ 10.426567358003\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^3 \\
&+ 0.65394613766745\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.0025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \\
&+ 0.010300072787977\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \\
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log\left(c_s\right)^2 \\
&+ 0.33118373258651 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&+ 0.66531065456202\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^5 \\
&+ 0.0052083333333333\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.010416666666667 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8 \\
&+ 0.020833333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^8 \\
&+ 0.041666666666667\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&+ 0.16977018823213\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&+ 21.903802523395\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right) \\
&+ 5.4765231783135 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&+ 0.043384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^3 \\
&+ 22.316892947718\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&+ 0.0027281746031746\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.17586794383078 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.010997984191881 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7 \\
&+ 0.043991936767523 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.17740336058423\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&+ 0.70961344233692\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^8 \\
&+ 0.0006944444444444\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.0013888888888889 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.0027777777777778\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.0055555555555556\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8 \\
&+ 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8 \\
&+ 0.044444444444444\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^8 \\
&+ 11.486079109629\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log\left(c_s\right)^2 \\
&+ 0.045154571817951\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&+ 0.005646001791071 9\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^7 \\
&+ 0.045206325599723\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3 \\
&+ 0.72437562063585\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^4 \\
&+ 1.4487512412717\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&+ 0.090654264945126\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^4 \\
&+ 0.18153725175157 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.36349985433561 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.022853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right) \\
&+ 0.045736932587662\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.36627689070599 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^7 \\
&+ 0.00017983542935039\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^6 \\
&+ 0.00071934171740157\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^6 \\
&+ 0.023147227348541\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.023147227348541\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&+ 0.092914577204504\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.011622341659632\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log(c_s)^4 \\
&+ 0.023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 47.675399151403\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 3.0184166454979 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 48.316662131093\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s) \\
&+ 1.512482023941\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.0029761904761905\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&+ 1.5251434659536 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.047767725902467 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.76705341887289\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.096173550425033\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.09644678061892\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&+ 0.77553249914602\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^3 \\
&+ 0.0030401548105772\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&+ 0.0030401548105772\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^7 \\
&+ 1.5576824802303\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 0.78092466154949\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 12.510307706077\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 3.1291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log(c_s) \\
&+ 0.7879164134227\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.012329942362184\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.024659884724368\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0061871453763859\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.19806148679283\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 6.3382415872657\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.00625\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&+ 0.025\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.1\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^8 \\
&+ 0.20131491727642\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 3.2235551623533\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&+ 3.2313854131084\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.0001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^8 \\
&+ 0.0001984126984127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^8 \\
&+ 0.0007936507936508\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.025424013163542 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.10169605265417 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 52.349815836039\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s) \\
&+ 6.5451685478733\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 26.180674191493\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.2055811237684\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.41136715321457\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.10296592217786\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.41186368871145\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 6.6137502289771\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 6.6275263346184\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^6 \\
&+ 6.6393278304333\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.83480235980209\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 1.6726639570305\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^2 \\
&+ 6.690655828122\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 1.6774554075121\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 53.825982914142\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s) \\
&+ 0.42349496670348\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s) \\
&+ 1.6943665872091\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^6 \\
&+ 0.85339864501834\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&+ 0.053487905151284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&+ 0.21395162060514\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&+ 0.21525138776087\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^2 \\
&+ 0.027005098573298\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^6 \\
&+ 0.013541666666667\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.10840034007192\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.10840034007192\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^2 \\
&+ 0.054247590719667\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^3 \\
&+ 0.88701680292114\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.22215243046783\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.055653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^2 \\
&+ 0.89088272445871\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 1.7997292335667\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.90478791567036\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^3 \\
&+ 3.6218781031793\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^4 \\
&+ 116.66620668159\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.22788463196628\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&+ 0.11426865367071\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.22853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.91508607957218\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s) \\
&+ 0.45822554837705\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.02866063554148\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^5 \\
&+ 0.91931297309284\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&+ 14.712739221915\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^5 \\
&+ 0.46023205132373\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 0.00089917714675197\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0036192319173538\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7 \log(c_s)^7 \\
&+ 0.0036243220691966\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&+ 0.014497288276786\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.058111708298158\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7 \log(c_s)^4 \\
&+ 3.7376290515223\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^3 \\
&+ 0.029558491893536\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.060057363832412\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.015068775199908\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 0.030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.060499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s) \\
&+ 0.24239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 0.96956527912222\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 7.76523978946\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&+ 0.24280432447726\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 15.645573230997\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s) \\
&+ 31.291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 3.9137420964057\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 0.0038336642294646\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.061649711810919\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&+ 0.0077250545909829\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \\
&+ 0.015450109181966\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 15.832718863708\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s) \\
&- 0.0625 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^8 \\
&- 0.028940412828206 \left(\alpha_0^{c_s}\right)^3 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.11576165131282\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.18580309621154 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 1.3505793494645 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 5.402317397858 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.0082162155250631\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&- 0.032864862100253\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&- 0.017446454929366\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^2 \\
&- 0.069785819717463\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^2 \\
&- 0.083914938712642\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&- 0.16782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 0.005790771067766\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&- 0.49718216546684\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 4.0517380483935 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^5 \\
&- 0.0337431605586\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&- 0.024648646575189\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^3 \\
&- 0.50109465857154\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3
\end{aligned}
$$

$$
\begin{aligned}
&- 0.25174481613793\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 0.51239425814024\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 4.1188903902965 (\alpha_0^{c_s})^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.016327285908975\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&- 0.0097136782161381\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^5 \\
&- 10.097528828664\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 2.5533094918556\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.010047626002038\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^5 \\
&- 0.020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 5.1538168118785 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.041081077625316\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&- 0.083858490519051\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.087232274646829\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&- 1.4260813648907\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.047702793140402\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^6 \\
&- 0.19081117256161\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.04983566123138\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&- 0.81926269921761\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.41957469356321\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&- 0.21072133515044\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.0034088307981678\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&- 0.013635323192671\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&- 0.0034543924129182\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&- 0.22819507008264 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 7.3517773822023 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 16.274916901747 (\alpha_0^{c_s})^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^3 \\
&- 0.51123657454361\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^7 \\
&- 0.032019078973842 (\alpha_0^{c_s})^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 2.1715099170165\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log(c_s)^4 \\
&- 4.3958971023147\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^7 \\
&- 1.1300685823077\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 9.7365951205159\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 2.5185904350789\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^5 \\
&- 10.074361740316\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.34135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&- 0.085391469065175\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&- 2.919256441257\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.3709274309077\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 25.288097464735\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4
\end{aligned}
$$

$$
\begin{aligned}
&- 0.026837318849055\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 3.4617169521456\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&- 0.10860333843667\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&- 0.43926929952635\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.11063189046135\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^2 \\
&- 0.44252756184539\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^2 \\
&- 0.88876779469897 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^5 \\
&- 0.0034722222222222 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&- 0.0069444444444444\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&- 0.0069444444444444\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&- 0.027777777777778\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&- 0.88914763658072\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^6 \\
&- 0.1132619990623\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&- 0.00044642857142857\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&- 0.014285714285714\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log(c_s)^8 \\
&- 0.11450645568112 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^4 \\
&- 0.45802582272446 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.05952380952381\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log(c_s)^8 \\
&- 0.029901396738828\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^4 \\
&- 0.015051523939317\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^7 \\
&- 0.030142878006115\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.000967229875617 1\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log(c_s)^2 \\
&- 0.0009672619047619\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^8 \\
&- 0.00012400793650794\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7^2 \log(c_s)^8 \\
&- 0.00024801587301587\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6\epsilon_7 \log(c_s)^8 \\
&- 0.001984126984127\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^8 \\
&- 0.0079365079365079\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^8 \\
&- 0.0040178571428571\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&- 8.3679458041576\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log(c_s)^5 \\
&- 0.13081317525214 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^7 \\
&- 0.52325270100856 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^7 \\
&- 0.00052083333333333\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&- 0.00052083333333333\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&- 0.0020833333333333 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&- 0.0041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log(c_s)^8 \\
&- 0.0041666666666667\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^8 \\
&- 0.0041666666666667\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&- 0.016666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log(c_s)^8 \\
&- 0.016666666666667\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \log(c_s)^8 \\
&- 0.26743952575642\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^7
\end{aligned}
$$

$$
\begin{aligned}
&- 1.0753833738841\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.13691704204959\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^6 \\
&- 4.569840066821\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.14310837942121\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.036171453607338\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5 \\
&- 0.0092024588403061\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right) \\
&- 0.036809835361224\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right) \\
&- 0.2983092992801\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right) \\
&- 0.074621568511712\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3 \\
&- 0.075\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^8 \\
&- 0.075449721375182\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4 \\
&- 0.30179888550073\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&- 0.037753999687435\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6 \\
&- 0.15101599874974\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&- 0.018908898635451\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.0001488095238095 2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3\epsilon_7 \log\left(c_s\right)^8 \\
&- 0.0001488095238095 2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^8 \\
&- 0.0023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^8 \\
&- 0.6173379259049\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6 \\
&- 0.019444444444444\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8 \\
&- 0.31668765775807\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&- 0.079976489792714\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4 \\
&- 0.010226492394503\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right) \\
&- 0.65453652195861\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&- 0.16431723037039\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2 \\
&- 2.6837612238458\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 0.010751088528084\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7 \\
&- 0.021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 11.101527678678\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.011002465028755\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7 \\
&- 0.0006908784825836 4\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&- 0.0013817569651673\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log\left(c_s\right)^2 \\
&- 0.17745642611052\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&- 22.829394310027\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^4 \\
&- 22.893509707729\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.046012294201531\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right) \\
&- 0.36855720683894\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&- 0.011651134302127\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&- 1.5070144259241\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5 \\
&- 0.76212654564062\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \log\left(c_s\right)^6
\end{aligned}
$$

$$- 0.023909611338249\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^7$$
$$- 1.5337097236308\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^7$$
$$- 0.77026381616899\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.3895779924825\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$- 0.39243952575642 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^7$$
$$- 0.39380416975457\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 12.737362072428\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 0.050238130010192\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.40681755597309\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.84301803264884\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 6.80150457642\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.053755442640418\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.10766948331388\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6$$
$$- 0.43067793325552\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 1.7300043970217\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$- 0.0034744626406596\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^7$$
$$- 0.014066676402854\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^5$$
$$- 0.22728045090635\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.11378648600245\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 0.029046154876536\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7$$
$$- 0.11676825344001\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.94081664833995 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 7.6237156756073 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)$$
$$- 1.9436090237115 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 3.9242451961651\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5$$
$$- 3.9388258128443 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.49446590591598\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.25338159670613\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.1270210909401\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \log\left(c_s\right)^6$$
$$- 0.0020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^5$$
$$- 1.0299997411619\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$
$$- 0.032253265584251\alpha_0^{c_s}\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.016189463693564\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^5$$
$$- 4.1613317798198\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.13028758930204\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)$$
$$- 0.52115035720814\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$- 4.2088548912329 \left(\alpha_0^{c_s}\right)^2 \epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.065987905151284 \left(\alpha_0^{c_s}\right)^2 \epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 1.0595804943285\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 0.0020726354477509\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$

$$
\begin{aligned}
&- 0.13321069174167\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.066749883601791\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.53418637069664\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^4 \\
&- 0.5383474165694\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.017078293813035\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \log(c_s)^7 \\
&- 0.03415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.13706496027372\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.13833512294953\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 0.0001381756965167 3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log(c_s)^2 \\
&- 0.14210550575514\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&- 9.4295370284788\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log(c_s)^6 \\
&- 2.3616389195154\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.0011581542135532\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^7 \\
&- 0.0046326168542128\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^7 \\
&- 0.074302197017911\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&- 0.29720878807164\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&- 19.306761988867\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log(c_s)^4 \\
&- 0.30209377936551\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^4 \\
&- 2.4228884653503\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&- 1.2155248745427\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&- 0.61799984469714\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&- 0.038703918701101\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&- 0.61956990787694\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log(c_s)^7 \\
&- 0.31306178430343\left(\alpha_0^{c_s}\right)^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 1.2528716292106\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.0783714828159\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 2.533251249448\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^4 \\
&- 0.00062003968253968\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&- 0.0099206349206349\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&- 0.63510545470051\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log(c_s)^6 \\
&- 1.270210909401\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log(c_s)^6 \\
&- 0.039783915300171\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&- 0.0024871625373011\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&- 0.009967132246276\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^4 \\
&- 0.039868528985104\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^4 \\
&- 0.32300844994164\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^6 \\
&- 0.32352979972775\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&- 0.020311700865691\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7
\end{aligned}
$$

$$- 0.32617958739828\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^3$$
$$- 1.3047183495931\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^3$$
$$- 1.308081732055\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7$$
$$- 2.6249996466187 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^2$$
$$- 0.16482196863866\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 0.65928787455463\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.33189567138405\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.020833333333333\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.083333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^8$$
$$- 0.084460532235376\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^5$$
$$- 0.3378421289415\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.68020838950489\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.68261853104084\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$
$$- 0.0013392857142857\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 0.0053571428571429\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.34351936704335 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^4$$
$$- 0.0053888521641524\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$- 0.0054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7$$
$$- 0.0217697145453\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 2.7893152680525\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \log\left(c_s\right)^5$$
$$- 0.0027263585944683\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8$$
$$- 1.3966479797307 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^2$$
$$- 0.00017361111111111\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7^2 \log\left(c_s\right)^8$$
$$- 0.00017361111111111\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^8$$
$$- 0.00069444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 0.0006944444444444\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.0006944444444444\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^8$$
$$- 0.0013888888888889\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.0027777777777778 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.0055555555555556\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.011111111111111\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.011111111111111 \left(\alpha_0^{c_s}\right)^3 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.022222222222222\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.17806212356555\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3$$
$$- 0.71224849426218\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$

$$- 1.4437032497343\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$

$$- 0.045154571817951\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 5.8402116010092\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \log\left(c_s\right)^6$$
$$- 0.045639014016529\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^6$$
$$- 0.18255605606611\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 0.18774763803685\alpha_0^{c_s}\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.37724860687591\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.04736850191838\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4$$
$$- 0.18947400767352\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.0003720238095238\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.005952380952381\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.011904761904762\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \log\left(c_s\right)^8$$
$$- 0.011904761904762\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.76438073202081\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.0060038745597949\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6$$
$$- 0.012057151202446\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.012057151202446\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5$$
$$- 0.39086276790611\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)$$
$$- 3.1755272735026\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.099436433093368\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)$$
$$- 0.39774573237347\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$- 0.0125\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.025\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8$$
$$- 0.10069792645517\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.10069792645517\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^4$$
$$- 0.0063029662118171\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3$$
$$- 0.025211864847268\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$
$$- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^3 \log\left(c_s\right)^8$$
$$- 6.5145297510494\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \log\left(c_s\right)^4$$
$$- 0.051234881439105\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.20577930863497\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^6$$
$$- 0.82311723453987\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$- 0.41172010266597\alpha_0^{c_s}\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4$$
$$- 0.20599994823238\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^3$$
$$- 0.82399979292951\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$
$$- 0.0129013062337\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^7$$
$$- 0.0129013062337\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7$$
$$- 0.20652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^7$$
$$- 0.82609321050259\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.0032378927387127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^5 \\
&- 0.012951570954851\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^5 \\
&- 0.83116273351193\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^5 \\
&- 0.052339364788097\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^2 \\
&- 0.00082905417910037\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \log\left(c_s\right)^2 \\
&- 0.00082905417910037\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2 \\
&- 0.0067181906059836\alpha_2^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.43065043011299\left(\alpha_0^{c_s}\right)^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 0.013492063492063\alpha_0^{c_s}\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^8 \\
&- 3.4758907491833\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.027212143181626\alpha_1^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^7 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \log\left(c_s\right)^7 \\
&- 0.87499988220624\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \log\left(c_s\right)^2 \\
&- 3.499999528825\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.027607376520918\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right) \\
&- 0.89093198703522\left(\alpha_0^{c_s}\right)^3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right) \\
&- 0.22290659105373\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4 \\
&- 0.22634916412555\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4 \\
&- 0.22654624587967\alpha_1^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^3 \\
&- 1.8352033659447\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5 \\
&- 0.1174809141977\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \log\left(c_s\right)^4 \\
&- 7.5557713052366\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^5 \\
&- 0.95277777116405\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right) \\
&- 15.265726187254\left(\alpha_0^{c_s}\right)^2\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^4 \\
&- 0.97853876219485\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \log\left(c_s\right)^3 \\
&- 0.061481857726926\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^7 \\
&- 7.8721824716917\alpha_0^{c_s}\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^2 \\
&- 0.49321238484617\alpha_0^{c_s}\alpha_2^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \log\left(c_s\right)^7 \\
&+ 0.22592244066448\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2 \\
&+ 1.1604411823488\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6 \\
&+ 0.59990974452222\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3 \\
&+ 0.18149784287292\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right) \\
&+ 0.36299568574584\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right) \\
&+ 0.0007238463834707 6\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^7 \\
&+ 0.00020145601120906\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log\left(c_s\right)^6 \\
&+ 0.00080582404483623\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log\left(c_s\right)^6 \\
&+ 0.006646271802741 4\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6 \\
&+ 0.21692351709708\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3 \\
&+ 2.1008747558408\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^4 \\
&+ 0.034135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^7
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.13654378320294\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.30502869319073(\alpha_0^{c_s})^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.0095535451804933(\alpha_0^{c_s})^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.025809604779029\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^2 \\
&+ 0.006973404995778 9\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log(c_s)^4 \\
&+ 0.013946809991558\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^4 \\
&+ 0.015693312391031\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 0.031415071507902\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.0002555776152976 4\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log(c_s)^5 \\
&+ 0.0010223104611906\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log(c_s)^5 \\
&+ 1.058756866397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.53091773617418\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^5 \\
&+ 0.035544388874853\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 4.9226053326982\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^2 \\
&+ 0.00060436803362717\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log(c_s)^6 \\
&+ 0.0012087360672543\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 1.2458763505074\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.021096285279871\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^3 \\
&+ 0.1024078374022\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^7 \\
&+ 0.0073979654173102\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^4 \\
&+ 0.01479593083462\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 2.0497655411262\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.0010072800560453\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 0.033954037646425\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \\
&+ 17.449938612013\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 2.2035824999688\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^3 \\
&+ 0.56212768609097\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 9.0890463505147\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.14487512412717\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^4 \\
&+ 0.57950049650868\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.16696047196042\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^2 \\
&+ 0.33392094392084\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.17067972900367\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.0014101920784634\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 0.0007667328458929 3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log(c_s)^5 \\
&+ 0.0015334656917859\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^5 \\
&+ 3.2176420398078\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&+ 0.013174683798627\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&+ 0.02665829165614\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^5
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.05331658331228\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 1.7266722847401\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.0017361111111111\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.0069444444444444 (\alpha_0^{c_s})^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.47522189611573\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.015051523939317\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&+ 0.12116661811187 (\alpha_0^{c_s})^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.0038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^6 \\
&+ 0.015431484899027\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 16.105554043698\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s) \\
&+ 0.0009206349206349\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.007936507936507\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 8.2043422211637\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.12925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s)^3 \\
&+ 0.51702166609735\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.0010133849368591\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^7 \\
&+ 0.5192274934101\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.13015411025825\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^3 \\
&+ 0.2603082205165\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.00104166666666667\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&+ 0.0020833333333333\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.033333333333333\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^8 \\
&+ 0.56478886240302\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^6 \\
&+ 4.5577308854397\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.071750462586955\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.03613344669064\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^2 \\
&+ 0.0090412651199445\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log(c_s)^3 \\
&+ 0.018082530239889\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^3 \\
&+ 0.075961543988761\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^5 \\
&+ 0.00059523809523809\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^8 \\
&+ 0.0011904761904762\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.019289356123784\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.64627708262169\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^3 \\
&+ 0.0050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^6 \\
&+ 0.020313998645418\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.0012778880764882\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^5 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log(c_s) \\
&+ 0.021085243463426\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log(c_s) \\
&+ 2.8368273429653\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log(c_s)^2 \\
&+ 0.044430486093567\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5
\end{aligned}
$$

$$+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^3$$

$$+ 0.092527164554774\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$+ 0.74154006410617 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$+ 0.095044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^5$$
$$+ 0.38017751689258\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log\left(c_s\right)^3$$
$$+ 0.012055020159926\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log\left(c_s\right)^3$$
$$+ 0.025392498306773\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6$$
$$+ 1.6408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log\left(c_s\right)^2$$
$$+ 6.5634737769309\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log\left(c_s\right)^2$$
$$+ 0.026356554329282\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)$$
$$+ 0.43462537238151\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^4$$
$$+ 0.00043430783008245\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log\left(c_s\right)^7$$
$$+ 0.00086861566016491\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^7$$
$$+ 0.0017890433070835\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^5$$
$$+ 0.028645034199024\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7$$
$$+ 0.11565895569347\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$+ 0.015235498984064\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^6$$
$$+ 0.030470997968127\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6$$
$$+ 0.24401385562427 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2$$
$$+ 0.015485762867417\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log\left(c_s\right)^2$$
$$+ 0.030971525734835\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^2$$
$$+ 0.015813932597569\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8 \log\left(c_s\right)$$
$$+ 0.031627865195139\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)$$
$$+ 0.031631055724015\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^5$$
$$+ 0.016271278323484\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^4$$
$$+ 0.068561192202428\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)$$
$$+ 0.13712238440486\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)$$
$$+ 2.2091754448728\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^6$$
$$+ 0.13807729042628\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2$$
$$+ 0.06939537341608\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^3$$
$$+ 0.13879074683216\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$+ 0.27826745326736\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^2$$
$$+ 2.2396646609438 \left(\alpha_0^{c_s}\right)^2 \epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)$$
$$+ 0.28513313766944\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)^5$$
$$+ 9.3873439385981\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log\left(c_s\right)$$
$$+ 0.036899176060995\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)$$
$$+ 0.00014476927669415\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log\left(c_s\right)^7$$
$$+ 0.0005790771067766\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log\left(c_s\right)^7$$
$$+ 0.0023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log\left(c_s\right)^4$$

$$
\begin{aligned}
&+ 0.0092978733277052\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log(c_s)^4 \\
&+ 0.075257619696585\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.3024964047882\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.15341068377458\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.15758328268454\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.0024659884724367\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^4 \\
&+ 0.009863953889747\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.0025750181969943\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \\
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log(c_s)^2 \\
&+ 0.020647683823223\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log(c_s)^2 \\
&+ 0.043384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^3 \\
&+ 0.17353881367766\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.010997984191881\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&+ 0.17740336058423\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^8 \\
&+ 0.00069444444444444\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.0013888888888889\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.011111111111111\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^8 \\
&+ 0.72437562063585\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^4 \\
&+ 0.022853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s) \\
&+ 0.09141492293657\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.00017983542935039\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 0.01157361367427\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^6 \\
&+ 0.023147227348541\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&+ 0.011622341659632\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^4 \\
&+ 0.38776624957301\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \log(c_s)^3 \\
&+ 3.1291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \log(c_s) \\
&+ 12.516458584797\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.012329942362184\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.0001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^8 \\
&+ 0.0001984126984127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^8 \\
&+ 0.0007936507936508\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^8 \\
&+ 0.025424013163542\left(\alpha_0^{c_s}\right)^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 6.5451685478733\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s) \\
&+ 0.10296592217786\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 6.6137502289771\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 1.6726639570305\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.053487905151284\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&+ 0.055653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^2 \\
&+ 0.22261396261389\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.11426865367071\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log(c_s)
\end{aligned}
$$

$$
\begin{aligned}
&+ 0.0036243220691966\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&+ 0.015068775199908\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8\log(c_s)^3 \\
&+ 0.060499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s) \\
&+ 0.24199712383056\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s) \\
&+ 0.24239131978055\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s) \\
&+ 15.645573230997\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\log(c_s) \\
&- 1.3505793494645\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&- 0.0082162155250631\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log(c_s)^3 \\
&- 0.017446454929366\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log(c_s)^2 \\
&- 0.083914938712642\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^4 \\
&- 0.010047626002038\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^5 \\
&- 0.047702793140402\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^6 \\
&- 0.0034088307981678\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s) \\
&- 0.51123657454361\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^7 \\
&- 2.1715099170165\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\log(c_s)^4 \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\log(c_s)^7 \\
&- 0.0086008708224668\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\log(c_s)^7 \\
&- 2.5185904350789\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^5 \\
&- 0.11063189046135\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^2 \\
&- 0.0069444444444444\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^8 \\
&- 0.0071428571428571\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^8 \\
&- 0.11450645568112\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^4 \\
&- 0.0001240079365079 4\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7\epsilon_8\log(c_s)^8 \\
&- 0.001984126984127\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^8 \\
&- 0.13081317525214\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&- 0.0041666666666667\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^8 \\
&- 0.0092024588403061\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log(c_s) \\
&- 0.075449721375182\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^4 \\
&- 0.037753999687435\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^6 \\
&- 7.4404761904762\cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2\epsilon_8\log(c_s)^8 \\
&- 0.0001488095238095 2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\epsilon_8\log(c_s)^8 \\
&- 0.0023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^8 \\
&- 0.009523809523809 5\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^8 \\
&- 0.010751088528084\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^7 \\
&- 0.0006908784825836 4\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7\log(c_s)^2 \\
&- 0.38106327282031\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\log(c_s)^6 \\
&- 0.10766948331388\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\log(c_s)^6 \\
&- 0.11378648600245\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\log(c_s)^7 \\
&- 0.1270210909401\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\log(c_s)^6 \\
&- 0.50808436376041\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\log(c_s)^6
\end{aligned}
$$

$$- 0.0020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^5$$
$$- 0.0080381008016308\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^5$$
$$- 0.13028758930204\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)$$
$$- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^4$$
$$- 0.067131950970113\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^4$$
$$- 0.017078293813035\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7$$
$$- 0.0001381756965167 3\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log\left(c_s\right)^2$$
$$- 0.00055270278606691\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log\left(c_s\right)^2$$
$$- 0.0011581542135532\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^7$$
$$- 0.074302197017911\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4$$
$$- 0.63510545470051\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 0.009967132246276\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^4$$
$$- 0.32617958739828\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^3$$
$$- 1.308081732055\alpha_0^{c_s}\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.010246976287821\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^7$$
$$- 0.020493952575642\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7$$
$$- 0.16482196863866\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 0.084460532235376\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^5$$
$$- 0.0013392857142857\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.0054424286363251\alpha_1^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7$$
$$- 2.7893152680525\alpha_0^{c_s}\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \log\left(c_s\right)^5$$
$$- 0.00017361111111111\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log\left(c_s\right)^8$$
$$- 0.00069444444444444 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.0013888888888889\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^8$$
$$- 0.17806212356555\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$- 0.045639014016529 \left(\alpha_0^{c_s}\right)^2 \epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^6$$
$$- 0.04736850191838\alpha_0^{c_s}\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4$$
$$- 0.011904761904762\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^8$$
$$- 0.0060285756012231\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^5$$
$$- 0.012057151202446\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^5$$
$$- 0.099436433093368\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)$$
$$- 0.050348963227585\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^4$$
$$- 0.10069792645517\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^4$$
$$- 0.0063029662118171\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8^2 \log\left(c_s\right)^8$$
$$- 9.9206349206349 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7\epsilon_8 \log\left(c_s\right)^8$$
$$- 0.20577930863497\alpha_1^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log\left(c_s\right)^6$$
$$- 0.20599994823238\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^3$$
$$- 0.0064506531168501\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log\left(c_s\right)^7$$
$$- 0.0129013062337\alpha_0^{c_s}\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log\left(c_s\right)^7$$

$$
\begin{aligned}
&- 0.20652330262565\alpha_0^{c_s}\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^7 \\
&- 0.0032378927387127\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^5 \\
&- 0.00041452708955018\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \log(c_s)^2 \\
&- 0.00082905417910037\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \log(c_s)^7 \\
&- 0.013662635050428\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \log(c_s)^7 \\
&- 0.87499988220624\left(\alpha_0^{c_s}\right)^2\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \log(c_s)^2 \\
&+ 0.00020145601120906\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^6 \\
&+ 0.034135945800734\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^7 \\
&+ 0.00025557761529764\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^5 \\
&+ 0.0088860972187134\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^5 \\
&+ 0.144875124127 17\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^4 \\
&+ 0.0038578712247568\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 0.12925541652434\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^3 \\
&+ 0.0050784996613545\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^6 \\
&+ 0.0052713108658564\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s) \\
&+ 0.023131791138693\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^3 \\
&+ 0.095044379223146\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^5 \\
&+ 0.0030137550399815\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^3 \\
&+ 1.6408684442327\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^2 \\
&+ 0.00014476927669415\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^7 \\
&+ 0.0023244683319263\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^4 \\
&+ 0.0024659884724367\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^4 \\
&+ 0.0051619209558058\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^2 \\
&+ 0.043384703419416\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^3 \\
&+ 0.00034722222222222\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^8 \\
&+ 0.022853730734143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s) \\
&+ 3.1291146461994\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s) \\
&+ 0.0001984126984127\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^8 \\
&+ 0.055653490653473\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^2 \\
&+ 0.060499280957641\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s) \\
&- 0.0021502177056167\alpha_0^{c_s}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^7 \\
&- 0.0023809523809524\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^8 \\
&- 0.1270210909401\alpha_0^{c_s}\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \log(c_s)^6 \\
&- 0.0020095252004077\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^5 \\
&- 0.016782987742528\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^4 \\
&- 0.00013817569651673\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^2 \\
&- 2.4801587301587 \cdot 10^{-5}\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8\epsilon_9 \log(c_s)^8 \\
&- 0.003415658762607\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8 \log(c_s)^7
\end{aligned}
$$

1.2 Tensor spectrum

$$P_t(k_*) = \frac{2H_*^2}{\pi^2 M_{\rm Pl}^2}\left[\sum_{d=0}^{8} F_{t,d} + O(\mathrm{SR}^9)\right].$$

Relative order 0.

$$F_{t,0} = 1.0$$

Relative order 1.

$$F_{t,1} = -0.54072569092296\epsilon_1$$

Relative order 2.

$$F_{t,2} = 1.5402686460338\epsilon_1^2 - 0.25062903478191\epsilon_1\epsilon_2$$

Relative order 3.

$$\begin{aligned} F_{t,3} = {} & 1.6057835635673\epsilon_1^3 + 1.8891060194179\epsilon_1^2\epsilon_2 \\ & - 0.18929040711048\epsilon_1\epsilon_2^2 - 0.18929040711048\epsilon_1\epsilon_2\epsilon_3 \end{aligned}$$

Relative order 4.

$$\begin{aligned} F_{t,4} = {} & 2.9412556561294\epsilon_1^4 + 4.0859368676311\epsilon_1^3\epsilon_2 \\ & + 1.8087367742501\epsilon_1^2\epsilon_2^2 - 0.077715927178017\epsilon_1\epsilon_2^3 \\ & + 1.696905383796\epsilon_1^2\epsilon_2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3^2 \\ & - 0.23314778153405\epsilon_1\epsilon_2^2\epsilon_3 - 0.077715927178017\epsilon_1\epsilon_2\epsilon_3\epsilon_4 \end{aligned}$$

Relative order 5.

$$\begin{aligned} F_{t,5} = {} & 5.0146640695735\epsilon_1^5 + 10.182162879741\epsilon_1^3\epsilon_2^2 \\ & + 1.9912795134148\epsilon_1^2\epsilon_2^3 + 9.3282240106668\epsilon_1^4\epsilon_2 \\ & - 0.041550866698239\epsilon_1\epsilon_2^4 + 5.715558726935\epsilon_1^2\epsilon_2^2\epsilon_3 \\ & + 6.2270085551926\epsilon_1^3\epsilon_2\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3^2 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3^3 - 0.29085606688767\epsilon_1\epsilon_2^2\epsilon_3^2 \\ & - 0.24930520018943\epsilon_1\epsilon_2^3\epsilon_3 + 1.8621396067601\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2 \\ & - 0.16620346679296\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4 \\ & - 0.12465260009472\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4 \\ & - 0.041550866698239\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \end{aligned}$$

Relative order 6.

$$\begin{aligned} F_{t,6} = {} & 8.3167926130457\epsilon_1^6 + 35.569920863237\epsilon_1^4\epsilon_2^2 \\ & + 25.766288824979\epsilon_1^3\epsilon_2^3 + 1.9852568085143\epsilon_1^2\epsilon_2^4 \\ & + 19.643791998445\epsilon_1^5\epsilon_2 - 0.020903182875016\epsilon_1\epsilon_2^5 \\ & + 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3^3 + 17.436687309176\epsilon_1^4\epsilon_2\epsilon_3 \\ & + 42.955365634287\epsilon_1^3\epsilon_2^2\epsilon_3 + 11.663061184146\epsilon_1^2\epsilon_2^3\epsilon_3 \\ & + 8.6456966910171\epsilon_1^3\epsilon_2\epsilon_3^2 + 13.217874912669\epsilon_1^2\epsilon_2^2\epsilon_3^2 \\ & - 0.31354774312524\epsilon_1\epsilon_2^2\epsilon_3^3 - 0.52257957187539\epsilon_1\epsilon_2^3\epsilon_3^2 \\ & - 0.020903182875016\epsilon_1\epsilon_2\epsilon_3^4 - 0.20903182875016\epsilon_1\epsilon_2^4\epsilon_3 \end{aligned}$$

$$
\begin{aligned}
&+ 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 5.6163090520775\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 7.692547567117\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 8.6456966910171\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4 \\
&- 0.14632228012511\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&- 0.12541909725009\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4 \\
&- 0.52257957187539\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3 \\
&- 0.10451591437508\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&- 0.20903182875016\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 1.8721030173592\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.062709548625047\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.083612731500063\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.10451591437508\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.020903182875016\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6
\end{aligned}
$$

Relative order 7.

$$
\begin{aligned}
F_{t,7} = {} & 13.526125616593\epsilon_1^7 + 100.70801814255\epsilon_1^5\epsilon_2^2 \\
&+ 1.9806997872497\epsilon_1^2\epsilon_2^5 + 142.68493110568\epsilon_1^4\epsilon_2^3 \\
&+ 38.679800565985\epsilon_1^6\epsilon_2 + 58.446173176621\epsilon_1^3\epsilon_2^4 \\
&- 0.010360561143303\epsilon_1\epsilon_2^6 + 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3^3 \\
&+ 28.833623477559\epsilon_1^2\epsilon_2^2\epsilon_3^3 + 176.51199110043\epsilon_1^4\epsilon_2^2\epsilon_3 \\
&+ 184.80744293643\epsilon_1^3\epsilon_2^3\epsilon_3 + 48.928533240646\epsilon_1^2\epsilon_2^3\epsilon_3^2 \\
&+ 27.152280310568\epsilon_1^4\epsilon_2\epsilon_3^2 + 119.8935936939\epsilon_1^3\epsilon_2^2\epsilon_3^2 \\
&+ 19.915427387063\epsilon_1^2\epsilon_2^4\epsilon_3 + 42.602054688957\epsilon_1^5\epsilon_2\epsilon_3 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3^4 - 0.32117739544239\epsilon_1\epsilon_2^2\epsilon_3^4 \\
&- 0.15540841714954\epsilon_1\epsilon_2^5\epsilon_3 - 0.010360561143303\epsilon_1\epsilon_2\epsilon_3^5 \\
&- 0.67343647431469\epsilon_1\epsilon_2^4\epsilon_3^2 - 0.93245050289726\epsilon_1\epsilon_2^3\epsilon_3^3 \\
&+ 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 11.508395867275\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 48.49851562714\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 31.711521972802\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 13.426461845155\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 27.152280310568\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4 \\
&+ 69.890720011514\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 9.8324460747906\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 19.969642144346\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3 \\
&- 1.0464166754736\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&- 1.0878589200468\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&- 0.15540841714954\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&- 0.15540841714954\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2
\end{aligned}
$$

$$
\begin{aligned}
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4 \\
&- 0.6941575966013\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&- 0.25901402858257\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&- 0.10360561143303\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4 \\
&- 0.20721122286606\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 10.570507324267\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 5.7541979336377\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 9.8324460747906\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 7.672263911517\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.07252392800312\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&- 0.15540841714954\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&- 0.18649010057945\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&- 0.062163366859817\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.25901402858257\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&- 0.40406188458881\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.051802805716515\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&- 0.10360561143303\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 1.9180659778792\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 0.041442244573212\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.031081683429909\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&- 0.062163366859817\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.051802805716515\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.010360561143303\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7
\end{aligned}
$$

Relative order 8.

$$
\begin{aligned}
F_{t,8} &= 21.635835262724\epsilon_1^8 + 521.10610165837\epsilon_1^4\epsilon_2^4 \\
&+ 553.57359129495\epsilon_1^5\epsilon_2^3 + 72.44363841463\epsilon_1^7\epsilon_2 \\
&+ 250.57946208524\epsilon_1^6\epsilon_2^2 + 126.88077540626\epsilon_1^3\epsilon_2^5 \\
&+ 1.9853521472878\epsilon_1^2\epsilon_2^6 - 0.0052105247493143\epsilon_1\epsilon_2^7 \\
&+ 1186.3807463734\epsilon_1^4\epsilon_2^3\epsilon_3 + 564.11799752557\epsilon_1^4\epsilon_2^2\epsilon_3^2 \\
&+ 60.470744877787\epsilon_1^2\epsilon_2^2\epsilon_3^4 + 71.430792578888\epsilon_1^5\epsilon_2\epsilon_3^2 \\
&+ 652.73398804975\epsilon_1^3\epsilon_2^4\epsilon_3 + 178.2906555419\epsilon_1^2\epsilon_2^3\epsilon_3^3 \\
&+ 95.105061541796\epsilon_1^6\epsilon_2\epsilon_3 + 871.27654279623\epsilon_1^3\epsilon_2^3\epsilon_3^2 \\
&+ 131.37683716123\epsilon_1^2\epsilon_2^4\epsilon_3^2 + 558.8798452284\epsilon_1^5\epsilon_2^2\epsilon_3 \\
&+ 296.85818695058\epsilon_1^3\epsilon_2^2\epsilon_3^3 + 37.732488578054\epsilon_1^4\epsilon_2\epsilon_3^3 \\
&+ 12.677141792661\epsilon_1^3\epsilon_2\epsilon_3^4 + 30.602970847927\epsilon_1^2\epsilon_2^5\epsilon_3 \\
&+ 1.9495130910166\epsilon_1^2\epsilon_2\epsilon_3^5 - 1.82368366226\epsilon_1\epsilon_2^4\epsilon_3^3 \\
&- 0.3282630592068\epsilon_1\epsilon_2^2\epsilon_3^5 - 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3^6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.729473464904\epsilon_1\epsilon_2^5\epsilon_3^2 - 1.5683679495436\epsilon_1\epsilon_2^3\epsilon_3^4 \\
&- 0.1094210197356\epsilon_1\epsilon_2^6\epsilon_3 \\
&+ 210.99358987959\epsilon_1^2\epsilon_2^3\epsilon_3^2\epsilon_4 \\
&+ 30.716899232978\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4^2 \\
&+ 76.062850755967\epsilon_1^3\epsilon_2\epsilon_3^3\epsilon_4 \\
&+ 41.352420222976\epsilon_1^2\epsilon_2^4\epsilon_3\epsilon_4 \\
&+ 88.739992548628\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4^2 \\
&+ 503.65706099994\epsilon_1^3\epsilon_2^2\epsilon_3^2\epsilon_4 \\
&+ 132.62699249045\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4^2 \\
&+ 71.430792578888\epsilon_1^5\epsilon_2\epsilon_3\epsilon_4 \\
&+ 19.495130910166\epsilon_1^2\epsilon_2\epsilon_3^4\epsilon_4 \\
&+ 328.99303142512\epsilon_1^4\epsilon_2^2\epsilon_3\epsilon_4 \\
&+ 198.11774045027\epsilon_1^2\epsilon_2^2\epsilon_3^3\epsilon_4 \\
&+ 113.19746573416\epsilon_1^4\epsilon_2\epsilon_3^2\epsilon_4 \\
&+ 37.732488578054\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4^2 \\
&+ 357.63938882327\epsilon_1^3\epsilon_2^3\epsilon_3\epsilon_4 \\
&+ 12.026041268777\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^3 \\
&+ 48.737827275416\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4^2 \\
&+ 12.677141792661\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^3 \\
&+ 103.39943702468\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4^2 \\
&+ 29.242696365249\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^3 \\
&+ 1.9495130910166\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^4 \\
&- 1.641315296034\epsilon_1\epsilon_2^4\epsilon_3^2\epsilon_4 \\
&- 2.4072624341832\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4^2 \\
&- 0.078157871239714\epsilon_1\epsilon_2\epsilon_3^5\epsilon_4 \\
&- 0.16152626722874\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^4 \\
&- 0.8388944846396\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^3 \\
&- 1.6777889692792\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4^2 \\
&- 0.0364736732452\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^4 \\
&- 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4^5 \\
&- 0.33868410870543\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4^2 \\
&- 0.182368366226\epsilon_1\epsilon_2^5\epsilon_3\epsilon_4 \\
&- 0.182368366226\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4^2 \\
&- 0.1094210197356\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^3 \\
&- 1.7507363157696\epsilon_1\epsilon_2^2\epsilon_3^4\epsilon_4 \\
&- 3.5744199780296\epsilon_1\epsilon_2^3\epsilon_3^3\epsilon_4 \\
&- 0.46894722743829\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^3 \\
&+ 36.078123806332\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 30.716899232978\epsilon_1^2\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5 \\
&+ 38.031425377984\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5 \\
&+ 77.176250694699\epsilon_1^2\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 9.7475654550832\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2
\end{aligned}
$$

$$
\begin{aligned}
&+ 19.495130910166\epsilon_1^2\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5 \\
&+ 11.6970785461\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 13.646591637116\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&+ 37.732488578054\epsilon_1^4\epsilon_2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 12.026041268777\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 48.737827275416\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&+ 12.677141792661\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2 \\
&+ 50.708567170645\epsilon_1^3\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5 \\
&+ 103.39943702468\epsilon_1^3\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5 \\
&+ 1.9495130910166\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3 \\
&- 0.34910515820406\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5^2 \\
&- 0.052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4^4\epsilon_5 \\
&- 0.10421049498629\epsilon_1\epsilon_2\epsilon_3^4\epsilon_4\epsilon_5 \\
&- 0.031263148495886\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^3 \\
&- 0.547105098678\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4^2\epsilon_5 \\
&- 0.078157871239714\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^3 \\
&- 0.078157871239714\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5^2 \\
&- 0.9847891776204\epsilon_1\epsilon_2^2\epsilon_3^3\epsilon_4\epsilon_5 \\
&- 0.9847891776204\epsilon_1\epsilon_2^3\epsilon_3^2\epsilon_4\epsilon_5 \\
&- 0.2553157127164\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5^2 \\
&- 0.13026311873286\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5^2 \\
&- 0.52626299968074\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^3\epsilon_5 \\
&- 0.0364736732452\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^3 \\
&- 0.2917893859616\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5^2 \\
&- 0.3282630592068\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4^2\epsilon_5
\end{aligned}
$$

$$
\begin{aligned}
&- 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^4 \\
&- 1.4224732565628\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4^2\epsilon_5 \\
&- 0.182368366226\epsilon_1\epsilon_2^4\epsilon_3\epsilon_4\epsilon_5 \\
&- 0.1094210197356\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5^2 \\
&- 0.2188420394712\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^3\epsilon_5 \\
&+ 9.7475654550832\epsilon_1^2\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&+ 5.8485392730499\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 12.026041268777\epsilon_1^2\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 12.677141792661\epsilon_1^3\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&+ 1.9495130910166\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&+ 7.7980523640665\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.026052623746571\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6^2 \\
&- 0.052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4^3\epsilon_5\epsilon_6 \\
&- 0.031263148495886\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^3\epsilon_6 \\
&- 0.031263148495886\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 0.078157871239714\epsilon_1\epsilon_2\epsilon_3^3\epsilon_4\epsilon_5\epsilon_6
\end{aligned}
$$

$$
\begin{aligned}
&- 0.13026311873286\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5^2\epsilon_6 \\
&- 0.0364736732452\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6^2 \\
&- 0.0364736732452\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2 \\
&- 0.1458946929808\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.2917893859616\epsilon_1\epsilon_2^2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^3 \\
&- 0.093789445487657\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5^2\epsilon_6 \\
&- 0.20321046522326\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4^2\epsilon_5\epsilon_6 \\
&- 0.1094210197356\epsilon_1\epsilon_2^3\epsilon_3\epsilon_4\epsilon_5\epsilon_6 \\
&- 0.1094210197356\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6 \\
&+ 1.9495130910166\epsilon_1^2\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.026052623746571\epsilon_1\epsilon_2\epsilon_3\epsilon_4^2\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.015631574247943\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6^2\epsilon_7 \\
&- 0.031263148495886\epsilon_1\epsilon_2\epsilon_3^2\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.0364736732452\epsilon_1\epsilon_2^2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7 \\
&- 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7^2 \\
&- 0.020842098997257\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5^2\epsilon_6\epsilon_7 \\
&- 0.0052105247493143\epsilon_1\epsilon_2\epsilon_3\epsilon_4\epsilon_5\epsilon_6\epsilon_7\epsilon_8
\end{aligned}
$$

2 Consistency relations

2.1 $n = 0$

For $p = 8$, the absolute cutoff is $W = 9$:

$$\alpha_0^t = \sum_{d=1}^{9} R_{0,d} + O(\mathrm{SR}^{10}).$$

Absolute order 1.

$$R_{0,1} = -\frac{0.125r}{c_s}$$

Absolute order 2.

$$
\begin{aligned}
R_{0,2} = &\frac{0.0078125r^2}{c_s^2} + \frac{0.125\alpha_0^s r}{c_s} \\
&+ \frac{0.28379535568268\alpha_0^{c_s} r}{c_s} - \frac{0.125\alpha_0^s r \log(c_s)}{c_s}
\end{aligned}
$$

Absolute order 3.

$$
\begin{aligned}
R_{0,3} = &-\frac{0.0030712246746565r^3}{c_s^3} + \frac{0.125\alpha_1^s r}{c_s} \\
&+ \frac{0.33325502603924\alpha_1^{c_s} r}{c_s} - \frac{0.10280837917801\left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{0.20825502603924\left(\alpha_0^{c_s}\right)^2 r}{c_s} - \frac{0.041327094794504\alpha_0^s r^2}{c_s^2} \\
&- \frac{0.061176514254839\alpha_0^{c_s} r^2}{c_s^2} + \frac{0.015625\alpha_0^s r^2 \log(c_s)}{c_s^2} \\
&+ \frac{0.0625\alpha_1^s r \log(c_s)^2}{c_s}
\end{aligned}
$$

$$+\frac{0.125\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0625\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.125\alpha_1^s r\log\left(c_s\right)}{c_s}-\frac{0.46478233218736\alpha_0^{c_s}\alpha_0^s r}{c_s}$$
$$+\frac{0.28379535568268\alpha_0^{c_s}\alpha_0^s r\log\left(c_s\right)}{c_s}$$

Absolute order 4.

$$R_{0,4}=\frac{0.0014926374043055r^4}{c_s^4}+\frac{0.125\alpha_2^s r}{c_s}$$
$$+\frac{0.076954635474829\left(\alpha_0^{c_s}\right)^3 r}{c_s}+\frac{0.065244100954277\left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{0.36074999115751\alpha_2^{c_s} r}{c_s}+\frac{0.036259602621199\alpha_0^{c_s} r^3}{c_s^3}$$
$$+\frac{0.024554893470954\alpha_0^s r^3}{c_s^3}+\frac{0.10320649151137\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.21414669687749\left(\alpha_0^{c_s}\right)^2 r^2}{c_s^2}-\frac{0.11879209843874\alpha_1^{c_s} r^2}{c_s^2}$$
$$-\frac{0.060109233906372\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.015625\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0625\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0625\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.34966216656143\alpha_0^{c_s}\alpha_0^s r^2}{c_s^2}$$
$$+\frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2\alpha_0^s r}{c_s}$$
$$+\frac{0.041327094794504\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.46184803450948\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r}{c_s}$$
$$-\frac{0.0078125\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.125\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0092136740239694\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.10280837917801\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.51223106590429\alpha_0^{c_s}\alpha_1^s r}{c_s}-\frac{0.26465926210717\alpha_0^{c_s}\alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.58335484068555\alpha_0^s\alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.082654189589007\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.020833333333333 \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.020833333333333 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.23087387125098 \alpha_0^s \alpha_1^s r}{c_s} \\
&+ \frac{0.0625 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.14189767784134 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.46478233218736 \alpha_0^{c_s} \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33061675835603 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.33325502603924 \alpha_0^s \alpha_1^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{0.1875 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.14189767784134 \alpha_0^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.20825502603924 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.46478233218736 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.12235302850968 \alpha_0^{c_s} \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}
\end{aligned}
$$

Absolute order 5.

$$
\begin{aligned}
R_{0,5} = &- \frac{0.00093280100983415 r^5}{c_s^5} + \frac{0.125 \alpha_3^s r}{c_s} \\
&+ \frac{0.077998779670661 \alpha_1^{c_s} r^3}{c_s^3} + \frac{0.04315951309091 \alpha_1^s r^3}{c_s^3} \\
&+ \frac{0.37743788705055 \alpha_3^{c_s} r}{c_s} + \frac{0.22678710229221 \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&- \frac{0.038536574146577 \left(\alpha_0^s\right)^4 r}{c_s} - \frac{0.018206214478227 \alpha_0^s r^4}{c_s^4} \\
&- \frac{0.17317013837934 \alpha_2^{c_s} r^2}{c_s^2} - \frac{0.46393123483107 \left(\alpha_0^{c_s}\right)^3 r^2}{c_s^2} \\
&- \frac{0.077020534433109 \alpha_2^s r^2}{c_s^2} - \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^4 r}{c_s} \\
&- \frac{0.14103704832205 \left(\alpha_1^s\right)^2 r}{c_s} - \frac{0.18695785481671 \left(\alpha_0^s\right)^3 r^2}{c_s^2} \\
&- \frac{0.025790978878929 \alpha_0^{c_s} r^4}{c_s^4} - \frac{0.21229467061039 \left(\alpha_0^{c_s}\right)^2 r^3}{c_s^3} \\
&- \frac{0.10777687087114 \left(\alpha_0^s\right)^2 r^3}{c_s^3} \\
&+ \frac{0.0625 \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0625 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}
\end{aligned}
$$

$$+\frac{0.065244100954277\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.77902151158975\alpha_0^{c_s}\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.33322659757276\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.2807614807417\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.073664680412863\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.0046068370119847\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0059705496172218\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.91440223214728\left(\alpha_0^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.25691700713838\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.585172074201 16\alpha_0^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.64688363806266\left(\alpha_0^s\right)^2\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.0026041666666667\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.67279698790137\alpha_0^s\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{0.20641298302274\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.23087387125098\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.060109233906372\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.125\alpha_3^s r\log\left(c_s\right)}{c_s}-\frac{0.70604739146173\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$-\frac{0.24116427546487\alpha_0^s\alpha_2^s r}{c_s}-\frac{0.67016777237071\alpha_0^s\alpha_2^{c_s}r}{c_s}$$
$$-\frac{0.37631034727105\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r}{c_s}$$
$$-\frac{0.54410907511208\alpha_0^{c_s}\alpha_2^s r}{c_s}-\frac{0.33187406198245\alpha_0^{c_s}\alpha_0^s r^3}{c_s^3}$$
$$-\frac{0.051404189589007\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&- \frac{1.0075354959104\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
&- \frac{0.020663547397252\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.082654189589007\left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.16530837917801\left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.0052083333333333\left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.020833333333333\alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^2}{c_s^2} \\
&- \frac{0.024554893470954\alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.025650784758331\alpha_0^{c_s}\alpha_2^{c_s} r}{c_s} \\
&- \frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3 \alpha_0^s r}{c_s} \\
&- \frac{0.8774300995702\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r}{c_s} \\
&- \frac{0.013820511035954\left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.03125\left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.047299225947114\alpha_0^{c_s}\alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.047299225947114\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.076954635474829\left(\alpha_0^{c_s}\right)^3 \alpha_0^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.2543932705273\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.69932433312286\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.36074999115751\alpha_0^s\alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.12398128438351\alpha_0^s\alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.2408463078633\alpha_0^{c_s}\alpha_0^s\alpha_1^s r}{c_s} \\
&+ \frac{0.10412751301962\left(\alpha_0^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.51223106590429\alpha_0^{c_s}\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.58335484068555\alpha_1^{c_s}\alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$+\frac{0.31952094794504\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.16662751301962\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.083333333333333\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.35587387125098\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.1087788078636\alpha_0^{c_s}\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.46184803450948\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.061176514254839\alpha_0^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.015625\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.125\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.34966216656143\alpha_0^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.42660617411381\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.23239116609368\alpha_0^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.23239116609368\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.58335484068555\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.60410986672479\left(\alpha_0^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.32663145083548\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.16662751301962\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$

$$-\frac{0.020833333333333\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.22780837917801\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.23758419687749\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{0.12235302850968\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.69717349828103\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.14189767784134\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.26465926210717\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$- \frac{1.4359271349233\alpha_0^{c_s}\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$

Absolute order 6.

$$\begin{aligned}
R_{0,6} = {} & \frac{0.00070298503785145r^6}{c_s^6} + \frac{0.125\alpha_4^s r}{c_s} \\
& + \frac{0.13193301624962\alpha_2^{c_s} r^3}{c_s^3} + \frac{0.024142070510297\left(\alpha_0^{c_s}\right)^5 r}{c_s} \\
& + \frac{0.021919030958484\alpha_0^{c_s} r^5}{c_s^5} + \frac{0.020902477635746\left(\alpha_0^s\right)^5 r}{c_s} \\
& + \frac{0.74453148636911\left(\alpha_0^{c_s}\right)^4 r^2}{c_s^2} + \frac{0.015994052232973\alpha_0^s r^5}{c_s^5} \\
& + \frac{0.065362321729807\alpha_2^s r^3}{c_s^3} + \frac{0.28417656846613\left(\alpha_0^s\right)^4 r^2}{c_s^2} \\
& + \frac{0.30605471800346\left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
& + \frac{0.67852861921274\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2} \\
& + \frac{0.34969699644176\left(\alpha_0^s\right)^3 r^3}{c_s^3} + \frac{0.38489206166781\alpha_4^{c_s} r}{c_s} \\
& + \frac{0.83936081299974\left(\alpha_0^{c_s}\right)^3 r^3}{c_s^3} \\
& + \frac{0.22660705119567\left(\alpha_0^{c_s}\right)^2 r^4}{c_s^4} \\
& + \frac{0.12218812205202\left(\alpha_0^s\right)^2 r^4}{c_s^4} - \frac{0.093222530607224\alpha_3^s r^2}{c_s^2} \\
& - \frac{0.22602670226893\alpha_3^{c_s} r^2}{c_s^2} - \frac{0.037217907105313\alpha_1^s r^4}{c_s^4} \\
& - \frac{0.062708816862277\alpha_1^{c_s} r^4}{c_s^4} \\
& + \frac{0.00390625\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2} \\
& + \frac{0.0625\alpha_4^s r\log\left(c_s\right)^2}{c_s} + \frac{0.4688109212146\alpha_0^s\alpha_2^s r^2}{c_s^2} \\
& + \frac{0.032622050477138\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s} \\
& + \frac{4.7025282057985\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2}{c_s^2} \\
& + \frac{0.018206214478227\alpha_1^s r^4\log\left(c_s\right)}{c_s^4} \\
& + \frac{0.37293859690816\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s} \\
& + \frac{2.1030075443947\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2}{c_s^2}
\end{aligned}$$

$$+\frac{0.26533319667889\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{1.1071445237506\alpha_0^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{1.1098294432945\left(\alpha_0^{c_s}\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{0.29046664127673\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{1.2266253802516\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.077020534433109\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.35392002562399\alpha_0^{c_s}\alpha_0^s r^4}{c_s^4}$$
$$+\frac{0.011941099234444\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.0068878491324173\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.97570715261837\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{0.49065057441855\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.0359304553424\alpha_0^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{1.0462369419396\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.26409856083906\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{0.27748910591119\left(\alpha_0^{c_s}\right)^4\alpha_0^s r}{c_s}$$
$$+\frac{2.2377699655728\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^3}{c_s^3}$$
$$+\frac{0.28114043741982\alpha_0^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.16331572541774\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.78387416068464\left(\alpha_0^s\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.012277446735477\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.20641298302274\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{1.6575252194499\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.83680003409838\alpha_0^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{1.7002909092331\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.11049702061929\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{3.5635228556462\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^2}{c_s^2}$$
$$+\frac{0.90932998261448\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.93999642860003\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r}{c_s}$$
$$-\frac{0.125\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.32333061261342\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.0046640050491707\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$-\frac{0.038536574146577\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.22801627965519\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$-\frac{0.93222801028114\alpha_0^{c_s}\alpha_1^{c_s} r^3}{c_s^3}$$
$$-\frac{0.25325135554738\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.017134729863002\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.072824857912906\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{0.33322659757276\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{1.015918735308\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$-\frac{2.0506940177423\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$-\frac{0.0010416666666667\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.0010416666666667\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.55534594081785\alpha_0^{c_s}\alpha_3^s r}{c_s}$$
$$-\frac{0.57506946025867\left(\alpha_0^s\right)^3\alpha_1^{c_s} r}{c_s}$$
$$-\frac{2.5207294679791\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$

$$
\begin{aligned}
&- \frac{0.04315951309091\alpha_2^s r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{0.0029852748086109\alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.055102793059338\left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.31399132156735\alpha_1^s \alpha_2^s r}{c_s} - \frac{0.65984338269908\alpha_0^{c_s} \alpha_1^s r^3}{c_s^3} \\
&- \frac{0.041327094794504\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.00065104166666667\alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.020833333333333\alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{2.7283028812082\left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2} \\
&- \frac{0.71961475433166\alpha_0^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{0.37391570963342\left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{0.75843981154214\alpha_0^s \alpha_1^{c_s} r^3}{c_s^3} - \frac{0.77878205183275\alpha_1^{c_s} \alpha_2^s r}{c_s} \\
&- \frac{0.0015356123373282\alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}
\end{aligned}
$$

$$
\begin{aligned}
&- \frac{0.42145582743858\alpha_0^s \alpha_1^s r^3}{c_s^3} - \frac{0.84791917680706\alpha_1^s \alpha_2^{c_s} r}{c_s} \\
&- \frac{0.013820511035954\left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.030054616953186\alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.24578024485779\alpha_0^s \alpha_3^s r}{c_s} \\
&- \frac{0.98936913734599\left(\alpha_0^{c_s}\right)^3 \alpha_1^s r}{c_s} \\
&+ \frac{0.078125\alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.011824806486779\alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.035474419460336\alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.34503228101501\alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.038477317737414\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.70604739146173\alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.39124002268239\left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{0.67016777237071\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.17483108328071\alpha_0^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.69932433312286\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.18037499557876\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.36616427546487\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.055542504339873\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.055542504339873\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.23399633901198\alpha_0^s\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.52323837210896\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.54410907511208\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.3150163835374\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.33187406198245\alpha_0^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.096769459726005\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.0498858380611\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{0.5420431097393\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.2273267595957\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.077463722031226\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.64688363806266\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.16316821179539\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.16530837917801\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010416666666667\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$

$$+\frac{0.010416666666667\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3455939758027\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.3905396123749\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.17504590210035\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4082057040738\alpha_0^{c_s}\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.71796356746163\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.18614171251135\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.37743788705055\alpha_0^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.41106330372469\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.052083333333333\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.013820511035954\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.22342495932411\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.22678710229221\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.23092401725474\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.8632981771163\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.11879209843874\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.015625\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.011824806486779\alpha_0^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.99562218594735\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{0.67016777237071\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$

$$- \frac{0.34634027675869 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.18037499557876 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.37631034727105 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.92786246966213 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.2408463078633 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.63688401183118 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.02039217141828 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.081568685673119 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{5.3160260957473 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.044182861011306 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.4572148290863 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r}{c_s}$$
$$- \frac{1.7022391997606 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{0.055102793059338 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.91440223214728 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.7157456837503 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.23239116609368 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.0150709918208 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.25611553295215 \alpha_0^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.26811675835603 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.03470917100654 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2680306396037 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{0.29167742034277 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.29167742034277 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.585172074201 16 \alpha_0^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.077463722031226 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.6362509253696 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.65487106259881 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.672796987901 37 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.34379128896546 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.7810792247499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.18244310904102 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.9488138359183 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r}{c_s}$$
$$- \frac{0.40881080687647 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.10316391551572 \alpha_0^{c_s} \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.026041666666667 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.052083333333333 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.41785905564102 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.21414669687749 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.054389403931798 \alpha_0^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.8774300995702 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.11049702061929 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.23758419687749 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.24043693562549 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.48726766643898 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.49808128260325 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$

$$+\frac{0.047299225947114\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.97407910041377\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.87503226102832\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.5580430231795\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.3697773496765\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.2543932705273\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.2807614807417\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.6692624312877\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.10412751301962\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.46478233218736\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.13232963105359\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.1854151402232\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.12235302850968\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.070948838920671\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{1.2543932705273\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.4107356192259\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.0489864996843\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.13232963105359\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.3098548881249\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.16662751301962\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.025650784758331\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.7849553829754\alpha_0^{c_s}\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.90616480008718\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.9998146675871\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$

Absolute order 7.

$$
\begin{aligned}
R_{0,7} = & -\frac{0.00061515419372413 r^{7}}{c_{s}^{7}} + \frac{0.125 \alpha_{5}^{s} r}{c_{s}} \\
& + \frac{0.03707739098979 \alpha_{1}^{s} r^{5}}{c_{s}^{5}} + \frac{2.3407142171543 \left(\alpha_{1}^{c_{s}}\right)^{3} r}{c_{s}} \\
& + \frac{2.5667836871093 \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}} + \frac{0.38879543976614 \alpha_{5}^{c_{s}} r}{c_{s}} \\
& + \frac{0.19788693882443 \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}} + \frac{0.19980707266399 \left(\alpha_{1}^{s}\right)^{3} r}{c_{s}} \\
& + \frac{0.059241081913115 \alpha_{1}^{c_{s}} r^{5}}{c_{s}^{5}} + \frac{0.091144689305009 \alpha_{3}^{s} r^{3}}{c_{s}^{3}} \\
& - \frac{0.016058051152622 \alpha_{0}^{s} r^{6}}{c_{s}^{6}} - \frac{0.27769091733145 \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}} \\
& - \frac{0.011049369381434 \left(\alpha_{0}^{s}\right)^{6} r}{c_{s}} - \frac{0.18310571021651 \left(\alpha_{2}^{s}\right)^{2} r}{c_{s}} \\
& - \frac{0.94736847967917 \left(\alpha_{0}^{s}\right)^{4} r^{3}}{c_{s}^{3}} - \frac{0.064533532306596 \alpha_{2}^{s} r^{4}}{c_{s}^{4}} \\
& - \frac{0.26530089857015 \left(\alpha_{0}^{c_{s}}\right)^{2} r^{5}}{c_{s}^{5}} \\
& - \frac{0.60450331655168 \left(\alpha_{0}^{s}\right)^{3} r^{4}}{c_{s}^{4}} \\
& - \frac{2.5811637725884 \left(\alpha_{0}^{c_{s}}\right)^{4} r^{3}}{c_{s}^{3}} - \frac{0.12033084603899 \alpha_{2}^{c_{s}} r^{4}}{c_{s}^{4}} \\
& - \frac{1.0143092264569 \left(\alpha_{0}^{c_{s}}\right)^{5} r^{2}}{c_{s}^{2}} \\
& - \frac{1.0633521719009 \left(\alpha_{1}^{c_{s}}\right)^{2} r^{3}}{c_{s}^{3}} \\
& - \frac{0.15064645355686 \left(\alpha_{0}^{s}\right)^{2} r^{5}}{c_{s}^{5}} \\
& - \frac{1.3700033889135 \left(\alpha_{0}^{c_{s}}\right)^{3} r^{4}}{c_{s}^{4}} - \frac{0.021416327590633 \alpha_{0}^{c_{s}} r^{6}}{c_{s}^{6}} \\
& - \frac{0.011357552715594 \left(\alpha_{0}^{c_{s}}\right)^{6} r}{c_{s}} \\
& - \frac{0.38746735293638 \left(\alpha_{0}^{s}\right)^{5} r^{2}}{c_{s}^{2}} - \frac{0.10911851595073 \alpha_{4}^{s} r^{2}}{c_{s}^{2}} \\
& - \frac{0.46539756860253 \left(\alpha_{1}^{s}\right)^{2} r^{3}}{c_{s}^{3}} \\
& + \frac{0.0625 \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}} \\
& + \frac{0.80783286717849 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{4}}{c_{s}^{4}} \\
& + \frac{0.010018205651062 \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}} \\
& + \frac{0.92286927268498 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{4}}{c_{s}^{4}} \\
& + \frac{1.9440126575957 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2}}{c_{s}^{2}} \\
& + \frac{0.55277396843725 \alpha_{0}^{s} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}
\end{aligned}
$$

$$+\frac{1.1340564400864\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{2.2882998446743\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.0023320025245854\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{4.085557218263\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{0.093222530607224\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.00099509160287031\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.015921465645925\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{5.0832038657942\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{2.0956100973709\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.00013020833333333\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.0010416666666667\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0020833333333333\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{4.6482593983773\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.036832340206432\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.037217907105313\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.2234132770562\left(\alpha_0^{c_s}\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{0.61514830647938\alpha_0^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.020902477635746\left(\alpha_0^s\right)^6 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.021579756545455\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.17617169912302\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{1.8262787303313\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.92157132537899\left(\alpha_0^{c_s}\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.97696202212274\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{8.3512782381267\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^2}{c_s^2}$$

$$+\frac{1.0490909893253\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.067029189589007\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0042179102271087\alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.13627026895882\left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.13760865534849\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.1112901936416\alpha_0^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.56835313693226\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.1470507314253\alpha_0^{c_s}\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{2.3093282152193\left(\alpha_0^s\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.30878621388554\left(\alpha_0^s\right)^2 \alpha_3^s r}{c_s}$$
$$+\frac{0.62770388126313\alpha_0^{c_s}\alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.31399132156735\left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$+\frac{0.079970261164864\left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.32743553129941\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0052083333333333\alpha_5^s r \log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.010416666666667\left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.010874016825713\left(\alpha_0^s\right)^6 r \log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.17522053618254\left(\alpha_0^{c_s}\right)^4 \alpha_1^{c_s} r}{c_s}$$
$$+\frac{1.4218383711188\alpha_0^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.00017361111111111\alpha_5^s r \log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.4423569751714\alpha_0^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{5.7757906705137\left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{5.7882034932154\left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$

$$+\frac{1.5032077495225\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.00038390308433206\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.42145582743858\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.428987465032\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.85840688998375\left(\alpha_0^{c_s}\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{3.4582830081386\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.87796108711258\left(\alpha_0^s\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.11049702061929\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{0.44777476863074\left(\alpha_0^s\right)^4\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.48875248820807\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{0.015625\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.125\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.1725161405075\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$-\frac{1.6316195715756\alpha_0^{c_s}\alpha_2^{c_s} r^3}{c_s^3}$$
$$-\frac{0.019268287073289\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.48499591892013\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$-\frac{0.746412484849\left(\alpha_0^s\right)^3\alpha_2^{c_s} r}{c_s}$$
$$-\frac{1.5812089463636\left(\alpha_0^s\right)^2\alpha_2^s r^2}{c_s^2}$$
$$-\frac{3.6531079078719\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$-\frac{0.0042836824657506\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{4.4655191308847\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2}{c_s^2}$$
$$-\frac{0.56258489487217\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$-\frac{0.0091031072391133\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$-\frac{0.14564971582581\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^2}{c_s^4}$$

$$
- \frac{2.7138496922622 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}
- \frac{0.37293859690816 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}
- \frac{0.011660012622927 \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)^2}{c_s^5}
- \frac{1.5449591478006 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r}{c_s}
- \frac{3.5119101964046 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4}{c_s^4}
- \frac{0.0017361111111111 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^6}{c_s}
- \frac{0.26161918605448 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{0.0010416666666667 \alpha_5^s r \log\left(c_s\right)^5}{c_s}
- \frac{0.038510267216554 \alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2}
- \frac{10.229424989613 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^3}{c_s^3}
- \frac{0.33131930046622 \alpha_1^s \alpha_3^s r}{c_s}
- \frac{0.010365383276966 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^4}{c_s^3}
- \frac{2.662257817471 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4}{c_s^4}
- \frac{0.17189671305273 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r}{c_s}
- \frac{11.469452958165 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2}{c_s^2}
- \frac{1.6586797430738 \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}
- \frac{0.8505629755966 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r}{c_s}
- \frac{0.0017219622831043 \alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{0.027551396529669 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{14.360846192046 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2}{c_s^2}
- \frac{0.97379986187793 \alpha_2^{c_s} \alpha_2^s r}{c_s} - \frac{0.24794812760585 \alpha_0^s \alpha_4^s r}{c_s}
- \frac{0.015994052232973 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}
- \frac{0.065362321729807 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}
- \frac{0.0040924822451591 \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}
$$

$$
- \frac{2.0996792408229 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{1.1119348729237 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{3}}{c_{s}^{3}} - \frac{0.56176802379859 \alpha_{0}^{c_{s}} \alpha_{4}^{s} r}{c_{s}}
$$

$$
- \frac{0.28144573547165 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r}{c_{s}}
$$

$$
- \frac{1.1743186271375 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r}{c_{s}}
$$

$$
- \frac{4.8007444114752 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{5.1702446365592 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{0.020833333333333 \alpha_{5}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}
$$

$$
- \frac{1.3842162383415 \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}} - \frac{0.7030684429864 \alpha_{0}^{s} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{0.00017361111111111 \left(\alpha_{0}^{s}\right)^{6} r \log\left(c_{s}\right)^{6}}{c_{s}}
$$

$$
- \frac{0.18068103657977 \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{3}}{c_{s}}
$$

$$
- \frac{1.4476494273414 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r}{c_{s}}
$$

$$
- \frac{0.046535428127837 \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}
$$

$$
- \frac{0.37391570963342 \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
$$

$$
- \frac{0.74847386567881 \alpha_{0}^{s} \alpha_{4}^{c_{s}} r}{c_{s}}
$$

$$
- \frac{0.18736152582256 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{0}^{s} r}{c_{s}}
$$

$$
- \frac{6.0814673556343 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{12.793078901177 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{0.81963122522346 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r}{c_{s}}
$$

$$
- \frac{0.83503731372241 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r}{c_{s}}
$$

$$
- \frac{0.41795922045706 \alpha_{0}^{c_{s}} \alpha_{0}^{s} r^{5}}{c_{s}^{5}}
$$

$$
- \frac{3.4202702326943 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{6.9086156682632 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{0.0034551277589885 \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}
$$

$$
- \frac{0.056503419012833 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{c_{s}} r}{c_{s}}
$$

$$
\begin{aligned}
&- \frac{3.7471241817118 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2} \\
&- \frac{0.94496875489879 \alpha_1^s \alpha_3^{c_s} r}{c_s} \\
&- \frac{3.8972700113507 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2} \\
&+ \frac{0.0078125 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&+ \frac{0.015625 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.046875 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{2.8124778681067 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s} \\
&+ \frac{10.600737061141 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3} \\
&+ \frac{4.9725756583496 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.39579904874886 \alpha_0^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.024142070510297 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.0025443404426 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{9.405056411597 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.617542792628 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{2.6439469066229 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.17317013837934 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{0.34966216656143 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{1.5070789015693 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r}{c_s} \\
&+ \frac{6.7133098967185 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.21641591416732 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{1.7420961970983 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r}{c_s} \\
&+ \frac{0.013885626084968 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{7.3007350994123 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^3}{c_s^3} \\
&+ \frac{0.46393123483107 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}
\end{aligned}
$$

$$+\frac{0.24501043721595\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.2060150887895\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.26533319667889\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.55534594081785\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.069803142191755\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{2.2565271622164\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.071382232292496\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.28552892916998\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.018129801310599\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{2.3955878750394\alpha_0^s\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{19.557553538885\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.076974672418247\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.62741937336644\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{2.5180824389992\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.31844200591559\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0050980428545699\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.020730766553931\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.022091430505653\left(\alpha_0^{c_s}\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.415680102496\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.4890629727382\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.097225806780925\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.1147078999265\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.10097897854183\alpha_0^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.10923728686936\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.45720111607364\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{3.7157456837503\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.060124998526252\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.060124998526252\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.97570715261837\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9535405777372\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.0718609106849\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.51848292093192\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.065179887853842\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.52447232554522\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.26409856083906\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0569874358737\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.53304443385823\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.017219622831043\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.034439245662086\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.13775698264835\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{4.4251045077376\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.27748910591119\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.008677292751635\left(\alpha_0^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.55977156642514\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2422429534989\alpha_0^{c_s}\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.57686043079225\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.29258603710058\alpha_0^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.30187308722879\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.30205493336239\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.4236399493169\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{20.1874457206\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.3206543676526\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.32344181903133\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.2194118580986\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.16316821179539\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.65984338269908\alpha_0^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{21.179468382787\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{0.041656878254905\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0026041666666667\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.020833333333333\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.33639849395069\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.3455939758027\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.3570572384255\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.7283028812082\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.085371844317382\alpha_0^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.35099450851797\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$

$$
\begin{aligned}
&+ \frac{0.71961475433166 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.36103361467261 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{5.8657860400158 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s} \\
&+ \frac{2.9488138359183 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.37078024485779 \alpha_0^s \alpha_4^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.18871894352527 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.75843981154214 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3} \\
&+ \frac{0.38489206166781 \alpha_0^s \alpha_4^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.77878205183275 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.78387416068464 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.049109786941909 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{0.00625 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.10068497778746 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{12.976514652483 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^2}{c_s^2} \\
&+ \frac{0.051581957757859 \alpha_0^{c_s} \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&+ \frac{0.84791917680706 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.43212277903406 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.10959515479242 \alpha_0^{c_s} \alpha_0^s r^5 \log\left(c_s\right)}{c_s^5} \\
&+ \frac{7.1270457112924 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.90387358971276 \alpha_0^s \alpha_1^s \alpha_2^s r}{c_s} \\
&+ \frac{0.90642820478266 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.11339355114611 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{1.8182909076782 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s} \\
&+ \frac{0.4662162220819 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^3}{c_s^2}
\end{aligned}
$$

$$+\frac{0.93999642860003\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9751581788625\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.98936913734599\left(\alpha_0^{c_s}\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.9904721534406\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.99990733379353\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.0078125\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.015625\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.44470132378692\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{3.8958239296461\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r}{c_s}$$
$$-\frac{1.0809203572215\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{2.431975594982\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$-\frac{0.35302369573087\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.5605533571684\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.45205340453786\alpha_0^s\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$-\frac{2.1334097679674\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$-\frac{0.53624688613452\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.3212114965764\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$-\frac{0.33508388618535\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.33508388618535\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.34634027675869\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{11.686557920991\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$-\frac{0.18815517363553\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{3.1685437444805\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$

$$- \frac{0.013885626084968 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0034722222222222 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.92786246966213 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.11699816950599 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.94403048688644 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.24558213773243 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.1013880354846 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{8.4181034747365 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.26533319667889 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0010416666666667 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.27205453755604 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.1098294432945 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.57506946025867 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0046068370119847 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{1.2266253802516 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.039597366146248 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.15838946458499 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.040784342836559 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.65525598242905 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.16593703099122 \alpha_0^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.3346312156438 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.022091430505653 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.35392002562399 \alpha_0^{c_s} \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.493433278921 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{0.011941099234444 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.097225806780925 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.026031878254905 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.23725541014387 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.25083526744911 \alpha_0^s \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{2.0150709918208 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.0403165720169 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{8.2835749595316 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^2}{c_s^2}$$

$$- \frac{1.0359304553424 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.1009310462368 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.068878491324173 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.27748910591119 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.008677292751635 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2377699655728 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.070727793059338 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2753194346264 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.313458471641 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.29167742034277 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.4190860894037 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.019365930507806 \alpha_0^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.019365930507806 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.33252866783392 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0013020833333333 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.0026041666666667 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$

$$- \frac{0.0026041666666667 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.010416666666667 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.16896718045038 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.69526980618747 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.7810792247499 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.69938459427672 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{2.8472525164605 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{0.089372252785343 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.71961475433166 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.8815407477502 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{5.8496185983588 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.18335213671987 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.18871894352527 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.094511397743496 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{1.5688895826086 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.39324787252528 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.19831361616427 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.5927075701116 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.10068497778746 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.20632783103144 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.10331773698626 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.83680003409838 \alpha_0^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$
- \frac{0.21055898610263 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}
- \frac{0.4387150497851 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{0.22099404123859 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}
- \frac{3.5635228556462 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}
- \frac{0.11339355114611 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{0.45457229316397 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{1.8632981771163 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}
- \frac{0.058277027760238 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}
- \frac{0.029400698264835 \alpha_{0}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}
- \frac{0.95532601774677 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}
- \frac{0.03058825712742 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}
+ \frac{0.023649612973557 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}
+ \frac{0.035474419460336 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}
+ \frac{0.27181536182636 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}
+ \frac{1.5580430231795 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
+ \frac{0.62719663526363 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
+ \frac{0.62719663526363 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}
+ \frac{1.3529310295244 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
+ \frac{6.2080216279544 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
+ \frac{3.1104449038344 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}
+ \frac{0.055542504339873 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}
+ \frac{4.0586432792128 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}
+ \frac{4.1716188371248 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
+ \frac{2.2142890475012 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}
$$

$$+\frac{0.14038074037085\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1645322290437\alpha_0^{c_s}\alpha_0^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.1798116019711\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.62678858346153\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{5.3160260957473\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4145715312565\alpha_0^s\alpha_1^s\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4572148290863\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{1.493433278921\alpha_0^{c_s}\alpha_0^s\alpha_1^sr^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.096829652539032\alpha_0^{c_s}\alpha_0^s\alpha_3^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.19365930507806\alpha_0^{c_s}\alpha_1^s\alpha_2^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.19365930507806\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.05206375650981\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.9375093693803\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.49065057441855\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.0052516585561\alpha_0^s\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.0462369419396\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2r\log\left(c_s\right)}{c_s}$$

$$+\frac{1.0498858380611\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.133323999351\alpha_0^{c_s}\alpha_1^s\alpha_2^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.3138083821357\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.28114043741982\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58335484068555\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.6507763649991\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.010416666666667\alpha_0^s\alpha_1^s\alpha_2^sr\log\left(c_s\right)^6}{c_s}$$
$$+\frac{5.3893457519471\alpha_0^{c_s}\alpha_0^s\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.79493823987988\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.40273991114986\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.5546387959878\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.012825392379166\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7002909092331\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.5885065578923\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.4662162220819\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.23758419687749\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.12235302850968\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{0.0625\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.011824806486779\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.023649612973557\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.023649612973557\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$-\frac{0.038477317737414\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{2.0773663663259\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.77814389608161\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.77902151158975\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.25325135554738\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{8.6875483514272\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$-\frac{2.1778796443127\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{2.642080228949\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{1.3986486662457\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.18037499557876\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.41006487778864\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.9635516448916\alpha_0^{c_s}\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$

$$- \frac{0.14038074037085 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{2.3150163835374 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{2.4156674981763 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.0414589359583 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.040784342836559 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{5.294580586997 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{10.632052191495 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{2.7966840308434 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.044109877017862 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.044109877017862 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{1.4572148290863 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.75845902390662 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.19365930507806 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.3889032271237 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.80333541177901 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{2.0183909637041 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.0498858380611 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.03470917100654 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{2.2680306396037 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.2904889576171 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.60410986672479 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.16316821179539 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{0.08331375650981 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{2.7586334431168 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.7688031217184 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$

$$
\begin{aligned}
&- \frac{2.9407834425827\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}\\
&- \frac{2.9902005036081\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}\\
&- \frac{3.2268656693028\alpha_0^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}\\
&- \frac{1.6408017979371\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}\\
&- \frac{0.012825392379166\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}\\
&- \frac{0.42829339375497\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}\\
&- \frac{13.740514000685\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}\\
&- \frac{1.7918323317175\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}\\
&- \frac{14.861662174013\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}\\
&- \frac{1.9702327908875\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}\\
&+ \frac{6.8510776627447\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}\\
&+ \frac{0.13232963105359\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}\\
&- \frac{1.8815899057909\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

Absolute order 8.

$$
\begin{aligned}
R_{0,8} = &\frac{0.00061140660566969r^8}{c_s^8} + \frac{0.125\alpha_6^s r}{c_s}\\
&+ \frac{2.2322232961121\left(\alpha_0^{c_s}\right)^3 r^5}{c_s^5}\\
&+ \frac{6.5136006339327\left(\alpha_0^{c_s}\right)^4 r^4}{c_s^4}\\
&+ \frac{1.2772051597239\left(\alpha_0^{c_s}\right)^6 r^2}{c_s^2} + \frac{0.12677013484287\alpha_2^{c_s} r^5}{c_s^5}\\
&+ \frac{0.39074942376728\alpha_6^{c_s} r}{c_s} + \frac{1.0447967616865\left(\alpha_0^s\right)^3 r^5}{c_s^5}\\
&+ \frac{2.2928865600198\left(\alpha_0^s\right)^5 r^3}{c_s^3} + \frac{0.018067720038389\alpha_0^s r^7}{c_s^7}\\
&+ \frac{2.4918512707835\left(\alpha_0^s\right)^4 r^4}{c_s^4}\\
&+ \frac{0.49267437033496\left(\alpha_0^s\right)^6 r^2}{c_s^2}\\
&+ \frac{1.0481157911506\left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2} + \frac{0.27564064831379\alpha_4^{c_s} r^3}{c_s^3}\\
&+ \frac{0.072314017264823\alpha_2^s r^5}{c_s^5} + \frac{0.33908203112739\left(\alpha_0^{c_s}\right)^2 r^6}{c_s^6}\\
&+ \frac{0.70247462467147\left(\alpha_1^s\right)^2 r^4}{c_s^4} + \frac{0.0056650541491964\left(\alpha_0^s\right)^7 r}{c_s}
\end{aligned}
$$

$$+\frac{0.0058573620994733\left(\alpha_0^{c_s}\right)^7 r}{c_s}+\frac{0.023538003261948\alpha_0^{c_s} r^7}{c_s^7}$$
$$+\frac{1.5384823286979\left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4}$$
$$+\frac{0.20146749405845\left(\alpha_0^s\right)^2 r^6}{c_s^6}$$
$$+\frac{6.7377862272052\left(\alpha_0^{c_s}\right)^5 r^3}{c_s^3}$$
$$+\frac{0.88925775895482\left(\alpha_2^s\right)^2 r^2}{c_s^2}+\frac{0.12067047718437\alpha_4^s r^3}{c_s^3}$$
$$-\frac{0.20311412630578\alpha_3^{c_s} r^4}{c_s^4}-\frac{1.6690815935664\left(\alpha_1^s\right)^3 r^2}{c_s^2}$$
$$-\frac{0.32829871256724\alpha_5^{c_s} r^2}{c_s^2}-\frac{3.6967714592569\left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2}$$
$$-\frac{0.12487397340982\alpha_5^s r^2}{c_s^2}-\frac{0.063716453308469\alpha_1^{c_s} r^6}{c_s^6}$$
$$-\frac{0.041647970158248\alpha_1^s r^6}{c_s^6}-\frac{0.10160512010316\alpha_3^s r^4}{c_s^4}$$
$$+\frac{0.0625\alpha_6^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.9789457792797\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.10513140495085\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r}{c_s}$$
$$+\frac{1.9178925733355\alpha_0^s\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.016058051152622\alpha_1^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.58304100923735\alpha_0^s\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{9.3501270983511\alpha_0^{c_s}\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.52018445238947\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.54046017861076\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{13.337362155861\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{4.3751075063473\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^5}{c_s^5}$$
$$+\frac{5.1789181331976\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{5.665589363247\alpha_0^s\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.012836755738851\alpha_5^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.8897730215079\alpha_0^s\alpha_4^{c_s} r^2}{c_s^2}$$

$$+\frac{8.0528637643823\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.015921465645925\left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{33.328269607161\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$+\frac{2.3145467258216\alpha_0^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.62608105518152\left(\alpha_0^s\right)^4\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.082872765464471\left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{21.744530465273\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{1.411773164777\alpha_0^{c_s}\alpha_4^s r^2}{c_s^2}$$
$$+\frac{5.649392815689\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^5}{c_s^5}$$
$$+\frac{0.77461528261071\alpha_0^s\alpha_4^s r^2}{c_s^2}$$
$$+\frac{0.00043402777777778\left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{8.1210209866197\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{0.064533532306596\alpha_3^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$+\frac{2.0701705693369\left(\alpha_1^s\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{67.217970241945\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3}{c_s^3}$$
$$+\frac{1.0549993620509\alpha_0^s\alpha_2^s r^4}{c_s^4}$$
$$+\frac{4.2294720827157\left(\alpha_0^s\right)^2\alpha_2^s r^3}{c_s^3}$$
$$+\frac{2.1377839646507\alpha_1^{c_s}\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{0.54055925892829\alpha_0^{c_s}\alpha_0^s r^6}{c_s^6}$$
$$+\frac{9.4898146235027\left(\alpha_0^{c_s}\right)^3\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{41.284701960244\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$+\frac{0.010451238817873\left(\alpha_0^s\right)^7 r \log\left(c_s\right)^2}{c_s}$$
$$+\frac{21.46921224069\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{2.8573142579793\alpha_1^{c_s}\alpha_3^s r^2}{c_s^2}$$

$$+\frac{0.0029852748086109\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.0030343690797044\alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{1.5736364839879\left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.012653730681326\left(\alpha_0^s\right)^2 r^6 \log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{1.6553209734162\left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r}{c_s}$$
$$+\frac{1.729391816817\left(\alpha_0^{c_s}\right)^4 \alpha_2^s r}{c_s}$$
$$+\frac{14.27051490521\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$+\frac{1.8953280476969\left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.9950146768246\alpha_0^{c_s}\alpha_5^{c_s} r}{c_s}$$
$$+\frac{15.948149561606\left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.0079970261164864\alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.032681160864904\alpha_4^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0010231205612898\alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{2.0996792408229\left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{8.4696127969398\left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.068804327674247\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{9.0822958672459\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.56835313693226\left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{36.410139179336\left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^3}{c_s^3}$$
$$+\frac{2.3175371357445\alpha_1^{c_s}\alpha_1^s r^4}{c_s^4}$$
$$+\frac{18.545354654261\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3}{c_s^3}$$

$$+\frac{18.814472890514\left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{9.6439787343813\left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.31878765728327\left(\alpha_0^s\right)^2 \alpha_4^s r}{c_s}$$

$$+\frac{0.64230625028991\left(\alpha_0^{c_s}\right)^3\alpha_3^{c_s}r}{c_s}$$
$$+\frac{1.2877576015477\left(\alpha_0^{c_s}\right)^2\alpha_4^s r}{c_s}$$
$$+\frac{0.657482051725\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r}{c_s}$$
$$+\frac{0.65768969098089\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.020663547397252\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.0052083333333333\alpha_6^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{10.672090649762\alpha_2^{c_s}\alpha_3^{c_s}r}{c_s}$$
$$+\frac{10.769002064985\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{0.68089585870391\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r}{c_s}$$
$$+\frac{0.0027185042064282\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.00034439245662086\alpha_5^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{5.6435552176573\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2}{c_s^2}$$
$$+\frac{11.298128525794\left(\alpha_0^{c_s}\right)^5\alpha_0^s r^2}{c_s^2}$$
$$+\frac{5.6882730962969\alpha_1^{c_s}\alpha_4^{c_s}r}{c_s}$$
$$+\frac{0.00017361111111111\alpha_6^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0017361111111111\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.00069444444444444\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{23.00198990186\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$+\frac{1.4441965956328\alpha_1^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.045838034179967\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.4705900357921\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{24.059643518974\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^4}{c_s^4}$$
$$+\frac{24.495298142232\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{1.5492771725266\alpha_0^{c_s}\alpha_2^s r^4}{c_s^4}$$

$$+\frac{0.19662393626264\left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.7921659467659\left(\alpha_1^s\right)^2 \alpha_2^s r}{c_s}$$
$$+\frac{0.19992565291216\left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{3.2374324765281\alpha_1^s \alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{1.6446035824634\left(\alpha_0^{c_s}\right)^2 \alpha_4^{c_s} r}{c_s}$$
$$+\frac{1.6668507743821\left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r}{c_s}$$
$$+\frac{53.40751093858\left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3}{c_s^3}$$
$$+\frac{0.41778342731558\left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.10628280446093\left(\alpha_0^{c_s}\right)^6 \alpha_0^s r}{c_s}$$
$$+\frac{1.7228280986346\alpha_0^{c_s} \alpha_4^{c_s} r^2}{c_s^2}$$
$$+\frac{0.10911851595073\alpha_5^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$+\frac{7.2381319432611\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{14.73031578932\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$+\frac{29.751643589358\left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$+\frac{3.7193431352355\alpha_2^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.93980928485466\left(\alpha_0^s\right)^2 \alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.23857889803321\left(\alpha_0^s\right)^4 \alpha_2^s r}{c_s}$$
$$+\frac{0.97750497641613\left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.9578984183527\left(\alpha_1^{c_s}\right)^2 \alpha_2^s r}{c_s}$$
$$+\frac{3.9928539899132\left(\alpha_0^s\right)^3 \alpha_2^s r^2}{c_s^2}$$
$$-\frac{0.125\alpha_6^s r \log\left(c_s\right)}{c_s}$$
$$-\frac{0.12560153325758\left(\alpha_0^{c_s}\right)^5 \alpha_1^{c_s} r}{c_s}$$
$$-\frac{0.019433354371545\left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$-\frac{0.0025045514127655\alpha_5^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{0.0064227623577628 \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{1.0081403143741 \alpha_{1}^{s} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.55277396843725 \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{2.5443012545134 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{11.008466854462 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.69091598524513 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r}{c_{s}}$$
$$- \frac{0.096348306915731 \left(\alpha_{0}^{s}\right)^{2} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$
$$- \frac{0.48499591892013 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{1.0739267790989 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{5}}{c_{s}^{5}}$$
$$- \frac{4.5604577017774 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.68518187210089 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.046611265303612 \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{3.0960484294442 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.0062192299661794 \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{5}}{c_{s}^{3}}$$
$$- \frac{0.00024877290071758 \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)^{4}}{c_{s}^{4}}$$
$$- \frac{1.0550875317977 \alpha_{2}^{c_{s}} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{0.036412428956453 \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.03707739098979 \alpha_{2}^{s} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{0.32103667242701 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.3219734533115 \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.011049369381434 \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{3.3581596830505 \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.00085673649315012 \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{1.8023531518461 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r}{c_{s}}$$

$$- \frac{16.343218965609 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.0010416666666667 \alpha_{6}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{4.4097637958518 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{8.843883674683 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.120684288304 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r}{c_{s}} - \frac{2.2434286218493 \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$

$$- \frac{2.2742026182736 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.018608953552656 \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{2.4180132662067 \left(\alpha_{0}^{s}\right)^{4} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{1.2173855417145 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{5}}{c_{s}^{5}}$$
$$- \frac{5.1536147331798 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{11.020507880643 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.75323226778428 \left(\alpha_{0}^{s}\right)^{3} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{0.76499980337558 \alpha_{0}^{s} \alpha_{5}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.19419962110108 \left(\alpha_{0}^{s}\right)^{4} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{25.454821862658 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.40024060130122 \alpha_{2}^{s} \alpha_{3}^{s} r}{c_{s}} - \frac{0.84312637632428 \alpha_{1}^{c_{s}} \alpha_{4}^{s} r}{c_{s}}$$
$$- \frac{0.0068878491324173 \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{3.5410957982993 \alpha_{0}^{s} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.0071932521818183 \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{7.5222290451591 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.97696202212274 \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.12510598545753 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.13326110846456 \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{1.0720917571744 \alpha_{0}^{s} \alpha_{3}^{s} r^{3}}{c_{s}^{3}}$$

$$- \frac{0.0021089551135544 \alpha_1^s r^6 \log\left(c_s\right)^2}{c_s^6}$$
$$- \frac{0.0043060793560689 \alpha_0^s r^7 \log\left(c_s\right)}{c_s^7}$$
$$- \frac{9.0143186490212 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4}{c_s^4}$$
$$- \frac{0.56461779705915 \alpha_0^{c_s} \alpha_5^s r}{c_s}$$
$$- \frac{9.2516757968649 \left(\alpha_0^s\right)^3 \alpha_1^s r^3}{c_s^3}$$
$$- \frac{19.495051770182 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{9.9830050494586 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{7.6780616866412 \cdot 10^{-5} \alpha_4^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.31693193066182 \left(\alpha_0^s\right)^3 \alpha_3^s r}{c_s}$$
$$- \frac{5.1314324134181 \left(\alpha_0^{c_s}\right)^2 \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{0.0013020833333333 \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.020833333333333 \alpha_6^s r \log\left(c_s\right)^3}{c_s} - \frac{0.34112392763691 \alpha_1^s \alpha_4^s r}{c_s}$$
$$- \frac{0.011020558611868 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{2.8421054390375 \left(\alpha_0^s\right)^5 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.1701388888889 \cdot 10^{-5} \alpha_5^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.091144689305009 \alpha_4^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.5078497707305 \alpha_0^{c_s} \alpha_1^{c_s} r^5}{c_s^5}$$
$$- \frac{0.19228681026408 \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.77125072805494 \alpha_0^s \alpha_1^s r^5}{c_s^5}$$
$$- \frac{0.77493470587277 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.00077733417486179 \alpha_2^s r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$- \frac{2.4801587301587 \cdot 10^{-5} \alpha_6^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{2.4801587301587 \cdot 10^{-5} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{13.313786678181 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2}{c_s^2}$$

$$
\begin{aligned}
&- \frac{6.659013522117 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2}{c_s^2} \\
&- \frac{26.746143612647 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3}{c_s^3} \\
&- \frac{1.7066149459326 \alpha_0^{c_s} \alpha_3^s r^3}{c_s^3} - \frac{1.7535198370235 \alpha_1^s \alpha_2^s r^3}{c_s^3} \\
&- \frac{0.87950349176495 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r}{c_s} \\
&- \frac{3.8216726518489 \alpha_0^s \left(\alpha_1^{c_s}\right)^3 r}{c_s} \\
&- \frac{3.8936213201434 \alpha_1^{c_s} \alpha_2^{c_s} r^3}{c_s^3} \\
&- \frac{1.9729813459225 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r}{c_s} \\
&- \frac{0.24899178727859 \alpha_0^s \alpha_5^s r}{c_s} \\
&- \frac{0.24927713975561 \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{0.0078125 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^6}{c_s^2} \\
&+ \frac{0.86808816982528 \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{3.6914770907399 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{3.9616291032182 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&+ \frac{4.024605823404 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4} \\
&+ \frac{0.11767456524362 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.0096193294343536 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{2.9456422127989 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.012071035255149 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0069218063196336 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.03183507899542 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{36.220547158865 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2}{c_s^2} \\
&+ \frac{4.5353601958092 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s} \\
&+ \frac{9.405056411597 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.29556502406601 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^3}{c_s}
\end{aligned}
$$

$$+\frac{0.59369857312328\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.1935510536047\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.4879524377664\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^sr}{c_s}$$
$$+\frac{0.19409589705296\alpha_1^s\alpha_2^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.10269404591081\alpha_0^s\alpha_5^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.6492055656695\left(\alpha_0^s\right)^3\alpha_1^sr^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.22602670226893\alpha_1^s\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.6818612242792\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^sr}{c_s}$$
$$+\frac{0.97739655975224\alpha_0^s\left(\alpha_2^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.062906314508424\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.062906314508424\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0039803664114812\alpha_0^s\alpha_2^sr^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{4.4655191308847\left(\alpha_0^{c_s}\right)^2\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.29129943165163\left(\alpha_0^s\right)^2\alpha_1^sr^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.29620540956557\alpha_0^s\alpha_1^{c_s}r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{20.266232829277\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{1.3249768624083\alpha_0^s\left(\alpha_1^s\right)^3r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.4688751980273\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^sr}{c_s}$$
$$+\frac{0.045093748894689\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.092731284383511\alpha_0^s\left(\alpha_1^s\right)^3r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.011660012622927\alpha_0^s\alpha_1^sr^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{12.256671654789\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.5449591478006\left(\alpha_0^{c_s}\right)^3\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.42085052182175\alpha_0^s\alpha_4^sr^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.10781393967711\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.5119101964046\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.00086805555555556\alpha_2^s\alpha_3^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.00086805555555556\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0034722222222222\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.45351356549616\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.23175660206249\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.0036458333333333\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.48667986206266\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.99673350120272\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0039416021622595\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.0096160053861\alpha_0^s\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{2.0830434247625\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.032759729863002\alpha_2^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{4.2060150887895\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{8.4181034747365\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.13266659833945\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.13266659833945\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.00026041666666667\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.00052083333333333\alpha_1^s\alpha_4^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.00052083333333333\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{8.5411066645479\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{0.27105975047327\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.55491472164724\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{0.14276446458499\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.57926742807207\alpha_1^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{9.2965187967546\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.018176396529669\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.3407142171543\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.0011517092529962\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.0023034185059924\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.59023194935719\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.2078337490882\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.61331269012581\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.019243668104562\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.038999389835331\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{19.995932677853\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$+\frac{2.5194474137699\alpha_0^s\alpha_1^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{2.5231332962161\alpha_0^{c_s}\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{0.0098993415365619\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{10.229424989613\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.020025698264835\alpha_1^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.5667836871093\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.32264656529863\alpha_2^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.6472902934985\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.020730766553931\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{22.594175588211\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.17696001281199\alpha_0^{c_s}\alpha_2^s r^4\log\left(c_s\right)^2}{c_s^4}$$

$$+\frac{2.8313602049919\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.090684845852014\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.7384988350241\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.4890629727382\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.0534752804283\alpha_0^s\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.38879543976614\alpha_0^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.79106066263665\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.20083385294475\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6338635801915\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{6.5559931951205\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.0032064431447845\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6586797430738\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{26.820215028221\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.42550579438292\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.1365868777723\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r}{c_s}$$
$$+\frac{0.89706265053516\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.23009448717312\alpha_1^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{7.4943431572973\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r}{c_s}$$
$$+\frac{30.431074536677\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.015031249631563\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.97379986187793\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.48785357630919\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.97650251090143\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{0.12237615884655\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.0038731861015613\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.12541763372455\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{32.208348162788\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{2.0616508872779\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.51796522767122\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.0718609106849\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{33.637545410269\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.13204928041953\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.066693799769758\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s} r}{c_s}$$
$$+\frac{2.1823706866746\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{34.965741472013\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.27398788698105\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.13812127577412\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.1387445529556\left(\alpha_0^{c_s}\right)^4\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.1387445529556\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.06946588361584\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.1119348729237\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.13916093655617\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.06964317594017\left(\alpha_0^{c_s}\right)^3\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.1188849827864\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.56176802379859\alpha_0^{c_s}\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58074659384733\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.018229166666667\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$

$$+\frac{0.018229166666667\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.5936608164733\alpha_0^s\alpha_3^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.30008526183669\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.037797850382036\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.037797850382036\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.077884491161114\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{10.069964845078\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{5.1702446365592\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.1719775950741\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.32512553341148\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.040792052948849\alpha_0^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{10.570264428301\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.020663547397252\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.082654189589007\left(\alpha_0^s\right)^4\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{10.65437345274\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.0006510416666666 7\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.0026041666666667\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.67279698790137\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.3570572384255\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.3798087943308\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3842162383415\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.69753072089924\alpha_2^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8053682241974\alpha_0^s\alpha_1^s\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.35099450851797\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{2.8115055593223\left(\alpha_0^s\right)^2\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{45.355576057915\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$+\frac{0.35536295590548\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.0027771252169937\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0027771252169937\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.00017361111111111\alpha_0^s\alpha_5^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{2.8815407477502\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8847139503429\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4703917212914\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.092080850516079\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.37294812760585\alpha_0^s\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.74847386567881\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.18736152582256\left(\alpha_0^{c_s}\right)^5\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.7532856237553\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{6.1007043296177\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.19244603083391\left(\alpha_0^s\right)^2\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0060763888888889\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.012152777777778\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.5597992898232\alpha_0^{c_s}\alpha_0^s\alpha_4^s r}{c_s}$$
$$+\frac{0.39193708034232\left(\alpha_0^s\right)^4\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.10066489326008\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.025171244446866\left(\alpha_0^{c_s}\right)^2\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.025171244446866\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.6134328346514\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.00039416021622595\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^6}{c_s}$$

$$+\frac{0.81963122522346\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{13.168144295785\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^{c_s}r}{c_s}$$
$$+\frac{0.10349440441658\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.41795922045706\alpha_0^{c_s}\alpha_1^s r^5\log\left(c_s\right)}{c_s^5}$$

$$+\frac{0.41840001704919\alpha_0^{c_s}\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.3598201494798\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{13.558614433971\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.10707334843874\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{6.9086156682632\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.4544536884359\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r}{c_s}$$
$$+\frac{0.87796108711258\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.5378124499775\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{56.60672804931\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.055312343663742\alpha_0^{c_s}\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.7817614278231\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.1270457112924\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.11169462872845\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.22368232321636\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.44777476863074\left(\alpha_0^s\right)^5\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.8128564095653\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{3.6485514615555\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.028636952261405\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{7.3967625233437\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.4308310870067\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$

$$
\begin{aligned}
&+ \frac{7.4588634875244\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.014569256940059\alpha_0^{c_s}\alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.23310811104095\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&+ \frac{0.46999821430002\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{3.7771236584988\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{0.94496875489879\alpha_2^s\alpha_3^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.24246791541163\left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{1.9399649686307\left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{3.9798497467454\alpha_1^{c_s}\alpha_1^s\alpha_2^s r}{c_s} \\
&- \frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r \log\left(c_s\right)^6}{c_s} \\
&- \frac{3.8193920664844\left(\alpha_0^s\right)^2 \alpha_1^{c_s}\alpha_2^s r}{c_s} \\
&- \frac{0.80783286717849\alpha_0^{c_s}\alpha_2^s r^4 \log\left(c_s\right)}{c_s^4} \\
&- \frac{0.92286927268498\alpha_1^{c_s}\alpha_1^s r^4 \log\left(c_s\right)}{c_s^4} \\
&- \frac{0.019840768091318\left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^5}{c_s} \\
&- \frac{0.19789952437443\alpha_1^s\alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{1.9440126575957\alpha_1^{c_s}\alpha_3^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{4.3156972416713\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s} \\
&- \frac{1.1340564400864\left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{11.127343127304\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{5.5683696861121\left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.012071035255149\left(\alpha_0^{c_s}\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.057723379459781\alpha_2^{c_s}\alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.23089351783912\left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{64.065020743147\left(\alpha_0^{c_s}\right)^2 \alpha_0^s\alpha_1^s r^3}{c_s^3}
\end{aligned}
$$

$$- \frac{0.063670157990839 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{8.4754524236404 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.5553818346629 \alpha_{0}^{s} \alpha_{4}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.14623834992837 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.15464374494369 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.61857497977476 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{1.2434567343278 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.746412484849 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.5921103286021 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.79895937505159 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.84087903413593 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{0.45205340453786 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{7.3062158157438 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{14.865711264611 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.49781109297367 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{4.1526487150246 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.0041327094794504 \alpha_{0}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{9.0324565912835 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{72.719455502682 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.59387710477992 \alpha_{2}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{38.37923670353 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{5.0832038657942 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{81.513972901141 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{20.693685518395 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$

$$- \frac{0.33508388618535 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{1.3433806612139 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{94.301911109664 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{1.6320262712977 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.83338533838084 \alpha_{0}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{13.437503538281 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{14.047640785618 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{0.00086805555555556 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0017361111111111 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{7.3007350994123 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{1.8540528164999 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.0036458333333333 \alpha_{1}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{6}}{c_{s}}$$

$$- \frac{0.0036458333333333 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r \log\left(c_{s}\right)^{6}}{c_{s}}$$
$$- \frac{30.68827496884 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.12398128438351 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.062718391211842 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{6} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{4.1013880354846 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{2.0956100973709 \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.13255830069524 \alpha_{0}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.00052083333333333 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.017193985919286 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.27510377470858 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} r^{4} \log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$- \frac{0.27767297040892 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.55673434149138 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)}{c_{s}}$$

$$- \frac{2.2322823825542 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r}{c_s}$$
$$- \frac{4.5601422075292 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r}{c_s}$$
$$- \frac{0.017845558073124 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.57143685695808 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.28753473012933 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0045324503276498 \alpha_0^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.29495290049278 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.3955878750394 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{76.926126068278 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{19.251833854769 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^4}{c_s^4}$$
$$- \frac{1.2234132770562 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.0012152777777778 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{1.2590412194996 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.079194732292496 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.010365383276966 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{10.649031269884 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{21.65039047208 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2}{c_s^2}$$
$$- \frac{5.4717461079464 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.17189671305273 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.71110799978368 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{22.938905916329 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.71717427860053 \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.74453148636911 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{5.9727923951562 \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$

$$- \frac{1.493433278921 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{1.5032948077047 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.094580586118676 \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.023882198468887 \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.048549905275271 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.024306451695231 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.024306451695231 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0032064431447845 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.8505629755966 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.4129791519396 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.055102793059338 \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.1121328313169 \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{28.721692384092 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.45761743459468 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{7.4667123928265 \alpha_0^s \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.058552820351165 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.015031249631563 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.48132338415597 \alpha_0^s \alpha_2^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{15.425216633651 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{7.7351327213995 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{15.736019414543 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.0038731861015613 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.50167053489821 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.25214846013092 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{2.0286184529139 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{16.402548432967 \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.1284979655438 \alpha_0^{c_s} \alpha_0^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$- \frac{66.097660687595 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3}{c_s^3}$$
$$- \frac{0.52170311632398 \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{8.3512782381267 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.001019608570914 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.016313737134624 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{2.0897961022853 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{33.522200863136 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^2}{c_s^2}$$
$$- \frac{0.52736490353322 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0551433129135 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{2.1569041910678 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.0869792999293 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.3975051736335 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.1375141025399 \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.27624255154824 \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{4.4251045077376 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1112901936416 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.06964317594017 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.55873023910368 \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2422429534989 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{18.244402066903 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{4.5894265868112 \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{4.6224668478379 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.018229166666667 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{6}}{c_{s}}$$
$$- \frac{1.1743186271375 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.29917159948162 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{2.4174074912201 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r}{c_{s}}$$
$$- \frac{0.15240037202455 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{4}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.30740642191755 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.038731861015613 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{20.1874457206 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.0543931131786 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{1.2672716913643 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{10.145047420981 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.079348723177287 \alpha_{1}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{10.340489273118 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{5.2698399464036 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}$$
$$- \frac{0.32992169134954 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.010331773698626 \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{1.3265044928507 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{0.0013020833333333 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{0.0026041666666667 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0026041666666667 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0052083333333333 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{5.4239147335877 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.67852861921274 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$

$$- \frac{1.3641514406041 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.021342961079345 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{5.4800135556538 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{1.3905396123749 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{1.3923400904454 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{44.70889856349 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{2.8373593208084 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.35980737716583 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.35980737716583 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{1.4423569751714 \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{1.4462786649585 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{1}^{c_{s}} r}{c_{s}}$$
$$- \frac{1.4476494273414 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{4} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.011357552715594 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{0}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.73022722375257 \alpha_{1}^{s} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{11.726122275354 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.091806633515928 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{5.9604476787096 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{0.74847386567881 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.18736152582256 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{2} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.5076452583131 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{3.0155270836414 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.37921990577107 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{1.5196244773627 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.19244603083391 \alpha_{1}^{s} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$

$$- \frac{0.0060763888888889 \alpha_2^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.0060763888888889 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.38939102591638 \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.097528679033527 \alpha_0^{c_s} \alpha_4^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{6.2864458776615 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r}{c_s}$$
$$- \frac{3.1900565157026 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.00039416021622595 \alpha_0^{c_s} \alpha_5^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.81090809766364 \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.40681487890871 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{3.2773193979939 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{52.518648942235 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{1.6488627011611 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r}{c_s}$$
$$- \frac{0.83503731372241 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.20892952782051 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.42395958840353 \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.1061473353052 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{6.8097692162555 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{6.8117518830757 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r}{c_s}$$
$$- \frac{6.8405404653886 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.85840688998375 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{13.817231336526 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{13.981296348936 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.05479757739621 \alpha_0^{c_s} \alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{0.0069102555179771 \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}$$

$$- \frac{0.001735458550327 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.001735458550327 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.7813431761745 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{0.11169462872845 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{7.1548283736385 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{0.22590163892217 \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.45321410239133 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.11389235582964 \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.2289717668242 \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{59.181410507486 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} r^2}{c_s^2}$$
$$- \frac{0.46527590564147 \alpha_1^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0073638101685509 \left(\alpha_0^{c_s}\right)^4 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0073638101685509 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.059396049219372 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.95532601774677 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.1199553917473 \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)^2}{c_s^5}$$
$$- \frac{7.7434913177653 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.030453077968791 \alpha_0^s \alpha_5^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.12223911302124 \alpha_2^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.015346808419346 \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.030693616838693 \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{3.9491936370452 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.030910428127837 \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.49468456867299 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&- \frac{0.2478901224289\alpha_0^s\alpha_5^s r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{2.8124778681067\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)}{c_s} \\
&+ \frac{0.0059124032433893\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^6}{c_s} \\
&+ \frac{1.0794221314975\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.017737209730168\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^6}{c_s} \\
&+ \frac{8.072198985642\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{31.802211183424\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3} \\
&+ \frac{2.1588965561317\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2} \\
&+ \frac{40.14660736514\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)}{c_s^3} \\
&+ \frac{2.5952086570972\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{12.706720849215\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{1.6317933374917\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.20906554508788\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s} \\
&+ \frac{4.6348253295864\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s} \\
&+ \frac{2.431975594982\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s} \\
&+ \frac{40.565460936453\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.39327053399037\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^4}{c_s} \\
&+ \frac{7.2432100396775\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.12662567777369\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s} \\
&+ \frac{8.6875483514272\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s} \\
&+ \frac{17.456259684435\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.30335007239191\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s} \\
&+ \frac{0.62719663526363\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s} \\
&+ \frac{1.2594487928547\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{5.1037796786769\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.1192372067023\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3212114965764\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.67016777237071\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.34634027675869\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{45.424248860346\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.686557920991\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.2948543557431\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.6365335683157\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7420961970983\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.027771252169937\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.92786246966213\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.95942841251933\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.007883204324519\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.0806328651232\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{8.7680527897616\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2142890475012\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.14276446458499\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.1575081917687\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{9.3157004186184\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{9.3235233141705\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.58277027760238\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{74.783250315694\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{39.115107077769\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{4.9137232004656\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.62741937336644\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.5207294679791\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.01019608570914\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.02039217141828\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.081568685673119\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.3983420154217\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.011027469254465\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.022091430505653\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.9345391734756\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{95.044414304326\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$+\frac{2.986866557842\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{0.37756866670299\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{12.25960275229\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{12.306128789928\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.1843382915908\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.012825772579138\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{6.8254424077307\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.4129791519396\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.7104311403909\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.87415541640357\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.89706265053516\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.6404886695367\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.6525574606627\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{0.92101723950463\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.92157132537899\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.058097791523419\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.060124998526252\alpha_0^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.12153225847616\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24306451695231\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24306451695231\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.24532528720928\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.12385918052651\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.25171244446866\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{4.0403165720169\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.2835749595316\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.25967383719658\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.0386953487863\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.52311847096981\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.52494291903055\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.52494291903055\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{8.5558471036559\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{8.5595611129882\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.364610479646\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{17.545106718189\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{1.1077212734706\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.008677292751635\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$

$$+\frac{0.01735458550327\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.01735458550327\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.14057021870991\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.5882029257011\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.018229166666667\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0023649612973557\alpha_0^{c_s}\alpha_0^s\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.62770388126313\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{10.159133968215\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{40.835769399736\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.5595328411769\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{20.723046092407\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r}{c_s}$$
$$+\frac{0.082654189589007\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{42.358936765573\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.041656878254905\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{2.6777744729419\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.03176066013\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.5621584494997\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.3489982275698\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17522053618254\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.8436767422377\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.8733805858721\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.551581341027\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.4685455213798\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{2.9443921994635\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4870315876684\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.046793580123617\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.046793580123617\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.18731187050219\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.74967781593037\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.5554497948405\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.5688895826086\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.6467909718562\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.20632783103144\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.41785905564102\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.85014545461657\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{13.64415862106\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.428987465032\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.4582830081386\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.054389403931798\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.4826936943614\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.87856082255399\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.7877649281786\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{7.1977127824434\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{3.6370553675471\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.23758419687749\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.95532601774677\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.9650762899644\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{3.9904721534406\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$-\frac{10.600737061141\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{3.1152933934206\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.0992854094649\alpha_0^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{0.019238658868707\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.20906554508788\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{1.1175818990371\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{2.431975594982\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$-\frac{4.8948587147269\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{2.5842363612536\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{2.9342428705831\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{13.147153665747\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{3.5314729100719\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{0.12662567777369\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{2.212061315214\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{4.5039447782455\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$-\frac{4.7643944180593\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{0.30125077941713\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{4.9781354755247\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{1.3212114965764\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.090187497789378\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{6.4104185597239\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{1.7420961970983 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.013885626084968 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.027771252169937 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.027771252169937 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{1.8540528164999 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{3.9517006756456 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{2.0395631236561 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{2.0688469253679 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{4.1950260462651 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.0042751307930552 \alpha_{0}^{c_{s}} \alpha_{2}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.0042751307930552 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{1.1071445237506 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{9.1152357877447 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{4.6383515909834 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.29075431454321 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.1456925694006 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.29138513880119 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{1.1655405552048 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.62741937336644 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.0414589359583 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.079194732292496 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.63560874666123 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.040784342836559 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{5.2629426612614 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r \log\left(c_{s}\right)}{c_{s}}$$

$$- \frac{10.552407823246 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.6637481239649 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{2.6580130478737 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{10.632052191495 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{10.636539718184 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.011027469254465 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.72860741454317 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.72860741454317 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.9339524502189 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.023239116609368 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{5.9700636555381 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.1077913660273 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{3.1147078999265 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.39799979501834 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{13.152673408459 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.41623365886679 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.026031878254905 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{3.3693877369173 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.4255388313724 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8527653179501 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.058097791523419 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.24306451695231 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{7.8050440694112 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{0.24475231769309 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.24532528720928 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.12585622223433 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.25171244446866 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.25171244446866 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{16.567149919063 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{8.3364134707847 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.52311847096981 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{33.747569327667 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.033082407763396 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.1235201537439 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.53871509262535 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{1.0880000223376 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{8.7845203661073 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.01735458550327 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.27857270376068 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.14057021870991 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{4.5201556464504 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.1340153198018 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.56865157508509 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.036458333333333 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{2.3836449901151 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.6014888229504 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.4190860894037 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.4236399493169 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.077463722031226 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$

$$- \frac{10.069964845078 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.536998274363 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.200486132044 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{21.179468382787 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.6551127162402 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0026041666666667 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{0.0052083333333333 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{10.690568566939 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.3382919119021 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.6911879516055 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{2.7008909291239 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{22.152544178264 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.17429337457026 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.35099450851797 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{5.6784078415816 \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.36459677542847 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.4808695655722 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.18871894352527 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.0761583874399 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{24.675751849201 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.096429887853842 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.5688895826086 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{12.661655337875 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{0.85014545461657 \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$
\begin{aligned}
&- \frac{0.42829339375497 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{3.5212603055266 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{0.4467785149138 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.056503419012833 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&- \frac{28.969246791409 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.11339355114611 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.9078394710372 \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{29.118483982369 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{7.4942483634235 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{3.7493218550682 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.47886225553326 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{30.780985144605 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{15.40073436802 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.061176514254839 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&+ \frac{0.83626218035151 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{6.8275847907779 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{2.1858222436295 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{11.802256251354 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.23239116609368 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{4.0894859130731 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{0.066164815526793 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{5.8657860400158 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s} \\
&+ \frac{12.272143984934 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.012825392379166 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{7.2618121281244 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$+\frac{15.948078287242\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^2}{c_s^2}$$
$$-\frac{0.023649612973557\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^6}{c_s}$$
$$-\frac{1.5580430231795\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)^3}{c_s^2}$$
$$-\frac{1.2543932705273\alpha_0^{c_s}(\alpha_0^s)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{62.488222919751\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log(c_s)}{c_s^2}$$
$$-\frac{17.124981955747\alpha_0^{c_s}(\alpha_0^s)^2\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$-\frac{0.14038074037085(\alpha_0^{c_s})^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)^3}{c_s}$$
$$-\frac{0.044109877017862\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^4}{c_s}$$
$$-\frac{12.021260878898(\alpha_0^{c_s})^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log(c_s)}{c_s}$$
$$-\frac{1.5748287570916\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log(c_s)^2}{c_s}$$

$$-\frac{9.0376861206214\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^2}{c_s}$$
$$-\frac{4.5830470231411\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log(c_s)^2}{c_s}$$
$$-\frac{1.1882087738702\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r\log(c_s)^4}{c_s}$$

Absolute order 9.

$$R_{0,9} = -\frac{0.00067979148522108r^9}{c_s^9} + \frac{0.125\alpha_7^s r}{c_s}$$
$$+\frac{0.39172261663557\alpha_7^{c_s} r}{c_s} + \frac{0.15399972972187\alpha_5^s r^3}{c_s^3}$$
$$+\frac{0.36524992785758\alpha_5^{c_s} r^3}{c_s^3} + \frac{0.12674519918252\alpha_3^s r^5}{c_s^5}$$
$$+\frac{5.3328589877459(\alpha_1^s)^3 r^3}{c_s^3} + \frac{11.959199609924(\alpha_3^{c_s})^2 r}{c_s}$$
$$+\frac{17.198044588842(\alpha_1^{c_s})^4 r}{c_s} + \frac{0.076587389590972\alpha_1^{c_s} r^7}{c_s^7}$$
$$+\frac{13.088050962388(\alpha_1^{c_s})^3 r^3}{c_s^3} + \frac{0.05193101122816\alpha_1^s r^7}{c_s^7}$$
$$+\frac{0.23742163092171\alpha_3^{c_s} r^5}{c_s^5} - \frac{1.1034620600931(\alpha_1^s)^2 r^5}{c_s^5}$$
$$-\frac{0.31551784588185\alpha_4^{c_s} r^4}{c_s^4} - \frac{5.1656039214629(\alpha_0^s)^6 r^3}{c_s^3}$$
$$-\frac{0.59769209244815(\alpha_0^s)^7 r^2}{c_s^2}$$
$$-\frac{9.1515366407907(\alpha_0^s)^5 r^4}{c_s^4} - \frac{0.0028823876129135(\alpha_0^s)^8 r}{c_s}$$

$$
\begin{aligned}
&- \frac{0.0029271768694335 \left(\alpha_{0}^{c_{s}}\right)^{8} r}{c_{s}} \\
&- \frac{6.022830347347 \left(\alpha_{0}^{s}\right)^{4} r^{5}}{c_{s}^{5}} \\
&- \frac{1.5376776370762 \left(\alpha_{0}^{c_{s}}\right)^{7} r^{2}}{c_{s}^{2}} \\
&- \frac{0.22552797141376 \left(\alpha_{3}^{s}\right)^{2} r}{c_{s}} \\
&- \frac{14.864759141159 \left(\alpha_{0}^{c_{s}}\right)^{4} r^{5}}{c_{s}^{5}} \\
&- \frac{1.8658446508736 \left(\alpha_{2}^{s}\right)^{2} r^{3}}{c_{s}^{3}} - \frac{0.14056268210042 \alpha_{6}^{s} r^{2}}{c_{s}^{2}} \\
&- \frac{2.2908191571117 \left(\alpha_{1}^{c_{s}}\right)^{2} r^{5}}{c_{s}^{5}} \\
&- \frac{0.29119803222885 \left(\alpha_{0}^{s}\right)^{2} r^{7}}{c_{s}^{7}} - \frac{0.14993494660461 \alpha_{4}^{s} r^{4}}{c_{s}^{4}} \\
&- \frac{0.15047030834005 \alpha_{2}^{c_{s}} r^{6}}{c_{s}^{6}} - \frac{0.35326972102853 \left(\alpha_{1}^{s}\right)^{4} r}{c_{s}} \\
&- \frac{0.022487708200294 \alpha_{0}^{s} r^{8}}{c_{s}^{8}} - \frac{0.090280696772971 \alpha_{2}^{s} r^{6}}{c_{s}^{6}} \\
&- \frac{0.37828064003422 \alpha_{6}^{c_{s}} r^{2}}{c_{s}^{2}} - \frac{26.369766979363 \left(\alpha_{0}^{c_{s}}\right)^{5} r^{4}}{c_{s}^{4}} \\
&- \frac{0.028701374082794 \alpha_{0}^{c_{s}} r^{8}}{c_{s}^{8}} - \frac{1.8580942401998 \left(\alpha_{0}^{s}\right)^{3} r^{6}}{c_{s}^{6}} \\
&- \frac{3.736308701775 \left(\alpha_{2}^{c_{s}}\right)^{2} r^{3}}{c_{s}^{3}} \\
&- \frac{3.7564955427091 \left(\alpha_{0}^{c_{s}}\right)^{3} r^{6}}{c_{s}^{6}} \\
&- \frac{0.47087589739588 \left(\alpha_{0}^{c_{s}}\right)^{2} r^{7}}{c_{s}^{7}} \\
&- \frac{15.843363336933 \left(\alpha_{0}^{c_{s}}\right)^{6} r^{3}}{c_{s}^{3}} \\
&+ \frac{0.0625 \alpha_{7}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}} \\
&+ \frac{1.3235427299408 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{3}^{c_{s}} r}{c_{s}} \\
&+ \frac{27.329769485133 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r^{2}}{c_{s}^{2}} \\
&+ \frac{0.94032447634791 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{s} r}{c_{s}} \\
&+ \frac{0.28738929193498 \left(\alpha_{0}^{s}\right)^{4} \alpha_{3}^{s} r}{c_{s}} \\
&+ \frac{0.69091598524513 \left(\alpha_{1}^{s}\right)^{4} r \log\left(c_{s}\right)}{c_{s}} \\
&+ \frac{14.393923056817 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}} \\
&+ \frac{31.35858508483 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}
\end{aligned}
$$

$$+\frac{1.1513064330562\alpha_0^s\alpha_1^s r^6}{c_s^6}+\frac{5.3290292742166\alpha_1^s\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{0.0062029845175521\alpha_4^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.21021975853398\left(\alpha_1^s\right)^3 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.506855143758\alpha_0^s\alpha_3^{c_s} r^4}{c_s^4}$$
$$+\frac{0.0034837462726244\left(\alpha_0^s\right)^8 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.061481284383511\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{4.0029879951752\alpha_1^{c_s}\alpha_4^s r^2}{c_s^2}+\frac{2.0315095151901\alpha_1^s\alpha_4^s r^2}{c_s^2}$$
$$+\frac{0.018538695494895\alpha_3^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{2.3798357635976\alpha_0^s\alpha_5^{c_s} r^2}{c_s^2}$$
$$+\frac{4.9091807594288\alpha_1^{c_s}\alpha_2^s r^4}{c_s^4}$$
$$+\frac{2.663225155718\left(\alpha_0^{c_s}\right)^4\alpha_3^s r}{c_s}$$
$$+\frac{2.6981268137144\left(\alpha_0^{c_s}\right)^2\alpha_5^{c_s} r}{c_s}$$
$$+\frac{2.8359554916209\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r}{c_s}$$
$$+\frac{5.7151179175127\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{6.1168957346386\alpha_2^{c_s}\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.21719013294771\left(\alpha_0^s\right)^6\alpha_1^{c_s} r}{c_s}$$
$$+\frac{27.903480609325\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$+\frac{0.00086805555555556\left(\alpha_3^s\right)^2 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.9197185210257\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.48548331752814\left(\alpha_0^{c_s}\right)^6\alpha_1^s r}{c_s}$$
$$+\frac{0.12487397340982\alpha_6^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.12647404026872\left(\alpha_0^s\right)^2 r^7\log\left(c_s\right)}{c_s^7}$$
$$+\frac{8.3611071301431\alpha_1^{c_s}\alpha_5^{c_s} r}{c_s}$$
$$+\frac{8.8890288013416\left(\alpha_0^s\right)^2\alpha_1^s r^5}{c_s^5}$$

$$+\frac{38.058723435239\alpha_0^s\left(\alpha_1^{c_s}\right)^3 r^2}{c_s^2}$$
$$+\frac{1.2088049643507\left(\alpha_0^s\right)^3 r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{9.9674050831342\left(\alpha_0^s\right)^5 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{20.344585658919\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$+\frac{0.32423377823879\left(\alpha_0^s\right)^2\alpha_5^s r}{c_s}$$
$$+\frac{2.6744355397659\alpha_0^{c_s}\alpha_3^s r^4}{c_s^4}$$
$$+\frac{1.3580009956067\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^3 r}{c_s}$$
$$+\frac{90.796589914076\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{0.022836651387125\left(\alpha_0^{c_s}\right)^5\alpha_2^{c_s} r}{c_s}$$
$$+\frac{2.9863961975781\left(\alpha_1^s\right)^3 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.5736364839879\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.049723659278683\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.40024060130122\left(\alpha_3^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.025307461362652\left(\alpha_0^s\right)^3 r^6\log\left(c_s\right)^3}{c_s^6}$$
$$+\frac{0.41448557810927\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.8786596800595\left(\alpha_0^s\right)^6 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{13.838016035208\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^5}{c_s^5}$$
$$+\frac{1.7378109359574\alpha_0^s\alpha_1^{c_s} r^6}{c_s^6}$$
$$+\frac{0.027521731069699\left(\alpha_0^s\right)^7 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{7.0881075196067\left(\alpha_0^s\right)^2\alpha_3^s r^3}{c_s^3}$$
$$+\frac{14.37917508377\alpha_0^s\left(\alpha_1^s\right)^3 r^2}{c_s^2}$$
$$+\frac{0.0017983130454546\alpha_5^s r^3\log\left(c_s\right)^4}{c_s^3}$$

$$+\frac{0.24340907458419\left(\alpha_2^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{7.809219287991\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r}{c_s}$$

$$+ \frac{0.97898982349742 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{c_{s}} r}{c_{s}}$$
$$+ \frac{0.98534874066993 \left(\alpha_{0}^{s}\right)^{7} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$+ \frac{2.0131726536736 \alpha_{0}^{c_{s}} \alpha_{5}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$+ \frac{16.169391584119 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{5}}{c_{s}^{5}}$$
$$+ \frac{0.0005009102825531 \alpha_{6}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$+ \frac{16.465782734712 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{s} r^{3}}{c_{s}^{3}}$$
$$+ \frac{4.1210543838437 \alpha_{0}^{c_{s}} \alpha_{3}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$+ \frac{2.1269234354911 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$+ \frac{2.1341183343971 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} r^{6}}{c_{s}^{6}}$$
$$+ \frac{69.799780305263 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$+ \frac{2.1959938121665 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$+ \frac{0.0021530396780345 \alpha_{1}^{s} r^{7} \log\left(c_{s}\right)^{2}}{c_{s}^{7}}$$
$$+ \frac{0.00054370084128564 \left(\alpha_{0}^{s}\right)^{8} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$+ \frac{2.236850348388 \alpha_{1}^{c_{s}} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$+ \frac{17.940710838566 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{3}^{c_{s}} r^{3}}{c_{s}^{3}}$$
$$+ \frac{1.1235220243581 \alpha_{1}^{s} \left(\alpha_{2}^{s}\right)^{2} r}{c_{s}}$$
$$+ \frac{72.648009239625 \alpha_{1}^{c_{s}} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$+ \frac{18.679513533788 \alpha_{2}^{c_{s}} \alpha_{4}^{c_{s}} r}{c_{s}}$$
$$+ \frac{74.987674974158 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} r^{4}}{c_{s}^{4}}$$
$$+ \frac{18.765820748036 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$+ \frac{4.6970256932001 \alpha_{1}^{s} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$+ \frac{38.087854448465 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$+ \frac{38.313011746939 \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$+ \frac{0.0048912528453575 \alpha_{0}^{s} r^{8} \log\left(c_{s}\right)}{c_{s}^{8}}$$

$$+\frac{20.226142400264\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^3 r}{c_s}$$
$$+\frac{20.252204177612\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}r^5}{c_s^5}$$
$$+\frac{0.039985130582432\left(\alpha_1^{s}\right)^2 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{2.559722766307\left(\alpha_1^{s}\right)^2\alpha_3^{c_s}r}{c_s}$$
$$+\frac{1.3033399685548\left(\alpha_0^{s}\right)^5 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{5.2239838084324\left(\alpha_0^{s}\right)^4 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{1.324281661898\left(\alpha_0^{c_s}\right)^2\alpha_5^{s}r}{c_s}$$
$$+\frac{2.6549305755575\left(\alpha_1^{c_s}\right)^2\alpha_3^{s}r}{c_s}$$
$$+\frac{0.083267401273826\left(\alpha_0^{c_s}\right)^6\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.041647970158248\alpha_2^{s}r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.33320942152027\left(\alpha_0^{s}\right)^4 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{0.0026041666666667\left(\alpha_1^{s}\right)^4 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0052083333333333\alpha_7^{s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.083791662410159\left(\alpha_0^{s}\right)^6\alpha_1^{s}r}{c_s}$$
$$+\frac{1.3740705896433\alpha_0^{c_s}\alpha_6^{c_s}r}{c_s}$$
$$+\frac{45.453416299831\left(\alpha_0^{s}\right)^3\alpha_1^{c_s}r^4}{c_s^4}$$
$$+\frac{0.00017361111111111\alpha_7^{s}r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0007029850378514 5\alpha_2^{s}r^6\log\left(c_s\right)^3}{c_s^6}$$
$$+\frac{0.0056650541491964\left(\alpha_0^{s}\right)^8 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.045572344652505\alpha_5^{s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{2.9810534324424\alpha_2^{s}\alpha_3^{s}r^2}{c_s^2}+\frac{3.0067163501683\alpha_1^{s}\alpha_2^{s}r^4}{c_s^4}$$
$$+\frac{0.37890209128818\left(\alpha_0^{s}\right)^7 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.5249366656779\alpha_2^{c_s}\alpha_3^{c_s}r^2}{c_s^2}$$
$$+\frac{0.77125072805494\left(\alpha_1^{s}\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$

$$+\frac{1.5454174341537\alpha_0^{c_s}\alpha_1^s r^6}{c_s^6}$$
$$+\frac{0.78224668618749\left(\alpha_0^s\right)^4\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.024447822604248\left(\alpha_3^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0061387233677386\left(\alpha_2^s\right)^2 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{6.3189657771659\left(\alpha_0^s\right)^3\alpha_3^s r^2}{c_s^2}$$
$$+\frac{0.19795903492664\left(\alpha_3^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.00019433354371545\alpha_3^s r^5\log\left(c_s\right)^4}{c_s^5}$$
$$+\frac{50.984742087559\left(\alpha_1^{c_s}\right)^2\alpha_3^{c_s} r}{c_s}$$
$$+\frac{6.4379337768773\alpha_2^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{3.1001984126984\cdot 10^{-6}\alpha_6^s r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{3.1001984126984\cdot 10^{-6}\alpha_7^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{2.4801587301587\cdot 10^{-5}\left(\alpha_0^s\right)^8 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0001984126984127\left(\alpha_0^s\right)^7 r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.10160512010316\alpha_4^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{4.9754580143515\cdot 10^{-5}\alpha_4^s r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{0.01273717251674\left(\alpha_0^s\right)^5 r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{6.631239852347\alpha_1^{c_s}\alpha_2^{c_s} r^4}{c_s^4}$$
$$+\frac{1.2796769477735\cdot 10^{-5}\alpha_5^s r^3\log\left(c_s\right)^6}{c_s^3}$$
$$+\frac{27.174304237195\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2}{c_s^2}$$
$$+\frac{54.7350991188\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{109.96065348633\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^3}{c_s^3}$$
$$+\frac{13.904964848108\left(\alpha_0^s\right)^3\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{1.7406224074273\alpha_0^{c_s}\alpha_5^s r^2}{c_s^2}$$
$$+\frac{27.939182160661\left(\alpha_0^s\right)^3\alpha_1^s r^4}{c_s^4}$$

$$+\frac{1.7535198370235\left(\alpha_{2}^{s}\right)^{2}r^{3}\log\left(c_{s}\right)}{c_{s}^{3}}$$
$$+\frac{0.0017275638794943\left(\alpha_{1}^{s}\right)^{3}r^{3}\log\left(c_{s}\right)^{6}}{c_{s}^{3}}$$
$$+\frac{14.327628282221\left(\alpha_{0}^{s}\right)^{2}\alpha_{3}^{c_{s}}r^{3}}{c_{s}^{3}}$$
$$+\frac{1.8157559500752\alpha_{0}^{s}\alpha_{3}^{s}r^{4}}{c_{s}^{4}}$$
$$+\frac{15.006643575139\left(\alpha_{0}^{s}\right)^{5}\alpha_{1}^{c_{s}}r^{2}}{c_{s}^{2}}$$
$$+\frac{7.5073396363218\left(\alpha_{0}^{s}\right)^{5}\alpha_{1}^{s}r^{2}}{c_{s}^{2}}$$

$$+\frac{0.94824529675969\alpha_{0}^{s}\alpha_{5}^{s}r^{2}}{c_{s}^{2}}$$
$$+\frac{0.015537088434537\alpha_{6}^{s}r^{2}\log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$+\frac{31.848584038098\alpha_{0}^{c_{s}}\left(\alpha_{1}^{c_{s}}\right)^{3}r^{2}}{c_{s}^{2}}$$
$$-\frac{0.125\alpha_{7}^{s}r\log\left(c_{s}\right)}{c_{s}}$$
$$-\frac{35.612643022538\left(\alpha_{0}^{s}\right)^{3}\alpha_{2}^{c_{s}}r^{3}}{c_{s}^{3}}$$
$$-\frac{0.0016056905894407\left(\alpha_{0}^{s}\right)^{8}r\log\left(c_{s}\right)^{4}}{c_{s}}$$
$$-\frac{0.98188073759962\left(\alpha_{1}^{s}\right)^{3}r^{3}\log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$-\frac{0.0080290255763109\alpha_{2}^{s}r^{6}\log\left(c_{s}\right)^{2}}{c_{s}^{6}}$$
$$-\frac{18.997484959328\left(\alpha_{0}^{s}\right)^{3}\alpha_{2}^{s}r^{3}}{c_{s}^{3}}$$
$$-\frac{0.65298621087149\left(\alpha_{0}^{s}\right)^{4}\left(\alpha_{1}^{s}\right)^{2}r}{c_{s}}$$
$$-\frac{320.47172846553\left(\alpha_{0}^{c_{s}}\right)^{3}\left(\alpha_{0}^{s}\right)^{3}r^{3}}{c_{s}^{3}}$$
$$-\frac{0.024291692964431\left(\alpha_{0}^{s}\right)^{4}r^{5}\log\left(c_{s}\right)^{4}}{c_{s}^{5}}$$
$$-\frac{7.6077033593882\alpha_{0}^{s}\left(\alpha_{2}^{s}\right)^{2}r^{2}}{c_{s}^{2}}$$
$$-\frac{0.97714566039942\left(\alpha_{0}^{s}\right)^{3}\alpha_{4}^{c_{s}}r}{c_{s}}$$
$$-\frac{1.0810308194476\left(\alpha_{0}^{s}\right)^{2}\left(\alpha_{2}^{s}\right)^{2}r}{c_{s}}$$
$$-\frac{0.00014278941552502\left(\alpha_{0}^{s}\right)^{8}r\log\left(c_{s}\right)^{6}}{c_{s}}$$
$$-\frac{2.46457210499\alpha_{0}^{c_{s}}\alpha_{4}^{s}r^{3}}{c_{s}^{3}}$$
$$-\frac{0.0054599549771671\left(\alpha_{3}^{s}\right)^{2}r\log\left(c_{s}\right)^{6}}{c_{s}}$$

$$
- \frac{5.665589363247 \left(\alpha_{1}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}
$$

$$
- \frac{0.04852397426324 \left(\alpha_{2}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}
$$

$$
- \frac{0.0031096149830897 \left(\alpha_{0}^{s}\right)^{6} r^{3} \log\left(c_{s}\right)^{6}}{c_{s}^{3}}
$$

$$
- \frac{51.413482212617 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{0.0032091889347129 \alpha_{6}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}
$$

$$
- \frac{0.47655543246638 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{6} r}{c_{s}}
$$

$$
- \frac{1.0480138313103 \alpha_{1}^{s} \alpha_{5}^{c_{s}} r}{c_{s}}
$$

$$
- \frac{17.044948504633 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{4}}{c_{s}^{4}}
$$

$$
- \frac{4.2631581585563 \left(\alpha_{0}^{s}\right)^{6} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}
$$

$$
- \frac{275.29180629478 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{2} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{0.28904492074719 \left(\alpha_{0}^{s}\right)^{3} r^{6} \log\left(c_{s}\right)^{2}}{c_{s}^{6}}
$$

$$
- \frac{10.265184585622 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{0.66248843120416 \left(\alpha_{1}^{s}\right)^{4} r \log\left(c_{s}\right)^{2}}{c_{s}}
$$

$$
- \frac{43.798821778495 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}
$$

$$
- \frac{0.005524684690717 \left(\alpha_{0}^{s}\right)^{8} r \log\left(c_{s}\right)^{2}}{c_{s}}
$$

$$
- \frac{0.3637469391901 \left(\alpha_{0}^{s}\right)^{6} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}
$$

$$
- \frac{0.0029150031557317 \left(\alpha_{1}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)^{4}}{c_{s}^{5}}
$$

$$
- \frac{50.277351496208 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{3}}{c_{s}^{3}}
$$

$$
- \frac{12.924130851693 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{4}}{c_{s}^{4}}
$$

$$
- \frac{1.6519281049811 \alpha_{0}^{s} \alpha_{2}^{s} r^{5}}{c_{s}^{5}}
$$

$$
- \frac{0.00010850694444444 \left(\alpha_{3}^{s}\right)^{2} r \log\left(c_{s}\right)^{8}}{c_{s}}
$$

$$
- \frac{7.5133967878834 \left(\alpha_{1}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}}
$$

$$
- \frac{0.015071277746241 \left(\alpha_{0}^{s}\right)^{2} r^{7} \log\left(c_{s}\right)^{2}}{c_{s}^{7}}
$$

$$
- \frac{0.24333993103133 \left(\alpha_{1}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}
$$

$$
- \frac{0.24950145680333\alpha_0^s\alpha_6^s r}{c_s}
- \frac{64.818764610454\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}
- \frac{0.032266766153298\alpha_4^s r^4\log\left(c_s\right)^2}{c_s^4}
- \frac{16.690114003015\left(\alpha_0^{c_s}\right)^6\alpha_0^s r^2}{c_s^2}
- \frac{33.684904008055\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^5}{c_s^5}
- \frac{0.0010416666666667\alpha_7^s r\log\left(c_s\right)^5}{c_s}
- \frac{1.1074011964859\alpha_2^{c_s}\alpha_4^s r}{c_s}
- \frac{2.2745346493779\left(\alpha_0^{c_s}\right)^3\alpha_4^s r}{c_s}
- \frac{0.018067720038389\alpha_1^s r^7\log\left(c_s\right)}{c_s^7}
- \frac{4.8360265324134\left(\alpha_0^s\right)^5 r^4\log\left(c_s\right)^2}{c_s^4}
- \frac{1.2256899861027\alpha_2^s\alpha_4^{c_s} r}{c_s}
- \frac{0.080661641324656\left(\alpha_3^s\right)^2 r\log\left(c_s\right)^4}{c_s}
- \frac{2.8254592088444\alpha_0^s\alpha_2^{c_s} r^5}{c_s^5}
- \frac{22.952983911833\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2}{c_s^2}
- \frac{5.9000933597443\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r}{c_s}
- \frac{0.18462470875602\left(\alpha_1^s\right)^4 r\log\left(c_s\right)^4}{c_s}
- \frac{23.732382273718\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s} r^4}{c_s^4}
- \frac{6.035132293332\alpha_1^s\alpha_3^{c_s} r^3}{c_s^3} - \frac{1.5409114108381\alpha_0^s\alpha_4^s r^3}{c_s^3}
- \frac{0.00075859226992611\alpha_4^s r^4\log\left(c_s\right)^4}{c_s^4}
- \frac{0.19419962110108\left(\alpha_0^s\right)^5 r^4\log\left(c_s\right)^4}{c_s^4}
- \frac{1.602797909106\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r}{c_s}
- \frac{102.8870337797\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r^2}{c_s^2}
- \frac{0.81693179009573\left(\alpha_2^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}
- \frac{6.722870539609\left(\alpha_0^{c_s}\right)^2\alpha_4^{c_s} r^2}{c_s^2}
$$

$$- \frac{3.4180853021734 \alpha_0^{c_s} \alpha_2^{c_s} r^5}{c_s^5}$$
$$- \frac{112.93561206649 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^3 r^2}{c_s^2}$$
$$- \frac{31.827119102356 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4}$$
$$- \frac{8.0562287704978 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r^2}{c_s^2}$$
$$- \frac{64.595167872603 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^2 r^2}{c_s^2}$$
$$- \frac{129.86438727815 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s r^4}{c_s^4}$$
$$- \frac{0.063962375514913 \left(\alpha_0^{c_s}\right)^7 \alpha_0^s r}{c_s}$$
$$- \frac{65.967423222802 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 r^5}{c_s^5}$$
$$- \frac{8.4620431124197 \left(\alpha_0^s\right)^4 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{67.738344878763 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^4}{c_s^4}$$
$$- \frac{17.663370714263 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.56613233150031 \alpha_0^{c_s} \alpha_6^s r}{c_s} - \frac{2.3038765879063 \alpha_0^{c_s} \alpha_2^s r^5}{c_s^5}$$
$$- \frac{0.072314017264823 \alpha_3^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{9.375870132293 \left(\alpha_0^{c_s}\right)^2 \alpha_4^s r^2}{c_s^2}$$

$$- \frac{9.4894964173653 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s r^6}{c_s^6}$$
$$- \frac{19.046724485948 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^4}{c_s^4}$$
$$- \frac{9.6143522564244 \left(\alpha_0^s\right)^2 \alpha_2^s r^4}{c_s^4}$$
$$- \frac{19.250607886521 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^4}{c_s^4}$$
$$- \frac{38.545328529313 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$- \frac{2.4180000906227 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^4 r}{c_s}$$
$$- \frac{2.422317152221 \left(\alpha_0^s\right)^4 \left(\alpha_1^{c_s}\right)^2 r}{c_s}$$
$$- \frac{1.2469077232243 \alpha_3^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{40.53671463639 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r^2}{c_s^2}$$
$$- \frac{20.291273862443 \left(\alpha_0^{c_s}\right)^4 \alpha_2^{c_s} r^2}{c_s^2}$$

$$- \frac{5.2546064736414 \alpha_1^{c_s} \alpha_3^s r^3}{c_s^3}$$
$$- \frac{21.191085875293 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{2.6516825346976 \alpha_1^s \left(\alpha_2^{c_s}\right)^2 r}{c_s}$$
$$- \frac{0.00032552083333333 \left(\alpha_1^s\right)^4 r \log\left(c_s\right)^8}{c_s}$$
$$- \frac{0.020833333333333 \alpha_7^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.33949442011001 \left(\alpha_0^s\right)^3 \alpha_4^s r}{c_s}$$
$$- \frac{0.0026656753721621 \alpha_3^s r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$- \frac{0.34646348040491 \alpha_1^s \alpha_5^s r}{c_s}$$
$$- \frac{0.010893720288301 \alpha_5^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.34876536044962 \left(\alpha_3^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{90.370911527172 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^3}{c_s^3}$$
$$- \frac{22.824778518156 \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{184.23872358556 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^3}{c_s^3}$$
$$- \frac{92.246074077201 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$- \frac{184.87649750215 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^4}{c_s^4}$$
$$- \frac{0.18591244058123 \left(\alpha_0^s\right)^5 \alpha_2^s r}{c_s}$$
$$- \frac{2.9975503474529 \alpha_1^s \alpha_3^s r^3}{c_s^3}$$
$$- \frac{96.11485549223 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r^2}{c_s^2}$$
$$- \frac{0.76028324380747 \alpha_0^{c_s} \alpha_0^s r^7}{c_s^7}$$
$$- \frac{6.1306718563904 \left(\alpha_1^{c_s}\right)^3 \alpha_1^s r}{c_s}$$
$$- \frac{0.77421104564849 \alpha_0^s \alpha_6^{c_s} r}{c_s}$$
$$- \frac{0.77493470587277 \left(\alpha_0^s\right)^7 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{3.1138682013663 \left(\alpha_0^s\right)^2 \alpha_4^s r^2}{c_s^2}$$
$$- \frac{0.00038390308433206 \left(\alpha_2^s\right)^2 r^3 \log\left(c_s\right)^6}{c_s^3}$$

$$- \frac{6.3621915996872 \alpha_1^{c_s} \alpha_3^{c_s} r^3}{c_s^3}$$
$$- \frac{103.43740391744 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$- \frac{1.6210748891913 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^3 r}{c_s}$$
$$- \frac{12.996509009921 \alpha_0^s \left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{3.1001984126984 \cdot 10^{-6} \left(\alpha_0^s\right)^8 r \log\left(c_s\right)^8}{c_s}$$
$$- \frac{2.4801587301587 \cdot 10^{-5} \alpha_7^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{1.6615927723212 \left(\alpha_0^{c_s}\right)^5 \alpha_2^s r}{c_s}$$
$$- \frac{53.250300346005 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s r^5}{c_s^5}$$
$$- \frac{0.00020462411225795 \alpha_5^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{3.3708434008763 \alpha_0^s \alpha_4^{c_s} r^3}{c_s^3} - \frac{0.4221685472857 \alpha_2^s \alpha_4^s r}{c_s}$$
$$- \frac{54.455727217216 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{13.649952467304 \alpha_0^{c_s} \left(\alpha_2^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{0.85615528557376 \alpha_1^{c_s} \alpha_5^s r}{c_s}$$
$$- \frac{109.74220410823 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s r^3}{c_s^3}$$
$$- \frac{3.4386267774211 \alpha_1^{c_s} \alpha_1^s r^5}{c_s^5}$$
$$- \frac{0.054559257975365 \alpha_6^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{6.9892991784619 \alpha_2^{c_s} \alpha_2^s r^3}{c_s^3}$$
$$- \frac{0.027624255154824 \left(\alpha_1^s\right)^3 r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{28.355029454856 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^4}{c_s^4}$$
$$- \frac{14.355003402919 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r^2}{c_s^2}$$
$$- \frac{28.722505294044 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{230.30980588447 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^4}{c_s^4}$$
$$- \frac{57.594919804482 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^3}{c_s^3}$$
$$- \frac{3.626029840913 \alpha_1^{c_s} \left(\alpha_1^s\right)^3 r}{c_s}$$

$$
\begin{aligned}
&- \frac{7.2918421867645 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{c_{s}} r^{2}}{c_{s}^{2}} \\
&- \frac{3.6924016561229 \alpha_{0}^{c_{s}} \alpha_{4}^{c_{s}} r^{3}}{c_{s}^{3}} \\
&- \frac{7.4317099243383 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{1}^{s}\right)^{2} r}{c_{s}} \\
&- \frac{7.4923198384373 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} r^{6}}{c_{s}^{6}} \\
&- \frac{5.7398742770144 \cdot 10^{-5} \alpha_{6}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}} \\
&- \frac{0.0036735195372892 \left(\alpha_{0}^{s}\right)^{7} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}} \\
&- \frac{1.8830806694607 \left(\alpha_{0}^{s}\right)^{4} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}} \\
&- \frac{0.12067047718437 \alpha_{5}^{s} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}} \\
&- \frac{0.4834669775015 \left(\alpha_{0}^{c_{s}}\right)^{6} \left(\alpha_{0}^{s}\right)^{2} r}{c_{s}} \\
&- \frac{0.48562765195218 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{c_{s}} r}{c_{s}} \\
&- \frac{0.015455214063918 \left(\alpha_{1}^{s}\right)^{4} r \log\left(c_{s}\right)^{6}}{c_{s}} \\
&- \frac{0.062133559841076 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{7} r}{c_{s}} \\
&- \frac{0.12463856987781 \left(\alpha_{0}^{s}\right)^{7} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}} \\
&+ \frac{0.40391643358925 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}} \\
&+ \frac{116.21059020727 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{2}}{c_{s}^{2}} \\
&+ \frac{1.9789457792797 \left(\alpha_{0}^{s}\right)^{4} \left(\alpha_{1}^{c_{s}}\right)^{2} r \log\left(c_{s}\right)}{c_{s}} \\
&+ \frac{0.065966508124809 \alpha_{2}^{c_{s}} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}} \\
&+ \frac{2.253109399601 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}} \\
&+ \frac{25.329884913406 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{4}^{c_{s}} r}{c_{s}} \\
&+ \frac{1.6678293303961 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{4}^{c_{s}} r}{c_{s}} \\
&+ \frac{0.10513140495085 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)}{c_{s}} \\
&+ \frac{0.46143463634249 \alpha_{1}^{c_{s}} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{7.3829541814798 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}} \\
&+ \frac{7.671570293342 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}
\end{aligned}
$$

$$+\frac{0.002410747196346\alpha_1^s\alpha_4^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.038571955141537\left(\alpha_0^s\right)^5\alpha_1^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{2.6872733189388\alpha_0^s\alpha_1^{c_s}\alpha_4^s r}{c_s}$$
$$+\frac{0.10346337414297\alpha_0^s\alpha_6^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.029150031557317\left(\alpha_0^s\right)^2\alpha_1^s r^5\log\left(c_s\right)^4}{c_s^5}$$
$$+\frac{0.97200632879785\alpha_1^{c_s}\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.0081403143741\alpha_2^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.56702822004321\left(\alpha_1^{c_s}\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{91.89240711224\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} r}{c_s}$$
$$+\frac{26.054402535731\left(\alpha_0^{c_s}\right)^4\alpha_0^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.6780300628274\left(\alpha_1^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.014430844864945\alpha_2^{c_s}\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.00090649006552997\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{3.7326709688136\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.0038487336209124\alpha_0^{c_s}\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{64.065020743147\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.03183507899542\left(\alpha_1^s\right)^2\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{2.0467844576694\alpha_1^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.0739267790989\alpha_0^{c_s}\alpha_2^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.27769091733145\alpha_1^s\alpha_4^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.27939547475929\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0044604290684919\left(\alpha_0^s\right)^2\alpha_5^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.59369857312328\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{9.5770781915381\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^s r}{c_s}$$

$$+\frac{0.038660936235922\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{2.5544103194478\left(\alpha_0^{c_s}\right)^6\alpha_0^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.68518187210089\left(\alpha_0^{c_s}\right)^5\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.021960360229216\alpha_1^s\alpha_5^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.092557656802975\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.74136452893813\alpha_2^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.0960484294442\alpha_1^{c_s}\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{12.395471775678\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{52.462006994273\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{6.5735768328737\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{55.636063962783\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.45664647830175\alpha_0^{c_s}\left(\alpha_0^s\right)^3 r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{3.7795460430158\left(\alpha_0^s\right)^2\alpha_4^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.9351479650111\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.015726578627106\left(\alpha_0^s\right)^4\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0079607328229624\left(\alpha_0^s\right)^2\alpha_2^s r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{131.81459891303\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.03240944495355\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{66.656539214322\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.13064569344744\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.52392469197593\left(\alpha_0^s\right)^4\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.0550875317977\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{8.514011898911\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{34.847681590759\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s} r^5}{c_s^5}$$

$$+\frac{0.0042685922158691\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.55301532880351\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.14131986280118\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{72.719455502682\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.1445224603736\alpha_0^s\alpha_1^s r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{9.3684573070055\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r}{c_s}$$
$$+\frac{4.7344322642761\alpha_1^{c_s}\alpha_1^s\alpha_3^s r}{c_s}$$
$$+\frac{38.111308730741\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{78.270408804237\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{40.012086467582\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.62608105518152\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.5416019328971\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0050342488893732\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.16261785876973\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{341.03702775851\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{1.3663675589292\alpha_0^s\alpha_2^s\alpha_3^s r}{c_s}$$
$$+\frac{0.17185821397552\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.3812406071233\left(\alpha_0^s\right)^4\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{11.050410464644\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.000169934761819\alpha_0^{c_s}\alpha_5^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{23.086823776703\left(\alpha_0^s\right)^4\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.74051352391394\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{1.5067185488168\alpha_1^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{393.76803308713\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^3}{c_s^3}$$

$$+\frac{0.39074942376728\alpha_0^s\alpha_6^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{201.65391072583\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.82457577164705\left(\alpha_0^s\right)^2\alpha_4^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{13.227022368127\alpha_0^s\left(\alpha_1^s\right)^3r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.3566549483593\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^2r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{3.3581596830505\alpha_2^{c_s}\alpha_2^sr^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{13.437503538281\alpha_0^{c_s}\left(\alpha_1^s\right)^2r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.053313507443243\alpha_0^s\alpha_2^sr^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{109.23041753801\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.026953484919278\left(\alpha_0^s\right)^6\alpha_1^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.10793247504421\alpha_1^s\alpha_4^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.86795449308525\left(\alpha_0^s\right)^2\alpha_2^sr^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.00021701388888889\left(\alpha_0^s\right)^4\alpha_3^sr\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.0008680555555556\alpha_0^s\left(\alpha_2^s\right)^2r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.0008680555555556\alpha_1^s\left(\alpha_2^s\right)^2r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.0017361111111111\left(\alpha_0^s\right)^4\alpha_2^sr^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.0069444444444444\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{57.481034611392\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{0.0071322822604248\alpha_0^s\alpha_6^sr\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.8394363704693\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^{c_s}r}{c_s}$$
$$+\frac{3.7315270748729\alpha_0^s\alpha_2^s\alpha_3^{c_s}r}{c_s}$$
$$+\frac{3.7595718905651\alpha_0^{c_s}\alpha_2^s\alpha_3^{c_s}r}{c_s}$$
$$+\frac{0.95822801726907\alpha_1^s\alpha_2^sr^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{63.385947202494\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^sr^2}{c_s^2}$$

$$+\frac{4.0585841964359\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^s r}{c_s}$$
$$+\frac{0.064148676944635\alpha_2^s\alpha_4^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.064148676944635\left(\alpha_0^s\right)^3\alpha_4^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0040179119939101\alpha_2^s\alpha_3^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.01607164797564\left(\alpha_0^s\right)^3\alpha_3^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{66.189138413541\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.12979700863879\alpha_1^{c_s}\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.0478050486855\alpha_2^{c_s}\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.13266659833945\left(\alpha_1^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.00026041666666667\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.53916224730171\alpha_1^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{69.722043512476\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.13692837104923\left(\alpha_0^s\right)^4\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0042984964798216\alpha_0^{c_s}\alpha_3^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{1.120684288304\alpha_3^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2434286218493\alpha_1^s\alpha_3^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{9.2965187967546\left(\alpha_0^s\right)^5\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.1703571085771\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.073425695307927\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.0092080850516079\alpha_1^s\alpha_3^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.5901157149155\alpha_1^s\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{303.23297474668\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{0.15107136746378\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{2.4171418794204\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)^3}{c_s^4}$$

$$+\frac{1.2108364253308\left(\alpha_{0}^{s}\right)^{2}\left(\alpha_{2}^{s}\right)^{2}r\log\left(c_{s}\right)^{3}}{c_{s}}$$
$$+\frac{1.2173855417145\alpha_{1}^{c_{s}}\alpha_{1}^{s}r^{5}\log\left(c_{s}\right)}{c_{s}^{5}}$$
$$+\frac{0.61170663852811\left(\alpha_{0}^{c_{s}}\right)^{2}\alpha_{5}^{s}r\log\left(c_{s}\right)^{2}}{c_{s}}$$
$$+\frac{0.0048612903390462\alpha_{1}^{c_{s}}\alpha_{5}^{s}r\log\left(c_{s}\right)^{5}}{c_{s}}$$
$$+\frac{1.2649364212694\left(\alpha_{0}^{c_{s}}\right)^{5}\alpha_{0}^{s}\alpha_{1}^{c_{s}}r}{c_{s}}$$
$$+\frac{0.15990675054083\left(\alpha_{0}^{s}\right)^{6}\alpha_{1}^{s}r\log\left(c_{s}\right)^{2}}{c_{s}}$$
$$+\frac{1.2833918435546\left(\alpha_{0}^{s}\right)^{2}\left(\alpha_{2}^{c_{s}}\right)^{2}r\log\left(c_{s}\right)^{2}}{c_{s}}$$
$$+\frac{82.569403920488\left(\alpha_{0}^{c_{s}}\right)^{3}\left(\alpha_{0}^{s}\right)^{4}r^{2}\log\left(c_{s}\right)}{c_{s}^{2}}$$
$$+\frac{0.01019608570914\alpha_{0}^{c_{s}}\left(\alpha_{1}^{s}\right)^{3}r^{2}\log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$+\frac{0.082148921208244\left(\alpha_{0}^{s}\right)^{2}\alpha_{5}^{s}r\log\left(c_{s}\right)^{4}}{c_{s}}$$
$$+\frac{2.6314713306307\alpha_{1}^{c_{s}}\left(\alpha_{2}^{s}\right)^{2}r\log\left(c_{s}\right)^{2}}{c_{s}}$$
$$+\frac{0.16489485622433\left(\alpha_{0}^{c_{s}}\right)^{3}\alpha_{4}^{s}r\log\left(c_{s}\right)^{3}}{c_{s}}$$
$$+\frac{42.93842448138\left(\alpha_{0}^{s}\right)^{3}\left(\alpha_{1}^{c_{s}}\right)^{2}r^{2}\log\left(c_{s}\right)}{c_{s}^{2}}$$
$$+\frac{1.3438981939488\left(\alpha_{0}^{s}\right)^{5}\alpha_{1}^{s}r^{2}\log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$+\frac{0.16828612050114\alpha_{0}^{s}\alpha_{4}^{s}r^{3}\log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$+\frac{21.875537531737\alpha_{0}^{c_{s}}\left(\alpha_{0}^{s}\right)^{3}r^{5}\log\left(c_{s}\right)}{c_{s}^{5}}$$
$$+\frac{2.804010059193\alpha_{0}^{c_{s}}\left(\alpha_{0}^{s}\right)^{6}r^{2}\log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$+\frac{0.04401642680651\alpha_{0}^{c_{s}}\left(\alpha_{0}^{s}\right)^{7}r\log\left(c_{s}\right)^{3}}{c_{s}}$$
$$+\frac{0.3530510034738\alpha_{2}^{s}\alpha_{4}^{s}r\log\left(c_{s}\right)^{3}}{c_{s}}$$
$$+\frac{0.044222199446482\left(\alpha_{0}^{s}\right)^{4}\left(\alpha_{1}^{c_{s}}\right)^{2}r\log\left(c_{s}\right)^{3}}{c_{s}}$$
$$+\frac{0.70784005124798\alpha_{0}^{c_{s}}\left(\alpha_{1}^{s}\right)^{2}r^{4}\log\left(c_{s}\right)^{3}}{c_{s}^{4}}$$
$$+\frac{1.4341031887275\alpha_{0}^{s}\alpha_{4}^{s}r^{3}\log\left(c_{s}\right)}{c_{s}^{3}}$$
$$+\frac{0.72250541770642\left(\alpha_{0}^{s}\right)^{2}\left(\alpha_{1}^{s}\right)^{3}r\log\left(c_{s}\right)^{4}}{c_{s}}$$
$$+\frac{0.046248184318532\left(\alpha_{0}^{c_{s}}\right)^{4}\left(\alpha_{0}^{s}\right)^{4}r\log\left(c_{s}\right)^{3}}{c_{s}}$$

$$+\frac{23.723398986037\alpha_0^s\alpha_1^s\alpha_2^s r^3}{c_s^3}$$
$$+\frac{11.930813902241\alpha_0^s\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{385.12648801999\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^3}{c_s^3}$$
$$+\frac{0.37901403422043\alpha_1^s\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{24.363062959859\left(\alpha_0^s\right)^3\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.011941099234444\alpha_0^s\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^5}{c_s^4}$$
$$+\frac{0.76499980337558\alpha_1^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.1041904231146\alpha_0^s\alpha_1^s\alpha_4^{c_s} r}{c_s}$$
$$+\frac{0.19439771988307\left(\alpha_0^s\right)^2\alpha_5^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{99.928049499822\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{6.2700376077313\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{202.82184103644\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3}{c_s^3}$$
$$+\frac{1.589547941071\alpha_0^{c_s}\alpha_0^s\alpha_5^s r}{c_s}$$
$$+\frac{3.214776067172\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$

$$+\frac{6.5763367042297\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.00080358239878201\alpha_0^s\alpha_5^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{52.857470711598\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^{c_s} r^2}{c_s^2}$$
$$+\frac{1.6553209734162\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.84312637632428\alpha_1^{c_s}\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{54.596743994778\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r^3}{c_s^3}$$
$$+\frac{444.37247811158\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3}{c_s^3}$$
$$+\frac{3.4816477827442\alpha_0^{c_s}\alpha_2^s\alpha_3^s r}{c_s}$$
$$+\frac{28.292999887163\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{3.5410957982993\alpha_1^s\left(\alpha_2^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$

$$+\frac{56.942808112142\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$+\frac{0.89049122470994\left(\alpha_0^s\right)^2\alpha_3^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.028033207829224\alpha_1^{c_s}\alpha_4^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.44853132526758\left(\alpha_0^s\right)^5\alpha_1^{c_s}r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{57.564881233251\alpha_0^{c_s}\alpha_1^{c_s}\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{7.2542573301578\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r}{c_s}$$
$$+\frac{0.0035691116146248\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.057105785833996\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{3.6635063531689\left(\alpha_0^s\right)^2\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.0036832340206432\alpha_0^s\alpha_4^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{3.7751469399892\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.00046285420283228\left(\alpha_0^s\right)^6\alpha_1^{c_s}r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.23772200935679\alpha_1^s\alpha_5^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.24066169207798\alpha_1^s\alpha_2^{c_s}r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{7.7351327213995\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{123.81022372038\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^4}{c_s^4}$$
$$+\frac{0.061358530821882\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{15.736019414543\left(\alpha_1^s\right)^2\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.24861829639341\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.015548074915448\left(\alpha_0^s\right)^4\alpha_1^s r^3\log\left(c_s\right)^6}{c_s^3}$$
$$+\frac{31.880269052064\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{0.12607823219706\alpha_0^s\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.12640663525702\alpha_1^{c_s}\alpha_3^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.0143092264569\left(\alpha_0^{c_s}\right)^5\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{2.0344921867643\left(\alpha_0^{c_s}\right)^2\alpha_0^s r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{16.369059892982\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^s r}{c_s}$$
$$+\frac{0.064248982771898\alpha_0^{c_s}\alpha_1^s r^6\log\left(c_s\right)^2}{c_s^6}$$
$$+\frac{0.0040236784183828\left(\alpha_0^{c_s}\right)^5\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0040236784183828\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^3 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.0040289253302866\left(\alpha_0^s\right)^6\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.0359304553424\left(\alpha_1^s\right)^2\alpha_2^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{4.1756391190633\left(\alpha_0^{c_s}\right)^3\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.0906862675504\left(\alpha_0^s\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{134.04738725469\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^{c_s} r^2}{c_s^2}$$
$$+\frac{2.0962315823012\alpha_0^s\left(\alpha_2^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.52581118514115\alpha_0^s\alpha_5^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.26324588138848\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{33.744782712172\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{16.873784663834\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{16.93922559388\left(\alpha_0^s\right)^4\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.1368061865746\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.53452111344501\alpha_0^s\alpha_3^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{1.0764824307755\alpha_0^s\alpha_1^s\alpha_4^s r}{c_s}$$
$$+\frac{34.530779309838\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r^3}{c_s^3}$$
$$+\frac{555.34222007321\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^3}{c_s^3}$$
$$+\frac{8.7804551499811\left(\alpha_0^s\right)^2\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{17.618372718389\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{8.8244402145685\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s} r}{c_s}$$

$$+\frac{141.26877254977\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{17.672507749777\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$
$$+\frac{0.1387445529556\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{8.8807973127388\left(\alpha_0^s\right)^5\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0043386463758175\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.55564509682079\alpha_0^{c_s}\alpha_5^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{35.925206947395\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^s r^2}{c_s^2}$$
$$+\frac{72.03025721634\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^s r^2}{c_s^2}$$
$$+\frac{9.0143186490212\left(\alpha_0^{c_s}\right)^2\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.56461779705915\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.1328208143791\alpha_0^s\alpha_2^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{18.385007482183\left(\alpha_0^s\right)^4\alpha_1^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{9.2452279107361\alpha_0^s\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{4.6475225870858\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{0.072919355085694\alpha_1^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.01826585913207\alpha_0^{c_s}\alpha_2^s r^5\log\left(c_s\right)^3}{c_s^5}$$
$$+\frac{300.02140095275\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{2.3465480568331\left(\alpha_0^s\right)^2\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{4.7103555633046\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^{c_s}r}{c_s}$$
$$+\frac{0.00028924309172117\left(\alpha_0^{c_s}\right)^2\alpha_5^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0046285420283228\alpha_1^{c_s}\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{4.7513638075283\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^4 r^2\log\left(c_s\right)^3}{c_s^2}$$

$$+\frac{0.0094494625955089\left(\alpha_0^s\right)^4\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.2127478334915\alpha_1^s\alpha_4^s r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{19.495051770182\left(\alpha_0^{c_s}\right)^4\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.038100093006137\left(\alpha_0^{c_s}\right)^2\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{4.8989886234535\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^s r}{c_s}$$
$$+\frac{0.038355369398152\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{315.28130872704\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^2}{c_s^2}$$
$$+\frac{4.966915174081\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.038957601412542\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{160.22253281574\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{2.5045753557911\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.15666607143334\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{10.069964845078\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{5.0470159348055\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{20.213358681615\left(\alpha_0^{c_s}\right)^5\alpha_0^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{5.0543931131786\left(\alpha_0^{c_s}\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.039557953043235\alpha_0^s\alpha_5^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.63385067421437\alpha_0^s\alpha_2^{c_s}r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{0.6357195879451\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.2752482332586\alpha_0^s\left(\alpha_1^s\right)^2 r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{0.63845831953501\left(\alpha_0^s\right)^3\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{2.5633959682506\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.2832196182686\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.040317567239706\alpha_2^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{41.446778005326\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3}{c_s^3}$$
$$+\frac{1.300121533011\alpha_0^{c_s}\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{0.32695948967646\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{10.49793676642\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.00064128862895691\left(\alpha_0^{c_s}\right)^3\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.00064128862895691\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^5 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.657482051725\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^6 r\log\left(c_s\right)}{c_s}$$
$$+\frac{168.53271950596\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s r^4}{c_s^4}$$
$$+\frac{5.2698399464036\alpha_1^{c_s}\left(\alpha_1^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.16476602283363\alpha_0^{c_s}\alpha_0^s r^7\log\left(c_s\right)}{c_s^7}$$
$$+\frac{0.66325224642537\left(\alpha_0^{c_s}\right)^2\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{0.00065104166666667\left(\alpha_1^s\right)^2\alpha_3^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.0013020833333333\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.0013020833333333\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0052083333333333\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.010457584520543\left(\alpha_0^s\right)^4\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{85.851576333049\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$+\frac{0.042138555038032\alpha_1^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.350445464562\left(\alpha_1^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.3519093301332\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r}{c_s}$$
$$+\frac{2.7048058472471\alpha_0^{c_s}\alpha_1^s\alpha_4^s r}{c_s}$$
$$+\frac{0.68089585870391\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^3 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.17093630500245\alpha_2^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{2.7400067778269\left(\alpha_0^{c_s}\right)^3\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{21.940092045012\left(\alpha_0^s\right)^3\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$

$$+\frac{5.5473786132955\left(\alpha_0^s\right)^3\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{44.395462836777\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^3}{c_s^3}$$
$$+\frac{178.06386750201\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4}{c_s^4}$$
$$+\frac{11.16111648056\left(\alpha_0^{c_s}\right)^3\alpha_0^s r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{44.751795480336\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.087748627129494\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{11.287110435315\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{22.596257051587\left(\alpha_0^{c_s}\right)^5\left(\alpha_0^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.8256115941979\alpha_1^s\alpha_3^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{45.509644505511\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^{c_s}r}{c_s}$$
$$+\frac{8.6805555555556\cdot10^{-5}\left(\alpha_0^s\right)^6\alpha_1^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{8.6805555555556\cdot10^{-5}\left(\alpha_0^s\right)^2\alpha_5^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.00069444444444444\alpha_1^s\alpha_5^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0013888888888889\alpha_2^s\alpha_4^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0013888888888889\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0013888888888889\left(\alpha_0^s\right)^3\alpha_4^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{22.785825736042\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3}{c_s^3}$$
$$+\frac{46.00397980372\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^5 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.72117848758571\alpha_2^s\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{2.8847139503429\left(\alpha_0^s\right)^3\alpha_3^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{11.567174836281\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^{c_s}r}{c_s}$$
$$+\frac{0.0056787763577972\left(\alpha_0^{c_s}\right)^6\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.36368488349075\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.8247724701743\alpha_1^s\alpha_2^{c_s}\alpha_2^s r}{c_s}$$

$$+\frac{0.73378675811384\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.046030068265128\left(\alpha_0^s\right)^6\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{5.9604476787096\left(\alpha_1^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.093243244416381\alpha_0^{c_s}\left(\alpha_0^s\right)^6 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{11.952559977255\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.37399178727859\alpha_0^s\alpha_6^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{0.0058573620994733\left(\alpha_0^{c_s}\right)^7\alpha_0^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.1876996836038\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{96.238574075895\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{6.036200246292\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^{c_s} r}{c_s}$$
$$+\frac{0.047179735881318\left(\alpha_1^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{3.0215074408291\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r}{c_s}$$
$$+\frac{6.1539293147914\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.0030062499263126\alpha_2^{c_s}\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.0030062499263126\left(\alpha_0^s\right)^5\alpha_2^{c_s} r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.048214943926921\alpha_0^s\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{24.817346358975\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^5}{c_s^5}$$
$$+\frac{0.77946996257524\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{12.473957173526\left(\alpha_1^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.024382169758382\alpha_0^{c_s}\alpha_5^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{199.79255271003\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^s r^2}{c_s^2}$$
$$+\frac{1.5950282578513\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{3.2100133854399\alpha_1^{c_s}\alpha_2^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{12.885238179222\left(\alpha_0^s\right)^3\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$

$$+\frac{0.050342488893732\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{3.2433555535698\alpha_0^{c_s}\left(\alpha_0^s\right)^2 r^6\log\left(c_s\right)}{c_s^6}$$
$$+\frac{0.0001984126984127\alpha_0^s\alpha_6^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{210.91282073406\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^4}{c_s^4}$$
$$+\frac{0.82692194494136\alpha_0^s\alpha_4^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.6593784918416\left(\alpha_0^{c_s}\right)^2\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{13.313786678181\left(\alpha_1^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{6.659013522117\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.6668507743821\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^4 r\log\left(c_s\right)}{c_s}$$
$$+\frac{26.746143612647\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{107.09386572254\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s} r^2}{c_s^2}$$
$$+\frac{0.41968040649987\left(\alpha_0^{c_s}\right)^3\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.026536833826299\left(\alpha_0^{c_s}\right)^2\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.10628280446093\left(\alpha_0^{c_s}\right)^6\left(\alpha_0^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.7066149459326\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.4266997115222\left(\alpha_1^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{27.319757794794\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{0.42920344499187\left(\alpha_0^{c_s}\right)^4\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{6.9330478037477\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.21815918706904\left(\alpha_0^s\right)^5\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.21835788418458\left(\alpha_0^s\right)^2\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{13.981296348936\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.43898054355629\left(\alpha_0^s\right)^4\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.10997389711651\alpha_0^{c_s}\alpha_4^s r^3\log\left(c_s\right)^3}{c_s^3}$$

$$+\frac{28.246964078445\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2 r^5\log\left(c_s\right)}{c_s^5}$$
$$+\frac{1.7678557680155\alpha_0^s\left(\alpha_1^s\right)^3 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.11049702061929\left(\alpha_0^s\right)^3\alpha_2^s r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.0017275638794943\left(\alpha_0^s\right)^2\alpha_3^s r^3\log\left(c_s\right)^6}{c_s^3}$$
$$+\frac{1.7730171864238\alpha_2^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.5522258739209\alpha_0^s\alpha_2^{c_s}\alpha_3^s r}{c_s}$$
$$+\frac{3.5635228556462\left(\alpha_0^{c_s}\right)^3\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.22388738431537\left(\alpha_0^s\right)^6\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{14.413320957606\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{1.8079075972936\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^{c_s} r}{c_s}$$
$$+\frac{0.22617620640425\left(\alpha_1^{c_s}\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.90470482561698\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.028348387786527\left(\alpha_1^{c_s}\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.45471714686803\left(\alpha_0^{c_s}\right)^2\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{14.685805714737\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{58.893623990301\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2}{c_s^2}$$
$$+\frac{7.3647491280479\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r}{c_s}$$
$$+\frac{58.921263157281\alpha_0^{c_s}\left(\alpha_0^s\right)^4 r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{1.8431490729023\left(\alpha_0^s\right)^4\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{5.6308602317993\cdot 10^{-5}\alpha_0^{c_s}\alpha_6^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{5.6308602317993\cdot 10^{-5}\alpha_0^{c_s}\left(\alpha_0^s\right)^7 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{14.779857955548\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{0.46484123454862\left(\alpha_0^s\right)^2\alpha_5^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{119.00657435743\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3 r^4\log\left(c_s\right)}{c_s^4}$$

$$+\frac{7.4588634875244\alpha_0^{c_s}\left(\alpha_0^s\right)^5 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.058277027760238\alpha_0^{c_s}\left(\alpha_2^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.93980928485466\left(\alpha_0^s\right)^3\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{240.6771723224\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r^2}{c_s^2}$$
$$+\frac{0.0018409525421377\left(\alpha_0^{c_s}\right)^4\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{3.7771236584988\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.1185698727185\left(\alpha_0^s\right)^4\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{121.58873574848\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2}{c_s^2}$$
$$+\frac{3.8216726518489\left(\alpha_1^{c_s}\right)^3\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.823433183495\left(\alpha_0^s\right)^2\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.11993579238861\alpha_3^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{123.84799269098\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{3.8717456588826\left(\alpha_0^{c_s}\right)^4\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.015171845398522\alpha_0^s\alpha_3^s r^4\log\left(c_s\right)^4}{c_s^4}$$

$$+\frac{0.030343690797044\alpha_1^s\alpha_2^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{0.48549905275271\left(\alpha_0^s\right)^3\alpha_1^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{3.8883504955887\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.9391666534665\left(\alpha_0^s\right)^3\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.24648580562699\left(\alpha_0^s\right)^4\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.9729813459225\left(\alpha_0^{c_s}\right)^3\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.9555335881071\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.24817716212304\left(\alpha_0^{c_s}\right)^4\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.99270864849214\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^3 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{3.2227121135425\alpha_2^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$

$$- \frac{5.8124906511034 \alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.81245650522311 \alpha_0^s \alpha_3^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.9178925733355 \alpha_1^s \alpha_2^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{9.0970464233055 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{19.443890715897 \alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.0048214943926921 \left(\alpha_0^s\right)^2 \alpha_4^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.029418641310905 \alpha_1^{c_s} \alpha_5^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0086126411811229 \left(\alpha_0^s\right)^3 \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{160.78219591809 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{10.632384980012 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r}{c_s}$$
$$- \frac{0.0013272454977167 \alpha_0^s \alpha_6^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{5.6222881614507 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{91.888103747124 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3}{c_s^3}$$
$$- \frac{5.8187532281451 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{13.337362155861 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.11544675891956 \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.00023034185059924 \alpha_0^s \alpha_4^s r^3 \log\left(c_s\right)^6}{c_s^3}$$
$$- \frac{0.5553818346629 \left(\alpha_0^s\right)^2 \alpha_4^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.5748971488726 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{0.036559587482091 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.30928748988738 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.021667513825981 \left(\alpha_0^s\right)^2 \alpha_5^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.043477352049246 \left(\alpha_0^s\right)^4 \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.35324474034535 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{0.3732062424245 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{12.179573942609 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.095844910043112 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{12.296997109434 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{0.84087903413593 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{0.00339869523638 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{7.3062158157438 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{6} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.8897730215079 \alpha_{1}^{s} \alpha_{4}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.015726578627106 \alpha_{3}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.00099509160287031 \alpha_{0}^{s} \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)^{5}}{c_{s}^{4}}$$
$$- \frac{0.0019901832057406 \alpha_{1}^{s} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)^{5}}{c_{s}^{4}}$$
$$- \frac{0.03184293129185 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)^{5}}{c_{s}^{4}}$$
$$- \frac{8.1910971594253 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{133.63171989333 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{0.0081811374429177 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{s} r \log\left(c_{s}\right)^{6}}{c_{s}}$$
$$- \frac{17.170633078889 \alpha_{0}^{s} \alpha_{2}^{c_{s}} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{17.275975121007 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{1.1011626871629 \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{3}}{c_{s}^{3}}$$
$$- \frac{2.2327595654424 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{1.1200749591908 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{0.14810270478279 \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{40.727623588975 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{5.1301537602785 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{0.32103667242701 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$

$$- \frac{0.0050342488893732 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{2.6018242733427 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r}{c_s}$$
$$- \frac{0.65659742513449 \alpha_0^s \alpha_5^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{42.385151050822 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} r^4}{c_s^4}$$
$$- \frac{2.6639850581878 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.67169033060695 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.17265507589041 \alpha_2^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.086585069189672 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.0054379123782079 \alpha_0^{c_s} \left(\alpha_0^s\right)^6 r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.17483108328071 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{1.411773164777 \alpha_0^{c_s} \alpha_5^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.649392815689 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{22.712124430173 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.0028924309172117 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.37296166092881 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{0.77247957390028 \left(\alpha_0^{c_s}\right)^3 \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.097827349171773 \left(\alpha_0^s\right)^5 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{25.065968147631 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{0.0067292110173872 \alpha_0^s \alpha_5^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{1.7559550982023 \left(\alpha_0^{c_s}\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{28.095281571237 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{1.7575359648696 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_2^{c_s} r}{c_s}$$

$$- \frac{0.0069428130424841 \alpha_1^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.00021701388888889 \alpha_2^s \alpha_3^s r^2 \log\left(c_s\right)^7}{c_s^2}$$

$$- \frac{0.00086805555555556 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{7}}{c_{s}^{2}}$$
$$- \frac{0.00086805555555556 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.0017361111111111 \left(\alpha_{0}^{s}\right)^{4} \alpha_{3}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.0069444444444444 \alpha_{1}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{3.6341191070293 \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{s} r^{4} \log\left(c_{s}\right)^{2}}{c_{s}^{4}}$$
$$- \frac{7.3935429185138 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{3} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.057939150515622 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.92702640824995 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{5} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.23196561741553 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.92986247832502 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.47610777783896 \alpha_{1}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.24153244148552 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{3.8962604150064 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.030561162451383 \alpha_{0}^{s} \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{0.015679597802961 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{7} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{1.0054474542155 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.0019798683073124 \alpha_{1}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.031677892916998 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.01607164797564 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{0.032143295951281 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{0.13036666574704 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.00013020833333333 \alpha_{1}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{7}}{c_{s}^{2}}$$
$$- \frac{0.0020833333333333 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{7}}{c_{s}^{2}}$$
$$- \frac{8.5412592264603 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$

$$
- \frac{0.13482475219626 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}
- \frac{0.54055925892829 \alpha_{0}^{c_{s}} \alpha_{1}^{s} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}
- \frac{138.80657935824 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}
- \frac{8.7497427055066 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
- \frac{0.27510377470858 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} r^{4} \log\left(c_{s}\right)^{4}}{c_{s}^{4}}
- \frac{17.687767349366 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}
- \frac{0.55551082869504 \left(\alpha_{0}^{s}\right)^{4} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}
- \frac{2.239138118042 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}
- \frac{2.2672883308576 \left(\alpha_{0}^{s}\right)^{3} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}
- \frac{0.57348314542429 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{0.004491250764078 \alpha_{1}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{6}}{c_{s}}
- \frac{0.29124643973869 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}
- \frac{4.6617616570853 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{1.1703571085771 \left(\alpha_{1}^{c_{s}}\right)^{3} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}
- \frac{0.00057585462649809 \alpha_{1}^{s} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{6}}{c_{s}^{3}}
- \frac{2.4144033465592 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{3}}{c_{s}}
- \frac{4.9072788044454 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r}{c_{s}}
- \frac{157.2802781644 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{3}}{c_{s}^{3}}
- \frac{0.0048612903390462 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)^{5}}{c_{s}}
- \frac{0.0097498474588326 \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}
- \frac{19.995932677853 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}
- \frac{0.62496828940823 \alpha_{0}^{s} \alpha_{4}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}
- \frac{10.039630945865 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r}{c_{s}}
- \frac{10.086143477927 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{0}^{s} \alpha_{2}^{s} r}{c_{s}}
$$

$$- \frac{0.63839907448565 \alpha_2^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.1147124948067 \left(\alpha_0^{c_s}\right)^3 \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{1.2833918435546 \alpha_1^s \left(\alpha_2^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.30722946636 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.3051830455464 \alpha_1^s \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.65282280906639 \alpha_0^s \alpha_1^s r^6 \log\left(c_s\right)}{c_s^6}$$
$$- \frac{21.298062539768 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{172.42499811264 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2}{c_s^2}$$
$$- \frac{0.085948356526367 \alpha_0^{c_s} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0055228576264132 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.044222199446482 \left(\alpha_1^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.6751355715589 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^s\right)^2 r}{c_s}$$
$$- \frac{22.755140625694 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{2.8573142579793 \alpha_1^{c_s} \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{22.938905916329 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^5 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{23.203778310772 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{0.022671211463003 \alpha_0^{c_s} \alpha_6^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{11.615236976648 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{11.669828771128 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r^2}{c_s^2}$$
$$- \frac{23.511431368073 \alpha_0^s \alpha_1^{c_s} \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{0.18497157388241 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.046248184318532 \left(\alpha_0^{c_s}\right)^4 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.76499980337558 \left(\alpha_0^s\right)^2 \alpha_5^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.19439771988307 \alpha_1^s \alpha_5^{c_s} r \log\left(c_s\right)^2}{c_s}$$

$$- \frac{0.048612903390462 \alpha_1^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{6.228973072537 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{24.940748771844 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.012653730681326 \alpha_0^s \alpha_1^s r^6 \log\left(c_s\right)^3}{c_s^6}$$
$$- \frac{209.87542183457 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r^3}{c_s^3}$$
$$- \frac{0.82933987153691 \alpha_1^{c_s} \alpha_3^s r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{3.3295059383717 \left(\alpha_0^s\right)^3 \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{6.7302858655479 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{3.3765834045357 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{0.4252814877983 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.4129791519396 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{1.729391816817 \left(\alpha_0^{c_s}\right)^4 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{7.0032575768992 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r}{c_s}$$
$$- \frac{225.90541305368 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{226.2563988801 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2}{c_s^2}$$
$$- \frac{3.5410957982993 \left(\alpha_0^s\right)^2 \left(\alpha_2^{c_s}\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.22143587433285 \alpha_1^s \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{28.721692384092 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^4 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{57.568855055295 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{7.445747354239 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.23380122930835 \left(\alpha_0^s\right)^2 \alpha_5^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{30.088916180636 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.058986670937331 \alpha_0^{c_s} \alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.00046285420283228 \alpha_1^{c_s} \alpha_5^s r \log\left(c_s\right)^6}{c_s}$$

$$- \frac{30.431074536677 \alpha_0^{c_s} \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.96264676831194 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.48689993093897 \alpha_2^{c_s} \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.8629681957154 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{0.24861829639341 \left(\alpha_0^s\right)^4 \alpha_1^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.003886670874309 \alpha_0^s \alpha_2^s r^5 \log\left(c_s\right)^4}{c_s^5}$$
$$- \frac{0.015548074915448 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^6}{c_s^3}$$
$$- \frac{15.948149561606 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.12607823219706 \left(\alpha_0^s\right)^3 \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{64.615844301125 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2}{c_s^2}$$
$$- \frac{2.0286184529139 \left(\alpha_0^{c_s}\right)^5 \left(\alpha_0^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.0243632294304 \alpha_0^s \alpha_5^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{131.58436200559 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2}{c_s^2}$$
$$- \frac{0.032228390395155 \alpha_2^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{33.293876691247 \alpha_0^{c_s} \alpha_1^s \alpha_3^{c_s} r^2}{c_s^2}$$
$$- \frac{8.3843223919067 \alpha_0^s \alpha_1^{c_s} \alpha_4^{c_s} r}{c_s}$$
$$- \frac{4.1963239984053 \left(\alpha_0^s\right)^5 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{134.47781710426 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^3}{c_s^3}$$
$$- \frac{0.52854500848603 \left(\alpha_0^s\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.0614460971969 \alpha_1^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.277923551828 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{34.251976402891 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_2^{c_s} r}{c_s}$$
$$- \frac{2.1673729027691 \alpha_1^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{8.6710693239703 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r}{c_s}$$

$$- \frac{0.13818526311794 \alpha_2^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2188118782435 \alpha_1^s \alpha_4^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.55596743646187 \alpha_0^{c_s} \alpha_4^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.017410793985042 \left(\alpha_0^{c_s}\right)^3 \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.017410793985042 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^5 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.13946667234973 \alpha_0^{c_s} \alpha_5^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.2808840118993 \alpha_0^{c_s} \alpha_6^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0087975713546395 \alpha_2^s \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.56777944456186 \left(\alpha_0^s\right)^2 \alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{1.1376597173132 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{36.405272538775 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r^2}{c_s^2}$$
$$- \frac{36.410139179336 \left(\alpha_0^{c_s}\right)^4 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.2987652235882 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^{c_s} r}{c_s}$$
$$- \frac{2.3175371357445 \alpha_1^{c_s} \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.58319416619552 \alpha_0^{c_s} \alpha_0^s \alpha_5^{c_s} r}{c_s}$$
$$- \frac{0.58715931356876 \left(\alpha_0^s\right)^4 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{150.62077350906 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2}{c_s^2}$$
$$- \frac{0.073690197578259 \alpha_1^s \alpha_3^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{1.1811612873804 \left(\alpha_0^s\right)^4 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.00028924309172117 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^6 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.29683040823665 \alpha_1^s \alpha_3^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.59392047594103 \left(\alpha_0^{c_s}\right)^3 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{4.785084773554 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{9.6180514509005 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^s r}{c_s}$$

$$- \frac{0.075342234089643 \alpha_2^s \alpha_3^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.30136893635857 \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{9.6439787343813 \left(\alpha_0^{c_s}\right)^2 \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.075513733340599 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0094494625955089 \left(\alpha_1^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.4218668389874 \alpha_1^{c_s} \alpha_1^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{4.8739648546104 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^{c_s} r}{c_s}$$
$$- \frac{39.219460190694 \left(\alpha_0^s\right)^4 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{2.4599486113939 \alpha_1^s \alpha_2^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.2398056342112 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.4797086293621 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^s r}{c_s}$$
$$- \frac{1.2456713828046 \alpha_1^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.000146476408 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r}{c_s}$$
$$- \frac{0.019620567175449 \alpha_1^s \alpha_4^s r^2 \log\left(c_s\right)^5}{c_s^2}$$

$$- \frac{0.31762356597205 \left(\alpha_0^s\right)^4 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.63586754416496 \alpha_0^s \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{20.417884699868 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{10.213453956099 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r}{c_s}$$
$$- \frac{1.2797664205885 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.2877576015477 \left(\alpha_0^{c_s}\right)^2 \alpha_5^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.5851223182796 \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{10.340489273118 \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.6496695090156 \alpha_2^s \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{5.2244902557133 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 r^5 \log\left(c_s\right)^2}{c_s^5}$$

$$
\begin{aligned}
&- \frac{42.072649010893 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^4}{c_s^4} \\
&- \frac{0.16476136450191 \left(\alpha_0^s\right)^6 \alpha_1^s r \log\left(c_s\right)}{c_s} \\
&- \frac{10.570264428301 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.00064553101692688 \alpha_0^{c_s} \alpha_6^s r \log\left(c_s\right)^6}{c_s} \\
&- \frac{0.00064553101692688 \alpha_0^{c_s} \left(\alpha_0^s\right)^7 r \log\left(c_s\right)^6}{c_s} \\
&- \frac{0.083197133270982 \alpha_1^s \alpha_5^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{0.00065104166666667 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^8}{c_s} \\
&- \frac{0.0026041666666667 \alpha_0^s \left(\alpha_1^s\right)^3 r^2 \log\left(c_s\right)^7}{c_s^2} \\
&- \frac{0.0052083333333333 \left(\alpha_1^s\right)^2 \alpha_3^s r \log\left(c_s\right)^7}{c_s} \\
&- \frac{0.010416666666667 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^7}{c_s} \\
&- \frac{0.041805877908184 \alpha_1^{c_s} \alpha_2^s r^4 \log\left(c_s\right)^3}{c_s^4} \\
&- \frac{0.66889404653095 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^4 \log\left(c_s\right)^3}{c_s^4} \\
&- \frac{0.041830338082171 \left(\alpha_0^s\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^6}{c_s} \\
&- \frac{5.3550887821317 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 r}{c_s} \\
&- \frac{0.3360334085058 \alpha_0^s \alpha_2^s r^5 \log\left(c_s\right)^2}{c_s^5} \\
&- \frac{43.735042390699 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r^2}{c_s^2} \\
&- \frac{2.734258690323 \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{10.960027111308 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.17135768414299 \alpha_0^s \alpha_5^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{5.5158803300652 \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{0.69210811917077 \alpha_2^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&- \frac{0.17478667800786 \alpha_1^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^5}{c_s} \\
&- \frac{0.35004267500315 \left(\alpha_0^s\right)^5 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{2.8053682241974 \left(\alpha_1^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$- \frac{5.634812231432 \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{11.298128525794 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{4.3402777777778 \cdot 10^{-5} \alpha_{0}^{s} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{7}}{c_{s}^{2}}$$
$$- \frac{8.6805555555556 \cdot 10^{-5} \alpha_{1}^{s} \alpha_{5}^{s} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.00017361111111111 \alpha_{2}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.00017361111111111 \left(\alpha_{0}^{s}\right)^{5} \alpha_{2}^{s} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.00017361111111111 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{s} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.00069444444444444 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{0.00069444444444444 \left(\alpha_{0}^{s}\right)^{2} \alpha_{5}^{s} r \log\left(c_{s}\right)^{7}}{c_{s}}$$
$$- \frac{91.564191535113 \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.71649451331008 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{4} r^{3} \log\left(c_{s}\right)^{4}}{c_{s}^{3}}$$
$$- \frac{22.944285387481 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{46.03241245326 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{0.35980737716583 \left(\alpha_{1}^{s}\right)^{2} \alpha_{3}^{c_{s}} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{11.550832182817 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.72382471367068 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{5} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.0056787763577972 \left(\alpha_{0}^{c_{s}}\right)^{6} \left(\alpha_{0}^{s}\right)^{2} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.18206214478227 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{4}}{c_{s}^{4}}$$
$$- \frac{1.4614198424636 \alpha_{0}^{s} \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{11.775573813713 \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{11.801524725149 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{2}^{c_{s}}\right)^{2} r}{c_{s}}$$
$$- \frac{0.36972870844048 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.3717578969171 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{11.92344448682 \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$

$$- \frac{190.83505716896 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.0029138513880119 \alpha_{0}^{c_{s}} \alpha_{5}^{s} r^{2} \log\left(c_{s}\right)^{5}}{c_{s}^{2}}$$
$$- \frac{0.3742369328394 \alpha_{2}^{s} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.3742369328394 \left(\alpha_{0}^{s}\right)^{3} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.093680762911279 \left(\alpha_{0}^{c_{s}}\right)^{5} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.093680762911279 \left(\alpha_{0}^{c_{s}}\right)^{5} \left(\alpha_{0}^{s}\right)^{3} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{24.059643518974 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{24.121942028026 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{3}^{s} r^{2}}{c_{s}^{2}}$$
$$- \frac{3.0214008733593 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r}{c_{s}}$$
$$- \frac{24.239329517545 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{6.0673076678855 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r}{c_{s}}$$
$$- \frac{6.0869277085726 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r^{5} \log\left(c_{s}\right)}{c_{s}^{5}}$$
$$- \frac{12.225831544011 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{0.38229871985081 \alpha_{0}^{s} \alpha_{1}^{c_{s}} r^{6} \log\left(c_{s}\right)}{c_{s}^{6}}$$
$$- \frac{1.5305741008124 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{3} r}{c_{s}}$$
$$- \frac{49.029656896826 \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{0.38549389663139 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} r^{6} \log\left(c_{s}\right)^{2}}{c_{s}^{6}}$$
$$- \frac{0.02410747196346 \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{0.096429887853842 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{6}}{c_{s}^{2}}$$
$$- \frac{1.5492771725266 \alpha_{0}^{c_{s}} \alpha_{3}^{s} r^{4} \log\left(c_{s}\right)}{c_{s}^{4}}$$
$$- \frac{99.704194857929 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{50.520507867396 \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$

$$- \frac{0.39985130582432 \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{s} r^{5} \log\left(c_{s}\right)^{3}}{c_{s}^{5}}$$
$$- \frac{1.608036631714 \left(\alpha_{0}^{s}\right)^{2} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{3}}{c_{s}}$$

$$- \frac{0.1007101461831 \left(\alpha_{0}^{s}\right)^{6} \alpha_{1}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{3.2374324765281 \alpha_{2}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{2.4801587301587 \cdot 10^{-5} \alpha_{0}^{s} \alpha_{6}^{s} r \log\left(c_{s}\right)^{8}}{c_{s}}$$
$$- \frac{0.20443756337527 \alpha_{1}^{c_{s}} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{0.40981561261173 \alpha_{1}^{c_{s}} \alpha_{5}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{0.41169774296405 \alpha_{1}^{c_{s}} \left(\alpha_{1}^{s}\right)^{3} r \log\left(c_{s}\right)^{4}}{c_{s}}$$
$$- \frac{0.051581957757859 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{s}\right)^{2} r^{4} \log\left(c_{s}\right)^{4}}{c_{s}^{4}}$$
$$- \frac{3.3162612321269 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{2} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{26.555967987189 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{212.94384269382 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.4175186568612 \left(\alpha_{0}^{c_{s}}\right)^{2} \left(\alpha_{0}^{s}\right)^{6} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{106.88674246222 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{0}^{s} \alpha_{2}^{c_{s}} r^{2}}{c_{s}^{2}}$$
$$- \frac{0.20897961022853 \alpha_{0}^{c_{s}} \alpha_{2}^{s} r^{5} \log\left(c_{s}\right)^{2}}{c_{s}^{5}}$$
$$- \frac{0.21146579880945 \left(\alpha_{0}^{s}\right)^{2} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{0.10628280446093 \left(\alpha_{0}^{c_{s}}\right)^{6} \alpha_{1}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{6.8220793105301 \alpha_{0}^{c_{s}} \left(\alpha_{2}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{218.81223266577 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} r^{2}}{c_{s}^{2}}$$
$$- \frac{6.8405404653886 \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{27.366603100355 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} r^{3} \log\left(c_{s}\right)^{2}}{c_{s}^{3}}$$
$$- \frac{54.803583428263 \alpha_{0}^{c_{s}} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{4}}{c_{s}^{4}}$$
$$- \frac{0.42964623054901 \alpha_{1}^{s} \alpha_{4}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{3.4477285104514 \left(\alpha_{0}^{s}\right)^{3} \left(\alpha_{1}^{s}\right)^{2} r^{2} \log\left(c_{s}\right)^{4}}{c_{s}^{2}}$$
$$- \frac{3.4543078341316 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{13.817231336526 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{3} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$

$$
- \frac{6.9230165841487 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r}{c_s}
- \frac{1.7413468471807 \left(\alpha_1^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}
- \frac{6.9906439253341 \left(\alpha_0^s\right)^2 \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}
- \frac{0.87950349176495 \left(\alpha_0^s\right)^4 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}
- \frac{28.209235890244 \left(\alpha_0^s\right)^3 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}
- \frac{0.027624255154824 \left(\alpha_0^s\right)^2 \alpha_3^s r^3 \log\left(c_s\right)^5}{c_s^3}
- \frac{0.0069102555179771 \left(\alpha_0^s\right)^3 \alpha_2^s r^3 \log\left(c_s\right)^6}{c_s^3}
- \frac{0.013828085915935 \alpha_0^{c_s} \alpha_4^s r^3 \log\left(c_s\right)^4}{c_s^3}
- \frac{28.361045787648 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4}{c_s^4}
- \frac{1.7792674625679 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^{c_s} r}{c_s}
- \frac{0.027923657182113 \alpha_2^{c_s} \alpha_4^s r \log\left(c_s\right)^4}{c_s}
- \frac{0.027923657182113 \left(\alpha_0^s\right)^5 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}
- \frac{0.44694123204466 \alpha_0^{c_s} \left(\alpha_2^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}
- \frac{3.5988563912217 \alpha_1^{c_s} \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^2}{c_s}
- \frac{1.801781952152 \left(\alpha_1^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}
- \frac{1.8024232140184 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r}{c_s}
- \frac{14.489480374897 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r}{c_s}
- \frac{0.11516518822796 \alpha_0^s \alpha_3^s r^4 \log\left(c_s\right)^3}{c_s^4}
- \frac{3.7193431352355 \alpha_2^{c_s} \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}
- \frac{1.8675634498541 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3}
- \frac{0.0018409525421377 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^4 r \log\left(c_s\right)^4}{c_s}
- \frac{0.4724843774494 \alpha_3^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}
- \frac{0.23883150443669 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3}
- \frac{3.8216726518489 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^3 r \log\left(c_s\right)}{c_s}
$$

$$
\begin{aligned}
&- \frac{0.11993579238861 \left(\alpha_0^s\right)^4 \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&- \frac{124.21774681677 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3}{c_s^3} \\
&- \frac{0.12137476318818 \left(\alpha_0^s\right)^2 \alpha_2^s r^4 \log\left(c_s\right)^4}{c_s^4} \\
&- \frac{0.030448102694045 \left(\alpha_0^s\right)^4 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^6}{c_s} \\
&- \frac{7.8073690705436 \left(\alpha_1^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&- \frac{1.9578984183527 \left(\alpha_1^{c_s}\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s} \\
&- \frac{15.676621997266 \alpha_0^{c_s} \alpha_0^s \alpha_4^{c_s} r^2}{c_s^2} \\
&- \frac{31.392949482487 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r^2}{c_s^2} \\
&- \frac{0.030881844811036 \alpha_0^s \alpha_6^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{1.9801799429007 \left(\alpha_0^s\right)^2 \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{0.015516469959232 \left(\alpha_0^s\right)^6 \alpha_1^s r \log\left(c_s\right)^5}{c_s} \\
&- \frac{3.9798497467454 \alpha_1^{c_s} \left(\alpha_2^s\right)^2 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.24897406380292 \alpha_0^s \alpha_6^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{7.9879762792539 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r}{c_s} \\
&+ \frac{1.4062389340534 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.0059124032433893 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^7}{c_s} \\
&+ \frac{0.0059124032433893 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^7}{c_s} \\
&+ \frac{7.4101363355066 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{0.50371245849732 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{0.26525680834399 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s} \\
&+ \frac{5.3003685305707 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3} \\
&+ \frac{3.9616291032182 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)}{c_s} \\
&+ \frac{9.3501270983511 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^{c_s}\right)^2 r \log\left(c_s\right)}{c_s} \\
&+ \frac{2.5556108839834 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}
\end{aligned}
$$

$$+\frac{42.811544715629\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{3.4680570556847\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.3156972416713\alpha_1^{c_s}\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{19.634612228387\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{0.0096193294343536\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.085021991988727\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$

$$+\frac{0.052266386271969\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.052266386271969\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{3.6191968534897\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{34.831721363529\alpha_1^{c_s}\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{35.192642098786\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r}{c_s}$$
$$+\frac{1.1227107985182\alpha_0^s\alpha_1^s\alpha_4^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.5353601958092\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.4474293573635\alpha_0^{c_s}\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{39.199088619341\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{78.710552039557\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{21.292571358213\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{88.506787436484\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.087053969925212\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17410793985042\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17410793985042\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{92.996956946291\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{11.767428399718\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{47.703316775136\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$

$$+\frac{0.38951075579488\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{1.6580340990439\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.42155836853056\alpha_1^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.85172986833673\alpha_0^s\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{27.69662136223\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{14.304112373553\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.45205340453786\alpha_0^s\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.9101900528324\alpha_0^s\alpha_1^{c_s}\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.9772067810432\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.062906314508424\alpha_0^s\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{32.307006194954\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{4.080281743498\alpha_1^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{32.819544506936\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{4.1695505243506\alpha_1^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{34.746687711785\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.28104228873384\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{9.0615964474844\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{9.2581869032865\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{39.623111638701\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r}{c_s}$$
$$+\frac{5.169466231275\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{20.693685518395\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.081775095736426\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.081775095736426\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{21.744530465273\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{1.3812406071233\alpha_0^s\alpha_2^{c_s}\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.34634027675869\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.087415541640357\alpha_0^{c_s}\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.17498097301018\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.045093748894689\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{5.8802044191274\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{23.914668243232\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s}r}{c_s}$$
$$+\frac{3.2260392061749\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{26.046915719469\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.6819924697534\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{109.01745493039\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.87104809854916\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.87104809854916\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.7727507145024\alpha_0^s\alpha_1^s\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0069428130424841\alpha_1^{c_s}\alpha_1^s\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.00086805555555556\alpha_0^s\alpha_2^s\alpha_3^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{0.0017361111111111\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{7.1172364972235\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.92786246966213\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{118.8225091549\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.11699816950599\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.8102376344912\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{15.510733909678\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{31.244111459875\alpha_0^{c_s}\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^2}{c_s^2}$$

$$+\frac{0.0019708010811298\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.0039416021622595\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{16.343862854011\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r}{c_s}$$
$$+\frac{33.085241112138\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.00052083333333333\alpha_0^s\alpha_1^s\alpha_4^s r\log\left(c_s\right)^8}{c_s}$$
$$+\frac{4.2755679293014\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.0010687826982638\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.54893032395206\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.54993431775542\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.277808525363\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.035095185092713\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.14238677534632\alpha_0^{c_s}\alpha_0^s\alpha_5^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.14276446458499\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.57939150515622\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{1.1587830103124\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{4.6351320412498\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{37.303522208358\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{18.979629247005\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{76.926126068278\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{153.95506721887\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{19.251833854769\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{39.115107077769\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{1.2276977597173\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{9.9685578434274\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{0.31370968668322\alpha_0^{c_s}\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.31370968668322\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.2654823557393\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.019798683073124\alpha_0^s\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.039597366146248\alpha_1^{c_s}\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.15838946458499\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{20.410074910242\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.01019608570914\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^sr^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{0.040784342836559\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^sr^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{1.3153074745832\alpha_0^{c_s}\alpha_0^s\alpha_5^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{10.552407823246\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.3384794425356\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{21.65039047208\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.4438786994923\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.042754988949754\alpha_0^s\alpha_2^s\alpha_3^sr\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.011045715252826\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.17688879778593\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{23.174705685014\alpha_0^s\alpha_2^{c_s}\alpha_2^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{186.07282833825\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{2.9090843902181\alpha_0^{c_s}\alpha_1^s\alpha_4^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.4606886167034\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.36904817458353\alpha_0^{c_s}\alpha_2^{c_s}\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.4761926983341\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.18499273727413\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^sr\log\left(c_s\right)^3}{c_s}$$

$$+\frac{6.010630439449\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{96.708715181516\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{194.0411749534\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2}{c_s^2}$$
$$+\frac{24.314606633296\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)}{c_s^4}$$
$$+\frac{12.295274928929\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.228973072537\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{1.5573539499633\alpha_0^{c_s}\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{99.792231024309\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.39743430901366\alpha_0^s\alpha_1^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{12.821092939077\alpha_0^s\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{104.61575462589\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.0064128862895691\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{3.3139638232653\alpha_0^{c_s}\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.41461349506972\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.026022853716885\alpha_0^s\alpha_1^s\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{6.7837849299956\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.8259583038793\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.7163048105922\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{27.639949621275\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r}{c_s}$$
$$+\frac{0.013556151355465\alpha_0^{c_s}\alpha_1^s\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.013556151355465\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{3.4734681432649\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.9861721684774\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{7.0026689174735\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$

$$+\frac{3.5503729850909\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.5595455746092\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{28.650662707842\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{7.1787977646184\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{3.6525574606627\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.4607856626895\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.8545773756291\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.9437867349973\alpha_0^{c_s}\alpha_0^s\alpha_2^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{121.12121340875\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2}{c_s^2}$$
$$+\frac{1.8953280476969\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.030062499263126\left(\alpha_0^s\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.030205493336239\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{30.999572077068\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{15.557249894281\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.9579136650518\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.12237615884655\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{0.9950146768246\alpha_0^{c_s}\alpha_0^s\alpha_5^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.50167053489821\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^4\log\left(c_s\right)^3}{c_s^4}$$
$$+\frac{16.402548432967\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{16.429171575946\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{4.116903881033\alpha_0^{c_s}\alpha_2^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.0616508872779\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$

$$+\frac{4.1368151389275\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.51934767439317\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^{c_s} r^2\log\left(c_s\right)^4}{c_s^2}$$

$$+\frac{1.0463836943003\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{16.782094419416\alpha_0^s\alpha_1^s\alpha_3^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{1.0489864996843\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.52494291903055\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{67.275090820539\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{33.790050634554\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.066693799769758\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{17.281634298753\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.067780756777323\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{2.1715937993976\alpha_0^s\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{69.931482944026\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_2^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.13680496970672\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{8.7706334902204\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.0043386463758175\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0043386463758175\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.55763684537564\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.13961828591056\alpha_0^s\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.27923657182113\alpha_1^s\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.27923657182113\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{4.4755399311457\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_2^s r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{0.034966216656143\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{1.121328313169\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.28338181820552\alpha_1^{c_s}\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.28338181820552\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^{c_s}r\log\left(c_s\right)^3}{c_s}$$

$$+\frac{9.1764058514023\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}r^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{4.6224668478379\left(\alpha_0^{c_s}\right)^2\alpha_2^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.0045187171184882\alpha_0^{c_s}\alpha_0^s\alpha_5^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{9.2756341052033\alpha_0^{c_s}\alpha_0^s\left(\alpha_2^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.072919355085694\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.072919355085694\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.58698662863579\alpha_0^s\alpha_2^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{37.628945781028\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{2.3621273193539\alpha_0^s\alpha_2^s\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0092570840566455\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{4.7513638075283\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{19.024761122069\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.8007444114752\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{4.8177022834558\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.075513733340599\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.60473119425633\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.037797850382036\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0011824806486779\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^s r\log\left(c_s\right)^7}{c_s}$$
$$+\frac{1.2118199746584\alpha_0^{c_s}\alpha_2^{c_s}\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{4.8710656348301\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{9.7771838446598\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.4460988739097\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{4.9650035116149\left(\alpha_0^s\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{4.9843659778062\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r}{c_s}$$

$$+\frac{0.31385194063156\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_4^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{2.5207906122594\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^sr\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.63037535225807\alpha_0^{c_s}\alpha_2^s\alpha_3^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{161.42875166276\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{5.0919470303827\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{163.97786547182\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s}r^2}{c_s^2}$$
$$+\frac{0.64230625028991\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{20.58033978057\alpha_0^s\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{20.72584700479\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.081584105897697\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^sr^3\log\left(c_s\right)^5}{c_s^3}$$
$$+\frac{21.071461178427\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^sr^4\log\left(c_s\right)^2}{c_s^4}$$
$$+\frac{0.082427808340898\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^sr\log\left(c_s\right)^6}{c_s}$$
$$+\frac{10.556383777697\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{10.589734191393\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_2^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{42.358936765573\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.020828439127452\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.0013020833333333\alpha_0^s\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)^7}{c_s^2}$$
$$+\frac{0.010416666666667\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^sr\log\left(c_s\right)^7}{c_s}$$
$$+\frac{0.020833333333333\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^sr\log\left(c_s\right)^7}{c_s}$$
$$+\frac{10.672090649762\alpha_0^s\alpha_2^{c_s}\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{85.384741865403\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^sr^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{0.33393468994759\alpha_0^{c_s}\left(\alpha_0^s\right)^5\alpha_1^sr\log\left(c_s\right)^4}{c_s}$$
$$+\frac{1.340823696134\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.17158153508218\alpha_0^s\alpha_1^{c_s}\alpha_4^sr\log\left(c_s\right)^4}{c_s}$$

$$+\frac{0.1743728236566\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.1743728236566\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.087610268091271\left(\alpha_0^{c_s}\right)^4\left(\alpha_0^s\right)^2\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{22.456748772576\alpha_0^{c_s}\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{11.298998753194\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{90.71115211583\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$

$$+\frac{2.8436767422377\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_3^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.0027771252169937\alpha_0^s\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{5.6882730962969\alpha_0^s\alpha_1^{c_s}\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4329890266202\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{46.03241245326\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.71961475433166\left(\alpha_0^s\right)^2\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{11.551581341027\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_1^{c_s} r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{0.022593585592441\alpha_0^{c_s}\alpha_2^s\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.022593585592441\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{1.4462786649585\left(\alpha_0^{c_s}\right)^4\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.4560909813901\alpha_0^{c_s}\alpha_0^s\alpha_4^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{5.8478998090769\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{11.726122275354\alpha_0^{c_s}\alpha_1^s\alpha_3^{c_s} r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.011698395030904\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.04685673956997\alpha_0^{c_s}\alpha_2^s\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.04685673956997\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{24.26671858561\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.19053501298737\alpha_0^s\alpha_1^s\alpha_3^s r^2\log\left(c_s\right)^5}{c_s^2}$$

$$+\frac{6.1007043296177\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.096429887853842\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{3.134694153428\alpha_0^{c_s}\alpha_0^s\alpha_1^s r^5\log\left(c_s\right)^2}{c_s^5}$$
$$+\frac{6.2864458776615\alpha_0^{c_s}\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{12.619004958504\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$+\frac{0.39453691624955\alpha_0^{c_s}\alpha_1^s\alpha_4^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{6.3388394802543\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{25.46901297516\left(\alpha_0^{c_s}\right)^3\alpha_0^s\left(\alpha_1^s\right)^2 r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.3673738408001\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.6085748446038\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.10068497778746\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{12.914446538845\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2 r^3\log\left(c_s\right)^3}{c_s^3}$$
$$+\frac{1.6330095800611\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^2\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{0.40831561614537\alpha_0^{c_s}\left(\alpha_0^s\right)^3\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.6446035824634\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_4^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{26.342568787438\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^{c_s} r}{c_s}$$
$$+\frac{0.41265566206287\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s r^4\log\left(c_s\right)^4}{c_s^4}$$
$$+\frac{13.21210352495\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{212.01854208675\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.20742128873903\alpha_0^{c_s}\alpha_0^s\alpha_3^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.41484257747806\alpha_0^{c_s}\alpha_1^s\alpha_2^s r^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{0.41778342731558\left(\alpha_0^{c_s}\right)^4\alpha_0^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.21414669687749\left(\alpha_0^{c_s}\right)^2\alpha_0^s\left(\alpha_1^s\right)^2 r^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{0.214493732516\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2 r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{3.4456561972692\alpha_0^{c_s}\alpha_0^s\alpha_4^{c_s}r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{3.4544536884359\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_2^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.7291415040693\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{13.939664613456\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{3.502824787887\left(\alpha_0^s\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.0069102555179771\alpha_0^s\alpha_1^s\alpha_2^sr^3\log\left(c_s\right)^6}{c_s^3}$$
$$+\frac{0.88600434929122\alpha_0^{c_s}\alpha_1^{c_s}\alpha_3^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{1.7813431761745\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^{c_s}r\log\left(c_s\right)}{c_s}$$
$$+\frac{7.1548283736385\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_3^sr\log\left(c_s\right)}{c_s}$$
$$+\frac{0.028251709506416\left(\alpha_0^{c_s}\right)^3\alpha_1^s\alpha_2^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.2381319432611\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^3r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.2265412000218\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{3.6314668877206\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{7.2793252495635\left(\alpha_0^{c_s}\right)^3\left(\alpha_0^s\right)^3\alpha_1^sr\log\left(c_s\right)^2}{c_s}$$
$$+\frac{116.66468472872\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^2r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{1.8229298420114\alpha_0^s\alpha_2^s\alpha_3^{c_s}r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{58.831000475813\alpha_0^{c_s}\left(\alpha_0^s\right)^4\alpha_1^sr^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.6861945247445\alpha_1^{c_s}\alpha_1^s\alpha_2^sr^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{59.181410507486\left(\alpha_0^{c_s}\right)^3\alpha_1^{c_s}\alpha_1^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{14.903510820639\alpha_0^s\alpha_1^s\alpha_3^sr^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{0.4662162220819\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_2^sr^2\log\left(c_s\right)^5}{c_s^2}$$
$$+\frac{3.7335831973026\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^sr^3\log\left(c_s\right)^4}{c_s^3}$$
$$+\frac{3.7471241817118\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^{c_s}r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.7575114016694\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_3^sr\log\left(c_s\right)^2}{c_s}$$

$$+\frac{120.66106214835\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{3.7960946725912\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_3^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{60.798698487832\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_2^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{15.421659856296\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r}{c_s}$$
$$+\frac{0.24286913818106\left(\alpha_0^{c_s}\right)^2\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.9478948063317\alpha_0^s\alpha_1^{c_s}\alpha_4^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{7.9183460970623\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{1.9917079097728\alpha_0^s\left(\alpha_1^s\right)^2\alpha_2^{c_s} r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.9952360767203\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.9995980481413\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$-\frac{0.0059124032433893\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^s\right)^3 r\log\left(c_s\right)^7}{c_s}$$
$$-\frac{0.12560153325758\left(\alpha_0^{c_s}\right)^5\alpha_0^s\alpha_1^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{4.295812283141\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_3^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{0.55917735089969\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_3^s r\log\left(c_s\right)^4}{c_s}$$

$$-\frac{3.9616291032182\left(\alpha_0^{c_s}\right)^2\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{2.1244170868823\alpha_0^{c_s}\alpha_0^s\alpha_5^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{76.364465587973\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s} r^3\log\left(c_s\right)}{c_s^3}$$
$$-\frac{8.3402653807427\left(\alpha_0^{c_s}\right)^2\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$-\frac{545.20961910776\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2}{c_s^2}$$
$$-\frac{4.3156972416713\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{2.2480793336604\left(\alpha_0^s\right)^3\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$-\frac{10.458383114092\alpha_0^{c_s}\left(\alpha_1^s\right)^2\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$-\frac{44.033867417848\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s} r^4\log\left(c_s\right)}{c_s^4}$$
$$-\frac{352.41759504518\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$

$$
\begin{aligned}
&- \frac{5.5372156361099 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4} \\
&- \frac{0.012071035255149 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s \alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{49.538574203099 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{1.6352865775157 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.21875806525708 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s} \\
&- \frac{0.11544675891956 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{7.71932487182 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.12456636337893 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^6}{c_s} \\
&- \frac{0.59369857312328 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{1.215987797491 \alpha_0^{c_s} \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&- \frac{1.215987797491 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^{c_s}\right)^2 r \log\left(c_s\right)^2}{c_s} \\
&- \frac{4.9155376341847 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.30928748988738 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.67719554192082 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2} \\
&- \frac{0.17410793985042 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&- \frac{5.8326192671061 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&- \frac{25.345885684719 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&- \frac{0.84024315599304 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{3.3609726239722 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2} \\
&- \frac{53.793685414221 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r}{c_s} \\
&- \frac{0.02718956189104 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^6}{c_s^2} \\
&- \frac{7.1938164191021 \alpha_1^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s} \\
&- \frac{3.6818612242792 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)}{c_s} \\
&- \frac{0.46611400514057 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}
\end{aligned}
$$

$$- \frac{1.0029455349831 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.0829325860393 \alpha_0^{c_s} \alpha_1^s \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{66.510109140216 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.3270709255143 \alpha_0^s \alpha_1^s \alpha_3^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{17.494423144167 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{35.037040748979 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{19.415678373712 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.054945436325 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{20.266232829277 \alpha_0^{c_s} \alpha_1^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.2848858166507 \alpha_0^{c_s} \alpha_1^s \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.3171311038281 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{84.382706424494 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.66060574828819 \alpha_1^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.66060574828819 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{10.656026831472 \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{5.4688751980273 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{10.98060504363 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.17483108328071 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.69932433312286 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.17498097301018 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.8432789604954 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{188.60382221933 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.0057848618344233 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{12.054485364826 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{12.146308341994 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)}{c_s}$$
$$- \frac{49.374022738114 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{25.729581070842 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r}{c_s}$$
$$- \frac{6.4408495241445 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{208.30811430752 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.6315898106606 \alpha_1^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{26.316521022391 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.7089698655804 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.466990754696 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{3.4763490309373 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.0069428130424841 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.0069428130424841 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.0069444444444444 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{0.013888888888889 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{7.1792122159642 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{230.77837820483 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{7.2213802604364 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.3422880720904 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{3.7773402324077 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{3.9260525125014 \alpha_0^s \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{31.723206168463 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.0019708010811298 \alpha_0^{c_s} \alpha_2^s \alpha_3^s r \log\left(c_s\right)^7}{c_s}$$

$$- \frac{0.0019708010811298 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{2.019895197628 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{4.0826843154602 \alpha_0^s \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{2.0469735895087 \left(\alpha_0^{c_s}\right)^5 \alpha_0^s \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.51237392108789 \alpha_0^{c_s} \alpha_0^s \alpha_5^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{4.108562812226 \alpha_0^s \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.26116190977564 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{4.1950260462651 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{269.2930168861 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.26533319667889 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0041666666666667 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{17.385233250995 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r}{c_s}$$
$$- \frac{69.565997837742 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.0010687826982638 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.068775943677145 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^4}{c_s^4}$$
$$- \frac{0.1389042626815 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{4.4511107482803 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.2322823825542 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{36.028113259845 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{0.14100355565628 \alpha_0^{c_s} \alpha_2^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{9.0614660972336 \alpha_0^s \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{9.1095682236948 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.035691116146248 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.071382232292496 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.28552892916998 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{2.3175660206249 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{18.678459271769 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{9.4120723540707 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r}{c_s}$$
$$- \frac{2.3714618298531 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{9.5237556812761 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{77.007335419077 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{10.097179474881 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.079194732292496 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.31844200591559 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{0.0050980428545699 \alpha_0^{c_s} \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.32995137760019 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{5.3160260957473 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{85.211143443329 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.042208559257896 \left(\alpha_0^{c_s}\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.042208559257896 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{22.041015761287 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.3950679308667 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.69994072210242 \alpha_0^s \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{5.6627204099838 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{2.8546677974523 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.72860741454317 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{94.595760732347 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{94.970696036293 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{95.044414304326 \alpha_0^{c_s} \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.977211984848 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$- \frac{1.4890629727382 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{95.5605617748 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{0.37800510660062 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{1.5422734805319 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{198.29298206278 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{0.097225806780925 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{25.050682402996 \alpha_0^s \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.6284555851519 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0032064431447845 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0064128862895691 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0064128862895691 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{105.64664275469 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.013015939127452 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.83749608451892 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{26.820215028221 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{1.6929891301651 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.013556151355465 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{7.2382034685686 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{7.2571934692165 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8262787303313 \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.4607856626895 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.11682318661386 \alpha_0^s \alpha_1^s \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{7.6114904274362 \alpha_0^s \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.015031249631563 \alpha_0^s \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$

$$- \frac{0.030062499263126 \alpha_1^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.030062499263126 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{15.440878552289 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r}{c_s}$$
$$- \frac{31.063402668299 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.24475231769309 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.97968323569739 \alpha_0^s \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$

$$- \frac{31.852906409735 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{15.933729423049 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r}{c_s}$$
$$- \frac{4.0021065332518 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{2.0201582860084 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.063207832557048 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{8.0970770525596 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.0899690330584 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{32.805096865935 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{2.0616508872779 \left(\alpha_0^{c_s}\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{4.1417874797658 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{16.567149919063 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{4.1437218213698 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.064918459299146 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.002039217141828 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{16.766331314646 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^3 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.52649176277696 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{16.868250081954 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r}{c_s}$$
$$- \frac{1.0551433129135 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$

$$- \frac{16.992739381057 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^{c_s} r}{c_s}$$
$$- \frac{0.066693799769758 \alpha_0^{c_s} \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.067780756777323 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.067780756777323 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{8.6823052398232 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{2.1823706866746 \alpha_0^{c_s} \alpha_2^s \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{34.965741472013 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.27398788698105 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)^3}{c_s^5}$$
$$- \frac{8.8373984503665 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.27748910591119 \left(\alpha_0^{c_s}\right)^4 \left(\alpha_0^s\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.0043386463758175 \left(\alpha_0^{c_s}\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{0.27901864939292 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.27923657182113 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.28033207829224 \alpha_0^s \alpha_1^{c_s} \alpha_3^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.56066415658448 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{2.2426566263379 \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^4}{c_s^2}$$
$$- \frac{0.0022054938508931 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0022054938508931 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^{c_s} r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{2.2796511308661 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{2.2941014628506 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.57443008110536 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.3083750672239 \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.072919355085694 \alpha_1^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{38.105737980804 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^3 \log\left(c_s\right)^2}{c_s^3}$$

$$- \frac{1.2001484782142 \alpha_0^{c_s} \alpha_0^s \left(\alpha_2^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{9.6014888229504 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{0.075513733340599 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.075513733340599 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.2095430447019 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.0011824806486779 \alpha_0^{c_s} \alpha_1^s \alpha_4^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{0.0011824806486779 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{4.9053599289865 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{39.545080435492 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_3^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.2445277324342 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_2^s r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{2.4993198539064 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.31385194063156 \alpha_0^{c_s} \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{20.139929690156 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{10.262864826836 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_3^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{5.1473896864626 \alpha_0^{c_s} \alpha_0^s \alpha_4^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{2.575938625162 \alpha_0^s \alpha_2^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{20.723046092407 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.081243264634116 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.0013020833333333 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^8}{c_s}$$
$$- \frac{0.0026041666666667 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^8}{c_s}$$
$$- \frac{0.0052083333333333 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^7}{c_s^2}$$
$$- \frac{2.6673870952308 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{43.017714284157 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.3491536118893 \alpha_1^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{5.4239147335877 \left(\alpha_{0}^{c_{s}}\right)^{3} \left(\alpha_{0}^{s}\right)^{3} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.3570572384255 \alpha_{0}^{s} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{10.858178803351 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{3}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{21.778387933492 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{3}}{c_{s}^{2}}$$
$$- \frac{5.4643133678003 \alpha_{0}^{c_{s}} \alpha_{2}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{0.085441850583684 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{4}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$
$$- \frac{0.68525097529841 \alpha_{0}^{s} \alpha_{2}^{c_{s}} \alpha_{3}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$
$$- \frac{0.087610268091271 \left(\alpha_{0}^{c_{s}}\right)^{4} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{5.6124932833369 \alpha_{0}^{s} \left(\alpha_{1}^{s}\right)^{2} \alpha_{2}^{s} r \log\left(c_{s}\right)^{2}}{c_{s}}$$
$$- \frac{44.958482317427 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{3} \alpha_{2}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{11.280274497695 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r}{c_{s}}$$
$$- \frac{45.355576057915 \alpha_{0}^{c_{s}} \left(\alpha_{1}^{c_{s}}\right)^{2} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{2.8373593208084 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{5} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{1.4218383711188 \alpha_{0}^{c_{s}} \alpha_{1}^{s} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$

$$- \frac{11.455892742886 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} \alpha_{2}^{c_{s}} r}{c_{s}}$$
$$- \frac{2.8877588840834 \alpha_{0}^{s} \alpha_{1}^{s} \alpha_{4}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{5.7757906705137 \left(\alpha_{0}^{c_{s}}\right)^{3} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{2} \log\left(c_{s}\right)^{2}}{c_{s}^{2}}$$
$$- \frac{0.022593585592441 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{4} \alpha_{2}^{s} r \log\left(c_{s}\right)^{6}}{c_{s}}$$
$$- \frac{0.045187171184882 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \left(\alpha_{2}^{s}\right)^{2} r \log\left(c_{s}\right)^{6}}{c_{s}}$$
$$- \frac{1.4462786649585 \left(\alpha_{0}^{c_{s}}\right)^{4} \left(\alpha_{0}^{s}\right)^{2} \alpha_{1}^{c_{s}} r \log\left(c_{s}\right)}{c_{s}}$$
$$- \frac{371.2299239527 \alpha_{0}^{c_{s}} \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{1}^{s} r^{3}}{c_{s}^{3}}$$
$$- \frac{11.68086396043 \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{c_{s}} r^{3} \log\left(c_{s}\right)}{c_{s}^{3}}$$
$$- \frac{23.452244550708 \alpha_{0}^{c_{s}} \left(\alpha_{0}^{s}\right)^{2} \alpha_{3}^{c_{s}} r^{2} \log\left(c_{s}\right)}{c_{s}^{2}}$$
$$- \frac{0.18372039740475 \alpha_{0}^{s} \alpha_{2}^{s} \alpha_{3}^{s} r \log\left(c_{s}\right)^{5}}{c_{s}}$$

$$- \frac{5.893589286185 \alpha_0^{c_s} \alpha_0^s \alpha_2^s r^4 \log\left(c_s\right)^2}{c_s^4}$$
$$- \frac{0.73735377173801 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{11.897285016549 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{95.262177814558 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.74512807564809 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{0.011698395030904 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.7532856237553 \alpha_1^{c_s} \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.094359471762636 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{1.5168796230843 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)^3}{c_s^3}$$
$$- \frac{97.940961521084 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s r^4 \log\left(c_s\right)}{c_s^4}$$
$$- \frac{1.5313388674512 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{12.254592693261 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.19244603083391 \alpha_0^s \alpha_1^s \alpha_4^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.02410747196346 \alpha_0^s \alpha_1^s \alpha_3^s r^2 \log\left(c_s\right)^6}{c_s^2}$$
$$- \frac{0.38583606392289 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.38987378016412 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.78444479130431 \left(\alpha_0^{c_s}\right)^2 \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.78444479130431 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^3 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.1713252418793 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{51.097710014258 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{6.4535178577713 \left(\alpha_0^s\right)^3 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.00039416021622595 \alpha_0^{c_s} \alpha_0^s \alpha_5^s r \log\left(c_s\right)^7}{c_s}$$
$$- \frac{3.2484208759468 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{6.4992971605152 \alpha_1^{c_s} \alpha_1^s \alpha_3^s r \log\left(c_s\right)}{c_s}$$

$$- \frac{0.40676743018079 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.81992028621245 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{105.03729788447 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.0032063480947914 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.41041490912015 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^3 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.6544244698384 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{423.74940349444 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2}{c_s^2}$$
$$- \frac{3.3147375742937 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.41885485773169 \alpha_0^s \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.41909321213893 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{214.67437132183 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{3.3625737900942 \alpha_0^s \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{6.8117518830757 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.214493732516 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{3.4386127170685 \left(\alpha_0^s\right)^4 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.7291415040693 \alpha_1^{c_s} \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.013597350982949 \alpha_0^{c_s} \alpha_0^s \alpha_3^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{0.027194701965899 \alpha_0^{c_s} \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{28.042690498559 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_2^s r^3 \log\left(c_s\right)^2}{c_s^3}$$
$$- \frac{14.119848908189 \alpha_0^{c_s} \alpha_0^s \alpha_1^s r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.11049702061929 \alpha_0^s \alpha_1^s \alpha_2^s r^3 \log\left(c_s\right)^5}{c_s^3}$$
$$- \frac{56.60672804931 \left(\alpha_0^{c_s}\right)^2 \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.7699216041703 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{28.329095718314 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r}{c_s}$$

$$- \frac{7.0880347943298 \alpha_0^{c_s} \left(\alpha_0^s\right)^4 \alpha_1^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.001735458550327 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{56.880877219906 \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{1.7813431761745 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_3^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{14.254091422585 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.22551954698873 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_4^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.028251709506416 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8128564095653 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s r^4 \log\left(c_s\right)^3}{c_s^4}$$
$$- \frac{0.056696775573053 \left(\alpha_0^s\right)^2 \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{3.6309060640622 \alpha_0^{c_s} \left(\alpha_1^s\right)^2 \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{14.5711678697 \alpha_1^{c_s} \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{1.8238458159462 \alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_3^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.6485514615555 \alpha_0^{c_s} \alpha_2^{c_s} \alpha_3^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{29.284077966185 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^3 \log\left(c_s\right)}{c_s^3}$$
$$- \frac{7.3690582226499 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{118.36282101497 \left(\alpha_0^{c_s}\right)^3 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.02904042832117 \alpha_0^{c_s} \alpha_0^s \alpha_5^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{0.029167742034277 \alpha_0^s \alpha_1^{c_s} \alpha_4^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.8667915986513 \alpha_0^{c_s} \alpha_0^s \left(\alpha_1^s\right)^2 r^3 \log\left(c_s\right)^4}{c_s^3}$$
$$- \frac{7.4942483634235 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{7.5392488536527 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} r^5 \log\left(c_s\right)}{c_s^5}$$
$$- \frac{0.0073638101685509 \left(\alpha_0^{c_s}\right)^4 \alpha_0^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$

$$- \frac{0.94395293539108 \alpha_0^{c_s} \left(\alpha_0^s\right)^5 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{3.7771236584988 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3}$$

$$
\begin{aligned}
&- \frac{0.11879209843874\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^5}{c_s^2} \\
&- \frac{7.6329037635402\alpha_0^{c_s}\alpha_0^s\alpha_3^{c_s} r^3 \log\left(c_s\right)}{c_s^3} \\
&- \frac{15.349300394843\left(\alpha_0^s\right)^2\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s} \\
&- \frac{0.47974316955444\alpha_0^s\alpha_2^s\alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&- \frac{61.939770692011\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r^2 \log\left(c_s\right)}{c_s^2} \\
&- \frac{1.9406914421333\alpha_0^{c_s}\alpha_2^s\alpha_3^s r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.24286913818106\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^4\alpha_1^{c_s} r \log\left(c_s\right)^3}{c_s} \\
&- \frac{0.061176514254839\alpha_0^{c_s}\left(\alpha_0^s\right)^2\left(\alpha_1^s\right)^2 r^2 \log\left(c_s\right)^6}{c_s^2} \\
&- \frac{1.9883152475896\alpha_0^s\alpha_1^s\alpha_4^s r \log\left(c_s\right)}{c_s} \\
&- \frac{255.03590540972\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^3\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.0059124032433893\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^s r \log\left(c_s\right)^7}{c_s} \\
&+ \frac{7.2595351981678\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{24.850724878595\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^{c_s} r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{0.12662567777369\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}\alpha_1^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{72.067479797928\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2 \log\left(c_s\right)^2}{c_s^2} \\
&+ \frac{301.81727831795\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2 \log\left(c_s\right)}{c_s^2} \\
&+ \frac{0.69992389204073\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}\alpha_2^s r \log\left(c_s\right)^3}{c_s} \\
&+ \frac{14.200959284801\alpha_0^{c_s}\alpha_0^s\alpha_2^{c_s}\alpha_2^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{3.647963392473\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{8.0307887254575\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^s r \log\left(c_s\right)^2}{c_s} \\
&+ \frac{16.343516562154\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^s r \log\left(c_s\right)}{c_s} \\
&+ \frac{0.52266386271969\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r \log\left(c_s\right)^4}{c_s} \\
&+ \frac{4.1950260462651\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3 \log\left(c_s\right)^3}{c_s^3} \\
&+ \frac{8.5411066645479\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^{c_s} r \log\left(c_s\right)}{c_s}
\end{aligned}
$$

$$+\frac{5.0414589359583\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.040784342836559\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^6}{c_s^2}$$
$$+\frac{5.2547556828746\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{21.264104382989\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^3}{c_s^2}$$
$$+\frac{0.011027469254465\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.022054938508931\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{0.022054938508931\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{1.4572148290863\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{6.1517454571109\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{212.65596645985\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)}{c_s^3}$$
$$+\frac{3.4932118474864\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{3.7878820233284\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{15.162992348067\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{3.8113748952953\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{1.9818172448646\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{16.316704665203\left(\alpha_0^{c_s}\right)^3\alpha_0^s\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.51934767439317\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$+\frac{0.13556151355465\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{8.7845203661073\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.2182233373102\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.01735458550327\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^6}{c_s}$$
$$+\frac{0.29167742034277\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{2.3533343739129\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{20.40003647672\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$

$$+\frac{41.158301741634\left(\alpha_0^{c_s}\right)^2\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{42.930669380866\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_2^s r^2\log\left(c_s\right)^2}{c_s^2}$$
$$+\frac{21.468756131461\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{347.64477543536\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)}{c_s^2}$$
$$+\frac{22.158313772521\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{5.5689637754816\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{2.8635722495823\alpha_0^s\alpha_1^{c_s}\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{2.9328930200079\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^{c_s} r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{0.046793580123617\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.78399579407954\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\left(\alpha_1^s\right)^2 r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{0.0064126961895829\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)^4}{c_s}$$
$$+\frac{13.168144295785\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{6.6469354517829\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^{c_s} r\log\left(c_s\right)}{c_s}$$
$$+\frac{0.41881208101928\alpha_0^{c_s}\alpha_0^s\alpha_1^s\alpha_3^s r\log\left(c_s\right)^5}{c_s}$$
$$+\frac{26.929670853289\left(\alpha_0^{c_s}\right)^2\alpha_0^s\alpha_1^s\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{28.894544001422\alpha_0^{c_s}\left(\alpha_0^s\right)^3\alpha_1^{c_s}\alpha_1^s r\log\left(c_s\right)}{c_s}$$
$$+\frac{14.463619103551\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)^2}{c_s}$$
$$+\frac{1.9135184049699\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_3^s r\log\left(c_s\right)^3}{c_s}$$
$$+\frac{30.726568520442\alpha_0^{c_s}\alpha_1^{c_s}\alpha_1^s\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{0.011824806486779\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^s r\log\left(c_s\right)^7}{c_s}$$
$$-\frac{20.915768888554\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^s\alpha_2^{c_s} r\log\left(c_s\right)}{c_s}$$
$$-\frac{47.703316775136\alpha_0^{c_s}\alpha_0^s\alpha_1^{c_s}\alpha_1^s r^3\log\left(c_s\right)^2}{c_s^3}$$
$$-\frac{1.5580430231795\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_1^s r^2\log\left(c_s\right)^4}{c_s^2}$$
$$-\frac{30.206762056064\alpha_0^{c_s}\left(\alpha_0^s\right)^2\alpha_1^{c_s}\alpha_2^s r\log\left(c_s\right)}{c_s}$$
$$-\frac{18.487854536897\alpha_0^{c_s}\alpha_0^s\left(\alpha_1^{c_s}\right)^2\alpha_1^s r\log\left(c_s\right)}{c_s}$$

$$- \frac{10.143670784178\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.69932433312286\alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^5}{c_s^2}$$
$$- \frac{25.612856572859\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.027771252169937\alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{63.53840514836 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$

$$- \frac{0.26133193135985\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.52266386271969\alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.52266386271969\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{0.0042751307930552\alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{2.2142890475012\alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{0.070190370185426 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{43.864347892597 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{44.122670027661\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.022054938508931\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{11.651221589538\alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{11.99633866961 \left(\alpha_0^{c_s}\right)^2 \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.82502840418987\alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{1.6566515974227\alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{14.187446714087\alpha_0^{c_s} \left(\alpha_0^s\right)^3 \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{1.8375092631961\alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^4}{c_s}$$
$$- \frac{30.850433267302\alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.24532528720928 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.52311847096981\alpha_0^{c_s} \alpha_0^s \left(\alpha_1^{c_s}\right)^2 \alpha_1^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{134.01309294765\alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$

$$- \frac{1.0498858380611 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.033082407763396 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{138.34519524848 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.067780756777323 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^s r \log\left(c_s\right)^6}{c_s}$$
$$- \frac{8.7845203661073 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{0.14057021870991 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{0.30205493336239 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^5}{c_s}$$
$$- \frac{4.8427260387206 \alpha_0^{c_s} \alpha_0^s \alpha_2^{c_s} \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{9.764000651937 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.6131442956475 \left(\alpha_0^{c_s}\right)^3 \alpha_0^s \alpha_1^{c_s} \alpha_1^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{5.6935694709761 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \left(\alpha_1^s\right)^2 r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{2.9328930200079 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{24.084187330966 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{108.66246185733 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_2^{c_s} r^2 \log\left(c_s\right)}{c_s^2}$$
$$- \frac{0.85014545461657 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)^3}{c_s}$$
$$- \frac{13.693187239456 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^s \alpha_2^{c_s} r \log\left(c_s\right)}{c_s}$$
$$- \frac{27.877874466045 \left(\alpha_0^{c_s}\right)^2 \alpha_0^s \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)}{c_s}$$
$$- \frac{7.0880347943298 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_2^s r^2 \log\left(c_s\right)^3}{c_s^2}$$
$$- \frac{14.588676477104 \alpha_0^{c_s} \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{7.4584820756401 \alpha_0^{c_s} \alpha_0^s \alpha_1^{c_s} \alpha_3^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{14.932963791751 \alpha_0^s \alpha_1^{c_s} \alpha_1^s \alpha_2^s r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{0.94112906004966 \alpha_0^{c_s} \alpha_0^s \alpha_1^s \alpha_3^{c_s} r \log\left(c_s\right)^2}{c_s}$$
$$- \frac{121.1608835364 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_1^s r^2 \log\left(c_s\right)^2}{c_s^2}$$
$$- \frac{3.803543937973 \alpha_0^{c_s} \left(\alpha_0^s\right)^2 \alpha_1^{c_s} \alpha_2^s r \log\left(c_s\right)^3}{c_s}$$

$$- \frac{0.97147655272423 \left(\alpha_{0}^{c_{s}}\right)^{2} \alpha_{0}^{s} \alpha_{1}^{c_{s}} \alpha_{2}^{s} r \log\left(c_{s}\right)^{3}}{c_{s}}$$