

SUPER-X version 1.22 documentation

SUPER-X version 1.2 Copyright 1994 Romi

Unofficial SUPER-X version 1.22 Made By: NYYRIKKI (2011)

Forewords:

SUPER-X is the best monitor & debugger in MSX history. Tremendous power is shown in developing, analysing and debugging of a machine language program. This fan version is expanded from the official version. I've been trying to expand the debugging possibilities while still keeping the original look & feeling. Some clear bugs have been removed and some commands have been changed. Unfortunately I have not been able to contact **Romi** who is the original author of this program.

I want to thank **JP Grobler** for making the English translation from original Japanese documentation. This up to date documentation would not exist without his previous efforts. The original Japanese documentation does not anymore ship with Super-X as I have no way to keep it updated as I totally lack Japanese skills.

Development of Super-X started 20 years ago, so this version can now be seen as kind of birthday version!

NYYRIKKI – April 2011

List of files

At least these seven files should be delivered with the program package:

"SUPER-X.BAT "	Batch file for DOS.
"SUPER-X.BAS "	Basic file that loads "SUPER-X.LDR"
"SUPER-X.LDR"	RAW Loader – binary file
"SUPER-X.BDY"	SUPER-X itself.
"SUPER-X.TNK"	Note File (description later). If it is on the disk, it is loaded to the VRAM
"SUPER-X.FNT"	Japanese character font file. (Optional)
"SUPER-X.DOC"	This file

Loading SUPER-X

From BASIC type: RUN "SUPER-X.BAS"

From DOS type: SUPER-X

You can skip TNK and FNT file loading by holding GRAPH down.

Added commands to BASIC:

- **CALL @**
Start Super-X
- **CALL S**
Can now be used instead of CALL SYSTEM
- **CALL CHCPU (N):**
Change CPU (MSX tR only)
 - N = 0 Z80 (ROM)
 - N = 1 R800 (ROM)
 - N = 2 R800 (DRAM)
 - N = 3 Z80 (DRAM)

Basic knowledge

In this documentation we use the following formatting:

< ... > required parameter

[...] optional parameter

{ ... } keyboard button

Before we start this is the basic knowledge you should have:

- When SUPER-X is started a summary of the machine's info will be displayed and a command prompt appears ('A:' or 'B:' etc).
- Commands are entered after the prompt.
- The prompt indicates the current active drive (like DOS)
- All commands are case sensitive
- Pressing **{GRAPH} + {SPACE}** opens the help window.
- During command execution if you push **{SPACE}** or **{ENTER}** execution halts. If pressed for a second time execution continues
- Pressing **{ESC}** or **{BackSpace}** (or **{CTRL} + {STOP}** during input) ends execution of a command.
- Command parameters can be separated by a blank space ' ' or a comma ','
A space between the command and the first parameter is also allowed, for easy reading / input:

Example: A>D 0000 1000 or A>D0000,1000

- Command functions can differ depending upon the number of parameters:
 - One Address display block for editing
 - Two Addresses give a non stop list output (used mostly for printer output)

Command line, search and assembly input modes use full screen editor that works like built in MSX-BASIC editor. You can move around with cursors and use same keyboard shortcuts including function keys. Here is list of some of the most important BASIC & Super-X common keyboard shortcuts in these modes:

Interactive mode keyboard shortcuts:

{HOME}	Move cursor to upper left corner
{SHIFT} + {HOME}	Clear screen and move cursor to upper left corner
{CTRL} + {N}	Move cursor to end of line
{CTRL} + {E}	Clear end of the line starting from cursor
{CTRL} + {U}	Clear whole line and move cursor to beginning of line
{CTRL} + {F}	Move cursor to start of next word
{CTRL} + {B}	Move cursor to start of previous word

Other basic commands have their own keyboard shortcuts. The details / exceptions have been explained under each command, but generally the logic goes like described in table below.

General keyboard shortcuts:

{cursor keys}	Cursor movement
{BackSpace}	Cursor one character back
{SHIFT} + {SPACE}	Information of the address at the cursor
{HOME}	Moves cursor to top left
{SHIFT} + {HOME}	Changes the display address to the current cursor position
{INS}	One screen down
{DEL}	One screen up
{\} or {TAB}	Input displayed address
{ENTER}	Command menu mode.
{CTRL} + {S}	Search for data. The command waits for the search string. <i>See FD command</i>
{CTRL} + {F}	Repeat search forward (The string entered above is searched)
{CTRL} + {D}	Repeat search backward
{CTRL} + {Z}	Reset global offset to zero (Pressing again will undo the reset)
{ESC}	Exits editing

General information about SUPER-X

➤ Address with slot assignment

Format: [address] # [primary slot number] - [extended slot number]
Example: Address 1234h in primary slot 3: 1234#3
Example: Address 1234h in slot 3-1: 1234#3-1
Example: Address 1234h in slot 1-3: 1234#1-3

The normal (boot up) slot state can be chosen with #S or #5

The VRAM slot can be chosen with #V or #4

➤ The current slot

If the slot number is left out of an address the current slot is assumed.

The current slot is the slot last selected via a basic command (Dump, ASCII, dIsassembler and asseMbly input)

The basic commands change the active slot if specified in the address. You can see currently active slot by looking information area.

➤ The VRAM slot

SUPER-X can access the VRAM same way as normal ram. Select the VRAM with slot #V or #4.

Because the Japanese font is in the VRAM it might be displayed wrong if the VRAM is accessed.

Also the Note File is located in the VRAM so proceed with caution if you need these features.

➤ Numerical values

SUPER-X input address and such are generally hexadecimal numbers, but other values are input as "numerical values".

SUPER-X can accept binary, decimal and hexadecimal numbers (See "assembly input" in "basic commands"), negative numbers, formulas (calculation range 2 bytes) and can handle overflow.

ASCII codes can be used as numbers by surrounding max 2 letters with " ' "

Please note: There is no precedence in operators. They are calculated from left to right!

Available math operations are:

+	add
-	subtract
*	multiply
/	divide
%	modulus (like MOD in BASIC)
	logical OR
&	logical AND
^	logical XOR

Examples:

CL 10-1|80H

CL 'A'&15

➤ The information area

At the bottom of the screen there is the information area. It holds following information:

[<current command> : <address of cursor> : <debug stack count>] SLOT: <current slot> 0=<global offset >

➤ Screen print / Screen shot

{CTRL} + {P} contents of the screen is printed

{CTRL} + {V} contents of the screen is copied to VRAM

To view captured screenshot from VRAM, press {SELECT}

➤ Commas in inputs can be replaced with spaces

Example:. SD0,1000,FILENAME or
SD0 1000 FILENAME

➤ Printer output of a command

Place a "?" in front of the command

Example: ?D0 100 This dumps address 0 to 100h to the screen and printer

➤ **Debugger variables**

7 Addresses can be saved in variables (address + slot number)

An address in a command, can be substituted by these variables @[variable number]

Normal variables are numbered from 0 to 3. Commands store base address in variable 0

There are also 3 special variables that are set automatically by disk load functions:

@B = Begin address

@E = End address

@S = Start address / Size

Do display content of variables, you can type "@" in command prompt

To set variable, type:

@<variable name/number>=<address>[#<slot>]

Example:	@0=1000#3-1	sets @0 to 1000H in slot 3-1
	D@0	will dump 1000H in slot 3-1
	@1=FF2	sets @1 to 0FF2H
	CL @1+1	will display 0FF3H in various number formats

➤ **Loaded filename**

When a file is loaded **LD** of **L#** commands, file name will be copied to Function key 1

➤ **Repeat command function**

If {ENTER} is pressed on a blank command line, the previous command is echoed and can be executed or changed.

➤ **Change the current drive**

Same as DOS: Type A: or B: (up to H:)

➤ **Note function**

Notes can be added to addresses. The Note File is "SUPER-X.TNK"

The **Note File** is located from 8000H - FFFFH in the VRAM

The number of possible notes is 512.

About 470 notes is already in the file supplied with SUPER-X. It contains the main BIOS, the main work area, the main hook and the main I / the O port et cetera (Currently only in Japanese)

When contents of the VRAM are changed, the **Note File** is destroyed, please reload it with the **iL** command.

The format of the Note File:

+ 512 *	total number of notes left	first 2 bytes
	address	2 bytes
	slot data	1 byte
	type data	1 byte
	explanatory data	60 bytes
= 32770 bytes (32kB)		

➤ **Debug stack (Jump / call stack)**

When in disassembly mode a call / jump can be followed by pressing {CURSOR RIGHT}.

{CURSOR LEFT} returns to the origin of the jump / call.

Up to 16 jumps / calls can be stored (the slot, address and cursor position are stored)

For example:

1. During disassembling editing, say there was a line, "CALL 0134h".
2. Then when the cursor is on the line and {CURSOR RIGHT} is pressed
"P>> [0134 # _ _]" will appear and the base address of disassembling editing changes to 134h when {ENTER} is pushed
3. You can keep on analysing as normal.
4. When {CURSOR LEFT} is pressed SUPER-X returns to the address which called 0134h in the first place

Basic commands

There exists 5 different basic editor modes that you can interact with.

When you are in one of these editor modes, you can quickly change between them:

Press {ENTER} to open the basic command window, then use the {CURSORS} or {SPACE} to choose the command.

-----	{CURSOR UP} switch to D ump mode
----- Dump -----	{CURSOR LEFT} switch to A scii mode
Ascii Char Multi	{SPACE} switch to C haracter (font / sprite / binary)mode
----- Disasm -----	{CURSOR RIGHT} switch to asse M bly input) mode
-----	{CURSOR DOWN} switch to d I sassembly mode

From command line these modes can be accessed with following commands:

- **HexDump editing / Listing**

D <begin address>[#<slot>][,<end address>[,<file name>]]

Gives a hex dump of the memory

All general keyboard shortcuts are available. Also following keys have special meaning on this mode:

{0} – {F}	Hexadecimal data entry
{"}	ASCII entry
{SHIFT} + {cursor UP / DOWN}	Scrolls the page up / down
{@}	Repeat previous byte

- **ASCII editing / Listing**

A <begin address>[#<slot>][,<end address>[,<file name>]]

Gives an ASCII listing of the memory

General keyboard shortcuts are available. Most of the keys function as data input on this mode.

Example:. To Edit #4000 in slot 3-2
A4000#3-2

- **Disassembly editing / Listing**

I <begin address>[#<slot>][,<end address>[,<file name>]]

Gives a disassembles output of the memory

General keyboard shortcuts are available. Also following keys have special meaning on this mode:

{DEL}	32 bytes back
{SHIFT} + {SPACE}	Information of the command address parameter pointed by cursor
{UP}	Move cursor up (move to previous command or byte)
{DOWN}	Move cursor down (move to next command)
{RIGHT}	Follows a jump / call (push to debug stack)
{LEFT}	Returns to previous call / jump address (pop from debug stack)
{CTRL} + {O}	Set global offset (relative to current offset)

Example:. To disassemble address #4000 in slot 3-2
I4000#3-2

Character editing / Listing

H <begin address> [#<slot>][,<end address>[,<file name>]]

Displays the memory as compilation of sprite and the character font. (Binary editing)

The 2 bytes after the cursors is the Kanji character code

A graphic window of a 16x16 Font is displayed

General keyboard shortcuts are available. Also following keys have special meaning on this mode:

{SPACE}	Toggles bit on or off
{SHIFT} + {SPACE}	Information on the address at the cursor
{U}	The data at the cursor and above is exchanged.
{D}	The data at the cursor and below is exchanged
{R}	The data at the cursor is moved to the right. If the X position of the cursor is 7 or 8 the whole line is moved!
{L}	The data at the cursor is moved to the left. If the X position of the cursor is 7 or 8 the whole line is moved!
{V}	The data at the cursor is reversed
{O}	All dots at the cursor are turned on
{F}	All dots at the cursor are turned off
{C}	Clears the whole data range

- **Assembly input**

M <begin address>[#<slot>]

Enters interactive mode, displays address and waits for input which is written to memory. Address counter is automatically increased after successful write to memory. By default the input is assembler (R800 commands are also accepted).

When you are in interactive mode you can also type: **I** [<number of lines>]

This lists the following <number of lines> instructions – like basic list command

With cursor keys you can now go up and change commands or addresses. If <number of lines> is empty then 20 lines is displayed. All default editing keys are available in this mode.

You can also use this command mode to edit memory directly like this:

<address>[#<slot>] [<type sign>[<data 1>, <data 2>, ..., <data n>]]

Type sign is as follows:

.	1 byte hexadecimal	example: 0000 .CD, 4d, 00
:	2 byte hexadecimal	example: 0000 :1234, ABCD
;	numerical value (range 2 byte)	example: 0000 ; 'A' * 100 , 18200 11b
[	numerical value (range 1 byte)	example: 0000 [100, ' # '
"	character string data	example: 0000 " the LAUGHTER MEDITATION"

It is also ok to use debugger variables when 16bit input is required.

Example:

```
M@E
D000 LD HL,@B
D003 LD DE,@2
D006 LD BC,@E-@B
D009 LDIR
D00B RST 30H
D00C .I
D00D :@S
D00F RET
```

Please note: This command has special exit. To exit back to command line mode, you need to press {CTRL}+{STOP}

Other commands:

- **BASIC list**

BL <line number>

LIST same as BASIC

When this command is executed and the memory area where BASIC should be stored contains other than BASIC program data the routine may be unstable.

- **Hexadecimal keypad setting**

TK <number>

Used if you have a numeric keypad on your MSX. This selects the order of ABCDEF on the keypad for hex input: ABCDEF will be on the '+', '-', '/', '*', ';', '.' keys.

Number can be from 1 to 4 (The following table comes from NMS8250):

	KEY	-	*	/	+	.	,
	Number						
Type 1 Arrangement 1	1	D	F	E	C	A	B
Type 1 Arrangement 2	2	C	A	B	D	F	E
Type 2 Arrangement 1	3	F	E	D	C	B	A
Type 2 Arrangement 2	4	A	B	C	D	E	F

- **Block transfer**

BT <source begin address>[#<slot>], <source end address>, <destination begin address>[#<slot>]

Transfers a block of data

- **Clear screen**

CLS

Clears the screen. You can also use {SHIFT} + {HOME} to do same thing.

- **Change directory**

CD <name of directory>

This command requires MSX-DOS 2.

- **Relocate**

RT <source start address>[#<slot>], <source end address>, <destination start address>[#<slot>]

This command transfers machine language program to another address. All the memory pointers that point inside transfer area will be updated and changes will be listed to screen.

- **Filling memory**

FL <begin address>[#<slot>], <end address>, <value>

Fills memory with a single value.

- **Memory comparing**

CM <begin address>[#<slot>], <end address>, <compare begin address>[#<slot>][,S]

By default differences are listed.

'S' switch lists similar values

- **Data searching**

FD <begin address>[#<slot>], <end address>

This command lists all memory addresses where searched can be found.

Command asks for search string input which can be same as in **M** command although relative jump (JR and DJNZ) can not be searched. Search can be terminated with the {BS} or {ESC} key if needed.

- **Checksum type**

CS

Changes checksum type (toggle)

'NORMAL'

adds all the bytes together

'+ ADR'

adds start address + all the bytes together

- **Calculate checksum**

TS <begin address>[#<slot>], <end address>

The checksum of the memory segment calculated.

- **Execution of program in memory**

GO <address>[#<slot>]

Executes machine language program from defined memory address. For break point information, see RG-command.

- **Registers**

RG Displays all the registers

RG * All areas other than stack are cleared

RG + The stack is reset to the start address.

RG <register name>, <value> Register is changed to the new value.

Supported register names: A, B, C, D, E, F, H, L, A', B', C', D', E', F', H', L', AF, BC, DE, HL, AF', BC', DE', HL', IX, IY, IXL, IYH, IYL, SP, BP and PC

Please note: When the SP is changed (the stack pointer), the stack of the system changes! Stack pointer can not be set below 80FFH.

The BP (break point) is not a CPU register, but can be used for debugging.

If a GO command executed in the current slot and the BP address is reached, the program execution stops! Registers are saved, PC (the program counter) changes to the BP address and the stack stays the same. BP address can only be in the RAM.

- **Trace**

TR <address>

Executes one instruction at a time and displays the registers afterwards.

[ESC] or [BS] quits

When printer output is specified (A>?TR) the trace results are printed - used for tracing programs which alter the screen.

- **Machine check**

CK

Returns information on the machine. This information is printed to screen also when Super-X is started.

SLOT	Slot which is currently active
RAM	System RAM slot
X	Location of Super-X in memory
MAIN-ROM	Location of main ROM in memory
SUB-ROM	Location of SUB-ROM (or EXT-ROM) in memory
FDC-ROM	Slots of floppy disk controllers
EXP	Presence of expansion of each basic slot (o = it is expanded, / * = it is not)
DISK	Drive names that are available
STACK	Stack pointer.
MAPPER SUPPORT	If a mapper support routine (DOS2 etc) is not found mapper details are not printed.
MAPPER RAM	Slots and available RAM segments (mapper pages) listed
MAPPER:	Selected segments for each RAM page

- **Setting of the function key**

SF [<key number (numerical value)>, <character string>]

Defines a function key

When a numerical value is surrounded with “[“ and “]”, it is seen as a character code. For example [65] = A

Command only without parameters initialises all the function keys.

- **Calculate**

CL <expression>

The binary, hexadecimal and decimal of a expression is returned. (See: Numerical values)

Searching string in BASIC listing

BF

Search for data. The search string is asked.

"?" can be used as a single character wildcard

When this command is executed and the memory area where BASIC should be stored contains other than BASIC program data the routine may be unstable.

- **Mapper page select**

PP [<page>,<segment>]

The mapper segment which is assigned to the page which is appointed, is set.

255 Segments are possible.

This routine can only execute if a mapper support routine is present. If mapper support is not present you can use PO command instead. The command without parameters initialise the mapper.

- **Super Disassembler / data export**

SD <file name>,<begin address>[#<slot>],<end address>[,<data export switch (B|D|X)>]

By default this command disassembles and saves a text file to disk

Data can be exported to other formats by adding data export switch. Available switches are:

B DEFB type for assemblers.

Example: **DEFB 3EH,80H,0CDH,80H,01H,0C9H**

X X-BASIC type of inline ML

Example: **10001 '#I &H3E,&H80,&HCD,&H80,&H01,&HC9**

D DATA type for BASIC.

Example: **10001 DATA 3E80CD8001C9**

Example of reading in BASIC:

READ A\$: FOR I = 0 TO LEN(A\$)\2-1:POKE AD + I, VAL ("&H " + MID\$(A\$, I * 2 + 1, 2)): NEXT I

Example:

SD MYPROG.ASM,9000,9014

Output:

```
;9000H-9014H
      LD      HL,X900E
      LD      DE,0C000H
      LD      BC,0123H
      LDIR
      JP      0C000H
X900E: LD      H,40H
      LD      A,01H
      PUSH    AF
      PUSH    HL
      CALL    0024H
```

- **File summary (Directory listing)**

FS <drive name>

Lists files on disk. If DOS2 is available, you can also define directory or filemask after command.

- **Usage of the disk**

CI <drive name>

Shows "<the number of used clusters> / <number of all clusters>".

- **Global offset**

OF [<offset>]

Sets offset address that is applied to all addresses inside Super-X including for example other offsets and disk routines.

Great care must be taken to avoid problems with OS and hardware, but this can be used for example to debug routines that are located in other than the real execution address. Offset parameter is absolute offset subtracted from real hardware memory address 0. (Parameter will become new address 0) If command is executed without parameters global offset will be set to zero.

Example:

OF 8100

L#COMMAND2.COM,100

I100

This will load and start disassembling COMMAND2.COM from it's normal load address (100H) while the program is loaded to real life address 08000H

- **Change CPU mode**

CU [<number>]

Change the CPU. (MSX tR only)

If parameter is not given, this will display current CPU mode.

0 = Z80

1 = R800 (ROM)

2 = R800 (DRAM)

3 = Z80 (DRAM)

- **Colour of the screen**

CO [<foreground>], [<background>], [<edge>]

Change the colour of the screen.

- **Displays memory in text using Japanese font**

KR <address>[#<slot>]

Display memory using Japanese font.

(Japanese characters start from ASCII 128 – 255, 0-127 is the normal character set)

- **Type japanese text file on screen**

KT <file name>

Displays text file on screen with the Japanese character set.

(Japanese characters start from ASCII 128 – 255, 0-127 is the normal character set)

{ENTER} or {SPACE} = Pause

{ESC}=Quit

- **Type text file on screen**

TP <file name>

Displays text file on screen.

{ENTER} or {SPACE} = Pause

{ESC}=Quit

- **Loads the Japanese character font.**

KL [<drive name>]

(re)Loads the Japanese character font file "SUPER-X.FNT " into the VRAM slot.

- **Save (BSAVE)**

SV <file name>,<begin address>[#<slot>],<end address>,[<start address>[,<offset>]]

Similar to BSAVE of the BASIC, but you can also set offset for data loading. Using offset here will only affect the BASIC binary file header.

- **Load (BLOAD)**

LD <file name>[,<offset>[#<slot>]]

Similar to BLOAD of BASIC.

- **RAW Saving**

S# <file name>,<begin address>[#<slot>],<end address>

Memory contents are saved in the file.

Example:

. To save 4000 – 7FFF of slot 2 as file "DUMP.ROM"

S#DUMP.ROM,4000#2,7FFF

- **RAW Load**

L# <file name>,<address>[#<slot>]

Loads the selected file to the selected memory (and slot) address

- **Sector saving**

S% [<drive name>:]<begin sector (numerical value)>,<end sector>,<address>[#<slot>]

Writes contents of memory to sector(s)

If no end sector is selected then only one is saved!

- **Sector load**
L% [<drive name>:]<begin sector (numerical value)>,<end sector>,<address>[#<slot>]
Loads the content of sector(s) to memory
If no end sector is selected then only one is loaded!
- **Add a note**
iM <address>, <slot data>, <type data>
A new note is saved in the Note File.
{cursor keys} move
{ENTER} saves the note.
{ESC} cancel.
The slot data and the type data add a supplemental explanation of the note:
Slot data 0: General 1: MAIN 2: SUB 3: FDC 4: RAM
Type data 0: General 1: BIOS 2: WORK 3: DATA 4: PORT 5: MATH 6: KEY 7: HOOK
- **Read note on address**
iC <address>
Checks to see if there is an note for the address given
- **Load the Note File**
iL <drive name>
Loads the Note File.
- **Save the Note File**
iS <drive name>
Saves the Note File.
- **I/O port in**
PI <port>
Reads a byte from the I/O port.
- **I/O port out**
PO <port>, <numerical value>
Writes a numerical value to the I/O port.
- **Quit**
QT
Returns to BASIC from SUPER-X. (Exits)

E:\paleobasic\superx\LOADER.ASM

```
1 ;-----
2 ;     SUPER-X ver 1.22 LOADER
3 ;-----
4 ; Version 1.2 is Copyright 1994 by Romi
5 ; Unoffical version 1.22 is Made By: NYRIKKI 2011
6 ;
7 ;
8 ; Changes in ver 1.22:
9 ;
10 ; - This can now be compiled with Siasm v.0.42b8 instead of M80/L80
11 ; - BLOAD-header corrected
12 ; - Minor speedup with VRAM access
13 ; - Changed displayed information at load.
14 ;
15 ; Changes in ver 1.21:
16 ;
17 ; - Added possibility to skip TNK and FNT file load by holding GRAF
18 ; - Characters reselected so, that they work well also in non Japan
19 ; - Changed displayed information at load.
20 ;
21 ; Changes after version 1.2 have been done without permission from
22 ;-----
23
24
25     OUTPUT "SUPER-X.LDR"
26
27 FCB EQU 0F41FH
28
29 ;----- BASIC Header -----+
30     DB  0FEH      ;|
31     DW  TENSOU    ;|
32     DW  END      ;|
33     DW  TENSOU    ;|
34 ;-----+
35
36     ORG 0C000H
37
38 TENSOU: LD  HL,0D000H
39         OR  A
40         SBC HL,SP
41         JR  NC,TENS02
42         LD  A,(0FFA7H) ;□□□□□□□□
43         CP  0C9H
44         JR  Z,TENS03
45         LD  A,(0FAFCH) ;VRAM□□□□
46         BIT 2,A
47         JR  NZ,TENS01
48 TENS03: LD  HL,STR_0
```

E:\paleobasic\superx\LOADER.ASM

```
49     JP  PRINT1 ;  
50 TENS02: LD  HL,STR_3  
51     JP  PRINT1  
52  
53 TENS01:; SUPER-X.BDY   
54     CALL FCBCLR  
55     LD  HL,FILNMS ;  
56     LD  DE,FCB+1  
57     LD  BC,11  
58     LDIR  
59     LD  DE,FCB  
60     LD  C,0FH  
61     CALL 0F37DH  
62     INC A  
63     JP  NZ,LOAD1  
64     LD  HL,STR_2 ;  
65     CALL PRINT1  
66     JP  QUIT  
67 LOAD1: LD  HL,(0F3DCH)  
68     LD  (XYSAVE),HL  
69     LD  HL,STR_5  
70     CALL PRINT1  
71     LD  C,1AH ;DMA   
72     LD  DE,8000H  
73     CALL 0F37DH  
74     LD  HL,1  
75     LD  (FCB+14),HL ;  
76  
77     CALL READ  
78  
79     LD  A,(0F342H) ;PAGE1RAM  
80     LD  H,40H  
81     CALL 24H  
82  
83     LD  HL,8000H  
84     LD  DE,4000H  
85     LD  BC,4000H  
86     LDIR  
87  
88     LD  A,(0F342H)  
89     CALL STATE  
90     INC HL  
91     LD  (4010H),HL  
92     PUSH HL  
93     LD  A,(0FCC1H)  
94     LD  H,40H  
95     CALL 24H  
96
```

E:\paleobasic\superx\LOADER.ASM

```

97      EI
98      CALL    READ
99
100 ; PAGE0 RAM5
101      DI
102      IN      A,(0A8H)
103      PUSH    AF
104      AND     11111100B
105      LD      C,A
106      LD      A,(0F341H)
107      AND     11B
108      OR      C
109      OUT     (0A8H),A
110      LD      A,(0FFFFH)
111      CPL
112      PUSH    AF
113      AND     11111100B
114      LD      C,A
115      LD      A,(0F341H)
116      RRCA
117      RRCA
118      AND     11B
119      OR      C
120      LD      (0FFFFH),A
121
122      LD      BC,3F00H
123      LD      HL,8000H
124      LD      DE,100H
125      LDIR
126
127      POP     AF
128      LD      (0FFFFH),A
129      POP     AF
130      OUT     (0A8H),A
131
132      EI
133
134 ; 
135      LD      A,(0FAF8H)
136      CALL    STATE
137      LD      A,(HL)
138      AND     11011111B
139      LD      (HL),A
140
141 ; CALLX
142      POP     HL
143      LD      (HL),20H
144      LD      HL,(XYSAVE)
```

E:\paleobasic\superx\LOADER.ASM

```
145      LD  (0F3DCH),HL
146      LD  HL,STR_1
147      CALL PRINT1
148
149
150      LD  A,6
151      CALL 141H
152      BIT 2,A
153      JP  Z,SKIP
154
155
156
157 ; 00000000 00
158      CALL FCBCLR
159      LD  HL,FILNM1
160      LD  DE,FCB+1
161      LD  BC,11
162      LDIR
163      LD  DE,FCB
164      LD  C,0FH
165      CALL 0F37DH
166      INC A
167      JR  NZ,SRH1
168      LD  HL,STR_4
169      CALL PRINT1
170      JP  KFNTLD
171 SRH1:  LD  HL,1
172      LD  (FCB+14),HL
173      LD  C,27H
174      LD  DE,FCB
175      LD  HL,2
176      CALL 0F37DH
177      LD  B,2
178      LD  HL,4012H
179      LD  IX,8000H
180 SRH2:  LD  E,(IX)
181      LD  A,(0F342H)
182      PUSH IX
183      PUSH BC
184      CALL 14H
185      POP BC
186      POP IX
187      INC HL
188      INC IX
189      DJNZ SRH2
190      EI
191      CALL READ
192      LD  HL,8000H
```

E:\paleobasic\superx\LOADER.ASM

```
193      LD  DE,8000H
194      LD  BC,4000H
195      CALL LDIRVM
196      CALL READ
197      LD  HL,8000H
198      LD  DE,0C000H
199      LD  BC,4000H
200      CALL LDIRVM
201
202      ; 0000 0000v1.1)
203      KFNTLD: CALL FCBCLR
204      LD  HL,FILNM2
205      LD  DE,FCB+1
206      LD  BC,11
207      LDIR
208      LD  DE,FCB
209      LD  C,0FH
210      CALL 0F37DH
211      INC A
212      JR  NZ,KFNTL1
213      LD  HL,STR_6
214      CALL PRINT1
215      JR  QUIT
216      KFNTL1: LD  HL,1
217      LD  (FCB+14),HL
218      CALL READ
219      LD  HL,8000H
220      LD  DE,0
221      LD  BC,4000H
222      CALL P1LDVM
223
224      CALL READ
225      LD  HL,8000H
226      LD  DE,4000H
227      LD  BC,4000H
228      CALL P1LDVM
229
230      CALL READ
231      LD  HL,8000H
232      LD  DE,8000H
233      LD  BC,4000H
234      CALL P1LDVM
235
236      CALL READ
237      LD  HL,8000H
238      LD  DE,0C000H
239      LD  BC,03000H
240      CALL P1LDVM
```


E:\paleobasic\superx\LOADER.ASM

```
241      JR    QUIT
242
243  SKIP:
244      LD     HL,STR_7
245      CALL   PRINT1
246
247  QUIT:  XOR  A ; NEW
248      LD     (8000H),A
249      LD     HL,TEXT
250      CALL   4601H
251      RET
252
253  READ:  ;PAGE2□□□
254      LD     C,27H
255      LD     DE,FCB
256      LD     HL,4000H
257      CALL   0F37DH
258      RET
259
260  STATE: ;HL=A□□□□□□□□□□
261      LD     B,A
262      AND    3
263      RLCA
264      RLCA
265      RLCA
266      RLCA
267      LD     C,A
268      LD     A,B
269      AND    0CH
270      ADD    A,C
271      LD     C,A
272      LD     B,0
273      LD     HL,0FCC9H
274      ADD    HL,BC
275      RET
276
277  ; □□HL)=>VRAM(DE) BCbyte □□□
278  LDIRVM: EX  DE,HL
279      CALL   171H
280      EX    DE,HL
281  LDRV2:  PUSH    BC
282      POP     DE
283      LD     A,(0007H)
284      LD     C,A
285  LDRV1:  ; LD     A,(HL)
286      ; OUT     (C),A
287      ; INC     HL
288      OUTI
```

E:\paleobasic\superx\LOADER.ASM

```
289     DEC DE
290     LD  A,D
291     OR  E
292     JP  NZ,LDRVM1
293     RET
294
295 P1LDVM: EX  DE,HL
296     PUSH BC
297     DI
298     LD  A,(0007H)
299     INC A
300     LD  C,A
301     XOR A
302     OUT (C),A
303     LD  A,45+80H
304     OUT (C),A
305     LD  A,H
306     RLCA
307     RLCA
308     AND 3
309     SET 2,A
310     OUT (C),A
311     LD  A,14+80H
312     OUT (C),A
313     OUT (C),L
314     LD  A,H
315     AND 3FH
316     SET 6,A
317     OUT (C),A
318     EI
319     POP BC
320     EX  DE,HL
321     JR  LDRVM2
322
323 PRINT1: LD  A,(HL)
324     CP  '$'
325     RET Z
326     CALL 0A2H
327     INC HL
328     JR  PRINT1
329
330 FCBCLR: LD  HL,FCB ; FCB□,
331     LD  DE,FCB+1
332     LD  BC,36
333     LD  (HL),0
334     LDIR
335     RET
336
```

E:\paleobasic\superx\LOADER.ASM

```

337 STR_0: DEFM "SUPER-X can't run on this machine$"
338 STR_1: DEFM 'SUPER-X version 1.22'
339     DB 10,13
340     DEFM 'Ver: 1.2 Copyright 1994 by Romi'
341     DB 10,13
342     DEFM 'Ver: 1.22 Made 2011 by NYYRIKKI$'
343 STR_2: DEFM '"SUPER-X.BDY" missing$'
344 STR_3: DEFM 'STACK error$'
345 STR_4: DB 10,13
346     DEFM 'INDEX TANK not present$'
347 STR_5: DEFM 'Wait a minute..$'
348 STR_6: DB 10,13
349     DEFM 'FONT file not present$'
350 STR_7: DB 10,13
351     DEFM 'Skipping INDEX TANK and FONT file$'
352
353 FILNMS: DEFM 'SUPER-X BDY'
354 FILNM1: DEFM 'SUPER-X TNK'
355 FILNM2: DEFM 'SUPER-X FNT'
356 TEXT: DB 3AH,94H,0
357
358 XYSAVE: DS 2
359
360 END:
361

```

```
1 ; -----
2 ;         SUPER-X ver 1.22 BODY
3 ;         on 4000H-
4 ; -----
5 ; SUPER-X version 1.2 is made by Romi (1994)
6 ; Unoffical SUPER-X version 1.22 is Made By: NYYRIKKI (2011)
7 ;
8 ; Changes in version 1.22: (Made By: NYYRIKKI 2011)
9 ;
10 ; - Super-X can now be compiled with Sjasm v.0.42b8 instead of M8
11 ; - Disassembler labeling engine has been redone to support disas
12 ; - Disassembler does not put "END"-text anymore to output file.
13 ; - Corrected indent in assembler data export
14 ; - Added possibility to export X-BASIC inline ML
15 ; - "I"-command in MULTI-mode now defaults to 20 lines
16 ; - BASIC _CHCPU now supports also Z80 DRAM (MSX tR only)
17 ; - VR command has been removed. Variables can be now always refe
18 ; - New special variables added: @B (begin), @E (end), @S (size /
19 ; - Variables can now be used as parameters to return 16bit addre
20 ; - Full screen editing works fine now also in main menu
21 ; - Now Super-X comes with updated English documentation
22 ; - Hidden feature: "Repeat previous byte" in DUMP-mode has been
23 ; - LD & SV commands now support offset & loading to anywhere in
24 ; - LD command now corrects end address automatically if it is to
25 ; - Global offset has been implemented
26 ; - New keyboard shortcut: ^Z = Set global offset to Zero (ASCII,
27 ; - Check sum type has been removed from statusbar
28 ; - Global offset has been added to status bar
29 ; - Pressing Esc on BASE address setting does not anymore quit to
30 ; - Internal help updated
31 ; - On DISASM-mode ^O allows setting global Offset (relative)
32 ; - OF command added for seting global offset (absolute)
33 ; - KL command is now fixed to use new flexible disk routines.
34 ; - Fixed bug in internal CLS routine (insert mode works now prop
35 ; - RS (RESISTER) is now known as RG (REGISTER)
36 ; - New command "TP" to type file on screen
37 ; - CO command now accepts any number or parameters (1-3)
38 ; - SD command parameter order changed to match other disk comman
39 ; - Math operations OR, XOR and MOD are now represented with "|",
40 ;
41 ; Changes in version 1.21: (Made By: NYYRIKKI 2002)
42 ;
43 ; - Corrupted sourcefile repaired.
44 ; - Disassembler labeling bug fixed
45 ; - Z80 DRAM mode support added (CU3)
46 ; - Characters reselected so, that they work well also in non Jap
47 ; - M (MULTI) Supports now I<lines> parameter (disassemble).
48 ; - SPACE is now allowed between command and parameters.
```

E:\paleobasic\superx\SUPER-X.ASM

```
49 ; - CLS command added.
50 ; - CD command added to change directory
51 ; - FS command remade for DOS2 it now shows also directories and y
52 ;   (In Dos2 it does not show number of files found)
53 ; - Japanese Documentation support has been dropped
54 ;
55 ; Changes in version 1.2: (Made by: Romi 1994)
56 ;
57 ; - Added support for BL (BASIC list) command
58 ; - Added Characted mode support
59 ;
60 ; Version 1.1: (Made by: Romi 1993)
61 ;
62 ; Super-X is based on LORD (Made by: Romi 1991)
63 ;
64 ; Please note: Changes after version 1.2 have been done without p
65 ;
66 ;-----
67 ;.Z80
68
69 ;.ASEG
70
71 OUTPUT "SUPER-X.BDY"
72
73 ORG 100H
74
75 FCB: EQU 0F41FH
76 DMA: EQU 0F41FH+37
77 BEEP: EQU 0C0H
78
79 PHASE 4000H
80
81 DB 0,0,0,0
82 DW START
83 DB 0,0,0,0
84 DB 0,0,0,0,0,0
85
86 WIZATB: DS 2 ;SUPER-X □□□□□□□□
87 TNKBYT: DS 2 ;INDEX□□□
88
89 ;--- SUB RAUTINES ---
90 ; PAGE0 □□□□□□
91 ; IN/IX=□□
92 POCALL: DI
93 PUSH AF
94 PUSH HL
95 IN A,(0A8H)
96 LD (IOSAV),A
```

E:\paleobasic\superx\SUPER-X.ASM

```

 97      AND 11111100B
 98      LD  L,A
 99      LD  A,(0F341H)
100      AND 11B
101      OR  L
102      OUT (0A8H),A
103      LD  A,(0FFFFH)
104      CPL
105      LD  (FFSAV),A
106      AND 11111100B
107      LD  L,A
108      LD  A,(0F341H)
109      RRCA
110      RRCA
111      AND 11B
112      OR  L
113      LD  (0FFFFH),A
114
115      LD  A,(38H)
116      LD  (INTSV),A
117      LD  A,0C9H
118      LD  (38H),A
119      EI
120
121      POP HL
122      POP AF
123
124      LD  (POCAL1+1),IX
125      LD  IX,POCAL2
126      PUSH    IX
127 POCAL1: JP  0000H
128 POCAL2: PUSH    AF
129      DI
130      LD  A,(INTSV)
131      LD  (38H),A
132      LD  A,(FFSAV)
133      LD  (0FFFFH),A
134      LD  A,(IOSAV)
135      OUT (0A8H),A
136      EI
137      POP AF
138      RET
139
140 INTSV:  DS  1      ;RAM 0038H□□□□□□
141 IOSAV:  DS  1      ;I/O A8H□□□□□□
142 FFSAV:  DS  1      ;FFFFH□□□□□□
143
144 ; VDP□□□□□□□□□□
```

E:\paleobasic\superx\SUPER-X.ASM

```
145 VWRTP: DS 1
146 VREDPT: DS 1
147
148 ; 0000 00] VRAM 000005
149 ; IN/HL=VRAM000
150 SETRD:  PUSH    BC
151         LD     A,(VREDPT)
152         CALL   SETRWS
153         OUT    (C),A
154         POP    BC
155         EI
156         RET
157
158 ; 0000 00] VRAM00000005
159 ; IN/HL=VRAM000
160 SETWRT: PUSH    BC
161         LD     A,(VWRTP)
162         CALL   SETRWS
163         SET    6,A
164         OUT    (C),A
165         POP    BC
166         EI
167         RET
168
169 ;SETRD,SETWRT0000
170 SETRWS: DI
171         INC    A
172         LD     C,A
173         XOR    A
174         OUT    (C),A
175         LD     A,45+80H
176         OUT    (C),A
177         LD     A,H
178         RLCA
179         RLCA
180         AND    3
181         OUT    (C),A
182         LD     A,14+80H
183         OUT    (C),A
184         OUT    (C),L
185         LD     A,H
186         AND    3FH
187         RET
188
189 ;VRAM00
190 ;IN/HL=000 A=000
191 WRTVRM: PUSH    BC
192         PUSH    AF
```

E:\paleobasic\superx\SUPER-X.ASM

```
193      CALL      SETWRT
194      LD      A,(VWRTPT)
195      LD      C,A
196      POP      AF
197      OUT     (C),A
198      POP      BC
199      RET
200
201 ; VRAM:
202 ; I/HL=0000 0/A=0000
203 RDVRM:  PUSH     BC
204      CALL     SETRD
205      LD      A,(VREDPT)
206      LD      C,A
207      IN      A,(C)
208      POP      BC
209      RET
210
211 ; VRAM
212 ; I/HL=0000 BC=0000 A=0000
213 FILVRM: PUSH     AF
214      CALL     SETWRT
215      POP      DE
216      PUSH     BC
217      POP      HL
218      LD      A,(VWRTPT)
219      LD      C,A
220 FILVM1: OUT     (C),D
221      DEC     HL
222      LD      A,H
223      OR      L
224      JR      NZ,FILVM1
225      RET
226
227 ; VRAM(HL)=>0000 DE) BCbyte 0000
228 LDIRMV:  CALL     SETRD
229      EX      DE,HL
230      PUSH     BC
231      POP      DE
232      LD      A,(VREDPT)
233      LD      C,A
234 LDRMV1:  IN      A,(C)
235      LD      (HL),A
236      INC     HL
237      DEC     DE
238      LD      A,D
239      OR      E
240      JR      NZ,LDRMV1
```


E:\paleobasic\superx\SUPER-X.ASM

```
241     RET
242
243 ; 00HL)=>VRAM(DE) BCbyte 000
244 LDIRVM: EX  DE,HL
245     CALL    SETWRT
246     EX  DE,HL
247     PUSH    BC
248     POP  DE
249     LD  A,(VWRTPT)
250     LD  C,A
251 LDRVM1: LD  A,(HL)
252     OUT  (C),A
253     INC  HL
254     DEC  DE
255     LD  A,D
256     OR  E
257     JR  NZ,LDRVM1
258     RET
259
260 ; A 1600"000100)
261 HEXPR:  AND  0FH
262     CP  0AH
263     JR  NC,HEXPR2
264     ADD  A,30H
265 HEXPR1: CALL    CHPUT
266     RET
267 HEXPR2: ADD  A,37H
268     JR  HEXPR1
269
270 ; A 1600"000200)
271 DATPR:  PUSH    AF
272     PUSH    AF
273     RRCA
274     RRCA
275     RRCA
276     RRCA
277     CALL    HEXPR
278     POP  AF
279     CALL    HEXPR
280     POP  AF
281     RET
282
283 ; HL 1600"00
284 ADRSPR: LD  A,(CARFG)
285     OR  A
286     JR  Z,ADRSP1
287     LD  A,'1'
288     CALL    CHPUT
```

E:\paleobasic\superx\SUPER-X.ASM

```
289 ADRSP1: LD A,H
290 CALL DATPR
291 LD A,L
292 CALL DATPR
293 XOR A
294 LD (CARFG),A
295 RET
296
297 ; A X"
298 MOJIPR: PUSH AF
299 CP 32
300 JR NC,MOJPR1
301 LD A,32
302 MOJPR1: CP 127
303 JR NZ,MOJPR2
304 LD A,32
305 MOJPR2: CALL CHPUT
306 POP AF
307 RET
308
309 ; HL 2"
310 BINPR: PUSH DE
311 PUSH BC
312 LD C,H
313 CALL BINPR1
314 LD C,L
315 CALL BINPR1
316 POP BC
317 POP DE
318 RET
319 BINPR1: LD B,8
320 LD D,10000000B
321 BINPR2: LD E,'0'
322 LD A,C
323 AND D
324 JR Z,BINPR3
325 INC E
326 BINPR3: LD A,E
327 CALL CHPUT
328 SRL D
329 DJNZ BINPR2
330 RET
331
332 ; HL 10"++)
333 DECPR: PUSH HL
334 PUSH DE
335 PUSH BC
336 PUSH IX
```

E:\paleobasic\superx\SUPER-X.ASM

```
337     LD  IX,SBWORK+6
338     CALL DECSUB
339     LD  (IX),'$'
340     LD  HL,SBWORK+6
341     CALL NPRINT
342     POP  IX
343     POP  BC
344     POP  DE
345     POP  HL
346     RET
347
348 ; (IX)HL 1000 00
349 DECPR1: LD  IY,SBWORK
350         PUSH IY
351         LD  A,5
352 DECPR1: PUSH AF
353         ADD A,A
354         LD  C,A
355         LD  B,0
356         PUSH HL
357         LD  HL,KETA2-2
358         ADD HL,BC
359         LD  C,(HL)
360         INC HL
361         LD  B,(HL)
362         POP HL
363         LD  D,0
364 DECPR2: OR  A
365         SBC HL,BC
366         JR  C,DECPR3
367         INC D
368         JR  DECPR2
369 DECPR3: ADD HL,BC
370         LD  A,D
371         ADD A,'0'
372         LD  (IY),A
373         POP AF
374         INC IY
375         DEC A
376         JR  NZ,DECPR1
377         LD  (IY),0
378         POP HL
379         LD  B,0
380 DECPR6: LD  A,(HL)
381         OR  A
382         JR  Z,DECPR5
383         CP  '0'
384         JR  Z,DECPR4
```

E:\paleobasic\superx\SUPER-X.ASM

```
385     INC HL
386     LD  B,1
387 DECPR8: LD  (IX),A
388     INC IX
389     JR  DECPR6
390 DECPR4: INC HL
391     INC B
392     DEC B
393     JR  Z,DECPR6
394     JR  DECPR8
395 DECPR5: INC B
396     DEC B
397     RET NZ
398     LD  (IX),'0'
399     INC IX
400     RET
401
402 ; HL 1000"000+-)
403 NDECPR: PUSH    DE
404     LD  DE,8000H
405     RST 20H
406     POP DE
407     JP  C,DECPR
408     LD  A,'-'
409     CALL    CHPUT
410     PUSH    HL
411     LD  A,H
412     CPL
413     LD  H,A
414     LD  A,L
415     CPL
416     LD  L,A
417     INC HL
418     CALL    DECPR
419     POP HL
420     RET
421
422 ; 10000 "00
423 ONEPUT: LD  A,' '
424     JP  CHPUT
425
426 ; 100 "00
427 COROPR: LD  A,':'
428     JP  CHPUT
429
430 ; 0000(000 z)
431 CRLF:  LD  A,13
432     CALL    HICHP
```

E:\paleobasic\superx\SUPER-X.ASM

```
433      LD  A,10
434      JP  HICHP
435
436      ; 0000(0000 0000)
437 NCRLF: LD  A,0DH
438      CALL CHPUT
439      LD  A,0AH
440      JP  CHPUT
441
442      ; 0000(0000 00)
443 PCRLF: LD  A,0DH
444      CALL NCHPUT
445      LD  A,0AH
446      JP  NCHPUT
447
448      ; HL=HL+DE
449 PLUS:  ADD HL,DE
450      OR  A
451      RET
452
453      ; HL=HL-DE
454 NMNAS: OR  A
455      SBC HL,DE
456      OR  A
457      RET
458
459      ; HL=HL and DE
460 CL_AND: LD  A,H
461      AND D
462      LD  H,A
463      LD  A,L
464      AND E
465      LD  L,A
466      RET
467
468      ; HL=HL or DE
469 CL_OR:  LD  A,H
470      OR  D
471      LD  H,A
472      LD  A,L
473      OR  E
474      LD  L,A
475      RET
476
477      ; HL=HL xor DE
478 CL_XOR: LD  A,H
479      XOR D
480      LD  H,A
```

E:\paleobasic\superx\SUPER-X.ASM

```
481      LD  A,L
482      XOR E
483      LD  L,A
484      RET
485
486      ; HL=HL*DE
487 MULT:  LD  B,H
488      LD  C,L
489      JP  MLDEBC
490
491      ; HL=DE*BC
492 MLDEBC: LD  A,16
493      LD  HL,0
494 MLDEB1: SRL B
495      RR  C
496      JR  NC,MLDEB2
497      ADD HL,DE
498 MLDEB2: SLA E
499      RL  D
500      DEC A
501      JR  NZ,MLDEB1
502      RET
503
504      ; HL=HL/DE  O/Cf=0
505 DIV:   LD  A,D
506      OR  E
507      JR  NZ,DIV1
508      SCF
509      RET
510 DIV1:  LD  B,16
511      LD  IX,0
512 DIV4:  ADD IX,IX
513      ADD HL,HL
514      JP  NC,DIV2
515      INC IX
516 DIV2:  PUSH HL
517      PUSH IX
518      POP HL
519      OR  A
520      SBC HL,DE
521      LD  (DIV5+2),HL
522      POP HL
523      JR  C,DIV3
524      INC HL
525 DIV5:  LD  IX,0
526 DIV3:  DJNZ DIV4
527      OR  A
528      RET
```

E:\paleobasic\superx\SUPER-X.ASM

```
529
530 ; HL=HL mod DE
531 MOD:    CALL    DIV
532        PUSH    IX
533        POP     HL
534        OR      A
535        RET
536
537 ; HL<DE ~
538 ; 0/Cf:DE>HL  Zf:DE=HL
539 DCOMPR: PUSH    HL
540        OR      A
541        SBC     HL,DE
542        POP     HL
543        RET
544
545 ; A<X>
546 ALPBIG: CP      61H
547        RET     C
548        CP      7BH
549        RET     NC
550        SUB     20H
551        RET
552
553 ; 
554 ; I/HL=X±
555 ; 0/DE=X,HL=X . 
556 CVAL:    CALL    VAL
557        RET     C
558        LD      (SBWORK),DE
559        LD      A,(HL)
560        OR      A
561        RET     Z
562        CP      ','
563        RET     Z
564        CP      ']'
565        RET     Z
566        CP      ')'
567        RET     Z
568 CVAL1:   LD      IX,STR50
569        LD      B,8
570 CVAL2:   CP      (IX)
571        JR      Z,CVAL3
572        INC     IX
573        DJNZ    CVAL2
574        SCF
575        RET
576 CVAL3:   LD      A,8
```

E:\paleobasic\superx\SUPER-X.ASM

```
577     SUB B
578     EX  DE,HL
579     LD  L,A
580     LD  H,0
581     ADD HL,HL
582     EX  DE,HL
583     LD  IX,CALCAD
584     ADD IX,DE
585     LD  C,(IX)
586     LD  B,(IX+1)
587     PUSH      BC
588     INC HL
589     CALL      VAL
590     POP  IX
591     RET  C
592     PUSH      HL
593     LD  HL,(SBWORK)
594     LD  BC,CVAL4
595     PUSH      BC
596     JP  (IX)
597 CVAL4:  EX  DE,HL
598     POP  HL
599     LD  A,(HL)
600     OR  A
601     RET Z
602     CP  ','
603     RET Z
604     CP  ']'
605     RET Z
606     CP  ')'
607     RET Z
608     LD  (SBWORK),DE
609     JR  CVAL1
610
611 ; CVAL□□□
612 VAL:  PUSH      HL
613     LD  A,(HL)
614     CP  " "
615     JP  Z,STRVAL
616     CP  "@"
617     JP  Z,VARVAL
618     CP  '-'
619     JR  Z,VAL3
620     CP  '+'
621     JR  Z,VAL3
622     CP  '9'+1
623     JR  NC,VAL4
624     CP  '0'
```


E:\paleobasic\superx\SUPER-X.ASM

```
625     JR    NC,VAL3
626 VAL4:    POP    HL
627     SCF
628     RET
629 VAL3:    LD     DE,STR49
630     INC    HL
631 VAL1:    LD     A,(DE)
632     CP     ""
633     JP     Z,STRVAL
634     CP     (HL)
635     JR     Z,VAL2
636     INC    DE
637     OR     A
638     JR     NZ,VAL1
639     JR     VAL3
640 VAL2:    DEC    HL
641     LD     A,(HL)
642     POP    HL
643     CP     'H'
644     JP     Z,HEXVAL
645     CP     'B'
646     JP     Z,BINVAL
647     JP     DECVAL
648
649 ; CVAL□□□
650 HEXVAL:  CALL    MNASCK
651     PUSH    HL
652     LD     B,6
653 HEXV02:  LD     A,(HL)
654     CP     'H'
655     JR     Z,HEXV01
656     INC    HL
657     DJNZ   HEXV02
658 HEXV03:  POP    HL
659 HEXV04:  SCF
660     RET
661 HEXV01:  LD     A,6
662     SUB    B
663     JR     Z,HEXV03
664     POP    HL
665     LD     B,A
666     SUB    4
667     JR     NZ,HEXV09
668     LD     A,(HL)
669     CP     '0'
670     JR     C,HEXV04
671     CP     '9'+1
672     JR     NC,HEXV04
```

E:\paleobasic\superx\SUPER-X.ASM

```
673      JR    HEXV08
674  HEXV09: DEC  A
675      JR    NZ,HEXV08
676      LD    A,(HL)
677      CP    '0'
678      JR    NZ,HEXV04
679  HEXV08: LD    IX,KETA1-2
680      LD    IY,CKHEX
681      CALL    VALSUB
682      RET  C
683      INC  HL
684      JP    MNAS
685
686 ; CVAL□□□
687  BINVAL: CALL    MNASCK
688      PUSH    HL
689      LD    B,17
690  BINV02: LD    A,(HL)
691      CP    'B'
692      JR    Z,BINV01
693      INC  HL
694      DJNZ    BINV02
695  BINV03: POP  HL
696  BINV04: SCF
697      RET
698  BINV01: LD    A,17
699      SUB  B
700      JR    Z,BINV03
701      POP  HL
702      LD    B,A
703      LD    IX,KETA3-2
704      LD    IY,CKBIN
705      CALL    VALSUB
706      RET  C
707      INC  HL
708      JP    MNAS
709
710 ; CVAL□□□
711  DECVAL: CALL    MNASCK
712      PUSH    HL
713      LD    B,6
714  DECV02: LD    A,(HL)
715      PUSH    HL
716      LD    HL,STR49
717  DECV08: CP    (HL)
718      JR    Z,DECV01
719      INC  (HL)
720      DEC  (HL)
```

E:\paleobasic\superx\SUPER-X.ASM

```
721      INC HL
722      JR  NZ,DECV08
723      POP HL
724      INC HL
725      DJNZ      DECV02
726  DECV03: POP HL
727  DECV04: SCF
728      RET
729  DECV01: POP HL
730      LD  A,6
731      SUB B
732      JR  Z,DECV03
733      POP HL
734      LD  B,A
735      LD  IX,KETA2-2
736      LD  IY,CKDEC
737      CALL      VALSUB
738      RET  C
739      JP  MNAS
740
741  ; CVAL□□□
742  STRVAL: POP HL
743      CALL      MNASCK
744      LD  D,0
745      LD  A,(HL)
746      CP  " "
747      SCF
748      RET  NZ
749      INC HL
750      LD  A,(HL)
751      OR  A
752      SCF
753      RET  Z
754      LD  E,A
755      INC HL
756      LD  A,(HL)
757      OR  A
758      SCF
759      RET  Z
760      CP  " "
761      JR  Z,STRVL1
762      LD  D,A
763      INC HL
764      LD  A,(HL)
765      OR  A
766      SCF
767      RET  Z
768      CP  " "
```

E:\paleobasic\superx\SUPER-X.ASM

```
769      SCF
770      RET  NZ
771  STRVL1: INC  HL
772      JP   MNAS
773
774  VARVAL:
775          POP  HL
776          INC   HL
777          LD   A,(HL)
778      OR   A
779      SCF
780      RET   Z
781          CALL VARNAM
782      RET   C
783      PUSH  HL
784      LD    H,0
785      LD    L,A
786
787      LD    BC,ADSAV0
788      ADD   HL,HL
789      ADD   HL,HL
790      ADD   HL,BC
791          LD    E,(HL)
792          INC   HL
793          LD    D,(HL)
794          POP   HL
795          INC   HL
796      RET
797
798 ; CVAL□□□
799  MNASCK: XOR  A
800          LD   (MNASFG),A
801          LD   A,(HL)
802          CP   '+'
803          JR   Z,MNSCK1
804          CP   '-'
805      RET  NZ
806          LD   (MNASFG),A
807  MNSCK1: INC  HL
808      RET
809
810 ; CVAL□□□
811  MNAS:   LD   A,(MNASFG)
812          OR   A
813      RET  Z
814          LD   A,D
815          CPL
816          LD   D,A
```

E:\paleobasic\superx\SUPER-X.ASM

```
817     LD  A,E
818     CPL
819     LD  E,A
820     INC DE
821     OR  A
822     RET
823
824 ; CVAL□□□
825 VALSUB: LD  DE,0
826 VALSB4: LD  A,(HL)
827     EXX
828     LD  HL,VALSB3
829     PUSH HL
830     EXX
831     JP  (IY)
832 VALSB3: RET C
833     PUSH HL
834     PUSH BC
835     LD  H,0
836     LD  L,B
837     PUSH IX
838     POP BC
839     ADD HL,HL
840     ADD HL,BC
841     LD  C,(HL)
842     INC HL
843     LD  B,(HL)
844     LD  HL,0
845 VALSB2: OR  A
846     JR  Z,VALSB1
847     ADD HL,BC
848     DEC A
849     JR  VALSB2
850 VALSB1: ADD HL,DE
851     EX  DE,HL
852     POP BC
853     POP HL
854     INC HL
855     DJNZ VALSB4
856     OR  A
857     RET
858
859 ; BFSAV1□□□□□□
860 ; 0/(FINDBT)=□□'□ (FINDFG)=Ÿ□ Cf=Brk
861 FDATST: XOR A
862     LD  (FINDFG),A
863     LD  HL,(ADXWK0)
864     LD  (WORK),HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
865     LD  HL,(SLXWK0)
866     LD  (WORK+2),HL
867     LD  HL,0
868     LD  (SLXWK0),HL
869     LD  HL,BUFSV1
870     LD  (ADXWK0),HL
871 FDATS9: LD  HL,STR53
872     CALL PRINT
873     CALL INLIN
874     JR   C,FDATS2
875     LD  IX,NALBIG
876     CALL POCALL
877     INC HL
878     LD  A,(HL)
879     OR  A
880     JR  NZ,FDATS1
881 FDATS2: LD  HL,(WORK)
882     LD  (ADXWK0),HL
883     LD  HL,(WORK+2)
884     LD  (SLXWK0),HL
885     SCF
886     RET
887 FDATS1: CP  '*'
888     JP  Z,FDATS3
889     XOR A
890     LD  (JRFG),A
891     CALL MLCK
892     JR  NC,FDATS8
893 FDAS10: LD  HL,STR34
894     CALL PRINT
895     JP  FDATS9
896 FDATS8: INC B
897     DEC B
898     JR  Z,FDAS10
899     LD  A,(JRFG)
900     OR  A
901     JR  NZ,FDATS2
902     LD  A,1
903     LD  (FINDFG),A
904     LD  A,B
905     LD  (FINDBT),A
906     LD  HL,(WORK)
907     LD  (ADXWK0),HL
908     LD  HL,(WORK+2)
909     LD  (SLXWK0),HL
910     OR  A
911     RET
912 FDATS3: INC HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
913      LD  B,0
914      LD  DE,BUFSV1
915  FDATS4: LD  A,(HL)
916      LD  (DE),A
917      OR  A
918      JR  Z,FDATS5
919      CP  ', '
920      JR  Z,FDATS6
921      INC DE
922      INC B
923  FDATS6: INC HL
924      JR  FDATS4
925  FDATS5: INC B
926      DEC B
927      JP  Z,FDATS2
928      LD  A,B
929      CP  22
930      JR  C,FDATS7
931      LD  A,21
932  FDATS7: LD  (FINDBT),A
933      LD  A,2
934      LD  (FINDFG),A
935      LD  HL,(WORK)
936      LD  (ADXWK0),HL
937      LD  HL,(WORK+2)
938      LD  (SLXWK0),HL
939      OR  A
940      RET
941
942 ; (BUFSV1),(FINDFG),(FINDBT)□(SRCHZ)γ□□□□□□
943 ; IN/(ADXWK0) OUT/Cf=end A7=Brk HL=□□♾
944 SEARCH: LD  A,(FINDFG)
945      DEC A
946      JR  NZ,SEARC1
947 SEARC7: LD  A,(FINDBT)
948      LD  B,A
949      LD  HL,(ADXWK0)
950      CALL SADPUT
951      LD  DE,BUFSV1
952  SEARC2: PUSH DE
953      PUSH BC
954      CALL PEEK
955      POP BC
956      LD  C,A
957      POP DE
958      LD  A,(DE)
959      CP  C
960      JP  NZ,SEARC3
```

E:\paleobasic\superx\SUPER-X.ASM

```
961      INC HL
962      INC DE
963      DJNZ     SEARC2
964      LD  HL,(ADXWK0)
965      XOR  A
966      RET
967 SEARC3: CALL     STOP
968      JR  NZ,SEAC10
969      OR  80H
970      RET
971 SEAC10: LD  HL,(ADXWK0)
972      LD  DE,(ADXWK1)
973      RST 20H
974      SCF
975      RET Z
976      LD  DE,(SRCHZ)
977      ADD HL,DE
978      LD  (ADXWK0),HL
979      JR  SEARC7
980 SEARC1: LD  HL,(ADXWK0)
981      CALL SADPUT
982      LD  IX,LWORK
983      CALL ADA
984      LD  HL,FINDBT
985      LD  A,22
986      SUB (HL)
987      LD  B,A
988      LD  HL,LWORK+19
989 SEARC6: PUSH     BC
990      LD  A,(FINDBT)
991      LD  B,A
992      PUSH     HL
993      LD  DE,BUFSV1
994 SEARC5: LD  A,(HL)
995      CP  ' '
996      JR  NZ,SEARC8
997      INC HL
998      JR  SEARC5
999 SEARC8: LD  A,(DE)
1000      CP  (HL)
1001      JR  NZ,SEARC4
1002      INC HL
1003      INC DE
1004      DJNZ     SEARC5
1005      POP  HL
1006      POP  BC
1007      LD  HL,(ADXWK0)
1008      XOR  A
```


E:\paleobasic\superx\SUPER-X.ASM

```
1009     RET
1010  SEARC4: POP  HL
1011     INC  HL
1012     POP  BC
1013     DJNZ     SEARC6
1014     CALL    STOP
1015     JR     NZ, SEAC11
1016     OR     80H
1017     RET
1018  SEAC11: LD   HL, (ADXWK0)
1019     LD   DE, (ADXWK1)
1020     RST  20H
1021     SCF
1022     RET  Z
1023     LD   DE, (SRCHZ)
1024     ADD  HL, DE
1025     LD   (ADXWK0), HL
1026     JR   SEARC1
1027
1028 ; 00000000
1029  SCRSAB: LD   HL, (0F3DCH)
1030     LD   (XYSAB), HL
1031     LD   HL, 0
1032     LD   DE, VWORK
1033     LD   BC, 40*21
1034     JP   LDIRMV
1035
1036 ; 00000000
1037  SCRREM: LD   HL, (XYSAB)
1038     LD   (0F3DCH), HL
1039     LD   HL, VWORK
1040     LD   DE, 0
1041     LD   BC, 40*21
1042     JP   LDIRVM
1043
1044 ; 00000000 00X0"000I/A=X000
1045  HICHP: CP   32
1046     JP   C, 0A2H
1047     PUSH  IX
1048     PUSH  HL
1049     PUSH  DE
1050     PUSH  BC
1051     PUSH  AF
1052     CALL  CALADR
1053  HICHP2: NOP
1054     CALL  WRTVRM
1055     LD   HL, 0F3DDH
1056     INC  (HL)
```

E:\paleobasic\superx\SUPER-X.ASM

```
1057     LD  A,(HL)
1058     SUB 41
1059     JR  C,HICHP1
1060     LD  (HL),1
1061     CALL KAIGY0
1062 HICHP1: POP AF
1063     POP BC
1064     POP DE
1065     POP HL
1066     POP IX
1067     RET
1068
1069 ; □□□□ □□□□
1070 ; Scroll screen up trough VWORK if needed.
1071 KAIGY0: LD  HL,0F3DCH
1072     INC (HL)
1073     LD  A,22
1074     CP  (HL)
1075     JR  C,KAIGY1
1076     RET NZ
1077 KAIGY1: LD  (HL),21
1078     LD  BC,40*20
1079     LD  HL,40
1080     LD  DE,VWORK
1081     CALL LDIRMV
1082     LD  HL,VWORK+800
1083     LD  DE,VWORK+801
1084     LD  (HL),' '
1085     LD  BC,39
1086     LDIR
1087     LD  HL,VWORK
1088     LD  DE,0
1089     LD  BC,40*21
1090     JP  LDIRVM
1091
1092 ; □□□□0/HL=□□□□□□VVRAM□□
1093 CALADR: CALL LACAL
1094     LD  B,0
1095     ADD HL,BC ;+X
1096     RET
1097
1098 ; □□□□0/HL=□□□□□□□□VVRAM□□
1099 LACAL:  LD  HL,(0F3DCH)
1100     DEC H
1101     DEC L
1102     LD  C,H
1103     LD  H,0
1104     ADD HL,HL ;Y*2
```

E:\paleobasic\superx\SUPER-X.ASM

```
1105      ADD HL,HL ;Y*4
1106      ADD HL,HL ;Y*8
1107      LD D,H
1108      LD E,L
1109      ADD HL,HL ;Y*16
1110      ADD HL,HL ;Y*32
1111      ADD HL,DE ;Y*32+Y*8=Y*40
1112      RET
1113
1114      ; A□ □□X□"□□
1115      CHPUT:  PUSH BC
1116      LD B,A
1117      LD A,(CRTOFF)
1118      OR A
1119      LD A,B
1120      CALL Z,HICHP
1121      POP BC
1122
1123      ; A□ □□X□□□1□
1124      NCHPUT: PUSH AF
1125      LD A,(PRNFG)
1126      OR A
1127      JR Z,NCHPT1
1128      POP AF
1129      PUSH AF
1130      CALL 0A5H
1131      JP C,ERROR
1132      NCHPT1: POP AF
1133      RET
1134
1135      ; (HL)□ □□□ "□□□□1□□ž)
1136      PRINT:  LD A,(HL)
1137      CP '$'
1138      RET Z
1139      CALL HICHP
1140      INC HL
1141      JR PRINT
1142
1143      ; (HL)□ □□□ "□□□□1□□□□□)
1144      NPRINT: LD A,(HL)
1145      CP '$'
1146      RET Z
1147      CALL CHPUT
1148      INC HL
1149      JR NPRINT
1150
1151      ; □□□ □□□
1152      NOTPRN: XOR A
```

E:\paleobasic\superx\SUPER-X.ASM

```
1153      LD  (PRNFG),A
1154      RET
1155
1156 ; CLS
1157 CLS:    ;EQU      #C3
1158         LD  HL,0
1159         LD  BC,880
1160         LD  A,020H
1161         CALL FILVRM
1162         CALL 0C9H
1163         LD  HL,0101H
1164         LD  (0F3DCH),HL
1165         LD  HL,0FBB2H
1166         LD  B,18H
1167 CLS1:   LD  (HL),B
1168         INC HL
1169         DJNZ CLS1
1170         RET
1171
1172
1173
1174 VARNAM: ; C=ERROR
1175         PUSH DE
1176         LD  E,4
1177         CP  'B'
1178         JR  Z,VARNA1
1179         INC E
1180         CP  'E'
1181         JR  Z,VARNA1
1182         INC E
1183         CP  'S'
1184         JR  Z,VARNA1
1185         SUB '0'
1186         JR  C,VARNA1
1187         CP  4
1188         CCF
1189         LD  E,A
1190 VARN1:
1191         LD  A,E
1192         POP DE
1193         RET
1194
1195 ; (HL)<>0 □ □
1196 BUNMAT: LD  A,(HL)
1197         OR  A
1198         JP  NZ,ERROR
1199         RET
1200
```

E:\paleobasic\superx\SUPER-X.ASM

```
1201 ; C□ □Y□ "□□
1202 BSOMEPR: CALL BSOMP1
1203 CALL NCRLF
1204 JP BSOMP2
1205 BSOMP1: LD HL,STR63
1206 CALL NPRINT
1207 LD A,C
1208 CALL DATPR
1209 LD HL,STR64
1210 CALL NPRINT
1211 JP BINPR1
1212 BSOMP2: LD HL,STR65
1213 CALL NPRINT
1214 LD H,0
1215 LD L,C
1216 CALL DECPR
1217 LD HL,STR66
1218 CALL NPRINT
1219 BIT 7,C
1220 LD H,0
1221 LD L,C
1222 JR Z,BSOMP3
1223 LD H,255
1224 BSOMP3: JP NDECPR
1225
1226 ; DE□ □Y□ "□□
1227 SOMEPR: PUSH AF
1228 CALL SOMPR1
1229 CALL NCRLF
1230 CALL SOMPR2
1231 CALL NCRLF
1232 POP AF
1233 RET
1234 SOMPR1: LD HL,STR63
1235 CALL NPRINT
1236 EX DE,HL
1237 CALL ADRSPR
1238 EX DE,HL
1239 LD HL,STR64
1240 CALL NPRINT
1241 EX DE,HL
1242 CALL BINPR
1243 EX DE,HL
1244 RET
1245 SOMPR2: LD HL,STR65
1246 CALL NPRINT
1247 EX DE,HL
1248 CALL DECPR
```

E:\paleobasic\superx\SUPER-X.ASM

```
1249      EX  DE,HL
1250      LD  HL,STR66
1251      CALL    NPRINT
1252      EX  DE,HL
1253      CALL    NDECPR
1254      EX  DE,HL
1255      RET
1256
1257 ; A[] (IX)[]16[] [] [] [] [] (1[])
1258 HEXIN:  AND 0FH
1259      CP  0AH
1260      JR  NC,HEXIN2
1261      ADD A,30H
1262 HEXIN1: LD  (IX),A
1263      INC IX
1264      RET
1265 HEXIN2: ADD A,37H
1266      JR  HEXIN1
1267
1268 ; A[] (IX)[]16[] [] [] [] [] (2[])
1269 DATIN:  PUSH    AF
1270      PUSH    AF
1271      RRCA
1272      RRCA
1273      RRCA
1274      RRCA
1275      CALL    HEXIN
1276      POP  AF
1277      CALL    HEXIN
1278      POP  AF
1279      RET
1280
1281 ; HL[] (IX)[] []
1282 ADRSIN: LD  A,H
1283      CALL    DATIN
1284      LD  A,L
1285      JP  DATIN
1286
1287 ; A[] X[] [] (IX)[] []
1288 MOJIN:  PUSH    AF
1289      CP  32
1290      JR  NC,MOJIN1
1291      LD  A,32
1292 MOJIN1: CP  127
1293      JR  NZ,MOJIN2
1294      LD  A,32
1295 MOJIN2: LD  (IX),A
1296      INC IX
```

E:\paleobasic\superx\SUPER-X.ASM

```
1297     POP AF
1298     RET
1299
1300 ; (IX)□1"□□,
1301 LCLR:  PUSH    IX
1302     POP HL
1303     PUSH    HL
1304     POP DE
1305     INC DE
1306     LD BC,39
1307     LD (HL),' '
1308     LDIR
1309     RET
1310
1311 ;In: HL=Adr E=DATA
1312 ;(SFXWK0)=□;]ò □□(SLXWK0)=□;
1313 POKE:
1314     PUSH HL
1315     LD BC,(OFFSET)
1316     ADD HL,BC
1317     CALL POKE8
1318     POP HL
1319     RET
1320 POKE8:
1321     LD A,(SFXWK0)
1322     OR A
1323     JP NZ,POKE1
1324 POKE4: LD (HL),E
1325     RET
1326 POKE1: LD A,(SLXWK0)
1327     LD B,A
1328     INC A
1329     JP Z,POKE2
1330     PUSH    HL
1331     PUSH    DE
1332     LD DE,8000H
1333     ADD HL,DE
1334     POP DE
1335     POP HL
1336     JR NC,POKE3 ;P0-1
1337     PUSH    HL
1338     PUSH    DE
1339     LD DE,4000H
1340     ADD HL,DE
1341     POP DE
1342     POP HL
1343     JR C,POKE7 ;P3
1344     LD A,(0F341H+2)
```

E:\paleobasic\superx\SUPER-X.ASM

```
1345      CP    B
1346      JP    Z,POKE4
1347      PUSH   HL
1348      LD    HL,3F00H
1349      ADD    HL,SP
1350      POP    HL
1351      JR    C,POKE3
1352      JP    ERROR4
1353 POKE7:  LD    A,(0F341H+3)
1354      CP    B
1355      JR    Z,POKE4
1356      RET
1357 POKE3:  LD    A,B
1358      CALL   14H
1359      EI
1360      RET
1361 POKE2:  DI
1362      LD    A,(VWRTPT)
1363      INC    A
1364      LD    C,A
1365      XOR    A
1366      OUT    (C),A
1367      LD    A,45+80H
1368      OUT    (C),A
1369      LD    A,H
1370      RLCA
1371      RLCA
1372      AND    3
1373      SET    2,A
1374      OUT    (C),A
1375      LD    A,14+80H
1376      OUT    (C),A
1377      OUT    (C),L
1378      LD    A,H
1379      AND    3FH
1380      SET    6,A
1381      OUT    (C),A
1382      DEC    C
1383      OUT    (C),E
1384      EI
1385      RET
1386
1387 ;I/HL=□□□ (SFXWK0)=□□↓□ □□
1388 ; (SLXWK0)=□□
1389 ;O/A=DATA
1390 PEEK:
1391      PUSH   HL
1392      LD    BC,(OFFSET)
```


E:\paleobasic\superx\SUPER-X.ASM

```
1393          ADD HL,BC
1394          CALL PEEK8
1395          POP HL
1396          RET
1397 PEEK8:
1398          LD A,(SFXWK0)
1399          OR A
1400          JP NZ,PEEK1
1401 PEEK4: LD A,(HL)
1402          RET
1403 PEEK1: LD A,(SLXWK0)
1404          LD B,A
1405          INC A
1406          JP Z,PEEK2
1407          PUSH HL
1408          LD DE,8000H
1409          ADD HL,DE
1410          POP HL
1411          JR NC,PEEK3 ;P0-1
1412          PUSH HL
1413          LD DE,4000H
1414          ADD HL,DE
1415          POP HL
1416          JR C,PEEK7 ;P3
1417          LD A,(0F341H+2) ;P2□□□□
1418          CP B
1419          JR Z,PEEK4
1420          PUSH HL
1421          LD HL,3F00H
1422          ADD HL,SP
1423          POP HL
1424          JR C,PEEK3
1425          JP ERROR4
1426 PEEK7: LD A,(0F341H+3)
1427          CP B
1428          JR Z,PEEK4
1429          LD A,255
1430          RET
1431 PEEK3: LD A,B
1432          CALL 0CH
1433          EI
1434          RET
1435 PEEK2: DI
1436          LD A,(VREDPT)
1437          INC A
1438          LD C,A
1439          XOR A
1440          OUT (C),A
```

E:\paleobasic\superx\SUPER-X.ASM

```
1441      LD  A,45+80H
1442      OUT (C),A
1443      LD  A,H
1444      RLCA
1445      RLCA
1446      AND 3
1447      SET 2,A
1448      OUT (C),A
1449      LD  A,14+80H
1450      OUT (C),A
1451      OUT (C),L
1452      LD  A,H
1453      AND 3FH
1454      OUT (C),A
1455      LD  A,(VREDPT)
1456      LD  C,A
1457      IN  A,(C)
1458      EI
1459      RET
1460
1461      ;, , 
1462      INITWK: XOR A
1463      LD  (FINDFG),A
1464      LD  (DAPAGE),A
1465      LD  (SUMTYP),A
1466      LD  (MAPFG),A
1467      LD  (0FCA9H),A ; 
1468      LD  (CRTOFF),A
1469      LD  (BUFSV0),A
1470      LD  HL,ADSAV0
1471      LD  DE,ADSAV0+1
1472      LD  BC,15 +12 +4 ; New variables B,E,S ,OFFSET ,POFSET
1473      LD  (HL),A
1474      LDIR
1475      LD  HL,RESAVE
1476      LD  DE,RESAVE+1
1477      LD  BC,23
1478      LD  (HL),A
1479      LDIR
1480      CALL VNOTCR
1481      LD  A,(0FB20H) ; 
1482      BIT 0,A
1483      RET Z
1484      XOR A
1485      LD  DE,0402H
1486      CALL OFFCAH
1487      OR  A
1488      RET Z
```

E:\paleobasic\superx\SUPER-X.ASM

```
1489      LD  (MAPFG),A
1490      LD  (MAPJP),HL
1491      LD  DE,1BH
1492      ADD HL,DE
1493      LD  IX,MAPWK
1494      LD  B,4
1495 INTWK2: LD  DE,INTWK1
1496      PUSH    DE
1497      JP  (HL)
1498 INTWK1: LD  (IX),A
1499      LD  DE,6
1500      ADD HL,DE
1501      INC  IX
1502      DJNZ    INTWK2
1503      RET
1504
1505 ; VRAMуќ
1506 VNOTCR: LD  HL,2000H
1507      LD  BC,0C00H
1508      LD  A,' '
1509      JP  FILVRM
1510
1511 ; ASK ADDRESS & SLOT
1512 SINLIN: CALL    156H
1513      LD  A,(0F3DDH)
1514      LD  (XSAV),A
1515      LD  HL,STR37
1516      CALL    PRINT
1517 SINLN1: LD  HL,(SLSAV0)
1518      LD  (SLXWK0),HL
1519      LD  A,(XSAV)
1520      INC  A
1521      LD  E,4
1522      CALL    ADINL
1523      BIT  7,A
1524      SCF
1525      RET  NZ
1526      BIT  4,A
1527      JR   NZ,SINLN1
1528      BIT  6,A
1529      SCF
1530      RET  NZ
1531      LD  (ADXWK0),HL
1532      AND 100000B
1533      RET  NZ
1534 SINLNJ: LD  A,(XSAV)
1535      ADD  A,6
1536      CALL    SLINL
```

E:\paleobasic\superx\SUPER-X.ASM

```
1537     BIT 7,A
1538     SCF
1539     RET NZ
1540     BIT 4,A
1541     JR NZ,SINLN1
1542     LD HL,SLXWK0
1543     LD (HL),E
1544     INC HL
1545     LD (HL),255
1546     BIT 6,A
1547     JR Z,SINLN3
1548     LD HL,(SLSAV0)
1549     LD (SLXWK0),HL
1550     JR SINLN4
1551 SINLN3: INC E
1552     INC E
1553     JR NZ,SINLN4
1554     LD HL,SFXWK0
1555     LD (HL),0
1556 SINLN4: OR A
1557     RET
1558
1559 ; 0x00000000
1560 ; IN/A=00000000
1561 ; OUT/E=0x00A=00000000
1562 SLINL: LD C,A
1563 SLINL5: LD HL,0F3DDH
1564     LD (HL),C
1565     LD A,'_'
1566     CALL HICHP
1567     INC (HL)
1568     CALL HICHP
1569     LD (HL),C
1570 SLINL1: CALL 9FH
1571     CALL ALPBIG
1572     CP ','
1573     JP Z,SLINL8
1574     CP 30
1575     JP Z,SLINL8
1576     CP 27
1577     JR Z,SLINL6
1578     CP 8
1579     JR Z,SLINL7
1580     CP 29
1581     JR Z,SLINL6
1582     CP 13
1583     JR Z,SLINL9
1584     CP 'S'
```

E:\paleobasic\superx\SUPER-X.ASM

```
1585     JR    Z,SLINL2
1586     CP    '5'
1587     JR    Z,SLINL2
1588     CP    'V'
1589     JR    Z,SLINL3
1590     CP    '4'
1591     JR    Z,SLINL3
1592     CP    '0'
1593     JR    C,SLINL1
1594     CP    '3'+1
1595     JR    NC,SLINL1
1596     CALL    HICHP
1597     SUB    '0'
1598     LD    HL,EXPTBL
1599     LD    D,0
1600     LD    E,A
1601     ADD    HL,DE
1602     LD    E,A
1603     BIT    0,(HL)
1604     LD    A,0
1605     RET    Z
1606     LD    HL,0F3DDH
1607     LD    A,C
1608     ADD    A,2
1609     LD    (HL),A
1610 SLINL4: CALL    9FH
1611     CP    8
1612     JR    Z,SLINL5
1613     CP    29
1614     JR    Z,SLINL6
1615     CP    27
1616     JR    Z,SLINL6
1617     CP    '0'
1618     JR    C,SLINL4
1619     CP    '3'+1
1620     JR    NC,SLINL4
1621     CALL    HICHP
1622     SUB    '0'
1623     RLCA
1624     RLCA
1625     OR    E
1626     SET    7,A
1627     LD    E,A
1628     XOR    A
1629     RET
1630 SLINL2: LD    A,'S'
1631     CALL    HICHP
1632     LD    E,0FEH
```

E:\paleobasic\superx\SUPER-X.ASM

```
1633     XOR A
1634     RET
1635 SLINL3: LD  A,'V'
1636     CALL    HICHP
1637     LD  E,0FFH
1638     XOR A
1639     RET
1640 SLINL6: LD  A,80H
1641     RET
1642 SLINL7: LD  A,10H
1643     RET
1644 SLINL8: LD  E,0
1645     LD  A,01000000B
1646     RET
1647 SLINL9: LD  E,0
1648     LD  A,01100000B
1649     RET
1650
1651 ; 000(000) f0x0
1652 ; IN/A=00000f0 E=0000
1653 ; OUT/A=0000 HL=000
1654 ADINL: LD  (0F3DDH),A
1655     PUSH    AF
1656     LD  B,E
1657     LD  A,'_'
1658 AINL20: CALL    HICHP
1659     DJNZ    AINL20
1660     POP  AF
1661     LD  C,A ;00 000f0
1662     LD  B,0 ;X00
1663 ADINL8: LD  A,C
1664     ADD  A,E
1665     DEC  A
1666     LD  (0F3DDH),A
1667 ADINL2: CALL    TENIN
1668     CALL    ALPBIG
1669     CP  127 ;DEL
1670     JR  Z,ADINL9
1671     CP  27  ;ESC
1672     JR  Z,ADINL1
1673     CP  29  ;00
1674     JR  Z,ADINL1
1675     CP  8   ;BS
1676     JR  Z,AINL15
1677     CP  30  ;00
1678     JR  Z,AINL11
1679     CP  ' '
1680     JR  Z,AINL11
```

E:\paleobasic\superx\SUPER-X.ASM

```
1681      CP  13  ;RET
1682      JR  Z,AINL13
1683      CP  '0'
1684      JR  C,ADINL2
1685      CP  '9'+1
1686      JR  C,ADINL3
1687      CP  'A'
1688      JR  C,ADINL2
1689      CP  'F'+1
1690      JR  NC,ADINL2
1691  ADINL3: PUSH    DE
1692      LD  HL,ADINWK
1693      LD  D,0
1694      LD  E,B
1695      ADD HL,DE
1696      POP DE
1697      LD  (HL),A
1698      INC B
1699  AINL10: LD  A,C
1700      LD  (0F3DDH),A
1701      LD  A,E
1702      SUB B
1703      LD  D,A
1704  ADINL5: INC D
1705      DEC D
1706      JR  Z,ADINL4
1707      LD  A,'_'
1708      CALL    HICHP
1709      DEC D
1710      JR  ADINL5
1711  ADINL4: PUSH    BC
1712      LD  HL,ADINWK
1713  ADINL7: INC B
1714      DEC B
1715      JR  Z,ADINL6
1716      LD  A,(HL)
1717      CALL    HICHP
1718      INC HL
1719      DEC B
1720      JR  ADINL7
1721  ADINL6: POP BC
1722      LD  A,B
1723      CP  E
1724      JR  NZ,ADINL8
1725  AINL12: CALL    THEX
1726      XOR A
1727      RET
1728  ADINL9: INC B
```

E:\paleobasic\superx\SUPER-X.ASM

```
1729      DEC B
1730      JR  Z,ADINL2
1731 AINL30: DEC B
1732      JR  AINL10
1733 ADINL1: LD  A,10000000B;□□□□□□
1734      RET
1735 AINL11: INC B
1736      DEC B
1737      JR  NZ,AINL12
1738 AINL31: LD  A,01000000B;□□ش□□□
1739      RET
1740 AINL13: INC B
1741      DEC B
1742      JR  NZ,AINL14
1743      LD  A,01100000B;□□ش□□□
1744      RET
1745 AINL14: CALL THEX
1746      LD  A,00100000B;□□
1747      RET
1748 AINL15: INC B
1749      DEC B
1750      JR  NZ,AINL30
1751      LD  A,C
1752      LD  (0F3DDH),A
1753      LD  B,E
1754      LD  A,'_'
1755 AINL21: CALL HICHP
1756      DJNZ AINL21
1757      LD  A,00010000B;1□□□□□
1758      RET
1759
1760 XSAV:   DS   2 ;□□بف□□خ□□X□□
1761 ADINWK: DS   4 ;□□بف□□خ□□□
1762
1763 ; HEXX□□>□□□□ □□
1764 ; IN/B=□□□□ (ADINWK)=HEX□□□□OUT/HL=□□□□
1765 THEX:   LD   HL,0
1766      LD   IX,ADINWK
1767 THEX4:  LD   A,(IX)
1768      CALL CKHEX
1769      RET C
1770      PUSH BC
1771      LD   D,0
1772      LD   E,A
1773 THEX3:  DEC B
1774      JR   Z,THEX1
1775      PUSH BC
1776      LD   B,4
```


E:\paleobasic\superx\SUPER-X.ASM

```
1777 THEX2: SLA E
1778     RL D
1779     DJNZ THEX2
1780     POP BC
1781     JR THEX3
1782 THEX1: POP BC
1783     ADD HL,DE
1784     INC IX
1785     DJNZ THEX4
1786     OR A
1787     RET
1788
1789 ; 16XXXXXXXXXX XX0XXXخ 0/A=X
1790 TENIN: PUSH BC
1791     PUSH HL
1792     CALL 9FH
1793 TENIN5: PUSH AF
1794     LD A,9
1795     CALL 141H
1796     XOR 255
1797     JR NZ,TENIN4
1798     LD A,10
1799     CALL 141H
1800     XOR 255
1801     JR NZ,TENIN4
1802     POP AF
1803     JR TENIN3
1804 TENIN4: POP AF
1805     LD B,6
1806     LD C,'A'
1807     LD HL,TENSTR
1808 TENIN2: CP (HL)
1809     JR Z,TENIN1
1810     INC C
1811     INC HL
1812     DJNZ TENIN2
1813 TENIN3: POP HL
1814     POP BC
1815     RET
1816 TENIN1: LD A,C
1817     JR TENIN3
1818
1819 ; AXXXXXXXXXX16XX XX
1820 TENCH: PUSH BC
1821     PUSH HL
1822     JR TENIN5
1823
1824 ; A0HEX0 XXXXX(Cf=ERROR)
```

E:\paleobasic\superx\SUPER-X.ASM

```
1825 CKHEX:  CALL    ALPBIG
1826        CP     30H
1827        RET     C
1828        CP     3AH
1829        JR     NC,CKHEX2
1830        SUB     30H
1831        RET
1832 CKHEX2:  CP     41H
1833        RET     C
1834        CP     47H
1835        CCF
1836        RET     C
1837        SUB     37H
1838        RET
1839
1840 ; A□□□□□ □□□□
1841 CKBIN:   CP     30H
1842        RET     C
1843        CP     32H
1844        CCF
1845        RET     C
1846        SUB     30H
1847        RET
1848
1849 ; A□□□□□□ □□□□
1850 CKDEC:   CP     30H
1851        RET     C
1852        CP     3AH
1853        CCF
1854        RET     C
1855        SUB     30H
1856        RET
1857
1858 ; □□□□ □□□□ Z=□□□□
1859 SHIFTC:  LD      A,6
1860        CALL    141H
1861        BIT     0,A
1862        RET
1863
1864 ; □i□□□ □
1865 ; 0/Zf=TABor\□□□□□□
1866 ; Cf=ESC□□□□□□□□□□ □□□□□□
1867 STOP:    CALL    9CH
1868        JR     NZ,STOP1
1869        XOR     A ;Cf=0
1870        INC     A ;Zf=0
1871        RET
1872 STOP1:   CALL    9FH
```

E:\paleobasic\superx\SUPER-X.ASM

```
1873      CP    9
1874      RET   Z
1875      CP    '\ '
1876      RET   Z
1877      CP    8
1878      JR    Z,STOP3
1879      CP    27
1880      JR    Z,STOP3
1881      CP    ' '
1882      JR    Z,STOP2
1883      CP    13
1884      JR    Z,STOP2
1885      CP    30
1886      JR    Z,STOP2
1887      XOR   A
1888      INC   A
1889      RET
1890      ; 00f0c000
1891  STOP2:  CALL    9FH
1892      EX    AF,AF'
1893      LD    A,(0FCAFH)
1894      CP    2
1895      JR    Z,STOP8
1896      EX    AF,AF'
1897      CP    22
1898      JR    NZ,STOP5
1899      CALL    VCOPY
1900      JR    STOP2
1901  STOP5:  CP    16
1902      JR    NZ,STOP6
1903      CALL    PCOPY
1904      JR    STOP2
1905  STOP6:  CP    24
1906      JR    NZ,STOP7
1907      CALL    CHGPAG
1908      JR    STOP2
1909  STOP7:  CP    9
1910      RET   Z
1911      CP    '\ '
1912      RET   Z
1913      CP    27
1914      JR    Z,STOP3
1915      CP    8
1916      JR    Z,STOP3
1917      CP    30
1918      JR    Z,STOP4
1919      CP    ' '
1920      JR    Z,STOP4
```

E:\paleobasic\superx\SUPER-X.ASM

```
1921      CP    13
1922      JR    NZ,STOP2
1923  STOP4:  XOR  A
1924      INC  A
1925      RET
1926  STOP3:  SCF
1927      RET
1928  STOP8:  EX  AF,AF'
1929      JR    STOP7
1930
1931      ; 00X000 00
1932  HOOKST:  LD   HL,0FDA4H ;0FDC2H
1933      LD   DE,HOOKSV
1934      LD   BC,5
1935      PUSH    HL
1936      PUSH    BC
1937      LDIR
1938      POP  BC
1939      POP  DE
1940      LD   HL,HOOKDT
1941      LDIR
1942      RET
1943
1944      ; 0000 t0ç0
1945  INLIN:  CALL    HOOKST
1946      CALL    0AEH ; 0B1H
1947      JP    HOOKOF
1948
1949      ; 00X000 00
1950  HOOKOF:  PUSH    HL
1951      PUSH    DE
1952      PUSH    BC
1953      PUSH    AF
1954      LD   HL,HOOKSV
1955      LD   DE,0FDA4H ;0FDC2H;
1956      LD   BC,5
1957      LDIR
1958      POP  AF
1959      POP  BC
1960      POP  DE
1961      POP  HL
1962      RET
1963
1964      ; 00X0_0 000
1965      ; Global keyboard shortcuts in INLIN
1966
1967  HOOK:    CP    12 ;CLS
1968      JR    Z,HOOK4
```

E:\paleobasic\superx\SUPER-X.ASM

```
1969      CP   16   ;CTRL+P
1970      JR   Z,H00K1
1971      CP   22   ;CTRL+V
1972      JR   Z,H00K2
1973      CP   24   ;SELECT
1974      JR   Z,H00K7
1975      CP   ' '   ;HELP
1976      JR   Z,H00K8
1977      CALL      TENCH
1978      EX   AF,AF'
1979      POP  HL
1980      POP  AF
1981      EX   AF,AF'
1982      PUSH      AF
1983      PUSH      HL
1984      JP   H00KSV
1985 H00K7:  CALL      CHGPAG
1986      JR   H00K3
1987 H00K2:  CALL      VCPY
1988      JR   H00K3
1989 H00K1:  CALL      PCOPY
1990 H00K3:  XOR  A
1991      JP   H00KSV
1992 H00K4:  CALL      CLS
1993 H00K9:  POP  HL   ;X□□
1994      POP  AF
1995      XOR  A
1996      PUSH      AF
1997      PUSH      HL
1998      JP   H00KSV
1999
2000 H00K8:  LD   A,6
2001      CALL      141H
2002      BIT  2,A
2003      JP   NZ,H00KSV
2004      LD   HL,0
2005      LD   DE,2000H
2006      LD   BC,40*20
2007      CALL      HELP1
2008      LD   IX,HELPSB
2009      CALL      POCALL
2010 HELP2:  CALL      9CH
2011      JR   Z,HELP2
2012      CALL      9FH
2013      LD   HL,2000H
2014      LD   DE,0
2015      LD   BC,40*20
2016      CALL      HELP1
```

E:\paleobasic\superx\SUPER-X.ASM

```
2017      JP    HOOK9
2018  HELP1:  CALL    RDVRM
2019      EX    DE,HL
2020      CALL    WRTVRM
2021      EX    DE,HL
2022      INC    DE
2023      INC    HL
2024      DEC    BC
2025      LD     A,B
2026      OR     C
2027      JR     NZ,HELP1
2028      RET
2029
2030 ; VRAM у□□□□
2031  VCOPY:  PUSH    HL
2032      PUSH    DE
2033      PUSH    BC
2034      PUSH    AF
2035      LD     HL,0
2036      LD     DE,2800H
2037      LD     BC,960
2038  VCOPY1: CALL    4AH
2039      EX    DE,HL
2040      CALL    WRTVRM
2041      EX    DE,HL
2042      INC    HL
2043      INC    DE
2044      DEC    BC
2045      LD     A,B
2046      OR     C
2047      JR     NZ,VCOPY1
2048  PCOPY6:  CALL    BEEP
2049      POP    AF
2050      POP    BC
2051      POP    DE
2052      POP    HL
2053      RET
2054
2055 ; ÷□1□□
2056  PCOPY:  PUSH    HL
2057      PUSH    DE
2058      PUSH    BC
2059      PUSH    AF
2060      CALL    0A8H
2061      JR     Z,PCOPY6
2062      INC    A
2063      JR     NZ,PCOPY6
2064      LD     C,24
```

E:\paleobasic\superx\SUPER-X.ASM

```
2065     LD    HL,0
2066 PCOPY5: LD    B,40
2067 PCOPY4: CALL    4AH
2068     CP    32
2069     JR    NC,PCOPY7
2070     LD    D,A
2071     LD    A,1
2072     CALL    0A5H
2073     JR    C,PCOP13
2074     LD    A,D
2075     ADD    A,40H
2076 PCOPY7: CALL    0A5H
2077     JR    C,PCOP13
2078     INC    HL
2079     DJNZ    PCOPY4
2080     LD    A,10
2081     CALL    0A5H
2082     JR    C,PCOP13
2083     LD    A,13
2084     CALL    0A5H
2085     JR    C,PCOP13
2086     DEC    C
2087     JR    NZ,PCOPY5
2088     JR    PCOPY6
2089 PCOP13: CALL    PCRLF
2090     JR    PCOPY6
2091
2092 ; VRAMу□□□
2093 CHGPAG: PUSH    HL
2094     PUSH    DE
2095     PUSH    BC
2096     PUSH    AF
2097     CALL    BEEP
2098     CALL    156H
2099     LD    BC,0A02H
2100     CALL    47H
2101     CALL    9FH
2102     LD    BC,0002H
2103     CALL    47H
2104     JP    PCOPY6
2105
2106 ; □□□□□□
2107 ERHKST: LD    A,(0F341H+1)
2108     LD    (ERHKDT+1),A
2109     LD    HL,0FFB1H
2110     LD    DE,ERHKSV
2111     LD    BC,5
2112     PUSH    HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
2113     PUSH     BC
2114     LDIR
2115     POP      BC
2116     POP      DE
2117     LD       HL,ERHKDT
2118     LDIR
2119     RET
2120
2121 ; 0100 00
2122 ERHKOF: PUSH     HL
2123     PUSH     DE
2124     PUSH     BC
2125     PUSH     AF
2126     LD       HL,ERHKSV
2127     LD       DE,0FFB1H
2128     LD       BC,5
2129     LDIR
2130     POP      AF
2131     POP      BC
2132     POP      DE
2133     POP      HL
2134     RET
2135
2136 ; 0100 00
2137 ERHOOK: LD       A,(0F3DDH)
2138     DEC      A
2139     CALL     NZ,NCRLF
2140     LD       HL,ERRDAT
2141 ERHOK2: LD       A,(HL)
2142     OR       A
2143     JP       Z,ERROR
2144     CP       E
2145     JR       Z,ERHOK1
2146     INC      HL
2147     INC      HL
2148     INC      HL
2149     JR       ERHOK2
2150 ERHOK1: INC      HL
2151     LD       E,(HL)
2152     INC      HL
2153     LD       D,(HL)
2154     EX       DE,HL
2155     CALL     PRINT
2156     JP       SYSTEM
2157
2158 ; 0100 0000
2159 MAPNEW: LD       A,(MAPFG)
2160     OR       A
```


E:\paleobasic\superx\SUPER-X.ASM

```
2161      RET Z
2162      LD  HL,(MAPJP)
2163      LD  DE,18H
2164      ADD HL,DE
2165      LD  IY,MAPWK
2166      LD  B,4
2167 MAPNW2: LD  A,(IY)
2168      LD  IX,MAPNW1
2169      PUSH    IX
2170      JP  (HL)
2171 MAPNW1: INC IY
2172      LD  DE,6
2173      ADD HL,DE
2174      DJNZ    MAPNW2
2175      RET
2176
2177 ; # "□□
2178 SHARPR: LD  A,'#'
2179      JP  CHPUT
2180
2181 ; f□ □□□y "□□
2182 MAPPR:  LD  HL,STR19
2183      CALL    NPRINT
2184      LD  A,(MAPFG)
2185      OR  A
2186      JP  Z,MAPPR1
2187      LD  DE,0401H
2188      CALL    OFFCAH
2189      LD  A,'o' ; Was '□'
2190      CALL    CHPUT
2191      CALL    NCRLF
2192      PUSH    HL
2193      LD  HL,STR20
2194      CALL    NPRINT
2195      POP  HL
2196 MAPPR3: CALL    SHARPR
2197      LD  A,(HL)
2198      CALL    NSLTPR
2199      LD  A,'/'
2200      CALL    CHPUT
2201      PUSH    HL
2202      LD  HL,STR21
2203      CALL    NPRINT
2204      POP  HL
2205      INC  HL
2206      LD  A,(HL)
2207      DEC  A
2208      PUSH    HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
2209      LD  H,0
2210      LD  L,A
2211      CALL      DECPR
2212      POP  HL
2213      LD  DE,7
2214      ADD  HL,DE
2215      LD  A,(HL)
2216      OR  A
2217      JR  Z,MAPPR2
2218      LD  A,':'
2219      CALL      CHPUT
2220      JR  MAPPR3
2221  MAPPR2: CALL      NCRLF
2222      LD  HL,(MAPJP)
2223      LD  DE,1BH
2224      ADD  HL,DE
2225      PUSH     HL
2226      LD  HL,STR22
2227      CALL      NPRINT
2228      POP  HL
2229      LD  B,0
2230  MAPPR5: LD  A,'P'
2231      CALL      CHPUT
2232      LD  A,'0'
2233      ADD  A,B
2234      CALL      CHPUT
2235      LD  A,'='
2236      CALL      CHPUT
2237      LD  A,'% '
2238      CALL      CHPUT
2239      PUSH     HL
2240      LD  DE,MAPPR4
2241      PUSH     DE
2242      JP  (HL)
2243  MAPPR4: LD  H,0
2244      LD  L,A
2245      CALL      DECPR
2246      POP  HL
2247      LD  DE,6
2248      ADD  HL,DE
2249      INC  B
2250      LD  A,B
2251      CP  4
2252      JR  NZ,MAPPR6
2253  MAPPR7: CALL      NCRLF
2254      RET
2255  MAPPR6: LD  A,':'
2256      CALL      CHPUT
```

E:\paleobasic\superx\SUPER-X.ASM

```
2257      JR    MAPPR5
2258 MAPPR1: LD    A,'*'
2259      CALL    CHPUT
2260      JR    MAPPR7
2261
2262 ; A0000"000(000 Z)
2263 SLOTPR: LD    B,A
2264      LD    A,(PRNFG)
2265      PUSH    AF
2266      CALL    NOTPRN
2267      LD    A,B
2268      CALL    NSLTPR
2269      POP     AF
2270      LD    (PRNFG),A
2271      RET
2272
2273 ; A0000"000(000 0000)
2274 NSLTPR: CP    255 ;VRAM
2275      JR    Z,NSLPR1
2276      CP    254 ;SELECT
2277      JR    Z,NSLPR3
2278      LD    B,A
2279      AND    3
2280      ADD    A,'0'
2281      CALL    CHPUT
2282      LD    A,B
2283      AND    80H
2284      RET    Z
2285      LD    A,'-'
2286      CALL    CHPUT
2287      LD    A,B
2288      RRCA
2289      RRCA
2290      AND    3
2291      ADD    A,'0'
2292 NSLPR2: CALL    CHPUT
2293      RET
2294 NSLPR1: PUSH    HL
2295      LD    HL,STR09
2296 NSLPR4: CALL    NPRINT
2297      POP     HL
2298      RET
2299 NSLPR3: PUSH    HL
2300      LD    HL,STR10
2301      JR    NSLPR4
2302
2303 ; PAGE B000H C00
2304 PGSLOT: CALL    138H
```

E:\paleobasic\superx\SUPER-X.ASM

```
2305     PUSH     BC
2306 PGSLT2: INC B
2307     DEC B
2308     JR      Z,PGSLT1
2309     RRCA
2310     RRCA
2311     DEC B
2312     JR      PGSLT2
2313 PGSLT1: AND 3
2314     LD      C,A
2315     LD      B,0
2316     LD      HL,0FCC1H
2317     ADD     HL,BC
2318     LD      C,A
2319     LD      A,(HL)
2320     AND     80H
2321     OR      C
2322     LD      D,A
2323     INC     HL
2324     INC     HL
2325     INC     HL
2326     INC     HL
2327     LD      A,(HL)
2328     POP     BC
2329     LD      E,B
2330     INC     B
2331     DEC     B
2332     JR      NZ,PGSLT3
2333     RLCA
2334     RLCA
2335     JR      PGSLT4
2336 PGSLT3: DEC B
2337     JR      Z,PGSLT4
2338     DEC     B
2339     JR      NZ,PGSLT5
2340     RRCA
2341     RRCA
2342     JR      PGSLT4
2343 PGSLT5: RRCA
2344     RRCA
2345     RRCA
2346     RRCA
2347 PGSLT4: AND 0CH
2348     OR      D
2349     LD      C,A
2350     LD      B,E
2351     RET
2352
```

E:\paleobasic\superx\SUPER-X.ASM

```
2353 ; 0000#00"00
2354 ; IN/HL=000 D=0000E=00
2355 ADPRSL: CALL    ADRSPR
2356     INC D
2357     DEC D
2358     JR  NZ,ADPRS1
2359     LD  E,254
2360 ADPRS1: LD  A,'#'
2361     CALL    CHPUT
2362     LD  A,E
2363     CALL    NSLTPR
2364     RET
2365
2366 ; 0000"00
2367 PROMPT: LD  A,(0F3DDH)
2368     DEC A
2369     CALL    NZ,CRLF
2370     LD  A,7
2371     CALL    0A2H
2372     IN  A,(0FEH)
2373     PUSH    AF
2374     LD  C,19H
2375     CALL    0F37DH
2376     ADD A,'A'
2377     CALL    HICHP
2378     POP  AF
2379     OUT (0FEH),A
2380     LD  A,'>'
2381     JP  HICHP
2382
2383 ; SET BASE ADDRESS
2384 ; 0/HL=(ADXWK0)=000
2385 ; (SLXWK0)=00(SFXWK0)=00]000
2386 INADRS: LD  HL,1*256+21
2387     LD  (0F3DCH),HL
2388     LD  HL,STR36
2389     CALL    PRINT
2390     LD  HL,(BASE)
2391     PUSH    HL
2392     CALL    SINLIN
2393     LD  HL,(ADXWK0)
2394     POP  DE
2395     RET  NC
2396     EX  DE,HL
2397     LD  (ADXWK0),HL
2398     RET
2399
2400 ; 000.0
```

E:\paleobasic\superx\SUPER-X.ASM

```
2401 CLOSE: XOR A
2402     LD (OPNFG),A
2403     LD DE,FCB
2404     LD C,10H
2405     JP SYSCAL
2406
2407 ;   □□□ □□
2408 SYSCAL: CALL 0F37DH
2409     OR A
2410     RET Z
2411     JP ERROR
2412
2413 ; ADXWK0,SLXWK0=>ADSAV0,SLSAV0
2414 ADRSAV: LD HL,(SLXWK0)
2415     LD (SLSAV0),HL
2416     LD HL,(ADXWK0)
2417     LD (ADSAV0),HL
2418     RET
2419
2420 ; VWORK□ □□□ "□□
2421 VWKPUT: LD HL,VWORK
2422     LD DE,0
2423     LD BC,40*20
2424     JP LDIRVM
2425
2426 ; □□□□ □□□□□□(IX)□□□
2427 ; IN/HL=Adr,(SLXWK)=□□□(SFXWK0)=□□
2428 ; 0/HL,IX□,□□□□□□
2429 AC_W: PUSH HL
2430     LD DE,(ADXWK1)
2431     RST 20H
2432     JR NZ,AC_W4
2433     LD A,255
2434     LD (SAMEFG),A
2435 AC_W4: PUSH HL
2436     CALL LCLR
2437     POP HL
2438     CALL ADRSIN
2439     LD (IX),' '
2440     INC IX
2441     CALL PEEK
2442     PUSH AF
2443     CALL AC_W2
2444     LD DE,16
2445     ADD HL,DE
2446     CALL PEEK
2447     PUSH AF
2448     CALL AC_W2
```

E:\paleobasic\superx\SUPER-X.ASM

```
2449     LD  (IX), ':'
2450     INC IX
2451     POP BC
2452     POP AF
2453     CALL DATIN
2454     LD  (IX), ':'
2455     INC IX
2456     LD  A,B
2457     CALL DATIN
2458     POP HL
2459     INC HL
2460     RET
2461 AC_W2: LD  E,A
2462     LD  B,8
2463 AC_W1: LD  A,'-' ; WAS '□'
2464     RL  E
2465     JR  NC,AC_W3
2466     LD  A,'0' ; WAS '□'
2467 AC_W3: LD  (IX),A
2468     INC IX
2469     DJNZ AC_W1
2470     RET
2471
2472 ; □□□□ □□□□□□(IX)□□□
2473 ; IN/HL=Adr,(SLXWK)=□;□(SFXWK0)=□□
2474 ; 0/HL,IX□,□□□□□
2475 AD_W:  PUSH  HL
2476     LD  C,0
2477     LD  A,(SUMTYP)
2478     OR  A
2479     JR  Z,AD_W1
2480     XOR A
2481     ADD A,H
2482     ADD A,L
2483 AD_W1: LD  C,A
2484     CALL ADRSIN
2485     LD  B,8
2486 AD_W2: LD  (IX),' '
2487     INC IX
2488     PUSH BC
2489     CALL PEEK
2490     POP BC
2491     CALL DATIN
2492     ADD A,C
2493     LD  C,A
2494     INC HL
2495     DJNZ AD_W2
2496     LD  (IX), ':'
```

E:\paleobasic\superx\SUPER-X.ASM

```
2497     INC  IX
2498     LD   A,C
2499     CALL    DATIN
2500     LD   (IX),' ':'
2501     INC  IX
2502     POP  HL
2503     LD   B,8
2504     JP   AA_W1
2505
2506 ; 0000 00000000 (IX)000
2507 ; IN/B=00L0
2508 ; HL=Adr,(SLXWK)=0j0(SFXWK0)=00
2509 ; 0/HL,IX0,00020
2510 AA_W:  CALL    ADRSIN
2511     LD   (IX),' "'
2512     INC  IX
2513 AA_W1:  PUSH    BC
2514     LD   DE,(ADXWK1)
2515     RST  20H
2516     JR   NZ,AA_W2
2517     LD   A,0FFH
2518     LD   (SAMEFG),A
2519 AA_W2:  CALL    PEEK
2520     CALL    MOJIIN
2521     INC  HL
2522     POP  BC
2523     DJNZ    AA_W1
2524     RET
2525
2526 ; 0000 00000000 (IX)000
2527 ; IN/HL=Adr,(SLXWK)=0j0(SFXWK0)=00
2528 ; 0/HL,IX0,00020
2529 ADA:   LD   (DAWORK),IX
2530     PUSH    HL
2531     CALL    SBWKRD
2532     CALL    LCLR
2533     POP  HL
2534     LD   (IXBRG),IX
2535     LD   IX,ADIPO
2536     CALL    POCALL
2537     LD   IX,(DAWORK)
2538     LD   DE,40
2539     ADD  IX,DE
2540     RET
2541
2542 ; (HL)004byte SBWORK0j0
2543 SBWKRD: LD   DE,SBWORK
2544     LD   B,4
```


E:\paleobasic\superx\SUPER-X.ASM

```

2545 SBWKR1: PUSH    DE
2546         PUSH    BC
2547         CALL    PEEK
2548         POP     BC
2549         POP     DE
2550         LD      (DE),A
2551         INC     HL
2552         INC     DE
2553         DJNZ    SBWKR1
2554         INC     DE
2555         XOR     A
2556         LD      (DE),A
2557         INC     DE
2558         INC     DE
2559         LD      (DE),A
2560         RET
2561
2562 ; 11000
2563 ACHA:    LD      IX,LWORK
2564         CALL    AC_W
2565         JR      ADUMP3
2566
2567 ; 0000 0000
2568 ; IN/HL=Adr,(SLXWK)=0j0(SFXWK0)=00
2569 ADUMP:   LD      IX,LWORK
2570         CALL    AD_W
2571 ADUMP3:  PUSH    HL
2572         LD      A,(CRTOFF)
2573         OR      A
2574         JR      NZ,ADUMP6
2575         LD      A,1
2576         LD      (0F3DDH),A
2577         CALL    CALADR
2578         EX     DE,HL
2579         LD      HL,LWORK
2580         LD      BC,40
2581         CALL    LDIRVM
2582         CALL    KAIGYO
2583         LD      A,(PRNFG)
2584         OR      A
2585         JR      Z,ADUMP1
2586 ADUMP6:  LD      HL,LWORK
2587         LD      B,40
2588 ADUMP2:  LD      A,(HL)
2589         OR      A
2590         JR      Z,ADUMP4
2591         CALL    0A5H
2592         JP      C,ERROR

```

E:\paleobasic\superx\SUPER-X.ASM

```
2593     INC HL
2594     DJNZ     ADUMP2
2595 ADUMP4: CALL     PCRLF
2596 ADUMP1: LD      A,(OPNFG)
2597     OR      A
2598     JR      Z,ADUMP5
2599     LD      HL,LWORK
2600     CALL     LOUT
2601 ADUMP5: POP     HL
2602     RET
2603
2604 ; 0000 00000000
2605 ; IN/HL=Adr,(SLXWK)=0j0(SFXWK0)=00
2606 ASDMP: LD      IX,LWORK
2607     CALL     AA_W
2608     CALL     ASDMP1
2609     JR      ADUMP3
2610 ASDMP1: LD      (IX),' '
2611     INC     IX
2612     LD      (IX),' '
2613     INC     IX
2614     LD      (IX),' '
2615     INC     IX
2616     RET
2617
2618 ; 0000 00000000
2619 ; IN/HL=Adr,(SLXWK)=0j0(SFXWK0)=00
2620 ADISAS: LD      IX,LWORK
2621     CALL     ADA
2622     JP      ADUMP3
2623
2624 ; 0000000000000000=HL "00
2625 SADPUT: PUSH     HL
2626     PUSH     BC
2627     PUSH     DE
2628     LD      IX,LWORK
2629     CALL     ADRSIN
2630     LD      HL,LWORK
2631     LD      DE,40*23+7
2632     LD      BC,4
2633     CALL     LDIRVM
2634     POP     DE
2635     POP     BC
2636     POP     HL
2637     RET
2638
2639 ; 00000000 I/HL=Adr
2640 GRAWIN: LD      B,32
```

E:\paleobasic\superx\SUPER-X.ASM

```
2641      LD  DE,0FC18H
2642  GRAWN3:  PUSH      BC
2643          PUSH      DE
2644          CALL      PEEK
2645          POP  DE
2646          POP  BC
2647          LD  (DE),A
2648          INC  HL
2649          INC  DE
2650          DJNZ      GRAWN3
2651          LD  HL,(0FC18H)
2652          PUSH      HL
2653          CALL      GRASUB
2654          LD  HL,TANKWK
2655          LD  DE,800H+8
2656          LD  BC,48
2657          CALL      LDIRVM
2658          POP  HL
2659          LD  A,H
2660          LD  H,L
2661          LD  L,A
2662          LD  IX,JIS
2663          CALL      POCALL
2664          CALL      GR1SUB
2665          LD  HL,TANKWK
2666          LD  DE,7*8+800H
2667          LD  BC,48
2668          CALL      LDIRVM
2669          LD  HL,GRASTR
2670          LD  DE,40*22+33
2671          LD  BC,7
2672          CALL      LDIRVM
2673          LD  HL,GRASTR+7
2674          LD  DE,40*23+33
2675          LD  BC,7
2676          JP   LDIRVM
2677
2678  GRASTR:  DB  25,1,3,5,7,8,9
2679          DB  22,2,4,6,10,11,12
2680
2681  GR1SUB:  LD  IX,TANKWK
2682          LD  HL,0FC18H
2683          LD  B,2
2684  G1ASB3:  PUSH      BC
2685          LD  B,8
2686  G1ASB1:  LD  A,(HL)
2687          INC  HL
2688          LD  C,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
2689     SRL  A
2690     RR   C
2691     SRL  A
2692     RR   C
2693     RLCA
2694     RLCA
2695     LD   (IX),A
2696     LD   (IX+8),C
2697     INC  IX
2698     DJNZ      G1ASB1
2699     LD   B,8
2700 G1ASB2: LD   A,(HL)
2701     INC  HL
2702     PUSH      AF
2703     RRCA
2704     RRCA
2705     AND  00111100B
2706     OR   (IX)
2707     LD   (IX),A
2708     POP  AF
2709     AND  15
2710     RRCA
2711     RRCA
2712     RRCA
2713     RRCA
2714     AND  0F0H
2715     LD   (IX+8),A
2716     INC  IX
2717     DJNZ      G1ASB2
2718     LD   DE,8
2719     ADD  IX,DE
2720     POP  BC
2721     DJNZ      G1ASB3
2722     RET
2723
2724 GRASUB: LD   IX,TANKWK
2725     LD   B,16
2726     LD   HL,0FC18H
2727 GRASB1: LD   A,(HL)
2728     INC  HL
2729     LD   C,0
2730     SRL  A
2731     RR   C
2732     SRL  A
2733     RR   C
2734     RLCA
2735     RLCA
2736     LD   (IX),A
```

E:\paleobasic\superx\SUPER-X.ASM

```
2737     LD  (IX+16),C
2738     INC IX
2739     DJNZ     GRASB1
2740     LD  B,16
2741 GRASB2: LD  A,(HL)
2742     INC HL
2743     PUSH     AF
2744     RRCA
2745     RRCA
2746     AND 00111100B
2747     OR  (IX)
2748     LD  (IX),A
2749     POP AF
2750     AND 15
2751     RRCA
2752     RRCA
2753     RRCA
2754     RRCA
2755     AND 0F0H
2756     LD  (IX+16),A
2757     INC IX
2758     DJNZ     GRASB2
2759     RET
2760
2761 ; (HL)X!  □□□□□□
2762 LOUT:  LD  B,40
2763 LOUT3: LD  DE,DMA
2764     LD  C,0
2765 LOUT1: LD  A,(HL)
2766     OR  A
2767     JR  Z,LOUT2
2768     LD  (DE),A
2769     INC HL
2770     INC DE
2771     INC C
2772     DJNZ     LOUT1
2773 LOUT2: EX  DE,HL
2774     LD  (HL),13
2775     INC HL
2776     LD  (HL),10
2777     INC C
2778     INC C
2779     LD  L,C
2780     LD  H,0
2781     LD  DE,FCB
2782     LD  C,26H
2783     JP  SYSCAL
2784
```

E:\paleobasic\superx\SUPER-X.ASM

```
2785 ; (ADXWK0) INC
2786 INCPOK: PUSH    HL
2787         PUSH    DE
2788         PUSH    BC
2789         LD     HL,(ADXWK0)
2790         CALL    POKE
2791         INC     HL
2792         LD     (ADXWK0),HL
2793         POP     BC
2794         POP     DE
2795         POP     HL
2796         RET
2797
2798 ; MULTI input routine
2799 ; (HL) X|  è
2800 ; OUT/Cf=err B= L
2801 MLCCK:  LD     B,0
2802         LD     A,(HL)
2803         CP     '"'
2804         JR     Z,MLCCK1
2805         CP     '.'
2806         JR     Z,MLCCK2
2807         CP     ':'
2808         JR     Z,MLCCK3
2809         CP     ';'
2810         JR     Z,MLCCK4
2811         CP     '['
2812         JR     Z,MLCCK5
2813         LD     IX,ASM
2814         CALL    POCALL
2815         RET     C
2816         LD     HL,ASMWK1
2817         LD     C,(HL)
2818         LD     B,C
2819 ASMPK1: INC     HL
2820         LD     E,(HL)
2821         CALL    INCPOK
2822         DJNZ    ASMPK1
2823         LD     B,C
2824         OR     A
2825         RET
2826 MLCCK1: INC     HL
2827         LD     A,(HL)
2828         OR     A
2829         RET     Z
2830         LD     E,A
2831         CALL    INCPOK
2832         INC     B
```

E:\paleobasic\superx\SUPER-X.ASM

```
2833      JR    MLCKK1
2834  MLCKK2: INC  HL
2835      LD    A,(HL)
2836      OR    A
2837      RET   Z
2838      PUSH   BC
2839      CALL   GTBYTE
2840      POP    BC
2841      RET    C
2842      CALL   INCPOK
2843      INC    B
2844      LD    A,(HL)
2845      OR    A
2846      RET   Z
2847      JR    MLCKK2
2848  MLCKK3: INC  HL
2849      LD    A,(HL)
2850      OR    A
2851      RET   Z
2852      PUSH   BC
2853      CALL   ADSUB
2854      POP    BC
2855      RET    C
2856      CALL   INCPOK
2857      INC    B
2858      LD    E,D
2859      CALL   INCPOK
2860      INC    B
2861      LD    A,(HL)
2862      OR    A
2863      RET   Z
2864      JR    MLCKK3
2865  MLCKK4: INC  HL
2866      LD    A,(HL)
2867      OR    A
2868      RET   Z
2869      PUSH   BC
2870      CALL   CVAL
2871      POP    BC
2872      RET    C
2873      CALL   INCPOK
2874      INC    B
2875      LD    E,D
2876      CALL   INCPOK
2877      INC    B
2878      LD    A,(HL)
2879      OR    A
2880      RET   Z
```

E:\paleobasic\superx\SUPER-X.ASM

```
2881      JR    MLCKK4
2882 MLCKK5: INC  HL
2883      LD    A,(HL)
2884      OR    A
2885      RET  Z
2886      PUSH     BC
2887      CALL     CVAL
2888      POP  BC
2889      RET  C
2890      CALL     INCPOK
2891      INC  B
2892      LD    A,(HL)
2893      OR    A
2894      RET  Z
2895      JR    MLCKK5
2896
2897 ; (HL)0000X0! 00010DE0
2898 ; 0/DE=Adr HL=00020 Cf=Err
2899 ADSUB:  PUSH     HL
2900      LD    B,5
2901 ADSB02: LD    A,(HL)
2902      OR    A
2903      JR    Z,ADSB01
2904      CP    ','
2905      JR    Z,ADSB01
2906      CP    '#'
2907      JR    Z,ADSB01
2908      CP    ' '
2909      JR    Z,ADSB01
2910      CP    ')'
2911      JR    Z,ADSB01
2912      INC  HL
2913      DJNZ     ADSB02
2914 ADSB03: POP  HL
2915 ADSB04: SCF
2916      RET
2917 ADSB01: LD    A,5
2918      SUB  B
2919      JR    Z,ADSB03
2920      LD    B,A
2921      POP  HL
2922      LD    IX,KETA1-2
2923      LD    IY,CKHEX
2924      JP   VALSUB
2925
2926 ; (HL)0000X0! 00010E0
2927 GTBYTE: CALL     ADSUB
2928      RET  C
```


E:\paleobasic\superx\SUPER-X.ASM

```
2929      INC D
2930      DEC D
2931      SCF
2932      RET NZ
2933      LD A,E
2934      OR A
2935      RET
2936
2937 ; (HL)<>',' ' '
2938 BUNCON: LD A,(HL)
2939      INC HL
2940      CP ','
2941      RET Z
2942      CP ','
2943      RET Z
2944      JP ERROR
2945
2946 ; FCB,&DMA
2947 FCBCLR: PUSH HL
2948      LD HL,FCB
2949      LD DE,FCB+1
2950      LD BC,36
2951      LD (HL),0
2952      LDIR
2953      POP HL
2954 DMASET: PUSH HL
2955      LD DE,DMA
2956      LD C,1AH
2957      CALL 0F37DH
2958      POP HL
2959      RET
2960
2961 ; ., (IN/FCB=)
2962 LDOPEN: LD DE,FCB
2963      LD C,0FH
2964      CALL SYSCAL
2965      LD HL,1
2966      LD (FCB+14),HL
2967      RET
2968
2969 ; , (IN/FCB=)
2970 SVOPEN: PUSH HL
2971      LD DE,DMA+32
2972      LD C,1AH
2973      CALL 0F37DH
2974      LD DE,FCB
2975      LD C,11H
2976      CALL 0F37DH
```

E:\paleobasic\superx\SUPER-X.ASM

```
2977      OR    A
2978      JR    NZ,SVOPN1
2979      LD    DE,FCB
2980      LD    C,13H
2981      CALL    SYSCAL
2982 SVOPN1: LD    DE,FCB
2983      LD    C,16H
2984      CALL    SYSCAL
2985      LD    DE,FCB
2986      LD    C,0FH
2987      CALL    SYSCAL
2988      CPL
2989      LD    (OPNFG),A
2990      LD    HL,1
2991      LD    (FCB+14),HL
2992      LD    DE,DMA
2993      LD    C,1AH
2994      CALL    0F37DH
2995      POP    HL
2996      RET
2997
2998 ; Adr1or2&filename□□□□,Adr□□□□□
2999 ; I/HL=X□□ □□□
3000 ; O/HL=□□□□□
3001 ; (ADXWK0),(SLXWK0),(SFXWK0) - 1□□Adr,□□□□□,□□□□
3002 ; (SFXWK1)-2□□dr□□□□□□□
3003 ; (ADXWK1)-2□□dr
3004 ; □□□V□□□□□□□□□□□□(OPNFG)□0□□□□□□
3005 SUBMAN: XOR    A
3006      LD    (SFXWK1),A
3007      CALL    SUB101
3008      LD    A,(HL)
3009      OR    A
3010      RET    Z
3011      CALL    BUNCON
3012      LD    IX,ADRES
3013      CALL    POCALL
3014      JP    C,ERROR
3015      PUSH    HL
3016      LD    HL,(ADXWK0)
3017      RST    20H
3018      JR    C,SUBMN1
3019      EX    DE,HL
3020 SUBMN1: LD    (ADXWK0),HL
3021      LD    (ADXWK1),DE
3022      LD    A,255
3023      LD    (SFXWK1),A
3024      POP    HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
3025     LD  A,(HL)
3026     OR  A
3027     RET Z
3028     CALL BUNCON
3029     CALL FLNAME
3030     CALL SVOPEN
3031     JP  BUNMAT
3032
3033 ; Adr1□□□□,Adr□□□□
3034 SUB100: CALL SUB101
3035     JP  BUNMAT
3036 SUB101: LD  IX,ADRES
3037     CALL POCALL
3038     JP  C,ERROR
3039     LD  (ADXWK0),DE
3040     LD  (SLXWK0),BC
3041     RET
3042
3043 ; Adr2□□□□,Adr□□□□
3044 SUB200: CALL SUB101
3045     CALL BUNCON
3046     LD  IX,ADRES
3047     CALL POCALL
3048     JP  C,ERROR
3049     PUSH HL
3050     LD  HL,(ADXWK0)
3051     RST 20H
3052     JR  C,SUB201
3053     EX  DE,HL
3054 SUB201: LD  (ADXWK0),HL
3055     LD  (ADXWK1),DE
3056     LD  HL,(SLXWK0)
3057     LD  (SLXWK1),HL
3058     POP HL
3059     RET
3060
3061 ; Adr3□□□□,Adr□□□□
3062 SUB300: CALL SUB200
3063     CALL BUNCON
3064     LD  IX,ADRES
3065     CALL POCALL
3066     JP  C,ERROR
3067     LD  (ADXWK2),DE
3068     LD  (SLXWK2),BC
3069     RET
3070
3071 ; DISK0̄□
3072 ; I/HL=X□3/4□ O/A=(FCB+0)=DISK
```

E:\paleobasic\superx\SUPER-X.ASM

```
3073 DSKNM: LD A,(HL)
3074 OR A
3075 JR Z,DSKST1
3076 CP 'A'
3077 JP C,ERROR
3078 CP 'H'+1
3079 JP NC,ERROR
3080 PUSH AF
3081 PUSH HL
3082 LD C,18H
3083 CALL 0F37DH
3084 EX DE,HL
3085 POP HL
3086 POP AF
3087 SUB 'A'-1
3088 LD B,1
3089 PUSH AF
3090 DSKST3: DEC A
3091 JR Z,DSKST2
3092 SLA B
3093 JR DSKST3
3094 DSKST2: LD A,B
3095 AND E
3096 JP Z,ERROR
3097 POP AF
3098 OR A
3099 DSKST1: LD (FCB),A
3100 RET Z
3101 INC HL
3102 LD A,(HL)
3103 CP ':'
3104 LD A,(FCB)
3105 RET NZ
3106 INC HL
3107 RET
3108
3109 ;□□□A FCB□□□
3110 ;I/HL=X□%□□ 0/FCB□□□□□□□□□□HL"□□□□
3111 FLNAME: PUSH HL
3112 LD HL,0F87FH
3113 LD DE,0F87FH+1
3114 LD BC,15
3115 LD (HL),0
3116 LDIR
3117 POP HL
3118 CALL FCBCLR
3119 LD IX,0F87FH
3120 INC HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
3121      LD  A,(HL)
3122      DEC HL
3123      CP  ':'
3124      JR  Z,FLNAM8
3125      LD  C,19H
3126      PUSH     IX
3127      PUSH     HL
3128      CALL     0F37DH
3129      POP  HL
3130      POP  IX
3131      INC  A
3132      JR  FLNA10
3133  FLNAM8: PUSH     IX
3134      CALL     DSKNM
3135      POP  IX
3136  FLNA10: ADD  A,'A'-1
3137      LD  (IX),A
3138      INC  IX
3139      LD  (IX),':'
3140      INC  IX
3141      EX  DE,HL
3142      LD  HL,FCB+1
3143      LD  B,8
3144  FLNAM3: LD  A,(DE)
3145      OR  A
3146      JP  Z,FLNAM1
3147      CP  ','
3148      JP  Z,FLNAM1
3149      CP  '.'
3150      JP  Z,FLNAM1
3151      CP  '.'
3152      JP  Z,FLNAM2
3153      CP  '*'
3154      JP  Z,FLNAM9
3155      CP  '?'
3156      JP  Z,FLNAM9
3157      CALL     ALPBIG
3158      LD  (HL),A
3159      LD  (IX),A
3160      INC  HL
3161      INC  DE
3162      INC  IX
3163      DJNZ     FLNAM3
3164      LD  A,(DE)
3165      CP  '.'
3166      JR  NZ,FLNAM7
3167      LD  (IX), '.'
3168      INC  IX
```

E:\paleobasic\superx\SUPER-X.ASM

```
3169      INC DE
3170 FLNAM7: LD  B,3
3171 FLNAM4: LD  A,(DE)
3172      OR  A
3173      JR  Z,FLNAM6
3174      CP  ' '
3175      JP  Z,FLNAM6
3176      CP  ' '
3177      JR  Z,FLNAM6
3178      CP  ' .'
3179      JP  Z,FLNAM9
3180      CP  '* '
3181      JP  Z,FLNAM9
3182      CP  '? '
3183      JP  Z,FLNAM9
3184      CALL ALPBIG
3185      LD  (HL),A
3186      LD  (IX),A
3187      INC HL
3188      INC DE
3189      INC IX
3190      DJNZ FLNAM4
3191      LD  (IX),0
3192      EX  DE,HL
3193      RET
3194 FLNAM1: INC B
3195      INC B
3196      INC B
3197 FLNAM6: LD  (HL),' '
3198      INC HL
3199      DJNZ FLNAM6
3200      LD  (IX),0
3201      EX  DE,HL
3202      RET
3203 FLNAM2: LD  (HL),' '
3204      INC HL
3205      DJNZ FLNAM2
3206      LD  (IX),' .'
3207      INC IX
3208      INC DE
3209      JR  FLNAM7
3210 FLNAM9: XOR A
3211      LD  (0F87FH),A
3212      JP  ERROR
3213
3214 ; DMA=>(ADXWK0) BByte□□□
3215 DMATRR: LD  DE,DMA
3216      LD  HL,(ADXWK0)
```

E:\paleobasic\superx\SUPER-X.ASM

```
3217 DMATR1: LD  A,(DE)
3218      PUSH  DE
3219      LD   E,A
3220      PUSH  BC
3221      CALL  POKE
3222      POP   BC
3223      POP   DE
3224      INC   DE
3225      INC   HL
3226      DEC   BC
3227      LD   A,B
3228      OR    C
3229      JR    NZ,DMATR1
3230      LD   (ADXWK0),HL
3231      RET
3232
3233 ; (ADXWK0)=>DMA BCbyte□□□
3234 DMATRW: LD   DE,DMA
3235      LD   HL,(ADXWK0)
3236 DMATW1: PUSH  DE
3237      PUSH  BC
3238      CALL  PEEK
3239      POP   BC
3240      POP   DE
3241      LD   (DE),A
3242      INC   DE
3243      INC   HL
3244      DEC   BC
3245      LD   A,B
3246      OR    C
3247      JR    NZ,DMATW1
3248      LD   (ADXWK0),HL
3249      RET
3250
3251 SCREEN: XOR  A      ; □□□□ □
3252      LD   D,11H
3253      LD   E,A
3254      CALL  OFFCAH
3255      OR    A
3256      JR    Z,SCREN1
3257      XOR  A
3258      LD   D,11H
3259      LD   E,1
3260      CALL  OFFCAH
3261 SCREN1: LD   A,40
3262      LD   (0F3AEH),A
3263      LD   A,22
3264      LD   (0F3B1H),A
```

E:\paleobasic\superx\SUPER-X.ASM

```
3265     XOR  A
3266     LD   (0FCAFH),A
3267     CALL 5FH
3268     CALL 0CFH
3269     LD   DE,0BF0H
3270     LD   HL,FontDT
3271     LD   BC,8
3272     JP   LDIRVM
3273
3274
3275
3276 ; SpPAGING PAGE"
3277 PAGPR: LD   HL,13*256+24
3278     LD   (0F3DCH),HL
3279     LD   A,(DAPAGE)
3280     JP   HEXPR
3281
3282 ; KANJI MODE
3283 KM: CALL 72H
3284     LD   IX,KNJON
3285     JP   POCALL
3286
3287 ; --- CALLX  0 ---
3288 START: PUSH  HL
3289     LD   DE,0FD89H
3290     LD   A,(DE)
3291     CP   '@'
3292     JR   Z,START6
3293     CP   'S'
3294     JR   NZ,STAT11
3295     INC  DE
3296     LD   A,(DE)
3297     OR   A
3298     JR   NZ,STAT12
3299     LD   HL,STR01
3300     LD   DE,0FD89H
3301     LD   BC,7
3302     LDIR
3303     JR   STAT13
3304 STAT12: LD   HL,STR01+1 ; _SYSTEM
3305     LD   B,6
3306 START7: LD   A,(DE)
3307     CP   (HL)
3308     JR   NZ,START2
3309     INC  HL
3310     INC  DE
3311     DJNZ START7
3312 STAT13: LD   HL,(WIZATB)
```


E:\paleobasic\superx\SUPER-X.ASM

```
3313     LD  (HL),0
3314  START2: POP HL
3315     SCF
3316     RET
3317  STAT11: LD  HL,STR00 ; _CHCPU 0000
3318     LD  B,6
3319  START1: LD  A,(DE)
3320     CP  (HL)
3321     JR  NZ,START2
3322     INC HL
3323     INC DE
3324     DJNZ START1
3325     LD  A,(2DH)
3326     CP  3
3327     JR  C,START2
3328     POP HL
3329     PUSH HL
3330     LD  A,(HL)
3331     CP  '('
3332     JR  NZ,START2
3333     INC HL
3334     LD  IX,521CH
3335     CALL 159H
3336     LD  A,(HL)
3337     CP  ')'
3338     JR  NZ,START2
3339     LD  A,E
3340     INC HL
3341     EX  (SP),HL
3342     CP  3
3343     JR  Z,STAT14
3344     JR  C,START5
3345     LD  E,5 ; ERROR(5)
3346     LD  IX,406FH
3347     JP  159H
3348  START5: SET 7,A ; CPU 007
3349     CALL 180H
3350     POP HL
3351     OR  A
3352     RET
3353  STAT14:
3354     LD  A,128
3355     CALL 180H
3356     CALL CHCPU7
3357     POP HL
3358     OR  A
3359     RET
3360
```

E:\paleobasic\superx\SUPER-X.ASM

```
3361 START6: INC DE ; _@
3362 LD A,(DE)
3363 OR A
3364 JR NZ,START2
3365 STAT10: POP HL
3366 LD (STACK),SP
3367 LD (RESAVE+24),SP
3368
3369 LD A,(0F3DEH)
3370 LD (FNKFG),A
3371
3372 LD A,0FFH ; CAPS
3373 LD (0FCABH),A
3374 XOR A
3375 CALL 132H
3376
3377 START9: LD A,(0006H)
3378 LD (VREDPT),A
3379 LD A,(0007H)
3380 LD (VWRTPT),A
3381 CALL INITWK
3382 CALL SCREEN
3383
3384 CALL ERHKST
3385
3386 LD IX,TITLE
3387 CALL POCALL
3388 LD A,23H
3389 LD (HICHP2),A
3390 LD DE,NWSLTP
3391 LD BC,NWSLEN-NWSLTP
3392 LD IX,CMTRNS
3393 CALL POCALL
3394 CALL VWORK
3395 XOR A
3396 LD (HICHP2),A
3397 LD A,14
3398 LD (0F3DCH),A
3399 CALL CRLF
3400
3401 ; --- SYSTEM ---
3402 ; MAIN RAUTINE
3403 ;
3404 SYSTEM: LD A,(0F3AEH)
3405 CP 40
3406 CALL NZ,SCREEN
3407 LD A,(0FCAFH)
3408 OR A
```

E:\paleobasic\superx\SUPER-X.ASM

```
3409      CALL      NZ,SCREEN
3410      CALL      0C9H
3411      LD      A,(OPNFG)
3412      OR      A
3413      JR      Z,SYSTEM1
3414      CALL      CLOSE
3415  SYSTM1: LD      SP,(RESAVE+24)
3416      XOR      A
3417      LD      (SAMEFG),A
3418      LD      (PRNFG),A
3419      LD      (CARFG),A
3420      LD      (CRTOFF),A
3421      LD      HL,STR32
3422      LD      IX,MAKSLA
3423      CALL      POCALL
3424      CALL      PROMPT
3425  SYST11: CALL      INLIN
3426      JR      C,SYSTEM
3427      INC      HL
3428      LD      DE,BUFSV0
3429      LD      HL,0F55EH+1
3430          LD      A,(HL)
3431          DEC      HL
3432          CP      '>'
3433      LD      A,(HL)
3434          CALL      Z,SYST17
3435          DEC      HL
3436  SYST18:
3437          INC      HL
3438          LD      A,(HL)
3439          CP      ','
3440          JR      Z,SYST18
3441
3442      OR      A
3443      JR      NZ,SYSTEM7
3444      LD      HL,0F3DCH
3445      DEC      (HL)
3446      INC      HL
3447      LD      (HL),3
3448      LD      HL,STR96
3449      CALL      PRINT
3450      CALL      PROMPT
3451      LD      HL,(0F3DCH)
3452      PUSH      HL
3453      LD      B,-1
3454  SYSTM8: LD      A,(DE)
3455          CALL      0A2H
3456          INC      DE
```

E:\paleobasic\superx\SUPER-X.ASM

```
3457     INC B
3458     OR  A
3459     JR  NZ,SYSTM8
3460     LD  A,B
3461     ADD A,4
3462     LD  H,0
3463     LD  L,A
3464     LD  DE,40
3465     CALL    DIV
3466     LD  A,L
3467     POP HL
3468     ADD A,L
3469     LD  B,A
3470     LD  A,(0F3DEH)
3471     OR  A
3472     JR  Z,SYSTM9
3473     LD  A,-1
3474 SYSTM9: ADD A,22
3475     LD  C,A
3476     LD  A,B
3477     SUB C
3478     JR  C,SYST10
3479     LD  C,A
3480     LD  A,L
3481     SUB C
3482     LD  L,A
3483 SYST10: LD  (0F3DCH),HL
3484     JR  SYST11
3485 SYSTM7:
3486     PUSH    HL
3487     LD  BC,40
3488     LDIR
3489     POP HL
3490     XOR A
3491     LD  (DE),A
3492
3493     LD  A,(HL)
3494     CP  '?'
3495     JR  NZ,SYSTM6
3496     CALL    0A8H
3497     JP  Z,ERROR2
3498     LD  A,255
3499     LD  (PRNFG),A
3500     INC HL
3501 SYSTM6: LD  A,(HL)
3502     CP  '#'
3503     JR  NZ,SYST12
3504     LD  IX,SLT
```

E:\paleobasic\superx\SUPER-X.ASM

```
3505      CALL      POCALL
3506      JP       C,ERROR
3507      CALL      BUNMAT
3508      LD       (SLSAV0),BC
3509      JP       SYSTM1
3510 SYST12: INC HL
3511      LD       A,(HL)
3512      DEC HL
3513      CP       ':'
3514      JR       NZ,SYSTM16
3515      CALL      DSKNM
3516      CALL      BUNMAT
3517      LD       A,(FCB)
3518      LD       C,0EH
3519      DEC A
3520      LD       E,A
3521      CALL      0F37DH
3522      JP       SYSTM1
3523 SYST16: PUSH     HL
3524      POP      IY
3525      LD       IX,COMAND
3526 SYSTM4: LD       A,(IX)
3527      OR       A
3528      JP       Z,ERROR
3529      CP       (IY)
3530      JR       Z,SYSTM3
3531 SYSTM5: LD       DE,8
3532      ADD      IX,DE
3533      JR       SYSTM4
3534 SYSTM3: LD       A,(IX+1)
3535      OR       A
3536      JR       Z,SYSTM2
3537      CP       (IY+1)
3538      JR       NZ,SYSTM5
3539      INC      IY
3540 SYSTM2: INC IY
3541      LD       A,(IY)
3542      CP       ' '
3543      JR       Z,SYSTM2
3544      PUSH     IY
3545      POP      HL
3546      LD       E,(IX+2)
3547      LD       D,(IX+3)
3548      PUSH     DE
3549      LD       E,(IX+4)
3550      LD       D,(IX+5)
3551      LD       C,(IX+6)
3552      LD       B,(IX+7)
```

E:\paleobasic\superx\SUPER-X.ASM

```
3553     POP  IX
3554     JP   (IX)
3555
3556 SYST17: ;Drive letter = Repeated command -> skip
3557         CP  'A'
3558         RET  C
3559         CP  'H'+1
3560         RET  NC
3561         INC  HL
3562         INC  HL
3563         RET
3564
3565
3566
3567 ; []
3568 BREAK:  LD  HL,STR98
3569         JR  ERREND
3570
3571 ; []
3572 COMPLT: LD  A,(0F3DDH)
3573         DEC  A
3574         CALL NZ,CRLF
3575         LD  HL,STR52
3576         CALL PRINT
3577         JP  SYSTEM
3578
3579 ERROR:  LD  HL,STR34 ;Error
3580 ERREND: PUSH  HL
3581         LD  A,(0F3AEH)
3582         CP  40
3583         CALL NZ,SCREEN
3584         POP  HL
3585         LD  A,(0F3DDH)
3586         DEC  A
3587         CALL NZ,CRLF
3588         CALL PRINT
3589         JP  SYSTEM
3590
3591 ERROR2: LD  HL,STR35 ;Printer err
3592         JR  ERREND
3593
3594 ERROR4: CALL  CLS
3595         LD  HL,STR30 ;STACK err
3596         JR  ERREND
3597
3598 ERROR5: LD  HL,STR83 ;File too big
3599         JR  ERREND
3600
```

E:\paleobasic\superx\SUPER-X.ASM

```
3601 ERROR6: LD HL,STR77 ;Notfound
3602 JR ERREND
3603
3604 ; P0□□□□ □□□
3605 POCM: LD IX,CMTRNS
3606 CALL POCALL
3607 JP VWORK
3608
3609 ; Disassembler keys (I)
3610 DA: XOR A
3611 LD (Y),A
3612 LD (BASE),HL
3613 DA19: LD IX,SITACL
3614 CALL POCALL
3615 CALL PAGPR
3616 DA5: LD HL,(BASE)
3617 LD IX,VWORK
3618 LD B,20
3619 DA1: PUSH BC
3620 CALL ADA
3621 POP BC
3622 DJNZ DA1
3623 DA3: CALL VWKPUT
3624 LD HL,VWORK
3625 LD DE,ADINWK
3626 LD BC,4
3627 LDIR
3628 LD B,4
3629 CALL THEX
3630 LD (BASE),HL
3631 DA12: LD A,(Y)
3632 INC A
3633 LD (0F3DCH),A
3634 LD A,19
3635 LD (0F3DDH),A
3636 CALL DA27
3637 CALL SADPUT
3638 CALL GRAWIN
3639 DA11: CALL 9FH
3640 CP 24
3641 CALL Z,CHGPAG
3642 CP 22
3643 CALL Z,VCOPY
3644 CP 16
3645 CALL Z,PCOPY
3646 CP 6
3647 JP Z,DA50
3648 CP 4
```

E:\paleobasic\superx\SUPER-X.ASM

```
3649      JP    Z,DA70
3650      CP    ' '
3651      JP    Z,DA60
3652      CP    19
3653      JP    Z,DA51
3654      CP    31
3655      JR    Z,DA2
3656      CP    30
3657      JR    Z,DA4
3658      CP    28
3659      JP    Z,DA14
3660      CP    29
3661      JP    Z,DA20
3662      CP    '\ '
3663      JR    Z,DA6
3664      CP    9
3665      JR    Z,DA6
3666      CP    15 ; ^0
3667      JP    Z,DA152
3668      CP    26
3669      JP    Z,DA262
3670      CP    27
3671      JP    Z,DA7
3672      CP    18
3673      JP    Z,DA8
3674      CP    127
3675      JP    Z,DA9
3676      CP    13
3677      JP    Z,DA10
3678      CP    11
3679      JP    Z,DA25
3680      CP    12
3681      JP    Z,DA26
3682      JP    DA11
3683  DA2:    CALL    SHIFTC
3684      JR    Z,DA28
3685      LD    HL,Y
3686      INC    (HL)
3687      LD    A,(HL)
3688      CP    20
3689      JP    NZ,DA12
3690      DEC    (HL)
3691  DA28:    LD    HL,VWORK+40
3692      LD    DE,VWORK
3693      LD    BC,40*19
3694      LDIR
3695      LD    IX,40*19+VWORK
3696      LD    HL,(ADSAV0)
```


E:\paleobasic\superx\SUPER-X.ASM

```
3697      CALL      ADA
3698      JP       DA3
3699  DA4:      CALL      SHIFTC
3700      JR       Z,DA29
3701      LD       HL,Y
3702      DEC      (HL)
3703      LD       A,(HL)
3704      CP       -1
3705      JP       NZ,DA12
3706      INC      (HL)
3707  DA29:     LD       HL,(BASE)
3708      DEC      HL
3709      LD       (BASE),HL
3710      JP       DA5
3711  DA6:      CALL      DA80
3712      JR       NC,DA100
3713      LD       HL,1*256+21
3714      LD       (0F3DCH),HL
3715      LD       HL,STR36
3716      CALL      PRINT
3717      CALL      SINLIN
3718  DA101:    JP       C,DA18
3719      JP       DISASJ
3720
3721  DA100:    LD       HL,1*256+21
3722      LD       (0F3DCH),HL
3723      LD       HL,STR36
3724      CALL      PRINT
3725      LD       A,3
3726      LD       (XSAV),A
3727      LD       HL,STR37
3728      CALL      PRINT
3729      LD       A,4
3730      LD       (0F3DDH),A
3731      LD       HL,(ADXWK0)
3732      CALL      ADRSPR
3733      CALL      SINLNJ
3734      JR       DA101
3735
3736  DA152:    LD       HL,1*256+21
3737      LD       (0F3DCH),HL
3738      LD       HL,(BASE)
3739      PUSH      HL
3740      LD       HL,STR36
3741      CALL      PRINT
3742      CALL      SINLIN
3743      POP       HL
3744      JP       C,DA18
```

E:\paleobasic\superx\SUPER-X.ASM

```
3745         LD      DE,(ADXWK0)
3746         ADD     HL,DE
3747         LD      (ADXWK0),HL
3748         LD      HL,0
3749         OR      A
3750         SBC     HL,DE
3751         LD      DE,(OFFSET)
3752         ADD     HL,DE
3753         LD      (OFFSET),HL
3754     JP      DISASJ
3755
3756 DA7:      LD      HL,1*256+21
3757         LD      (0F3DCH),HL
3758 DA102:    LD      HL,(BASE)
3759         LD      (ADSAV0),HL
3760         JP      SYSTEM
3761 DA8:      LD      HL,40*16+VWORK
3762         LD      DE,ADINWK
3763         LD      BC,4
3764         LDIR
3765         LD      B,4
3766         CALL    THEX
3767         LD      (BASE),HL
3768         JP      DA5
3769 DA9:      LD      HL,(BASE)
3770         LD      DE,-20
3771         ADD     HL,DE
3772         LD      (BASE),HL
3773         JP      DA5
3774 DA10:     CALL    DA27
3775         CALL    BUNKI
3776         JP      DA3
3777 DA14:     LD      A,(DAPAGE)
3778         CP      15
3779         JR      NZ,DA22
3780 DA18:     LD      A,7
3781         CALL    0A2H
3782         JP      DA19
3783 DA22:     CALL    DA80
3784         JR      NC,DA15
3785         CALL    DA23
3786         CALL    SINLIN
3787         JR      DA24
3788 DA15:     CALL    DA23
3789         LD      HL,STR37
3790         CALL    PRINT
3791         LD      A,4
3792         LD      (XSAV),A
```

E:\paleobasic\superx\SUPER-X.ASM

```
3793      INC A
3794      LD  (0F3DDH),A
3795      LD  HL,(ADXWK0)
3796      CALL ADRSPR
3797      CALL SINLNJ
3798 DA24:   JP  C,DA18
3799      LD  HL,DAPAGE
3800      LD  A,(HL)
3801      CP  15
3802      JR  Z,DA18
3803      INC (HL)
3804      LD  L,A
3805      LD  H,0
3806      PUSH HL
3807      POP BC
3808      ADD HL,HL
3809      ADD HL,HL
3810      ADD HL,BC
3811      LD  BC,DAPGWK
3812      ADD HL,BC
3813      LD  BC,(BASE)
3814      LD  (HL),C
3815      INC HL
3816      LD  (HL),B
3817      INC HL
3818      LD  BC,(SLSAV0)
3819      LD  (HL),C
3820      INC HL
3821      LD  (HL),B
3822      INC HL
3823      LD  A,(Y)
3824      LD  (HL),A
3825      LD  HL,(ADXWK0)
3826      LD  (BASE),HL
3827      LD  HL,(SLXWK0)
3828      LD  (SLSAV0),HL
3829      XOR A
3830      LD  (Y),A
3831 DA21:   LD  HL,STDISA
3832      LD  IX,MAKSLA
3833      CALL POCALL
3834      JP  DA19
3835 DA20:   LD  HL,DAPAGE
3836      LD  A,(HL)
3837      OR  A
3838      JP  Z,DA18
3839      DEC (HL)
3840      LD  L,(HL)
```

E:\paleobasic\superx\SUPER-X.ASM

```
3841      LD  H,0
3842      PUSH      HL
3843      POP  DE
3844      ADD HL,HL
3845      ADD HL,HL
3846      ADD HL,DE
3847      LD  DE,DAPGWK
3848      ADD HL,DE
3849      LD  E,(HL)
3850      INC  HL
3851      LD  D,(HL)
3852      INC  HL
3853      LD  (BASE),DE
3854      LD  E,(HL)
3855      INC  HL
3856      LD  D,(HL)
3857      INC  HL
3858      LD  (SLSAV0),DE
3859      LD  (SLXWK0),DE
3860      LD  A,(HL)
3861      LD  (Y),A
3862      JP  DA21
3863 DA23:  LD  HL,1*256+21
3864      LD  (0F3DCH),HL
3865      LD  HL,STR39
3866      JP  PRINT
3867 DA25:  XOR  A
3868      LD  (Y),A
3869      JP  DA12
3870 DA262: CALL    SOFSET
3871      JP      DISASJ
3872 DA26:  CALL    DA27
3873      LD  (BASE),HL
3874      XOR  A
3875      LD  (Y),A
3876      JP  DA5
3877 DA27:  LD  HL,(Y)
3878      LD  H,0
3879      LD  DE,40
3880      CALL    MULT
3881      LD  DE,VWORK
3882      ADD HL,DE
3883      LD  DE,ADINWK
3884      LD  BC,4
3885      LDIR
3886      LD  B,4
3887      JP  THEX
3888 DA50:  LD  HL,0FFFFH
```

E:\paleobasic\superx\SUPER-X.ASM

```
3889     LD  (ADXWK1),HL
3890     LD  HL,1
3891 DA71:   LD  (SRCHZ),HL
3892     LD  A,(FINDFG)
3893     OR  A
3894     JP  Z,DA11
3895     CALL DA27
3896     LD  DE,(SRCHZ)
3897     ADD HL,DE
3898     LD  (ADXWK0),HL
3899     INC D
3900     JR  Z,DA72
3901     LD  A,H
3902     OR  L
3903     JP  Z,DA5
3904     JR  DA73
3905 DA72:   LD  A,H
3906     AND L
3907     CP  255
3908     JP  Z,DA5
3909 DA73:   CALL SEARCH
3910     JP  C,DA5
3911     BIT 7,A
3912     JP  NZ,DA5
3913     XOR A
3914     LD  (Y),A
3915     LD  (BASE),HL
3916     JP  DA5
3917 DA70:   LD  HL,0
3918     LD  (ADXWK1),HL
3919     LD  HL,-1
3920     JR  DA71
3921 DA51:   CALL CLS
3922     CALL FDATST
3923     JP  C,DA5
3924     JR  DA50
3925 DA60:   CALL SHIFTC
3926     JR  Z,DA110
3927     CALL DA80
3928     JP  C,DA11
3929     CALL DASUB
3930     JP  DA11
3931 DA110:  CALL DA27
3932     CALL D_W_AS
3933     JP  DA5
3934 DA80:   XOR A
3935     LD  (SOMPRF),A
3936     LD  HL,(Y)
```

E:\paleobasic\superx\SUPER-X.ASM

```
3937      LD  H,0
3938      LD  DE,40
3939      CALL      MULT
3940      LD  DE,VWORK+39
3941      ADD HL,DE
3942      LD  B,20
3943 DA61:   LD  A,(HL)
3944      CP  'H'
3945      JR  Z,DA62
3946 DA65:   DEC HL
3947      DJNZ      DA61
3948      SCF
3949      RET
3950 DA62:   PUSH      BC
3951      PUSH      HL
3952      DEC HL
3953      DEC HL
3954      DEC HL
3955      DEC HL
3956      LD  DE,ADINWK
3957      LD  BC,4
3958      LDIR
3959      LD  B,4
3960      CALL      THEX
3961      JR  C,DA63
3962      EX  DE,HL
3963      POP HL
3964      POP BC
3965 DA64:   LD  (ADXWK0),DE
3966      OR  A
3967      RET
3968 DA63:   POP HL
3969      PUSH      HL
3970      DEC HL
3971      DEC HL
3972      LD  DE,ADINWK
3973      LD  BC,2
3974      LDIR
3975      LD  B,2
3976      CALL      THEX
3977      EX  DE,HL
3978      POP HL
3979      POP BC
3980      JR  C,DA65
3981      LD  A,255
3982      LD  (SOMPRF),A
3983      JR  DA64
3984
```

E:\paleobasic\superx\SUPER-X.ASM

```
3985 DASUB: CALL SCRSAB
3986 LD HL,0
3987 LD BC,80
3988 LD A,' '
3989 CALL FILVRM
3990 LD HL,80
3991 LD BC,40
3992 LD A,'-'
3993 CALL FILVRM
3994 LD HL,0101H
3995 LD (0F3DCH),HL
3996 LD DE,(ADXWK0)
3997 LD A,(SOMPRF)
3998 OR A
3999 CALL Z,SOMEPR
4000 LD C,E
4001 CALL NZ,BSOMEPR
4002 CALL JTNKRD
4003 LD A,(TNKFG)
4004 OR A
4005 JR NZ,DASUB1
4006 DASUB2: CALL 9CH
4007 JR Z,DASUB2
4008 CALL 9FH
4009 DASUB1: JP SCRREM
4010
4011 ; CHARACTER editor keys
4012 C_W: LD (BASE),HL
4013 LD HL,VWORK
4014 LD DE,VWORK+1
4015 LD BC,40*20-1
4016 LD (HL),32
4017 LDIR
4018 LD IX,CHRHLP
4019 CALL POCALL
4020 LD B,16
4021 XOR A
4022 LD IX,VWORK+5
4023 C_W91: PUSH AF
4024 CALL HEXIN
4025 POP AF
4026 INC A
4027 DJNZ C_W91
4028 LD IX,SITACL
4029 CALL POCALL
4030 CALL PAGPR
4031 C_W25: LD HL,0
4032 LD (Y),HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
4033 C_W5:    LD    HL,(BASE)
4034        LD    IX,VWORK+40
4035        LD    B,16
4036 C_W1:    PUSH    BC
4037        PUSH    BC
4038        CALL    AC_W
4039        POP     BC
4040        LD    (IX),' '
4041        INC    IX
4042        LD    A,16
4043        SUB    B
4044        CALL    HEXIN
4045        LD    B,11
4046 C_W90:   LD    (IX),' '
4047        INC    IX
4048        DJNZ    C_W90
4049        POP     BC
4050        DJNZ    C_W1
4051 C_W9:    LD    HL,(BASE)
4052        LD    (ADSAV0),HL
4053        CALL    VWKPUT
4054 C_W3:    LD    A,(X)
4055        ADD    A,6
4056        LD    HL,0F3DDH
4057        LD    (HL),A
4058        LD    A,(Y)
4059        ADD    A,2
4060        DEC    HL
4061        LD    (HL),A
4062 C_W11:   CALL    C_WSUB
4063        CALL    SADPUT
4064        CALL    GRAWIN
4065        CALL    9FH
4066        CALL    ALPBIG
4067        LD    HL,C_W11
4068        PUSH    HL
4069        CP     24
4070        JP     Z,CHGPAG
4071        CP     22
4072        JP     Z,VCOPY
4073        CP     16
4074        JP     Z,PCOPY
4075        POP     HL
4076        CP     ' '
4077        JP     Z,C_W70
4078        CP     6
4079        JP     Z,C_W50
4080        CP     4
```


E:\paleobasic\superx\SUPER-X.ASM

```
4081      JP  Z,C_W52
4082      CP  19
4083      JP  Z,C_W51
4084      CP  28
4085      JP  Z,C_W2
4086      CP  31
4087      JP  Z,C_W4
4088      CP  29
4089      JP  Z,C_W6
4090      CP  8
4091      JP  Z,C_W6
4092      CP  30
4093      JP  Z,C_W7
4094      CP  '\ '
4095      JP  Z,C_W8
4096      CP  9
4097      JP  Z,C_W8
4098      CP  26
4099      JP  Z,C_W26
4100      CP  27
4101      JP  Z,C_W10
4102      CP  18
4103      JP  Z,C_W14
4104      CP  127
4105      JP  Z,C_W16
4106      CP  11
4107      JP  Z,C_W24
4108      CP  12
4109      JP  Z,C_W15
4110      CP  13
4111      JP  Z,C_W30
4112      CP  'C'
4113      JP  Z,C_W110
4114      CP  'U'
4115      JP  Z,C_W112
4116      CP  'D'
4117      JP  Z,C_W113
4118      CP  'R'
4119      JP  Z,C_W114
4120      CP  'L'
4121      JP  Z,C_W115
4122      CP  'V'
4123      JP  Z,C_W120
4124      CP  'O'
4125      JP  Z,C_W121
4126      CP  'F'
4127      JP  Z,C_W122
4128      JP  C_W11
```

E:\paleobasic\superx\SUPER-X.ASM

```
4129 C_W80: CALL C_WSUB
4130 CALL PEEK
4131 LD D,A
4132 LD A,(X)
4133 AND 111B
4134 INC A
4135 LD B,A
4136 LD A,1
4137 C_W81: RRCA
4138 DJNZ C_W81
4139 LD E,A
4140 LD A,D
4141 XOR E
4142 LD E,A
4143 CALL POKE
4144 JP C_W5
4145
4146 C_W26: CALL SOFSET
4147 JP CHARAJ;C_W25
4148
4149 C_W2: LD HL,X
4150 INC (HL)
4151 LD A,(HL)
4152 CP 16
4153 JP NZ,C_W3
4154 LD (HL),0
4155 C_W4: CALL SHIFTC
4156 JR Z,C_W40
4157 LD HL,Y
4158 INC (HL)
4159 LD A,(HL)
4160 CP 16
4161 JP NZ,C_W3
4162 DEC (HL)
4163 C_W40: LD HL,(BASE)
4164 INC HL
4165 LD (BASE),HL
4166 JP C_W5
4167 C_W6: LD HL,X
4168 DEC (HL)
4169 LD A,(HL)
4170 CP -1
4171 JP NZ,C_W3
4172 LD (HL),15
4173 C_W7: CALL SHIFTC
4174 JR Z,C_W41
4175 LD HL,Y
4176 DEC (HL)
```

E:\paleobasic\superx\SUPER-X.ASM

```
4177      LD  A,(HL)
4178      CP  -1
4179      JP  NZ,C_W3
4180      INC (HL)
4181 C_W41: LD  HL,(BASE)
4182      DEC HL
4183      LD  (BASE),HL
4184      JP  C_W5
4185 C_W8:  LD  HL,CHARAJ
4186      PUSH HL
4187      JP  INADRS
4188 C_W10: LD  A,20
4189      LD  (0F3DCH),A
4190      JP  SYSTEM
4191 C_W14: LD  HL,(BASE)
4192      LD  DE,16
4193      ADD HL,DE
4194      LD  (BASE),HL
4195      JP  C_W5
4196 C_W16: LD  HL,(BASE)
4197      LD  DE,-16
4198      ADD HL,DE
4199      LD  (BASE),HL
4200      JP  C_W5
4201 C_W24: LD  HL,0
4202      LD  (Y),HL
4203      JP  C_W3
4204 C_W15: CALL C_WSUB
4205      LD  (BASE),HL
4206      JP  C_W25
4207 C_W30: CALL C_WSUB
4208      CALL BUNKI
4209      JP  C_W9
4210 C_W50: LD  HL,0FFFFH
4211      LD  (ADXWK1),HL
4212      LD  HL,1
4213 C_W53: LD  (SRCHZ),HL
4214      LD  A,(FINDFG)
4215      OR  A
4216      JP  Z,C_W11
4217      CALL C_WSUB
4218      LD  DE,(SRCHZ)
4219      ADD HL,DE
4220      LD  (ADXWK0),HL
4221      INC D
4222      JR  Z,C_W54
4223      LD  A,H
4224      OR  L
```

E:\paleobasic\superx\SUPER-X.ASM

```
4225      JP  Z,C_W5
4226      JR  C_W55
4227 C_W54: LD  A,H
4228      AND L
4229      CP  255
4230      JP  Z,C_W5
4231 C_W55: CALL    SEARCH
4232      JP  C,C_W5
4233      BIT 7,A
4234      JP  NZ,C_W5
4235      LD  (BASE),HL
4236      JP  C_W25
4237 C_W52: LD  HL,0
4238      LD  (ADXWK1),HL
4239      LD  HL,-1
4240      JR  C_W53
4241 C_W51: CALL    CLS
4242      CALL    FDATST
4243      JP  C,C_W25
4244      JR  C_W50
4245 C_W70: CALL    SHIFTC
4246      JP  NZ,C_W80
4247      CALL    C_WSUB
4248      CALL    D_W_AS
4249      JP  C_W11
4250 C_W110: LD  HL,(BASE)
4251      LD  B,32
4252 C_W111: LD  E,0
4253      PUSH    BC
4254      CALL    POKE
4255      POP  BC
4256      INC  HL
4257      DJNZ    C_W111
4258      JP  C_W5
4259 C_W112: CALL    C_WSUB
4260      CALL    PEEK
4261      PUSH    AF
4262      LD  A,(Y)
4263      OR  A
4264      JR  Z,C_W116
4265      DEC  HL
4266      CALL    PEEK
4267      POP  DE
4268      LD  E,D
4269      PUSH    AF
4270      CALL    POKE
4271      POP  AF
4272      LD  E,A
```

E:\paleobasic\superx\SUPER-X.ASM

```
4273      INC HL
4274      CALL      POKE
4275      JP      C_W5
4276 C_W116: LD      DE,15
4277      ADD HL,DE
4278      CALL      PEEK
4279      POP DE
4280      PUSH      AF
4281      LD      E,D
4282      CALL      POKE
4283      LD      DE,-15
4284      ADD HL,DE
4285      POP AF
4286      LD      E,A
4287      CALL      POKE
4288      JP      C_W5
4289 C_W113: CALL      C_WSUB
4290      CALL      PEEK
4291      PUSH      AF
4292      LD      A,(Y)
4293      CP      15
4294      JR      Z,C_W117
4295      INC HL
4296      CALL      PEEK
4297      POP DE
4298      LD      E,D
4299      PUSH      AF
4300      CALL      POKE
4301      POP AF
4302      LD      E,A
4303      DEC HL
4304      CALL      POKE
4305      JP      C_W5
4306 C_W117: LD      DE,-15
4307      ADD HL,DE
4308      CALL      PEEK
4309      POP DE
4310      PUSH      AF
4311      LD      E,D
4312      CALL      POKE
4313      LD      DE,15
4314      ADD HL,DE
4315      POP AF
4316      LD      E,A
4317      CALL      POKE
4318      JP      C_W5
4319 C_W114: LD      A,(X)
4320      CP      8
```

E:\paleobasic\superx\SUPER-X.ASM

```
4321      JR    Z,C_W118
4322      CP    7
4323      JR    Z,C_W118
4324      CALL    C_WSUB
4325      CALL    PEEK
4326      RRCA
4327      LD    E,A
4328      CALL    POKE
4329      JP    C_W5
4330 C_W118: LD    DE,(Y)
4331      LD    D,0
4332      LD    HL,(BASE)
4333      ADD    HL,DE
4334      CALL    PEEK
4335      PUSH    AF
4336      RRCA
4337      PUSH    AF
4338      LD    DE,16
4339      ADD    HL,DE
4340      CALL    PEEK
4341      LD    E,A
4342      POP    AF
4343      RR    E
4344      PUSH    AF
4345      CALL    POKE
4346      LD    DE,-16
4347      ADD    HL,DE
4348      POP    AF
4349      POP    DE
4350      LD    E,D
4351      RR    E
4352      CALL    POKE
4353      JP    C_W5
4354 C_W115: LD    A,(X)
4355      CP    7
4356      JR    Z,C_W119
4357      CP    8
4358      JR    Z,C_W119
4359      CALL    C_WSUB
4360      CALL    PEEK
4361      RLCA
4362      LD    E,A
4363      CALL    POKE
4364      JP    C_W5
4365 C_W119: LD    DE,(Y)
4366      LD    D,0
4367      LD    HL,(BASE)
4368      ADD    HL,DE
```

E:\paleobasic\superx\SUPER-X.ASM

```
4369      CALL      PEEK
4370      PUSH      AF
4371      RLCA
4372      PUSH      AF
4373      LD  DE,16
4374      ADD HL,DE
4375      CALL      PEEK
4376      LD  E,A
4377      POP  AF
4378      RL  E
4379      PUSH      AF
4380      CALL      POKE
4381      LD  DE,-16
4382      ADD HL,DE
4383      POP  AF
4384      POP  DE
4385      LD  E,D
4386      RL  E
4387      CALL      POKE
4388      JP   C_W5
4389  C_W120: CALL      C_WSUB
4390      CALL      PEEK
4391      XOR  255
4392      LD  E,A
4393      CALL      POKE
4394      JP   C_W5
4395  C_W121: CALL      C_WSUB
4396      LD  E,255
4397      CALL      POKE
4398      JP   C_W5
4399  C_W122: CALL      C_WSUB
4400      LD  E,0
4401      CALL      POKE
4402      JP   C_W5
4403
4404  C_WSUB: CALL      LACAL
4405      LD  IX,VWORK
4406      EX  DE,HL
4407      ADD IX,DE
4408      LD  A,(X)
4409      CP  8
4410      LD  E,0
4411      JR  C,C_WSB1
4412      LD  E,16
4413  C_WSB1: LD  A,(Y)
4414      ADD A,E
4415      LD  D,0
4416      LD  E,A
```

E:\paleobasic\superx\SUPER-X.ASM

```
4417      LD  HL,(BASE)
4418      ADD HL,DE
4419      RET
4420
4421 ; ASCII editor keys
4422 A_W:    LD  (BASE),HL
4423      LD  IX,SITACL
4424      CALL POCALL
4425      CALL PAGPR
4426 A_W25:  LD  HL,0
4427      LD  (Y),HL
4428 A_W5:   LD  HL,(BASE)
4429      LD  IX,VWORK
4430      LD  B,20
4431 A_W1:   PUSH BC
4432      LD  B,32
4433      CALL AA_W
4434      CALL ASDMP1
4435      POP BC
4436      DJNZ A_W1
4437 A_W9:   LD  HL,(BASE)
4438      LD  (ADSAV0),HL
4439      CALL VWKPUT
4440 A_W3:   LD  A,(X)
4441      ADD A,6
4442      LD  HL,0F3DDH
4443      LD  (HL),A
4444      LD  A,(Y)
4445      INC A
4446      DEC HL
4447      LD  (HL),A
4448 A_W11:  CALL A_WSUB
4449      CALL SADPUT
4450      CALL GRAWIN
4451      CALL 9FH
4452      LD  HL,A_W11
4453      PUSH HL
4454      CP  24
4455      JP  Z,CHGPAG
4456      CP  22
4457      JP  Z,VCOPY
4458      CP  16
4459      JP  Z,PCOPY
4460      POP HL
4461      CP  ' '
4462      JP  Z,A_W70
4463      CP  6
4464      JP  Z,A_W50
```


E:\paleobasic\superx\SUPER-X.ASM

```
4465      CP      4
4466      JP      Z,A_W52
4467      CP      19
4468      JP      Z,A_W51
4469      CP      28
4470      JP      Z,A_W2
4471      CP      31
4472      JP      Z,A_W4
4473      CP      29
4474      JP      Z,A_W6
4475      CP      8
4476      JP      Z,A_W6
4477      CP      30
4478      JP      Z,A_W7
4479      CP      '\ '
4480      JP      Z,A_W8
4481      CP      9
4482      JP      Z,A_W8
4483      CP      27
4484      JP      Z,A_W10
4485      CP      18
4486      JP      Z,A_W14
4487      CP      127
4488      JP      Z,A_W16
4489      CP      11
4490      JP      Z,A_W24
4491      CP      26
4492      JP      Z,A_W26
4493      CP      12
4494      JP      Z,A_W15
4495      CP      13
4496      JP      Z,A_W30
4497 A_W80:  PUSH      AF
4498      CALL     A_WSUB
4499      POP      AF
4500      LD      E,A
4501      CALL     POKE
4502      LD      A,(BASE)
4503      AND     11111B
4504      LD      B,A
4505 A_W18:  LD      A,L
4506      AND     11111B
4507      CP      B
4508      JR      Z,A_W17
4509      DEC     HL
4510      JR      A_W18
4511 A_W17:  LD      B,32
4512      CALL     AA_W
```

E:\paleobasic\superx\SUPER-X.ASM

```
4513      CALL      ASDMP1
4514      CALL      VWKPUT
4515 A_W2:    LD      HL,X
4516      INC      (HL)
4517      LD      A,(HL)
4518      CP      32
4519      JP      NZ,A_W3
4520      LD      (HL),0
4521 A_W4:    CALL      SHIFTC
4522      JR      Z,A_W40
4523      LD      HL,Y
4524      INC      (HL)
4525      LD      A,(HL)
4526      CP      20
4527      JP      NZ,A_W3
4528      DEC      (HL)
4529 A_W40:   LD      HL,(BASE)
4530      LD      DE,32
4531      ADD     HL,DE
4532      LD      (BASE),HL
4533      PUSH     HL
4534      LD      HL,VWORK+40
4535      LD      DE,VWORK
4536      LD      BC,40*19
4537      LDIR
4538      LD      IX,40*19+VWORK
4539      POP      HL
4540      LD      DE,19*32
4541      ADD     HL,DE
4542      LD      B,32
4543      CALL      AA_W
4544      CALL      ASDMP1
4545      JP      A_W9
4546 A_W6:    LD      HL,X
4547      DEC      (HL)
4548      LD      A,(HL)
4549      CP      -1
4550      JP      NZ,A_W3
4551      LD      (HL),31
4552 A_W7:    CALL      SHIFTC
4553      JR      Z,A_W41
4554      LD      HL,Y
4555      DEC      (HL)
4556      LD      A,(HL)
4557      CP      -1
4558      JP      NZ,A_W3
4559      INC      (HL)
4560 A_W41:   LD      HL,(BASE)
```

E:\paleobasic\superx\SUPER-X.ASM

```
4561      LD  DE,-32
4562      ADD HL,DE
4563      PUSH     HL
4564      LD  (BASE),HL
4565      LD  HL,40*18+VWORK+39
4566      LD  DE,40*19+VWORK+39
4567      LD  BC,40*19
4568      LDDR
4569      LD  IX,VWORK
4570      POP  HL
4571      LD  B,32
4572      CALL     AA_W
4573      CALL     ASDMP1
4574      JP   A_W9
4575 A_W8:  LD  HL,ASCIIJ
4576      PUSH     HL
4577      JP   INADRS
4578 A_W10: LD  A,20
4579      LD  (0F3DCH),A
4580      JP   SYSTEM
4581 A_W14: LD  HL,(BASE)
4582      LD  DE,608
4583      ADD  HL,DE
4584      LD  (BASE),HL
4585      JP   A_W5
4586 A_W16: LD  HL,(BASE)
4587      LD  DE,-608
4588      ADD  HL,DE
4589      LD  (BASE),HL
4590      JP   A_W5
4591 A_W24: LD  HL,0
4592      LD  (Y),HL
4593      JP   A_W3
4594 A_W26: CALL     SOFSET
4595      JP   ASCIIJ;A_W25
4596 A_W15: CALL     A_WSUB
4597      LD  (BASE),HL
4598      JP   A_W25
4599 A_W30: CALL     A_WSUB
4600      CALL     BUNKI
4601      JP   A_W9
4602 A_W50: LD  HL,0FFFFH
4603      LD  (ADXWK1),HL
4604      LD  HL,1
4605 A_W53: LD  (SRCHZ),HL
4606      LD  A,(FINDFG)
4607      OR  A
4608      JP   Z,A_W11
```

E:\paleobasic\superx\SUPER-X.ASM

```
4609      CALL      A_WSUB
4610      LD      DE,(SRCHZ)
4611      ADD     HL,DE
4612      LD      (ADXWK0),HL
4613      INC     D
4614      JR      Z,A_W54
4615      LD      A,H
4616      OR      L
4617      JP      Z,A_W5
4618      JR      A_W55
4619 A_W54:  LD      A,H
4620      AND     L
4621      CP      255
4622      JP      Z,A_W5
4623 A_W55:  CALL     SEARCH
4624      JP      C,A_W5
4625      BIT     7,A
4626      JP      NZ,A_W5
4627      LD      (BASE),HL
4628      JP      A_W25
4629 A_W52:  LD      HL,0
4630      LD      (ADXWK1),HL
4631      LD      HL,-1
4632      JR      A_W53
4633 A_W51:  CALL     CLS
4634      CALL     FDATST
4635      JP      C,A_W25
4636      JR      A_W50
4637 A_W70:  CALL     SHIFTC
4638      LD      A,' '
4639      JP      NZ,A_W80
4640      CALL     A_WSUB
4641      CALL     D_W_AS
4642      JP      A_W11
4643
4644 A_WSUB: CALL     LACAL
4645      LD      IX,VWORK
4646      EX      DE,HL
4647      ADD     IX,DE
4648      LD      HL,(Y)
4649      LD      H,0
4650      ADD     HL,HL ;2
4651      ADD     HL,HL ;4
4652      ADD     HL,HL ;8
4653      ADD     HL,HL ;16
4654      ADD     HL,HL ;32
4655      LD      A,(X)
4656      LD      D,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
4657      LD  E,A
4658      ADD HL,DE
4659      LD  DE,(BASE)
4660      ADD HL,DE
4661      RET
4662
4663      ; HEX-EDITOR keys
4664 D_W:      LD  (BASE),HL
4665          LD  IX,SITACL
4666          CALL POCALL
4667          CALL PAGPR
4668 D_W25:    LD  HL,0
4669          LD  (Y),HL
4670 D_W5:     LD  HL,(BASE)
4671          LD  IX,VWORK
4672          LD  B,20
4673 D_W1:     PUSH BC
4674          CALL AD_W
4675          POP BC
4676          DJNZ D_W1
4677 D_W9:     LD  HL,(BASE)
4678          LD  (ADSAV0),HL
4679          CALL VWKPUT
4680 D_W3:     LD  A,(X)
4681          LD  B,A
4682          SRL A
4683          ADD A,B
4684          ADD A,6
4685          LD  HL,0F3DDH
4686          LD  (HL),A
4687          LD  A,(Y)
4688          INC A
4689          DEC HL
4690          LD  (HL),A
4691 D_W11:    CALL D_WSUB
4692          CALL SADPUT
4693          CALL GRAWIN
4694          CALL TENIN
4695          CP  24
4696          CALL Z,CHGPAG
4697          CP  22
4698          CALL Z,VCOPY
4699          CP  16
4700          CALL Z,PCOPY
4701          CP  ' '
4702          JP  Z,D_W70
4703          CP  6
4704          JP  Z,D_W50
```

E:\paleobasic\superx\SUPER-X.ASM

```

4705      CP      4
4706      JP      Z,D_W52
4707      CP      19
4708      JP      Z,D_W51
4709      CP      28
4710      JP      Z,D_W2
4711      CP      31
4712      JP      Z,D_W4
4713      CP      29
4714      JP      Z,D_W6
4715      CP      8
4716      JP      Z,D_W6
4717      CP      30
4718      JP      Z,D_W7
4719      CP      '\ '
4720      JP      Z,D_W8
4721      CP      9
4722      JP      Z,D_W8
4723      CP      27
4724      JP      Z,D_W10
4725      CP      18
4726      JP      Z,D_W14
4727      CP      127
4728      JP      Z,D_W16
4729      CP      ' '
4730      JP      Z,D_W19
4731      CP      '@'
4732      JP      Z,D_W21
4733      CP      11
4734      JP      Z,D_W24
4735      CP      26
4736      JP      Z,D_W26
4737      CP      12
4738      JP      Z,D_W15
4739      CP      13
4740      JP      Z,D_W30
4741      CALL     CKHEX
4742      JP      C,D_W11
4743      PUSH     AF
4744      CALL     D_WSUB
4745      CALL     PEEK
4746      LD      E,A
4747      LD      A,(X)
4748      BIT     0,A
4749      JR      NZ,D_W12
4750      LD      A,E
4751      AND     0FH
4752      LD      E,A

```

E:\paleobasic\superx\SUPER-X.ASM

```

4753     POP AF
4754     RLCA
4755     RLCA
4756     RLCA
4757     RLCA
4758     JR  D_W13
4759 D_W12: LD  A,E
4760     AND 0F0H
4761     LD  E,A
4762     POP AF
4763 D_W13: OR  E
4764 D_W20: LD  E,A
4765     CALL POKE
4766     LD  A,(BASE)
4767     AND 111B
4768     LD  B,A
4769 D_W18: LD  A,L
4770     AND 111B
4771     CP  B
4772     JR  Z,D_W17
4773     DEC HL
4774     JR  D_W18
4775 D_W17: CALL AD_W
4776     CALL VWKPUT
4777 D_W2:  LD  HL,X
4778     INC (HL)
4779     LD  A,(HL)
4780     CP  16
4781     JP  NZ,D_W3
4782     LD  (HL),0
4783 D_W4:  CALL SHIFTC
4784     JR  Z,D_W40
4785     LD  HL,Y
4786     INC (HL)
4787     LD  A,(HL)
4788     CP  20
4789     JP  NZ,D_W3
4790     DEC (HL)
4791 D_W40: LD  HL,(BASE)
4792     LD  DE,8
4793     ADD HL,DE
4794     LD  (BASE),HL
4795     PUSH HL
4796     LD  HL,VWORK+40
4797     LD  DE,VWORK
4798     LD  BC,40*19
4799     LDIR
4800     LD  IX,40*19+VWORK

```

E:\paleobasic\superx\SUPER-X.ASM

```
4801      POP HL
4802      LD  DE,19*8
4803      ADD HL,DE
4804      CALL      AD_W
4805      JP   D_W9
4806 D_W6:   LD  HL,X
4807      DEC (HL)
4808      LD  A,(HL)
4809      CP  -1
4810      JP  NZ,D_W3
4811      LD  (HL),15
4812 D_W7:   CALL      SHIFTC
4813      JR  Z,D_W41
4814      LD  HL,Y
4815      DEC (HL)
4816      LD  A,(HL)
4817      CP  -1
4818      JP  NZ,D_W3
4819      INC (HL)
4820 D_W41:  LD  HL,(BASE)
4821      LD  DE,-8
4822      ADD HL,DE
4823      PUSH      HL
4824      LD  (BASE),HL
4825      LD  HL,40*18+VWORK+39
4826      LD  DE,40*19+VWORK+39
4827      LD  BC,40*19
4828      LDDR
4829      LD  IX,VWORK
4830      POP HL
4831      CALL      AD_W
4832      JP   D_W9
4833 D_W8:   LD  HL,DUMPJ
4834      PUSH      HL
4835      JP  INADRS
4836 D_W10:  LD  A,20
4837      LD  (0F3DCH),A
4838      JP  SYSTEM
4839 D_W14:  LD  HL,(BASE)
4840      LD  DE,152
4841      ADD HL,DE
4842      LD  (BASE),HL
4843      JP  D_W5
4844 D_W16:  LD  HL,(BASE)
4845      LD  DE,-152
4846      ADD HL,DE
4847      LD  (BASE),HL
4848      JP  D_W5
```


E:\paleobasic\superx\SUPER-X.ASM

```

4849 D_W19: LD HL,X
4850      BIT 0,(HL)
4851      JR  NZ,D_W23
4852      INC (HL)
4853 D_W23: LD A,(HL)
4854      SRL A
4855      ADD A,33
4856      LD (0F3DDH),A
4857      CALL D_WSUB
4858      CALL 9FH
4859      JP D_W20
4860 D_W21: LD HL,X
4861      BIT 0,(HL)
4862      JR  NZ,D_W22
4863      INC (HL)
4864 D_W22: CALL D_WSUB
4865      DEC HL
4866      CALL PEEK
4867      INC HL
4868      JP D_W20
4869 D_W24: LD HL,0
4870      LD (Y),HL
4871      JP D_W3
4872 D_W26  CALL SOFSET
4873      JP DUMPJ;D_W25
4874 D_W15: CALL D_WSUB
4875      LD (BASE),HL
4876      JP D_W25
4877 D_W30: CALL D_WSUB
4878      CALL BUNKI
4879      JP D_W9
4880 D_W50: LD HL,0FFFFH
4881      LD (ADXWK1),HL
4882      LD HL,1
4883 D_W53: LD (SRCHZ),HL
4884      LD A,(FINDFG)
4885      OR A
4886      JP Z,D_W11
4887      CALL D_WSUB
4888      LD DE,(SRCHZ)
4889      ADD HL,DE
4890      LD (ADXWK0),HL
4891      INC D
4892      JR Z,D_W54
4893      LD A,H
4894      OR L
4895      JP Z,D_W5
4896      JR D_W55

```

E:\paleobasic\superx\SUPER-X.ASM

```

4897 D_W54: LD A,H
4898 AND L
4899 CP 255
4900 JP Z,D_W5
4901 D_W55: CALL SEARCH
4902 JP C,D_W5
4903 BIT 7,A
4904 JP NZ,D_W5
4905 LD (BASE),HL
4906 JP D_W25
4907 D_W52: LD HL,0
4908 LD (ADXWK1),HL
4909 LD HL,-1
4910 JR D_W53
4911 D_W51: CALL CLS
4912 CALL FDATST
4913 JP C,D_W25
4914 JR D_W50
4915 D_W70: CALL D_WSUB
4916 CALL D_W_AS
4917 JP D_W11
4918
4919 D_WSUB: CALL LACAL
4920 LD IX,VWORK
4921 EX DE,HL
4922 ADD IX,DE
4923 LD HL,(Y)
4924 LD H,0
4925 ADD HL,HL
4926 ADD HL,HL
4927 ADD HL,HL
4928 LD A,(X)
4929 SRL A
4930 LD D,0
4931 LD E,A
4932 ADD HL,DE
4933 LD DE,(BASE)
4934 ADD HL,DE
4935 RET
4936
4937 ; □Y□□□□
4938 D_W_AS: PUSH HL
4939 CALL SCRSV
4940 LD HL,0
4941 LD BC,40*7
4942 LD A,' '
4943 CALL FILVRM
4944 LD HL,40

```

E:\paleobasic\superx\SUPER-X.ASM

```
4945      LD  BC,40
4946      LD  A,'-'
4947      CALL      FILVRM
4948      LD  HL,160
4949      LD  BC,40
4950      LD  A,'-'
4951      CALL      FILVRM
4952      LD  HL,280
4953      LD  BC,40
4954      LD  A,'-'
4955      CALL      FILVRM
4956      LD  HL,0103H
4957      LD  (0F3DCH),HL
4958      POP HL
4959      PUSH     HL
4960      CALL      ADRSPR
4961      LD  HL,0106H
4962      LD  (0F3DCH),HL
4963      POP HL
4964      CALL      ADRSPR
4965      PUSH     HL
4966      PUSH     HL
4967      CALL      PEEK
4968      LD  E,A
4969      INC HL
4970      PUSH     DE
4971      CALL      PEEK
4972      POP DE
4973      LD  D,A
4974      PUSH     DE
4975      LD  HL,0603H
4976      LD  (0F3DCH),HL
4977      LD  A,E
4978      CALL      DATPR
4979      LD  A,11
4980      LD  (0F3DDH),A
4981      LD  C,E
4982      CALL      BSOMP1
4983      LD  HL,0B04H
4984      LD  (0F3DCH),HL
4985      CALL      BSOMP2
4986      POP DE
4987      LD  HL,0606H
4988      LD  (0F3DCH),HL
4989      LD  A,E
4990      CALL      DATPR
4991      LD  HL,0F3DDH
4992      LD  A,D
```

E:\paleobasic\superx\SUPER-X.ASM

```

4993      CALL      DATPR
4994      INC (HL)
4995      CALL      SOMPR1
4996      LD  HL,0B07H
4997      LD  (0F3DCH),HL
4998      CALL      SOMPR2
4999      POP HL
5000      LD  IX,LWORK
5001      CALL      ADA
5002      LD  HL,LWORK
5003      LD  DE,0
5004      LD  BC,40
5005      CALL      LDIRVM
5006      POP HL
5007      LD  (ADXWK0),HL
5008      CALL      JTNKRD
5009      LD  A,(TNKFG)
5010      OR  A
5011      JR  NZ,D_W_A2
5012 D_W_A1: CALL      9CH
5013      JR  Z,D_W_A1
5014      CALL      9FH
5015 D_W_A2: JP   SCRREM
5016
5017 BUNKI:  LD  (ADXWK0),HL
5018      LD  IX,BUNSUB
5019      CALL      POCALL
5020 BUNKI5: CALL      9CH
5021      JR  Z,BUNKI5
5022      CALL      9FH
5023      CP  30
5024      JR  Z,BUNKI2
5025      CP  29
5026      JR  Z,BUNKI3
5027      CP  31
5028      JR  Z,BUNKI4
5029      CP  28
5030      JR  Z,BUNKI6
5031      CP  ' '
5032      JR  Z,BUNKI7
5033      RET
5034 BUNKI2: POP AF
5035      JP  DUMPJ
5036 BUNKI3: POP AF
5037      JP  ASCIIJ
5038 BUNKI4: POP AF
5039      JP  DISASJ
5040 BUNKI6: POP AF

```

E:\paleobasic\superx\SUPER-X.ASM

```

5041      LD  HL,1*256+20
5042      LD  (0F3DCH),HL
5043      JP  MULTIJ
5044 BUNKI7: POP  AF
5045      JP  CHARAJ
5046
5047 ;   □□□
5048 DUMP:   CALL  SUBMAN
5049 DUMPJ:  CALL  ADRSAB
5050      PUSH  HL
5051      LD  HL,STDUMP
5052      LD  IX,MAKSLA
5053      CALL  POCALL
5054      POP  HL
5055      LD  A,(SFXWK1)
5056      OR  A
5057      JP  Z,D_W
5058 DUMP2:  CALL  ADUMP
5059      LD  (ADSAV0),HL
5060      CALL  STOP
5061      JR  NZ,DUMP3
5062      JP  SYSTEM
5063 DUMP3:  LD  A,(SAMEFG)
5064      OR  A
5065      JR  Z,DUMP2
5066      JP  SYSTEM
5067
5068 ;   □□□□□□□
5069 ASCII:  CALL  SUBMAN
5070 ASCIIJ: CALL  ADRSAB
5071      PUSH  HL
5072      LD  HL,STASCI
5073      LD  IX,MAKSLA
5074      CALL  POCALL
5075      POP  HL
5076      LD  A,(SFXWK1)
5077      OR  A
5078      JP  Z,A_W
5079 ASCII1: LD  B,32
5080      CALL  ASDMP
5081      LD  (ADSAV0),HL
5082      CALL  STOP
5083      JR  NZ,ASCII2
5084      JP  SYSTEM
5085 ASCII2: LD  A,(SAMEFG)
5086      OR  A
5087      JR  Z,ASCII1
5088      JP  SYSTEM

```

E:\paleobasic\superx\SUPER-X.ASM

```
5089
5090 ; 
5091 DISASM: CALL     SUBMAN
5092 DISASJ: CALL     ADRSAB
5093     PUSH     HL
5094     LD      HL,STDISA
5095     LD      IX,MAKSLA
5096     CALL     POCALL
5097     POP      HL
5098     LD      A,(SFXWK1)
5099     OR      A
5100     JP      Z,DA
5101 DISAS1: CALL     ADISAS
5102     CALL     STOP
5103     JR      NZ,DISAS2
5104     JP      SYSTEM
5105 DISAS2: LD      A,(SAMEFG)
5106     OR      A
5107     JR      Z,DISAS1
5108     JP      SYSTEM
5109
5110 ; 
5111 CHARA:  CALL     SUBMAN
5112 CHARAJ: CALL     ADRSAB
5113     PUSH     HL
5114     LD      HL,STCHRA
5115     LD      IX,MAKSLA
5116     CALL     POCALL
5117     POP      HL
5118     LD      A,(SFXWK1)
5119     OR      A
5120     JP      Z,C_W
5121 CHARA1: CALL     ACHA
5122     CALL     STOP
5123     JR      NZ,CHARA2
5124     JP      SYSTEM
5125 CHARA2: LD      A,(SAMEFG)
5126     OR      A
5127     JR      Z,CHARA1
5128     JP      SYSTEM
5129
5130 ; 
5131 MULTI:  CALL     SUB100
5132     XOR      A
5133     LD      (SFXWK1),A
5134 MULTIJ: CALL     CLS
5135     CALL     NOTPRN
5136 MULTI3: CALL     ADRSAB
```

E:\paleobasic\superx\SUPER-X.ASM

```
5137      LD  HL,STMLTI
5138      LD  IX,MAKSLA
5139      CALL      POCALL
5140      LD  HL,(ADXWK0)
5141      CALL      ADRSPR
5142      CALL      ONEPUT
5143      CALL      156H
5144      CALL      INLIN
5145      JP   C,SYSTEM
5146  MULTI2: LD  IX,NALBIG
5147      CALL      POCALL
5148      INC  HL
5149      LD  A,(HL)
5150      OR   A
5151      JR   Z,MULI10
5152      LD  IX,ADRES
5153      CALL      POCALL
5154      JR   NC,MULTI4
5155  MULTI7: LD  HL,STR34
5156      CALL      PRINT
5157      CALL      CRLF
5158      CALL      BEEP
5159      JR   MULTI3
5160  MULTI4:
5161      LD  (ADXWK0),DE
5162      LD  (SLXWK0),BC
5163      LD  A,(HL)
5164      OR   A
5165      JR   Z,MULI10
5166      INC  HL
5167
5168      LD  A,(HL)
5169      CP   'I'
5170      CALL      Z,MULI11
5171
5172      CALL      NZ,MLCCK
5173      JR   C,MULTI7
5174      JP   MULTI3
5175
5176  MULI10: CALL      SCRSAB
5177      LD  HL,(ADXWK0)
5178      CALL      BUNKI
5179      CALL      SCRREM
5180      JP   MULTI3
5181
5182
5183      ;-----
5184
```

E:\paleobasic\superx\SUPER-X.ASM

```

5185 MULI11:
5186     INC HL
5187     LD  A,(HL)
5188     DEC HL
5189     OR  A
5190     PUSH     AF
5191     LD  DE,20
5192     JR  Z,MULI13
5193     PUSH     HL
5194     INC HL
5195     CALL     CVAL
5196     POP  HL
5197     JR  NC,MULI13
5198     POP  AF
5199     RET
5200
5201 MULI13:
5202     POP  AF
5203     LD  A,D
5204     OR  A
5205     JP  NZ,MULI15
5206     LD  B,E
5207
5208 MULI14:
5209     PUSH     HL
5210     PUSH     BC
5211     LD  HL,(ADXWK0)
5212     LD  IX,LWORK
5213     CALL     ADA
5214     PUSH     HL
5215     PUSH     DE
5216     LD  HL,(ADXWK0)
5217     CALL     ADRSPR
5218     CALL     ONEPUT
5219     LD  HL,LWORK+19
5220     LD  B,40-19
5221 MULI12: LD  A,(HL)
5222     INC HL
5223     CP  ' '
5224     JR  NZ,MULI16
5225     DEC B
5226     CP  (HL)
5227     JR  Z,MULI12
5228     INC B
5229 MULI16:
5230     CALL     CHPUT
5231     DJNZ     MULI12
5232     CALL     NCRLF

```


E:\paleobasic\superx\SUPER-X.ASM

```
5233     POP DE
5234     POP HL
5235     LD  (ADXWK0),HL
5236     POP BC
5237     POP HL
5238     DJNZ     MULI14
5239     XOR A
5240     RET
5241 MULI15:
5242     XOR A
5243     SCF
5244     RET
5245
5246
5247 ; Add comment to begining of file (;XXXXH-YYYYH)
5248 COMENT: LD  HL,LWORK
5249     LD  (HL),';'
5250     INC HL
5251     PUSH     HL
5252     POP IX
5253 COMET1: LD  HL,(ADXWK0)
5254     CALL     ADRSIN
5255     LD  (IX),'H'
5256     INC IX
5257     LD  (IX),'-'
5258     INC IX
5259     LD  HL,(ADXWK1)
5260     CALL     ADRSIN
5261     LD  (IX),'H'
5262     LD  (IX+1),0
5263     LD  HL,LWORK
5264     JP   LOUT
5265
5266 ; A□□ > 0A0H □(IX)□'0'□ □□
5267 MOJIHD: PUSH     AF
5268     AND 0F0H
5269     CP  0A0H
5270     JR  C,MOJHD1
5271     LD  (IX),'0'
5272     INC IX
5273 MOJHD1: POP AF
5274     RET
5275
5276 ; HL□□□!(IX)□□
5277 STRIN: LD  A,(HL)
5278     CP  '$'
5279     RET Z
5280     LD  (IX),A
```

E:\paleobasic\superx\SUPER-X.ASM

```

5281      INC HL
5282      INC IX
5283      JR  STRIN
5284
5285      ; □□□□□□□□□□
5286 SPDISA:
5287      CALL      FLNAME
5288      CALL      BUNCON
5289      CALL      SUB200
5290      LD  A,(HL)
5291      OR  A
5292      JP  Z,SPDS17
5293      CALL      BUNCON
5294      LD  A,(HL)
5295      CP      'X'
5296      JP      Z,SPDS24
5297      CP  'B'
5298      JR  Z,SPDS18
5299      CP  'D'
5300      JP  NZ,ERROR
5301      ; BASIC DATA
5302      CALL      SVOPEN
5303      LD  HL,STR108
5304      LD  IX,LWORK
5305      CALL      STRIN
5306      CALL      COMET1
5307      LD  IY,DDATA
5308      LD  HL,10001
5309      LD  (ADXWK2),HL
5310      JR  SPDS21
5311      ; XBASIC type
5312 SPDS24: CALL      SVOPEN
5313      LD  HL,STR108
5314      LD  IX,LWORK
5315      CALL      STRIN
5316      CALL      COMET1
5317      LD  IY,DXBAS
5318      LD  HL,10001
5319      LD  (ADXWK2),HL
5320      JR  SPDS21
5321      ; Assembler type
5322 SPDS18: CALL      SVOPEN
5323      CALL      COMENT
5324      LD  IY,DDEFB
5325 SPDS21: LD  IX,VWORK
5326      BIT 0,(IY+3)
5327      JR  NZ,SPDS22
5328      LD  HL,(ADXWK2)

```

E:\paleobasic\superx\SUPER-X.ASM

```

5329     PUSH     HL
5330     PUSH     IY
5331     CALL     DECSUB
5332     POP      IY
5333     POP      HL
5334     INC      HL
5335     LD       (ADXWK2),HL
5336     LD       (IX),' '
5337     INC      IX
5338 SPDS22: LD     L,(IY)
5339     LD       H,(IY+1)
5340     CALL     STRIN
5341     LD       B,(IY+2)
5342 SPDS20: LD     HL,(ADXWK0)
5343     PUSH     BC
5344     CALL     PEEK
5345     INC      HL
5346     LD       (ADXWK0),HL
5347
5348     BIT      0,(IY+3)
5349     PUSH     AF
5350     CALL     NZ,MOJIHD
5351         BIT      2,(IY+3)
5352         JR       Z,SPDS25
5353         LD       (IX),"&"
5354         INC      IX
5355         LD       (IX),"H"
5356         INC      IX
5357 SPDS25:
5358     CALL     DATIN
5359     POP      AF
5360     JR       Z,SPDS23
5361     LD       (IX),'H'
5362     INC      IX
5363
5364 SPDS23: LD     DE,(ADXWK1)
5365     INC      DE
5366     RST      20H
5367     LD       C,0
5368     JR       Z,SPDS19
5369     POP      BC
5370     DEC      B
5371     LD       C,1
5372     JR       Z,SPDS19
5373     BIT      1,(IY+3)
5374     JR       Z,SPDS20
5375     LD       (IX),' '
5376     INC      IX

```

E:\paleobasic\superx\SUPER-X.ASM

```

5377      JR   SPDS20
5378 SPDS19: LD   (IX),0
5379      LD   HL,VWORK
5380      PUSH    BC
5381      PUSH    IY
5382      LD   B,0
5383      CALL    LOUT3
5384      POP  IY
5385      POP  BC
5386      DEC  C
5387      JP   Z,SPDS21
5388      POP  BC
5389      CALL    CLOSE
5390      JP   COMPLT
5391 SPDS17: CALL    SVOPEN
5392      LD   HL,4000H
5393      LD   BC,4000H
5394      LD   A,0
5395      CALL    FILVRM
5396      LD   HL,STR99
5397      CALL    PRINT
5398      LD   HL,(ADXWK0)
5399      LD   (ADXWK2),HL      ; Start addr: ADXWK2, END: ADXWK1
5400
5401
5402      DEC    HL              ; No EQU before start
5403      CALL    CLLABL          ;/8
5404      LD   DE,6000H
5405      ADD  HL,DE
5406      CALL    RDVRM
5407      OR   B
5408      CALL    WRTVRM
5409
5410 SPDIS2: LD   HL,(ADXWK0)
5411      LD   IX,LWORK
5412      PUSH    HL
5413      CALL    ADA
5414      LD   (ADXWK0),HL
5415      POP  HL
5416      CALL    CLLABL          ;/8
5417      LD   DE,6000H          ; #6000-#7FFF Command start flags
5418      ADD  HL,DE
5419      CALL    RDVRM
5420      OR   B
5421      CALL    WRTVRM
5422      CALL    SPASUB          ; Search address
5423      JR   C,SPDIS1
5424      EX  DE,HL

```

E:\paleobasic\superx\SUPER-X.ASM

```

5425     LD  DE,(ADXWK2)
5426     RST 20H
5427     JR  C,SPDIS1
5428     LD  DE,(ADXWK1)
5429     INC DE
5430     LD  A,D
5431     OR  E
5432     JR  Z,SPDIS3
5433     RST 20H
5434     JR  NC,SPDIS1
5435 SPDIS3: CALL    CLLABL
5436     LD  DE,4000H      ; #4000-#5FFF Put label flag
5437     ADD HL,DE
5438     CALL    RDVRM
5439     OR  B
5440     CALL    WRTVRM
5441 SPDIS1: LD  A,(SAMEFG)
5442     OR  A
5443     JP  Z,SPDIS2
5444
5445     LD  HL,STR100
5446     CALL    PRINT
5447     XOR A
5448     LD  (SAMEFG),A
5449     LD  HL,(ADXWK2)
5450     LD  (ADXWK0),HL
5451     CALL    COMENT
5452
5453     ; ORG routine can be added here if wanted
5454
5455 SPDS12: LD  HL,(ADXWK0)
5456
5457         LD A,1
5458         LD (SLXWK2),A
5459 SPDS13:
5460         DEC HL
5461         PUSH HL
5462         CALL    CLLABL      ; Check previous command flag
5463     LD  DE,6000H
5464     ADD HL,DE
5465     CALL    RDVRM
5466     AND B
5467     POP HL
5468
5469     JR NZ, SPDS28      ; No need for prev label
5470
5471     PUSH HL
5472     CALL    CLLABL      ; Check also label flag

```

E:\paleobasic\superx\SUPER-X.ASM

```

5473      LD  DE,4000H
5474      ADD HL,DE
5475      CALL      RDVRM
5476      LD      C,A
5477      AND B
5478      JP NZ, SPDS27          ; Yes, do EQU $-X (POP HL)
5479      POP HL
5480
5481      LD A,(SLXWK2)
5482      INC A
5483      LD (SLXWK2),A
5484      CP 4
5485      JR NZ, SPDS13          ; No prev label inside range
5486
5487 SPDS28:
5488      LD  HL,(ADXWK0)
5489      PUSH      HL
5490      CALL      CLLABL          ; Check label flag
5491      LD  DE,4000H
5492      ADD HL,DE
5493      CALL      RDVRM
5494      AND B
5495      POP      HL
5496      LD  IY,VWORK
5497      JR      Z,SPDIS4
5498
5499      LD  IX,VWORK+1          ; Put label in front of command
5500      LD  (IY),'X'
5501      LD  HL,(ADXWK0)
5502      CALL      ADRSIN
5503
5504      LD  (IX),':'
5505
5506      LD  IY,VWORK+6
5507
5508 SPDIS4: LD  (IY),9
5509      INC IY
5510      LD  HL,(ADXWK0)
5511      LD  IX,LWORK
5512      PUSH      IY
5513      CALL      ADA
5514      LD  (ADXWK0),HL
5515      POP IY
5516      LD  HL,LWORK+19
5517 SPDIS6: LD  A,(HL)
5518      OR  A
5519      JP  Z,SPDIS7
5520      CP  ' '

```

E:\paleobasic\superx\SUPER-X.ASM

```
5521      JR    Z,SPDIS5
5522      LD    (IY),A
5523      INC    IY
5524      INC    HL
5525      JR    SPDIS6
5526 SPDIS5: LD    (IY),9
5527      INC    IY
5528      LD    HL,LWORK+26
5529 SPDIS8: LD    A,(HL)
5530      OR     A
5531      JP    Z,SPDIS7
5532      CP    '0'
5533      JR    C,SPDIS9
5534      CP    '9'+1
5535      JR    C,SPDS10
5536 SPDIS9: LD    (IY),A
5537      INC    IY
5538      INC    HL
5539      JR    SPDIS8
5540 SPDS10: PUSH    HL
5541      INC    HL
5542      INC    HL
5543      INC    HL
5544      INC    HL
5545      LD    A,(HL)
5546      CP    'H'
5547      DEC    HL
5548      DEC    HL
5549      DEC    HL
5550      JR    NZ,SPDS16
5551      DEC    HL
5552 SPDS16: LD    DE,ADINWK
5553      LD    BC,4
5554      LDIR
5555      LD    B,4
5556      CALL    THEX
5557      JR    NC,SPDS11
5558      POP    HL
5559      LD    A,(HL)
5560      JR    SPDIS9
5561 SPDS11: PUSH    HL
5562      LD     DE,(ADXWK2)      ; Check if inside disasm block
5563      RST     20H
5564      JR     C,SPDS26
5565      LD     DE,(ADXWK1)
5566      INC     DE
5567      RST     20H
5568      JR     C,SPDS14
```

E:\paleobasic\superx\SUPER-X.ASM

```

5569 SPDS26: POP HL
5570     POP HL
5571 SPDS15: LD  A,(HL)
5572     LD  (IY),A
5573     INC IY
5574     INC HL
5575     CP  'H'
5576     JR  Z,SPDIS8
5577     JR  SPDS15
5578 SPDS14: POP HL
5579     LD  (IY),'X'           ;Inside command
5580     INC IY
5581     PUSH     IY
5582     POP  IX
5583     CALL     ADRSIN
5584     PUSH     IX
5585     POP  IY
5586     POP  HL
5587     INC HL
5588     INC HL
5589     INC HL
5590     INC HL
5591     INC HL
5592     LD      A,(HL)
5593     CP      'H'
5594     JR      NZ,SPDIS8
5595     INC     HL
5596     JR      SPDIS8
5597
5598
5599 SPDS27:
5600     LD      A,C
5601     XOR B    ; Reset flag
5602     CALL     WRTVRM
5603     POP  HL
5604
5605     LD  IX,VWORK
5606     LD  (IX),'X'
5607     INC  IX
5608     LD  HL,(ADXWK0)
5609
5610     XOR     A
5611     LD      D,A
5612     LD      A,(SLXWK2)
5613     LD      E,A
5614     SBC     HL,DE
5615
5616     CALL     ADRSIN

```


E:\paleobasic\superx\SUPER-X.ASM

```
5617         LD  (IX), ':'
5618
5619     LD  HL,VWORK+6
5620     LD  (HL),9
5621     INC HL
5622     LD      (HL),"E"
5623     INC HL
5624     LD      (HL),"Q"
5625     INC HL
5626     LD      (HL),"U"
5627     INC HL
5628     LD      (HL),9
5629     INC HL
5630     LD      (HL),"$"
5631     INC HL
5632     LD      (HL),"-"
5633     INC HL
5634     LD      A,(SLXWK2)
5635     ADD     A,"0"
5636     LD      (HL),A
5637         INC     HL
5638         PUSH  HL
5639         POP   IY
5640
5641 SPDIS7: LD  (IY),0
5642     LD  HL,VWORK
5643     CALL    LOUT
5644     LD  A,(SAMEFG)
5645     OR  A
5646     JP  Z,SPDS12
5647     LD  HL,LWORK
5648 ;     PUSH  HL
5649 ;     LD  (HL),13
5650 ;     INC HL
5651 ;     LD  (HL),10
5652 ;     INC HL
5653 ;     LD  (HL),9
5654 ;     INC HL
5655 ;     LD  (HL),'E'
5656 ;     INC HL
5657 ;     LD  (HL),'N'
5658 ;     INC HL
5659 ;     LD  (HL),'D'
5660 ;     INC HL
5661     LD  (HL),0
5662 ;     POP  HL
5663     CALL    LOUT
5664     CALL    CLOSE
```

E:\paleobasic\superx\SUPER-X.ASM

```
5665     JP    COMPLT
5666
5667     ; HL0000000000\ HL0000
5668 CLLABL: LD    DE,8
5669     CALL   DIV
5670     PUSH   IX
5671     POP    BC
5672     INC    B
5673 CLLAB2: INC    C
5674     DEC    C
5675     JR     Z,CLLAB1
5676     SLA    B
5677     DEC    C
5678     JR     CLLAB2
5679 CLLAB1: RET
5680
5681     ; Search back for address
5682 SPASUB: LD    B,20
5683     LD     HL,LWORK+39
5684 SPASB2: LD    A,(HL)
5685     CP     'H'
5686     JR     Z,SPASB1
5687 SPASB3: DEC    HL
5688     DJNZ   SPASB2
5689     SCF
5690     RET
5691 SPASB1: PUSH   BC
5692     PUSH   HL
5693     DEC    HL
5694     DEC    HL
5695     DEC    HL
5696     DEC    HL
5697     LD     DE,ADINWK
5698     LD     BC,4
5699     LDIR
5700     LD     B,4
5701     CALL   THEX
5702     EX     DE,HL
5703     POP    HL
5704     POP    BC
5705     JR     C,SPASB3
5706     RET
5707 CLCLS:
5708     CALL   CLS
5709     JP     SYSTEM
5710
5711 SOFSET:
5712     LD     HL,(BASE)
```

E:\paleobasic\superx\SUPER-X.ASM

```

5713         LD      DE,(OFFSET)
5714         LD      A,D
5715         OR      E
5716         JR      Z,SOFSET2
5717         LD      (POFSET),DE
5718         ADD     HL,DE ; Don't move
5719         LD      (ADXWK0),HL
5720         LD      DE,0
5721         LD      (OFFSET),DE
5722         JP      BEEP
5723 SOFSET2:
5724         LD      DE,(POFSET)
5725         LD      (OFFSET),DE
5726         XOR     A
5727         SBC     HL,DE
5728         LD      (ADXWK0),HL
5729         JP      BEEP
5730
5731 ;   □□□
5732 CALC:    LD      A,(HL)
5733         CP      'S' ;CLS
5734         JR      Z,CLCLS
5735
5736         CALL     CVAL
5737         JP      C,ERROR
5738         CALL     BUNMAT
5739 CALC4:   CALL     SOMEPR
5740         JP      SYSTEM
5741
5742 ; p□□□□
5743 CHECK:   CALL     BUNMAT
5744         LD      DE,NWSLTP
5745         LD      BC,NWSLEN-NWSLTP
5746         LD      IX,CMTRNS
5747         CALL     POCALL
5748         CALL     VWORK
5749         JP      SYSTEM
5750
5751 ; □;□□□□
5752 TRANS:   CALL     TRANS3
5753         JP      COMPLT
5754
5755 TRANS3:  CALL     SUB300
5756         CALL     BUNMAT
5757         LD      HL,(ADXWK2)
5758         LD      (WORK),HL;□□□□□□□□
5759         PUSH     HL
5760         LD      HL,(ADXWK1)

```

E:\paleobasic\superx\SUPER-X.ASM

```

5761      LD  (WORK+8),HL;□□□□□□
5762      LD  DE,(ADXWK0)
5763      OR   A
5764      SBC  HL,DE
5765      POP  DE
5766      ADD  HL,DE
5767      JP   C,ERROR
5768      LD  (WORK+2),HL;□□□□□□□□
5769      LD  HL,(ADXWK2)
5770      LD  DE,(ADXWK0)
5771      OR   A
5772      SBC  HL,DE
5773      LD  (WORK+4),HL;□□
5774      LD  HL,(ADXWK0)
5775      LD  (WORK+6),HL;□□□□□□□□
5776      LD  DE,(ADXWK2)
5777      RST  20H
5778      JR   C,TRANS2
5779      LD  BC,1
5780      JR   TRANS1
5781  TRANS2:  PUSH    DE
5782          LD  DE,(ADXWK1)
5783          LD  (ADXWK1),HL
5784          LD  (ADXWK0),DE
5785          EX  DE,HL
5786          OR   A
5787          SBC  HL,DE
5788          POP  DE
5789          ADD  HL,DE
5790          LD  (ADXWK2),HL
5791          LD  BC,-1
5792  TRANS1:  LD  HL,(SLXWK1)
5793          LD  (SLXWK0),HL
5794          LD  HL,(ADXWK0)
5795          PUSH    BC
5796          CALL    PEEK
5797          POP  BC
5798          LD  HL,(SLXWK2)
5799          LD  (SLXWK0),HL
5800          LD  HL,(ADXWK2)
5801          LD  E,A
5802          PUSH    BC
5803          CALL    POKE
5804          POP  BC
5805          ADD  HL,BC
5806          LD  (ADXWK2),HL
5807          LD  HL,(ADXWK0)
5808          ADD  HL,BC

```

E:\paleobasic\superx\SUPER-X.ASM

```

5809      LD  (ADXWK0),HL
5810      OR  A
5811      SBC HL,BC
5812      LD  DE,(ADXWK1)
5813      OR  A
5814      SBC HL,DE
5815      JP  NZ,TRANS1
5816      RET
5817
5818      ;□□□□
5819  MEMCSB: PUSH    BC
5820          CALL    ADPRSL
5821          POP  BC
5822          LD  A,'='
5823          CALL    CHPUT
5824          LD  A,B
5825          CALL    DATPR
5826          LD  A,':'
5827          CALL    CHPUT
5828          LD  A,B
5829          JP  MOJIPR
5830
5831      ; j□□□□
5832  MAPPER: LD  A,(MAPFG)
5833          OR  A
5834          JR  NZ,MAPER1
5835          LD  HL,STR69
5836          CALL    PRINT
5837          JP  SYSTEM
5838  MAPER1: LD  A,(HL)
5839          OR  A
5840          JR  NZ,MAPER3
5841          CALL    MAPNEW
5842          LD  HL,STR70
5843          CALL    NPRINT
5844          CALL    NCRLF
5845          CALL    MAPPR
5846          JP  SYSTEM
5847  MAPER3: PUSH    HL
5848          LD  HL,(MAPJP)
5849          LD  DE,12H
5850          ADD HL,DE
5851          LD  (MAPER2),HL
5852          POP  DE
5853          LD  A,(DE)
5854          SUB  '0'
5855          CP  4
5856          JP  NC,ERROR

```

E:\paleobasic\superx\SUPER-X.ASM

```
5857     PUSH     AF
5858     EX  DE,HL
5859     INC  HL
5860     CALL     BUNCON
5861     CALL     CVAL
5862     JP   C,ERROR
5863     LD   A,D
5864     OR   A
5865     JP   NZ,ERROR
5866     POP  AF
5867     CP   2
5868     JR   C,MAPER4
5869     RRCA
5870     RRCA
5871     LD   H,A
5872     LD   A,E
5873     DEFB 0CDH
5874 MAPER2: DEFS 2
5875 MAPER4: CALL     MAPPR
5876     JP   SYSTEM
5877
5878 ; □□□
5879 FIND:  CALL     SUB200
5880     CALL     BUNMAT
5881     CALL     FDATST
5882     JP   C,BREAK
5883     LD   HL,0
5884     LD   (WORK),HL
5885     LD   (WORK+2),HL
5886 FIND5: LD   HL,1
5887     LD   (SRCHZ),HL
5888     CALL     SEARCH
5889     JP   C,FIND6
5890     BIT  7,A
5891     JP   NZ,BREAK
5892     CALL     ADRSPR
5893     LD   HL,(WORK)
5894     INC  HL
5895     LD   (WORK),HL
5896     CALL     ONEPUT
5897     LD   A,9
5898     CALL     0A2H
5899     LD   A,(WORK+2)
5900     INC  A
5901     CP   5
5902     JR   NZ,FIND3
5903     CALL     PCRLF
5904     LD   A,(WORK+3)
```

E:\paleobasic\superx\SUPER-X.ASM

```

5905     INC A
5906     CP  20
5907     JR  NZ,FIND4
5908     CALL    STOP2
5909     JP  Z,BREAK
5910     CALL    CRLF
5911     XOR A
5912 FIND4: LD  (WORK+3),A
5913     XOR A
5914 FIND3: LD  (WORK+2),A
5915 FIND1: CALL    STOP
5916     JP  Z,BREAK
5917     LD  HL,(ADXWK0)
5918     LD  DE,(ADXWK1)
5919     RST 20H
5920     JR  Z,FIND6
5921     INC HL
5922     LD  (ADXWK0),HL
5923     JP  FIND5
5924 FIND6: LD  HL,(WORK)
5925     LD  A,H
5926     OR  L
5927     JR  Z,FIND7
5928     CALL    NCRLF
5929     CALL    DECPR
5930     LD  HL,STR55
5931 FIND8: CALL    NPRINT
5932     JP  SYSTEM
5933 FIND7: LD  HL,STR56
5934     JR  FIND8
5935
5936 ;  ♪□□□□□
5937 RESIST: LD  A,(HL)
5938     OR  A
5939     JP  Z,REST12
5940     CP  '*'
5941     JR  NZ,REST18
5942     INC HL
5943     CALL    BUNMAT
5944     LD  HL,STR82
5945     CALL    NPRINT
5946     LD  HL,RESAVE
5947     LD  DE,RESAVE+1
5948     LD  BC,23
5949     LD  (HL),0
5950     LDIR
5951     JP  REST12
5952 REST18: CP  '+'

```

E:\paleobasic\superx\SUPER-X.ASM

```

5953      JR   NZ,REST21
5954      INC  HL
5955      CALL      BUNMAT
5956      LD   HL,STR102
5957      CALL      NPRINT
5958      LD   HL,(STACK)
5959      LD   (RESAVE+24),HL
5960      JP   REST12
5961 REST21: LD   IY,REDATA
5962      PUSH      HL
5963      EXX
5964      POP  IX
5965 REST10: LD   A,(IY)
5966      CP   '$'
5967      JP   Z,ERROR
5968      CP   (IX)
5969      JP   NZ,REST11
5970      LD   A,(IY+1)
5971      OR   A
5972      JR   Z,REST15
5973      SUB  (IX+1)
5974      JR   NZ,REST11
5975      LD   A,(IY+2)
5976      OR   A
5977      JR   Z,RESIT9
5978      SUB  (IX+2)
5979      JR   Z,REST20
5980 REST11: LD   BC,5
5981      ADD  IY,BC
5982      JR   REST10
5983 REST15: LD   A,1
5984      LD   (WORK),A
5985      EXX
5986      JR   REST16
5987 REST20: LD   A,1
5988      LD   (WORK),A
5989      EXX
5990      INC  HL
5991      INC  HL
5992      JR   REST16
5993 RESIT9: XOR  A
5994      LD   (WORK),A
5995      EXX
5996      INC  HL
5997 REST16: LD   E,(IY+3)
5998      LD   D,(IY+4)
5999      EX  DE,HL
6000      INC  DE

```


E:\paleobasic\superx\SUPER-X.ASM

```
6001      PUSH      DE
6002      LD   DE,RESAVE+16
6003      RST 20H
6004      POP  DE
6005      PUSH      HL
6006      POP  IX
6007      JR   NC,RESIT8
6008 RESIT7: LD   A,(DE)
6009      CP   " "
6010      JR   NZ,RESIT8
6011      INC  DE
6012      INC  IX
6013      INC  IX
6014 RESIT8: LD   A,(DE)
6015      CP   ' '
6016      JR   REST40
6017      CP   ','
6018      JP   NZ,ERROR
6019 REST40: INC  DE
6020      EX   DE,HL
6021      PUSH      IX
6022      CALL      CVAL
6023      JP   C,ERROR
6024      CALL      BUNMAT
6025      POP  IX
6026      LD   A,(WORK)
6027      OR   A
6028      JR   NZ,REST17
6029      LD   (IX+1),D
6030 REST17: LD   (IX),E
6031 REST12: LD   HL,(RESAVE+24)
6032      LD   DE,80FFH
6033      RST 20H
6034      JR   NC,REST30
6035      LD   HL,80FFH
6036      LD   (RESAVE+24),HL
6037 REST30: CALL      RESPR
6038      JP   SYSTEM
6039
6040 ;  ħħħ "ħħ
6041 RESPR: LD   A,(CRTOFF)
6042      OR   A
6043      JR   NZ,RESPR3
6044      LD   A,(0F3AEH)
6045      CP   40
6046      CALL      NZ,SCREEN
6047      LD   A,(0FCAFH)
6048      OR   A
```

E:\paleobasic\superx\SUPER-X.ASM

```
6049      CALL      NZ,SCREEN
6050      LD   A,(0F3DDH)
6051      DEC  A
6052      CALL      NZ,CRLF
6053  RESPR3: LD   HL,STR80
6054      CALL      NPRINT
6055      LD   IX,RESAVE
6056      LD   L,(IX)
6057      LD   H,(IX+1)
6058      CALL      ADRONE
6059      LD   L,(IX+4)
6060      LD   H,(IX+5)
6061      CALL      ADRONE
6062      LD   L,(IX+8)
6063      LD   H,(IX+9)
6064      CALL      ADRONE
6065      LD   L,(IX+12)
6066      LD   H,(IX+13)
6067      CALL      ADRONE
6068      LD   L,(IX+16)
6069      LD   H,(IX+17)
6070      CALL      ADRONE
6071      LD   L,(IX+18)
6072      LD   H,(IX+19)
6073      CALL      ADRONE
6074      LD   L,(IX+24)
6075      LD   H,(IX+25)
6076      CALL      ADRONE
6077      LD   L,(IX+20)
6078      LD   H,(IX+21)
6079      CALL      ADRONE
6080      CALL      NCRLF
6081      LD   HL,STR81
6082      CALL      NPRINT
6083      LD   L,(IX+2)
6084      LD   H,(IX+3)
6085      CALL      ADRONE
6086      LD   L,(IX+6)
6087      LD   H,(IX+7)
6088      CALL      ADRONE
6089      LD   L,(IX+10)
6090      LD   H,(IX+11)
6091      CALL      ADRONE
6092      LD   L,(IX+14)
6093      LD   H,(IX+15)
6094      CALL      ADRONE
6095      LD   L,(IX+22)
6096      LD   H,(IX+23)
```

E:\paleobasic\superx\SUPER-X.ASM

```

6097      CALL      ADRONE
6098      LD   B,8
6099      LD   A,80H
6100  RESPR2: LD   C,'0'
6101      PUSH     AF
6102      AND  (IX)
6103      JR   Z,RESPR1
6104      INC  C
6105  RESPR1: LD   A,C
6106      CALL     CHPUT
6107      POP  AF
6108      SRL  A
6109      DJNZ     RESPR2
6110      JP   NCRLF
6111  ADRONE: CALL     ADRSPR
6112      JP   ONEPUT
6113
6114      ;  □□□
6115  TRACE:  LD   A,(HL)
6116      OR   A
6117      JR   NZ,TRAC18
6118      XOR  A
6119      LD   (SFXWK0),A
6120      LD   HL,(RESAVE+20)
6121      LD   (ADXWK0),HL
6122      JR   TRAC17
6123  TRAC18: CALL     SUB100
6124      LD   A,(SFXWK0)
6125      OR   A
6126      JP   NZ,ERROR
6127  TRAC17: CALL     ADRSAB
6128      LD   HL,TRCSTR
6129      LD   IX,MAKSLA
6130      CALL     POCALL
6131      LD   A,(PRNFG)
6132      LD   (CRTOFF),A
6133      LD   HL,(ADXWK0)
6134      LD   (RESAVE+20),HL
6135  TRACE2: CALL     RESPR
6136      LD   HL,0
6137      LD   (TRACOC),HL
6138      LD   (TRACOC+2),HL
6139      LD   HL,(RESAVE+20)
6140      PUSH     HL
6141      CALL     ADISAS
6142      LD   (WORK),HL
6143      POP  HL
6144      LD   A,(OBYTE)

```

E:\paleobasic\superx\SUPER-X.ASM

```

6145      LD  B,A
6146      LD  DE,TRACOC
6147  TRACE1: LD  A,(HL)
6148      LD  (DE),A
6149      INC DE
6150      INC HL
6151      DJNZ      TRACE1
6152  TRAC16: CALL      9FH
6153      CP  27
6154      JP  Z,SYSTEM
6155      CP  8
6156      JP  Z,SYSTEM
6157      CP  '?'
6158      JP  Z,TRAC15
6159      LD  B,A
6160      LD  HL,STR101
6161      CALL      NPRINT
6162      LD  HL,(WORK)
6163      LD  (RESAVE+20),HL
6164      LD  A,(POPDT)
6165      CP  2FH ;JP
6166      JR  Z,TRACE4
6167      CP  30H ;JR
6168      JR  Z,TRACE4
6169      CP  31H ;CALL
6170      JR  Z,TRAC10
6171      CP  33H ;RET
6172      JR  Z,TRAC11
6173      CP  32H ;DJNZ
6174      JR  Z,TRAC12
6175  TRAC13: CALL      RESGET
6176  TRACOC: DS  4
6177      LD  (RESAVE+24),SP
6178      CALL      RESCOP
6179      JR  TRACE2
6180  TRACE4: CALL      TRASUB
6181      JR  Z,TRACE5
6182      JR  NC,TRACE2
6183  TRACE8: CALL      SPASUB
6184  TRACE9: LD  (RESAVE+20),DE
6185      LD  (RESAVE+24),SP
6186      JR  TRACE2
6187  TRACE5: LD  A,(POPDT+1)
6188      CP  4CH ;(HL)
6189      JR  Z,TRACE6
6190      CP  7CH ;(IX)
6191      JR  Z,TRACE7
6192      CP  7DH ;(IY)

```

E:\paleobasic\superx\SUPER-X.ASM

```

6193      JR    NZ,TRACE8
6194      LD    DE,(RESAVE+18)
6195      JR    TRACE9
6196 TRACE6: LD    DE,(RESAVE+12)
6197      JR    TRACE9
6198 TRACE7: LD    DE,(RESAVE+16)
6199      JR    TRACE9
6200 TRAC10: LD    A,B
6201      CP    13
6202      JR    NZ,TRAC14
6203      LD    HL,STR103
6204      CALL   NPRINT
6205      JR    TRAC13
6206 TRAC14: CALL   TRASUB
6207      JP    NC,TRACE2
6208      LD    HL,(RESAVE+20)
6209      PUSH   HL
6210      JR    TRACE8
6211 TRAC11: CALL   TRASUB
6212      JP    NC,TRACE2
6213      POP    DE
6214      JR    TRACE9
6215 TRAC12: LD    HL,RESAVE+5
6216      DEC    (HL)
6217      JR    NZ,TRACE8
6218      JP    TRACE2
6219 TRAC15: LD    A,(CRTOFF)
6220      OR     A
6221      JP    NZ,TRAC16
6222      CALL   SPASUB
6223      JP    C,TRAC16
6224      LD    (ADXWK0),DE
6225      CALL   DASUB
6226      JP    TRAC16
6227
6228 TRASUB: LD    A,(POPDT+1)
6229      SUB    64H
6230      JR    C,TRASB2
6231      CP     8
6232      JR    NC,TRASB2
6233      LD    DE,FLAGTB
6234      LD    H,0
6235      LD    L,A
6236      ADD    HL,HL
6237      ADD    HL,DE
6238      LD    A,(HL)
6239      INC    HL
6240      OR     A

```

E:\paleobasic\superx\SUPER-X.ASM

```

6241      LD  A,(RESAVE)
6242      JR  Z,TRASB1
6243      AND (HL)
6244      JR  Z,TRASB3
6245      XOR A
6246      INC A
6247      RET
6248  TRASB1: AND (HL)
6249      JR  NZ,TRASB3
6250      XOR A
6251      INC A
6252      RET
6253  TRASB2: XOR A ;Z&Cf
6254      SCF
6255      RET
6256  TRASB3: XOR A ;Cf
6257      INC A
6258      SCF
6259      RET
6260
6261  FLAGTB: DEFB 255,40H,255,1,255,4,255,80H,0,40H,0,1,0,4,0,80H
6262
6263  ; 
6264  RUN:      CALL      SUB100
6265      LD  HL,(ADXWK0)
6266      LD  A,(SFXWK0)
6267      OR  A
6268      JR  Z,RUN1
6269      LD  A,(SLXWK0)
6270      CP  0FFH
6271      JP  Z,ERROR
6272      CALL      ERHKOF
6273      LD  (RUNDAT),A
6274      LD  (RUNDAT+1),HL
6275      CALL      RESGET
6276      RST 30H
6277  RUNDAT: DEFS      3
6278      CALL      RESCOP
6279  RUN3:      EI
6280      CALL      ERHKST
6281      JP  REST12
6282  RUN1:      CALL      ERHKOF
6283      LD  (RUNDT1+1),HL
6284      LD  HL,(RESAVE+22)
6285      LD  A,(HL)
6286      LD  (WORK),A
6287      LD  (HL),0DFH
6288      LD  HL,0FEE4H

```

E:\paleobasic\superx\SUPER-X.ASM

```
6289     PUSH     HL
6290     LD      DE,HOOKS1
6291     LD      BC,5
6292     LDIR
6293     POP      DE
6294     LD      HL,TRAPJP
6295     LD      BC,3
6296     LDIR
6297     CALL     RESGET
6298 RUNDT1: DB 0CDH
6299     DS      2
6300     CALL     RESCOP
6301 RUN4:   LD      A,(WORK)
6302     LD      HL,(RESAVE+22)
6303     LD      (HL),A
6304     LD      HL,HOOKS1
6305     LD      DE,0FEE4H
6306     LD      BC,5
6307     LDIR
6308     JR      RUN3
6309 TRAP:   POP      AF
6310     POP      AF
6311     CALL     RESCOP
6312     POP      AF
6313     LD      (RESAVE+24),SP
6314     LD      HL,(RESAVE+22)
6315     LD      (RESAVE+20),HL
6316     JR      RUN4
6317
6318 TRAPJP: JP      TRAP
6319 HOOKS1: DS 5
6320
6321 ; 0000 00000000
6322 RESCOP: LD      (RESAVE+12),HL
6323     PUSH     AF
6324     POP      HL
6325     LD      (RESAVE),HL
6326     LD      (RESAVE+4),BC
6327     LD      (RESAVE+8),DE
6328     LD      (RESAVE+16),IX
6329     LD      (RESAVE+18),IY
6330     EXX
6331     EX      AF,AF'
6332     LD      (RESAVE+14),HL
6333     PUSH     AF
6334     POP      HL
6335     LD      (RESAVE+2),HL
6336     LD      (RESAVE+6),BC
```

E:\paleobasic\superx\SUPER-X.ASM

```
6337     LD  (RESAVE+10),DE
6338     RET
6339
6340     ;  ♪  □,□□□♪□□□□□
6341 RESGET: LD  HL,(RESAVE+2)
6342     PUSH    HL
6343     POP  AF
6344     LD  BC,(RESAVE+6)
6345     LD  DE,(RESAVE+10)
6346     LD  HL,(RESAVE+14)
6347     LD  IX,(RESAVE+16)
6348     LD  IY,(RESAVE+18)
6349     EXX
6350     EX  AF,AF'
6351     LD  HL,(RESAVE)
6352     PUSH    HL
6353     POP  AF
6354     LD  BC,(RESAVE+4)
6355     LD  DE,(RESAVE+8)
6356     LD  HL,(RESAVE+12)
6357     RET
6358
6359     ; LOAD RAW FILE
6360 SPLOAD: CALL    FLNAME
6361     CALL    BUNCON
6362     LD  IX,ADRES
6363     CALL    POCALL
6364     ; Add Offset & Len code here
6365     CALL    BUNMAT
6366
6367     CALL    SPLOD6
6368     JP      COMPLT
6369
6370 SPLOD6: LD  (ADXWK0),DE
6371     LD  (SLXWK0),BC
6372     LD  (ADXWK1),DE
6373     CALL    LDOPEN
6374     LD  HL,(FCB+18)
6375     LD  A,H
6376     OR  L
6377     JR  Z,SPLOD7
6378     DEC HL
6379     LD  A,H
6380     OR  L
6381     JP  NZ,ERROR5
6382     LD  HL,(FCB+16)
6383     LD  A,H
6384     OR  L
```


E:\paleobasic\superx\SUPER-X.ASM

```

6385      JP  NZ,ERROR5
6386      LD  A,1
6387      LD  (CARFG),A
6388  SPL0D7: LD  HL,STR95
6389      CALL  NPRINT
6390      LD  HL,(FCB+16)
6391      LD      (ADSAVS),HL
6392      CALL  ADRSPR
6393      PUSH  HL
6394      LD  HL,STR85
6395      CALL  NPRINT
6396      POP  HL
6397      ; HL=LEN
6398  SPL0D8:
6399      LD  DE,(ADXWK0)
6400      DEC HL
6401      PUSH  HL
6402      ADD HL,DE
6403      JP  C,ERROR5
6404      LD  BC,(SLXWK0)
6405      INC B
6406      DEC B
6407      JR  Z,SPL0D1
6408      LD  A,(0F344H)
6409      CP  C
6410      JR  NZ,SPL0D2
6411  SPL0D1: LD  BC,0FFH
6412      ADD HL,BC
6413      JP  C,ERROR5
6414      SBC HL,SP
6415      JP  NC,ERROR5
6416  SPL0D2: POP  HL
6417      LD  DE,256
6418      CALL  DIV
6419      LD  (WORK),HL
6420      LD  (WORK+1),IX
6421  SPL0D3: LD  A,(WORK)
6422      OR  A
6423      JR  Z,SPL0D5
6424      DEC A
6425      LD  (WORK),A
6426      LD  DE,FCB
6427      LD  HL,256
6428      LD  C,27H
6429      CALL  SYSCAL
6430      LD  BC,256
6431      CALL  DMATRR
6432      JR  SPL0D3

```

E:\paleobasic\superx\SUPER-X.ASM

```

6433 SPLIT5: LD HL,(WORK+1)
6434 LD H,0
6435 INC HL
6436 PUSH HL
6437 LD DE,FCB
6438 LD C,27H
6439 CALL SYSCAL
6440 POP BC
6441 CALL DMATRR
6442 LD HL,STR91
6443 CALL NPRINT
6444 LD HL,(ADXWK1)
6445 LD DE,(SLXWK0)
6446 LD (ADSAVB),HL
6447 LD (ADSAVB+2),DE
6448 LD (ADSAVE+2),DE
6449 LD (ADSAVS+2),DE
6450 CALL ADPRSL
6451 LD HL,STR92
6452 CALL NPRINT
6453 LD HL,(ADXWK0)
6454 DEC HL
6455 LD (ADSAVE),HL
6456 CALL ADRSPR
6457 CALL NCRLF
6458 ;JP COMPLT
6459 RET
6460
6461 ; 
6462 SPSAVE: CALL FLNAME
6463 CALL BUNCON
6464 CALL SUB200
6465 CALL BUNMAT
6466 LD HL,(ADXWK1)
6467 LD DE,(ADXWK0)
6468 OR A
6469 SBC HL,DE
6470 LD DE,256
6471 CALL DIV
6472 LD (WORK),HL
6473 LD (WORK+1),IX
6474 CALL SVOPEN
6475 SPSAV3: LD BC,256
6476 CALL DMATRW
6477 LD A,(WORK)
6478 OR A
6479 JR Z,SPSAV2
6480 DEC A

```

E:\paleobasic\superx\SUPER-X.ASM

```

6481      LD  (WORK),A
6482      LD  DE,FCB
6483      LD  HL,256
6484      LD  C,26H
6485      CALL SYSCAL
6486      JR   SPSAV3
6487 SPSAV2: LD  HL,(WORK+1)
6488      LD  H,0
6489      INC HL
6490      LD  DE,FCB
6491      LD  C,26H
6492      CALL SYSCAL
6493      CALL CLOSE
6494      JP  COMPLT
6495
6496 ;   □□□□
6497 KASCI1: CALL  SUB100
6498      CALL  KM
6499 KASCI1: LD  HL,(ADXWK0)
6500      CALL  PEEK
6501      LD  E,A
6502      INC HL
6503      LD  (ADXWK0),HL
6504      LD  IX,KPRINT
6505      CALL  POCALL
6506      CALL  STOP
6507      JR   Z,KTYPE3
6508      LD  A,(0F3DCH)
6509      CP  12
6510      JR   C,KASCI1
6511      CALL  KS
6512      JR   KASCI1
6513
6514 ;   □□□□ (v1.1)
6515 KTYPE:  CALL  FLNAME
6516      CALL  LDOPEN
6517      CALL  KM
6518 KTYPE1: LD  C,27H
6519      LD  HL,1
6520      LD  DE,FCB
6521      CALL  0F37DH
6522      DEC A
6523      JP  Z,KTYPE2
6524      LD  A,(DMA)
6525      CP  1AH
6526      JR  Z,KTYPE2
6527      LD  E,A
6528      LD  IX,KPRINT

```

E:\paleobasic\superx\SUPER-X.ASM

```

6529      CALL      POCALL
6530      CALL      STOP
6531      JR      Z,KTYPE3
6532      LD      A,(0F3DCH)
6533      CP      12
6534      JR      C,KTYPE1
6535      CALL      KS
6536      JR      KTYPE1
6537 KTYPE2: CALL      STOP2
6538 KTYPE3: CALL      VNOTCR
6539      JP      SYSTEM
6540 KS: CALL      STOP2
6541      JR      Z,KTYPE3
6542      LD      HL,0
6543      LD      (0F3DCH),HL
6544      LD      HL,0
6545      LD      BC,1800H
6546      XOR     A
6547      JP      FILVRM
6548
6549 ; TYPE
6550 TPTP:  CALL      FLNAME
6551      CALL      LDOPEN
6552 TPTP1: LD      C,27H
6553      LD      HL,1
6554      LD      DE,FCB
6555      CALL      0F37DH
6556      DEC     A
6557      JP      Z,SYSTEM
6558      LD      A,(DMA)
6559      CP      1AH
6560      JP      Z,SYSTEM
6561      LD      E,A
6562      CALL      CHPUT
6563      CALL      STOP
6564      JP      Z,SYSTEM
6565      JR      TPTP1
6566 TPEN:
6567
6568
6569 ; 00000000;0000
6570 TNKRDX: CALL      SUB100
6571      CALL      TNKRED
6572      CALL      SCRREM
6573      JP      SYSTEM
6574
6575 TNKRED: CALL      SCRSAV
6576 JTNKRD: XOR     A

```

E:\paleobasic\superx\SUPER-X.ASM

```

6577      LD  (TNKFG),A
6578      LD  BC,(TNKBYT)
6579      LD  HL,8000H
6580 TNKRD2: LD  A,B
6581      OR  C
6582      RET Z
6583      PUSH     BC
6584      PUSH     HL
6585      LD  DE,TANKWK
6586      LD  BC,4
6587      CALL     LDIRMV
6588      LD  HL,(TANKWK)
6589      LD  DE,(ADXWK0)
6590      RST 20H
6591      JR  Z,TNKRD1
6592 TNKRD5: POP  HL
6593      POP  BC
6594      LD  DE,64
6595      ADD HL,DE
6596      DEC BC
6597      JR  TNKRD2
6598 TNKRD1: LD  A,255
6599      LD  (TNKFG),A
6600      LD  HL,(TANKWK)
6601      LD  (ADXWK0),HL
6602      LD  HL,(TANKWK+2)
6603      LD  (ADXWK1),HL
6604      POP  HL
6605      PUSH     HL
6606      INC HL
6607      INC HL
6608      INC HL
6609      INC HL
6610      LD  DE,TANKWK+4
6611      LD  BC,60
6612      CALL     LDIRMV
6613      LD  IX,BOX
6614      CALL     POCALL
6615      LD  IX,KIND
6616      CALL     POCALL
6617      LD  HL,TANKWK+4
6618      LD  DE,13*40+13
6619      LD  B,5
6620 TNKRD3: PUSH     BC
6621      PUSH     HL
6622      PUSH     DE
6623      LD  BC,12
6624      CALL     LDIRVM

```

E:\paleobasic\superx\SUPER-X.ASM

```
6625     POP HL
6626     LD  BC,40
6627     ADD HL,BC
6628     EX  DE,HL
6629     POP HL
6630     LD  BC,12
6631     ADD HL,BC
6632     POP BC
6633     DJNZ     TNKRD3
6634 TNKRD6: CALL     9CH
6635     JR  Z,TNKRD6
6636     CALL     9FH
6637     CP  27
6638     JP  NZ,TNKRD5
6639     POP HL
6640     POP BC
6641     RET
6642
6643 ; 00000000 0000
6644 TNKSET: CALL     SUB101
6645     CALL     BUNCON
6646     CALL     CVAL
6647     INC D
6648     DEC D
6649     JP  NZ,ERROR
6650     LD  A,E
6651     CP  5
6652     JP  NC,ERROR
6653     LD  (ADXWK1),A
6654     CALL     BUNCON
6655     CALL     CVAL
6656     INC D
6657     DEC D
6658     JP  NZ,ERROR
6659     LD  A,E
6660     CP  8
6661     JP  NC,ERROR
6662     LD  (ADXWK1+1),A
6663     CALL     BUNMAT
6664     CALL     NOTPRN
6665     LD  HL,(TNKBYT)
6666     LD  DE,512
6667     OR  A
6668     SBC HL,DE
6669     JR  C,TNKST2
6670     LD  HL,STR59
6671     CALL     PRINT
6672     JP  SYSTEM
```

E:\paleobasic\superx\SUPER-X.ASM

```

6673  TNKST2:  CALL    SCRSV
6674          LD     IX,BOX
6675          CALL    POCALL
6676          LD     IX,KIND
6677          CALL    POCALL
6678          LD     HL,0
6679          LD     (TNK_Y),HL
6680  TNKST5:  LD     A,(TNK_Y)
6681          ADD    A,14
6682          LD     (0F3DCH),A
6683          LD     A,(TNK_X)
6684          ADD    A,14
6685          LD     (0F3DDH),A
6686  TNKST4:  CALL    9FH
6687          CP     28
6688          JR     Z,TNKST3
6689          CP     29
6690          JR     Z,TNKST6
6691          CP     30
6692          JR     Z,TNKST7
6693          CP     31
6694          JR     Z,TNKST8
6695          CP     13
6696          JR     Z,TNKST9
6697          CP     27
6698          JR     Z,TNKS10
6699          CP     32
6700          JR     C,TNKST4
6701          LD     HL,(TNK_Y)
6702          LD     H,0
6703          LD     DE,40
6704          PUSH    AF
6705          CALL    MULT
6706          POP     AF
6707          LD     DE,(TNK_X)
6708          LD     D,0
6709          ADD     HL,DE
6710          LD     DE,40*13+13
6711          ADD     HL,DE
6712          CALL    WRTVRM
6713  TNKST3:  LD     HL,TNK_X
6714          LD     A,(HL)
6715          CP     11
6716          JR     Z,TNKS13
6717          INC     (HL)
6718          JR     TNKST5
6719  TNKST6:  LD     HL,TNK_X
6720          LD     A,(HL)

```

E:\paleobasic\superx\SUPER-X.ASM

```
6721      OR    A
6722      JR    Z,TNKS14
6723      DEC   (HL)
6724      JR    TNKST5
6725 TNKS14: LD   (HL),11
6726 TNKST7: LD   HL,TNK_Y
6727      LD   A,(HL)
6728      OR    A
6729      JR    Z,TNKS16
6730      DEC   (HL)
6731      JR    TNKST5
6732 TNKS16: LD   (HL),4
6733      JR    TNKST5
6734 TNKS13: LD   (HL),0
6735 TNKST8: LD   HL,TNK_Y
6736      LD   A,(HL)
6737      CP    4
6738      JR    Z,TNKS15
6739      INC   (HL)
6740      JR    TNKST5
6741 TNKS15: LD   (HL),0
6742      JR    TNKST5
6743 TNKS10: CALL    SCRREM
6744      JP    SYSTEM
6745 TNKST9: LD   HL,(ADXWK0)
6746      LD   (TANKWK),HL
6747      LD   HL,(ADXWK1)
6748      LD   (TANKWK+2),HL
6749      LD   B,5
6750      LD   HL,13*40+13
6751      LD   DE,TANKWK+4
6752 TNKS12: PUSH    BC
6753      PUSH   HL
6754      PUSH   DE
6755      LD   BC,12
6756      CALL   LDIRMV
6757      POP    HL
6758      LD   BC,12
6759      ADD   HL,BC
6760      EX    DE,HL
6761      POP    HL
6762      LD   BC,40
6763      ADD   HL,BC
6764      POP    BC
6765      DJNZ   TNKS12
6766      LD   HL,(TNKBYT)
6767      INC   HL
6768      LD   (TNKBYT),HL
```


E:\paleobasic\superx\SUPER-X.ASM

```
6769      DEC HL
6770      ADD HL,HL
6771      ADD HL,HL
6772      ADD HL,HL
6773      ADD HL,HL
6774      ADD HL,HL
6775      ADD HL,HL
6776      LD  DE,8000H
6777      ADD HL,DE
6778      EX  DE,HL
6779      LD  HL,TANKWK
6780      LD  BC,64
6781      CALL LDIRVM
6782      JP  TNKS10
6783
6784      ; CPU□□
6785 CHCPU:  LD  A,(2DH)
6786      CP  3
6787      JP  C,ERROR
6788      LD  A,(HL)
6789      OR  A
6790      JR  NZ,CHCPU1
6791      CALL CHCPU5
6792 CHCPU6: CALL NCRLF
6793      JP  SYSTEM
6794 CHCPU5: LD  HL,STR42
6795      CALL NPRINT
6796 CHCPU3: CALL 183H
6797      OR  A
6798      JR  NZ,CHCPU2
6799      LD  HL,STR43E
6800      LD  A,6
6801      OUT (0E4H),A
6802      IN  A,(0E5H)
6803      AND 40H
6804      JP  Z,NPRINT
6805      LD  HL,STR43
6806      JP  NPRINT
6807 CHCPU2: DEC A
6808      JR  NZ,CHCPU4
6809      LD  HL,STR44
6810      JP  NPRINT
6811 CHCPU4: DEC A
6812      JP  NZ,ERROR
6813      LD  HL,STR45
6814      JP  NPRINT
6815 CHCPU1: CALL CVAL
6816      JP  C,ERROR
```

E:\paleobasic\superx\SUPER-X.ASM

```
6817     CALL     BUNMAT
6818     INC D
6819     DEC D
6820     JP  NZ,ERROR
6821     LD  A,E
6822     CP  4
6823     JP  NC,ERROR
6824     PUSH     AF
6825     CALL     CHCPU5
6826     LD  HL,STR46
6827     CALL     NPRINT
6828     POP AF
6829     PUSH     AF
6830     INC A
6831     AND 3
6832     DEC A
6833     SET 7,A
6834     CALL     180H
6835     POP      AF
6836     CP  3 ;Z80 DRAM
6837     CALL     Z,CHCPU7
6838     CALL     CHCPU3
6839     JR  CHCPU6
6840 CHCPU7: LD  A,6
6841     OUT (0E4H),A
6842     LD  A,20H
6843     OUT (0E5H),A
6844     RET
6845
6846 ; BASICLIST
6847 BLIST: LD  A,(HL)
6848     OR  A
6849     JR  Z,BLIST4
6850     CALL     CVAL
6851     JP  C,ERROR
6852     LD  (BLIST5+1),DE
6853     LD  HL,(0F676H)
6854 BLIST6: PUSH     HL
6855     LD  C,(HL)
6856     INC HL
6857     LD  B,(HL)
6858     INC HL
6859     LD  E,(HL)
6860     INC HL
6861     LD  D,(HL)
6862     LD  A,B
6863     OR  C
6864     JP  Z,ERROR
```

E:\paleobasic\superx\SUPER-X.ASM

```

6865 BLIST5: LD  HL,0
6866      RST 20H
6867      POP HL
6868      JR  Z,BLIST2
6869      PUSH BC
6870      POP HL
6871      JR  BLIST6
6872 BLIST4: LD  HL,(0F676H)
6873 BLIST2: LD  C,(HL)
6874      INC HL
6875      LD  B,(HL)
6876      INC HL
6877      LD  E,(HL)
6878      INC HL
6879      LD  D,(HL)
6880      INC HL
6881      LD  A,B
6882      OR  C
6883      JP  Z,SYSTEM
6884      PUSH BC ;□□
6885      PUSH HL
6886      EX  DE,HL
6887      CALL DECPR
6888      CALL ONEPUT
6889      POP HL
6890      LD  IX,5284H
6891      CALL 159H
6892      LD  HL,0F55EH
6893 BLIST3: LD  A,(HL)
6894      OR  A
6895      JR  Z,BLIST1
6896      CALL CHPUT
6897      INC HL
6898      JR  BLIST3
6899 BLIST1: CALL NCRLF
6900      CALL STOP
6901      JP  Z,BREAK
6902      POP HL
6903      JR  BLIST2
6904
6905 ;--- DATA/WORK AREA ---
6906 STR00: DEFM 'CHCPU'
6907      DEFB 0
6908 STR01: DEFM 'SYSTEM'
6909      DEFB 0
6910 STR03: DEFM '# Bad FAT$'
6911 STR04: DEFM '# Disk I/O err$'
6912 STR05: DEFM '# Disk offline$'

```

E:\paleobasic\superx\SUPER-X.ASM

```

6913 STR06:  DEFM '# Protected$'
6914 STR07:  DEFM 'SLOT$'
6915 STR08:  DEFM ':P$'
6916 STR09:  DEFM 'VRAM$'
6917 STR10:  DEFM 'SELECT$'
6918 STR11:  DEFM 'RAM$'
6919 STR12:  DEFM 'EXP$'
6920 STR14:  DEFM 'X(P0-1):#$'
6921 STR15:  DEFM ' MAIN-ROM(P0-1):#$'
6922 STR16:  DEFM 'SUB-ROM(P0):#$'
6923 STR17:  DEFM 'FDC-ROM(P1)$'
6924 STR18:  DEFM 'DISK$'
6925 STR19:  DEFM 'MAPPER SUPPORT=$'
6926 STR20:  DEFM 'MAPPER RAM:$'
6927 STR21:  DEFM 'SEG=0~$'
6928 STR22:  DEFM 'MAPPER:$'
6929 STR23:  DEFM 'STACK:$'
6930 STR24:  DEFM 'SLOT:$'
6931 STR25:  DEFM 'SELECT$'
6932 STR26:  DEFM 'SUM:$'
6933 STR27:  DEFM 'NORMAL$'
6934 STR28:  DEFM '+ADR$'
6935 STR29:  DEFM '0=$'
6936 STR30:  DEFM '# STACK err$'
6937 STR32:  DEFM '*****$'
6938 STR33:  DEFM '[      :****:*]$'
6939 STR34:  DEFM '# Error'
6940      DB 10,13,'$'
6941 STR35:  DEFM '# Printer err$'
6942 STR36:  DEFM '\>'
6943      DB 7,'$'
6944 STR37:  DEFM '[____#_ _]$'
6945 STR39:  DEFM 'P>>'
6946      DB 7,'$'
6947 STR42:  DEFM 'CPU:$'
6948 STR43:  DEFM 'Z80(ROM)$'
6949 STR43E: DEFM 'Z80(DRAM)$'
6950 STR44:  DEFM 'R800(ROM)$'
6951 STR45:  DEFM 'R800(DRAM)$'
6952 STR46:  DEFM '-->$'
6953 STR47:  DEFM '.,+~*/'; KEY1□TYPE1
6954      DEFM '/*-+,,.'; KEY1□TYPE2
6955      DEFM ',.+~*/-'; KEY2□TYPE1
6956      DEFM '-/*+.,,'; KEY2□TYPE2
6957 STR49:  DEFM ' !"#%&()*+,-./:;<=>?@[\\]^X`{|}~'
6958      DB 0
6959 STR50:  DEFM '+~*/%&|^'
6960 STR52:  DEFM '>>Ok!$'

```

E:\paleobasic\superx\SUPER-X.ASM

```
6961 STR53:  DEFM 'Search data:'
6962         DB 10,13,'$'
6963 STR54:  DEFM '-->$'
6964 STR55:  DEFM 'point(s) found'
6965         DB 10,13,'$'
6966 STR56:  DEFM '# Not found'
6967         DB 10,13,'$'
6968 STR57:  DEFM 'line(s) found'
6969         DB 10,13,'$'
6970 STR59:  DEFM '# TANK full$'
6971 STR63:  DEFM 'HEX:$'
6972 STR64:  DEFM '  BIN:$'
6973 STR65:  DEFM 'DEC(+):$'
6974 STR66:  DEFM '  DEC(+-$):$'
6975 STR67:  DEFM ' = $'
6976 STR68:  DEFM ' <> $'
6977 STR69:  DEFM '# No support$'
6978 STR70:  DEFM 'o Map. restore$'
6979 STR72:  DEFM 'Start:$'
6980 STR73:  DEFM '  End:$'
6981 STR74:  DEFM '  Exec:$'
6982 STR76:  DEFM 'DRIVE$'
6983 STR77:  DEFM '# File not found$'
6984 STR78:  DEFM 'file(s) found'
6985         DEFB 10,13,'$'
6986 STR80:  DEFM ' AF  BC  DE  HL  IX  IY  SP  PC'
6987         DEFB 10,13,'$'
6988 STR81:  DEFM " AF'  BC'  DE'  HL'  BP  SZ*H*VNC"
6989         DEFB 10,13,'$'
6990 STR82:  DEFM 'o Reg. clear'
6991         DEFB 10,13,'$'
6992 STR83:  DEFM '# Too big$'
6993 STR85:  DEFM 'H byte(s)'
6994         DEFB 10,13,'$'
6995 STR91:  DEFM 'ADR:from $'
6996 STR92:  DEFM '  to $'
6997 STR95:  DEFM 'Size:$'
6998 STR96:  DEFM '-->AGAIN'
6999         DB 10,13,'$'
7000 STR98:  DEFM '- Break -$'
7001 STR99:  DEFM 'Labeling $'
7002 STR100: DEFM '/ Writing !$'
7003 STR103: DEFM '[CALL]'
7004         DEFB 10,13
7005 STR101: DEFM '-----'
7006         DEFB 10,13,'$'
7007 STR102: DEFM 'o STACK restore'
7008         DEFB 10,13,'$'
```

E:\paleobasic\superx\SUPER-X.ASM

```
7009 STR104: DEFM 'CLUSTER:$'
7010 STR105: DEFM '@$'
7011 STR106: DEFM 9,'DEFB $'
7012 STR107: DEFM 'DATA $'
7013 STR108: DEFM "10000 '$"
7014 STR109: DEFM "'#I $"
7015
7016 DDEFB: DW STR106
7017 DB 8,1+2
7018 DDATA: DW STR107
7019 DB 32,0
7020 DXBAS: DW STR109
7021 DB 13,2+4
7022 ; <data/line>,
7023 ; bit0: SET = No Linenumbers, ASM outlook
7024 ; bit1: SET = ","
7025 ; bit2: SET = XBASIC (also bit 0=0)
7026
7027 CALCAD: DEFW PLUS,NMNAS,MULT,DIV,MOD,CL_AND,CL_OR,CL_XOR
7028
7029 FONTDT: DEFB 00,00,40H,0A8H,10H,0,0,0
7030
7031 TENSTR: DEFM '.,+ -*/'
7032 TFILNM: DEFM 'SUPER-X TNK'
7033 KFILNM: DEFM 'SUPER-X FNT'
7034
7035 ERHKDT: RST 30H ;New0000
7036 DS 1
7037 DW ERHOOK
7038 ERHKS: DS 5 ;0000 00
7039
7040 HOOKDT: JP HOOK ;New0000
7041 HOOKSV: DS 5 ;1000 00
7042
7043 ; 000000
7044 ERRDAT: DB 60
7045 DW STR03
7046 DB 69
7047 DW STR04
7048 DB 70
7049 DW STR05
7050 DB 68
7051 DW STR06
7052
7053 ; 0000
7054 KETA1: DEFW 1H,10H,100H,1000H,0H
7055 KETA2: DEFW 1,10,100,1000,10000
7056 KETA3: DEFW 1,2,4,8,16,32,64,128,256,512,1024,2048,4096,8192
```

E:\paleobasic\superx\SUPER-X.ASM

```
7057
7058 ; □□□□ □□□
7059 RELCDT: DEFB 3AH,32H
7060         DEFB 01H,11H,21H,31H,2AH,22H
7061         DEFB 0C3H,0DAH,0D2H,0CAH,0C2H,0EAH,0E2H,0FAH,0F2H ;JP
7062         DEFB 0CDH,0DCH,0D4H,0CCH,0C4H,0ECH,0E4H,0FCH,0F4H,0 ;CALL
7063 RELDT1: DEFB 4BH,5BH,7BH,43H,53H,73H,0
7064
7065 ; □□□
7066 COMAND: DB 'D',0
7067         DW DUMP
7068         DW 0,0
7069
7070         DB 'A',0
7071         DW ASCII
7072         DW 0,0
7073
7074         DB 'I',0
7075         DW DISASM
7076         DW 0,0
7077
7078         DB 'M',0
7079         DW MULTI
7080         DW 0,0
7081
7082         DB 'H',0
7083         DW CHARA
7084         DW 0,0
7085
7086         DB 'QT'
7087         DW POCM
7088         DW QTTP,QTEN-QTTP
7089
7090         DB 'CU'
7091         DW CHCPU
7092         DW 0,0
7093
7094         DB 'TK'
7095         DW POCM
7096         DW TKTP,TKEN-TKTP
7097
7098         DB 'CS'
7099         DW POCM
7100         DW CSTP,CSEN-CSTP
7101
7102         DB 'CL'
7103         DW CALC
7104         DW 0,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
7105
7106      DB 'OF'
7107      DW POCM
7108      DW OFTP,OFEN-OFTP
7109
7110      DB 'FL'
7111      DW POCM
7112      DW FLTP,FLEN-FLTP
7113
7114      DB 'CK'
7115      DW CHECK
7116      DW 0,0
7117
7118      DB 'TS'
7119      DW POCM
7120      DW TSTP,TSEN-TSTP
7121
7122      DB 'FD'
7123      DW FIND
7124      DW 0,0
7125
7126      DB 'BF'
7127      DW POCM
7128      DW BFTP,BFEN-BFTP
7129
7130      DB 'BL'
7131      DW BLIST
7132      DW 0,0
7133
7134      DB 'BT'
7135      DW TRANS
7136      DW 0,0
7137
7138      DB 'CM'
7139      DW POCM
7140      DW CMTP,CMEN-CMTP
7141
7142      DB 'PP'
7143      DW MAPPER
7144      DW 0,0
7145
7146      DB 'RG'
7147      DW RESIST
7148      DW 0,0
7149
7150      DB 'GO'
7151      DW RUN
7152      DW 0,0
```


E:\paleobasic\superx\SUPER-X.ASM

```
7153
7154      DB 'RT'
7155      DW POCM
7156      DW RTTP, RTEN-RTTP
7157
7158      DB 'TR'
7159      DW TRACE
7160      DW 0, 0
7161
7162      DB 'CO'
7163      DW POCM
7164      DW COTP, COEN-COTP
7165
7166      DB 'iM'
7167      DW TNKSET
7168      DW 0, 0
7169
7170      DB 'iC'
7171      DW TNKRDX
7172      DW 0, 0
7173
7174      DB 'iS'
7175      DW POCM
7176      DW ISTP, ISEN-ISTP
7177
7178      DB 'iL'
7179      DW POCM
7180      DW ILTP, ILEN-ILTP
7181
7182      DB 'FS'
7183      DW POCM
7184      DW FSTP, FSEN-FSTP
7185
7186      DB 'CD'
7187      DW POCM
7188      DW CDTP, CDEN-CDTP
7189
7190      DB 'LD'
7191      DW POCM
7192      DW LDTP, LDEN-LDTP
7193
7194      DB 'L#'
7195      DW SPLOAD
7196      DW 0, 0
7197
7198      DB 'L%'
7199      DW POCM
7200      DW SCLTP, SCLLEN-SCLTP
```

E:\paleobasic\superx\SUPER-X.ASM

```
7201
7202      DB 'SV'
7203      DW POCM
7204      DW SVTP ,SVEN-SVTP
7205
7206      DB 'S#'
7207      DW SPSAVE
7208      DW 0 ,0
7209
7210      DB 'S%'
7211      DW POCM
7212      DW SCSTP ,SCSEN-SCSTP
7213
7214      DB 'SD'
7215      DW SPDISA
7216      DW 0 ,0
7217
7218      DB 'CI'
7219      DW POCM
7220      DW CITP ,CIEN-CITP
7221
7222      ;DB 'VR'
7223      DB '@' ,0
7224      DW POCM
7225      DW VRTP ,VREN-VRTP
7226
7227      DB 'SF'
7228      DW POCM
7229      DW SFTP ,SFEN-SFTP
7230
7231      DB 'KL'
7232      DW POCM
7233      DW KLTP ,KLEN-KLTP
7234
7235      DB 'KT'
7236      DW KTYPE
7237      DW 0 ,0
7238
7239      DB 'KR'
7240      DW KASCII
7241      DW 0 ,0
7242
7243      DB 'PI'
7244      DW POCM
7245      DW PITP ,PIEN-PITP
7246
7247      DB 'PO'
7248      DW POCM
```

E:\paleobasic\superx\SUPER-X.ASM

```
7249      DW POTP , POEN - POTP
7250
7251      DB 'TP'
7252      DW TPTP
7253      DW 0 , 0
7254
7255      DB 0      ; □□□□□□
7256
7257  STDUMP:  DEFM 'DUMP$'
7258  STASCI:  DEFM 'ASCII$'
7259  STDISA:  DEFM 'DISAS$'
7260  STMLTI:  DEFM 'MULTI$'
7261  STCHRA:  DEFM 'CHARA$'
7262  TRCSTR:  DEFM 'TRACE$'
7263
7264  ;  ♀□□□□□□
7265  REDATA:  DB 'AF' , 0
7266      DW RESAVE
7267      DB 'BC' , 0
7268      DW RESAVE+4
7269      DB 'DE' , 0
7270      DW RESAVE+8
7271      DB 'HL' , 0
7272      DW RESAVE+12
7273      DB 'BP' , 0
7274      DW RESAVE+22
7275      DB 'A' , 0 , 0
7276      DW RESAVE+1
7277      DB 'F' , 0 , 0
7278      DW RESAVE+0
7279      DB 'B' , 0 , 0
7280      DW RESAVE+5
7281      DB 'C' , 0 , 0
7282      DW RESAVE+4
7283      DB 'D' , 0 , 0
7284      DW RESAVE+9
7285      DB 'E' , 0 , 0
7286      DW RESAVE+8
7287      DB 'H' , 0 , 0
7288      DW RESAVE+13
7289      DB 'L' , 0 , 0
7290      DW RESAVE+12
7291      DEFM 'IXH'
7292      DW RESAVE+17
7293      DEFM 'IXL'
7294      DW RESAVE+16
7295      DEFM 'IYH'
7296      DW RESAVE+19
```

E:\paleobasic\superx\SUPER-X.ASM

```
7297      DEFM 'IYL'
7298      DW RESAVE+18
7299      DB 'IX',0
7300      DW RESAVE+16
7301      DB 'IY',0
7302      DW RESAVE+18
7303      DB 'SP',0
7304      DW RESAVE+24
7305      DB 'PC',0
7306      DW RESAVE+20
7307      DB '$'
7308
7309  STACK:  DS 2      ;□□□□ □□
7310  IXBRG:  DS 2      ;IX□ P0□□□□□□
7311  PRNFG:  DS 1      ;□□□□□
7312  SUMTYP: DS 1      ;□□□□□
7313  OPNFG:  DS 1      ;□□□□□□□□
7314  CARFG:  DS 1      ;□□ذ
7315  MAPFG:  DS 1      ;ف□ □□
7316  MAPJP:  DS 2      ;ف□ □□ث
7317  MAPWK:  DS 4      ;ف□ □
7318  EXPTBL: DEFS 4    ;□□□ز□ □□□□□□□
7319  WORK:   DS 10     ;□1
7320  SBWORK: DS 12     ;□2
7321  SBWOK1: DS 8      ;□3
7322  ASMWK:  DS 9      ;□□□□□1
7323  ASMWK1: DS 5      ;□□□□□2
7324  RESAVE: DS 26     ;ر□□□□□□□□
7325  MNASFG: DS 1      ;cŽ□□
7326  SAMEFG: DS 1     ;□ò□□□□□□□□k□□□
7327  JRFG:   DS 1      ;JRXگ□□□□
7328  FNKFG:  DS 1      ;ز□□□□ "□□□□□□
7329  COMSTR: DS 2      ;□□□X□□□□□□ث
7330  BASE:   DS 2      ;□□□□□□ث
7331  Y:      DS 1      ;□□□□□□□□□□
7332  X:      DS 1
7333  TNK_Y:  DS 1      ;INDEX SET□□□□□□
7334  TNK_X:  DS 1
7335  DAWORK: DS 2      ;□□□□□ □
7336  DAPAGE: DS 1      ;□□□□□ □□□
7337  DAPGWK: DS 5*16   ;□□□□□□ □□□Adr
7338  OBYTE:  DS 1      ;□□□□□□□□□□ل□
7339  POPDT:  DS 4      ;□□□□□□□"□□□□ATA
7340  FINDFG: DS 1      ;1-□□□□□□2-□□□□□□ □□
7341  FINDBT: DS 1      ;FIND□□□□□□
7342  XYSAV:  DS 2      ;□□□□□□□□
7343  TNKFG:  DS 1      ;□□□□□□□□□□□□
7344  SOMPRF: DS 1      ;"□□□□□□□□□□□1□□□□
```

```
7345 TENDY: DS 1 ;
7346 SRCHZ: DS 2 ;
7347 LABEL: DS 2 ;
7348 CRTOFF: DS 1 ;
7349
7350 ADSAV0: DS 2 ;
7351 SLSAV0: DS 2
7352 ADSAV1: DS 12
7353 ADSAVB: DS 4
7354 ADASVE: DS 4
7355 ADAVS: DS 4
7356
7357 OFFSET: DW 0
7358 POFSET: DW 0
7359
7360 ADXWK0: DS 2 ;
7361 SLXWK0: DS 1 ;
7362 SFXWK0: DS 1 ;
7363 ADXWK1: DS 2
7364 SLXWK1: DS 1
7365 SFXWK1: DS 1
7366 ADXWK2: DS 2
7367 SLXWK2: DS 1
7368 SFXWK2: DS 1
7369
7370 BUFSV0: DS 41 ;
7371 BUFSV1: DS 257 ;
7372 LWORK: DS 40 ;
7373 VWORK: DS 40*24 ;
7374 TANKWK: DS 64 ;GRA-WIN&IdxTANK
7375 ; DB '!!' ;PAGE1r(Ÿ)
7376
7377 DS 8000H-$
7378
7379 DEPHASE
7380
7381
7382 ; SUPER-X ver 1.22 PAGE 0
7383
7384 PHASE 100H
7385
7386 ; I/DE= BC=
7387 CMTRNS: PUSH HL
7388 EX DE,HL
7389 LD DE,VWORK
7390 LDIR
7391 POP HL
7392 RET
```

E:\paleobasic\superx\SUPER-X.ASM

```
7393
7394 ; KANJI FONT LOAD
7395 KLTP:  CALL    FCBCLR
7396        CALL    DSKNM
7397        LD      HL,(OFFSET)
7398        PUSH    HL
7399        LD      HL,0
7400        LD      (OFFSET),HL
7401        LD      HL,KFILNM
7402        LD      DE,FCB+1
7403        LD      BC,11
7404        LDIR
7405        LD      DE,0
7406        LD      BC,0FFFFH
7407        LD      A,255
7408        LD      (CRTOFF),A
7409        CALL    SPLOD6
7410        POP     HL
7411        LD      (OFFSET),HL
7412        JP      COMPLT
7413 KLEN:  ;
7414
7415 ; PORT OUT
7416 POTP:  CALL    CVAL
7417        JP      C,ERROR
7418        LD      A,D
7419        OR      A
7420        JP      NZ,ERROR
7421        PUSH    DE
7422        CALL    BUNCON
7423        CALL    CVAL
7424        JP      C,ERROR
7425        LD      A,D
7426        OR      A
7427        JP      NZ,ERROR
7428        POP     BC
7429        OUT     (C),E
7430        JP      COMPLT
7431 POEN:  ;
7432
7433 ; DISK INFO (FREE CLUSTERS)
7434 CITP:  CALL    DSKNM
7435        CALL    BUNMAT
7436        LD      A,(FCB)
7437        LD      E,A
7438        LD      C,1BH
7439        CALL    0F37DH
7440        INC     A
```

E:\paleobasic\superx\SUPER-X.ASM

```
7441      JP  Z,ERROR
7442      EX  DE,HL
7443      PUSH      HL
7444      OR   A
7445      SBC  HL,DE
7446      PUSH      HL
7447      LD   HL,STR104
7448      CALL      NPRINT
7449      POP  HL
7450      CALL      DECPR
7451      LD   A,'/'
7452      CALL      CHPUT
7453      POP  HL
7454      CALL      DECPR
7455      CALL      NCRLF
7456      JP   SYSTEM
7457  CIEN:      ;
7458
7459  ; PORT IN
7460  PITP:      CALL      CVAL
7461      JP   C,ERROR
7462      LD   A,D
7463      OR   A
7464      JP   NZ,ERROR
7465      LD   C,E
7466      IN   A,(C)
7467      LD   C,A
7468      CALL      BSOMEPP
7469      JP   SYSTEM
7470  PIEN:      ;
7471
7472  ; COMPARE
7473  CMTT:      CALL      SUB300
7474      LD   A,(HL)
7475      OR   A
7476      JR   Z,MEMCM6
7477      CALL      BUNCON
7478      LD   A,(HL)
7479      CP   'S'
7480      JP   NZ,ERROR
7481      INC  HL
7482      CALL      BUNMAT
7483      LD   A,255
7484  MEMCM6:    LD   (WORK+4),A
7485      LD   HL,0
7486      LD   (WORK),HL
7487      LD   (WORK+1),HL
7488  MEMCM4:    CALL      STOP
```

E:\paleobasic\superx\SUPER-X.ASM

```
7489      JP    Z,BREAK
7490      LD    HL,(SLXWK1)
7491      LD    (SLXWK0),HL
7492      LD    HL,(ADXWK0)
7493      CALL    PEEK
7494      PUSH    AF
7495      LD    HL,(SLXWK2)
7496      LD    (SLXWK0),HL
7497      LD    HL,(ADXWK2)
7498      CALL    PEEK
7499      LD    C,A
7500      POP     AF
7501      LD    B,A
7502      CP     C
7503      PUSH    AF
7504      LD    A,(WORK+4)
7505      OR     A
7506      JR     Z,MEMCM8
7507      POP     AF
7508      JR     NZ,MEMC11
7509      LD    HL,STR67
7510      JR     MEMCM9
7511  MEMCM8: POP     AF
7512      JR     Z,MEMC11
7513      LD    HL,STR68
7514  MEMCM9: PUSH    HL
7515      LD    HL,(WORK)
7516      INC     HL
7517      LD    (WORK),HL
7518      LD    HL,(ADXWK0)
7519      LD    DE,(SLXWK1)
7520      CALL    MEMCSB
7521      POP     HL
7522      JR     MEMC12
7523  MEMC13: JR     MEMCM4
7524  MEMC12: CALL    NPRINT
7525      LD    HL,(ADXWK2)
7526      LD    DE,(SLXWK2)
7527      LD    B,C
7528      CALL    MEMCSB
7529      CALL    NCRLF
7530      LD    A,(PRNFG)
7531      OR     A
7532      JR     NZ,MEMC11
7533      LD    A,(WORK+2)
7534      INC     A
7535      CP     20
7536      JR     NZ,MEMCM1
```


E:\paleobasic\superx\SUPER-X.ASM

```
7537      CALL      STOP2
7538      JP       Z,BREAK
7539      CALL      CRLF
7540      XOR       A
7541  MEMCM1: LD      (WORK+2),A
7542  MEMC11: LD      HL,(ADXWK2)
7543      INC       HL
7544      LD        (ADXWK2),HL
7545      LD        HL,(ADXWK0)
7546      INC       HL
7547      LD        (ADXWK0),HL
7548      DEC       HL
7549      LD        DE,(ADXWK1)
7550      OR        A
7551      SBC       HL,DE
7552      JR        NZ,MEMC13
7553      LD        HL,(WORK)
7554      LD        A,H
7555      OR        L
7556      JR        Z,MEMCM5
7557      CALL      DECPR
7558      LD        HL,STR55
7559      CALL      NPRINT
7560      JP        SYSTEM
7561  MEMCM5: LD      HL,STR56
7562      CALL      NPRINT
7563      JP        SYSTEM
7564  CMEN:      ;
7565
7566  ; CHANGE SUM TYPE
7567  CSTP:      CALL      BUNMAT
7568      LD        A,(SUMTYP)
7569      CPL
7570      LD        (SUMTYP),A
7571      PUSH      AF
7572      LD        HL,STR26
7573      CALL      PRINT
7574      POP       AF
7575      LD        HL,STR27
7576      OR        A
7577      JR        Z,SUMCG1
7578      LD        HL,STR28
7579  SUMCG1:    CALL      PRINT
7580      JP        SYSTEM
7581  CSEN:      ;
7582
7583  ; RELOCATE
7584  RTTP:      CALL      TRANS3
```

E:\paleobasic\superx\SUPER-X.ASM

```
7585      LD  HL,(SLXWK2)
7586      LD  (SLXWK0),HL
7587      LD  HL,(WORK)
7588      LD  (ADXWK0),HL
7589  RELOC4: CALL  STOP
7590      JP  Z,BREAK
7591      LD  HL,(ADXWK0)
7592      PUSH HL
7593      CALL SBWKRD
7594      LD  IX,GETBT
7595      CALL POCALL
7596      POP  DE
7597      PUSH DE
7598      LD  HL,(OBYTE)
7599      LD  H,0
7600      ADD HL,DE
7601      LD  (ADXWK0),HL
7602      DEC HL
7603      EX  DE,HL
7604      LD  HL,(WORK+2)
7605      RST 20H
7606      JP  C,COMPLT
7607      LD  IX,SBWORK
7608      LD  DE,RELCDT
7609      LD  A,(IX)
7610      CP  ODDH
7611      JR  Z,RELOC8
7612      CP  OFDH
7613      JR  Z,RELOC8
7614      CP  OEDH
7615      JR  NZ,RELOC5
7616      LD  DE,RELD1
7617      JR  RELOC8
7618  RELC10: JR  RELOC4
7619  RELOC8: INC  IX
7620  RELOC5: LD  A,(DE)
7621      OR  A
7622      JR  Z,RELOC7
7623      CP  (IX)
7624      JR  Z,RELOC1
7625      INC DE
7626      JR  RELOC5
7627  RELOC1: LD  L,(IX+1)
7628      LD  H,(IX+2)
7629      LD  DE,(WORK+6)
7630      RST 20H
7631      JR  C,RELC11
7632      LD  DE,(WORK+8)
```

E:\paleobasic\superx\SUPER-X.ASM

```
7633      INC DE
7634      LD  A,D
7635      OR  E
7636      JR  Z,RELOC9
7637      RST 20H
7638      JR  C,RELOC9
7639 RELOC11: JR  RELOC7
7640 RELOC9: LD  DE,(WORK+4)
7641      ADD HL,DE
7642      LD  (IX+1),L
7643      LD  (IX+2),H
7644      LD  A,(OBYTE)
7645      LD  B,A
7646      LD  DE,SBWORK
7647      POP HL
7648      PUSH HL
7649 RELOC2: LD  A,(DE)
7650      PUSH BC
7651      PUSH DE
7652      LD  E,A
7653      CALL POKE
7654      POP DE
7655      POP BC
7656      INC HL
7657      INC DE
7658      DJNZ RELOC2
7659      POP HL
7660      LD  IX,LWORK
7661      CALL ADA
7662      LD  B,39
7663      LD  HL,LWORK
7664 RELOC6: LD  A,(HL)
7665      OR  A
7666      JR  Z,RELOC3
7667      CALL CHPUT
7668      INC HL
7669      DJNZ RELOC6
7670 RELOC3: CALL NCRLF
7671      JR  RELC10
7672 RELOC7: POP AF
7673      JR  RELC10
7674 RTEN:  ;
7675
7676 ; FILL
7677 FLTP:  CALL SUB200
7678      CALL BUNCON
7679      CALL CVAL
7680      JP  C,ERROR
```

E:\paleobasic\superx\SUPER-X.ASM

```
7681      CALL      BUNMAT
7682      INC D
7683      DEC D
7684      JP  NZ,ERROR
7685      LD  HL,(ADXWK0)
7686  FILL1:  PUSH      DE
7687      CALL      POKE
7688      POP DE
7689      PUSH      HL
7690      LD  BC,(ADXWK1)
7691      OR  A
7692      SBC HL,BC
7693      POP HL
7694      INC HL
7695      JP  Z,COMPLT
7696      JR  FILL1
7697  FLEN:   ;
7698
7699  ; BASIC FIND
7700  BFTP:   LD  HL,0
7701      LD  (WORK),HL
7702      LD  (WORK+2),HL
7703      LD  HL,STR53
7704      CALL      PRINT
7705      CALL      INLIN
7706      JP  C,ERROR
7707      XOR A
7708      LD  (FINDFG),A
7709      INC HL
7710      LD  A,(HL)
7711      OR  A
7712      JR  Z,BFND12
7713      LD  DE,BUFSV1
7714  BFIND1: LD  A,(HL)
7715      LD  (DE),A
7716      INC HL
7717      INC DE
7718      OR  A
7719      JR  NZ,BFIND1
7720      LD  HL,(0F676H) ;HL=□□□
7721  BFND10: LD  C,(HL)
7722      INC HL
7723      LD  B,(HL) ;BC=□□□□□
7724      INC HL
7725      LD  E,(HL)
7726      INC HL
7727      LD  D,(HL) ;DE=□□□□□
7728      INC HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
7729      LD  A,B
7730      OR  C
7731      JR  NZ,BFIND2
7732      LD  IX,WORK
7733      LD  A,(IX)
7734      OR  (IX+1)
7735      JR  NZ,BFND11
7736 BFND12: LD  HL,STR56
7737      CALL    NPRINT
7738      JP  SYSTEM
7739 BFND11: CALL    NCRLF
7740      LD  HL,(WORK)
7741      CALL    DECPR
7742      LD  HL,STR57
7743      CALL    NPRINT
7744      JP  SYSTEM
7745 BFIND2: PUSH    BC ;□□
7746      PUSH    DE ;□□
7747      LD  IX,5284H
7748      CALL    159H
7749      LD  HL,0F55EH
7750 BFIND6: LD  DE,BUFSV1
7751      PUSH    HL
7752 BFIND5: LD  A,(DE)
7753      OR  A
7754      JR  Z,BFIND3 ;□
7755      LD  A,(HL)
7756      OR  A
7757      JR  Z,BFIND8 ;Ŷ□□
7758      LD  A,(DE)
7759      CP  '?'
7760      JR  Z,BFND13
7761      CP  (HL)
7762      JR  NZ,BFIND4
7763 BFND13: INC DE
7764      INC HL
7765      JR  BFIND5
7766 BFIND4: POP HL
7767      INC HL
7768      JR  BFIND6
7769 BFIND8: POP AF
7770      JR  BFIND9
7771 BFND17: JR  BFND10
7772 BFIND3: POP AF
7773      LD  IX,WORK
7774      LD  L,(IX)
7775      LD  H,(IX+1)
7776      INC HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
7777     LD  (IX),L
7778     LD  (IX+1),H
7779     POP  HL
7780     PUSH     HL
7781     CALL     DECPR
7782     CALL     ONEPUT
7783     LD  A,9
7784     CALL     0A2H
7785     LD  A,(WORK+2)
7786     INC  A
7787     CP  5
7788     JR  NZ,BFND14
7789     CALL     PCRLF
7790     LD  A,(WORK+3)
7791     INC  A
7792     CP  20
7793     JR  NZ,BFND16
7794     CALL     STOP2
7795     JP  Z,BREAK
7796     CALL     CRLF
7797     XOR  A
7798 BFND16: LD  (WORK+3),A
7799     XOR  A
7800 BFND14: LD  (WORK+2),A
7801 BFIND9: CALL     STOP
7802     JP  Z,BREAK
7803     POP  DE
7804     POP  HL
7805     JR  BFND17
7806 BFEN:  ;
7807
7808 ; INDEX SAVE
7809 ISTD:  CALL     FCBCLR
7810     CALL     DSKNM
7811     LD  HL,TFILNM
7812     LD  DE,FCB+1
7813     LD  BC,11
7814     LDIR
7815     CALL     SVOPEN
7816     LD  HL,(TNKBYT)
7817     LD  (DMA),HL
7818     LD  DE,FCB
7819     LD  HL,2
7820     LD  C,26H
7821     CALL     SYSCAL
7822     LD  B,128
7823     LD  HL,8000H
7824 TNKSV1: PUSH     BC
```

E:\paleobasic\superx\SUPER-X.ASM

```
7825     PUSH     HL
7826     LD      DE,DMA
7827     LD      BC,256
7828     CALL     LDIRMV
7829     LD      DE,FCB
7830     LD      HL,256
7831     LD      C,26H
7832     CALL     SYSCAL
7833     POP      HL
7834     LD      DE,256
7835     ADD     HL,DE
7836     POP      BC
7837     DJNZ     TNKSV1
7838     CALL     CLOSE
7839     JP      COMPLT
7840 ISEN:    ;
7841
7842 ; INDEX LOAD
7843 ILTP:    CALL     FCBCLR
7844     CALL     DSKNM
7845     LD      HL,TFILNM
7846     LD      DE,FCB+1
7847     LD      BC,11
7848     LDIR
7849     CALL     LDOPEN
7850     LD      DE,FCB
7851     LD      HL,2
7852     LD      C,27H
7853     CALL     SYSCAL
7854     LD      HL,(DMA)
7855     LD      (TNKBYT),HL
7856     LD      B,128
7857     LD      HL,8000H
7858 TNKLD1:  PUSH     BC
7859     PUSH     HL
7860     LD      DE,FCB
7861     LD      HL,256
7862     LD      C,27H
7863     CALL     SYSCAL
7864     POP      DE
7865     PUSH     DE
7866     LD      HL,DMA
7867     LD      BC,256
7868     CALL     LDIRVM
7869     POP      HL
7870     LD      DE,256
7871     ADD     HL,DE
7872     POP      BC
```

E:\paleobasic\superx\SUPER-X.ASM

```
7873      DJNZ      TNKLD1
7874      JP       COMPLT
7875 ILEN:      ;
7876
7877 ; EXIT
7878 QTTP:      CALL      BUNMAT
7879      CALL      ERHKOF
7880      CALL      MAPNEW
7881      LD      IX,CLSLIN
7882      CALL      POCALL
7883      LD      HL,(0F6C2H)
7884      LD      (0F6C4H),HL
7885      LD      (0F6C6H),HL
7886      CALL      OCCH
7887      LD      A,24
7888      LD      (0F3B1H),A
7889      LD      A,(FNKFG)
7890      OR      A
7891      CALL      NZ,OCFH
7892      LD      IX,409BH
7893      LD      A,(0FCC1H)
7894      PUSH     AF
7895      POP      IY
7896      LD      SP,(STACK)
7897      JP      1CH
7898 QTEN:      ;
7899
7900
7901 OFTP:
7902      LD      DE,0
7903      LD      A,(HL)
7904      OR      A
7905      JR      Z,OFSET1
7906      LD      IX,ADRES
7907      CALL      POCALL
7908      JP      C,ERROR
7909      CALL      BUNMAT
7910 OFSET1:
7911      XOR      A
7912      LD      HL,0
7913      SBC      HL,DE
7914      LD      (OFFSET),HL
7915      JP      SYSTEM
7916 OFEN:
7917
7918
7919 ; TENKEY TYPE
7920 TKTP:      LD      A,(HL)
```


E:\paleobasic\superx\SUPER-X.ASM

```
7921      SUB  '1'
7922      JP   C,ERROR
7923      CP   4
7924      JP   NC,ERROR
7925      LD   (TENTYP),A
7926      LD   H,0
7927      LD   L,A
7928      PUSH     HL
7929      POP  DE
7930      ADD  HL,HL
7931      ADD  HL,HL
7932      ADD  HL,DE
7933      ADD  HL,DE
7934      LD   DE,STR47
7935      ADD  HL,DE
7936      LD   DE,TENSTR
7937      LD   BC,6
7938      LDIR
7939      JP   SYSTEM
7940  TKEN:  ;
7941
7942  ; TOTAL SUM
7943  TSTP:  CALL     SUB200
7944        CALL     BUNMAT
7945        LD   HL,(ADXWK0)
7946        LD   DE,0
7947  TOTAL1: PUSH     DE
7948        CALL     PEEK
7949        POP  DE
7950        LD   C,A
7951        LD   B,0
7952        EX   DE,HL
7953        ADD  HL,BC
7954        EX   DE,HL
7955        PUSH     HL
7956        LD   BC,(ADXWK1)
7957        OR   A
7958        SBC  HL,BC
7959        POP  HL
7960        INC  HL
7961        JP   Z,CALC4
7962        JR   TOTAL1
7963  TSEN:  ;
7964
7965  ; BLOAD <FILENAME>,[<OFFSET#SLOT>]
7966  LDTP:  CALL     FLNAME
7967        LD      DE,0
7968        LD      BC,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
7969      LD  A,(HL)
7970      OR  A
7971      JR  Z,LDTP2
7972      CALL BUNCON
7973      LD  IX,ADRES
7974      CALL POCALL
7975      CALL BUNMAT
7976 LDTP2:
7977      LD  (ADXWK0),DE
7978      LD  (SLXWK0),BC
7979      LD  (ADXWK1),DE
7980      CALL LDOPEN
7981      LD  DE,FCB
7982      LD  HL,7
7983      LD  C,27H
7984      CALL SYSCAL
7985      LD  A,(DMA)
7986      CP  0FEH
7987      JP  NZ,ERROR
7988      LD  HL,STR72
7989      CALL NPRINT
7990      LD  HL,(DMA+1)
7991      PUSH HL
7992      LD  DE,(ADXWK0)
7993      ADD  HL,DE
7994      CALL ADRSPR
7995      LD  HL,STR73
7996      CALL NPRINT
7997      LD  HL,(DMA+3)
7998
7999      ; Select smaller option
8000      PUSH DE
8001      PUSH HL
8002      LD  HL,(FCB+16)
8003      LD  DE,-8
8004      ADD  HL,DE
8005      LD  DE,(DMA+1)
8006      ADD  HL,DE
8007      POP  DE
8008      RST  #20
8009      JR  C,LDTP1
8010      EX  DE,HL
8011 LDTP1: POP  DE
8012      LD  (DMA+3),HL
8013
8014      ADD  HL,DE
8015      CALL ADRSPR
8016      LD  HL,STR74
```

E:\paleobasic\superx\SUPER-X.ASM

```
8017     CALL     NPRINT
8018     LD      HL,(DMA+5)
8019     ADD      HL,DE
8020     LD      (ADSAVS),HL
8021     CALL     ADRSPR
8022     CALL     NCRLF
8023     POP      DE
8024     LD      HL,(DMA+3)
8025     OR      A
8026     SBC     HL,DE
8027     INC     HL           ;HL=Lenght DE=Start
8028
8029     LD      BC,0FFFFH
8030     LD      A,255
8031     LD      (CRTOFF),A
8032
8033     PUSH     HL
8034         LD      HL,(ADXWK0)
8035         ADD     HL,DE
8036         LD      (ADXWK0),HL
8037         LD      (ADXWK1),HL
8038     POP      HL
8039     CALL     SPLOD8
8040     JP      COMPLT
8041 LDEN:   ;
8042
8043 ; SECTOR SAVE
8044 SCSTP:  CALL     DMASET
8045         PUSH     HL
8046         LD      C,19H
8047         CALL     0F37DH
8048     POP     HL
8049         LD      (WORK+4),A
8050         LD      A,(HL)
8051     CALL     ALPBIG
8052     CP      'A'
8053     JR      C,SCSAV1
8054     CP      'H'+1
8055     JR      NC,SCSAV1
8056     CALL     DSKNM
8057     DEC     A
8058         LD      (WORK+4),A
8059 SCSAV1: CALL     CVAL
8060     JP      C,ERROR
8061         LD      (WORK),DE
8062     CALL     BUNCON
8063         LD      A,(HL)
8064     INC     HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
8065      CP      ' '
8066      JR      Z,SCSAV2
8067      CP      ' '
8068      JR      Z,SCSAV2
8069      DEC     HL
8070      CALL     CVAL
8071      JP      C,ERROR
8072      CALL     BUNCON
8073      PUSH     HL
8074      LD      HL,(WORK)
8075      EX      DE,HL
8076      RST     20H
8077      JP      C,ERROR
8078      EX      DE,HL
8079      POP      HL
8080  SCSAV2: LD      (WORK+2),DE
8081      CALL     SUB100
8082  SCSAV5: LD      BC,512
8083      CALL     DMATRW
8084      LD      DE,(WORK)
8085      LD      HL,(WORK+4)
8086      LD      H,1
8087      LD      C,30H
8088      CALL     SYSCAL
8089      LD      HL,(WORK)
8090      LD      DE,(WORK+2)
8091      RST     20H
8092      JP      Z,COMPLT
8093      INC     HL
8094      LD      (WORK),HL
8095      JR      SCSAV5
8096  SCSEN:      ;
8097
8098      ; BSAVE <FILENAME>,<BEGIN>[<#SLOT>],<END>,[<START>[,<OFFSET>]]
8099  SVTP:      CALL     FLNAME
8100      CALL     BUNCON
8101      CALL     SUB200
8102      PUSH     HL
8103      LD      HL,(ADXWK0)
8104      LD      A,H
8105      CP      80H
8106      JP      C,ERROR
8107      LD      (DMA+1),HL
8108      LD      HL,(ADXWK1)
8109      LD      (DMA+3),HL
8110      POP      HL
8111      LD      A,(HL)
8112      OR      A
```

E:\paleobasic\superx\SUPER-X.ASM

```
8113      JR    NZ,SAVE2
8114      LD    HL,(DMA+1)
8115      LD    (DMA+5),HL
8116      JR    SAVE3
8117 SAVE2:  CALL    BUNCON
8118      LD    IX,ADRES
8119      CALL    POCALL
8120      LD    (DMA+5),DE
8121
8122      LD     A,(HL)
8123      OR     A
8124      JR     Z,SAVE3
8125
8126      CALL    BUNCON
8127      LD    IX,ADRES
8128      CALL    POCALL
8129
8130      PUSH    HL
8131      LD     HL,(DMA+1)
8132      ADD     HL,DE
8133      LD     (DMA+1),HL
8134      LD     HL,(DMA+3)
8135      ADD     HL,DE
8136      LD     (DMA+3),HL
8137      LD     HL,(DMA+5)
8138      ADD     HL,DE
8139      LD     (DMA+5),HL
8140      POP     HL
8141
8142      CALL    BUNMAT
8143 SAVE3:  LD     A,0FEH
8144      LD     (DMA),A
8145      CALL    SVOPEN
8146      LD     DE,FCB
8147      LD     HL,7
8148      LD     C,26H
8149      CALL    SYSCAL
8150
8151      LD     HL,(ADXWK1)
8152      LD     DE,(ADXWK0)
8153      OR     A
8154      SBC    HL,DE
8155      LD     DE,256
8156      CALL    DIV
8157      LD     (WORK),HL
8158      LD     (WORK+1),IX
8159      JP     SPSAV3
8160 SVEN:  ;
```

E:\paleobasic\superx\SUPER-X.ASM

```
8161
8162 ; 0000.0 0000
8163 SCLTP:  CALL    DMASET
8164         PUSH    HL
8165         LD      C,19H
8166         CALL    0F37DH
8167         POP     HL
8168         LD      (WORK+4),A
8169         LD      A,(HL)
8170         CALL    ALPBIG
8171         CP      'A'
8172         JR      C,SCLOD1
8173         CP      'H'+1
8174         JR      NC,SCLOD1
8175         CALL    DSKNM
8176         DEC     A
8177         LD      (WORK+4),A
8178 SCLOD1:  CALL    CVAL
8179         JP      C,ERROR
8180         LD      (WORK),DE
8181         CALL    BUNCON
8182         LD      A,(HL)
8183         CP      ','
8184         INC     HL
8185         JR      Z,SCLOD2
8186         CP      ','
8187         JR      Z,SCLOD2
8188         DEC     HL
8189         CALL    CVAL
8190         JP      C,ERROR
8191         CALL    BUNCON
8192         PUSH    HL
8193         LD      HL,(WORK)
8194         EX      DE,HL
8195         RST     20H
8196         JP      C,ERROR
8197         EX      DE,HL
8198         POP     HL
8199 SCLOD2:  LD      (WORK+2),DE
8200         CALL    SUB100
8201         LD      (ADXWK1),DE
8202         LD      HL,(WORK+2)
8203         LD      DE,(WORK)
8204         OR      A
8205         SBC     HL,DE
8206         LD      DE,128
8207         RST     20H
8208         JP      NC,ERROR5
```

E:\paleobasic\superx\SUPER-X.ASM

```
8209      INC HL
8210      LD  DE,512
8211      CALL      MULT
8212      LD  A,H
8213      OR   L
8214      JR   NZ,SCL0D3
8215      LD  A,1
8216      LD  (CARFG),A
8217 SCL0D3: EX  DE,HL
8218      LD  HL,STR95
8219      CALL      NPRINT
8220      EX  DE,HL
8221      LD          (ADSAVS),HL
8222      CALL      ADRSPR
8223      EX  DE,HL
8224      LD  HL,STR85
8225      CALL      NPRINT
8226      EX  DE,HL
8227      LD  DE,(ADXWK0)
8228      DEC HL
8229      ADD HL,DE
8230      JP  C,ERROR5
8231      LD  BC,(SLXWK0)
8232      INC B
8233      DEC B
8234      JR   Z,SCL0D4
8235      LD  A,(0F344H)
8236      CP  C
8237      JR   NZ,SCL0D5
8238 SCL0D4: LD  BC,0FFH
8239      ADD HL,BC
8240      JP  C,ERROR5
8241      SBC HL,SP
8242      JP  NC,ERROR5
8243 SCL0D5: LD  DE,(WORK)
8244      LD  HL,(WORK+4)
8245      LD  H,1
8246      LD  C,2FH
8247      CALL      SYSCAL
8248      LD  BC,512
8249      CALL      DMATRR
8250      LD  HL,(WORK)
8251      LD  DE,(WORK+2)
8252      RST 20H
8253      JR   Z,SCL0D6
8254      INC HL
8255      LD  (WORK),HL
8256      JR   SCL0D5
```

E:\paleobasic\superx\SUPER-X.ASM

```
8257 SCL0D6: LD HL,STR91
8258 CALL NPRINT
8259 LD HL,(ADXWK1)
8260 LD (ADSAVB),HL
8261 LD DE,(SLXWK0)
8262 LD (ADSAVB+2),DE
8263 LD (ADSAVE+2),DE
8264 LD (ADSAVS+2),DE
8265 CALL ADPRSL
8266 LD HL,STR92
8267 CALL NPRINT
8268 LD HL,(ADXWK0)
8269 DEC HL
8270 LD (ADSAVE),HL
8271 CALL ADRSPR
8272 CALL NCRLF
8273 JP COMPLT
8274 SCLEN: ;
8275
8276 ; CO    0000
8277 COTP: LD A,(HL)
8278 INC HL
8279 CP ", "
8280 JR Z,COLOR4
8281 DEC HL
8282 CALL CVAL
8283 INC D
8284 DEC D
8285 JP NZ,ERROR
8286 LD A,E
8287 CP 16
8288 JP NC,ERROR
8289 LD (0F3E9H),A
8290 LD A,(HL)
8291 OR A
8292 JR Z,COLOR3
8293 CALL BUNCON
8294 COLOR4: LD A,(HL)
8295 INC HL
8296 CP ", "
8297 JR Z,COLOR5
8298 DEC HL
8299 CALL CVAL
8300 INC D
8301 DEC D
8302 JP NZ,ERROR
8303 LD A,E
8304 CP 16
```


E:\paleobasic\superx\SUPER-X.ASM

```
8305      JP  NC,ERROR
8306      LD  (0F3EAH),A
8307      LD      A,(HL)
8308      OR      A
8309      JR      Z,COLOR3
8310      CALL     BUNCON
8311  COLOR5: CALL     CVAL
8312      INC  D
8313      DEC  D
8314      JP  NZ,ERROR
8315      LD  A,E
8316      CP  16
8317      JP  NC,ERROR
8318      LD  (0F3EBH),A
8319      CALL     BUNMAT
8320  COLOR3: CALL     62H
8321      JP  SYSTEM
8322  COEN:  ;
8323
8324  ; FS□□□ □□□
8325  FSTP:
8326
8327      LD  C,6FH
8328      PUSH HL
8329      CALL     0F37DH
8330      POP  HL
8331      LD  A,B
8332      CP  2
8333      JR  C,FSD0S1
8334
8335      PUSH HL
8336      POP  DE
8337      LD  IX,FCB
8338      LD  B,37H      ;RHDS
8339      LD  C,40H
8340      CALL     0F37DH
8341      AND  A
8342      JP  NZ,SYSTEM
8343      LD  C,0
8344  FSD24:
8345      LD  B,2
8346      INC  C
8347
8348  FSD23:
8349      PUSH BC
8350      LD  B,19
8351
8352      LD  HL,FCB+1
```

E:\paleobasic\superx\SUPER-X.ASM

```
8353      LD  A,(FCB+14)
8354      AND 10H
8355      JR  Z,FSD21
8356      LD  A,"<"
8357      CALL    CHPUT
8358      DEC B
8359
8360
8361 FSD21:  LD  A,(HL)
8362      CALL    CHPUT
8363      INC HL
8364      DEC B
8365      AND A
8366      JR  NZ,FSD21
8367
8368      LD  A,(FCB+14)
8369      AND 10H
8370      JR  Z,FSD22
8371      LD  A,">"
8372      CALL    CHPUT
8373      DEC B
8374
8375 FSD22:
8376      LD  A,' '
8377      CALL    CHPUT
8378      DJNZ  FSD22
8379
8380      LD  C,41H
8381      LD  IX,FCB
8382      CALL    0F37DH
8383      AND A
8384
8385      POP BC
8386      JP  NZ,SYSTEM
8387      DJNZ  FSD23
8388
8389      LD  A,C
8390      CP  21
8391      JR  NZ,FSD25
8392      CALL    STOP2
8393      JP  Z,BREAK
8394      LD  C,0
8395 FSD25:
8396      CALL    NCRLF
8397      JR  FSD24
8398
8399 FSDOS1:
8400
```

E:\paleobasic\superx\SUPER-X.ASM

```
8401      CALL      FCBCLR
8402      CALL      DSKNM
8403      CALL      BUNMAT
8404      XOR      A
8405      LD      HL,WORK
8406      LD      (HL),A
8407      INC      HL
8408      LD      (HL),A
8409      INC      HL
8410      LD      (HL),A
8411      LD      HL,FCB+1
8412      LD      DE,FCB+2
8413      LD      BC,10
8414      LD      (HL),'?'
8415      LDIR
8416      LD      C,11H
8417      LD      DE,FCB
8418      CALL      0F37DH
8419      OR      A
8420      JP      NZ,ERROR6
8421  FILES5: OR      A
8422      JR      Z,FILES6
8423      LD      A,(WORK+1)
8424      OR      A
8425      CALL      NZ,NCRLF
8426      LD      HL,(WORK)
8427      LD      H,0
8428      CALL      DECPR
8429      LD      HL,STR78
8430      CALL      NPRINT
8431      JP      SYSTEM
8432  FILES6: CALL      STOP
8433      JP      Z,ERROR
8434      LD      HL,DMA+1
8435      LD      B,8
8436  FILES1: LD      A,(HL)
8437      CALL      CHPUT
8438      INC      HL
8439      DJNZ     FILES1
8440      LD      A,(HL)
8441      CP      ' '
8442      JR      Z,FILES7
8443      LD      A,'.'
8444  FILES7: CALL      CHPUT
8445      LD      B,3
8446  FILES2: LD      A,(HL)
8447      CALL      CHPUT
8448      INC      HL
```

E:\paleobasic\superx\SUPER-X.ASM

```
8449     DJNZ     FILES2
8450     CALL     ONEPUT
8451     LD      HL,WORK
8452     INC      (HL)
8453     INC      HL
8454     INC      (HL)
8455     LD      A,(HL)
8456     SUB      3
8457     JR      NZ,FILES4
8458     LD      (HL),A
8459     INC      HL
8460     INC      (HL)
8461     LD      A,(HL)
8462     SUB      21
8463     JR      NZ,FILES8
8464     LD      (HL),A
8465     CALL     STOP2
8466     JP      Z,BREAK
8467 FILES8: CALL     NCRLF
8468 FILES4: LD      C,12H
8469     CALL     0F37DH
8470     JR      FILES5
8471 FSEN:    ;
8472
8473 CDTP:    ; CD command
8474
8475     LD      C,6FH
8476
8477     PUSH     HL
8478     CALL     0F37DH
8479     POP      DE
8480     AND      A
8481     JP      NZ,ERROR
8482     LD      A,B
8483     CP      2
8484     JR      NC,CD1
8485
8486     LD      HL,STR69
8487 CD2:
8488     CALL     NPRINT
8489     JP      SYSTEM
8490
8491 CD1:
8492     LD      C,5AH
8493     CALL     0F37DH
8494     AND      A
8495     LD      HL,STR56
8496     JR      NZ,CD2
```

E:\paleobasic\superx\SUPER-X.ASM

```
8497      JP    SYSTEM
8498
8499  CDEN:    ; CD command end
8500
8501  ; VR□□□ □□□
8502  VRTP:
8503          LD    A,(HL)
8504      OR     A
8505      JR     Z,VARBL1
8506      CALL    VARNAM
8507      JP     C,ERROR
8508      LD      D,0
8509      LD      E,A
8510  VARBL5:
8511      EX     DE,HL
8512
8513      LD     BC,ADSAV0
8514      ADD    HL,HL
8515      ADD    HL,HL
8516      ADD    HL,BC
8517      PUSH   HL
8518      EX     DE,HL
8519      INC    HL
8520      LD     A,(HL)
8521      INC    HL
8522      CP     "="
8523      JR     Z,VARBL7
8524      DEC    HL
8525      CALL    BUNCON
8526  VARBL7:
8527      LD     IX,ADRES
8528      CALL    POCALL
8529      JP     C,ERROR
8530      CALL    BUNMAT
8531      INC    B
8532      DEC    B
8533      JR     NZ,VARBL4
8534      LD     BC,(SLSAV0)
8535  VARBL4: POP    IX
8536      LD     (IX),E
8537      LD     (IX+1),D
8538      LD     (IX+2),C
8539      LD     (IX+3),B
8540      JP     SYSTEM
8541  VARBL1: LD     B,0
8542  VARBL3: PUSH   BC
8543      LD     HL,STR105
8544      CALL    NPRINT
```

E:\paleobasic\superx\SUPER-X.ASM

```
8545      LD  A,'0'
8546      ADD      A,B
8547      LD      C,A
8548      LD      A,B
8549      CP      4
8550      JR      C,VARBL6
8551      LD      C,"B"
8552      JR      Z,VARBL6
8553      CP      5
8554      LD      C,"E"
8555      JR      Z,VARBL6
8556      CP      6
8557      LD      C,"S"
8558      ;JR      Z,VARBL6
8559  VARBL6: LD      A,C
8560      CALL     CHPUT
8561      LD  A,'='
8562      CALL     CHPUT
8563      LD  L,B
8564      LD  H,0
8565      LD  DE,ADSAV0
8566      ADD HL,HL
8567      ADD HL,HL
8568      ADD HL,DE
8569      PUSH     HL
8570      POP      IX
8571      LD  L,(IX)
8572      LD  H,(IX+1)
8573      LD  E,(IX+2)
8574      LD  D,(IX+3)
8575      CALL     ADPRSL
8576      CALL     NCRLF
8577      POP      BC
8578      INC      B
8579      LD      A,B
8580      CP      4+3
8581      JR      NZ,VARBL3
8582      JP      SYSTEM
8583
8584
8585  VREN:      ; Variable end
8586
8587      ; SF□□□ □□□
8588  SFTP:      LD  A,(HL)
8589      OR  A
8590      JR  NZ,STFUN1
8591      CALL     3EH
8592      JP      SYSTEM
```

E:\paleobasic\superx\SUPER-X.ASM

```
8593 STFUN1: CALL    CVAL
8594         JP     C,ERROR
8595         CALL    BUNCON
8596         LD     A,D
8597         OR     A
8598         JP     NZ,ERROR
8599         LD     A,E
8600         OR     A
8601         JP     Z,ERROR
8602         CP     11
8603         JP     NC,ERROR
8604         LD     BC,0F87FH-16
8605         EX     DE,HL
8606         ADD    HL,HL
8607         ADD    HL,HL
8608         ADD    HL,HL
8609         ADD    HL,HL
8610         ADD    HL,BC
8611         EX     DE,HL
8612         LD     B,15
8613 STFUN2: LD     A,(HL)
8614         CP     '['
8615         JR     NZ,STFUN3
8616         INC    HL
8617         PUSH    BC
8618         PUSH    DE
8619         CALL    CVAL
8620         JP     C,ERROR
8621         LD     A,D
8622         OR     A
8623         JP     NZ,ERROR
8624         LD     A,(HL)
8625         CP     ']'
8626         JP     NZ,ERROR
8627         LD     A,E
8628         POP     DE
8629         POP     BC
8630 STFUN3: LD     (DE),A
8631         INC    HL
8632         INC    DE
8633         DJNZ    STFUN2
8634         XOR    A
8635         LD     (DE),A
8636         JP     SYSTEM
8637 SFEN:
8638
8639 ; SUB
8640
```

E:\paleobasic\superx\SUPER-X.ASM

```
8641 ; p p "
8642 NWSLTP: LD HL,STR07
8643 CALL NPRINT
8644 LD B,0
8645 NWSLT1: LD HL,STR08
8646 CALL NPRINT
8647 LD A,B
8648 ADD A,'0'
8649 CALL CHPUT
8650 LD A,'='
8651 CALL CHPUT
8652 CALL PGSLOT
8653 PUSH BC
8654 CALL SHARPR
8655 LD A,C
8656 CALL NSLTPR
8657 POP BC
8658 INC B
8659 LD A,B
8660 CP 4
8661 JR NZ,NWSLT1
8662 CALL NCRLF
8663 LD HL,STR11
8664 CALL NPRINT
8665 LD B,4
8666 LD HL,0F341H
8667 NWSLT6: EXX
8668 LD HL,STR08
8669 CALL NPRINT
8670 EXX
8671 LD A,'4'
8672 SUB B
8673 CALL CHPUT
8674 LD A,'='
8675 CALL CHPUT
8676 CALL SHARPR
8677 LD A,(HL)
8678 PUSH BC
8679 CALL NSLTPR
8680 POP BC
8681 INC HL
8682 DJNZ NWSLT6
8683 CALL NCRLF
8684 LD HL,STR14
8685 CALL NPRINT
8686 LD A,(0F341H)
8687 CALL NSLTPR
8688 LD A,':'
```


E:\paleobasic\superx\SUPER-X.ASM

```
8689      CALL      CHPUT
8690      LD      A, '#'
8691      CALL      CHPUT
8692      LD      A,(0F342H)
8693      CALL      NSLTPR
8694      LD      HL,STR15
8695      CALL      NPRINT
8696      LD      A,(0FCC1H)
8697      CALL      NSLTPR
8698      CALL      NCRLF
8699      LD      HL,STR16
8700      CALL      NPRINT
8701      LD      A,(0FAF8H)
8702      CALL      NSLTPR
8703      CALL      ONEPUT
8704      LD      HL,STR17
8705      CALL      NPRINT
8706      LD      HL,0FB21H
8707 NWSLT5: LD      A,(HL)
8708      OR      A
8709      JR      Z,NWSLT4
8710      LD      A,':'
8711      CALL      CHPUT
8712      CALL      SHARPR
8713      INC     HL
8714      LD      A,(HL)
8715      CALL      NSLTPR
8716      INC     HL
8717      JR      NWSLT5
8718 NWSLT4: CALL      NCRLF
8719      LD      DE,0FCC1H
8720      LD      HL,STR12
8721      CALL      NPRINT
8722      LD      B,4
8723      LD      IX,EXPTBL
8724 NWSLT8: LD      A,':'
8725      CALL      CHPUT
8726      LD      A,'*'
8727      LD      (IX),0
8728      EX      DE,HL
8729      BIT     7,(HL)
8730      EX      DE,HL
8731      JR      Z,NWSLT9
8732      LD      A,'o' ; WAS '□'
8733      LD      (IX),255
8734 NWSLT9: CALL      CHPUT
8735      INC     DE
8736      INC     IX
```

E:\paleobasic\superx\SUPER-X.ASM

```
8737      DJNZ      NWSLT8
8738      CALL      ONEPUT
8739      LD   HL,STR18
8740      CALL      NPRINT
8741      LD   C,18H
8742      CALL      0F37DH
8743      LD   B,8
8744      LD   C,'A'
8745      LD   D,1
8746  NWST11: LD   A,D
8747      AND  L
8748      JR   Z,NWST10
8749      PUSH  AF
8750      LD   A,':'
8751      CALL  CHPUT
8752      LD   A,C
8753      CALL  CHPUT
8754      POP  AF
8755  NWST10: INC  C
8756      SLA  D
8757      DJNZ  NWST11
8758      CALL  ONEPUT
8759      LD   HL,STR23
8760      CALL  NPRINT
8761      LD   HL,(RESAVE+24)
8762      CALL  ADRSPR
8763      CALL  NCRLF
8764      CALL  MAPPR
8765      JP   PCRLF
8766  NWSLEN:
8767
8768  ; 00000000X
8769  ALLBIG: PUSH  HL
8770      LD   HL,0F55EH
8771  ALBIG2: LD   A,(HL)
8772      CALL  ALPBIG
8773      LD   (HL),A
8774      LD   DE,0F65FH
8775      CALL  DCOMPR
8776      JR   Z,ALBIG1
8777      INC  HL
8778      JR   ALBIG2
8779  ALBIG1: POP  HL
8780      RET
8781
8782  ; 00000000X
8783  NALBIG: PUSH  HL
8784      LD   HL,0F55EH
```

E:\paleobasic\superx\SUPER-X.ASM

```
8785      LD    B,0
8786 NALBG1: LD    A,(HL)
8787      CP    ' '
8788      JR    Z,NALBG2
8789      CP    " '"
8790      JR    NZ,NALBG3
8791      LD    A,B
8792      CPL
8793      LD    B,A
8794      LD    A," '"
8795 NALBG3: INC B
8796      DEC B
8797      CALL   Z,ALPBIG
8798      LD    (HL),A
8799      LD    DE,0F65FH
8800      CALL   DCOMPR
8801      INC HL
8802      JR    NZ,NALBG1
8803 NALBG2: POP HL
8804      RET
8805
8806 ;   □□□□"□□
8807 BUNSUB: LD    HL,NST05
8808      LD    B,7
8809      LD    E,6
8810 BUNSB1: LD    D,(HL)
8811      INC HL
8812      LD    (0F3DCH),DE
8813      CALL   PRINT
8814      INC HL
8815      INC E
8816      DJNZ   BUNSB1
8817      RET
8818
8819 ;   □□□□□
8820 CHRHLP: LD    HL,NST06
8821      LD    DE,VWORK+40*17
8822      LD    BC,120
8823      LDIR
8824      RET
8825
8826 ;   □□@□ □□(□□□□□)
8827 SITACL: XOR A
8828      LD    (PRNFG),A
8829      LD    HL,40*20
8830      LD    BC,40
8831      LD    A,' '
8832      JP    FILVRM
```

E:\paleobasic\superx\SUPER-X.ASM

```
8833
8834 ; 
8835 LINE: LD A,23
8836 LINE1: LD HL,880
8837 LD BC,40
8838 JP FILVRM
8839
8840 ; 
8841 CLSLIN: LD A,' '
8842 LD HL,880
8843 LD BC,80
8844 JP FILVRM
8845
8846 ; IN/HL=SHIFTJIS
8847 ; 0/FC18H2000 00000000
8848 JIS: PUSH HL
8849 LD HL,0FC18H
8850 LD DE,0FC19H
8851 LD BC,31
8852 LD (HL),0
8853 LDIR
8854 POP HL
8855 LD A,H
8856 CALL CODECK
8857 RET C
8858 JIS1: LD B,H
8859 LD C,L
8860 CALL CODEGT
8861 JP KNJFNT
8862
8863 ; A000000000000000 (Cf=0000)
8864 CODECK: CP 81H
8865 RET C
8866 CP 0A0H
8867 CCF
8868 RET NC
8869 CP 0E0H
8870 RET C
8871 CP 0FDH
8872 CCF
8873 RET
8874
8875 ; BC=00JIS0000 => BC=JIS0000
8876 CODEGT: LD A,C
8877 CP 80H
8878 ADC A,0FFH
8879 CP 9EH
8880 PUSH AF
```

E:\paleobasic\superx\SUPER-X.ASM

```
8881      JR   C,CODGT1
8882      SUB  5EH
8883 CODGT1: SUB  3FH
8884      LD   C,A
8885      LD   A,B
8886      CP   0E0H
8887      JR   C,CODGT2
8888      SUB  40H
8889 CODGT2: SUB  81H
8890      LD   B,A
8891      POP  AF
8892      CCF
8893      LD   A,B
8894      RLA
8895      INC  A
8896      ADD  A,20H
8897      LD   B,A
8898      LD   A,C
8899      ADD  A,20H
8900      LD   C,A
8901      RET
8902
8903 ; 0000 0000 IN/BC=JIS
8904 KNJFNT: LD   A,B
8905      CP   21H
8906      JR   NC,KNJFN1
8907 KNJFN2: SCF
8908      RET
8909 KNJFN1: CP   28H
8910      JR   C,KNJFN3
8911      CP   30H
8912      JR   C,KNJFN2
8913      CP   75H
8914      JR   NC,KNJFN2
8915 KNJFN3: LD   A,C
8916      CP   21H
8917      JR   C,KNJFN2
8918      CP   7FH
8919      JR   NC,KNJFN2
8920      LD   A,C
8921      SUB  20H
8922      LD   E,A
8923      LD   D,00H
8924      LD   A,B
8925      SUB  20H
8926      LD   L,A
8927      LD   H,D
8928      LD   C,L
```

E:\paleobasic\superx\SUPER-X.ASM

```
8929      LD   B,H
8930      ADD  HL,HL
8931      ADD  HL,BC
8932      ADD  HL,HL
8933      ADD  HL,HL
8934      ADD  HL,HL
8935      ADD  HL,HL
8936      ADD  HL,HL
8937      ADD  HL,DE
8938      CP   30H
8939      JR   C,KNJFN4
8940      LD   A,H
8941      SUB  12H
8942      LD   H,A
8943      LD   C,0DAH
8944      JR   KNJFN5
8945 KNJFN4: CP   10H
8946      JR   C,KNJFN6
8947      DEC  H
8948      DEC  H
8949 KNJFN6: LD   C,0D8H
8950 KNJFN5: OUT (C),L
8951      ADD  HL,HL
8952      ADD  HL,HL
8953      INC  C
8954      OUT (C),H
8955      LD   B,20H
8956      LD   HL,0FC18H
8957      INIR
8958      OR   A
8959      RET
8960
8961 ; 0000 ON
8962 KNJON: LD   HL,0
8963      LD   (0F3DCH),HL
8964      XOR  A
8965      LD   (COUNT),A
8966      LD   HL,2000H
8967      LD   BC,800H*3
8968      LD   A,(0F3E9H)
8969      RLCA
8970      RLCA
8971      RLCA
8972      RLCA
8973      LD   E,A
8974      LD   A,(0F3EAH)
8975      OR   E
8976      JP   FILVRM
```

E:\paleobasic\superx\SUPER-X.ASM

```
8977
8978 ;  □□X□"□□□IN/E=ASC
8979 KPRINT: LD  A,(COUNT)
8980         OR  A
8981         JR  NZ,KPRNT2
8982         LD  A,E
8983         CP  ' '
8984         JR  NC,KPRNT8
8985         CP  9
8986         JR  Z,KPRNT1
8987         CP  13
8988         RET NZ
8989 KPRNT3: LD  HL,0F3DDH
8990         JP  KCRLF
8991 KPRNT8: CALL CODECK
8992         JR  C,KPRNT4
8993         LD  (COUNT),A
8994         RET
8995 KPRNT4: SUB  ' '
8996         LD  DE,HNKNDT
8997         CP  160-' '
8998         JR  C,KPRNT9
8999         SUB 160-' '
9000         LD  DE,HNKDT1
9001 KPRNT9: LD  H,0
9002         LD  L,A
9003         ADD HL,HL
9004         ADD HL,DE
9005         LD  C,(HL)
9006         INC HL
9007         LD  B,(HL)
9008         JR  KPRNT7
9009 KPRNT2: LD  B,A
9010         LD  C,E
9011         CALL CODEGT
9012 KPRNT7: CALL FONTGT
9013         CALL FONTST
9014         XOR A
9015         LD  (COUNT),A
9016         RET
9017 KPRNT1: LD  A,(0F3DDH)
9018         ADD A,8
9019         AND 11111000B
9020         CP  30
9021         JR  NC,KPRNT3
9022         LD  (0F3DDH),A
9023         RET
9024
```

E:\paleobasic\superx\SUPER-X.ASM

```
9025 FONTST: LD HL,(0F3DCH)
9026     PUSH    HL
9027     LD      H,0
9028     LD      DE,8*32*2
9029     CALL     MULT
9030     POP      DE
9031     PUSH     HL
9032     LD      E,D
9033     INC      E
9034     LD      D,0
9035     LD      HL,8
9036     CALL     MULT
9037     POP      DE
9038     ADD      HL,DE
9039     EX       DE,HL
9040     PUSH     DE
9041     LD      HL,FontWK
9042     LD      BC,8
9043     CALL     LDIRVM
9044     POP      HL
9045     LD      DE,8*32
9046     ADD      HL,DE
9047     EX       DE,HL
9048     LD      HL,FontWK+8
9049     LD      BC,8
9050     CALL     LDIRVM
9051     LD      HL,0F3DDH
9052     INC      (HL)
9053     LD      A,(HL)
9054     CP       30
9055     RET      NZ
9056 KCRLF: LD (HL),0
9057     DEC      HL
9058     INC      (HL)
9059     RET
9060
9061 FONTGT: LD A,B
9062     CP       30H
9063     JR       C,FNTGT1
9064     SUB      7
9065 FNTGT1: SUB 21H
9066     LD      H,0
9067     LD      L,A
9068     LD      DE,96
9069     PUSH     BC
9070     CALL     MULT
9071     POP      BC
9072     LD      A,C
```


E:\paleobasic\superx\SUPER-X.ASM

```

9073     SUB 21H
9074     LD  C,A
9075     LD  B,0
9076     ADD HL,BC
9077     ADD HL,HL ;*16
9078     ADD HL,HL
9079     ADD HL,HL
9080     ADD HL,HL
9081     DI
9082     LD  A,(VWRTPT)
9083     INC A
9084     LD  C,A
9085     XOR A
9086     OUT (C),A
9087     LD  A,45+80H
9088     OUT (C),A
9089     LD  A,H
9090     RLCA
9091     RLCA
9092     AND 3
9093     SET 2,A
9094     OUT (C),A
9095     LD  A,14+80H
9096     OUT (C),A
9097     OUT (C),L
9098     LD  A,H
9099     AND 3FH
9100     OUT (C),A
9101     LD  A,(VREDPT)
9102     LD  C,A
9103     LD  B,16
9104     LD  HL,FONTWK
9105 FNTGT2: IN  A,(C)
9106     LD  (HL),A
9107     INC HL
9108     DJNZ FNTGT2
9109     EI
9110     RET
9111
9112 FONTWK: DS 16
9113 COUNT:  DS 1
9114
9115 TITLE:  XOR A
9116     LD  (PRNFG),A
9117     LD  HL,NST04
9118     CALL PRINT
9119     LD  B,8
9120     LD  HL,40*4

```

E:\paleobasic\superx\SUPER-X.ASM

```

9121      LD  A,'|'
9122 TITLE1: CALL  WRTVRM
9123      LD  DE,39
9124      ADD HL,DE
9125      CALL  WRTVRM
9126      INC HL
9127      DJNZ  TITLE1
9128      EX  DE,HL
9129      LD  HL,NST04
9130      LD  BC,40
9131      JP  LDIRVM
9132
9133 ; □□□□
9134 HELPSB: LD  HL,HELPMS
9135      LD  DE,0
9136      LD  BC,40*20
9137      JP  LDIRVM
9138
9139 ; □□□□□□
9140 KIND:   XOR A
9141      LD  (PRNFG),A
9142      LD  HL,18*256+10
9143      LD  (0F3DCH),HL
9144      LD  HL,(ADXWK0)
9145      CALL  ADRSPR
9146      LD  HL,14*256+12
9147      LD  (0F3DCH),HL
9148      LD  HL,(ADXWK1)
9149      LD  H,0
9150      ADD HL,HL
9151      ADD HL,HL
9152      LD  DE,NST02
9153      ADD HL,DE
9154      LD  B,4
9155 KIND1:  LD  A,(HL)
9156      CALL  HICHP
9157      INC HL
9158      DJNZ  KIND1
9159      LD  HL,21*256+12
9160      LD  (0F3DCH),HL
9161      LD  A,(ADXWK1+1)
9162      LD  H,0
9163      LD  L,A
9164      ADD HL,HL
9165      ADD HL,HL
9166      LD  DE,NST03
9167      ADD HL,DE
9168      LD  B,4

```

E:\paleobasic\superx\SUPER-X.ASM

```

9169  KIND2:  LD  A,(HL)
9170          CALL  HICHP
9171          INC HL
9172          DJNZ  KIND2
9173          RET
9174
9175  ; □□□□□□
9176  BOX:      LD  HL,NST01
9177          LD  B,11
9178          LD  E,9
9179  BOX1:     LD  D,13
9180          LD  (0F3DCH),DE
9181          CALL  PRINT
9182          INC HL
9183          INC E
9184          DJNZ  BOX1
9185          RET
9186
9187  ; Info on bottom of screen
9188  MAKSLA:  PUSH  HL
9189          POP  IX
9190          CALL  CLSLIN
9191          CALL  LINE
9192          LD  HL,(0F3DCH)
9193          PUSH  HL
9194          LD  A,24
9195          LD  (0F3B1H),A
9196          LD  HL,256+24
9197          LD  (0F3DCH),HL
9198          LD  HL,STR33
9199          CALL  PRINT
9200          LD  A,2
9201          LD  (0F3DDH),A
9202          PUSH  IX
9203          POP  HL
9204          CALL  PRINT ;□□□
9205          LD  A,16
9206          LD  (0F3DDH),A
9207          LD  HL,STR24
9208          CALL  PRINT ;□□
9209          LD  A,(SLSAV0+1)
9210          OR  A
9211          JR  NZ,MAKSL1
9212          LD  HL,STR25
9213          CALL  PRINT
9214          JR  MAKSL2
9215  MAKSL1:  LD  A,(SLSAV0)
9216          CALL  SLOTPR

```

E:\paleobasic\superx\SUPER-X.ASM

```
9217 MAKSL2: LD A,28
9218 LD (0F3DDH),A
9219 LD HL,STR29
9220 CALL PRINT
9221 LD DE,(OFFSET)
9222 LD HL,0
9223 XOR A
9224 SBC HL,DE
9225 LD A,H
9226 CALL DATPR
9227 LD A,L
9228 CALL DATPR
9229
9230 POP HL
9231 LD (0F3DCH),HL
9232 LD A,22
9233 LD (0F3B1H),A
9234 RET
9235
9236 ; DE=Adr B=Slotfg C=slot
9237 ADRES: LD A,(HL)
9238 CP '@'
9239 JR NZ,ADRS18
9240 INC HL
9241 LD A,(HL)
9242 OR A
9243 JR Z,ADRS20
9244 CALL VARNAM
9245 RET C
9246 CP 4+3
9247 CCF
9248 RET C
9249 PUSH HL
9250 LD L,A
9251 LD H,0
9252 ADD HL,HL
9253 ADD HL,HL
9254 LD DE,ADSAV0
9255 ADD HL,DE
9256 LD E,(HL)
9257 INC HL
9258 LD D,(HL)
9259 INC HL
9260 LD C,(HL)
9261 INC HL
9262 LD B,(HL)
9263 POP HL
9264 INC HL
```

E:\paleobasic\superx\SUPER-X.ASM

```

9265      OR   A
9266      RET
9267  ADRS20: LD   DE,(ADSAV0)
9268      JR   ADRS07
9269  ADRS18: LD   A,(HL)
9270      CALL    ADSUB
9271      RET C
9272      LD   A,(HL)
9273      OR   A
9274      JR   NZ,ADRS06
9275  ADRS07: LD   BC,(SLSAV0)
9276      OR   A
9277      RET
9278  ADRS06: CP   ','
9279      JR   Z,ADRS07
9280      CP   ' '
9281      JR   Z,ADRS07
9282      CP   '#'
9283      JR   NZ,ADRS04
9284  SLT:    INC HL
9285      LD   A,(HL)
9286      CALL    ALPBIG
9287      CP   '4'
9288      JR   Z,ADRS13
9289      CP   'V'
9290      JR   NZ,ADRS09
9291  ADRS13: LD   BC,0FFFFH
9292      JR   ADRS10
9293  ADRS09: CP   '5'
9294      JR   Z,ADRS15
9295      CP   'S'
9296      JR   NZ,ADRS14
9297  ADRS15: LD   B,0
9298      JR   ADRS10
9299  ADRS14: LD   B,0
9300      SUB  '0'
9301      CP   4
9302      JR   NC,ADRS04
9303      LD   B,A
9304      INC HL
9305      LD   A,(HL)
9306      CP   '-'
9307      JR   Z,ADRS11
9308      LD   C,B
9309      LD   B,0FFH
9310      JR   ADRS12
9311  ADRS11: INC HL
9312      LD   A,(HL)

```

E:\paleobasic\superx\SUPER-X.ASM

```
9313      SUB  '0'
9314      CP   4
9315      JR   NC,ADRS04
9316      RLCA
9317      RLCA
9318      OR   B
9319      OR   80H
9320      LD   C,A
9321      LD   B,0FFH
9322  ADRS10: INC HL
9323  ADRS12: LD   A,(HL)
9324      OR   A
9325      JR   Z,ADRS05
9326      CP   ','
9327      JR   Z,ADRS05
9328      CP   ' '
9329      JR   Z,ADRS05
9330      SCF
9331      RET
9332  ADRS05: INC B
9333      DEC B
9334      JR   Z,ADRS16
9335      BIT  6,C
9336      JR   NZ,ADRS16
9337      LD   A,C
9338      AND  11B
9339      EXX
9340      LD   HL,0FCC1H
9341      LD   B,0
9342      LD   C,A
9343      ADD  HL,BC
9344      LD   A,(HL)
9345      EXX
9346      AND  80H
9347      JR   Z,ADRS17
9348      BIT  7,C
9349      JR   NZ,ADRS16
9350      SCF
9351      RET
9352  ADRS17: BIT  7,C
9353      JR   NZ,ADRS04
9354  ADRS16: OR   A
9355      RET
9356  ADRS04: SCF
9357      RET
9358
9359      ; ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
9360  ADIPO: LD   IX,(IXBRG)
```

E:\paleobasic\superx\SUPER-X.ASM

```

9361      PUSH      DE
9362      LD      (ADSAV0),HL
9363      CALL     GETBT
9364      LD      A,(OBYTE)
9365      LD      B,A
9366      PUSH     AF
9367      CALL     PUTAD
9368      POP      AF
9369      LD      D,0
9370      LD      E,A
9371      ADD      HL,DE
9372      PUSH     HL
9373      LD      IY,POPD
9374 ADISA3: LD      A,(IY)
9375      OR      A
9376      JR      Z,ADISA1
9377      CALL     OPEPR
9378      INC      IY
9379      JR      ADISA3
9380 ADISA1: POP      HL
9381      LD      (ADSAV0),HL
9382      LD      DE,(ADXWK1)
9383      CALL     DCOMPR
9384      LD      A,0FFH
9385      JR      C,ADISA2
9386      JR      Z,ADISA2
9387      LD      (SAMEFG),A
9388 ADISA2: POP      DE
9389      LD      (IX),0
9390      RET
9391
9392 PUTAD:  CALL     ADRSIN
9393      LD      DE,SBWORK
9394      PUSH     DE
9395      LD      C,B
9396      LD      (IX),' '
9397      INC      IX
9398 PUTAD1: LD      A,(DE)
9399      CALL     DATIN
9400      INC      DE
9401      DJNZ     PUTAD1
9402      LD      IX,(DAWORK)
9403      LD      DE,13
9404      ADD      IX,DE
9405      LD      (IX),':'
9406      INC      IX
9407      POP      DE
9408      LD      B,C

```

E:\paleobasic\superx\SUPER-X.ASM

```
9409 PUTAD2: LD  A,(DE)
9410      CALL    MOJIIN
9411      INC DE
9412      DJNZ     PUTAD2
9413      LD  IX,(DAWORK)
9414      LD  DE,18
9415      ADD IX,DE
9416      LD  (IX),' ':'
9417      INC IX
9418      RET
9419
9420 OPEPR:  LD  B,(IY)
9421      LD  HL,SBWORK+5
9422      INC (HL)
9423      LD  A,(HL)
9424      SUB 2
9425      JR  Z,OPEP19
9426      DEC A
9427      JR  NZ,OPEP18
9428      LD  A,58H
9429      JR  OPEP20
9430 OPEP19: LD  A,86H
9431 OPEP20: PUSH    BC
9432      CALL    OPEP23
9433      POP BC
9434 OPEP18: LD  A,B
9435 OPEP23: CP  80H
9436      JR  C,OPEP14
9437      SUB 80H
9438 OPEP22: JR  Z,OPEPR5
9439      DEC A
9440      JR  Z,OPEPR7
9441      DEC A
9442      JR  Z,OPEPR8
9443      DEC A
9444      JP  Z,OPEP10
9445      DEC A
9446      JP  Z,OPEP11
9447      DEC A
9448      JP  Z,OPEP13
9449      DEC A
9450      JR  Z,OPEPR4
9451      DEC A
9452      JR  Z,OPEP25
9453      LD  A,(SBWORK+2)
9454      JP  OPEPR6
9455 OPEP25: INC IY
9456      LD  A,(IY)
```


E:\paleobasic\superx\SUPER-X.ASM

```
9457      JR   OPEPR6
9458
9459 OPEP14: LD   B,A
9460      LD   HL,OPSTR
9461 OPEP16: DEC  B
9462      JR   Z,OPEPR2
9463      LD   A,(HL)
9464      SUB  '0'-1
9465      LD   D,0
9466      LD   E,A
9467      ADD  HL,DE
9468      JR   OPEP16
9469 OPEPR2: LD   A,(HL)
9470      SUB  '0'
9471      LD   B,A
9472 OPEP17: INC  HL
9473      LD   A,(HL)
9474      CP   'a'
9475      JR   C,OPEP21
9476      CP   'z'+1
9477      JR   NC,OPEP21
9478      SUB  'a'
9479      PUSH     HL
9480      PUSH     BC
9481      CALL     OPEP22
9482      POP  BC
9483      POP  HL
9484      DJNZ     OPEP17
9485      RET
9486 OPEP21: LD   (IX),A
9487      INC  IX
9488      DJNZ     OPEP17
9489      RET
9490 OPEPR4: LD   IX,(DAWORK)
9491      LD   DE,26
9492      ADD  IX,DE
9493      RET
9494 OPEPR5: LD   A,(SBWORK+1)
9495      JR   OPEPR6
9496 OPEPR7: LD   A,(SBWORK+2)
9497      LD   B,'+'
9498      BIT  7,A
9499      JR   Z,OPEP24
9500      CPL
9501      INC  A
9502      INC  B
9503      INC  B
9504 OPEP24: PUSH     AF
```

E:\paleobasic\superx\SUPER-X.ASM

```
9505      LD  A,B
9506      LD  (IX),A
9507      INC IX
9508      POP AF
9509      JR  OPEPR6
9510 OPEPR8: LD  A,(SBWORK+3)
9511 OPEPR6: CALL MOJIHD
9512      CALL DATIN
9513 OPEPR9: LD  (IX),'H'
9514      INC IX
9515      RET
9516 OPEP10: LD  HL,(SBWORK+1)
9517      JR  OPEP12
9518 OPEP11: LD  HL,(SBWORK+2)
9519 OPEP12: LD  A,H
9520      CALL MOJIHD
9521      CALL ADRSIN
9522      JR  OPEPR9
9523 OPEP13: LD  A,(SBWORK+1)
9524      LD  HL,(ADSAV0)
9525      INC HL
9526      INC HL
9527      BIT 7,A
9528      JR  Z,OPEP15
9529      LD  E,A
9530      LD  D,0FFH
9531      ADD HL,DE
9532      JR  OPEP12
9533 OPEP15: LD  E,A
9534      LD  D,0
9535      ADD HL,DE
9536      JR  OPEP12
9537
9538 DIV8:   SRL A
9539      SRL A
9540      SRL A
9541      RET
9542
9543 ; 00'000k & 00000000
9544 ; OBYTE=00'0 POPDT="0000
9545 GETBT:  PUSH  DE
9546      PUSH  HL
9547      LD  HL,OBYTE
9548      LD  DE,SBWORK
9549      LD  A,(DE)
9550      CP  40H
9551      JP  C,GETBT2
9552      CP  0C0H
```

E:\paleobasic\superx\SUPER-X.ASM

```

9553      JP   NC,GETBT2
9554      LD   (HL),1
9555      INC  HL
9556      LD   A,(DE)
9557      CP   76H
9558      JR   NZ,GETBT3
9559      LD   (HL),17H
9560      INC  HL
9561      JP   GBEND
9562  GETBT3:  PUSH   AF
9563          SUB  40H
9564          CALL   DIV8
9565          AND  0FH
9566          PUSH   AF
9567          CP   8
9568          JR   NC,GETBT4
9569          LD   (HL),1
9570          INC  HL
9571          POP  AF
9572          ADD  A,46H
9573          LD   (HL),A
9574          INC  HL
9575          JR   GETBT5
9576  GETBT4:  SUB  6
9577          LD   (HL),A
9578          INC  HL
9579          POP  AF
9580          CP   0CH
9581          JR   NC,GETBT5
9582          CP   0AH
9583          JR   Z,GETBT5
9584          LD   A,4DH
9585          LD   (HL),A
9586          INC  HL
9587  GETBT5:  POP  AF
9588          AND  7
9589          ADD  A,46H
9590          LD   (HL),A
9591          INC  HL
9592          JP   GBEND
9593
9594  GETBT2:  CP   0CBH
9595          JP   NZ,GETBT6
9596          LD   A,2
9597          LD   (HL),A
9598          INC  HL
9599          LD   A,(SBWORK+1)
9600          PUSH   AF

```

E:\paleobasic\superx\SUPER-X.ASM

```

9601      CALL      DIV8
9602      CP       8
9603      JR        NC,GETBT7
9604      CP       6
9605      JP        NZ,GETBT9
9606      POP      AF
9607      LD       A,75H
9608      LD       (HL),A
9609      INC      HL
9610      JP       GBEND
9611 GETBT9: CP     7
9612      JR        NZ,GETB10
9613      DEC      A
9614 GETB10: ADD    A,22H
9615      LD       (HL),A
9616      INC      HL
9617 GETBT8: POP    AF
9618      AND      7
9619      ADD      A,46H
9620      LD       (HL),A
9621      INC      HL
9622      JP       GBEND
9623 GETBT7: PUSH   AF
9624      CALL      DIV8
9625      ADD      A,36H
9626      LD       (HL),A
9627      INC      HL
9628      POP      AF
9629      AND      7
9630      ADD      A,6CH
9631      LD       (HL),A
9632      INC      HL
9633      JR        GETBT8
9634
9635 GETBT6: CP     0EDH
9636      JP        Z,GETB18
9637      CP       0DDH
9638      JP        Z,GETB11
9639      CP       0FDH
9640      JP        Z,GETB24
9641      CP       40H
9642      JR        C,GETB17
9643      SUB      80H
9644 GETB17: LD     DE,ASMOP
9645      PUSH     HL
9646      LD       H,0
9647      LD       L,A
9648      ADD      HL,HL

```

E:\paleobasic\superx\SUPER-X.ASM

```

9649      ADD HL,HL
9650      ADD HL,DE
9651      EX  DE,HL
9652      POP HL
9653 GETB22: LD  A,(DE)
9654      LD  (HL),A
9655      INC HL
9656      LD  B,3
9657 GETB14: INC DE
9658      LD  A,(DE)
9659      OR  A
9660      JP  Z,GBEND
9661      CP  52H
9662      JR  Z,GETB34
9663      CP  5EH
9664      JR  Z,GETB34
9665      CP  60H
9666      JR  Z,GETB34
9667      CP  62H
9668      JR  Z,GETB34
9669      CP  7CH
9670      JR  Z,GETB34
9671 GETB32: LD  (HL),A
9672      INC HL
9673      DJNZ GETB14
9674      JP  GBEND
9675 GETB34: LD  C,A
9676      LD  A,(SBWORK+4)
9677      ADD A,C
9678      JR  GETB32
9679
9680 GETB19: LD  (HL),2
9681      INC HL
9682 GETB26: LD  A,75H
9683      LD  (HL),A
9684      INC HL
9685      JP  GBEND
9686 GETB18: LD  IY,ASMOP1
9687 GETB31: LD  A,(SBWORK+1)
9688      LD  B,A
9689 GETB20: LD  A,(IY)
9690      CP  255
9691      JR  Z,GETB19
9692      INC IY
9693      CP  B
9694      JR  Z,GETB23
9695 GETB21: LD  DE,4
9696      ADD IY,DE

```

E:\paleobasic\superx\SUPER-X.ASM

```
9697      JR  GETB20
9698 GETB23: PUSH      IY
9699      POP DE
9700      JP  GETB22
9701
9702 GETB11: XOR  A
9703      JR  GETB25
9704 GETB24: LD   A,1
9705 GETB25: LD   (SBWORK+4),A
9706      LD  A,(SBWORK+1)
9707      CP  0CBH
9708      JR  NZ,GETB29
9709      LD  (HL),4
9710      INC HL
9711      LD  A,(SBWORK+3)
9712      LD  B,A
9713      CP  36H
9714      JR  Z,GETB26
9715      AND 7
9716      CP  6
9717      JR  NZ,GETB26
9718      LD  A,B
9719      CALL      DIV8
9720      CP  8
9721      JR  NC,GETB27
9722      CP  7
9723      JR  NZ,GETB28
9724      DEC A
9725 GETB28: ADD  A,22H
9726      LD  (HL),A
9727      INC HL
9728 GETB30: LD   A,(SBWORK+4)
9729      ADD  A,52H
9730      LD  (HL),A
9731      INC HL
9732      JP  GBEND
9733 GETB27: PUSH      AF
9734      CALL      DIV8
9735      ADD  A,36H
9736      LD  (HL),A
9737      INC HL
9738      POP AF
9739      AND 7
9740      ADD  A,6CH
9741      LD  (HL),A
9742      INC HL
9743      JR  GETB30
9744
```

E:\paleobasic\superx\SUPER-X.ASM

```

9745 GETB29: LD  IY,ASMOP2
9746         JP  GETB31
9747
9748 GBEND:  LD  (HL),0
9749         POP HL
9750         POP DE
9751         RET
9752
9753 ; □□□□
9754 ASM:     LD  (SBWOK1+6),HL
9755         LD  HL,ASMWK
9756         LD  DE,ASMWK+1
9757         LD  BC,8
9758         XOR A
9759         LD  (SBWOK1),A
9760         LD  (HL),A
9761         LDIR
9762 ASM6:    LD  DE,OPSTR
9763         LD  (SBWOK1+2),DE
9764         XOR A
9765 ASM1:    INC A
9766         LD  (SBWOK1+1),A
9767         LD  DE,(SBWOK1+2)
9768         LD  A,(DE)
9769         OR  A
9770         SCF
9771         RET Z    ;ERROR
9772         SUB '0'
9773         PUSH DE
9774         POP HL
9775         LD  C,A
9776         LD  B,0
9777         INC BC
9778         ADD HL,BC
9779         LD  (SBWOK1+2),HL
9780         LD  HL,(SBWOK1+6)
9781         LD  B,A
9782 ASM2:    INC DE
9783         LD  A,(DE)
9784         CP  'a'
9785         JR  C,ASM3
9786         CP  'z'+1
9787         JR  NC,ASM3
9788         PUSH DE
9789         PUSH BC
9790         CALL CVAL
9791         POP BC
9792         JR  NC,ASM4

```

E:\paleobasic\superx\SUPER-X.ASM

```
9793      POP  AF
9794  ASM8:   LD   A,(SBWOK1+1)
9795      JR   ASM1
9796  ASM3:   CP   (HL)
9797      JR   NZ,ASM8
9798      INC  HL
9799      JR   ASM9
9800  ASM4:   PUSH     HL
9801      PUSH     BC
9802      LD   BC,ASMWK+3
9803      LD   A,(SBWOK1)
9804      ADD  A,A
9805      LD   L,A
9806      LD   H,0
9807      ADD  HL,BC
9808      LD   (HL),E
9809      INC  HL
9810      LD   (HL),D
9811      POP  BC
9812      POP  HL
9813      POP  DE
9814  ASM9:   DEC  B
9815      JP   NZ,ASM2
9816      LD   A,(HL)
9817      OR   A
9818      JR   Z,ASM7
9819      CP   ','
9820      JR   Z,ASM7
9821      CP   ' '
9822      JR   NZ,ASM8
9823  ASM11:  INC  HL
9824      LD   A,(HL)
9825      CP   ' '
9826      JR   Z,ASM11
9827      DEC  HL
9828  ASM7:   LD   B,A
9829      INC  HL
9830      LD   (SBWOK1+6),HL
9831      LD   A,(SBWOK1)
9832      LD   DE,ASMWK
9833      LD   L,A
9834      LD   H,0
9835      ADD  HL,DE
9836      LD   A,(SBWOK1+1)
9837      LD   (HL),A
9838      LD   A,(SBWOK1)
9839      INC  A
9840      LD   (SBWOK1),A
```


E:\paleobasic\superx\SUPER-X.ASM

```

9841      CP    3
9842      JR    Z,ASM10
9843      LD    A,B
9844      OR    A
9845      JP    NZ,ASM6
9846      INC   HL
9847      LD    (HL),A
9848  ASM10:  XOR   A
9849      LD    (SBWOK1),A
9850      LD    A,(ASMWK)
9851      CP    1AH ;IM
9852      JR    Z,ASM13
9853      CP    37H ;BIT
9854      JR    C,ASM12
9855      CP    39H+1 ;SET
9856      JR    NC,ASM12
9857  ASM13:  LD    (SBWOK1),A
9858  ASM12:  LD    HL,ASMWK+1
9859      LD    DE,ASMWK+5
9860      LD    B,2
9861  ASM14:  LD    A,(SBWOK1)
9862      OR    A
9863      JR    NZ,ASM15
9864      LD    A,(HL)
9865      SUB   6CH
9866      JR    C,ASM15
9867      CP    9
9868      JR    NC,ASM15
9869      LD    (DE),A
9870      INC   DE
9871      XOR   A
9872      LD    (DE),A
9873      DEC   DE
9874      LD    A,7EH
9875      LD    (HL),A
9876  ASM15:  LD    A,(HL)
9877      SUB   7CH
9878      JR    Z,ASM16
9879      CP    1
9880      JR    NZ,ASM17
9881  ASM16:  ADD   A,52H
9882      LD    (HL),A
9883      XOR   A
9884      LD    (DE),A
9885      INC   DE
9886      LD    (DE),A
9887      DEC   DE
9888  ASM17:  INC   HL

```

E:\paleobasic\superx\SUPER-X.ASM

```
9889      INC DE
9890      INC DE
9891      DJNZ      ASM14
9892      LD   IX,ASMWK1
9893      LD   HL,ASMWK
9894      LD   A,(HL)
9895      DEC  A
9896      JR   NZ,ASM19
9897      LD   B,2
9898  ASM20:  INC  HL
9899      LD   A,(HL)
9900      CP   46H
9901      JR   C,ASM19
9902      CP   4DH+1
9903      JR   NC,ASM19
9904      DJNZ      ASM20
9905      DEC  HL
9906      LD   A,1
9907      LD   (IX),A
9908      LD   A,(HL)
9909      SUB  46H
9910      RLA
9911      RLA
9912      RLA
9913      ADD  A,40H
9914      LD   B,A
9915      INC  HL
9916      LD   A,(HL)
9917      SUB  46H
9918      ADD  A,B
9919      LD   (IX+1),A
9920      OR   A
9921      RET
9922  ASM19:  LD   HL,ASMWK
9923      LD   A,(HL)
9924      SUB  22H
9925      JR   C,ASM21
9926      CP   7
9927      JR   NC,ASM21
9928      CP   6
9929      JR   NZ,ASM22
9930      INC  A
9931  ASM22:  OR   A
9932      RLA
9933      RLA
9934      RLA
9935      LD   B,A
9936      INC  HL
```

E:\paleobasic\superx\SUPER-X.ASM

```

9937      LD   A,(HL)
9938      SUB  46H
9939      JR   C,ASM21
9940      CP   8
9941      JR   NC,ASM21
9942  ASM25:  ADD  A,B
9943      LD   (IX+2),A
9944      LD   (IX),2
9945      LD   (IX+1),0CBH
9946      OR   A
9947      RET
9948  ASM21:  LD   HL,ASMWK
9949      LD   A,(HL)
9950      SUB  37H
9951      JR   C,ASM23
9952      CP   3
9953      JR   NC,ASM23
9954      LD   B,A
9955      INC  B
9956      XOR  A
9957  ASM24:  ADD  A,40H
9958      DJNZ ASM24
9959      LD   B,A
9960      INC  HL
9961      LD   A,(HL)
9962      SUB  6CH
9963      JR   C,ASM23
9964      CP   8
9965      JR   NC,ASM23
9966      OR   A
9967      RLA
9968      RLA
9969      RLA
9970      ADD  A,B
9971      LD   B,A
9972      INC  HL
9973      LD   A,(HL)
9974      SUB  46H
9975      JR   C,ASM23
9976      CP   8
9977      JR   C,ASM25
9978  ASM23:  LD   HL,ASMWK
9979      LD   A,(HL)
9980      CP   17H
9981      JR   NZ,ASM99
9982      LD   (IX),1
9983      LD   (IX+1),76H
9984      OR   A

```

E:\paleobasic\superx\SUPER-X.ASM

```

9985      RET
9986  ASM99:  SUB  2
9987      JR   C,ASM26
9988      CP   8
9989      JR   NC,ASM26
9990      LD   C,A
9991      OR   A
9992      RLA
9993      RLA
9994      RLA
9995      ADD  A,80H
9996      LD   B,A
9997      LD   A,C
9998      CP   2
9999      JR   Z,ASM27
10000     CP   4
10001     JR   NC,ASM27
10002     INC  HL
10003     LD   A,(HL)
10004     CP   4DH
10005     JR   NZ,ASM26
10006  ASM27:  INC  HL
10007     LD   A,(HL)
10008     SUB  46H
10009     JR   C,ASM26
10010     CP   8
10011     JR   NC,ASM26
10012     ADD  A,B
10013     LD   (IX),1
10014     LD   (IX+1),A
10015     OR   A
10016     RET
10017  ASM26:  XOR  A
10018     LD   (SBWOK1),A
10019     LD   HL,ASMDT
10020  ASM31:  LD   B,(HL)
10021     INC  B
10022     DEC  B
10023     JP   Z,ASM32
10024     LD   C,B
10025     LD   DE,ASMWK
10026     PUSH HL
10027  ASM28:  INC  HL
10028     LD   A,(DE)
10029     CP   (HL)
10030     JR   NZ,ASM29
10031     INC  DE
10032     DJNZ ASM28

```

E:\paleobasic\superx\SUPER-X.ASM

```
10033     POP  AF
10034     INC  HL
10035     LD   (IX),1
10036     LD   A,(SBWOK1)
10037     LD   (IX+1),A
10038     LD   A,(HL)
10039     OR   A
10040     CALL     NZ,ASSUB
10041     OR   A
10042     RET
10043  ASM29:  LD   HL,SBWOK1
10044         LD   A,(HL)
10045         INC  A
10046         LD   (HL),A
10047         CP   40H
10048         JR   NZ,ASM33
10049         LD   (HL),0C0H
10050  ASM33:  POP  HL
10051         LD   B,0
10052         ADD  HL,BC
10053         INC  HL
10054         INC  HL
10055         JR   ASM31
10056  ASM32:  LD   HL,ASMDT1
10057  ASM37:  LD   B,(HL)
10058         INC  B
10059         DEC  B
10060         JP   Z,ASM34
10061         LD   C,B
10062         LD   DE,ASMWK
10063         PUSH     HL
10064  ASM35:  INC  HL
10065         LD   A,(DE)
10066         CP   (HL)
10067         JR   NZ,ASM36
10068         INC  DE
10069         DJNZ     ASM35
10070     POP  AF
10071     INC  HL
10072     LD   (IX),2
10073     LD   (IX+1),0EDH
10074     LD   A,(HL)
10075     LD   (IX+2),A
10076     INC  HL
10077     LD   A,(HL)
10078     OR   A
10079     CALL     NZ,ASSUB
10080     OR   A
```

E:\paleobasic\superx\SUPER-X.ASM

```

10081      RET
10082  ASM36:  POP  HL
10083      LD   B,0
10084      ADD  HL,BC
10085      INC  HL
10086      INC  HL
10087      INC  HL
10088      JR   ASM37
10089  ASM34:  LD   A,0DDH
10090      LD   (SBWOK1),A
10091      LD   B,2
10092      LD   HL,ASMWK+1
10093  ASM39:  LD   A,(HL)
10094      CP   53H
10095      JR   Z,ASM38
10096      CP   5FH
10097      JR   Z,ASM38
10098      CP   61H
10099      JR   Z,ASM38
10100      CP   63H
10101      JR   Z,ASM38
10102  ASM41:  INC  HL
10103      DJNZ      ASM39
10104      JR   ASM40
10105  ASM38:  LD   A,0FDH
10106      LD   (SBWOK1),A
10107      DEC  (HL)
10108      JR   ASM41
10109  ASM40:  LD   HL,ASMDT2
10110  ASM44:  LD   B,(HL)
10111      INC  B
10112      DEC  B
10113      SCF
10114      RET  Z
10115      LD   C,B
10116      LD   DE,ASMWK
10117      PUSH      HL
10118  ASM43:  INC  HL
10119      LD   A,(DE)
10120      CP   (HL)
10121      JR   NZ,ASM42
10122      INC  DE
10123      DJNZ      ASM43
10124      POP  AF
10125      INC  HL
10126      LD   (IX),2
10127      LD   A,(SBWOK1)
10128      LD   (IX+1),A

```

E:\paleobasic\superx\SUPER-X.ASM

```
10129      LD  A,(HL)
10130      LD  (IX+2),A
10131      INC HL
10132      LD  A,(HL)
10133      OR  A
10134      CALL    NZ,ASSUB
10135      OR  A
10136      RET
10137  ASM42:  POP HL
10138      LD  B,0
10139      ADD HL,BC
10140      INC HL
10141      INC HL
10142      INC HL
10143      JR  ASM44
10144
10145      ;  □□□□□□
10146  ASSUB:  DEC A
10147      JR  Z,ASSUB1
10148      DEC A
10149      JR  Z,ASSUB2
10150      DEC A
10151      JR  Z,ASSUB3
10152      DEC A
10153      JR  Z,ASSUB6
10154      DEC A
10155      JR  Z,ASSUB8
10156      DEC A
10157      JR  Z,ASSB10
10158      DEC A
10159      JP  Z,ASSB12
10160      DEC A
10161      JP  Z,ASSB14
10162      DEC A
10163      JP  Z,ASSB15
10164      DEC A
10165      JP  Z,ASSB17
10166      DEC A
10167      JP  Z,ASSB18
10168      DEC A
10169      JP  Z,ASSB20
10170      DEC A
10171      JP  Z,ASSB21
10172      DEC A
10173      JP  Z,ASSB22
10174      DEC A
10175      JP  Z,ASSB23
10176      RET
```

E:\paleobasic\superx\SUPER-X.ASM

```
10177 ASSUB1: LD HL,(ASMWK+7)
10178 ASSUB9: LD (IX+2),L
10179 LD (IX+3),H
10180 INC (IX)
10181 INC (IX)
10182 RET
10183 ASSUB2: LD A,(ASMWK+7)
10184 ASSB13: LD (IX+2),A
10185 INC (IX)
10186 RET
10187 ASSUB3: LD HL,(ASMWK+5)
10188 ASSUB7: LD A,1
10189 LD (JRFG),A
10190 LD BC,(ADXWK0)
10191 INC BC
10192 INC BC
10193 XOR A
10194 SBC HL,BC
10195 EX DE,HL
10196 LD HL,007FH
10197 OR A
10198 SBC HL,DE
10199 JR NC,ASSUB4
10200 LD HL,0FF7FH
10201 OR A
10202 SBC HL,DE
10203 JR C,ASSUB4
10204 INC A
10205 ASSUB4: OR A
10206 JR Z,ASSUB5
10207 ASSB11: POP AF
10208 SCF
10209 RET
10210 ASSUB5: LD (IX+2),E
10211 INC (IX)
10212 RET
10213 ASSUB6: LD HL,(ASMWK+7)
10214 JR ASSUB7
10215 ASSUB8: LD HL,(ASMWK+5)
10216 JR ASSUB9
10217 ASSB10: LD HL,(ASMWK+5)
10218 LD A,H
10219 OR A
10220 JR NZ,ASSB11
10221 LD A,L
10222 AND 0C7H
10223 JR NZ,ASSB11
10224 LD A,L
```


E:\paleobasic\superx\SUPER-X.ASM

```
10225      ADD  A,0C7H
10226      LD   (IX+1),A
10227      RET
10228 ASSB12: LD   A,(ASMWK+5)
10229      JR   ASSB13
10230 ASSB14: LD   HL,(ASMWK+5)
10231 ASSB16: LD   (IX+3),L
10232      LD   (IX+4),H
10233      INC  (IX)
10234      INC  (IX)
10235      RET
10236 ASSB15: LD   HL,(ASMWK+7)
10237      JR   ASSB16
10238 ASSB17: INC  (IX)
10239      LD   A,(ASMWK+7)
10240 ASSB19: LD   (IX+3),A
10241      RET
10242 ASSB18: INC  (IX)
10243      LD   A,(ASMWK+5)
10244      JR   ASSB19
10245 ASSB20: CALL ASSB18
10246      INC  (IX)
10247      LD   A,(ASMWK+7)
10248      LD   (IX+4),A
10249      RET
10250 ASSB21: LD   HL,(ASMWK+5)
10251      LD   A,H
10252      OR   L
10253      RET  Z
10254      POP  AF
10255      SCF
10256      RET
10257 ASSB22: CALL ASSB24
10258      JR   ASSB18
10259 ASSB23: CALL ASSB24
10260      JR   ASSB17
10261 ASSB24: INC  (IX)
10262      LD   A,(IX+2)
10263      LD   (IX+4),A
10264      LD   A,0CBH
10265      LD   (IX+2),A
10266      RET
10267
10268 OPSTR:  DEFM '2LD3ADD3ADC3SUB3SBC3AND3XOR2OR2CP3INC3DEC4PUSH3POP3
10269      DEFM '4LDDR3CPI4CPIR3CPD4CPDR3NOP4HALT2DI2EI2IM3DAA3CPL3NEG3C
10270      DEFM '3EXX3RLC3RRC2RL2RR3SLA3SRA3SRL3RLD3RRD4RLCA4RRCA3RLA3RF
10271      DEFM '4CALL4DJNZ3RET4RETI4RETN3RST3BIT3RES3SET2IN3INI4INIR3IM
10272      DEFM '3OUT4OUTI4OTIR4OUTD4OTDR5MULUB5MULUW1B1C1D1E1H1L4(HL)1A'
```

E:\paleobasic\superx\SUPER-X.ASM

```
10273      DEFM  '4(DE)4(SP)3(C)5(IXb)5(IYb)1A1A1I1R1,2BC2DE2HL2AF2SP2IX2
10274      DEFM  '3IYH3IXL3IYL2NZ2NC2PO1P1Z1C2PE1M1011121314151617183???3
10275      DEFM  "3(a)3(b)3(c)3AF'4(IX)4(IY)1a"
10276      DEFB  0
10277
10278  ASMOP:
10279      DEFB  1,16H,0,0
10280      DEFB  3,1,59H,83H
10281      DEFB  1,1,4EH,4DH
10282      DEFB  1,0AH,59H,0
10283      DEFB  1,0AH,46H,0
10284      DEFB  1,0BH,46H,0
10285      DEFB  2,1,46H,80H
10286      DEFB  1,2BH,0,0
10287      DEFB  1,20H,5CH,7BH
10288      DEFB  1,2,5BH,59H
10289      DEFB  1,1,4DH,4EH
10290      DEFB  1,0BH,59H,0
10291      DEFB  1,0AH,47H,0
10292      DEFB  1,0BH,47H,0
10293      DEFB  2,1,47H,80H
10294      DEFB  1,2CH,0,0
10295
10296      DEFB  2,32H,85H,0
10297      DEFB  3,1,5AH,83H
10298      DEFB  1,1,4FH,4DH
10299      DEFB  1,0AH,5AH,0
10300      DEFB  1,0AH,48H,0
10301      DEFB  1,0BH,48H,0
10302      DEFB  2,01H,48H,80H
10303      DEFB  1,2DH,0,0
10304      DEFB  2,30H,85H,0
10305      DEFB  1,2,5BH,5AH
10306      DEFB  1,1,4DH,4FH
10307      DEFB  1,0BH,5AH,0
10308      DEFB  1,0AH,49H,0
10309      DEFB  1,0BH,49H,0
10310      DEFB  2,1,49H,80H
10311      DEFB  1,2EH,0,0
10312
10313      DEFB  2,30H,64H,85H
10314      DEFB  3,1,5BH,83H
10315      DEFB  3,1,76H,5BH
10316      DEFB  1,0AH,5BH,0
10317      DEFB  1,0AH,4AH,0
10318      DEFB  1,0BH,4AH,0
10319      DEFB  2,1,4AH,80H
10320      DEFB  1,1BH,0,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
10321      DEFB  2,30H,68H,85H
10322      DEFB  1,2,5BH,5BH
10323      DEFB  3,1,5BH,76H
10324      DEFB  1,0BH,5BH,0
10325      DEFB  1,0AH,4BH,0
10326      DEFB  1,0BH,4BH,0
10327      DEFB  2,1,4BH,80H
10328      DEFB  1,1CH,0,0
10329
10330      DEFB  2,30H,65H,85H
10331      DEFB  3,1,5DH,83H
10332      DEFB  3,1,76H,4DH
10333      DEFB  1,0AH,5DH,0
10334      DEFB  1,0AH,4CH,0
10335      DEFB  1,0BH,4CH,0
10336      DEFB  2,1,4CH,80H
10337      DEFB  1,1FH,0,0
10338      DEFB  2,30H,69H,85H
10339      DEFB  1,2,5BH,5DH
10340      DEFB  3,1,4DH,76H
10341      DEFB  1,0BH,5DH,0
10342      DEFB  1,0AH,4DH,0
10343      DEFB  1,0BH,4DH,0
10344      DEFB  2,1,4DH,80H
10345      DEFB  1,1EH,0,0
10346
10347      DEFB  1,33H,64H,0
10348      DEFB  1,0DH,59H,0
10349      DEFB  3,2FH,64H,83H
10350      DEFB  3,2FH,83H,0
10351      DEFB  3,31H,64H,83H
10352      DEFB  1,0CH,59H,0
10353      DEFB  2,2,4DH,80H
10354      DEFB  1,36H,87H,0
10355      DEFB  1,33H,68H,0
10356      DEFB  1,33H,0,0
10357      DEFB  3,2FH,68H,83H
10358      DEFB  0,0,0,0
10359      DEFB  3,31H,68H,83H
10360      DEFB  3,31H,83H,0
10361      DEFB  2,3,4DH,80H
10362      DEFB  1,36H,87H,8
10363
10364      DEFB  1,33H,65H,0
10365      DEFB  1,0DH,5AH,0
10366      DEFB  3,2FH,65H,83H
10367      DEFB  2,3FH,78H,4DH
10368      DEFB  3,31H,65H,83H
```

E:\paleobasic\superx\SUPER-X.ASM

```
10369      DEFB 1,0CH,5AH,0
10370      DEFB 2,04H,80H,0
10371      DEFB 1,36H,87H,10H
10372      DEFB 1,33H,69H,0
10373      DEFB 1,21H,0,0
10374      DEFB 3,2FH,69H,83H
10375      DEFB 2,3AH,4DH,78H
10376      DEFB 3,31H,69H,83H
10377      DEFB 0,0,0,0
10378      DEFB 2,5,4DH,80H
10379      DEFB 1,36H,87H,18H
10380
10381      DEFB 1,33H,66H,0
10382      DEFB 1,0DH,5BH,0
10383      DEFB 3,2FH,66H,83H
10384      DEFB 1,20H,50H,5BH
10385      DEFB 3,31H,66H,83H
10386      DEFB 1,0CH,5BH,0
10387      DEFB 2,06H,80H,0
10388      DEFB 1,36H,87H,20H
10389      DEFB 1,33H,6AH,0
10390      DEFB 1,2FH,4CH,0
10391      DEFB 3,2FH,6AH,83H
10392      DEFB 1,20H,5AH,5BH
10393      DEFB 3,31H,6AH,83H
10394      DEFB 0,0,0,0
10395      DEFB 2,07H,80H,0
10396      DEFB 1,36H,87H,28H
10397
10398      DEFB 1,33H,67H,0
10399      DEFB 1,0DH,5CH,0
10400      DEFB 3,2FH,67H,83H
10401      DEFB 1,18H,0,0
10402      DEFB 3,31H,67H,83H
10403      DEFB 1,0CH,5CH,0
10404      DEFB 2,08H,80H,0
10405      DEFB 1,36H,87H,30H
10406      DEFB 1,33H,6BH,0
10407      DEFB 1,1,5DH,5BH
10408      DEFB 3,2FH,6BH,83H
10409      DEFB 1,19H,0,0
10410      DEFB 3,31H,6BH,83H
10411      DEFB 0,0,0,0
10412      DEFB 2,9,80H,0
10413      DEFB 1,36H,87H,38H
10414
10415  ASMOP1:
10416      DEFB 40H,2,3AH,46H,51H
```

E:\paleobasic\superx\SUPER-X.ASM

10417	DEFB 41H,2,3FH,51H,46H
10418	DEFB 42H,2,5,5BH,59H
10419	DEFB 43H,4,1,77H,59H
10420	DEFB 44H,2,1DH,0,0
10421	DEFB 45H,2,35H,0,0
10422	DEFB 46H,2,1AH,6CH,0
10423	DEFB 47H,2,1,56H,4DH
10424	DEFB 48H,2,3AH,47H,51H
10425	DEFB 49H,2,3FH,51H,47H
10426	DEFB 4AH,2,3,5BH,59H
10427	DEFB 4BH,4,1,59H,77H
10428	DEFB 4DH,2,34H,0,0
10429	DEFB 4FH,2,1,57H,4DH
10430	DEFB 50H,2,3AH,48H,51H
10431	DEFB 51H,2,3FH,51H,48H
10432	DEFB 52H,2,5,5BH,5AH
10433	DEFB 53H,4,1,77H,5AH
10434	DEFB 56H,2,1AH,6DH,0
10435	DEFB 57H,2,1,4DH,56H
10436	DEFB 58H,2,3AH,49H,51H
10437	DEFB 59H,2,3FH,51H,49H
10438	DEFB 5AH,2,3,5BH,5AH
10439	DEFB 5BH,4,1,5AH,77H
10440	DEFB 5EH,2,1AH,6EH,0
10441	DEFB 5FH,2,1,4DH,57H
10442	DEFB 60H,2,3AH,4AH,51H
10443	DEFB 61H,2,3FH,51H,4AH
10444	DEFB 62H,2,5,5BH,5BH
10445	DEFB 67H,2,2AH,0,0
10446	DEFB 68H,2,3AH,4BH,51H
10447	DEFB 69H,2,3FH,51H,4BH
10448	DEFB 6AH,2,3,5BH,5BH
10449	DEFB 6FH,2,29H,0,0
10450	DEFB 70H,2,3AH,4CH,51H
10451	DEFB 72H,2,5,5BH,5DH
10452	DEFB 73H,4,1,77H,5DH
10453	DEFB 78H,2,3AH,4DH,51H
10454	DEFB 79H,2,3FH,51H,4DH
10455	DEFB 7AH,2,3,5BH,5DH
10456	DEFB 7BH,4,1,5DH,77H
10457	DEFB 0A0H,2,0EH,0,0
10458	DEFB 0A1H,2,12H,0,0
10459	DEFB 0A2H,2,3BH,0,0
10460	DEFB 0A3H,2,40H,0,0
10461	DEFB 0A8H,2,10H,0,0
10462	DEFB 0A9H,2,14H,0,0
10463	DEFB 0AAH,2,3DH,0,0
10464	DEFB 0ABH,2,42H,0,0

E:\paleobasic\superx\SUPER-X.ASM

```
10465      DEFB 0B0H,2,0FH,0,0
10466      DEFB 0B1H,2,13H,0,0
10467      DEFB 0B2H,2,3CH,0,0
10468      DEFB 0B3H,2,41H,0,0
10469      DEFB 0B8H,2,11H,0,0
10470      DEFB 0B9H,2,15H,0,0
10471      DEFB 0BAH,2,3EH,0,0
10472      DEFB 0BBH,2,43H,0,0
10473      DEFB 0C1H,2,44H,4DH,46H
10474      DEFB 0C3H,2,45H,5BH,59H
10475      DEFB 0C9H,2,44H,4DH,47H
10476      DEFB 0D1H,2,44H,4DH,48H
10477      DEFB 0D3H,2,45H,5BH,5AH
10478      DEFB 0D9H,2,44H,4DH,49H
10479      DEFB 0E1H,2,44H,4DH,4AH
10480      DEFB 0E3H,2,45H,5BH,5BH
10481      DEFB 0E9H,2,44H,4DH,4BH
10482      DEFB 0F3H,2,45H,5BH,5DH
10483      DEFB 0F9H,2,44H,4DH,4DH
10484      DEFB 0FFH
10485
10486  ASMOP2:
10487      DEFB 7EH,3,1,4DH,52H
10488      DEFB 46H,3,1,46H,52H
10489      DEFB 4EH,3,1,47H,52H
10490      DEFB 56H,3,1,48H,52H
10491      DEFB 5EH,3,1,49H,52H
10492      DEFB 66H,3,1,4AH,52H
10493      DEFB 6EH,3,1,4BH,52H
10494      DEFB 77H,3,1,52H,4DH
10495      DEFB 70H,3,1,52H,46H
10496      DEFB 71H,3,1,52H,47H
10497      DEFB 72H,3,1,52H,48H
10498      DEFB 73H,3,1,52H,49H
10499      DEFB 74H,3,1,52H,4AH
10500      DEFB 75H,3,1,52H,4BH
10501      DEFB 36H,4,1,52H,82H
10502      DEFB 21H,4,1,5EH,84H
10503      DEFB 2AH,4,1,5EH,77H
10504      DEFB 22H,4,1,77H,5EH
10505      DEFB 0E5H,2,0CH,5EH,0
10506      DEFB 0E1H,2,0DH,5EH,0
10507      DEFB 0F9H,2,1,5DH,5EH
10508      DEFB 86H,3,2,4DH,52H
10509      DEFB 8EH,3,3,4DH,52H
10510      DEFB 96H,3,4,52H,0
10511      DEFB 9EH,3,5,4DH,52H
10512      DEFB 0A6H,3,6,52H,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
10513      DEFB  0AEH,3,7,52H,0
10514      DEFB  0B6H,3,8,52H,0
10515      DEFB  0BEH,3,9,52H,0
10516      DEFB  34H,3,0AH,52H,0
10517      DEFB  35H,3,0BH,52H,0
10518      DEFB  0E3H,2,20H,50H,5EH
10519      DEFB  9,2,2,5EH,59H
10520      DEFB  19H,2,2,5EH,5AH
10521      DEFB  29H,2,2,5EH,5EH
10522      DEFB  39H,2,2,5EH,5DH
10523      DEFB  23H,2,0AH,5EH,0
10524      DEFB  2BH,2,0BH,5EH,0
10525      DEFB  0E9H,2,2FH,7CH,0
10526      DEFB  7CH,2,1,4DH,60H
10527      DEFB  7DH,2,1,4DH,62H
10528      DEFB  44H,2,1,46H,60H
10529      DEFB  45H,2,1,46H,62H
10530      DEFB  4CH,2,1,47H,60H
10531      DEFB  4DH,2,1,47H,62H
10532      DEFB  54H,2,1,48H,60H
10533      DEFB  55H,2,1,48H,62H
10534      DEFB  5CH,2,1,49H,60H
10535      DEFB  5DH,2,1,49H,62H
10536      DEFB  64H,2,1,60H,60H
10537      DEFB  65H,2,1,60H,62H
10538      DEFB  6CH,2,1,62H,60H
10539      DEFB  6DH,2,1,62H,62H
10540      DEFB  67H,2,1,60H,4DH
10541      DEFB  60H,2,1,60H,46H
10542      DEFB  61H,2,1,60H,47H
10543      DEFB  62H,2,1,60H,48H
10544      DEFB  63H,2,1,60H,49H
10545      DEFB  6FH,2,1,62H,4DH
10546      DEFB  68H,2,1,62H,46H
10547      DEFB  69H,2,1,62H,47H
10548      DEFB  6AH,2,1,62H,48H
10549      DEFB  6BH,2,1,62H,49H
10550      DEFB  26H,3,1,60H,88H
10551      DEFB  2EH,3,1,62H,88H
10552      DEFB  84H,2,2,4DH,60H
10553      DEFB  85H,2,2,4DH,62H
10554      DEFB  8CH,2,3,4DH,60H
10555      DEFB  8DH,2,3,4DH,62H
10556      DEFB  94H,2,4,60H,0
10557      DEFB  95H,2,4,62H,0
10558      DEFB  9CH,2,5,4DH,60H
10559      DEFB  9DH,2,5,4DH,62H
10560      DEFB  0A4H,2,6,60H,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
10561      DEFB  0A5H,2,6,62H,0
10562      DEFB  0ACH,2,7,60H,0
10563      DEFB  0ADH,2,7,62H,0
10564      DEFB  0B4H,2,8,60H,0
10565      DEFB  0B5H,2,8,62H,0
10566      DEFB  0BCH,2,9,60H,0
10567      DEFB  0BDH,2,9,62H,0
10568      DEFB  24H,2,0AH,60H,0
10569      DEFB  2CH,2,0AH,62H,0
10570      DEFB  25H,2,0BH,60H,0
10571      DEFB  2DH,2,0BH,62H,0
10572      DEFB  0FFH
10573
10574  ASMDT:
10575      DEFB  1,16H,0
10576      DEFB  3,01H,59H,7EH,1
10577      DEFB  3,01H,4EH,4DH,0
10578      DEFB  2,0AH,59H,0
10579      DEFB  2,0AH,46H,0
10580      DEFB  2,0BH,46H,0
10581      DEFB  3,01H,46H,7EH,2
10582      DEFB  1,2BH,0
10583      DEFB  3,20H,5CH,7BH,0
10584      DEFB  3,02H,5BH,59H,0
10585      DEFB  3,01H,4DH,4EH,0
10586      DEFB  2,0BH,59H,0
10587      DEFB  2,0AH,47H,0
10588      DEFB  2,0BH,47H,0
10589      DEFB  3,01H,47H,7EH,2
10590      DEFB  1,2CH,0
10591
10592      DEFB  2,32H,7EH,3
10593      DEFB  3,01H,5AH,7EH,1
10594      DEFB  3,01H,4FH,4DH,0
10595      DEFB  2,0AH,5AH,0
10596      DEFB  2,0AH,48H,0
10597      DEFB  2,0BH,48H,0
10598      DEFB  3,01H,48H,7EH,2
10599      DEFB  1,2DH,0
10600      DEFB  2,30H,7EH,3
10601      DEFB  3,02H,5BH,5AH,0
10602      DEFB  3,01H,4DH,4FH,0
10603      DEFB  2,0BH,5AH,0
10604      DEFB  2,0AH,49H,0
10605      DEFB  2,0BH,49H,0
10606      DEFB  3,01H,49H,7EH,2
10607      DEFB  1,2EH,0
10608
```


E:\paleobasic\superx\SUPER-X.ASM

```
10609      DEFB 3,30H,64H,7EH,4
10610      DEFB 3,01H,5BH,7EH,1
10611      DEFB 3,01H,76H,5BH,5
10612      DEFB 2,0AH,5BH,0
10613      DEFB 2,0AH,4AH,0
10614      DEFB 2,0BH,4AH,0
10615      DEFB 3,01H,4AH,7EH,2
10616      DEFB 1,1BH,0
10617      DEFB 3,30H,68H,7EH,4
10618      DEFB 3,02H,5BH,5BH,0
10619      DEFB 3,01H,5BH,76H,1
10620      DEFB 2,0BH,5BH,0
10621      DEFB 2,0AH,4BH,0
10622      DEFB 2,0BH,4BH,0
10623      DEFB 3,01H,4BH,7EH,2
10624      DEFB 1,1CH,0
10625
10626      DEFB 3,30H,65H,7EH,4
10627      DEFB 3,01H,5DH,7EH,1
10628      DEFB 3,01H,76H,4DH,5
10629      DEFB 2,0AH,5DH,0
10630      DEFB 2,0AH,4CH,0
10631      DEFB 2,0BH,4CH,0
10632      DEFB 3,01H,4CH,7EH,2
10633      DEFB 1,1FH,0
10634      DEFB 3,30H,47H,7EH,4
10635      DEFB 3,02H,5BH,5DH,0
10636      DEFB 3,01H,4DH,76H,1
10637      DEFB 2,0BH,5DH,0
10638      DEFB 2,0AH,4DH,0
10639      DEFB 2,0BH,4DH,0
10640      DEFB 3,01H,4DH,7EH,2
10641      DEFB 1,1EH,0
10642
10643      DEFB 2,33H,64H,0
10644      DEFB 2,0DH,59H,0
10645      DEFB 3,2FH,64H,7EH,1
10646      DEFB 2,2FH,7EH,5
10647      DEFB 3,31H,64H,7EH,1
10648      DEFB 2,0CH,59H,0
10649      DEFB 3,02H,4DH,7EH,2
10650      DEFB 2,36H,7EH,6
10651      DEFB 2,33H,68H,0
10652      DEFB 2,33H,0,0
10653      DEFB 3,2FH,68H,7EH,1
10654      DEFB 1,0,0
10655      DEFB 3,31H,68H,7EH,1
10656      DEFB 2,31H,7EH,5
```

E:\paleobasic\superx\SUPER-X.ASM

```
10657      DEFB 3,03H,4DH,7EH,2
10658      DEFB 1,0,0
10659
10660      DEFB 2,33H,65H,0
10661      DEFB 2,0DH,5AH,0
10662      DEFB 3,2FH,65H,7EH,1
10663      DEFB 3,3FH,76H,4DH,7
10664      DEFB 3,31H,65H,7EH,1
10665      DEFB 2,0CH,5AH,0
10666      DEFB 2,04H,7EH,7
10667      DEFB 1,0,0
10668      DEFB 2,33H,47H,0
10669      DEFB 1,21H,0
10670      DEFB 3,2FH,47H,7EH,1
10671      DEFB 3,3AH,4DH,76H,2
10672      DEFB 3,31H,47H,7EH,1
10673      DEFB 1,0,0
10674      DEFB 3,05H,4DH,7EH,2
10675      DEFB 1,0,0
10676
10677      DEFB 2,33H,66H,0
10678      DEFB 2,0DH,5BH,0
10679      DEFB 3,2FH,66H,7EH,1
10680      DEFB 3,20H,50H,5BH,0
10681      DEFB 3,31H,66H,7EH,1
10682      DEFB 2,0CH,5BH,0
10683      DEFB 2,06H,7EH,7
10684      DEFB 1,0,0
10685      DEFB 2,33H,6AH,0
10686      DEFB 2,2FH,4CH,0
10687      DEFB 3,2FH,6AH,7EH,1
10688      DEFB 3,20H,5AH,5BH,0
10689      DEFB 3,31H,6AH,7EH,1
10690      DEFB 1,0,0
10691      DEFB 2,07H,7EH,7
10692      DEFB 1,0,0
10693
10694      DEFB 2,33H,67H,0
10695      DEFB 2,0DH,5CH,0
10696      DEFB 3,2FH,67H,7EH,1
10697      DEFB 1,18H,0
10698      DEFB 3,31H,67H,7EH,1
10699      DEFB 2,0CH,5CH,0
10700      DEFB 2,08H,7EH,7
10701      DEFB 1,0,0
10702      DEFB 2,33H,6BH,0
10703      DEFB 3,01H,5DH,5BH,0
10704      DEFB 3,2FH,6BH,7EH,1
```

E:\paleobasic\superx\SUPER-X.ASM

```
10705      DEFB 1,19H,0
10706      DEFB 3,31H,6BH,7EH,1
10707      DEFB 1,0,0
10708      DEFB 2,09H,7EH,7
10709      DEFB 1,0,0
10710      DEFB 0
10711
10712  ASMDT1:
10713      DEFB 3,3AH,46H,51H,40H,0
10714      DEFB 3,3FH,51H,46H,41H,0
10715      DEFB 3,05H,5BH,59H,42H,0
10716      DEFB 3,01H,76H,59H,43H,8
10717      DEFB 1,1DH,44H,0
10718      DEFB 1,35H,45H,0
10719      DEFB 2,1AH,6CH,46H,0
10720      DEFB 3,01H,56H,4DH,47H,0
10721      DEFB 3,3AH,47H,51H,48H,0
10722      DEFB 3,3FH,51H,47H,49H,0
10723      DEFB 3,03H,5BH,59H,4AH,0
10724      DEFB 3,01H,59H,76H,4BH,9
10725      DEFB 1,34H,4DH,0
10726      DEFB 3,01H,57H,4DH,4FH,0
10727      DEFB 3,3AH,48H,51H,50H,0
10728      DEFB 3,3FH,51H,48H,51H,0
10729      DEFB 3,05H,5BH,5AH,52H,0
10730      DEFB 3,01H,76H,5AH,53H,8
10731      DEFB 2,1AH,6DH,56H,0
10732      DEFB 3,01H,4DH,56H,57H,0
10733      DEFB 3,3AH,49H,51H,58H,0
10734      DEFB 3,3FH,51H,49H,59H,0
10735      DEFB 3,03H,5BH,5AH,5AH,0
10736      DEFB 3,01H,5AH,76H,5BH,9
10737      DEFB 2,1AH,6EH,5EH,0
10738      DEFB 3,01H,4DH,57H,5FH,0
10739      DEFB 3,3AH,4AH,51H,60H,0
10740      DEFB 3,3FH,51H,4AH,61H,0
10741      DEFB 3,05H,5BH,5BH,62H,0
10742      DEFB 1,2AH,67H,0
10743      DEFB 3,3AH,4BH,51H,68H,0
10744      DEFB 3,3FH,51H,4BH,69H,0
10745      DEFB 3,03H,5BH,5BH,6AH,0
10746      DEFB 1,29H,6FH,0
10747      DEFB 3,3AH,4CH,51H,70H,0
10748      DEFB 3,05H,5BH,5DH,72H,0
10749      DEFB 3,01H,76H,5DH,73H,8
10750      DEFB 3,3AH,4DH,51H,78H,0
10751      DEFB 3,3FH,51H,4DH,79H,0
10752      DEFB 3,03H,5BH,5DH,7AH,0
```

E:\paleobasic\superx\SUPER-X.ASM

```
10753      DEFB 3,01H,5DH,76H,7BH,9
10754      DEFB 1,0EH,0A0H,0
10755      DEFB 1,12H,0A1H,0
10756      DEFB 1,3BH,0A2H,0
10757      DEFB 1,40H,0A3H,0
10758      DEFB 1,10H,0A8H,0
10759      DEFB 1,14H,0A9H,0
10760      DEFB 1,3DH,0AAH,0
10761      DEFB 1,42H,0ABH,0
10762      DEFB 1,0FH,0B0H,0
10763      DEFB 1,13H,0B1H,0
10764      DEFB 1,3CH,0B2H,0
10765      DEFB 1,41H,0B3H,0
10766      DEFB 1,11H,0B8H,0
10767      DEFB 1,15H,0B9H,0
10768      DEFB 1,3EH,0BAH,0
10769      DEFB 1,43H,0BBH,0
10770      DEFB 3,44H,4DH,46H,0C1H,0
10771      DEFB 3,44H,4DH,47H,0C9H,0
10772      DEFB 3,44H,4DH,48H,0D1H,0
10773      DEFB 3,44H,4DH,49H,0D9H,0
10774      DEFB 3,44H,4DH,4AH,0E1H,0
10775      DEFB 3,44H,4DH,4BH,0E9H,0
10776      DEFB 3,44H,4DH,4DH,0F9H,0
10777      DEFB 3,45H,5BH,59H,0C3H,0
10778      DEFB 3,45H,5BH,5AH,0D3H,0
10779      DEFB 3,45H,5BH,5BH,0E3H,0
10780      DEFB 3,45H,5BH,5DH,0F3H,0
10781      DEFB 0
10782
10783  ASMDT2:
10784      DEFB 3,01H,4DH,52H,7EH,10
10785      DEFB 3,01H,46H,52H,46H,10
10786      DEFB 3,01H,47H,52H,4EH,10
10787      DEFB 3,01H,48H,52H,56H,10
10788      DEFB 3,01H,49H,52H,5EH,10
10789      DEFB 3,01H,4AH,52H,66H,10
10790      DEFB 3,01H,4BH,52H,6EH,10
10791      DEFB 3,01H,52H,4DH,77H,11
10792      DEFB 3,01H,52H,46H,70H,11
10793      DEFB 3,01H,52H,47H,71H,11
10794      DEFB 3,01H,52H,48H,72H,11
10795      DEFB 3,01H,52H,49H,73H,11
10796      DEFB 3,01H,52H,4AH,74H,11
10797      DEFB 3,01H,52H,4BH,75H,11
10798      DEFB 3,01H,52H,7EH,36H,12
10799      DEFB 3,01H,5DH,5EH,0F9H,0
10800      DEFB 3,01H,5EH,7EH,21H,9
```

E:\paleobasic\superx\SUPER-X.ASM

10801	DEFB 3,01H,5EH,76H,2AH,9
10802	DEFB 3,01H,76H,5EH,22H,8
10803	DEFB 2,0CH,5EH,0E5H,0
10804	DEFB 2,0DH,5EH,0E1H,0
10805	DEFB 3,02H,4DH,52H,86H,10
10806	DEFB 3,03H,4DH,52H,8EH,10
10807	DEFB 2,04H,52H,96H,11
10808	DEFB 3,05H,4DH,52H,9EH,10
10809	DEFB 2,06H,52H,0A6H,11
10810	DEFB 2,07H,52H,0AEH,11
10811	DEFB 2,08H,52H,0B6H,11
10812	DEFB 2,09H,52H,0BEH,11
10813	DEFB 2,0AH,52H,34H,11
10814	DEFB 2,0BH,52H,35H,11
10815	DEFB 3,20H,50H,5EH,0E3H,0
10816	DEFB 3,02H,5EH,59H,09H,0
10817	DEFB 3,02H,5EH,5AH,19H,0
10818	DEFB 3,02H,5EH,5DH,39H,0
10819	DEFB 3,02H,5EH,5EH,29H,0
10820	DEFB 2,0AH,5EH,23H,0
10821	DEFB 2,0BH,5EH,2BH,0
10822	DEFB 2,2FH,52H,0E9H,13
10823	DEFB 2,22H,52H,06H,14
10824	DEFB 2,23H,52H,0EH,14
10825	DEFB 2,24H,52H,16H,14
10826	DEFB 2,25H,52H,1EH,14
10827	DEFB 2,26H,52H,26H,14
10828	DEFB 2,27H,52H,2EH,14
10829	DEFB 2,28H,52H,3EH,14
10830	DEFB 3,37H,6CH,52H,46H,15
10831	DEFB 3,37H,6DH,52H,4EH,15
10832	DEFB 3,37H,6EH,52H,56H,15
10833	DEFB 3,37H,6FH,52H,5EH,15
10834	DEFB 3,37H,70H,52H,66H,15
10835	DEFB 3,37H,71H,52H,6EH,15
10836	DEFB 3,37H,72H,52H,76H,15
10837	DEFB 3,37H,73H,52H,7EH,15
10838	DEFB 3,38H,6CH,52H,86H,15
10839	DEFB 3,38H,6DH,52H,8EH,15
10840	DEFB 3,38H,6EH,52H,96H,15
10841	DEFB 3,38H,6FH,52H,9EH,15
10842	DEFB 3,38H,70H,52H,0A6H,15
10843	DEFB 3,38H,71H,52H,0AEH,15
10844	DEFB 3,38H,72H,52H,0B6H,15
10845	DEFB 3,38H,73H,52H,0BEH,15
10846	DEFB 3,39H,6CH,52H,0C6H,15
10847	DEFB 3,39H,6DH,52H,0CEH,15
10848	DEFB 3,39H,6EH,52H,0D6H,15

E:\paleobasic\superx\SUPER-X.ASM

```
10849      DEFB 3,39H,6FH,52H,0DEH,15
10850      DEFB 3,39H,70H,52H,0E6H,15
10851      DEFB 3,39H,71H,52H,0EEH,15
10852      DEFB 3,39H,72H,52H,0F6H,15
10853      DEFB 3,39H,73H,52H,0FEH,15
10854      DEFB 3,01H,4DH,60H,7CH,0
10855      DEFB 3,01H,4DH,62H,7DH,0
10856      DEFB 3,01H,46H,60H,44H,0
10857      DEFB 3,01H,46H,62H,45H,0
10858      DEFB 3,01H,47H,60H,4CH,0
10859      DEFB 3,01H,47H,62H,4DH,0
10860      DEFB 3,01H,48H,60H,54H,0
10861      DEFB 3,01H,48H,62H,55H,0
10862      DEFB 3,01H,49H,60H,5CH,0
10863      DEFB 3,01H,49H,62H,5DH,0
10864      DEFB 3,01H,60H,60H,64H,0
10865      DEFB 3,01H,60H,62H,65H,0
10866      DEFB 3,01H,62H,60H,6CH,0
10867      DEFB 3,01H,62H,62H,6DH,0
10868      DEFB 3,01H,60H,4DH,67H,0
10869      DEFB 3,01H,62H,4DH,6FH,0
10870      DEFB 3,01H,60H,46H,60H,0
10871      DEFB 3,01H,62H,46H,68H,0
10872      DEFB 3,01H,60H,47H,61H,0
10873      DEFB 3,01H,62H,47H,69H,0
10874      DEFB 3,01H,60H,48H,62H,0
10875      DEFB 3,01H,62H,48H,6AH,0
10876      DEFB 3,01H,60H,49H,63H,0
10877      DEFB 3,01H,62H,49H,6BH,0
10878      DEFB 3,01H,60H,7EH,26H,10
10879      DEFB 3,01H,62H,7EH,2EH,10
10880      DEFB 3,02H,4DH,60H,84H,0
10881      DEFB 3,02H,4DH,62H,85H,0
10882      DEFB 3,03H,4DH,60H,8CH,0
10883      DEFB 3,03H,4DH,62H,8DH,0
10884      DEFB 2,04H,60H,94H,0
10885      DEFB 2,04H,62H,95H,0
10886      DEFB 3,05H,4DH,60H,9CH,0
10887      DEFB 3,05H,4DH,62H,9DH,0
10888      DEFB 2,06H,60H,0A4H,0
10889      DEFB 2,06H,62H,0A5H,0
10890      DEFB 2,07H,60H,0ACH,0
10891      DEFB 2,07H,62H,0ADH,0
10892      DEFB 2,08H,60H,0B4H,0
10893      DEFB 2,08H,62H,0B5H,0
10894      DEFB 2,09H,60H,0BCH,0
10895      DEFB 2,09H,62H,0BDH,0
10896      DEFB 2,0AH,60H,24H,0
```

E:\paleobasic\superx\SUPER-X.ASM

```

10897      DEFB 2,0AH,62H,2CH,0
10898      DEFB 2,0BH,60H,25H,0
10899      DEFB 2,0BH,62H,2DH,0
10900
10901      DEFB 0
10902
10903 NST01:  DEFM '-----$'
10904      DEFM '|                               |$'
10905      DEFM '-----$'
10906      DEFM '|           |           |$'
10907      DEFM '-----$'
10908      DEFM '|                               |$'
10909      DEFM '|                               |$'
10910      DEFM '|                               |$'
10911      DEFM '|                               |$'
10912      DEFM '|                               |$'
10913      DEFM '-----$'
10914 NST02:  DEFM '      MAIN SUB FDC RAM'
10915 NST03:  DEFM '      BIOSWORKDATAPORTMATHKEY HOOK'
10916 NST04:  DEFM '+-----+'
10917      DEFM '      SUPER-X version 1.22      '
10918      DEFM ' Copyright(C) 1991-2011 Romi & NYRIKKI '
10919      DEFM '+-----+'
10920
10921 HELPMs:
10922      DEFM '----- HELP -----'
10923      DEFM '| [D]-DUMP      BF=BAS-FIND  BL=BAS-LIST|'
10924      DEFM '| [A]-ASCII     BT=TRANSFER  CK=CHECK   |'
10925      DEFM '| [I]-DISASM    CL=CALCU     CM=COMPARE  |'
10926      DEFM '| [M]-MULTI     CO=COLOR     CS=CHG-SUM  |'
10927      DEFM '| [H]-CHARA     CU=CHG-CPU   FD=FIN      |'
10928      DEFM '| TP=TYPE       GO=GO        KR=K-READ   |'
10929      DEFM '| KT=K-TYPE     PP=MAPPER    FL=FILL     |'
10930      DEFM '| PO=PORT OUT   RG=REGISTER  RT=RELOCATE|'
10931      DEFM '| PI=PORT IN    SF=FUNCTION   TK=TENKEY  |'
10932      DEFM '| TR=TRACE      TS=TOTALSUM   OF=OFFSET  |'
10933      DEFM '| SD=SpDISASM   CD=CHDIR     CLS=CLS     |'
10934      DEFM '|                               QT=QUIT   |'
10935      DEFM '|-----|'
10936      DEFM '|      INDEX      | [LD]-BLOAD  [SV]-BSAVE  |'
10937      DEFM '| [iM]-MAKE      | [L#]-SpLOAD [S#]-SpSAVE |'
10938      DEFM '| [iC]-CHECK     | [L%]-ScLOAD [S%]-ScSAVE |'
10939      DEFM '| [iL]-LOAD      | [FS]-FILES  [KL]-KnjLOAD|'
10940      DEFM '| [iS]-SAVE      | [CI]-Ck.DSK |'
10941      DEFM '-----'
10942 NST05:  DB 15
10943      DEFM '-----$'
10944      DB 10

```

E:\paleobasic\superx\SUPER-X.ASM

[illegible]