

Windchill Extension Test Plan

Extension Platform Validation Plan

Details	
Generated	2025/01/31 13:02
Group Id	com.wincomplm
Artifact Id	wex-platform-testplan-validation
Name	Extension Platform Validation Plan
Version	2.0
Beta	No
Windchill Version	13.0
Description	The platform within Windchill that manages extensions
System Extension	Yes

Overview & Setup	4
Install test version	5
Set Windchill+ to be default	6
Restart after install of new platform	7
Check method server for output of environment variable	8
Check the audit WC+ is not changeable	9
Remove Windchill+ environment variable	10
Restart after deletion of variable	11
Create Wex Manager new user	12
Ensure all Extensions are allowed to be installed	13
Manager	14
Check standard user has no access to the extension manager	15
Check wex user has access to the extension manager	16
Check extension manager user can do an install of a signed extension	17
Undeploy an extension	18
Check extension manager user cannot do an install of a snapshot, beta or trial	19
Check extension manager user cannot install unsigned	20
Enable only Windchill+ are allowed to be installed	21
Check extension manager user cannot do an install of a non Windchill+ extension	22
Check extension manager user can do an install of an approved Windchill+ extension	23
Check extension is registered in DB	24
Check the audit show the new extensions	25
Undeploy and check unregistered in DB	26
Sync	27
Turn off Windchill+ only	28
Turn of all syncs	29
Deploy test extension	30
Undeploy the extension	31
Enable an extension to be installed from the DB	32
Check the system detects the record is valid	33
Setup sync from the DB	34
Check the sync diags shows a valid update	35
Turn of all syncs	36
Install the test wex-example-sync	37
Check the sync diags show valid update	38
Setup sync from the resources	39

New resource extension deployed	40
Turn off Resource Sync	41
Undeploy all test Extensions	42
Configuration	43
Install the configuration example	44
Check the security report of the example shows the correct information	45
Check site admin has full access to the configuration	46
Check extension admin has limited access to the configuration	47
Check configuration can be changed	48
Menus	49
Check menu is added on deploy	50
Check menu is removed on undeploy	51
Listeners	52
Install a test listener extension	53
Check the extension shows the configurable interface	54
Fire the listener	55
Alter the execution order	56
Fire the listener	57
Methods	58
Install a test method extension	59
Test method execute via JSP	60
Create a workflow to execute a WexInvoke	61
Initiate a workflow to execute a WexInvoke	62

Overview & Setup

ID	OV1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Version **2.0.3**Windchill Version **13.0.2**


Click the link below to download the latest version of this test plan

Testing for the new Wincom Extension Platform 2.0 features that will be included in Windchill.


This test plan is functional only and does not test security.

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-platform-testplan-validation.release.testplan.pdf>

Overview & Setup

Install test version									
ID	ST1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Windchill will have the latest platform preinstalled but the latest version can be installed using the installer.									
Actions									
<p>Download the installer and run it from a Windchill Shell</p> <p>Click the link below to download the latest installer</p> <p>Windows:java -jar wex-platform-xxxxx.jar Linux (no GUI):java -jar wex-platform-xxxxx.jar -console</p> <p>Click the link below to download the latest installer</p> <p>https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-platform-2.0-13.0.2-SNAPSHOT.jar</p>									
									
Result									
Install complete									

Set Windchill+ to be default									
ID	ST11	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Set the WEX_WCPLUS environment variable to ensure WC plus is preset									
Actions									
Set the WEX_WCPLUS variable to true									
<pre> USERDOMAIN=AzureAD USERDOMAIN_ROAMINGPROFILE=AzureAD USERNAME=SimonHeath USERPROFILE=C:\Users\SimonHeath WEX_WCPLUS=true windir=C:\Windows WT_HOME=C:\ptc\Windchill_13.0\Windchill ZES_ENABLE_SYSMAN=1 </pre>									
Result									
Environment Variable is created									

Restart after install of new platform									
ID	ST12	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Checking the server starts correctly after install									
Actions									
Restart server									
Result									
 <p>IzPack - Installation of Windchill Extensions Platform</p> <p>Please read the following information:</p> <h2>Complete</h2> <p>The installation is complete, please restart your Windchill system.</p> <p>(Made with IzPack - http://izpack.org/)</p> <p>Step 6 of 6</p> <p>Quit</p>									

Check method server for output of environment variable									
ID	ST13	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
The WEX_WCPLUS environment variable should show up in method server									
Actions									
Review method server log for WEX_WCPLUS value is 'true'									
Result									
<pre> NFO : wt.system.err - 2025-44-30 13:44:21 INFO com.wincomplm.wex.kernel.impl.manager.WexKernelManagerDelegate - Your Kernel will expire in 178 day(s) NFO : wt.system.err - 2025-44-30 13:44:21 INFO com.wincomplm.wex.kernel.impl.manager.WexKernelManager - Initializing Wex Kernel... NFO : wt.system.err - 2025-01-30 13:44:29 WARN com.wincomplm.wex-audit.WindchillPlusHelper - WEX_WCPLUS value is 'true' NFO : wt.system.err - 2025-44-30 13:44:37 INFO com.wincomplm.wex.kernel.impl.manager.WexKernelManagerDelegate - Loaded class com.wincomplm.wex.kernel.impl.manager.WexKernelManagerDelegate </pre>									


Check the audit WC+ is not changeable

ID	ST14	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--

Description

The WEX_WCPLUS environment variable should prevent anyone from being able to change the setting and display blank

Actions



The screenshot shows the Windchill wcadmin interface. The 'Extension Manager' section displays a table of extensions. The 'Audit' extension is highlighted. The 'Configura' (Configuration) icon in the Actions column is circled.


Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configura
Audit	com.wincomplm	wex-audit	2.0-SNAI			Release					


Result


No configurable options.

Close

Remove Windchill+ environment variable									
ID	ST15	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Removing the environment variable allows site admin to change Audit config for the tests ahead									
Actions									
Delete the WEX_WCPLUS from the environment variables									
Result									
Check the system settings									

Restart after deletion of variable									
ID	ST2	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Checking the server starts correctly									
Actions									
Restart server									
Result									
 <p>IzPack - Installation of Windchill Extensions Platform</p> <p>Please read the following information:</p> <h2>Complete</h2> <p>The installation is complete, please restart your Windchill system.</p> <p>(Made with IzPack - http://izpack.org/)</p> <p>Step 6 of 6</p> <p>Quit</p>									

Create Wex Manager new user									
ID	ST3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>We will use three users during the testing</p> <ul style="list-style-type: none"> + Site Admin - Will be able to perform all functions including system configuration (wadmin) + Extension Admin - A user that can deploy and undeploy approved extensions (wex) + Standard User - A user with no special privileges (nowex) 									
Actions									
<p>Create a new user (wex) and add them to this group Create a new user (nowex) and do not add them to this group</p>									
Result									
<p>The Group Extension Administrators is present (does not need to be manually created)</p>									
 <p>The screenshot shows the Windchill wadmin interface. The top navigation bar includes the Windchill logo, 'wadmin', a dropdown menu for 'Abstract Specificatio...', a search bar, and a 'Quick Links' dropdown. The left sidebar contains a 'Search Browse' section and a 'Navigator' section. The main content area is titled 'Participant Administration' and shows a table with 2 objects. The table has columns for Name, Status, Description, Context, and Organization ID. The first row is 'Extension Administrators' with a description 'Can deploy, undeploy and configure extensions for the business' and context 'Site'. The second row is 'wex' with an information icon. Below the table, it says '(0 objects selected)'.</p>									

Ensure all Extensions are allowed to be installed									
ID	ST4	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Must be done as a site admin									
Actions									
Login as site admin and access the Extension Manager (1) Access system extensions (2) Access wex-audit configuration (3) Change to Windchill+ false, to should be preset to true(4) Update (5)									
									
Result									
Configuration updated									

Manager

ID	M1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

This section will test the manager exposed to nominated users and works as expected.
Test extensions are provided for 13.0.2

Extension Manager

Check standard user has no access to the extension manager


ID	M2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--


Description

Login as standard user (nowex)
Standard users, those not site admin or in the extension administrators group, do not see the manager

Actions

Access the quick links menu to ensure no manager is present



Check wex user has access to the extension manager									
ID	M3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Login as extension administrator (wex) Wex admin users do see the manager									
Actions									
Access the quick links menu to ensure manager is present									
Result									
 <p>The screenshot displays the Windchill WEX user interface. At the top, the 'windchill® wex' header is visible, along with a search bar and a 'Quick Links' dropdown menu. The 'Quick Links' menu is open, showing a list of options: Help, PTC Learning Connector, Clipboard, Import Job Monitor, WVS Job Monitor, Event Management, My Settings, My Notebook, My AR Experiences, Software Downloads, Email Page, Copy Page, Copy Link, and Extension Manager. The 'Extension Manager' option is highlighted with an orange rectangular box. In the background, the 'Extension Manager' section of the main interface is visible, showing a table with columns for Name, ID, Version, Documentation, Actions, and Configuration. The table currently displays 'No matches found'.</p>									

Check extension manager user can do an install of a signed extension

ID	M4	Category	Functional	Security	NA	Execution	Manual	Reference

Description


At this point the extension manager may install any signed extension. This is restricted in a later test

Actions

Download and deploy test extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>



Result

Installation is successful



Undeploy an extension

ID	M5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Undeploy the extension deployed in previous step

Actions

The screenshot shows the Windchill 'Extension Manager' interface. A table lists the installed extension 'Example - Hello World' with ID 'wex-example-helloworld' and version '2.0'. The 'Actions' column for this extension contains a red 'X' icon, indicating the undeploy action.

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.0			

Result

The screenshot shows a confirmation message from Windchill: 'CONFIRMATION: Undeploy OK'. Below the message, it states 'The extension has been removed from your system'. The 'Extension Manager' table below is empty, confirming the successful undeployment.

CONFIRMATION: Undeploy OK
The extension has been removed from your system

Name	ID	Version	Documentation	Actions	Configuration
------	----	---------	---------------	---------	---------------

Check extension manager user cannot do an install of a snapshot, beta or trial

ID

M6

Category

Functional

Security

NA

Execution

Manual

Reference

Description


These are only allowed to be installed by a site admin

Actions

Download and deploy snapshot test extension


Click the link below to download the test extension



<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-SNAPSHOT.wex>





Result

Installation is unsuccessful



Check extension manager user cannot install unsigned									
ID	M7	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
This test is a user trying to install a wex with a tampered definition file									
Actions									
Download and deploy test extension									
Click the link below to download the test extension									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-badsignature.wex									
									
Result									
Installation is unsuccessful									
									

Enable only Windchill+ are allowed to be installed									
ID	M8	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>To restrict the system to only allow extension managers to install Windchill+ approved extensions. Must be done as a site admin</p>									
Actions									
<p>Login as site admin and access the Extension Manager (1) Access system extensions (2) Access wex-audit configuration (3) Change to Windchill+ (4) Update (5)</p>									
 <p>The screenshot shows the Windchill+ user interface. At the top left, the user is logged in as 'wadmin' (1). On the left sidebar, the 'Extension Manager' icon is highlighted (2). In the main area, a table lists various extensions. The 'Audit' extension is selected (3). A configuration dialog for the 'Audit' extension is open, showing the 'General' tab. Under 'Windchill+ only', the 'Yes' radio button is selected (4). The 'Update' button is highlighted (5).</p>									
Result									
Configuration updated									
 <p>The screenshot shows the 'General' configuration dialog for the 'Audit' extension. The 'Windchill+ only' section has the 'Yes' radio button selected. The 'Update' button is visible in the bottom right corner.</p>									

Check extension manager user cannot do an install of a non Windchill+ extension

ID

M9

Category

Functional

Security

NA

Execution

Manual

Reference

Description


User may not install

Actions

Download and deploy test extension


Click the link below to download the test extension.

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>



Result

Installation is unsuccessful



Check extension manager user can do an install of an approved Windchill+ extension

ID	M10	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description


User may install approved extension

Actions

Download and deploy approved extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0-wcplus.wex>



Result

Installation is successful



Check extension is registered in DB


ID	M11	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be in the DB as installed


Actions

As site admin, check the wex folders area



Result

Record is visible as Released




Check the audit show the new extensions

ID	M12	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be seen as Windchill+ approved in the diags, must be done as a site admin

Actions




The screenshot shows the 'Approved Extensions' dialog in Windchill. The 'Extension Manager' sidebar on the left lists various extension categories. The main table displays the following data:

ID	Name	System	Approvals
com.wincomplm.wex-log	Log	true	[ptc-product]
com.wincomplm.wex-wt-framework	Windchill Framework	true	[ptc-product]
com.wincomplm.wex-example-helloworld	Example - Hello World	false	[windchill-plus]
com.wincomplm.wex-manager	Manager	true	[ptc-product]
com.wincomplm.wex-performance	Performance	true	[ptc-product]
com.wincomplm.wex-threading	Threading	true	[ptc-product]
com.wincomplm.wex-framework	Framework	true	[ptc-product]
com.wincomplm.wex-audit	Audit	true	[ptc-product]
com.wincomplm.wex-diagnostics	Diagnostics	true	[ptc-product]

The 'Approvals' column for the highlighted extension shows '[windchill-plus]'. The 'System' column for this extension is 'false'. The 'Close' button is visible at the bottom right of the dialog.

Result

Record is visible



This screenshot is identical to the one above, showing the 'Approved Extensions' dialog. The extension 'com.wincomplm.wex-example-helloworld' is highlighted with a red box, and its 'Approvals' column shows '[windchill-plus]'. The 'System' column for this extension is 'false'. The 'Close' button is visible at the bottom right of the dialog.


Undeploy and check unregistered in DB

ID	M13	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The extension should be in the DB but as Inwork, must be done as a site admin


Actions




The screenshot shows the Windchill WEX Extension Manager interface. The header displays the Windchill logo and 'wex'. The left sidebar contains navigation icons and the text 'Search | Browse'. The main area is titled 'Extension Manager' and features a table with the following columns: Name, ID, Version, Documentation, Actions, and Configuration. A single entry is listed: 'Example - Hello World' with ID 'wex-example-helloworld' and Version '2.0'. The 'Actions' column for this entry contains a red 'X' icon, indicating an error or a failed action.

Result

Record is visible as Inwork



The screenshot shows the Windchill WCADM Folder Contents interface. The header displays the Windchill logo and 'wadmin'. The left sidebar contains navigation icons and the text 'Search | Browse'. The main area is titled 'Folder Contents' and shows a tree view of folders under 'Site > Folders > wex'. The 'Folder Contents' table has columns: Number, Name, Version, and State. A single entry is listed: 'WEX-339758009' with Name 'com.wincomplm.wex-example-helloworld-release-2.0' and Version 'A.47'. The 'State' column for this entry contains the text 'In Work', which is highlighted with a red box.

Sync									
ID	SN1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>Testing the way the platform syncs to the DB and new updates.</p> <p>All testing must be done as Site Admin.</p> <div>  </div>									

Turn off Windchill+ only

ID	SN2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

To ensure valid testing, allow all installs

Actions

Set Windchill+ only to false

The screenshot displays the Windchill+ web application interface. On the left, the 'Extension Manager' sidebar lists various components, with 'Audit' selected. The main content area shows the 'General' configuration tab for the 'Audit' extension. The 'Windchill+ only' setting is currently set to 'No', indicated by a selected radio button. An 'Update' button is visible at the bottom right of the configuration panel. The background shows a table of extensions with columns for Name, Author, Status, Actions, and Configuration.

Result

The audit config is updated

Turn of all syncs

ID	SN3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

As site admin turn off sync

Actions

The screenshot displays the Windchill wadmin interface. On the left, the 'Extension Manager' sidebar lists various components, with 'Sync' selected. The main panel is titled 'Sync' and contains the following settings:

- Enable the database sync:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- Enable the resource sync:** Radio buttons for 'Yes' and 'No', with 'No' selected.
- List of items to sync:** A list containing 'com.wincomplm.*'.
- Sync Frequency (in minutes):** A text input field containing the value '1'.
- Update:** A button to save the configuration.

On the right side of the interface, a sidebar shows a list of actions. The 'Configuration' tab is active, and a wrench icon is highlighted, indicating the current configuration page.

Deploy test extension

ID	SN3.1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-------	----------	------------	----------	----	-----------	--------	-----------	--

Description

Deploy an extension that will be present in the history

Actions

Download and deploy test extension

Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>

Result

Installation is successfull

Undeploy the extension

ID	SN3.2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-------	----------	------------	----------	----	-----------	--------	-----------	--

Description

Undeploy the extension deployed in previous step

Actions

The screenshot shows the Windchill WEX Extension Manager interface. On the left is a sidebar with a magnifying glass icon and the text 'Search | Browse'. The main area has a dark header with the Windchill logo and 'wex'. Below the header is a section titled 'Extension Manager' with a dropdown arrow. Under this section is a table with columns: Name, ID, Version, Documentation, Actions, and Configuration. The first row of the table contains the text 'Example - Hello World', 'wex-example-helloworld', '2.0', a document icon, a red square with a white 'X', and an empty cell. A green plus icon is visible above the table.

Result

The screenshot shows the same Windchill WEX Extension Manager interface, but with a confirmation message at the top. The message is in a yellow box and reads: 'CONFIRMATION: Undeploy OK' followed by 'The extension has been removed from your system'. Below the message, the 'Extension Manager' section is still visible, but the table is now empty. The sidebar and header are the same as in the previous screenshot.

Enable an extension to be installed from the DB


ID	SN4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

By setting the record to released the extension will be installed by sync

Actions

As site admin set a previously installed extension to Released



Result

The document is set to released

Check the system detects the record is valid


ID	SN5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The diags will show that this extension is ready to deploy.

This features allows this system to maintain the DB as as the single source of truth for clusters and containerized systems.

Actions



windchill® wcadmin

Extension Manager

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions ↓	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release				✓ ⓘ ⚙	⚙
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release				✓ ⓘ ⚙	⚙

Result

Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld		2.0	true	false	true	false

1 item(s) require a sync

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
----	---------	------------------	------------	---------

Setup sync from the DB

ID	SN6	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Set the sync to read the DB and update the system if required

Actions

Set sync so that the DB sync is enabled but the resource is not

The screenshot shows the Windchill wadmin interface with the 'Extension Manager' sidebar. A configuration window for the 'Sync' extension is open. The window has a green header 'Sync'. Below it, there are two sections: 'Enable the database sync' with 'Yes' selected, and 'Enable the resource sync' with 'No' selected. Below these is a 'List of items to sync' section with a plus button and a minus button. The minus button is active, showing 'com.wincomplm.*'. At the bottom, there is a 'Sync Frequency (in minutes)' field set to '1' and an 'Update' button.

Result

After a few minutes the extension appears as installed. This may take up to 5 minutes.

The screenshot shows the Windchill wex interface with the 'Extension Manager' sidebar. The main area shows the 'Extension Manager' with a table of installed extensions. The table has columns: Name, ID, Version, Documentation, Actions, and Configuration. One extension is listed: 'Example - Hello World' with ID 'wex-example-helloworld' and Version '2.0'. The 'Actions' column shows a red 'X' icon.


Check the sync diags shows a valid update

ID	SN7	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The systems will after some minutes detect the disparity and install the extension automatically.
The diags will now show the update was complete

Actions



Windchill wcadmin

Extension Manager

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release					
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release					

Result

Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.0	false	false	true	true

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
com.wincomplm.wex-example-helloworld	2.0		false	true

Close

Turn of all syncs


ID	SN8	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

As site admin turn off sync so that the system does not synchronize with the DB or resource folder

Actions

The screenshot displays the Windchill wadmin interface. On the left is the 'Extension Manager' sidebar with a list of extensions including Audit, Sync, Center, Cluster, Configuration, Core, Deploy, Diagnostics, Documentation, Framework, JUnit Test, License, Log, Manager, and Metrics. The 'Sync' extension is selected. The main panel shows the 'Sync' configuration page. It has a green header bar with the word 'Sync'. Below it, there are two sections: 'Enable the database sync' and 'Enable the resource sync'. Each section has radio buttons for 'Yes' and 'No', with 'No' being selected for both. Below these is a section titled 'List of items to sync' which contains a list with one item: 'com.wincomplm.*'. At the bottom of this section is a 'Sync Frequency (in minutes)' field with the value '1'. An 'Update' button is located at the bottom right of the configuration panel. On the right side of the interface, there is a vertical sidebar with a list of actions and configurations, with the 'Sync' action highlighted.

Install the test wex-example-sync									
ID	SN9	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>This 2.0 example delivers a new version (2.1) version of the Hello World extension which it will add to the resource area that is checked by the system Sync extension.</p>									
Actions									
<p>Download and deploy test extension</p> <p>Click the link below to download the test extension</p> <p>https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-sync-2.0-13.0.wex</p>									
									
Result									
Extension deployed									

Check the sync diags show valid update


ID	SN10	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--

Description

The diags will now show the sync is required.

Note that Hello World 2.0 must already be installed.

Actions



The screenshot shows the Windchill wcadmin interface. The 'Extension Manager' section is expanded, displaying a table of extensions. The 'Sync' extension is selected, and the 'Sync' button in the 'Actions' column is highlighted with a red box.

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Audit	com.wincomplm	wex-audit	2.0-SNAPSHOT			Release					
Sync	com.wincomplm	wex-sync	2.0-SNAPSHOT			Release					

Result


Sync Extensions

Database Sync

ID	Version	DB Version	Needs Sync	DB older	On DB	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.0	false	false	true	true

Resource Sync

ID	Version	Resource Version	Needs Sync	On Disk
com.wincomplm.wex-example-helloworld	2.0	2.1	true	true

Setup sync from the resources									
ID	SN11	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Set the sync to read from the resource area and update the system if required									
Actions									
Set sync so that the resource sync is enabled but the DB is not									
									
Result									
The sync config is updated									

New resource extension deployed

ID	SN12	Category	Functional	Security	NA	Execution	Manual	Reference	
----	------	----------	------------	----------	----	-----------	--------	-----------	--


Description

The 2.1 Hello World extension will be deployed

Actions

Wait + or - 5 minutes for sync to trigger the automatic deployment of the extension

Result



windchill® wadmin

Home

Search | Browse

Extension Manager







+


≡

↓

✖

🖨

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions ↓
Example - Hello World	com.wincomplm	wex-example-helloworld	2.1			Release			  	  

 WINCOM


Confidential

40

Turn off Resource Sync									
ID	SN13	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Turn off the Sync that reads from resource area									
Actions									
Set the sync so that the resource sync is disabled and the DB is also disabled									
Result									
The sync config is updated									

Undeploy all test Extensions									
ID	SN14	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Ensuring that all extensions used for Sync testing are removed									
Actions									
Undeploy Hello World Example and Sync Example									
Result									
Extensions are undeployed									

Configuration									
ID	C1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Testing the way the platform manages configurations									
<div> <div>Configuration</div> </div>									

Install the configuration example									
ID	C2	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
The configuration options include ones that are available to the extension admin									
Actions									
Download and install the configuration example extension									
https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-config-2.0-13.0.wex									
Result									
									

Check the security report of the example shows the correct information									
ID	C3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
The security reports will show which options are made visible to the Extension Admins									
Actions									
No action, this is for information only									
Result									

Configuration

The configuration options for both Site Admin and Extension Business Configuration

Business Manager Options				
Category	Name	Type	Description	Required
Business Admin	businessString	String	An option visible to the business admins	false

Admin Options				
Category	Name	Type	Description	Required
Basic	exampleString	String	Simple string	false
Basic	exampleBoolean	boolean	Boolean	false
Collections	exampleList	List	String list	false
Collections	exampleMap	Map	String map	false
Collections	exampleStateList	List	String list with handler	false
Security	examplePassword	String	Password	false

Check site admin has full access to the configuration

ID	C4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

All configurations items are visible

Actions

The screenshot shows the Windchill wadmin interface. At the top, the 'windchill' logo and 'wadmin' tab are visible. Below the navigation bar, the 'Extension Manager' section is active. It contains a table with the following columns: Name, Author, ID, Version, Trial, Client, Build, Expired, Expires, Documentation, Actions, and Configur. The table lists three extensions: 'Example - Hello World', 'Example - Sync', and 'Example - Config'. The 'Example - Config' row is highlighted in orange, and a configuration icon (wrench) is visible in the 'Configur.' column for this row.

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configur.
Example - Hello World	com.wincomplm	wex-example-helloworld	2.1			Release					
Example - Sync	com.wincomplm	wex-example-sync	2.0			Release					
Example - Config	com.wincomplm	wex-example-config	2.0			Release					

Result

Basic

Boolean

☐ Yes ☒ No

Simple string

bad2

Business Admin

An option visible to the business admins

Hello7

Collections



































String list

+

String list with handler

+

Accepted

Check extension admin has limited access to the configuration																																					
ID	C5	Category	Functional	Security	NA	Execution	Manual	Reference																													
Description																																					
Only items annotations as business are visible																																					
Actions																																					
<div><div> windchill®</div><div>wex</div></div> <div><div><div><div></div><div></div><div>Search Browse</div></div><div><div>▼ Extension Manager</div><div><div><div></div><table><thead><tr><th></th><th>Name</th><th>ID</th><th>Version</th><th>Documentation</th><th>Actions</th><th>Configuration</th></tr></thead><tbody><tr><td></td><td>Example - Hello World</td><td>wex-example-helloworld</td><td>2.1</td><td></td><td></td><td></td></tr><tr><td></td><td>Example - Sync</td><td>wex-example-sync</td><td>2.0</td><td></td><td></td><td></td></tr><tr><td></td><td>Example - Config</td><td>wex-example-config</td><td>2.0</td><td></td><td></td><td></td></tr></tbody></table></div></div></div></div></div>											Name	ID	Version	Documentation	Actions	Configuration		Example - Hello World	wex-example-helloworld	2.1					Example - Sync	wex-example-sync	2.0					Example - Config	wex-example-config	2.0			
	Name	ID	Version	Documentation	Actions	Configuration																															
	Example - Hello World	wex-example-helloworld	2.1																																		
	Example - Sync	wex-example-sync	2.0																																		
	Example - Config	wex-example-config	2.0																																		
Result																																					
<div><div>Business Admin</div><div>An option visible to the business admins</div><div><div>Hello World</div><div>Update</div></div></div>																																					

Check configuration can be changed									
ID	C6	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Ensure configuration is updated for an Extension									
Actions									
Show System Extensions, go to Audit and change the configurationAfter updating check Method Server for any errors									
Result									
Configuration for Audit should be changed and saved									

ID	MN1	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Testing the extension menu options

Menus

Check menu is added on deploy

ID	MN2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description


This extension will add a menu in the Quick Links

Actions

Download and deploy test extension


Click the link below to download the test extension and deploy

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-helloworld-2.0-13.0.wex>



Result

Check the menus are visible
Will require a browser refresh



Check menu is removed on undeploy

ID	MN3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	-----	----------	------------	----------	----	-----------	--------	-----------	--

Description

This undeploy removes the menu from the Quick Links

Actions

The screenshot shows the Windchill WEX interface. On the left is a sidebar with 'Search | Browse' and a home icon. The main area is titled 'Extension Manager' and contains a table with the following data:

Name	ID	Version	Documentation	Actions	Configuration
Example - Hello World	wex-example-helloworld	2.0			

Result

Check the menus are not visible
Will require a browser refresh

The screenshot shows the Windchill WEX Quick Links menu. The menu items are: My Settings, My Notebook, My AR Experiences, Software Downloads, Email Page, Copy Page, Copy Link, and Extension Manager. The 'Extension Manager' option is highlighted with an orange box.

Listeners									
ID	L1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Testing the extension listener options									
<div> <div>Listeners</div> </div>									

Install a test listener extension

ID	L2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description


This example has two listeners that can be used for testing

Actions

Download and deploy test extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-listener-2.0-13.0.wex>



Result

Installation is successful




Check the extension shows the configurable interface

ID	L3	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The system config extension will generate a UI to control the order the listener execution

Actions



windchill wadmin

Search | Browse

Extension Manager

Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions	Configuration
Example - Listener	com.wincomplm	wex-example-listener	2.0			Release				✓ ⓘ ✕	⚙️
Audit	com.wincomplm	wex-audit	2.0-SNAP			Release				✓ ⓘ ✕	⚙️
Sync	com.wincomplm	wex-sync	2.0-SNAP			Release				✓ ⓘ ✕	⚙️
Log	com.wincomplm	wex-log	2.0-SNAP			Release				✓ ⓘ	
System	com.wincomplm	wex-system	2.0-SNAP			Release				✓ ⓘ	

Result

Listener order

Example - Listener

Key	Supported	Order
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		0
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		1

OK Cancel

Fire the listener

ID	L4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description



Set the state of one part in the system to trigger the listener


Actions	

Set State

Current Settings: No dependents, Latest : Design, Working

▼ Object List [As a List](#) ▼ Default ▼

 Target State ▼ Dependents ▼ 

<input type="checkbox"/>	<input type="checkbox"/>	Name	Number ↑	Life Cycle Template	State	Target State	Related Processes	Collection Rule	Last Modified
<input type="checkbox"/>		NUT_1_4	GC0000010	Basic	In Work	Released ▼	Terminate	Initially Selected	2024-12-09 15:47 CET

(0 objects selected)

Result

Check the MS logs

```
INFO : wt.servlet.SessionMonitor.stats.summary - ContextPath=/Windchill, ActiveSessionsAverage=1.0, ActiveSessionsMax=1, ActiveSessionsStart=1, ActiveSessionsEnd=1, ElapsedSeconds=600.000924, SessionsCreated=0, SessionsDestroyed=0, SessionsActivated=0, SessionsPassivated=0
INFO : wt.servlet.RequestMonitor.stats.summary - ContextPath=/Windchill, ElapsedSeconds=600.0010389, CompletedRequests=74, ErrorCount=0, RequestSecondsAverage=0.14833998738787377, RequestSecondsMax=1.785916, RequestCpuSecondsAverage=0.012035472972972973, RequestUserSecondsAverage=0.00802364864848648, ActiveRequestsAverage=0.04309416465643556, ActiveRequestsMax=6, ActiveRequestsStart=0, ActiveRequestsEnd=0
INFO : wt.system.err wcadmin - 2024-12-29 20:59:56 WARN com.wincomplm.wex-example-listener.StateListener - [L1] A part has changed state GC000010 to RELEASED
INFO : wt.system.err wcadmin - 2024-12-29 20:59:56 WARN com.wincomplm.wex-example-listener.StateListener2 - [L2] A part has changed state GC000010 to RELEASED
```

Alter the execution order

ID	L5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Make the L2 listener file after the L1

Actions

Listener order

Example - Listener

Key	Supported	Order
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		<input type="text" value="1"/>
*wt.lifecycle.LifecycleServiceEvent/SET_STATE WTPart		<input type="text" value="0"/>

OK Cancel

Result

Listener order is updated

Fire the listener

ID	L6	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description



Set the state of one part in the system to trigger the listener


Actions

Set State

Current Settings: No dependents, Latest : Design, Working

▼ Object List [As a List](#) ▼ Default ▼

 Target State ▼ Dependents ▼ 

<input type="checkbox"/>	<input type="checkbox"/>	Name	Number ↑	Life Cycle Template	State	Target State	Related Processes	Collection Rule	Last Modified
<input type="checkbox"/>		NUT_1_4	GC0000010	Basic	In Work	Released ▼	Terminate	Initially Selected	2024-12-09 15:47 CET

(0 objects selected)

Result

Check the MS logs

```
MethodServer-1@26116
age=0.0469675, RequestSecondsMax=0.3139903, RequestCpuSecondsAverage=0.004464285714285714, RequestUserSecondsAverage=0.004464285714285714, ActiveRequestsAverage=0.1098026150048709, ActiveRequestsMax=2, ActiveRequestsStart=0, ActiveRequestsEnd=0
ERROR : com.ptc.ms.ParamsController wcadmin - No container found for oid : OR:wt.folder.SubFolder:108436
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomp1m.wex-example-listener.StateListener2 - [L2] A part has changed state GC000010 to INWORK
INFO : wt.system.err wcadmin - 2024-12-29 21:21:12 WARN com.wincomp1m.wex-example-listener.StateListener - [L1] A part has changed state GC000010 to INWORK
```

Methods									
ID	G1	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
Testing the extension methods, for example invoking a method from a workflow									
<div>Methods</div>									

Install a test method extension

ID	G2	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description


This example has various methods that can be invoked

Actions

Download and deploy test extension


Click the link below to download the test extension

<https://github.com/wincomplm/edk/raw/refs/heads/main/access/test-wexes/13.0/wex-example-method-2.0-13.0.wex>





Result

Installation is successful



Name	Author	ID	Version	Trial	Client	Build	Expired	Expires	Documentation	Actions
Example - Methods	com.wincomplm	wex-example-method	2.0			Release				

Test method execute via JSP									
ID	G3	Category	Functional	Security	NA	Execution	Manual	Reference	
Description									
<p>The extension code is isolated and so for any code running in the Windchill codebase to access it (e.g. with JSP) the WexInvoke API must be used.</p> <p>The extension page has a test JSP</p>									
Actions									
Access the documentation page and access the test page									
									
Result									
Page loads successfully									
									

Create a workflow to execute a WexInvoke

ID	G4	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

Like a JSP the workflow code runs in the Windchill codebase and the wex code is hidden and must be accessed by an invoke

Actions

Create the new workflow as site admin using the Workflow Templates from the site.
The execution robot should have the following code

```
String wexresult = com.wincomplm.wex.kernel.api.invoke.WexInvoker.invoke("com.wincomplm.wex-example-method","methods.argName","Hello Wex");
System.out.println("The wex returned " + wexresult);
```

windchill®
wadmin
Abstract Specificatio...

Site

Type and Attribute Management

Text Tailoring

View Administration

Visualization Configuration Administration

Workflow Template Administration

Workflow Process Administration

WVS Job Monitor

WVS Job Scheduler Administration

Manage type definitions, attribute definitions, measurement systems, and qu...

Customize the text in the user interface, such as string messages, buttons, and

Create and manage a network of available product structure views.

Manage WVS configurations including Creo View preferences, watermarks, pr

Create and manage workflow templates used for automating processes, in wf

Search for workflow processes and view activity and task level details. Restart

View the status of WVS Jobs.

Create and execute WVS jobs.

Result

File Edit Process Object Format

Start

Expression

End

Location: WexInvokeTest

Properties

Enabled

Expression

General Expression

String wexresult = com.wincomplm.wex.kernel.api.invoke.WexInvoker.invoke("com.wincomplm.wex-example-method","methods.argName","Hello Wex");

System.out.println("The wex returned " + wexresult);

Insert: Variable:

OK Cancel

WINCOM

Confidential

61


Initiate a workflow to execute a WexInvoke

ID	G5	Category	Functional	Security	NA	Execution	Manual	Reference	
----	----	----------	------------	----------	----	-----------	--------	-----------	--

Description

The workflow with display a String in the Background Method Server log

Actions



Result

