SCORECARD · ONE CARD

vbm-json: scorecard (sandboxed run)

Correctness: PASS (3 of 4 primary dimensions measured; Trusted generation not yet defined)
Landedness: FAIL

IDEAL	METRIC	STATUS	VALUE	FLOOR
CORRECTNESS: PASS (3 OF 4; TRUSTED GENERATION NOT YET DEFINED)				
Verified	unproved escapes	pass	0	== 0
Verified	specified share	pass	100	>= 100
Verified	nonstandard axioms	pass	0	== 0
Verified	trusted c lines	pass	430	tracked
Verified	trust ledger entries	pass	13	tracked
Verified	non vacuity	pass	100	>= 100
By construction	hand written tests	pass	0	== 0
By construction	mutation score	pass	100	>= 100
Honesty	gate selftests	pass	100	>= 100
Honesty	gates self tested	pass	100	>= 100
Honesty	attack suite	pass	1	== 1

IDEAL	METRIC	STATUS	VALUE	FLOOR
LANDEDNESS: FAIL				
Velocity	tier1 seconds warm	FAIL	91.2 (skipped 13 of 24 gates)	< 60
Velocity	tier1 seconds cold	pass	300.6	<= 600
Velocity	open prs	pass	0	== 0
Velocity	commits per hour	pass	4.301	tracked
Velocity	p90 commit to main seconds	pass	1301	tracked
PROFILE (IN NEITHER VERDICT): BARE METAL PASS, EFFICIENCY PASS				
Bare metal	freestanding build	pass	1	== 1
Bare metal	wasm freestanding build	pass	54230 B	== 1
Bare metal	libc symbols	pass	0	== 0
Efficiency	throughput vs best	pass	71.2	>= 50

6 corpora, MB/s (the first is floored, the rest only reported): 4 of 6 at or above the 50% line.

CORPUS	KB	VBM-JSON	PYTHON-JSON	SERDE_JSON	SIMDJSON	% BEST
scorecard-corpus	1033	26.2	23	36.8	374.8	71.2%
twitter	631	45	58.7	83.4	1231.9	54%
canada	2251	33.7	23.6	91.2	362.9	37%
citm_catalog	1727	64.6	65.4	147	1233.7	43.9%
small-objects	2412	21	27.3	29.1	541.8	72.2%
string-heavy	2915	117.6	146.2	161	1712.6	73%

Attack suite: PASS relabel-attacks: 46 of 46 attacks refused (35 s); gates stubbed: FAIL relabel-attacks: 0 of 46 attacks refused (3 s).
Level 2 (Measured) card. Level 1, Certified (an independent proof recheck), is not built yet: this is not a certificate.
Run conditions. Shared host under load (about 9): seconds sit above an idle run's; gates and tests ran serially in a 2-CPU, 4 GB sandbox.

Throughput MB/s, the floored corpus `857fc854` : simdjson 374.8, serde_json 36.8, vbm-json 26.2, python-json 23. Gap to simdjson: 14.3x (non-scalar, not floored); best scalar serde_json is 1.4x faster (floor: within 2x). Pinned: python-json 3.14.8, serde_json 1.0.150, simdjson 5.0.5.
Hand-written cases (0). Drivers, 0 cases: 8 files.
Warm run (what a landing costs, floor under 60 s): the fast gate after a typical change, on the cache the cold run left; skipped 13 of 24 gates by design: C ABI test, wasm32 build test, freestanding native test, language bindings test, workflow lint, protected-set gate, lander, commit-on-main guard, parallel test runner, delta test selection, crash-record check, gate-diff judge, relabel-attack suite.
Cold run (what an outside contributor pays, ceiling 600 s, shown beside the warm run): 2 CPUs, 4 GB cap, a fresh clone with no cache.
Gates with self-test evidence in the run: 24 of 24.