Akshara Ferrous Metal Scrap Specifications

HMS #1 and #2 Mixed (80/20)



Busheling



HMS #1

Wrought iron and/or steel scrap 1/4 inch and over in thickness. Individual pieces not over 60 x 24 inches (charging box size) prepared in a manner to insure compact charging.

HMS #2

Wrought iron and steel scrap, black and galvanized, 1/8 inch and over in thickness, charging box size to include material not suitable as No. 1 heavy melting steel. Prepared in a manner to insure compact charging.

Total percentage of container of #1 and #2 equals to 80% and 20% respectively.

Busheling

Clean steel scrap, not exceeding 12 inches in any dimensions, including new factory busheling (for example, sheet clippings, stampings, etc.). May not include old auto body and fender stock.

Free of metal coated, limed, vitreous enameled, and electrical sheet containing over 0.5 percent silicon.

