

A10.10. Package Regulated Medical Waste, N.O.S.; Biomedical Waste, N.O.S.; Clinical Waste, Unspecified, N.O.S.; Medical Waste, N.O.S. as follows: Use non bulk packagings that meet the PG II performance level.

A10.10.1. Package in the following drums, boxes, or jerricans:

Inner packaging	Outer packaging
Not required	<p>Drums: removable head steel (1A2), removable head aluminum (1B2), removable head metal other than steel or aluminum (1N2), plywood (1D), fiber (1G), or removable head plastic (1H2)</p> <p><i>or</i></p> <p>Boxes: steel (4A), aluminum (4B), ordinary natural wood (4C1), sift-proof natural wood (4C2), plywood (4D), reconstituted wood (4F), fiberboard (4G), expanded plastic (4H1), solid plastic (4H2), or other metal (4N)</p> <p><i>or</i></p> <p>Jerricans: removable head steel (3A2), aluminum removable head (3B2), or plastic removable head (3H2)</p>

A10.10.2. Additionally, prepare packages in such a manner as they will arrive at their destination in good condition, and present no hazard to persons or animals during transport.

A10.10.3. Packaging tests may be those appropriate for solids when there is sufficient absorbent material to absorb the entire amount of liquid present and the package is capable of retaining liquids. In all other instances accomplish the packaging tests appropriate for liquids.

A10.10.4. Ensure packagings intended to contain sharp objects, such as broken glass and needles are resistant to puncture and retain liquids under the performance test conditions for the packaging.

A10.11. Package Chlorosilanes as follows: Packaging meeting the PG I or PG II performance standard is required.

A10.11.1. Package in the following combination drums, or boxes:

Inner packaging	Outer packaging
Receptacles: glass, or steel	<p>Drums: steel (1A2), plywood (1D), fiber (1G), or plastic (1H2)</p> <p><i>or</i></p> <p>Boxes: steel (4A), natural wood (4C1 or 4C2), plywood (4D), reconstituted wood (4F), fiberboard (4G), expanded plastic (4H1), or solid plastic (4H2)</p>