COLUMN SCHEDULE

MARK LEVEL		C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11
ABOVE TO TERRACE LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1		300X600 G1		300X600 G1	
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ		A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ		A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C		M-35 A		M-35 A	
TERRACE LVL. TO 14TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	
14TH FL00R LVL. TO 13TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
13TH FL00R LVL. TO 12TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
12TH FL00R LVL. TO 11TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
11TH FL00R LVL. TO 10TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
10TH FL00R LVL. TO 9TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
9TH FL00R LVL. TO 8TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
8TH FL00R LVL. TO 7TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
7TH FL00R LVL. TO 6TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
6TH FL00R LVL. TO 5TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-35 A	M-35 A	M-35 A	M-35 B	M-35 B	M-35 C	M-35 D	M-35 A	M-35 A	M-35 A	M-35 C
5TH FL00R LVL. TO 4TH FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
4TH FL00R LVL. TO 3RD FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-16ϕ D = 4-20ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
3RD FL00R LVL. TO 2ND FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-25ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ E = 2-16ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-20ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
2ND FL00R LVL. TO 1ST FL00R LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-12ϕ D = 4-16ϕ	A = 4-25ϕ B = 2-20ϕ C = 4-25ϕ D = 4-25ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-20ϕ D = 4-16ϕ E = 2-16ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-16ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
1ST FL00R LVL. TO GROUND FLOOR LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-25ϕ B = 2-25ϕ C = 4-25ϕ D = 4-25ϕ R1	A = 4-20ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ E = 2-20ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-16ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 4-12ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-16ϕ E = 2-16ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
GROUND FLOOR LVL. TO FOUNDATION LVL.	S.W.SIZE / TIES GROUP	300X600 G1	300X600 G1	300X600 G1	300X750 G2	300X750 G2	300X715 G1	300X800 G1	300X600 G1	300X600 G1	300X600 G1	300X715 G1
	VERTICAL REINF.	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-12ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-25ϕ B = 2-25ϕ C = 4-25ϕ D = 4-20ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ E = 2-20ϕ	A = 4-20ϕ B = 2-16ϕ C = 4-16ϕ D = 4-16ϕ E = 2-16ϕ	A = 4-16ϕ B = 2-16ϕ C = 4-12ϕ D = 4-12ϕ E = 2-12ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-12ϕ D = 4-12ϕ E = 4-12ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-20ϕ D = 4-20ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-20ϕ B = 2-20ϕ C = 4-16ϕ D = 4-16ϕ	A = 4-16ϕ B = 2-12ϕ C = 4-16ϕ D = 4-16ϕ E = 2-12ϕ
	CONCRETE GRADE / REFER SECTION	M-40 A	M-40 A	M-40 A	M-40 B	M-40 B	M-40 C	M-40 D	M-40 A	M-40 A	M-40 A	M-40 C
REMARK	DESCRIPTION											



TYP. COLUMN TIES SPACING

* ZONE A – AS/COLUMN SCHEDULE
* ZONE B – AS/COLUMN SCHEDULE
* IN LAP PORTION STIRRUPS SPACING SHALL BE 150mm c/c (MAXIMUM) FOR 32 MAIN BARS – MIN. TIES DIA SHALL BE 8

DETAIL-A

Lo. SHALL BE GREATER OF

(a) Lc/6
(b) LARGER LATERAL DIMENSION OF THE MEMBER.
(c) 450 mm MIN.



SECTION 1-1



SECTION 2-2
OPTION-1
SLOPE OF 1:6 IS AVAILABLE IN BEAM OR DROP PANEL DEPTH


COLUMN SIZ