

TRAVEO™ II family AUTOSAR 4.2 MCAL delivery notes

DN226371 Version 1.13.0, Delivery Type: Production Release

About this document

Scope and purpose

Thank you for your interest in the TRAVEO™ II automotive MCU family AUTOSAR MCAL version 1.13.0. This document provides a description of the product, overview of contents, and additional notes.

Intended audience

This document is intended for anyone who uses the MCAL software of the TRAVEO™ II automotive MCU family.

Table of contents

About this document	1
Table of contents	1
1 Delivery objective	2
2 Delivery date	3
3 System requirements and recommendations.....	4
4 Product description	5
5 Supported derivatives	6
6 Devices under test	11
7 Compiler options.....	12
7.1 Green Hills Software.....	12
7.2 IAR Embedded Workbench	12
8 Delivery contents	13
9 Instructions for use	16
10 Documentation	17
11 Hardware documentation	18
12 Silicon errata	19
13 Supplier specification	20
14 Known issues	21
15 Notes	22
16 MCAL package version history	23

Delivery objective

1 Delivery objective

Version 1.13.0 of the MCAL42 TRAVEO™ II automotive MCU.

The release version of this software product is suitable (under the conditions defined in its safety manual) for use in applications up to ASIL-B.

This version is the Production version of MCAL for TRAVEO™ II automotive MCU family CYT4DN series (TVII-C-2D-6M) revision C.

For the supported derivatives, except the following, this version may not be used for series production.

- TRAVEO™ II automotive MCU family CYT2B6 series (TVII-B-E-512K), revision D
- TRAVEO™ II automotive MCU family CYT2B7 series (TVII-B-E-1M), revision D
- TRAVEO™ II automotive MCU family CYT2B9 series (TVII-B-E-2M), revision C
- TRAVEO™ II automotive MCU family CYT2BL series (TVII-B-E-4M), revision A
- TRAVEO™ II automotive MCU family CYT3BB/CYT4BB series (TVII-B-H-4M), revision B
- TRAVEO™ II automotive MCU family CYT4BF series (TVII-B-H-8M), revision D
- TRAVEO™ II automotive MCU family CYT2C9/CYT2CL series (TVII-C-E-4M), revision A
- TRAVEO™ II automotive MCU family CYT3DL series (TVII-C-2D-4M), revision B
- TRAVEO™ II automotive MCU family CYT4DN series (TVII-C-2D-6M), revision C

Delivery date

2 Delivery date

November 5, 2021

System requirements and recommendations**3 System requirements and recommendations**

Software prerequisites	Supported version
EB tresos Studio package for Cypress	26.2.0
Green Hills Software, compiler	v2017.1.4
IAR Embedded Workbench 8.0 EWARM FS ^{1, 2}	8.22.3

¹ Adc (ExPack) doesn't support IAR Embedded Workbench.

² All multicore modules (AdcMc (ExPack), DioMc, GptMc, IcuMc, McuMc, PortMc, PwmMc, SpiMc, WdgMc) don't support IAR Embedded Workbench.

Product description

4 Product description

- This is MCAL42 TRAVEO™ II V1.13.0.
- This version supports MISRA C:2012 coding rule.
- This version supports the following plugins: Adc, Adc (ExPack), AdcMc (ExPack), Can, Dio, DioMc, Fls, Fls (For CM0+), Gpt, GptMc, Icu, IcuMc, Lin, Mcu, McuMc, Ocu, Port, PortMc, Pwm, PwmMc, Spi, SpiMc, Wdg, WdgMc, Base, Make, and Resource. Make plugin is only a sample for reference. Actual available plugins will be restricted by the license key of installer, though this document explains all plugins. For more details on actual available plugins, see [Notes](#) section.
- The SW has not been tested with all possible configuration combination patterns, although each configuration parameter has been tested individually. You should verify the final configuration.
- The arxml files are not tested. These have been checked by the AUTOSAR module definition checker tool only.
- For TRAVEO™ II family of devices, Infineon follows a platform concept; thus, TRAVEO™ II devices are built from a subset of HW IPs which have been defined for the TRAVEO™ II platform. This approach creates maximum compatibility within the TRAVEO™ II platform. Based on this concept, the software has been tested on representative superset devices. Superset devices support all channels and all features available in subset devices. Therefore, all devices listed in [Supported derivatives](#) are equally supported by the software. The devices that have actually been tested are listed in the [Devices under test](#) section.
- Open source software (OSS) compliance report for TRAVEO™ II MCAL drivers was created using Protex software compliance management products and services from Black Duck Software. As per report result, no open source software has been detected in the TRAVEO™ II MCAL drivers.

Supported derivatives
5 Supported derivatives

Series	Supported derivatives		Abbreviated name
	MPN	Revision	
CYT2B6	CYT2B63BAE	D	TVII-B-E-512K
	CYT2B63BAS		
	CYT2B63CAE		
	CYT2B63CAS		
	CYT2B64BAE		
	CYT2B64BAS		
	CYT2B64CAE		
	CYT2B64CAS		
	CYT2B65BAE		
	CYT2B65BAS		
	CYT2B65CAE		
	CYT2B65CAS		
CYT2B7	CYT2B73BAE	D	TVII-B-E-1M
	CYT2B73BAS		
	CYT2B73CAE		
	CYT2B73CAS		
	CYT2B74BAE		
	CYT2B74BAS		
	CYT2B74CAE		
	CYT2B74CAS		
	CYT2B75BAE		
	CYT2B75BAS		
	CYT2B75CAE		
	CYT2B75CAS		
	CYT2B77BAE		
	CYT2B77BAS		
	CYT2B77CAE		
	CYT2B77CAS		
	CYT2B78BAE		
	CYT2B78BAS		
	CYT2B78CAE		
	CYT2B78CAS		

Supported derivatives

Series	Supported derivatives		Abbreviated name
	MPN	Revision	
CYT2B9	CYT2A0100E ³	C	TVII-B-E-2M
	CYT2B93BAE		
	CYT2B93BAS		
	CYT2B93CAE		
	CYT2B93CAS		
	CYT2B94BAE		
	CYT2B94BAS		
	CYT2B94CAE		
	CYT2B94CAS		
	CYT2B95BAE		
	CYT2B95BAS		
	CYT2B95CAE		
	CYT2B95CAS		
	CYT2B97BAE		
	CYT2B97BAS		
	CYT2B97CAE		
	CYT2B97CAS		
	CYT2B98BAE		
	CYT2B98BAS		
	CYT2B98CAE		
	CYT2B98CAS		
CYT2BL	CYT2BL3BAE	A	TVII-B-E-4M
	CYT2BL3BAS		
	CYT2BL3CAE		
	CYT2BL3CAS		
	CYT2BL4BAE		
	CYT2BL4BAS		
	CYT2BL4CAE		
	CYT2BL4CAS		
	CYT2BL5BAE		
	CYT2BL5BAS		
	CYT2BL5CAE		
	CYT2BL5CAS		
	CYT2BL7BAE		
	CYT2BL7BAS		
	CYT2BL7CAE		
	CYT2BL7CAS		
	CYT2BL8BAE		

³ Adc (ExPack) and AdcMc (ExPack) don't support this derivative.

Supported derivatives

Series	Supported derivatives		Abbreviated name
	MPN	Revision	
	CYT2BL8BAS		
	CYT2BL8CAE		
	CYT2BL8CAS		
CYT3BB	CYT3BB5CEE	B	TVII-B-H-4M
	CYT3BB5CES		
	CYT3BB7CEE		
	CYT3BB7CES		
	CYT3BB8CEE		
	CYT3BB8CES		
	CYT3BBBCEE		
	CYT3BBBCES		
CYT4BB	CYT4BB5CEE		
	CYT4BB5CES		
	CYT4BB7CEE		
	CYT4BB7CES		
	CYT4BB8CEE		
	CYT4BB8CES		
	CYT4BBBCEE		
	CYT4BBBCES		
CYT4BF	CYT4A0100S ⁴	D	TVII-B-H-8M
	CYT4BF8CDE		
	CYT4BF8CDS		
	CYT4BF8CEE		
	CYT4BF8CES		
	CYT4BFBCHE		
	CYT4BFBCHS		
	CYT4BFBCJE		
	CYT4BFBCJS		
	CYT4BFCCHE		
	CYT4BFCCHS		
	CYT4BFCCJE		
	CYT4BFCCJS		

⁴ Adc (ExPack) doesn't support this derivative.

Supported derivatives

Series	Supported derivatives		Abbreviated name
	MPN	Revision	
CYT2C9	CYT2C97BAS	A	TVII-C-E-4M
	CYT2C98BAS		
	CYT2C9HBAS		
CYT2CL	CYT2CL7BAS		
	CYT2CL8BAS		
	CYT2CLHBAS		
CYT3DL	CYT3DL9BAS	B	TVII-C-2D-4M
	CYT3DL9BBS		
	CYT3DL9BCS		
	CYT3DL9BDS		
	CYT3DL9BES		
	CYT3DL9BFS		
	CYT3DL9BGS		
	CYT3DL9BHS		
	CYT3DLABAS		
	CYT3DLABBS		
	CYT3DLABCS		
	CYT3DLABDS		
	CYT3DLABES		
	CYT3DLABFS		
	CYT3DLABGS		
	CYT3DLABHS		
	CYT3DLBBAS		
	CYT3DLBBBS		
	CYT3DLBBCS		
	CYT3DLBBDS		
	CYT3DLBBES		
	CYT3DLBBFS		
	CYT3DLBBGS		
	CYT3DLBBHS		
	CYT3DLJBBS	C	TVII-C-2D-6M
	CYT3DLJBDS		
	CYT3DLJBFS		
	CYT3DLJBHS		

Supported derivatives

Series	Supported derivatives		Abbreviated name
	MPN	Revision	
CYT4DN	CYT4DNJBAS	C	TVII-C-2D-6M
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		
	CYT4DNJBBS		

Devices under test

6 Devices under test

This version of the SW has been tested using the following chips.

Device name	Series	MPN	Revision	Protection state	Abbreviated name
CYT2B65BADES	CYT2B6	CYT2B65BAE	D	NORMAL	TVII-B-E-512K
CYT2B78CADES	CYT2B7	CYT2B78CAE	D	NORMAL	TVII-B-E-1M
CYT2B98CACES	CYT2B9	CYT2B98CAE	C	NORMAL	TVII-B-E-2M
CYT2BL8CAAES	CYT2BL	CYT2BL8CAE	A	NORMAL	TVII-B-E-4M
CYT4BB8CEBES	CYT4BB	CYT4BB8CEE	B	NORMAL	TVII-B-H-4M
CYT4BF8CDDDES	CYT4BF	CYT4BF8CDE	D	NORMAL	TVII-B-H-8M
CYT4A0100DES ⁵	CYT4BF	CYT4A0100S	D	NORMAL	TVII-B-H-8M
CYT2CL8BAAES	CYT2CL	CYT2CL8BAS	A	NORMAL	TVII-C-E-4M
CYT3DLABHBES	CYT3DL	CYT3DLABHS	B	NORMAL	TVII-C-2D-4M
CYT4DNJBRCES	CYT4DN	CYT4DNJBRS	C	NORMAL	TVII-C-2D-6M

⁵ Adc (ExPack) has not been tested on this device.

Compiler options

7 Compiler options

This section summarizes the compiler options used to build and test the module. When changing the compiler options, the module must be considered untested.

7.1 Green Hills Software

Option (Cortex®-M4F core)

```
-cpu=cortexm4f -thumb -thumb_lib -C99 --short_enum -align4 --no_commons --
no_alternative_tokens -asm3g -preprocess_assembly_files -nostartfiles -
globalcheck=normal -globalcheck_qualifiers --prototype_errors -Wformat -
Wimplicit-int -Wshadow -Wtrigraphs -Wundef -reject_duplicates -c -list -Ospeed -
OI -Olink -Ointerproc -Omax -fsingle
```

Option (Cortex®-M7 core)

```
-cpu=cortexm7 -thumb -thumb_lib -C99 --short_enum -align4 --no_commons --
no_alternative_tokens -asm3g -preprocess_assembly_files -nostartfiles -
globalcheck=normal -globalcheck_qualifiers --prototype_errors -Wformat -
Wimplicit-int -Wshadow -Wtrigraphs -Wundef -reject_duplicates -c -list -Ospeed -
OI -Olink -Ointerproc -Omax -fhard
```

Option (Cortex®-M0+ core)

```
-cpu=cortexm0plus -thumb -thumb_lib -C99 --short_enum -align4 --no_commons --
no_alternative_tokens -asm3g -preprocess_assembly_files -nostartfiles -
globalcheck=normal -globalcheck_qualifiers --prototype_errors -Wformat -
Wimplicit-int -Wshadow -Wtrigraphs -Wundef -reject_duplicates -c -list -Ospeed -
OI -Olink -Ointerproc -Omax -fsoft
```

7.2 IAR Embedded Workbench

Option (Cortex®-M4F core)

```
--debug --endian=little --cpu=Cortex-M4 -e --fpu=VFPv4_sp -Ohs --
no_size_constraints
```

Option (Cortex®-M7 core)

```
--debug --endian=little --cpu=Cortex-M7 -e --fpu=VFPv5_d16 -Ohs --
no_size_constraints
```

Option (Cortex®-M0+ core)

```
--debug --endian=little --cpu=Cortex-M0+ -e -Ohs --no_size_constraints
```

Delivery contents

8 Delivery contents

File(s)	Description
SW-TVII-MCAL42_V1.13.0_Delivery_Notes.pdf	This file.
SW-TVII-MCAL42_V1.13.0.exe	Installer of TRAVEO™ II MCAL driver package
SW-TVII-MCAL42_Installation_Manual.pdf	Installation manual for TRAVEO™ II MCAL driver package
SW-TVII-MCAL42_V1.13.0_ReleaseNotes.zip	Release notes of TRAVEO™ II MCAL
EBtresos26_2_0_forCypressSW.exe	Installer of EB tresos Studio 26.2.0
EBtresos_for_CYPRESS_Installation_Manual.pdf	Installation manual for EB tresos Studio
EB_Client_License_Administrator_1_3_0_Setup.exe	Installer of the client license administration utility
LicensingUsersGuide_1_3_0.pdf	User's guide for EB tresos Studio licensing
FileList_TraveoII_MCAL.txt	List of files included in TRAVEO™ II MCAL driver package
FileList_EBtresos26_2_0_forCYPRESS.txt	List of files included in EB tresos Studio 26.2.0

Plugin name (Abbreviation)	Module version in 1.12.0 package	Module version in 1.13.0 package	Overview of changes
Adc_TS_T40D13M1I0R0 (Adc)	1.13.0	1.13.0	No update.
Adc_TS_T40D13M2I0R0 (Adc (ExPack))	2.14.0	2.14.0	No update.
Adc_TS_T40D13M4I0R0 (AdcMc (ExPack))	4.3.0	4.3.0	No update.
Base_TS_T40D13M1I0R0 (Base)	1.8.0	1.8.0	No update.
Can_TS_T40D13M1I0R0 (Can)	1.14.0	1.15.0	Code and documentation updates. See release notes for details.
Dio_TS_T40D13M1I0R0 (Dio)	1.11.1	1.11.1	No update.
Dio_TS_T40D13M3I0R0 (DioMc)	3.1.1	3.1.1	No update.
Fls_TS_T40D13M1I0R0 (Fls)	1.16.1	1.16.1	No update.
Fls_TS_T40D13M2I0R0 (Fls (For CM0+))	2.16.1	2.16.1	No update.
Gpt_TS_T40D13M1I0R0 (Gpt)	1.13.1	1.13.1	No update.
Gpt_TS_T40D13M3I0R0 (GptMc)	3.2.1	3.2.1	No update.
Icu_TS_T40D13M1I0R0 (Icu)	1.16.0	1.16.0	No update.

Delivery contents

Plugin name (Abbreviation)	Module version in 1.12.0 package	Module version in 1.13.0 package	Overview of changes
Icu_TS_T40D13M3I0R0 (IcuMc)	3.3.1	3.3.1	No update.
Lin_TS_T40D13M1I0R0 (Lin)	1.11.1	1.11.1	No update.
Make_TS_T40D13M1I0R0 (Make)	1.3.0	1.3.0	No update.
Mcu_TS_T40D13M1I0R0 (Mcu)	1.19.0	1.19.0	No update.
Mcu_TS_T40D13M3I0R0 (McuMc)	3.4.0	3.4.0	No update.
Ocu_TS_T40D13M1I0R0 (Ocu)	1.9.1	1.9.1	No update.
Port_TS_T40D13M1I0R0 (Port)	1.16.0	1.16.0	No update.
Port_TS_T40D13M3I0R0 (PortMc)	3.3.0	3.3.0	No update.
Pwm_TS_T40D13M1I0R0 (Pwm)	1.15.1	1.15.1	No update.
Pwm_TS_T40D13M3I0R0 (PwmMc)	3.2.1	3.2.1	No update.
Resource_TS_T40D13M1I0R0 (Resource)	1.19.0	1.19.0	No update.
Spi_TS_T40D13M1I0R0 (Spi)	1.18.1	1.18.1	No update.
Spi_TS_T40D13M3I0R0 (SpiMc)	3.2.1	3.2.1	No update.
Wdg_TS_T40D13M1I0R0 (Wdg)	1.15.1	1.15.1	No update.
Wdg_TS_T40D13M3I0R0 (WdgMc)	3.1.1	3.1.1	No update.

Numbering rule of the module version (x.y.z) is shown in below table.

Items	Description
Major (x)	Number starting from 1. Major (x) is fixed per product.
Minor (y)	Number starting from 0. Minor (y) is increased by bug fix or change request fix.
Patch (z)	Number starting from 0. Patch (z) is increased when supported derivatives are updated. This means change of plugin.xml and release notes without change of source code.

Delivery contents

Items	Description
	When Minor (y) is increased, Patch (z) is reset to 0 even if supported derivatives are updated.

See the following text files provided with this package for detailed list of files included in this package:

- FileList_TraveoII_MCAL.txt
- FileList_EBtresos26_2_0_forCYPRESS.txt

Instructions for use

9 Instructions for use

To install, see the installation manual for TRAVEO™ II MCAL driver package (SW-TVII-MCAL42_Installation_Manual.pdf) and the installation manual for EB tresos Studio (EBtresos_for_CYPRESS_Installation_Manual.pdf).

Documentation

10 Documentation

The user guide for this release is installed in the following folder:

<Installation folder>/doc

The release notes for this release is installed in the following folder:

<Installation folder>/doc

11 Hardware documentation

Contact the local support application engineer if you need these documents.

Document name	Document number	Revision
TRAVEO™ II automotive body controller entry family architecture technical reference manual	002-19314	*H
TRAVEO™ II automotive body controller entry registers technical reference manual (TVII-B-E-1M)	002-19567	*G
TRAVEO™ II automotive body controller entry registers technical reference manual (TVII-B-E-2M)	002-27181	*D
TRAVEO™ II automotive body controller entry registers technical reference manual (TVII-B-E-4M)	002-29852	*A
TRAVEO™ II automotive body controller high family architecture technical reference manual	002-24401	*F
TRAVEO™ II automotive body controller high registers technical reference manual (TVII-B-H-4M)	002-27182	*D
TRAVEO™ II automotive body controller high registers technical reference manual (TVII-B-H-8M)	002-24402	*G
TRAVEO™ II automotive cluster entry family architecture technical reference manual	002-33175	**
TRAVEO™ II automotive cluster entry registers technical reference manual (TVII-C-E-4M)	002-33404	**
TRAVEO™ II automotive cluster 2D family architecture technical reference manual	002-25800	*C
TRAVEO™ II automotive cluster 2D registers technical reference manual (TVII-C-2D-4M)	002-29854	*D
TRAVEO™ II automotive cluster 2D registers technical reference manual (TVII-C-2D-6M)	002-25923	*F
CYT2B6 datasheet 32-bit Arm® Cortex®-M4F microcontroller TRAVEO™ II family	002-25756	*B
CYT2B7 datasheet 32-bit Arm® Cortex®-M4F microcontroller TRAVEO™ II family	002-18043	*I
CYT2B9 datasheet 32-bit Arm® Cortex®-M4F microcontroller TRAVEO™ II family	002-22825	*I
CYT2BL datasheet 32-bit Arm® Cortex®-M4F microcontroller TRAVEO™ II family	002-28876	*D
CYT3BB/4BB datasheet 32-bit Arm® Cortex®-M7 microcontroller TRAVEO™ II family	002-26591	*E
CYT4BF datasheet 32-bit Arm® Cortex®-M7 microcontroller TRAVEO™ II family	002-21617	*H
CYT2CL datasheet 32-bit Arm® Cortex®-M4F microcontroller TRAVEO™ II family	002-32508	*B
CYT3DL datasheet 32-bit Arm® Cortex®-M7 microcontroller TRAVEO™ II family	002-27763	*E
CYT4DN datasheet 32-bit Arm® Cortex®-M7 microcontroller TRAVEO™ II family	002-24601	*G

Silicon errata

12 Silicon errata

Contact the local support application engineer if you need these documents.

Document name	Revision
Silicon errata for the CYT2B6 series rev.D	1.2
Silicon errata for the CYT2B7 series rev.D	1.5
Silicon errata for the CYT2B9 series rev.C	1.6
Silicon errata for the CYT2BL series rev.A	1.3
Silicon errata for the CYT3BB/4BB series rev.B	1.5
Silicon errata for the CYT4BF series rev.D	1.5
Silicon errata for the CYT2CL series rev.A	1.1
Silicon errata for the CYT3DL series rev.B	1.3
Silicon errata for the CYT4DN series rev.C	1.1

Supplier specification**13 Supplier specification**

Name	Description
TRAVEO™ II MCAL 42 DRV requirements specification	Baseline of ES100.11 (C2D6M) for TRAVEO™ II

Known issues

14 Known issues

See the SW LOKI file provided with this package for list of known issues.

Notes

15 Notes

Keep in mind the following points before you use this software release.

- Installable plugins depend on the license key type of installer. There are eight types of license keys of the installer as shown in the following table:

License key types of installer	Installable plugins				
	MCAL plugins ⁶	MCAL multicore ⁷	Adc (ExPack)	Adc multicore (ExPack)	Fls (For CM0+)
MCAL	✓	-	-	-	-
MCAL with Adc (ExPack)	✓	-	✓	-	-
MCAL with Fls (For CM0+)	✓	-	-	-	✓
MCAL with FullExPacks	✓	-	✓	-	✓
MCAL multicore	✓	✓	-	-	-
MCAL multicore with Adc (ExPack)	✓	✓	✓	✓	-
MCAL multicore with Fls (For CM0+)	✓	✓	-	-	✓
MCAL multicore with FullExPacks	✓	✓	✓	✓	✓

- In an EB tresos project, combination of the modules that are contained in a different MCAL package version is not allowed.
For example, a combination of ICU in MCAL package V1.x.x and OCU in MCAL package V1.z.z is not allowed.
- In an EB tresos project, a combination of the Adc module and Adc (ExPack) module is not allowed.
- In an EB tresos project, a combination of the Fls module and Fls (For CM0+) module is not allowed.
- Make plugin is only a sample for reference.

⁶ Adc, Can, Dio, Fls, Gpt, Icu, Lin, Mcu, Ocu, Port, Pwm, Spi, Wdg, Base, Make, and Resource.

⁷ DioMc, GptMc, IcuMc, McuMc, PortMc, PwmMc, SpiMc, and WdgMc.

MCAL package version history
16 MCAL package version history

MCAL package version	Overview of changes
1e.0.1	TRAVEO™ II family CYT2B5/CYT2B6/CYT2B7/CYT2BG series revision A was supported as beta level of quality.
1e.1.1	TRAVEO™ II family CYT3BB/CYT3BM/CYT4BB/CYT4BF/CYT4BM series revision A was supported as beta level of quality. TRAVEO™ II family CYT2B5/CYT2B6/CYT2B7/CYT2BG series revision A was unsupported because of architecture updating.
1e.2.1	TRAVEO™ II family CYT2B9/CYT2BH/CYT2BJ series revision A was supported as beta level of quality.
1e.2.2	TRAVEO™ II family CYT2B5/CYT2B6/CYT2B7/CYT2BG series revision B was supported as beta level of quality. Following is the updated module: Fls For more details on the changes, see release notes.
1.2.4	TRAVEO™ II family CYT2B9/CYT2BH/CYT2BJ series revision B was supported as production level of quality. TRAVEO™ II family CYT4DN series revision A was supported (Not tested). IAR compiler was supported. The following modules are updated: Adc, Can, Dio, Fls, Gpt, Icu, Lin, Make, Mcu, Ocu, Port, Pwm, Resource, Spi, Wdg For more details on the changes, see release notes.
1e.3.0	TRAVEO™ II family CYT3BB/CYT3BM/CYT4BB/CYT4BF/CYT4BM series revision B was supported as beta level of quality. The following modules are updated: Dio, Icu, Mcu, Port, Resource, Spi, Wdg For more details on the changes, see release notes.
1e.3.1	TRAVEO™ II family CYT4DN series revision A was supported as beta level of quality. TRAVEO™ II family CYT2B5/CYT2B6/CYT2B7/CYT2BG series revision C was supported (Not tested). The following modules are updated: Resource, Fls, Mcu For more details on the changes, see release notes.
1e.3.2	TRAVEO™ II family CYT3BA/CYT3BB/CYT3BK/CYT3BL/CYT4BA/CYT4BB/CYT4BK/CYT4BL series (TVII-B-H-4M) revision A was supported as beta level of quality. TRAVEO™ II family CYT3BB/CYT3BM/CYT4BB/CYT4BF/CYT4BM series (TVII-B-H-8M) revision C was supported (Not tested). The following modules are updated: Adc, Can, Dio, Fls, Gpt, Icu, Lin, Mcu, Ocu, Port, Pwm, Resource, Spi, Wdg For more details on the changes, see release notes.
1.3.3	TRAVEO™ II family CYT3BB/CYT3BM/CYT4BB/CYT4BF/CYT4BM series (TVII-B-H-8M) revision C was supported as production level quality. The following module is updated: Port For more details on the changes, see release notes.

MCAL package version history

MCAL package version	Overview of changes
1.4.0	TRAVEO™ II family CYT2B5/CYT2B6/CYT2B7/CYT2BG series (TVII-B-E-1M) revision D was supported as production level quality. TRAVEO™ II family CYT2B9/CYT2BH/CYT2BJ series (TVII-B-E-2M) revision C was supported as production level quality. The following modules are updated: Mcu, Resource For more details on the changes, see release notes. Manifest files (.MF) for the following modules are updated to solve the problem that files in the <i>generate_swcd</i> folder cannot be generated: Adc, Can, Dio, Fls, Gpt, Icu, Lin, Mcu, Ocu, Port, Pwm, Spi, Wdg
1.5.0	TRAVEO™ II family CYT3BB/CYT3BM/CYT4BB/CYT4BF/CYT4BM series (TVII-B-H-8M) revision D was supported as production level quality. EB tresos 26.2.0 is supported. The following modules are updated: Adc, Can, Dio, Fls, Gpt, Icu, Mcu, Port, Pwm, Resource, Spi, Wdg For more details on the changes, see release notes.
1.6.0	TRAVEO™ II family CYT3BB/CYT4BB series (TVII-B-H-4M) revision B was supported as production level quality. The following derivatives are removed from supported derivatives table. CYT2B57BAE, CYT2B57BAS, CYT2B58BAE, CYT2B58BAS, CYT2B67BAE, CYT2B67BAS, CYT2B67CAE, CYT2B67CAS, CYT2B68BAE, CYT2B68BAS, CYT2B68CAE, CYT2B68CAS, CYT2BG3BAE, CYT2BG3BAS, CYT2BG3CAE, CYT2BG3CAS, CYT2BG4BAE, CYT2BG4BAS, CYT2BG4CAE, CYT2BG4CAS, CYT2BG5BAE, CYT2BG5BAS, CYT2BG5CAE, CYT2BG5CAS, CYT2BG7BAE, CYT2BG7BAS, CYT2BG7CAE, CYT2BG7CAS, CYT2BG8BAE, CYT2BG8BAS, CYT2BG8CAE, CYT2BG8CAS, CYT2BH3BAE, CYT2BH3BAS, CYT2BH3CAE, CYT2BH3CAS, CYT2BH4BAE, CYT2BH4BAS, CYT2BH4CAE, CYT2BH4CAS, CYT2BH5BAE, CYT2BH5BAS, CYT2BH5CAE, CYT2BH5CAS, CYT2BH7BAE, CYT2BH7BAS, CYT2BH7CAE, CYT2BH7CAS, CYT2BH8BAE, CYT2BH8BAS, CYT2BH8CAE, CYT2BH8CAS, CYT2BJ3BAE, CYT2BJ3BAS, CYT2BJ3CAE, CYT2BJ3CAS, CYT2BJ4BAE, CYT2BJ4BAS, CYT2BJ4CAE, CYT2BJ4CAS, CYT2BJ5BAE, CYT2BJ5BAS, CYT2BJ5CAE, CYT2BJ5CAS, CYT2BJ7BAE, CYT2BJ7BAS, CYT2BJ7CAE, CYT2BJ7CAS, CYT2BJ8BAE, CYT2BJ8BAS, CYT2BJ8CAE, CYT2BJ8CAS, CYT3BA5CBE, CYT3BA5CBS, CYT3BA7CBE, CYT3BA7CBS, CYT3BA8CBE, CYT3BA8CBS, CYT3BABCBE, CYT3BABCBS, CYT3BBCCBE, CYT3BBCCES, CYT3BK5CBE, CYT3BK5CBS, CYT3BK7CBE, CYT3BK7CBS, CYT3BK8CBE, CYT3BK8CBS, CYT3BKBCBE, CYT3BKBCBS, CYT3BL5CBE, CYT3BL5CBS, CYT3BL7CBE, CYT3BL7CBS, CYT3BL8CBE, CYT3BL8CBS, CYT3BLBCBE, CYT3BLBCBS, CYT3BM8CDE, CYT3BM8CDS, CYT3BM8CEE, CYT3BM8CES, CYT3BMBCDE, CYT3BMBCDS, CYT3BMBCBE, CYT3BMBCES, CYT3BMBCHE, CYT3BMBCBS, CYT3BMBCJE, CYT3BMBCJS, CYT3BMCCDE, CYT3BMCCDS, CYT3BMCCBE, CYT3BMCCES, CYT3BMCCHE, CYT3BMCCBS, CYT3BMCCJE, CYT3BMCCJS, CYT4BA5CEE, CYT4BA5CES, CYT4BA7CEE, CYT4BA7CES, CYT4BA8CEE, CYT4BA8CES, CYT4BABCEE, CYT4BABCES, CYT4BBCCBE, CYT4BBCCES, CYT4BK5CEE, CYT4BK5CES, CYT4BK7CEE, CYT4BK7CES, CYT4BK8CEE, CYT4BK8CES, CYT4BKBCBE,

MCAL package version history

MCAL package version	Overview of changes
	CYT4BKBCES, CYT4BL5CEE, CYT4BL5CES, CYT4BL7CEE, CYT4BL7CES, CYT4BL8CEE, CYT4BL8CES, CYT4BLBCEE, CYT4BLBCES, CYT4BM8CDE, CYT4BM8CDS, CYT4BM8CEE, CYT4BM8CES, CYT4BMBCDE, CYT4BMBCDS, CYT4BMBCEE, CYT4BMBCES, CYT4BMBCHE, CYT4BMBCHS, CYT4BMBCJE, CYT4BMBCJS, CYT4BMCCDE, CYT4BMCCDS, CYT4BMCCEE, CYT4BMCCES, CYT4BMCCHE, CYT4BMCCHS, CYT4BMCCJE, CYT4BMCCJS, CYT4DNDAAS, CYT4DNDABS, CYT4DNDACS, CYT4DNDADS, CYT4DNDAES, CYT4DNDAFS, CYT4DNDAGS, CYT4DNDAHS Adc (ExPack) module was added. License key feature was applied to MCAL driver package installer. The following modules are updated: Fls, Resource For more details on the changes, see release notes.
1.7.0	TRAVEO™ II family CYT2BL series (TVII-B-E-4M) revision A was supported as production level quality. MISRA C:2012 coding rule was supported. The following modules are updated: Adc, Adc (ExPack), Base, Can, Dio, Fls, Gpt, Icu, Lin, Mcu, Ocu, Port, Pwm, Spi, Wdg, Resource For more details on the changes, see release notes.
1e.8.0	TRAVEO™ II family CYT3DL series (TVII-C-2D-4M) revision A was supported as beta level quality. Fls (For CM0+) module was added. The following modules are updated: Adc, Adc (ExPack), Base, Can, Dio, Fls, Gpt, Icu, Lin, Mcu, Ocu, Port, Pwm, Spi, Wdg, Resource For more details on the changes, see release notes.
1e.8.1	The following modules were added: AdcMc (ExPack), DioMc, GptMc, IcuMc, McuMc, PortMc, PwmMc, SpiMc, WdgMc The following modules are updated: Fls, Mcu, Spi, Wdg For more details on the changes, see release notes.
1.8.2	TRAVEO™ II family CYT2B6 series (TVII-B-E-512K) revision D was supported as production level quality. The following modules are updated: Resource, Spi For more details on the changes, see release notes.
1.9.0	TRAVEO™ II family CYT4DN series (TVII-C-2D-6M) revision B was supported as production level quality. The following derivatives are added to supported derivatives table. CYT3DLJBBS, CYT3DLJBDS, CYT3DLJBFS, CYT3DLJBHS, CYT4DNDBJS, CYT4DNDBKS, CYT4DNDBLS, CYT4DNDBMS, CYT4DNDBNS, CYT4DNDBPS, CYT4DNDBQS, CYT4DNDBRS, CYT4DNJBAS, CYT4DNJBBS, CYT4DNJBBS, CYT4DNJBDS, CYT4DNJBES, CYT4DNJBFS, CYT4DNJBGS, CYT4DNJBHS, CYT4DNJBJS, CYT4DNJBKS, CYT4DNJBLS, CYT4DNJBMS, CYT4DNJBNS, CYT4DNJBPS, CYT4DNJBQS, CYT4DNJBRS The following modules are updated: Adc, Adc (ExPack), Can, Fls, Fls (For CM0+), Gpt, Icu, Mcu, Ocu, Port, Pwm, Resource, Spi For more details on the changes, see release notes.

MCAL package version history

MCAL package version	Overview of changes
1.10.0	MCAL multicore plugins were evaluated as the production level quality. The following modules are updated: AdcMc (ExPack), GptMc, IcuMc, McuMc, PortMc, PwmMc, SpiMc. For the following modules, only documentation was updated: Adc (ExPack), Can, Fls, Fls (For CM0+), Gpt, Icu, Mcu, Spi, WdgMc. For more details on the changes, see release notes.
1.11.0	TRAVEO™ II automotive MCU family CYT3DL series (TVII-C-2D-4M) revision B is supported as the production-level quality. The following derivatives are removed from the supported derivatives table: CYT4DNDBAS, CYT4DNDBBS, CYT4DNDBCS, CYT4DNDBDS, CYT4DNDBES, CYT4DNDBFS, CYT4DNDBGS, CYT4DNDBHS, CYT4DNDBJS, CYT4DNDBKS, CYT4DNDBLS, CYT4DNDBMS, CYT4DNDBNS, CYT4DNDBPS, CYT4DNDBQS, CYT4DNDBRS The following modules are updated: Adc (ExPack), Icu, IcuMc, Mcu, McuMc, Pwm, Resource, Spi. For the following modules, only documentation was updated: Port, PortMc, PwmMc. For details on the changes, see the release notes.
1.12.0	TRAVEO™ II automotive MCU family CYT2C9/ CYT2CL series (TVII-C-E-4M) revision A is supported as production-level quality. The following derivatives are added to supported derivatives table. CYT2C9HBAS, CYT2C97BAS, CYT2C98BAS, CYT2CL7BAS, CYT2CL8BAS, CYT2CLHBAS The following modules are updated: Adc, Adc (ExPack), AdcMc (ExPack), Can, Dio, DioMc, Fls, Fls(for CM0+), Gpt, GptMc, Icu, IcuMc, Lin, Mcu, McuMc, Ocu, Port, PortMc, Pwm, PwmMc, Resource, Spi, SpiMc, Wdg, WdgMc See the release notes for details.
1.13.0	TRAVEO™ II automotive MCU family CYT4DN series (TVII-C-2D-6M) revision C is supported as production-level quality. The following modules are updated: Can See the release notes for details.

Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

Edition 2021-10-25

Published by

Infineon Technologies AG

81726 Munich, Germany

© 2021 Infineon Technologies AG.

All Rights Reserved.

Do you have a question about this document?

Go to www.cypress.com/support

Document reference

002-26371 Rev. *S

IMPORTANT NOTICE

The information contained in this application note is given as a hint for the implementation of the product only and shall in no event be regarded as a description or warranty of a certain functionality, condition or quality of the product. Before implementation of the product, the recipient of this application note must verify any function and other technical information given herein in the real application. Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind (including without limitation warranties of non-infringement of intellectual property rights of any third party) with respect to any and all information given in this application note.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

For further information on the product, technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies office (www.infineon.com).

WARNINGS

Due to technical requirements products may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by Infineon Technologies in a written document signed by authorized representatives of Infineon Technologies, Infineon Technologies' products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.