

State of the Web 2020-2025


HTTP Archive — State of the Web report

Time range: January 2020 through early 2026

HTTP Archive trends in page weight, protocols, and security (Jan 2020 – early 2026)

Crawl Sample Size Tripled: From ~5M to 16M Desktop URLs Since 2020

Dual-line time series (desktop vs mobile). Sharp jump in mid-2022; plateau by mid-2023.



Current plateau (mid-2023 →)

Source: HTTP Archive State of the Web – Sample Size (figure 1)
~16M desktop URLs • ~12.5M mobile URLs

Median Page Weight Climbs Steadily to ~2,000 KB on Desktop

Median total transfer size rises from ~1,600 KB (early 2020) to ~2,000 KB (desktop); mobile tracks slightly lower (~1,900 KB).



Source: HTTP Archive, State of the Web: Total Kilobytes (figure 4)
Long tail: 75th percentile desktop page exceeds 4,000 KB.

76 Requests per Desktop Page While TCP Connections Drop to 12

Requests per page (median)

Desktop

76

Up ~2.7% vs 2020

Mobile


71

Up ~2.9% vs 2020

More requests, but fewer connections → protocol
multiplexing reduces connection overhead.

Source: HTTP Archive State of the Web — Requests (table) + TCP Connections (figure 3)

TCP connections per page (median)



~15 (2020) → 12.0 desktop / 11.0 mobile

HTTPS Requests Reach 99%: Encryption Is Now the Default


99%+

of requests use HTTPS

Desktop: 99.2% • Mobile: 99.1%

Up ~19–20 points since ~80% in early 2020


Trend




Plaintext HTTP is effectively gone for typical page subresource requests.

HTTP/2 Holds at ~58% While HTTP/3 Support Surges to 40%

Latest snapshot (requests): HTTP/2 ~58–59%. HTTP/3 support: ~39–40% (rapid rise from near-zero).



HTTP/3 support trend




Measurement note

HTTP Archive reports HTTP/3 *support*, not usage: fresh Chrome first connects via HTTP/2, then discovers HTTP/3 via Alt-Svc.

Font-Display Usage Reaches 42% on Mobile, Up 61% Since 2020

`font-display` avoids Flash of Invisible Text (FOIT) during web font loading. Adoption is still < 50%.



Growth since 2020

Desktop: +14.9%

Mobile: +61.0%

Trend (2020 → 2026): steady climb toward ~40–42%

FOIT risk remains for > 50% of pages

Source: HTTP Archive State of the Web — Font-display adoption (40.1% desktop, 42.5% mobile; +14.9% / +61.0%)

Key Takeaways: Bigger Pages, Smarter Protocols, Stronger Security

- • Page weight keeps climbing: median desktop ~2,000 KB ($\approx +25\%$ vs 2020).
- • HTTPS is the baseline: 99%+ of requests are encrypted (99.2% desktop / 99.1% mobile).
- • HTTP/3 support is surging: ~39–40% after starting near zero; HTTP/2 remains ~58–59%.
- • Fewer TCP connections despite more requests: median connections fall from ~15 to 12 (desktop) / 11 (mobile).
- • Font-display still underused: ~40–42% adoption; > 50% of pages still risk FOIT.

Action: benchmark your sites against these baselines

Source: HTTP Archive State of the Web — Summary metrics in source_browser