

Flyback Transformer For TI UCC28600 Flyback Green Mode Controller

The FA2443-AL was developed specifically for Texas Instruments UCC28600 Quasi-Resonant Flyback Green Mode Controller and is specified in SLUU256A for the evaluation module. This transformers is designed to operate in discontinous conduction mode at frequencies up to 140 kHz.

Part number	Inductance at 0 A ¹ ±10% (µH)	Inductance at Ipk ² min (µH)	DCR max (Ohms)	Leakage inductance ³ max (µH)	Turns	ratio pri:bias	Ipk ² (A)	Isolation ⁵ Vrms	Output
FA2443-AL	200	162	0.217 (4-6) 0.020 (8-13) 0.020 (9-14) 0.515 (1-7)	5.9	6:1	6:1	6.0	1500	120 W

- 1. Inductance is for the primary, measured at 10 kHz, 0.1 Vrms, 0 Adc.
- 2. Peak primary current drawn at minimum input voltage.
- 3. Leakage inductance is for the primary and is measured at 100 kHz, 0.1 Vrms with all other windings shorted.
- 4. Turns ratio for the secondary is with the windings connected in
- 5. Isolation is from the primary to all other windings, tested for one minute.
- 6. Electrical specifications at 25°C.

Refer to Doc 362 "Soldering Surface Mount Components" before soldering.

Core material Ferrite

Terminations RoHS tin-silver over tin over nickel over phos bronze. Other terminations available at additional cost.

Weight 89.2 g

Ambient temperature -40°C to +85°C

Storage temperature Component: -40°C to +85°C.


Tray packaging: -40°C to +80°C


Moisture Sensitivity Level (MSL) 1 (unlimited floor life at <30°C / 85% relative humidity)


Failures in Time (FIT) / Mean Time Between Failures (MTBF) 38 per billion hours / 26,315,789 hours, calculated per Telcordia SR-332


Packaging 50 parts per tray


PCB washing Tested with pure water or alcohol only. For other solvents, see Doc787_PCB_Washing.pdf.











Secondary windings to be connected in parallel on the PC board



US +1-847-639-6400 sales@coilcraft.com UK +44-1236-730595 sales@coilcraft-europe.com Taiwan +886-2-2264 3646 sales@coilcraft.com.tw **China** +86-21-6218 8074 sales@coilcraft.com.cn Singapore + 65-6484 8412 sales@coilcraft.com.sg Document 539 Revised 10/28/08

© Coilcraft Inc. 2013 This product may not be used in medical or high risk applications without prior Coilcraft approval Specification subject to change without notice Please check web site for latest information