Step1




```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>랜드로버</title>
<style>
body {margin: 0; padding: 0; font-family: "맑은 고딕";}
ul,li,ol {list-style: none; margin: 0; padding: 0;}
header {width: 1100px; height: 100px; margin: 0 auto; background-color: gold;}
#slider {width: 1100px; height: 450px; margin: 0 auto; background-color: tomato;}
section {width: 1100px; height: 280px; margin: 0 auto; background-color: cyan;}
footer {width: 1100px; height: 100px; background-color:#eee; margin: 0 auto;}
</style>
</head>
<body>
<header></header>
<div id="slider"></div>
<section></section>
<footer></footer>
</body>
</html>
```

Step2




```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>랜드로버</title>
<style>
body {margin: 0; padding: 0; font-family: "맑은 고딕";}
ul,li,ol {list-style: none; margin: 0; padding: 0;}
header {width: 1100px; height: 100px; margin: 0 auto; background-color: gold;}
#logo {float: left; width:130px; height: 70px; margin: 10px 0 0 10px; background-color:green;}
nav {width: 740px; height: 30px; float: right; background-color: pink; margin: 30px 30px 0 0px;}
#slider {width: 1100px; height: 450px; margin: 0 auto; background-color: tomato;}
section {width: 1100px; margin: 0 auto; height: 280px; background-color: cyan;}
article {width: 340px; height:145px; float: left; margin: 30px 10px; background-color: yellow;}
footer {width: 1100px; height: 100px; background-color:#eee; margin: 0 auto;}
</style>
</head>
```

```
<body>
<header>
<div id="logo"></div>
<nav></nav>
</header>
<div id="slider"></div>
<section>
<article></article>
<article></article>
<article></article>
</section>
<footer></footer>
</body>
</html>
```

Step3




```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>랜드로버</title>
<style>
body {margin: 0; padding: 0; font-family: "맑은 고딕";}
ul,li,ol {list-style: none; margin: 0; padding: 0;}
header {width: 1100px; height: 100px; margin: 0 auto; background-color: gold;}
#logo {float: left; width:130px; height: 70px; margin: 10px 0 0 10px; background-color:green;}
#logo > img {width:100%; height:100%;}
nav {width: 740px; height: 30px; float: right; background-color: pink; margin: 30px 30px 0 0px;}
nav ul { font-family: "Arial"; font-weight:bold;}
nav ul li {float: left; padding: 0 20px;}
nav ul li a {text-decoration: none; color:#333;}
nav ul a:hover {color:green;}
#slider{width: 1100px; height: 450px; margin: 0 auto; background-color: tomato;}
section {width: 1100px; margin: 0 auto; height: 280px; background-color: cyan;}
article {width: 340px; height:145px; float: left; margin: 30px 10px; background-color: yellow;}
footer {width: 1100px; height: 100px; background-color:#eee; margin: 0 auto;}
```

```
footer img {float: left; margin:20px 0 0 20px;}
footer p {font-family: "돋움"; font-size: 12px; color:#666; margin: 40px 100px 0 0px; float:right; background-color: pink;}
</style>
</head>
<body>
<header>
<div id="logo"><img src="img/logo.jpg"></div>
<nav>
<ul>
<li><a href="#">VEHICLES</a></li>
<li><a href="#">PRICE</a></li>
<li><a href="#">OFFERS </a></li>
<li><a href="#">SECONDHSND CAR</a></li>
<li><a href="#">OWNERSHIP</a></li>
</ul>
</nav>
</header>
<div id="slider">

</div>
<section>
<article></article>
<article></article>
<article></article>
</section>
<footer>

<p>Jaguar Land Rover Limited: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070</p>
</footer>
</body>
</html>
```

Step4




```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>랜드로버</title>
<style>
body {margin: 0; padding: 0; font-family: "맑은 고딕";}
ul,li,ol {list-style: none; margin: 0; padding: 0;}
header {width: 1100px; height: 100px; margin: 0 auto; background-color: gold;}
#logo {float: left; width:130px; height: 70px; margin: 10px 0 0 10px; background-color:green;}
nav {width: 740px; height: 30px; float: right; background-color: pink; margin: 30px 30px 0 0px;}
nav ul { font-family: "Arial"; font-weight:bold;}
nav ul li {float: left; padding: 0 20px;}
nav ul li a {text-decoration: none; color:#333;}
nav ul a:hover {background-color: #fff; color:#666;}
#slider {width: 1100px; height: 450px; margin: 0 auto; background-color: tomato;}
section {width: 1100px; margin: 0 auto; height: 280px; background-color: cyan;}
article{width: 340px; height:145px; float: left; margin: 30px 10px; background-color: yellow;}
```

```
article h3 {margin: 0; font-size: 16px; height:30px; width: 100%; }
article img {float: left; margin: 0 10px 0 0px;}
article h4 {margin: 0; font-size: 14px; height:30px; }
article p {font-family: "돋움"; font-size: 12px; color:#666;}
article .icon {width:100px; height: 75px; float: left; margin: 0 0 0 5px; background-color: white; text-align: center;}
article .icon img {float:left; margin: 0 0 0 20px;}
article .icon span {width: 100%; text-align:center; float: left; font-size:12px; margin:10px 0 0 0px; display:block;}
footer {width: 1100px; height: 100px; background-color:#eee; margin: 0 auto;}
footer img {float: left; margin:20px 0 0 20px;}
footer p {font-family: "돋움"; font-size: 12px; color:#666; margin: 40px 100px 0 0px; float:right; background-color: pink;}
</style>
</head>
<body>
<header>
<div id="logo"><img src="img/logo.jpg"></div>
<nav>
<ul>
<li><a href="#">VEHICLES</a></li>
<li><a href="#">PRICE</a></li>
<li><a href="#">OFFERS </a></li>
<li><a href="#">SECONDHSND CAR</a></li>
<li><a href="#">OWNERSHIP</a></li>
</ul>
</nav>
</header>
<div id="slider"><img src="img/2.jpg"></div>
<section>
<article>
<h3>NEWS</h3>
<a href="#"><img src="img/4.jpg"></a>
<h4>Discovery 5</h4>
<p>랜드로버가 만든 정통 SUV, 디스커버리의 신형 모델이 다음 달 공개된다.</p>
</article>
<article>
<h3>랜드로버 모델 살펴보기</h3>
<a href="#"><img src="img/8.jpg" ></a>
</article>
<article>
<h3>고객지원</h3>
<div class="icon">
<a href="#"><img src="img/icon3.jpg"></a>
<span>시승신청</span>
</div>
<div class="icon">
<a href="#"><img src="img/icon4.jpg"></a>
<span>뉴스레터 신청</span>
</div>
<div class="icon">
<a href="#"><img src="img/icon5.jpg"></a>
```

```
<span>전시장 찾기</span>
</div>
</article>
</section>
<footer>
<img src="img/logo2.jpg">
<p>Jaguar Land Rover Limited: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070</p>
</footer>
</body>
</html>
```

Step5 – 배경색 지우기



프로젝트 깃에 올리기

완성된 프로젝트를 깃에 배포하기

1. Sign-in 2. 사용자 메뉴 아이콘 클릭





배포를 위한 새로운 repository 생성

Ex> kostabkpark/landrover


New repository
github.com/new
New repository
Type / to search
Create a new repository
A repository contains all project files, including the revision history. Already have a project repository elsewhere?
Import a repository.
Required fields are marked with an asterisk (*).
Owner *
Repository name *
kostabkpark
/
landrover
landrover is available.
Great repository names are short and memorable. Need inspiration? How about glowing-giggle ?
Description (optional)
Public
Anyone on the internet can see this repository. You choose who can commit.
Private
You choose who can see and commit to this repository.
Initialize this repository with:
Add a README file
This is where you can write a long description for your project. Learn more about READMEs.
Add .gitignore
.gitignore template: None
Choose which files not to track from a list of templates. Learn more about ignoring files.
Choose a license
License: None
A license tells others what they can and can't do with your code. Learn more about licenses.
You are creating a public repository in your personal account.
Create repository


kostabkpark/landrover
github.com/kostabkpark/landrover
kostabkpark / landrover
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
landrover
Public
Pin
Unwatch 1
Fork 0
Star 0
Start coding with Codespaces
Add a README file and start coding in a secure, configurable, and dedicated development environment.
Create a codespace
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Set up in Desktop
or
HTTPS
SSH
https://github.com/kostabkpark/landrover.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.
...or create a new repository on the command line
echo "# landrover" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/kostabkpark/landrover.git
git push -u origin main
...or push an existing repository from the command line
git remote add origin https://github.com/kostabkpark/landrover.git
git branch -M main
git push -u origin main
https://github.com/kostabkpark/landrover/upload

깃 Repository 에 올릴 내용 선택해서 드래그 한다.

파일이 모두 업로드 되면 commit message 를 입력 후 commit changes 버튼 클릭





등록 후 몇 분 정도 지나면 github pages 주소가 만들어짐


Pages
github.com/kostabkpark/landrover/settings/pages
kostabkpark / landrover
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
General
Access
Collaborators
Moderation options
Code and automation
Branches
Tags
Rules
Actions
Webhooks
Environments
Codespaces
Pages
Security
Code Security
Deploy keys
Secrets and variables
GitHub Pages
GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.
Your site is live at https://kostabkpark.github.io/landrover/
Last deployed by kostabkpark now
Visit site
Build and deployment
Source
Deploy from a branch
Branch
Your GitHub Pages site is currently being built from the main branch. Learn more about configuring the publishing source for your site.
main
/ (root)
Save
Learn how to add a Jekyll theme to your site.
Your site was last deployed to the github-pages environment by the pages build and deployment workflow.
Learn more about deploying to GitHub Pages using custom workflows
Custom domain
Custom domains allow you to serve your site from a domain other than kostabkpark.github.io. Learn more about configuring custom domains.
https://kostabkpark.github.io/landrover/