Introduction to Mathematica

王泽宇

 ${\sf SE, Tsinghua\ University}$

ycdfwzy@outlook.com

2017年4月18日

Overview

Brief Background

Peatures

3 Conclusion

Overview

Brief Background

2 Features

Conclusion



3 / 19

Brief Background

- A mathematical symbolic computation program
- Conceived by Stephen Wolfram
- Developed by Wolfram Research
- Written in C/C++, Java and Mathematica
- Chinese is available after Mathematica 7.0
- The latest version: Mathematica 11.0.1

王泽宇 (THU)

Overview

Brief Background

Peatures

3 Conclusion



5 / 19

Libraries of mathematical functions

王泽宇 (THU) 2017年4月18日 In Class Talk 6 / 19

Libraries of mathematical functions



6 / 19

Libraries of mathematical functions




 王泽宇 (THU)
 In Class Talk
 2017 年 4 月 18 日 6 / 19


Data and function visualization and animation tools

 王泽宇 (THU)
 In Class Talk
 2017 年 4 月 18 日 7 / 19

Data and function visualization and animation tools




In[24]= **Plot3D**[x^2 + y^2, {x, -2, 2}, {y, -2, 2}] 绘制三维图形



□ ▶ 4 분 ▶ 4 분 ▶ 9 약

 王泽宇 (THU)
 In Class Talk
 2017 年 4 月 18 日 7 / 19

Data and function visualization and animation tools




◆ロト ◆個ト ◆差ト ◆差ト 差 めるの

8 / 19

200

Data and function visualization and animation tools

| In[37] = | Manipulate[Plot[Sin[a x + b], {x, 0, 6}], {a, 1, 4}, {b, 0, 10}] | 交互式操作 | 绘图 | 正弦



 王泽宇 (THU)
 In Class Talk
 2017 年 4 月 18 日
 9 / 19

王泽宇 (THU) In Class Talk 2017 年 4 月 18 日 10 / 19

Out[62]=
$$\left\{\frac{4}{3}, \left\{x1 \to \frac{2}{3}, x2 \to \frac{2}{3}\right\}\right\}$$

<ロ > ← □ > ← □ > ← □ > ← □ = − の へ ○

10 / 19

王泽宇 (THU) In Class Talk 2017 年 4 月 18 日

```
ln[65] = Maximize[\{x1 + x2, 2x1 + x2 <= 2, x1 + 2x2 <= 2, Element[\{x1, x2\}, Integers]\},
      最大点值
       \{x1, x2\}
```

Out[65]= $\{1, \{x1 \rightarrow 1, x2 \rightarrow 0\}\}$

In[89]:= Simplify[%] 化简

$$\text{Out[09]= } \left\{ \sqrt{7-2\sqrt{10}} \text{ , } \left\{ x \rightarrow 2-2\sqrt{\frac{2}{5}} \text{ , } y \rightarrow 1-\sqrt{\frac{2}{5}} \right\} \right\}$$

4 D > 4 A > 4 E > 4 E > E 90 0

12 / 19

王泽宇 (THU) In Class Talk 2017 年 4 月 18 日

Calculate the sum of prime numbers below 100

◆□▶ ◆□▶ ◆□▶ ◆□▶ ○□ ● ◆○○○

王泽宇 (THU) In Class Talk 2017 年 4 月 18 日 13 / 19

Calculate the sum of prime numbers below 100

```
In[87]:= 5 = 0;
     t = 1;
     For [i = 1, i \le 100, i++, If[PrimeQ[i], s = s+i; t = t*i]]
                             素数判定
     For循环
     Print["s=", s]
     $TED
     Print["t=", t]
     #TED
     s=1060
     t=2305567963945518424753102147331756070
```

An easy parallel programming tool

<ロ > ← □

王泽宇 (THU) 2017年4月18日 In Class Talk 14 / 19 In[101]= Table[PrimeQ[x], {x, 10^1000, 10^1000 + 10000}]; // AbsoluteTiming

An easy parallel programming tool

14 / 19

More Features

More Features

- Supervised and unsupervised machine learning tools for data, images and sounds including artificial neural networks
- Tools for 2D and 3D image processing and morphological image processing including image recognition
- Tools for visualizing and analysing graphs
- Tools to connect to dynamic-link library, SQL, Java, .NET, C++,
 Fortran, CUDA, OpenCL, and HTTP based systems
- Tools for financial calculations
- ...



Overview

Brief Background

2 Features

3 Conclusion



- Advantages
 - Easy to use
 - Powerful
 - Friendly interface
 - ...



- Advantages
 - Easy to use
 - Powerful
 - Friendly interface
 - ...
- Drawbacks
 - Low Efficiency
 - No OOP
 - ...



- Advantages
 - Easy to use
 - Powerful
 - Friendly interface
 - ...
- Drawbacks
 - Low Efficiency
 - No OOP
 - ...
 - Expensive?



Conclusion

Choose the best tool for your work!



王泽宇 (THU) In Class Talk 2017 年 4 月 18 日 18 / 19

Thanks

Thanks!



19 / 19

王泽宇 (THU) In Class Talk