


PRODUCTION PERFORMANCE & QUALITY REPORT

Facility: Main Manufacturing Plant Reporting Period: Weekly Summary

Executive Summary:

The manufacturing production report includes data from 2 work orders, showing a planned quantity of 500.0 and a completed quantity of 1000.0 across the records. Capacity analysis data across 11 machine entries indicates utilization percentages ranging between 60.0% and 120.0%, with multiple machines flagged for overload. Scrap data documents a total scrap quantity of 123.0 across 7 material entries, while rejection records show 225.0 total rejected units.

1. Weekly Production Trends



Production Analysis:

The work order summary contains two entries: Work Order WO202608030001 (Planned status) with a planned quantity of 500.0 and 0.0 completed, and Work Order WO202608030002 (Completed status) with a planned quantity of 1000.0 and 1000.0 completed. This yields an aggregate planned volume of 1500.0 and 1000.0 completed units.


Day	Target	Actual	Status
WO202608030001	500.0	0.0	Below Target
WO202608030002	1000.0	1000.0	On Track

2. Machine Performance (OEE Breakdown)

OEE Overview:

Machine utilization analysis across 11 records from CapacityAnalysis shows varying performance levels with utilization ranging from a low of 60.0% on Machine 1 up to 120.0% on Machine 6. Overload flags are triggered on machines with utilization exceeding standard thresholds, specifically on Machine 1 (115.0%), Machine 6 (110.0%), and Machine 6 (120.0%).

Line	OEE Score	Status
1	115.0%	Optimal
2	80.0%	Below Target
3	95.0%	Optimal
6	110.0%	Optimal
8	80.0%	Below Target
1	90.0%	Optimal
2	70.0%	Below Target
3	100.0%	Optimal
6	80.0%	Below Target
1	60.0%	Below Target
6	120.0%	Optimal



3. Rejection vs. Production Volume by Shift

[Chart Missing]

Shift Efficiency Analysis:


The WeighingMachine table contains no records, therefore shift-wise production metrics, rejections, and defect rates are reported as zero for this period.

Shift	Output	Rejections	Defect Rate
-------	--------	------------	-------------

4. Scrap Analysis & Waste Distribution

Key Scrap Drivers:

Scrap analysis across 7 materials shows a total scrap quantity of 123.0 KG. The primary scrap drivers by percentage of total scrap volume are HDPE Container 5L at 24.39%, HDPE Drum 20L at 20.33%, PET Bottle 500ml at 16.26%, PET Bottle 2L at 14.63%, PET Bottle 1L at 12.20%, PET Jar 250ml at 8.13%, and HDPE Cap 28mm at 4.07%.



5. Corrective Action Plan

Action Item	Target Area	Owner	Deadline
Investigate and resolve pending execution for work order WO202608030001	Work Order Execution	Production Management	2026-08-10
Address machine overload conditions on Machine 1 and Machine 6	Capacity Analysis	Maintenance	2026-06-30
Mitigate high scrap generation identified in HDPE Container 5L and HDPE Drum 20L	Scrap Reduction	Quality Assurance	2026-07-20