


PRODUCTION PERFORMANCE & QUALITY REPORT

Facility: Main Manufacturing Plant Reporting Period: Weekly Summary

Executive Summary:

The manufacturing production report evaluates recent work orders, machine utilization, shift performance, and scrap metrics based on real database records. Work order WO202608030002 has completed its target of 1000.0 units, while WO202608030001 remains planned with 0.0 units completed out of 500.0. Machine utilization across capacity records ranges between 60.0% and 120.0%, highlighting varying operational efficiencies. Total shift production and scrap quantities have been recorded to track output quality and material loss across multiple shifts.

1. Weekly Production Trends



Production Analysis:

An analysis of work order records shows two active entries in the system. Work order WO202608030001 on machine 6 has a planned quantity of 500.0 with 0.0 completed, currently in 'Planned' status and marked as Below Target. Work order WO202608030002 on machine 1 has a planned quantity of 1000.0 and a completed quantity of 1000.0, achieving 'Completed' status and marked as On Track.


Day	Target	Actual	Status
WO202608030001	500.0	0.0	Below Target
WO202608030002	1000.0	1000.0	On Track

2. Machine Performance (OEE Breakdown)


OEE Overview:

Capacity analysis records indicate machine utilization percentages fluctuating across machines 1, 2, 3, 6, and 8. Machine 1 records utilization values of 115.0%, 90.0%, and 60.0%. Machine 2 records 80.0% and 70.0%. Machine 3 records 95.0% and 100.0%. Machine 6 records 110.0%, 80.0%, and 120.0%. Machine 8 records 80.0%. Machines operating at or above 85.0% are categorized as optimal.

Line	OEE Score	Status
Machine 1	115.0%	Optimal
Machine 2	80.0%	Below Target
Machine 3	95.0%	Optimal
Machine 6	110.0%	Optimal
Machine 8	80.0%	Below Target
Machine 1	90.0%	Optimal
Machine 2	70.0%	Below Target
Machine 3	100.0%	Optimal
Machine 6	80.0%	Below Target
Machine 1	60.0%	Below Target
Machine 6	120.0%	Optimal



3. Rejection vs. Production Volume by Shift



Shift Efficiency Analysis:


Shift-wise data from WeighingMachine tracks finished goods quantity (FGQuantity), rejected quantity, and scrap quantity. Shift A accumulated an aggregate output of 7850.0 units with 165.0 rejections, resulting in a defect rate of 2.1%. Shift B recorded 0.0 finished goods output with 35.0 rejections. Shift C recorded 1450.0 finished goods output with 25.0 rejections, resulting in a defect rate of 1.7%.

Shift	Output	Rejections	Defect Rate
Shift A	7850.0	165.0	2.1%
Shift B	0.0	35.0	0.0%
Shift C	1450.0	25.0	1.7%

4. Scrap Analysis & Waste Distribution

Key Scrap Drivers:

Scrap analysis by material indicates total scrap quantities distributed across seven distinct material codes. The total scrap recorded across all categories is 123.0 KG. HDPE Container 5L represents the highest scrap driver at 30.0 KG, while HDPE Cap 28mm represents the lowest at 5.0 KG.



5. Corrective Action Plan

Action Item	Target Area	Owner	Deadline
Investigate and initiate work order execution for WO202608030001	Machine 6	Production	2026-08-10
Address low utilization rates on Machine 1 (60.0%) and Machine 2 (70.0%)	Capacity Management	Operations	2026-08-15
Review material scrap reduction strategies for HDPE Container 5L and HDPE Drum 20L	Quality Control	Manufacturing	2026-08-20