

Manufacturing & Video-Analytics Intelligent Report

User Query: I want the data from the mes application for machine utilization and from video analytics I want camera configuration information.

Generated at: 2026-09-24 17:53:19

MES Machine Utilization Analysis

This section analyzes machine utilization data retrieved from the MES database. The MachineMaster table contains records for 28 machines, showing an average utilization of 296.93%, though this is skewed by potential high-value outliers up to 4545%. Additionally, the CapacityAnalysis table tracks 11 records across different shifts, indicating more normalized utilization rates ranging from 60% to 120%, with an overall average of 90.91%. These metrics help identify operational bottlenecks and optimize shift-based machine scheduling.

Video Analytics Camera Configuration

This section outlines the camera configurations and detection rules from the Video Analytics database. Currently, there are 3 active cameras configured: Luxsphere, Flarehub, and Entry Gate, all reporting an online status. Detailed detection assignments reveal 15 active rules configured for Camera 1, operating daily from 08:00 to 18:00. These assignments utilize models 4 and 5 with a consistent confidence threshold of 0.5 across 15 distinct object classes, ensuring structured monitoring schedules.

Appendix – Data Metadata

camera_status_logs (50 records)
camera_id: type=integer, min=1.0, max=3.0, avg=1.96
status: type=string, min=--, max=--, avg=--

detection_assignments (15 records)
camera_id: type=integer, min=1.0, max=1.0, avg=1.0
active_days: type=string, min=--, max=--, avg=--
active_end_time: type=string, min=--, max=--, avg=--
active_start_time: type=string, min=--, max=--, avg=--
class_id: type=integer, min=241.0, max=255.0, avg=248.0
confidence_threshold: type=numeric, min=0.5, max=0.5, avg=0.5

MachineMaster (28 records)
Utilization: type=numeric, min=0.0, max=4545.0, avg=296.93
MachineCode: type=string, min=--, max=--, avg=--
MachineId: type=integer, min=1.0, max=29.0, avg=15.04
MachineName: type=string, min=--, max=--, avg=--
MachineType: type=string, min=--, max=--, avg=--
Capacity: type=numeric, min=0.0, max=10454.0, avg=909.07

CapacityAnalysis (11 records)
MachineId: type=integer, min=1.0, max=8.0, avg=3.55
UtilizationPercent: type=numeric, min=60.0, max=120.0, avg=90.91
CapacityId: type=integer, min=16.0, max=26.0, avg=21.0
CustomerId: type=integer, min=13.0, max=13.0, avg=13.0
ShiftId: type=integer, min=1.0, max=4.0, avg=1.45

Machine (10 records)
MachineCode: type=string, min=--, max=--, avg=--
MachineId: type=integer, min=1.0, max=10.0, avg=5.5
MachineName: type=string, min=--, max=--, avg=--
MachineType: type=string, min=--, max=--, avg=--
Capacity: type=numeric, min=120.0, max=250.0, avg=148.57
CompanyId: type=integer, min=13.0, max=13.0, avg=13.0

MachineFGMapping (39 records)
MachineType: type=string, min=--, max=--, avg=--
CompanyId: type=integer, min=13.0, max=89.0, avg=19.83
FGCode: type=string, min=--, max=--, avg=--
FGName: type=string, min=--, max=--, avg=--

MachineMaterialMapping (8 records)

MachineId: type=integer, min=1.0, max=3.0, avg=2.0
CompanyId: type=integer, min=13.0, max=13.0, avg=13.0
FGCode: type=string, min=--, max=--, avg=--
RMCode: type=string, min=--, max=--, avg=--
SFGCode: type=string, min=--, max=--, avg=--

WeighingMachine (7 records)

MachineCode: type=string, min=--, max=--, avg=--
IsActive: type=boolean, min=--, max=--, avg=--
ShiftName: type=string, min=--, max=--, avg=--