Manufacturing & Video-Analytics Intelligent Report

“I want the data from the mes application for machine utilization and from video analytics I want camera configuration information”

Generated: 2026-10-16 23:12:40
Time filter applied

Contents

Executive Summary 3

Machine Utilization Overview 3

Camera Configuration Summary 4

Camera Status Log Anomaly 4

Appendix — Data Quality 5

Executive Summary

2	12	333	Applied	0
DATABASES QUERIED	TABLES MATCHED	TOTAL RECORDS	TIME FILTER	FAILED QUERIES

Matched keywords: camera, configuration, machine, utilization

Telemetry window: 2026-10-15T17:42:40Z → 2026-10-16T17:42:40Z (bucketed every 5m)

Machine Utilization Overview

The MachineMaster table contains utilization data for 40 machines. Utilization ranges from a low of 43.4% to a high of 92.7%, with an average of 68.61% across the fleet, indicating moderate overall usage. The CapacityAnalysis table adds shift■level insight: 50 records show utilization percentages from 37.5% up to 100%, averaging 72.92%. This suggests that while some shifts are fully loaded, others operate well below capacity, highlighting opportunities for balancing workload across shifts.

Data preview — MachineMaster (showing 10 of 40 points/rows)

Utilization	MachineCode	MachineId	MachineName	MachineType	Capacity	CapacityPerHour	CustomerId
81.90	M001	1	Injection Molding Line 1	Injection Molding	772.96	178.64	1
45.00	M002	2	Thermoforming Line 2	Thermoforming	554.94	77.34	1
58.90	M003	3	Thermoforming Line 3	Thermoforming	826.22	229.64	1
75.90	M004	4	Thermoforming Line 4	Thermoforming	681.29	150.48	1
59.00	M005	5	Assembly Line 5	Assembly	120.46	235.09	1
69.70	M006	6	Injection Molding Line 6	Injection Molding	190.81	333.32	1
43.40	M007	7	Extrusion Line 7	Extrusion	705.28	335.53	1
56.50	M008	8	Thermoforming Line 8	Thermoforming	572.02	66.41	1
77.10	M009	9	Assembly Line 9	Assembly	283.00	388.73	1
70.40	M010	10	Blow Molding Line 10	Blow Molding	943.44	217.79	1

Camera Configuration Summary

Three cameras are defined in the video analytics system. Camera 1 (Flarehub) and Camera 2 (Luxsphere) have no department, location, or plant assignments and are reported as online under the admin user. Camera 6 (Entry Gate) is linked to department 1, location 1, and plant 1, also online and managed by admin. All cameras are currently online, providing coverage for their respective areas.

Data preview — cameras (showing 3 of 3 points/rows)

camera_number	department_id	location_id	name	plant_id	status	user_id
1	None	None	Flarehub	None	online	admin
2	None	None	Luxsphere	None	online	admin
6	1	1	Entry Gate	1	online	admin

Camera Status Log Anomaly

The camera_status_logs table holds 50 entries, but every record lists the status as "offline" despite the cameras being reported online in the configuration table. This uniform offline status across all logs suggests a possible data collection or logging configuration issue that should be investigated.

Data preview — camera_status_logs (showing 10 of 50 points/rows)

camera_id	status
1	offline
1	offline
2	offline
3	offline
1	offline
2	offline
3	offline
1	offline
2	offline
3	offline

Appendix — Data Quality

Table	Records	Completeness	Outliers	Score
cameras	3	71.4%	0	Needs review
camera_status_logs	50	100.0%	0	Good
MachineMaster	40	100.0%	0	Good
CapacityAnalysis	50	100.0%	0	Good
Machine	40	100.0%	0	Good
MachineFGMapping	50	100.0%	0	Good
MachineMaterialMapping	50	100.0%	0	Good
WeighingMachine	50	100.0%	0	Good

LLM Usage & Cost

Model	Input tokens	Output tokens	Total tokens	Estimated cost
groq/openai/gpt-oss-120b	4,435	1,019	5,454	N/A