ICPSR 22140

HIV Transmission Network Metastudy Project: An Archive of Data From Eight Network Studies, 1988--2001

Martina Morris *University of Washington. Center for AIDS Research*

Richard Rothenberg

Emory University. Rollins School of Public

Health

Codebook for Pairs of Persons -- Altdyads

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/22140/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Pairs of Persons -- Altdyads

Variable Name and Label (Total Cases = 121027)		Percent of Cases with Missing Values
91.0% (141 of 155 variables)	have 0% Missing Values	
8.4% (13 of 155 variables)	have 0% - 1% Missing Values	
0.6% (1 of 155 variables)	have 1% - 3% Missing Values	
0.0% (0 of 155 variables)	have 3% - 5% Missing Values	
0.0% (0 of 155 variables)	have 5% - 10% Missing Values	
0.0% (0 of 155 variables)	have 10% - 20% Missing Values	
0.0% (0 of 155 variables)	have 20% - 40% Missing Values	
0.0% (0 of 155 variables)	have 40% - 99% Missing Values	
0.0% (0 of 155 variables)	have 100% missing values	

ICPSR 22140

HIV Transmission Network Metastudy Project: An Archive of Data From Eight Network Studies, 1988--2001

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

HIV Transmission Network Metastudy Project: An Archive of Data From Eight Network Studies, 1988--2001

Pairs of Persons -- Altdyads

rid	Identifier unique to the interviewed/tes
Location:	1-6 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Identifier unique to the interviewed/tested/ eligible person, within that particular study (values not necessarily unique across datasets) -primary key
	Based upon 121027 valid cases out of 121027 total cases.
	 Mean: 65205.04 Minimum: 0.00 Maximum: 300235.00 Standard Deviation: 101802.91

id1	Unique identifier for first listed partn
Location:	7-12 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Unique identifier for first listed partner in an alter-alter dyad-primary key
	Based upon 121027 valid cases out of 121027 total cases.
	Mean: 75982.92
	Minimum: 1.00
	Maximum: 402122.00
	Standard Deviation: 111119.98
, ,	Unique identifier for first listed partner in an alter-alter dyad-primary key Based upon 121027 valid cases out of 121027 total cases. • Mean: 75982.92 • Minimum: 1.00 • Maximum: 402122.00

id2	Unique identifier for second listed part
Location:	13-18 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Unique identifier for second listed partner in an alter-alter dyad -primary key
	Based upon 121027 valid cases out of 121027 total cases.
	Mean: 75982.92
	Minimum: 1.00
	Maximum: 402122.00
	Standard Deviation: 111119.98

dyadkey	Classifies the dyad as ego-alter, alter-
Location:	19-20 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Classifies the dyad as ego-alter, alter-associate/susp ect, or alter-alter
	- 2 -

Value	Label	Unweighted Frequency	%
-1	Matrix tie	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -1.00
Median: -1.00
Mode: -1.00
Minimum: -1.00
Maximum: -1.00

Standard Deviation: 0.00

dyadtype Recode of dyadkey

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

Question: Recode of dyadkey

Value	Label	Unweighted Frequency	%
1	Matrix tie	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.00Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 1.00

Standard Deviation: 0.00

tietype Mode of connection -primary key

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

Question: Mode of connection -primary key

Value	Label	Unweighted Frequency	%
1	Social	80139	66.2 %
2	Drug	33571	27.7 %
3	Sexual	5869	4.8 %
4	Needle	1448	1.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.41Median: 1.00

Mode: 1.00Minimum: 1.00Maximum: 4.00

• Standard Deviation: 0.64

recent Connection was recent (within the interv

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question: Connection was recent (within the interview period) or ever at any time in the past

Value	Label	Unweighted Frequency	%
1	Recently	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.00Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 1.00

Standard Deviation: 0.00

intdate Interview Date

Location: 26-36 (width: 11; decimal: 0)

Variable Type: character

Based upon 121027 valid cases out of 121027 total cases.

begdate Approximate date of earliest contact bet

Location: 37-47 (width: 11; decimal: 0)

Variable Type: character

	Unweighted Frequency	%	
01-Jan-1900	121027	100.0 %	

Based upon 121027 valid cases out of 121027 total cases.

enddate Approximate date of most recent contact

Location: 48-58 (width: 11; decimal: 0)

Variable Type: character

١	Value	Unweighted Frequency	%
C	01-Jan-1900	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

testdate Date of sample collection (or lab test) for respondent

Location: 59-69 (width: 11; decimal: 0)

Variable Type: character

Based upon 121027 valid cases out of 121027 total cases.

testdat1 Date of sample collection (or lab test) for respondent with ld1

Location: 70-80 (width: 11; decimal: 0)

Variable Type: character

Based upon 121027 valid cases out of 121027 total cases.

testdat2 Date of sample collection (or lab test) for respondent with ld2

Location: 81-91 (width: 11; decimal: 0)

Variable Type: character

Based upon 121027 valid cases out of 121027 total cases.

sample Sampling scheme used

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

Question: Sampling scheme used

Value	Label	Unweighted Frequency	%
1	Saturation	65732	54.3 %
4	Chain-link tracing	36609	30.2 %
6	Egocentric	11496	9.5 %
7	3-link chain & mixed	7190	5.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.74Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 7.00

Standard Deviation: 2.05

sg Sample generation class for a link traci

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Sample generation class for a link tracing design for respondent

V	'alue	Label	Unweighted Frequency	%
-6	9	OOD	7190	5.9 %

- Study 22140 -

Value	Label	Unweighted Frequency	%
-8	ID	8334	6.9 %
0	Seed	81825	67.6 %
1	1:Steps from seed	3164	2.6 %
2	2: Steps from seed	1142	0.9 %
3	3:Steps from seed	2512	2.1 %
4	4: Steps from seed	1768	1.5 %
5	5: Steps from seed	858	0.7 %
6	6: Steps from seed	1468	1.2 %
7	7: Steps from seed	682	0.6 %
8	8: Steps from seed	1152	1.0 %
9	9: Steps from seed	1148	0.9 %
10	10: Steps from seed	696	0.6 %
11	11: Undefined Code	7412	6.1 %
12	12: Undefined Code	984	0.8 %
13	13: Undefined Code	32	0.0 %
16	16: Undefined Code	380	0.3 %
22	22: Undefined Code	220	0.2 %
44	44: Undefined Code	60	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.33Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 44.00

• Standard Deviation: 4.87

sg1 Sample generation class for a link traci

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Sample generation class for a link tracing design for person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	7190	5.9 %
-8	ID	27560	22.8 %
-1	-1:Undefined code	52082	43.0 %
0	Seed	14508	12.0 %
1	1:Steps from seed	12074	10.0 %
2	2: Steps from seed	469	0.4 %
3	3:Steps from seed	401	0.3 %

- Study 22140 -

Value	Label	Unweighted Frequency	%
4	4: Steps from seed	557	0.5 %
5	5: Steps from seed	348	0.3 %
6	6: Steps from seed	290	0.2 %
7	7: Steps from seed	298	0.2 %
8	8: Steps from seed	333	0.3 %
9	9: Steps from seed	415	0.3 %
10	10: Steps from seed	298	0.2 %
11	11: Undefined Code	3645	3.0 %
12	12: Undefined Code	349	0.3 %
13	13: Undefined Code	5	0.0 %
16	16: Undefined Code	73	0.1 %
22	22: Undefined Code	121	0.1 %
44	44: Undefined Code	11	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.13Median: -1.00Mode: -1.00Minimum: -9.00Maximum: 44.00

• Standard Deviation: 4.62

sg2 Sample generation class for a link traci

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Sample generation class for a link tracing design for person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	7190	5.9 %
-8	ID	27560	22.8 %
-1	-1:Undefined code	52082	43.0 %
0	Seed	14508	12.0 %
1	1:Steps from seed	12074	10.0 %
2	2: Steps from seed	469	0.4 %
3	3:Steps from seed	401	0.3 %
4	4: Steps from seed	557	0.5 %
5	5: Steps from seed	348	0.3 %
6	6: Steps from seed	290	0.2 %
7	7: Steps from seed	298	0.2 %
8	8: Steps from seed	333	0.3 %

Value	Label	Unweighted Frequency	%
9	9: Steps from seed	415	0.3 %
10	10: Steps from seed	298	0.2 %
11	11: Undefined Code	3645	3.0 %
12	12: Undefined Code	349	0.3 %
13	13: Undefined Code	5	0.0 %
16	16: Undefined Code	73	0.1 %
22	22: Undefined Code	121	0.1 %
44	44: Undefined Code	11	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.13
Median: -1.00
Mode: -1.00
Minimum: -9.00
Maximum: 44.00
Standard Deviation: 4.62

ntype1 Node type for person with id1 (hierarchi

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Node type for person with id1 (hierarchical) classifies nodes in mutually-exclusive fashion

Value	Label	Unweighted Frequency	%
1	Respondent	28116	23.2 %
2	Eligible	7145	5.9 %
3	Alter	85766	70.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.48
Median: 3.00
Mode: 3.00
Minimum: 1.00
Maximum: 3.00

• Standard Deviation: 0.85

ntype2 Node type for person with id2 (hierarchi

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Node type for person with id2 (hierarchical) classifies nodes in mutually-exclusive fashion

Value	Label	Unweighted Frequency	%
1	Respondent	28116	23.2 %
2	Eligible	7145	5.9 %
3	Alter	85766	70.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.48Median: 3.00Mode: 3.00Minimum: 1.00Maximum: 3.00

• Standard Deviation: 0.85

frsttype For longitudinal design studies, indicat

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: For longitudinal design studies, indicates if first appearance of respondent was as a respondent or

not

Value	Label	Unweighted Frequency	%
1	Respondent	42692	35.3 %
3	Alter	78335	64.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.29Median: 3.00Mode: 3.00Minimum: 1.00Maximum: 3.00

• Standard Deviation: 0.96

frsttyp1 For longitudinal design studies, indicat

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: For longitudinal design studies, indicates if first appearance of person with id1 was as a respondent

or not

Value	Label	Unweighted Frequency	%
1	Respondent	1109	0.9 %
3	Alter	119918	99.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.98Median: 3.00Mode: 3.00Minimum: 1.00Maximum: 3.00

• Standard Deviation: 0.19

frsttyp2 For longitudinal design studies, indicat

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: For longitudinal design studies, indicates if first appearance of person with id2 was as a respondent

or not

Value	Label	Unweighted Frequency	%
1	Respondent	1109	0.9 %
3	Alter	119918	99.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.98Median: 3.00Mode: 3.00Minimum: 1.00Maximum: 3.00

• Standard Deviation: 0.19

idknown Whether the identity of the respondent w

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the identity of the respondent was sufficiently determined to confidently treat as a discrete

individual

Value	Label	Unweighted Frequency	%
0	Identity unknown	50	0.0 %
1	Identity known	120977	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.00Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.02

idknown1 Whether the identity of the person with

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the identity of the person with id1 was sufficiently determined to confidently treat as a discrete

ndividual

Value	Label	Unweighted Frequency	%
-9	OOD	31417	26.0 %
0	Identity unknown	12184	10.1 %
1	Identity known	77426	64.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -1.70Median: 1.00Mode: 1.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.33

idknown2 Whether the identity of the person with

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the identity of the person with id2 was sufficiently determined to confidently treat as a discrete

individual

Value	Label	Unweighted Frequency	%
-9	OOD	31417	26.0 %
0	Identity unknown	12184	10.1 %
1	Identity known	77426	64.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -1.70
Median: 1.00
Mode: 1.00
Minimum: -9.00
Maximum: 1.00

Standard Deviation: 4.33

local Whether the respondent had resided in th

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the respondent had resided in the study jurisdiction

Value	Label	Unweighted Frequency	%
-9	OOD	12	0.0 %
0	Exogenous	1883	1.6 %
1	Local	119132	98.4 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.98Median: 1.00Mode: 1.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.16

local1 Whether the person with id1 had resided

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the person with id1 had resided in the study jurisdiction

Value	Label	Unweighted Frequency	%
-9	OOD	14886	12.3 %
-8	-8:Undefined Code	30526	25.2 %
0	Exogenous	6397	5.3 %
1	Local	69218	57.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.55Median: 1.00Mode: 1.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.49

local2 Whether the person with id2 had resided

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

Question: Whether the person with id2 had resided in the study jurisdiction

Value	Label	Unweighted Frequency	%
-9	OOD	14886	12.3 %
-8	-8:Undefined Code	30526	25.2 %
0	Exogenous	6397	5.3 %

Value	Label	Unweighted Frequency	%
1	Local	69218	57.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.55Median: 1.00Mode: 1.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.49

race Race of respondent (non-Black Hispanics

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Question: Race of respondent (non-Black Hispanics categorized as White)

Value	Label	Unweighted Frequency	%
-9	OOD	2	0.0 %
1	Amer Indian	1514	1.3 %
2	Black	57193	47.3 %
3	Asian/PIsle	238	0.2 %
4	White	60098	49.7 %
5	Other	1982	1.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 3.03
Median: 4.00
Mode: 4.00
Minimum: -9.00
Maximum: 5.00

• Standard Deviation: 1.04

race1 Race of person with id1 (non-Black Hispa

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

Question: Race of person with id1 (non-Black Hispanics categorized as White)

Value	Label	Unweighted Frequency	%
-9	OOD	104	0.1 %
1	Amer Indian	444	0.4 %
2	Black	60875	50.3 %

Value	Label	Unweighted Frequency	%
3	Asian/PIsle	42573	35.2 %
4	White	16621	13.7 %
5	Other	410	0.3 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.62Median: 2.00Mode: 2.00Minimum: -9.00Maximum: 5.00

· Standard Deviation: 0.81

race2 Race of person with id2 (non-Black Hispa

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

Question: Race of person with id2 (non-Black Hispanics categorized as White)

Value	Label	Unweighted Frequency	%
-9	OOD	104	0.1 %
1	Amer Indian	444	0.4 %
2	Black	60875	50.3 %
3	Asian/PIsle	42573	35.2 %
4	White	16621	13.7 %
5	Other	410	0.3 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.62Median: 2.00Mode: 2.00Minimum: -9.00Maximum: 5.00

Standard Deviation: 0.81

ethn Indicates Hispanic ethnicity of responde Location: 125-126 (width: 2; decimal: 0) Variable Type: numeric

Question: Indicates Hispanic ethnicity of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	2	0.0 %

Value	Label	Unweighted Frequency	%
0	Non-Hisp	107443	88.8 %
1	Hisp	13582	11.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.11Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 0.32

ethn1 Indicates Hispanic ethnicity of person w

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

Question: Indicates Hispanic ethnicity of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	255	0.2 %
0	Non-Hisp	107647	88.9 %
1	Hisp	13125	10.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.09Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.52

ethn2 Indicates Hispanic ethnicity of person w

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

Question: Indicates Hispanic ethnicity of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	255	0.2 %
0	Non-Hisp	107647	88.9 %
1	Hisp	13125	10.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.09Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.52

sex Sex of respondent

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

Question: Sex of respondent

Value	Label	Unweighted Frequency	%
0	Male	61154	50.5 %
1	Female	59873	49.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.49Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

sex1 Sex of person with id1

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

Question: Sex of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	647	0.5 %
0	Male	64954	53.7 %
1	Female	55426	45.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.41Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.85

sex2 Sex of person with id2

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

Question: Sex of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	647	0.5 %
0	Male	64954	53.7 %
1	Female	55426	45.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.41Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 0.85

orient Self-reported sexual orientation of resp

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported sexual orientation of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	2659	2.2 %
-8	Not asked	65740	54.3 %
0	Heterosexual	43609	36.0 %
1	Homosexual	3620	3.0 %
2	Bisexual	5393	4.5 %
3	3:Undefined Code	6	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -4.42Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 3.00

• Standard Deviation: 4.14

orient1 Self-reported sexual orientation of pers

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Self-reported sexual orientation of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	19485	16.1 %
-8	Not asked	87275	72.1 %
0	Heterosexual	12705	10.5 %
1	Homosexual	509	0.4 %
2	Bisexual	1045	0.9 %
3	3:Undefined Code	8	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.20Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 3.00

• Standard Deviation: 2.73

orient2 Self-reported sexual orientation of pers

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Self-reported sexual orientation of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	19485	16.1 %
-8	Not asked	87275	72.1 %
0	Heterosexual	12705	10.5 %
1	Homosexual	509	0.4 %
2	Bisexual	1045	0.9 %
3	3:Undefined Code	8	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.20Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 3.00

• Standard Deviation: 2.73

behav Behavioral sexual orientation of respond

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Behavioral sexual orientation of respondent, as measured from observed sexual pairings

Value	Label	Unweighted Frequency	%
-9	OOD	3044	2.5 %
0	Heterosexual	89009	73.5 %
2	Bisexual	28974	23.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.25Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 2.00

Standard Deviation: 1.71

behav1 Behavioral sexual orientation of person

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

Question: Behavioral sexual orientation of person with id1, as measured from observed sexual pairings

Value	Label	Unweighted Frequency	%
-9	OOD	44295	36.6 %
0	Heterosexual	62127	51.3 %
2	Bisexual	14605	12.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.05
Median: 0.00
Mode: 0.00
Minimum: -9.00
Maximum: 2.00

• Standard Deviation: 4.56

behav2 Behavioral sexual orientation of person

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

Question: Behavioral sexual orientation of person with id2, as measured from observed sexual pairings

Value	Label	Unweighted Frequency	%
-9	OOD	44295	36.6 %
0	Heterosexual	62127	51.3 %
2	Bisexual	14605	12.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.05Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 2.00

• Standard Deviation: 4.56

occpres Occupational prestige for respondent

Location: 149-154 (width: 6; decimal: 2)

Variable Type: numeric

Question: Occupational prestige for respondent

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 121027 valid cases out of 121027 total cases.

Mean: 14.58Median: 13.61Mode: -8.00Minimum: -9.00Maximum: 70.69

Standard Deviation: 23.48

occpres1 Occupational prestige for person with id

Location: 155-160 (width: 6; decimal: 2)

Variable Type: numeric

Question: Occupational prestige for person with id1

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 121027 valid cases out of 121027 total cases.

Mean: 7.58Minimum: -9.00

Maximum: 78.73

· Standard Deviation: 21.92

occpres2 Occupational prestige for person with id

Location: 161-166 (width: 6; decimal: 2)

Variable Type: numeric

Question: Occupational prestige for person with id2

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 121027 valid cases out of 121027 total cases.

Mean: 7.58Minimum: -9.00Maximum: 78.73

Standard Deviation: 21.92

occcens Occupational census code for respondent,

Location: 167-170 (width: 4; decimal: 0)

Variable Type: numeric

Question: Occupational census code for respondent, 1990 census

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 121013 valid cases out of 121027 total cases.

Mean: 247.05Median: 37.00Mode: -8.00Minimum: -9.00Maximum: 889.00

Standard Deviation: 288.46

occcens1 Occupational census code for person with

Location: 171-174 (width: 4; decimal: 0)

Variable Type:

numeric

Question:

Occupational census code for person with id1, 1990 census

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 120968 valid cases out of 121027 total cases.

Mean: 165.99Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 889.00

• Standard Deviation: 264.73

occcens2

Occupational census code for person with

Location: 175-178 (width: 4; decimal: 0)

Variable Type:

Question:

numeric

Occupational census code for person with id2, 1990 census

Value	Label
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 120970 valid cases out of 121027 total cases.

Mean: 165.99Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 889.00

Standard Deviation: 264.72

age Age of respondent at interview

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Age of respondent at interview

Value	Label	Unweighted Frequency	%
-8	Not asked/NA	50	0.0 %
15	-	76	0.1 %
16	-	1124	0.9 %
17	-	372	0.3 %
18	-	1322	1.1 %
19	-	2528	2.1 %
20	-	2760	2.3 %
21	-	3214	2.7 %
22	-	3724	3.1 %
23	-	3158	2.6 %
24	-	3584	3.0 %
25	-	3186	2.6 %
26	-	4206	3.5 %
27	-	3110	2.6 %
28	-	4828	4.0 %
29	-	3154	2.6 %
30	-	4142	3.4 %
31	-	5076	4.2 %
32	-	4864	4.0 %
33	-	4851	4.0 %
34	-	4721	3.9 %
35	-	4756	3.9 %
36	-	6752	5.6 %
37	-	4114	3.4 %
38	-	4260	3.5 %
39	-	4052	3.3 %
40	-	3967	3.3 %
41	-	3609	3.0 %
42	-	3883	3.2 %
43	-	3002	2.5 %
44	-	2642	2.2 %
45	-	3946	3.3 %
46	-	1838	1.5 %
47	-	1402	1.2 %
48	-	2078	1.7 %
49	-	758	0.6 %
50	-	1086	0.9 %
51	-	1524	1.3 %
52	-	504	0.4 %
53	_	362	0.3 %

- Study 22140 -

Value	Label	Unweighted Frequency	%
54	-	378	0.3 %
55	-	342	0.3 %
56	-	176	0.1 %
57	-	94	0.1 %
58	-	64	0.1 %
59	-	86	0.1 %
60	-	58	0.0 %
61	-	32	0.0 %
62	-	60	0.0 %
63	-	772	0.6 %
64	-	138	0.1 %
65	-	24	0.0 %
66	-	72	0.1 %
67	-	10	0.0 %
68	-	8	0.0 %
70	-	72	0.1 %
71	-	6	0.0 %
74	-	16	0.0 %
76	-	6	0.0 %
. (M)	-	28	0.0 %

Based upon 120999 valid cases out of 121027 total cases.

Mean: 33.89Median: 34.00Mode: 36.00Minimum: -8.00Maximum: 76.00

• Standard Deviation: 9.30

age1 Age of person with id1 at interview

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Age of person with id1 at interview

Value	Label	Unweighted Frequency	%
-9	OOD	1227	1.0 %
-1	-1:Undefined Code	10	0.0 %
0	-	46	0.0 %
1	-	284	0.2 %
2	-	352	0.3 %

Value	Label	Unweighted Frequency	%
4	-	246	0.2 %
5	-	269	0.2 %
6	-	427	0.4 %
7	-	344	0.3 %
8	-	265	0.2 %
9	-	310	0.3 %
12	-	295	0.2 %
13	-	346	0.3 %
14	-	431	0.4 %
15	-	460	0.4 %
16	-	1023	0.8 %
17	-	1444	1.2 %
18	-	2363	2.0 %
19	-	3079	2.5 %
20	-	2372	2.0 %
21	-	2429	2.0 %
22	-	3348	2.8 %
23	-	2908	2.4 %
24	-	3480	2.9 %
25	-	3680	3.0 %
26	-	4011	3.3 %
27	-	4560	3.8 %
28	-	4909	4.1 %
29	-	3891	3.2 %
30	-	5540	4.6 %
31	-	3265	2.7 %
32	-	4882	4.0 %
33	-	4238	3.5 %
34	-	3621	3.0 %
35	-	5260	4.3 %
36	-	3872	3.2 %
37	-	2873	2.4 %
38	-	3697	3.1 %
39	-	2870	2.4 %
40	-	4776	3.9 %
41	-	2267	1.9 %
42	-	3265	2.7 %
43	-	2443	2.0 %
44	-	1761	1.5 %
45	-	2522	2.1 %

Value	Label	Unweighted Frequency	%
46	-	1369	1.1 %
47	-	1411	1.2 %
48	-	1342	1.1 %
49	-	940	0.8 %
50	-	1588	1.3 %
51	-	650	0.5 %
52	-	836	0.7 %
53	-	626	0.5 %
54	-	460	0.4 %
55	-	433	0.4 %
56	-	345	0.3 %
57	-	257	0.2 %
58	-	236	0.2 %
59	-	289	0.2 %
60	-	365	0.3 %
61	-	232	0.2 %
62	-	225	0.2 %
63	-	237	0.2 %
64	-	269	0.2 %
65	-	364	0.3 %
66	-	206	0.2 %
67	-	182	0.2 %
68	-	169	0.1 %
70	-	177	0.1 %
71	-	108	0.1 %
74	-	44	0.0 %
76	-	75	0.1 %
77	-	43	0.0 %
78	-	38	0.0 %
79	-	23	0.0 %
80	-	37	0.0 %
82	-	22	0.0 %
83	-	14	0.0 %
85	-	8	0.0 %
86	-	14	0.0 %
87	-	17	0.0 %
88	-	7	0.0 %
89	-	5	0.0 %
90	-	8	0.0 %
93	-	5	0.0 %

Value	Label	Unweighted Frequency	%
96	-	5	0.0 %
. (M)	-	1385	1.1 %

Based upon 119642 valid cases out of 121027 total cases.

Mean: 32.41Median: 32.00Mode: 30.00Minimum: -9.00Maximum: 96.00

• Standard Deviation: 12.10

age2

Age of person with id2 at interview

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Age of person with id2 at interview

Value	Label	Unweighted Frequency	%
-9	OOD	1227	1.0 %
-1	-1:Undefined Code	10	0.0 %
0	-	46	0.0 %
1	-	284	0.2 %
2	-	352	0.3 %
3	-	390	0.3 %
4	-	246	0.2 %
5	-	269	0.2 %
6	-	427	0.4 %
7	-	344	0.3 %
8	-	265	0.2 %
9	-	310	0.3 %
10	-	332	0.3 %
11	-	293	0.2 %
12	-	295	0.2 %
13	-	346	0.3 %
14	-	431	0.4 %
15	-	460	0.4 %
16	-	1023	0.8 %
17	-	1444	1.2 %
18	-	2363	2.0 %
19	-	3079	2.5 %
20	-	2372	2.0 %

Value	Label	Unweighted Frequency	%
21	-	2429	2.0 %
22	-	3348	2.8 %
23	-	2908	2.4 %
24	-	3480	2.9 %
25	-	3680	3.0 %
26	-	4011	3.3 %
27	-	4560	3.8 %
28	-	4909	4.1 %
29	-	3891	3.2 %
30	-	5540	4.6 %
31	-	3265	2.7 %
32	-	4882	4.0 %
33	-	4238	3.5 %
34	-	3621	3.0 %
35	-	5260	4.3 %
36	-	3872	3.2 %
37	-	2873	2.4 %
38	-	3697	3.1 %
39	-	2870	2.4 %
40	-	4776	3.9 %
41	-	2267	1.9 %
42	-	3265	2.7 %
43	-	2443	2.0 %
44	-	1761	1.5 %
45	-	2522	2.1 %
46	-	1369	1.1 %
47	-	1411	1.2 %
48	-	1342	1.1 %
49	-	940	0.8 %
50	-	1588	1.3 %
51	-	650	0.5 %
52	-	836	0.7 %
53	-	626	0.5 %
54	-	460	0.4 %
55	-	433	0.4 %
56	-	345	0.3 %
57	-	257	0.2 %
58	-	236	0.2 %
59	-	289	0.2 %
60	-	365	0.3 %

Value	Label	Unweighted Frequency	%
61	-	232	0.2 %
62	-	225	0.2 %
63	-	237	0.2 %
64	-	269	0.2 %
65	-	364	0.3 %
66	-	206	0.2 %
67	-	182	0.2 %
68	-	169	0.1 %
69	-	88	0.1 %
70	=	177	0.1 %
71	-	108	0.1 %
72	=	156	0.1 %
73	-	35	0.0 %
74	-	44	0.0 %
75	-	85	0.1 %
76	-	75	0.1 %
77	-	43	0.0 %
78	-	38	0.0 %
79	=	23	0.0 %
80	-	37	0.0 %
82	-	22	0.0 %
83	-	14	0.0 %
85	=	8	0.0 %
86	=	14	0.0 %
87	-	17	0.0 %
88	-	7	0.0 %
90	-	8	0.0 %
. (M)	-	21	0.0 %

Based upon 121006 valid cases out of 121027 total cases.

Mean: 32.32Median: 32.00Mode: 30.00Minimum: -9.00Maximum: 90.00

• Standard Deviation: 12.42

pro Respondent is a prostitute

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Respondent is a prostitute

Value	Label	Unweighted Frequency	%
0	No	97799	80.8 %
1	Yes	23228	19.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.19Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.39

pro1 Person with id1 is a prostitute

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Person with id1 is a prostitute

Value	Label	Unweighted Frequency	%
-9	OOD	2836	2.3 %
-8	Not asked/NA	40829	33.7 %
0	No	66339	54.8 %
1	Yes	11023	9.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.82Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.95

pro2 Person with id2 is a prostitute

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a prostitute

Value	Label	Unweighted Frequency	%
-9	OOD	2836	2.3 %
-8	Not asked/NA	40829	33.7 %
0	No	66339	54.8 %

Value	Label	Unweighted Frequency	%
1	Yes	11023	9.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.82Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 3.95

pimp Respondent is a pimp

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is a pimp

Value	Label	Unweighted Frequency	%
-8	Not asked/NA	55295	45.7 %
0	No	58844	48.6 %
1	Yes	6888	5.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.60Median: 0.00Mode: 0.00Minimum: -8.00Maximum: 1.00

· Standard Deviation: 4.04

pimp1 Person with id1 is a pimp

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is a pimp

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	55295	45.7 %
0	No	60679	50.1 %
1	Yes	2253	1.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.84Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.04

pimp2 Person with id2 is a pimp

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a pimp

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	55295	45.7 %
0	No	60679	50.1 %
1	Yes	2253	1.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.84Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.04

john Respondent is a customer of a prostitute

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is a customer of a prostitute

Value	Label	Unweighted Frequency	%
-8	Not asked/NA	55295	45.7 %
0	No	58324	48.2 %
1	Yes	7408	6.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.59Median: 0.00Mode: 0.00Minimum: -8.00Maximum: 1.00

• Standard Deviation: 4.05

john1 Person with id1 is a customer of a prost

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is a customer of a prostitute

Value	Label	Unweighted Frequency	%
-9	OOD	34	0.0 %
-8	Not asked/NA	55295	45.7 %
0	No	63270	52.3 %
1	Yes	2428	2.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.64Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.01

john2 Person with id2 is a customer of a prost

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a customer of a prostitute

Value	Label	Unweighted Frequency	%
-9	OOD	34	0.0 %
-8	Not asked/NA	55295	45.7 %
0	No	63270	52.3 %
1	Yes	2428	2.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.64Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.01

dealer Respondent is a drug dealer

Location: 206-207 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Respondent is a drug dealer

Value	Label	Unweighted Frequency	%
-9	OOD	30	0.0 %
0	No	104097	86.0 %
1	Yes	16900	14.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.14Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.38

dealer1 Person with id1 is a drug dealer

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is a drug dealer

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	40829	33.7 %
0	No	64660	53.4 %
1	Yes	12738	10.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.80Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.96

dealer2 Person with id2 is a drug dealer

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a drug dealer

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %

Value	Label	Unweighted Frequency	%
-8	Not asked/NA	40829	33.7 %
0	No	64660	53.4 %
1	Yes	12738	10.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.80Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.96

drugman Respondent is a drug manufacturer

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is a drug manufacturer

Value	Label	Unweighted Frequency	%
-9	OOD	30	0.0 %
-8	Not asked/NA	55295	45.7 %
0	No	65562	54.2 %
1	Yes	140	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.66Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.99

drugman1 Person with id1 is a drug manufacturer

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is a drug manufacturer

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	55295	45.7 %
0	No	62167	51.4 %

Value	Label	Unweighted Frequency	%
1	Yes	765	0.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.86Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.03

drugman2

Person with id2 is a drug manufacturer

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a drug manufacturer

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	55295	45.7 %
0	No	62167	51.4 %
1	Yes	765	0.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.86Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.03

thief Respondent is a thief, burgler, or hustl

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is a thief, burgler, or hustler

Value	Label	Unweighted Frequency	%
-9	OOD	30	0.0 %
-8	Not asked/NA	48961	40.5 %
0	No	68596	56.7 %
1	Yes	3440	2.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.21Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.95

thief1 Person with id1 is a thief, burgler, or

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is a thief, burgler, or hustler

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	53810	44.5 %
0	No	61154	50.5 %
1	Yes	3263	2.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.74Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.05

thief2 Person with id2 is a thief, burgler, or

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a thief, burgler, or hustler

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	53810	44.5 %
0	No	61154	50.5 %
1	Yes	3263	2.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.74Median: 0.00Mode: 0.00Minimum: -9.00

Maximum: 1.00

• Standard Deviation: 4.05

retired Respondent is retired from legitimate oc

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is retired from legitimate occupation

Value	Label	Unweighted Frequency	%
-9	OOD	30	0.0 %
-8	Not asked/NA	7190	5.9 %
0	No	112721	93.1 %
1	Yes	1086	0.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -0.47Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 1.90

retired1 Person with id1 is retired from legitima

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is retired from legitimate occupation

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	42615	35.2 %
0	No	74200	61.3 %
1	Yes	1412	1.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.01Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.92

retired2 Person with id2 is retired from legitima

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is retired from legitimate occupation

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	42615	35.2 %
0	No	74200	61.3 %
1	Yes	1412	1.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.01Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 3.92

hwife Respondent is a housewife

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is a housewife

Value	Label	Unweighted Frequency	%
-8	Not asked/NA	7190	5.9 %
0	No	110099	91.0 %
1	Yes	3738	3.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -0.44Median: 0.00Mode: 0.00Minimum: -8.00Maximum: 1.00

· Standard Deviation: 1.91

hwife1 Person with id1 is a housewife

Location: 232-233 (width: 2; decimal: 0)

Variable Type:

Question: Person with id1 is a housewife

numeric

Value	Label	Unweighted Frequency	%
-9	OOD	2758	2.3 %
-8	Not asked/NA	42615	35.2 %
0	No	70904	58.6 %
1	Yes	4750	3.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.98Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.94

hwife2 Person with id2 is a housewife

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is a housewife

Value	Label	Unweighted Frequency	%
-9	OOD	2758	2.3 %
-8	Not asked/NA	42615	35.2 %
0	No	70904	58.6 %
1	Yes	4750	3.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.98Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.94

disable Respondent collects disability

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

Question: Respondent collects disability

Value	Label	Unweighted Frequency	%
-9	OOD	30	0.0 %
0	No	98638	81.5 %

Value	Label	Unweighted Frequency	%
1	Yes	22111	18.3 %
10	10:Unknown Code	248	0.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.20Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 10.00

· Standard Deviation: 0.61

disable1 Person with id1 collects disability

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

Question: Person with id1 collects disability

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	40829	33.7 %
0	No	71110	58.8 %
1	Yes	6217	5.1 %
10	10:Unknown Code	71	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.85Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 10.00

• Standard Deviation: 3.93

disable2 Person with id2 collects disability

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

Question: Person with id2 collects disability

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	40829	33.7 %
0	No	71110	58.8 %

Value	Label	Unweighted Frequency	%
1	Yes	6217	5.1 %
10	10:Unknown Code	71	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.85Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 10.00

• Standard Deviation: 3.93

unemp Respondent is unemployed (without legiti

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is unemployed (without legitimate work)

Value	Label	Unweighted Frequency	%
-9	OOD	840	0.7 %
0	No	43994	36.4 %
1	Yes	76193	63.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.57Median: 1.00Mode: 1.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 0.93

unemp1 Person with id1 is unemployed (without I

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is unemployed (without legitimate work)

Value	Label	Unweighted Frequency	%
-9	OOD	2955	2.4 %
-8	Not asked/NA	40829	33.7 %
0	No	45775	37.8 %
1	Yes	31468	26.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.66Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.09

unemp2 Person with id2 is unemployed (without I

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is unemployed (without legitimate work)

Value	Label	Unweighted Frequency	%
-9	OOD	2955	2.4 %
-8	Not asked/NA	40829	33.7 %
0	No	45775	37.8 %
1	Yes	31468	26.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.66Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.09

streets Respondent is homeless, lives on the str

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

Question: Respondent is homeless, lives on the streets

Value	Label	Unweighted	%
		Frequency	
-9	OOD	112	0.1 %
-8	Not asked/NA	7448	6.2 %
0	No	94932	78.4 %
1	Yes	18535	15.3 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -0.35Median: 0.00Mode: 0.00Minimum: -9.00

Maximum: 1.00

Standard Deviation: 2.01

streets1 Person with id1 is homeless, lives on th

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id1 is homeless, lives on the streets

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	42695	35.3 %
0	No	69544	57.5 %
1	Yes	5988	4.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.98Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 3.95

streets2 Person with id2 is homeless, lives on th

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

Question: Person with id2 is homeless, lives on the streets

Value	Label	Unweighted Frequency	%
-9	OOD	2800	2.3 %
-8	Not asked/NA	42695	35.3 %
0	No	69544	57.5 %
1	Yes	5988	4.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -2.98Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.95

year Year of interview

Location: 257-260 (width: 4; decimal: 0)

Variable Type: numeric

Value	Unweighted Frequency	%
1988	2764	2.3 %
1989	10594	8.8 %
1990	17462	14.4 %
1991	24866	20.5 %
1992	9192	7.6 %
1993	854	0.7 %
1996	11970	9.9 %
1997	21262	17.6 %
1998	12996	10.7 %
1999	6234	5.2 %
2000	2343	1.9 %
2001	490	0.4 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1993.63
Median: 1992.00
Mode: 1991.00
Minimum: 1988.00
Maximum: 2001.00
Standard Deviation: 3.64

stdyyear Approximate number of years that have el

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

Question: Approximate number of years that have elapsed since the base interview date - year on study

Value	Unweighted Frequency	%
1	42815	35.4 %
2	25303	20.9 %
3	28247	23.3 %
4	20106	16.6 %
5	4556	3.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.32Median: 2.00Mode: 1.00Minimum: 1.00

Maximum: 5.00

Standard Deviation: 1.22

iter Interview number (or infection number if

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

Question: Interview number (or infection number if applicable) with the first interview=1 -primary key

Value	Unweighted Frequency	%
1	70329	58.1 %
2	30658	25.3 %
3	13647	11.3 %
4	5699	4.7 %
5	694	0.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.64Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

Standard Deviation: 0.90

window Time period in months used for eliciting

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Question: Time period in months used for eliciting contacts recent behaviors

Value	Label	Unweighted Frequency	%
1	1-4 weeks	7190	5.9 %
6	6:# of months	113837	94.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 5.70Median: 6.00Mode: 6.00Minimum: 1.00Maximum: 6.00

Standard Deviation: 1.18

marit Marital status at interview for responde

Location: 265-266 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Marital status at interview for respondent

Value	Label	Unweighted Frequency	%
-9	ODD	785	0.6 %
-8	ID	102341	84.6 %
1	Single	9295	7.7 %
2	Married	3138	2.6 %
3	Widowed	804	0.7 %
4	Divorced	2620	2.2 %
5	Separated	2044	1.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -6.50Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 5.00

Standard Deviation: 3.65

marit1

Marital status at interview for person w

Location:

267-268 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Marital status at interview for person with id1

Value	Label	Unweighted Frequency	%
-9	ODD	1	0.0 %
-8	ID	119294	98.6 %
1	Single	765	0.6 %
2	Married	467	0.4 %
3	Widowed	90	0.1 %
4	Divorced	237	0.2 %
5	Separated	173	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.85Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 5.00

Standard Deviation: 1.22

marit2

Marital status at interview for person w

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Question: Marital status at interview for person with id2

Value	Label	Unweighted Frequency	%
-9	ODD	1	0.0 %
-8	ID	119294	98.6 %
1	Single	765	0.6 %
2	Married	467	0.4 %
3	Widowed	90	0.1 %
4	Divorced	237	0.2 %
5	Separated	173	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.85Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 5.00

• Standard Deviation: 1.22

educ Educational attainment of respondent at

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

Question: Educational attainment of respondent at interview

Value	Label	Unweighted Frequency	%
-9	OOD	23824	19.7 %
-8	ID	7417	6.1 %
-6	Don't know	150	0.1 %
2	2:Minimal	168	0.1 %
3	3:Minimal	98	0.1 %
4	4:Minimal	132	0.1 %
5	5:Minimal	166	0.1 %
6	6:Elementary	788	0.7 %
7	7:Elementary	1714	1.4 %
8	8:Elementary	3098	2.6 %
9	9:Junior High	4910	4.1 %
10	10:Junior High	11044	9.1 %
11	11:Junior High	10916	9.0 %
12	12:High/GED	36888	30.5 %
13	13:Freshman Col	4156	3.4 %

Value	Label	Unweighted Frequency	%
14	14:Trade school	8502	7.0 %
15	15:Undergrad	2442	2.0 %
16	16:College grad	2586	2.1 %
17	17:Post grad	872	0.7 %
18	18:Post grad	344	0.3 %
19	19:Post grad	560	0.5 %
21	21:Undefined Code	68	0.1 %
23	23:Undefined Code	184	0.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 6.40
Median: 11.00
Mode: 12.00
Minimum: -9.00
Maximum: 23.00
Standard Deviation: 9.17

educ1 Educational attainment of person with id

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

Question: Educational attainment of person with id1 at interview

Value	Label	Unweighted Frequency	%
-9	OOD	2454	2.0 %
-8	ID	96339	79.6 %
-6	Don't know	34	0.0 %
2	2:Minimal	101	0.1 %
3	3:Minimal	20	0.0 %
4	4:Minimal	101	0.1 %
5	5:Minimal	15	0.0 %
6	6:Elementary	27	0.0 %
7	7:Elementary	594	0.5 %
8	8:Elementary	972	0.8 %
9	9:Junior High	1497	1.2 %
10	10:Junior High	2734	2.3 %
11	11:Junior High	3158	2.6 %
12	12:High/GED	8835	7.3 %
13	13:Freshman Col	1032	0.9 %
14	14:Trade school	1934	1.6 %
15	15:Undergrad	708	0.6 %

- Study 22140 -

Value	Label	Unweighted Frequency	%
16	16:College grad	277	0.2 %
17	17:Post grad	111	0.1 %
18	18:Post grad	25	0.0 %
19	19:Post grad	54	0.0 %
21	21:Undefined Code	5	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -4.46Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 21.00

• Standard Deviation: 7.58

educ2

Educational attainment of person with id

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

Question: Educational attainment of person with id2 at interview

Value	Label	Unweighted Frequency	%
-9	OOD	2454	2.0 %
-8	ID	96339	79.6 %
-6	Don't know	34	0.0 %
2	2:Minimal	101	0.1 %
3	3:Minimal	20	0.0 %
4	4:Minimal	101	0.1 %
5	5:Minimal	15	0.0 %
6	6:Elementary	27	0.0 %
7	7:Elementary	594	0.5 %
8	8:Elementary	972	0.8 %
9	9:Junior High	1497	1.2 %
10	10:Junior High	2734	2.3 %
11	11:Junior High	3158	2.6 %
12	12:High/GED	8835	7.3 %
13	13:Freshman Col	1032	0.9 %
14	14:Trade school	1934	1.6 %
15	15:Undergrad	708	0.6 %
16	16:College grad	277	0.2 %
17	17:Post grad	111	0.1 %
18	18:Post grad	25	0.0 %

Value	Label	Unweighted Frequency	%
19	19:Post grad	54	0.0 %
21	21:Undefined Code	5	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -4.46Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 21.00

Standard Deviation: 7.58

gono Gonorrhea result for respondent

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

Question: Gonorrhea result for respondent

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

gono1 Gonorrhea result for person with id1

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Question: Gonorrhea result for person with id1

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

gono2 Gonorrhea result for person with id2

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Question: Gonorrhea result for person with id2

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

gonoev Overall gonorrhea test of respondent

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall gonorrhea test of respondent

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

gonoev1 Overall gonorrhea test of person with id

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall gonorrhea test of person with id1

Value		Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00
Median: -8.00
Mode: -8.00
Minimum: -8.00
Maximum: -8.00

Standard Deviation: 0.00

gonoev2 Overall gonorrhea test of person with id

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall gonorrhea test of person with id2

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

Standard Deviation: 0.00

chlam Chlamydia result of respondent

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Question: Chlamydia result of respondent

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

chlam1 Chlamydia result of person with id1

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Chlamydia result of person with id1

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00
Median: -8.00
Mode: -8.00
Minimum: -8.00
Maximum: -8.00

• Standard Deviation: 0.00

chlam2 Chlamydia result of person with id2

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

Question: Chlamydia result of person with id2

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

Standard Deviation: 0.00

chlamev Overall chlamydia test of respondent

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall chlamydia test of respondent

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

chlamev1 Overall chlamydia test of person with id

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall chlamydia test of person with id1

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

chlamev2 Overall chlamydia test of person with id

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall chlamydia test of person with id2

Value	Label	Unweighted Frequency	%
-8	No test	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.00Median: -8.00Mode: -8.00Minimum: -8.00Maximum: -8.00

• Standard Deviation: 0.00

syph Syphilis result of respondent

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

Question: Syphilis result of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	3066	2.5 %
-8	No test	48105	39.7 %

Value	Label	Unweighted Frequency	%
0	Neg	67932	56.1 %
1	Pos	1924	1.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.39Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.00

syph1 Syphilis result of person with id1

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Question: Syphilis result of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	52263	43.2 %
-8	No test	55463	45.8 %
0	Neg	12867	10.6 %
1	Pos	434	0.4 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.55Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 2.71

syph2 Syphilis result of person with id2

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Question: Syphilis result of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	52263	43.2 %
-8	No test	55463	45.8 %
0	Neg	12867	10.6 %
1	Pos	434	0.4 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.55Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

· Standard Deviation: 2.71

syphev Overall syphilis test of respondent

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall syphilis test of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	2562	2.1 %
-8	No test	48105	39.7 %
0	Neg	68152	56.3 %
1	Pos	2208	1.8 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.35Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 3.99

syphev1 Overall syphilis test of person with id1

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall syphilis test of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	51925	42.9 %
-8	No test	53640	44.3 %
0	Neg	14852	12.3 %
1	Pos	610	0.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.40Median: -8.00Mode: -8.00

Minimum: -9.00Maximum: 1.00

• Standard Deviation: 2.89

syphev2 Overall syphilis test of person with id2

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall syphilis test of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	51925	42.9 %
-8	No test	53640	44.3 %
0	Neg	14852	12.3 %
1	Pos	610	0.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.40Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 2.89

hiv HIV result of respondent

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

Question: HIV result of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	2806	2.3 %
0	Neg	101241	83.7 %
1	Pos	16980	14.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -0.07Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 1.42

hiv1 HIV result of person with id1

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

Question: HIV result of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	665	0.5 %
-8	No test	94814	78.3 %
0	Neg	24099	19.9 %
1	Pos	1449	1.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -6.30
Median: -8.00
Mode: -8.00
Minimum: -9.00
Maximum: 1.00

• Standard Deviation: 3.29

hiv2 HIV result of person with id2

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

Question: HIV result of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	665	0.5 %
-8	No test	94814	78.3 %
0	Neg	24099	19.9 %
1	Pos	1449	1.2 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -6.30
Median: -8.00
Mode: -8.00
Minimum: -9.00
Maximum: 1.00

• Standard Deviation: 3.29

hbv Hepatitis result of respondent

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Question: Hepatitis result of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	65732	54.3 %
-8	No test	55295	45.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -8.54Median: -9.00Mode: -9.00Minimum: -9.00Maximum: -8.00

Standard Deviation: 0.50

hbv1 Hepatitis result of person with id1

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Question: Hepatitis result of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	1479	1.2 %
-8	No test	57196	47.3 %
0	Neg	57996	47.9 %
1	Pos	4356	3.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.85Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.05

hbv2 Hepatitis result of person with id2

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

Question: Hepatitis result of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	1479	1.2 %
-8	No test	57196	47.3 %
0	Neg	57996	47.9 %
1	Pos	4356	3.6 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -3.85Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.05

gonohx Self-reported gonorrhea history of respo

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported gonorrhea history of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	496	0.4 %
-8	Not asked	72922	60.3 %
0	Neg Hx	42779	35.3 %
1	Pos Hx	4594	3.8 %
9	9:Undefined Code	30	0.0 %
. (M)	-	206	0.2 %

Based upon 120821 valid cases out of 121027 total cases.

Mean: -4.83Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 9.00

• Standard Deviation: 3.97

gonohx1 Self-reported gonorrhea history of perso

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported gonorrhea history of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	329	0.3 %
-8	Not asked	109163	90.2 %
0	Neg Hx	10369	8.6 %
1	Pos Hx	1166	1.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.23
Median: -8.00
Mode: -8.00
Minimum: -9.00
Maximum: 1.00

• Standard Deviation: 2.38

gonohx2 Self-reported gonorrhea history of perso

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported gonorrhea history of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	329	0.3 %
-8	Not asked	109163	90.2 %
0	Neg Hx	10369	8.6 %
1	Pos Hx	1166	1.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.23Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 2.38

chlamhx Self-reported chlamydia history of respo

Location: 334-336 (width: 3; decimal: 0)

Variable Type: numeric

Question: Self-reported chlamydia history of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	580	0.5 %
-8	Not asked	72922	60.3 %
-6	Don't know	614	0.5 %
0	Neg Hx	44680	36.9 %
1	Pos Hx	1927	1.6 %
9	9:Undefined Code	90	0.1 %
97	97:Undefined Code	20	0.0 %
. (M)	-	194	0.2 %

Based upon 120833 valid cases out of 121027 total cases.

Mean: -4.86Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 97.00

• Standard Deviation: 4.14

chlamhx1 Self-reported chlamydia history of perso

Location: 337-339 (width: 3; decimal: 0)

Variable Type: numeric

Question: Self-reported chlamydia history of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	329	0.3 %
-8	Not asked	109163	90.2 %
0	Neg Hx	10933	9.0 %
1	Pos Hx	583	0.5 %
97	97:Undefined Code	19	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.22Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 97.00

• Standard Deviation: 2.70

chlamhx2 Self-reported chlamydia history of perso

Location: 340-342 (width: 3; decimal: 0)

Variable Type: numeric

Question: Self-reported chlamydia history of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	329	0.3 %
-8	Not asked	109163	90.2 %
0	Neg Hx	10933	9.0 %
1	Pos Hx	583	0.5 %
97	97:Undefined Code	19	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.22Median: -8.00

Mode: -8.00Minimum: -9.00Maximum: 97.00

• Standard Deviation: 2.70

syphhx Self-reported syphilis history of respon

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported syphilis history of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	65942	54.5 %
-8	Not asked	7476	6.2 %
0	Neg Hx	41912	34.6 %
1	Pos Hx	5571	4.6 %
. (M)	-	126	0.1 %

Based upon 120901 valid cases out of 121027 total cases.

Mean: -5.36Median: -9.00Mode: -9.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 4.41

syphhx1 Self-reported syphilis history of person

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported syphilis history of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	7095	5.9 %
-8	Not asked	102397	84.6 %
0	Neg Hx	9715	8.0 %
1	Pos Hx	1820	1.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.28Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 2.43

syphhx2 Self-reported syphilis history of person

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported syphilis history of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	7095	5.9 %
-8	Not asked	102397	84.6 %
0	Neg Hx	9715	8.0 %
1	Pos Hx	1820	1.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.28
Median: -8.00
Mode: -8.00
Minimum: -9.00
Maximum: 1.00

Standard Deviation: 2.43

hivhx Self-reported HIV history of respondent

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported HIV history of respondent

Value	Label	Unweighted Frequency	%
-9	OOD	38034	31.4 %
-8	Not asked	19186	15.9 %
-6	Don't know	2934	2.4 %
0	Neg Hx	56391	46.6 %
1	Pos Hx	4480	3.7 %
. (M)	-	2	0.0 %

Based upon 121025 valid cases out of 121027 total cases.

Mean: -4.21Median: 0.00Mode: 0.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 4.34

hivhx1 Self-reported HIV history of person with

Location: 351-352 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Self-reported HIV history of person with id1

Value	Label	Unweighted Frequency	%
-9	OOD	3372	2.8 %
-8	Not asked	114097	94.3 %
-6	Don't know	10	0.0 %
0	Neg Hx	3485	2.9 %
1	Pos Hx	63	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.79Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

• Standard Deviation: 1.37

hivhx2 Self-reported HIV history of person with

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Question: Self-reported HIV history of person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	3372	2.8 %
-8	Not asked	114097	94.3 %
-6	Don't know	10	0.0 %
0	Neg Hx	3485	2.9 %
1	Pos Hx	63	0.1 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -7.79Median: -8.00Mode: -8.00Minimum: -9.00Maximum: 1.00

Standard Deviation: 1.37

freq Frequency of contact between person with

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Question: Frequency of contact between person with id1 and person with id2

Value	Label	Unweighted Frequency	%
-9	OOD	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -9.00Median: -9.00Mode: -9.00Minimum: -9.00Maximum: -9.00

• Standard Deviation: 0.00

chain

Unique identifier given to sampling chai

Location: 357-359 (width: 3; decimal: 0)

Variable Type: numeric

Question: Unique identifier given to sampling chain in chain-link studies

Value	Label	Unweighted Frequency	%
-8	-8:Undefined Code	84418	69.8 %
1	-	5024	4.2 %
2	-	2998	2.5 %
3	-	1472	1.2 %
4	-	5792	4.8 %
5	-	6437	5.3 %
6	-	112	0.1 %
7	-	560	0.5 %
11	-	2252	1.9 %
21	-	272	0.2 %
26	-	80	0.1 %
32	-	4450	3.7 %
36	-	146	0.1 %
39	-	1714	1.4 %
40	-	3962	3.3 %
55	-	1056	0.9 %
56	-	34	0.0 %
. (M)	-	248	0.2 %

Based upon 120779 valid cases out of 121027 total cases.

Mean: -1.11Median: -8.00Mode: -8.00Minimum: -8.00

Maximum: 56.00

· Standard Deviation: 13.80

net_type Unique identifier given to sampling chai

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

Question: Unique identifier given to sampling chain in chain-link studies

Value	Label	Unweighted Frequency	%
-8	-8:Undefined Code	84418	69.8 %
2	Chain link	15387	12.7 %
3	Random walk	21222	17.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: -4.80Median: -8.00Mode: -8.00Minimum: -8.00Maximum: 3.00

Standard Deviation: 4.87

reltype Top ten recorded relationships of alter to ego

Location: 362-376 (width: 15; decimal: 0)

Variable Type: character

Value	Unweighted Frequency	%
	121027	100.0 %

Based upon 121027 valid cases out of 121027 total cases.

occ Occupation of respondent

Location: 377-406 (width: 30; decimal: 0)

Variable Type: character

Question: Occupation of respondent

Based upon 121027 valid cases out of 121027 total cases.

occloc Location of occupation for respondent

Location: 407-436 (width: 30; decimal: 0)

Variable Type: character

Question: Location of occupation for respondent

Based upon 121027 valid cases out of 121027 total cases.

frstyr Study Year that the respondent first app

Location: 437-437 (width: 1; decimal: 0)

Variable Type: numeric

Question: Study Year that the respondent first appears in the dataset

Value	Unweighted Frequency	%
1	76089	62.9 %
2	20384	16.8 %
3	20108	16.6 %
4	4446	3.7 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 1.61Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 4.00

Standard Deviation: 0.89

sources Number of unique individuals that named

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

Question: Number of unique individuals that named the respondent

Value	Unweighted Frequency	%
0	34584	28.6 %
1	19889	16.4 %
2	14958	12.4 %
3	14802	12.2 %
4	9240	7.6 %
5	5812	4.8 %
6	4318	3.6 %
7	5444	4.5 %
8	1640	1.4 %
9	794	0.7 %
10	2204	1.8 %
11	62	0.1 %
12	1530	1.3 %
13	838	0.7 %
14	3222	2.7 %
15	38	0.0 %
16	14	0.0 %

Value	Unweighted Frequency	%
17	422	0.3 %
18	26	0.0 %
19	204	0.2 %
20	474	0.4 %
27	192	0.2 %
28	194	0.2 %
31	76	0.1 %
36	50	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 3.12
Median: 2.00
Mode: 0.00
Minimum: 0.00
Maximum: 36.00
Standard Deviation: 4.04

linenum1

Order of elicitation (line number where

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

Question: Order of elicitation (line number where this information is recorded) for person with id1

Value	Unweighted Frequency	%
1	12316	10.2 %
2	12172	10.1 %
3	12138	10.0 %
4	11619	9.6 %
5	11165	9.2 %
6	9974	8.2 %
7	8622	7.1 %
8	7236	6.0 %
9	6232	5.1 %
10	5452	4.5 %
11	4708	3.9 %
12	4694	3.9 %
13	3613	3.0 %
14	3209	2.7 %
15	2647	2.2 %
16	1857	1.5 %
17	836	0.7 %

- Study 22140 -

Value	Unweighted Frequency	%
18	359	0.3 %
19	387	0.3 %
20	208	0.2 %
21	135	0.1 %
22	97	0.1 %
23	123	0.1 %
24	141	0.1 %
25	116	0.1 %
26	206	0.2 %
27	87	0.1 %
28	54	0.0 %
29	83	0.1 %
30	17	0.0 %
31	14	0.0 %
32	39	0.0 %
33	14	0.0 %
34	14	0.0 %
36	30	0.0 %
37	40	0.0 %
39	96	0.1 %
40	13	0.0 %
41	15	0.0 %
44	33	0.0 %
45	56	0.0 %
47	11	0.0 %
48	21	0.0 %
49	16	0.0 %
50	5	0.0 %
52	4	0.0 %
53	13	0.0 %
55	16	0.0 %
59	19	0.0 %
61	29	0.0 %
73	26	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 6.73Median: 6.00Mode: 1.00Minimum: 1.00

Maximum: 73.00

Standard Deviation: 5.23

occ1 Occupation of person with id1

Location: 442-471 (width: 30; decimal: 0)

Variable Type: character

Question: Occupation of person with id1

Based upon 121027 valid cases out of 121027 total cases.

occloc1 Location of occupation for person with i

Location: 472-501 (width: 30; decimal: 0)

Variable Type: character

Question: Location of occupation for person with id1

Based upon 121027 valid cases out of 121027 total cases.

frstyr1 Study Year that the person with id1 firs

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

Question: Study Year that the person with id1 first appears in the dataset

Value	Unweighted Frequency	%
1	56653	46.8 %
2	23817	19.7 %
3	25039	20.7 %
4	13150	10.9 %
5	2368	2.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.01 Median: 2.00 Mode: 1.00 Minimum: 1.00 Maximum: 5.00

Standard Deviation: 1.13

sources1 Number of unique individuals that named

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

Question: Number of unique individuals that named the person with id1

Value	Unweighted Frequency	%
1	79228	65.5 %

- Study 22140 -

Value	Unweighted Frequency	%
2	11423	9.4 %
3	6925	5.7 %
4	4908	4.1 %
5	3332	2.8 %
6	3157	2.6 %
7	2909	2.4 %
8	1482	1.2 %
9	914	0.8 %
10	1035	0.9 %
11	82	0.1 %
12	1112	0.9 %
13	520	0.4 %
14	905	0.7 %
15	139	0.1 %
16	101	0.1 %
17	558	0.5 %
18	176	0.1 %
19	313	0.3 %
20	224	0.2 %
27	161	0.1 %
28	428	0.4 %
31	426	0.4 %
36	569	0.5 %

Based upon 121027 valid cases out of 121027 total cases.

• Mean: 2.80 Median: 1.00 • Mode: 1.00 Minimum: 1.00 • Maximum: 36.00

• Standard Deviation: 4.49

backfil1 Indicates whether demographic informatio

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

Question: Indicates whether demographic information on the person with id1 was backfilled with more accurate

information from respondent self-report

Value	Label	Unweighted Frequency	%
0	Not backfilled	60495	50.0 %

Value	Label	Unweighted Frequency	%
1	Backfilled	60532	50.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.50Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

linenum2

Order of elicitation (line number where

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Question: Order of elicitation (line number where this information is recorded) for person with id2

Value	Unweighted Frequency	%
1	12316	10.2 %
2	12172	10.1 %
3	12138	10.0 %
4	11619	9.6 %
5	11165	9.2 %
6	9974	8.2 %
7	8622	7.1 %
8	7236	6.0 %
9	6232	5.1 %
10	5452	4.5 %
11	4708	3.9 %
12	4694	3.9 %
13	3613	3.0 %
14	3209	2.7 %
15	2647	2.2 %
16	1857	1.5 %
17	836	0.7 %
18	359	0.3 %
19	387	0.3 %
20	208	0.2 %
21	135	0.1 %
22	97	0.1 %
23	123	0.1 %
24	141	0.1 %

- Study 22140 -

Value	Unweighted Frequency	%
25	116	0.1 %
26	206	0.2 %
27	87	0.1 %
28	54	0.0 %
29	83	0.1 %
30	17	0.0 %
31	14	0.0 %
32	39	0.0 %
33	14	0.0 %
34	14	0.0 %
36	30	0.0 %
37	40	0.0 %
39	96	0.1 %
40	13	0.0 %
41	15	0.0 %
44	33	0.0 %
45	56	0.0 %
47	11	0.0 %
48	21	0.0 %
49	16	0.0 %
50	5	0.0 %
52	4	0.0 %
53	13	0.0 %
55	16	0.0 %
59	19	0.0 %
61	29	0.0 %
73	26	0.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 6.73Median: 6.00Mode: 1.00Minimum: 1.00Maximum: 73.00

• Standard Deviation: 5.23

occ2 Occupation of person with id2

Location: 508-537 (width: 30; decimal: 0)

Variable Type: character

Question: Occupation of person with id2

Based upon 121027 valid cases out of 121027 total cases.

occloc2 Location of occupation for person with i

Location: 538-567 (width: 30; decimal: 0)

Variable Type: character

Question: Location of occupation for person with id2

Based upon 121027 valid cases out of 121027 total cases.

frstyr2 Study Year that the person with id2 firs

Location: 568-568 (width: 1; decimal: 0)

Variable Type: numeric

Question: Study Year that the person with id2 first appears in the dataset

Value	Unweighted Frequency	%
1	56653	46.8 %
2	23817	19.7 %
3	25039	20.7 %
4	13150	10.9 %
5	2368	2.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.01Median: 2.00Mode: 1.00Minimum: 1.00Maximum: 5.00

• Standard Deviation: 1.13

sources2 Number of unique individuals that named

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

Question: Number of unique individuals that named the person with id2

Value	Unweighted Frequency	%
1	79228	65.5 %
2	11423	9.4 %
3	6925	5.7 %
4	4908	4.1 %
5	3332	2.8 %
6	3157	2.6 %
7	2909	2.4 %
8	1482	1.2 %

Value	Unweighted Frequency	%
9	914	0.8 %
10	1035	0.9 %
11	82	0.1 %
12	1112	0.9 %
13	520	0.4 %
14	905	0.7 %
15	139	0.1 %
16	101	0.1 %
17	558	0.5 %
18	176	0.1 %
19	313	0.3 %
20	224	0.2 %
27	161	0.1 %
28	428	0.4 %
31	426	0.4 %
36	569	0.5 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.80Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 36.00

• Standard Deviation: 4.49

backfil2 Indicates whether demographic informatio

Location:

571-571 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

Indicates whether demographic information on the person with id2 was backfilled with more accurate information from respondent self-report

Value	Label	Unweighted Frequency	%
0	Not backfilled	60495	50.0 %
1	Backfilled	60532	50.0 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 0.50Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

studynum Study Number

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

Question: Study Number

Value	Label	Unweighted Frequency	%
1	CoSprings Project90	65732	54.3 %
3	Atlanta Urban	28361	23.4 %
4	Flagstaff Rural	8248	6.8 %
5	Atlanta Antiviral	11496	9.5 %
6	Houston	7190	5.9 %

Based upon 121027 valid cases out of 121027 total cases.

Mean: 2.35Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 6.00

• Standard Deviation: 1.65

yob Year of birth

Location: 573-576 (width: 4; decimal: 0)

Variable Type: numeric

Question: Year of birth

Value	Unweighted Frequency	%
1901	50	0.0 %
1915	26	0.0 %
1925	30	0.0 %
1927	16	0.0 %
1929	184	0.2 %
1932	22	0.0 %
1933	776	0.6 %
1934	146	0.1 %
1935	36	0.0 %
1936	38	0.0 %
1937	90	0.1 %
1938	168	0.1 %
1939	134	0.1 %
1940	1164	1.0 %

Value	Unweighted Frequency	%
1941	82	0.1 %
1942	566	0.5 %
1943	420	0.3 %
1944	522	0.4 %
1945	1248	1.0 %
1946	456	0.4 %
1947	1130	0.9 %
1948	1640	1.4 %
1949	2540	2.1 %
1950	3244	2.7 %
1951	2504	2.1 %
1952	6034	5.0 %
1953	3968	3.3 %
1954	4200	3.5 %
1955	6836	5.6 %
1956	6063	5.0 %
1957	7638	6.3 %
1958	4472	3.7 %
1959	4680	3.9 %
1960	5290	4.4 %
1961	6278	5.2 %
1962	6072	5.0 %
1963	5902	4.9 %
1964	4887	4.0 %
1965	2817	2.3 %
1966	6062	5.0 %
1967	2988	2.5 %
1968	5406	4.5 %
1969	4374	3.6 %
1970	1658	1.4 %
1971	1720	1.4 %
1972	1876	1.6 %
1973	310	0.3 %
1974	2860	2.4 %
1975	558	0.5 %
1976	44	0.0 %
1977	412	0.3 %
1978	184	0.2 %
1979	186	0.2 %
1980	12	0.0 %

Value	Unweighted Frequency	%
. (M)	8	0.0 %

Based upon 121019 valid cases out of 121027 total cases.

Mean: 1959.16
Median: 1959.00
Mode: 1957.00
Minimum: 1901.00
Maximum: 1980.00
Standard Deviation: 8.07

yob1 id1 year of birth

Location: 577-580 (width: 4; decimal: 0)

Variable Type: numeric

Question: id1 year of birth

Value	Unweighted Frequency	%
1900	1235	1.0 %
1903	10	0.0 %
1907	10	0.0 %
1908	26	0.0 %
1910	18	0.0 %
1911	47	0.0 %
1912	14	0.0 %
1913	12	0.0 %
1914	48	0.0 %
1915	13	0.0 %
1916	21	0.0 %
1917	35	0.0 %
1918	19	0.0 %
1919	30	0.0 %
1920	93	0.1 %
1921	90	0.1 %
1922	93	0.1 %
1923	135	0.1 %
1924	273	0.2 %
1925	174	0.1 %
1926	295	0.2 %
1927	156	0.1 %
1928	202	0.2 %
1929	154	0.1 %

Value	Unweighted Frequency	%
1930	165	0.1 %
1931	269	0.2 %
1932	309	0.3 %
1933	274	0.2 %
1934	345	0.3 %
1935	414	0.3 %
1936	374	0.3 %
1937	341	0.3 %
1938	412	0.3 %
1939	539	0.4 %
1940	630	0.5 %
1941	477	0.4 %
1942	557	0.5 %
1943	594	0.5 %
1944	764	0.6 %
1945	1078	0.9 %
1946	1158	1.0 %
1947	1409	1.2 %
1948	1428	1.2 %
1949	1995	1.6 %
1950	2349	1.9 %
1951	2836	2.3 %
1952	3463	2.9 %
1953	2638	2.2 %
1954	3516	2.9 %
1955	4420	3.7 %
1956	4812	4.0 %
1957	4936	4.1 %
1958	4737	3.9 %
1959	4139	3.4 %
1960	5104	4.2 %
1961	5802	4.8 %
1962	5624	4.6 %
1963	5038	4.2 %
1964	5174	4.3 %
1965	3696	3.1 %
1966	4343	3.6 %
1967	3018	2.5 %
1968	3323	2.7 %
1969	4361	3.6 %

- Study 22140 -

Value	Unweighted Frequency	%
1970	2871	2.4 %
1971	2946	2.4 %
1972	3060	2.5 %
1973	1611	1.3 %
1974	1713	1.4 %
1975	1135	0.9 %
1976	925	0.8 %
1977	950	0.8 %
1978	730	0.6 %
1979	551	0.5 %
1980	499	0.4 %
1981	250	0.2 %
1982	316	0.3 %
1983	258	0.2 %
1984	297	0.2 %
1985	393	0.3 %
1986	272	0.2 %
1987	429	0.4 %
1988	363	0.3 %
1989	351	0.3 %
1990	245	0.2 %
1991	189	0.2 %
1992	99	0.1 %
1993	126	0.1 %
1994	116	0.1 %
1995	86	0.1 %
1996	72	0.1 %
1997	66	0.1 %
1998	16	0.0 %
1999	17	0.0 %
. (M)	11	0.0 %

Based upon 121016 valid cases out of 121027 total cases.

Mean: 1959.63
Median: 1961.00
Mode: 1961.00
Minimum: 1900.00
Maximum: 1999.00
Standard Deviation: 12.80

yob2 id2 year of birth

Location: 581-584 (width: 4; decimal: 0)

Variable Type: numeric

Question: id2 year of birth

Value	Unweighted Frequency	%
1900	1235	1.0 %
1903	10	0.0 %
1907	10	0.0 %
1908	26	0.0 %
1910	18	0.0 %
1911	47	0.0 %
1912	14	0.0 %
1913	12	0.0 %
1914	48	0.0 %
1915	13	0.0 %
1916	21	0.0 %
1917	35	0.0 %
1918	19	0.0 %
1919	30	0.0 %
1920	93	0.1 %
1921	90	0.1 %
1922	93	0.1 %
1923	135	0.1 %
1924	273	0.2 %
1925	174	0.1 %
1926	295	0.2 %
1927	156	0.1 %
1928	202	0.2 %
1929	154	0.1 %
1930	165	0.1 %
1931	269	0.2 %
1932	309	0.3 %
1933	274	0.2 %
1934	345	0.3 %
1935	414	0.3 %
1936	374	0.3 %
1937	341	0.3 %
1938	412	0.3 %
1939	539	0.4 %
1940	630	0.5 %
1941	477	0.4 %

Value	Unweighted Frequency	%
1942	557	0.5 %
1943	594	0.5 %
1944	764	0.6 %
1945	1078	0.9 %
1946	1158	1.0 %
1947	1409	1.2 %
1948	1428	1.2 %
1949	1995	1.6 %
1950	2349	1.9 %
1951	2836	2.3 %
1952	3463	2.9 %
1953	2638	2.2 %
1954	3516	2.9 %
1955	4420	3.7 %
1956	4812	4.0 %
1957	4936	4.1 %
1958	4737	3.9 %
1959	4139	3.4 %
1960	5104	4.2 %
1961	5802	4.8 %
1962	5624	4.6 %
1963	5038	4.2 %
1964	5174	4.3 %
1965	3696	3.1 %
1966	4343	3.6 %
1967	3018	2.5 %
1968	3323	2.7 %
1969	4361	3.6 %
1970	2871	2.4 %
1971	2946	2.4 %
1972	3060	2.5 %
1973	1611	1.3 %
1974	1713	1.4 %
1975	1135	0.9 %
1976	925	0.8 %
1977	950	0.8 %
1978	730	0.6 %
1979	551	0.5 %
1980	499	0.4 %
1981	250	0.2 %

- Study 22140 -

Value	Unweighted Frequency	%
1982	316	0.3 %
1983	258	0.2 %
1984	297	0.2 %
1985	393	0.3 %
1986	272	0.2 %
1987	429	0.4 %
1988	363	0.3 %
1989	351	0.3 %
1990	245	0.2 %
1991	189	0.2 %
1992	99	0.1 %
1993	126	0.1 %
1994	116	0.1 %
1995	86	0.1 %
1996	72	0.1 %
1997	66	0.1 %
1998	16	0.0 %
1999	17	0.0 %
. (M)	11	0.0 %

Based upon 121016 valid cases out of 121027 total cases.

Mean: 1959.63
Median: 1961.00
Mode: 1961.00
Minimum: 1900.00
Maximum: 1999.00
Standard Deviation: 12.80