

Every place this app touches Netlify

From `git push` to a served page. WenMeet's own code — the scheduling engine, Clerk auth, the Next.js app — lives outside this map; what's shown here is only the surface where that code meets Netlify's platform.

github.com/ghettoeinstein/wenmeet

branch: main

git push → build trigger

npm run build

NETLIFY PLATFORM

Everything in this box is provisioned and run by Netlify — configured once in `netlify.toml` and Netlify's own dashboard, not in app code.

• Build & runtime

`@netlify/plugin-nextjs` builds the app and translates every Next.js API route into a Netlify Function — stateless, cold-starting on demand.

```
netlify.toml → [build] command, publish = ".next"
```

• Hosting & domain

Site `wenmeet-demo` serves the built app over Netlify's CDN, with `wenmeet.conscience.fund` as a Netlify-managed custom domain — DNS and TLS both handled by Netlify.

• Context & config

Per-environment values live in `netlify.toml` contexts, plus Clerk / Google / Microsoft secrets set directly in Netlify's env var UI — never committed.

```
[context.production.environment]
DATA_STORE = "netlify"

[context.deploy-preview.environment]
DATA_STORE = "netlify"
```

• Netlify Database

Managed Postgres, queried through `@netlify/database`'s raw SQL client — no ORM. `NETLIFY_DB_URL` is injected automatically; nothing to configure by hand.

```
netlify/database/migrations/202608182001
13_initial_schema.sql
```

• Deploy previews

Every branch/PR gets its own preview URL and its own isolated database branch, seeded from production — real persistence, safe to test against, torn down when the branch closes.

• Functions → outside calls

Deployed API routes are what actually reach out to Clerk and the calendar providers below — Netlify runs the function, the destination isn't Netlify.

↓ Functions call out to

REACHED FROM INSIDE NETLIFY FUNCTIONS — NOT NETLIFY ITSELF

Clerk

Sign-in / sign-up, session verification for every authenticated request.

Google Calendar API

OAuth token exchange + read-only free/busy queries.

Microsoft Graph API

OAuth token exchange + read-only free/busy queries (Outlook / 365).

DELIBERATELY OUTSIDE NETLIFY — SAME CODE, DIFFERENT HOST

Plain local dev

`next dev` with no Netlify CLI falls back to `DATA_STORE=memory` — an in-process store, no database reachable, nothing persists across a restart.

Docker image

A standalone multi-stage build that runs on any container host. Independent of Netlify's build pipeline by design — must stay on `DATA_STORE=memory`, since Netlify Database isn't reachable outside Netlify's own runtime.

Dockerfile

■ Source ■ Netlify-managed □ External service □ Runs outside Netlify

Reflects `netlify.toml`, `package.json`, and `netlify/database/migrations/` as committed today. Event creation on connected calendars, the organizer invite flow, and a live production persistence round-trip are still open items — noted in `HANDOFF.md` — and aren't specific to Netlify, so they're left off this map.