

A Short Demo of R

Hu Chuan-Peng^{1,2} & Wen Jia Hui¹

¹ Nanjing Normal University

² Chinese Open Science Network

Author Note

This is a demonstration of *papaja*.

Enter author note here.

The authors made the following contributions. Hu Chuan-Peng: Conceptualization, Writing - Original Draft Preparation, Writing - Review & Editing, Supervision; Wen Jia Hui: Writing - Review & Editing.

Correspondence concerning this article should be addressed to Hu Chuan-Peng, #122 Ninghai Road, Gulou District, Nanjing, China. E-mail: hcp4715@hotmail.com

Abstract

13

14 One or two sentences providing a **basic introduction** to the field, comprehensible to a
15 scientist in any discipline. Two to three sentences of **more detailed background**,
16 comprehensible to scientists in related disciplines. One sentence clearly stating the **general**
17 **problem** being addressed by this particular study. One sentence summarizing the main
18 result (with the words “**here we show**” or their equivalent). Two or three sentences
19 explaining what the **main result** reveals in direct comparison to what was thought to be
20 the case previously, or how the main result adds to previous knowledge. One or two
21 sentences to put the results into a more **general context**. Two or three sentences to
22 provide a **broader perspective**, readily comprehensible to a scientist in any discipline.

23

Keywords: R, Teaching,

24

Word count: X

A Short Demo of R

Introduction

R is a powerful programming language for statistical analyses and more. We can use R for the whole workflow after getting our raw data, from pre-processing to the final manuscript!

Here we will demonstrate how to use `papaja` for preparing manuscript in APA 6th style.

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

We recruited 44 participants (27 females, age = 20.91 ± 2.58).

Material

We used *Psychopy 3* to present stimuli and collect participants' responses. ...

Procedure

We follow the procedure of Sui et al (2012)

Data analysis

We used R (Version 4.3.1; R Core Team, 2023) and the R-packages *dplyr* (Version 1.1.3; Wickham, François, Henry, Müller, & Vaughan, 2023), *forcats* (Version 1.0.0;

Wickham, 2023), *ggplot2* (Version 3.4.4; Wickham, 2016), *here* (Version 1.0.1; Müller, 2020), *lubridate* (Version 1.9.3; Grolemund & Wickham, 2011), *papaja* (Version 0.1.2; Aust & Barth, 2023), *purrr* (Version 1.0.2; Wickham & Henry, 2023), *readr* (Version 2.1.4; Wickham, Hester, & Bryan, 2023), *report* (Version 0.5.8; Makowski et al., 2023), *stringr* (Version 1.5.0; Wickham, 2022), *tibble* (Version 3.2.1; Müller & Wickham, 2023), *tidyr* (Version 1.3.0; Wickham, Vaughan, & Girlich, 2023), *tidyverse* (Version 2.0.0; Wickham et al., 2019), and *tinylabels* (Version 0.2.4; Barth, 2023) for all our analyses.

Results

See figure 1 for d prime of the experiment.

Morality ($F(1, 41) = 4.86$, $p = .033$, $\hat{\eta}_G^2 = .016$, 90% CI [.000, .127]) has an effect on d prime and there is an interaction between these two variables. $F(1, 41) = 12.08$, $p = .001$, $\hat{\eta}_G^2 = .055$, 90% CI [.000, .201].

Discussion

Here we show R is powerful.

References

- Aust, F., & Barth, M. (2023). *papaja: Prepare reproducible APA journal articles with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Barth, M. (2023). *tinylabls: Lightweight variable labels*. Retrieved from <https://cran.r-project.org/package=tinylabls>
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. *Journal of Statistical Software*, 40(3), 1–25. Retrieved from <https://www.jstatsoft.org/v40/i03/>
- Makowski, D., Lüdtke, D., Patil, I., Thériault, R., Ben-Shachar, M. S., & Wiernik, B. M. (2023). Automated results reporting as a practical tool to improve reproducibility and methodological best practices adoption. *CRAN*. Retrieved from <https://easystats.github.io/report/>
- Müller, K. (2020). *Here: A simpler way to find your files*. Retrieved from <https://CRAN.R-project.org/package=here>
- Müller, K., & Wickham, H. (2023). *Tibble: Simple data frames*. Retrieved from <https://CRAN.R-project.org/package=tibble>
- R Core Team. (2023). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>
- Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from <https://ggplot2.tidyverse.org>
- Wickham, H. (2022). *Stringr: Simple, consistent wrappers for common string operations*. Retrieved from <https://CRAN.R-project.org/package=stringr>
- Wickham, H. (2023). *Forcats: Tools for working with categorical variables (factors)*. Retrieved from <https://CRAN.R-project.org/package=forcats>
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., . . . Yutani, H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43),

1686. <https://doi.org/10.21105/joss.01686>

Wickham, H., François, R., Henry, L., Müller, K., & Vaughan, D. (2023). *Dplyr: A*

grammar of data manipulation. Retrieved from

<https://CRAN.R-project.org/package=dplyr>

Wickham, H., & Henry, L. (2023). *Purrr: Functional programming tools*. Retrieved from

<https://CRAN.R-project.org/package=purrr>

Wickham, H., Hester, J., & Bryan, J. (2023). *Readr: Read rectangular text data*. Retrieved

from <https://CRAN.R-project.org/package=readr>

Wickham, H., Vaughan, D., & Girlich, M. (2023). *Tidyr: Tidy messy data*. Retrieved from

<https://CRAN.R-project.org/package=tidyr>

Table 1

A really beautiful ANOVA table.

Effect	$\hat{\eta}_G^2$	90% CI	F	df^{GG}	$df_{\text{res}}^{\text{GG}}$	p
Identity	.002	[.000, .065]	0.31	1	41	.579
Morality	.016	[.000, .127]	4.86	1	41	.033
Identity \times Morality	.055	[.000, .201]	12.08	1	41	.001

Note. Note that the column names contain beautiful mathematical copy: This is because the table has variable labels.




Figure 1. d' prime.