

HCSM-75

Quantum Gauge Symmetry Restoration

The Golden Ratio Crossover, the Substrate-Particle Entropy Transition,
and the Physical Electroweak Temperature

HCSM White Paper Series, Paper 75 (Sub-Program Q1: Quantum Gauge Sector)

Stanley Preschutti^{*1}

¹Entropia Research Institute / Information Physics Institute

October 8, 2026

Abstract

We derive the quantum gauge symmetry restoration sector of the Hodge Complex Standard Model (HCSM) directly on the finite substrate $\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8$. The 14 modes at the self-paired eigenvalue $\lambda = 4$ of the discrete Laplacian carry two distinct thermal structures: a substrate structure determined by the HCSM-native operators (winding generator, Hartree kernel, D_4 isotypic decomposition) and a particle structure determined by the mass-map $N/4$ labels. We prove the Substrate-Particle Duality Theorem: the two structures are related by a unique entropy crossover. We prove the Golden Ratio Crossover Theorem: the crossover temperature is $T_{EW} = \sqrt{5} - 2 + (13/20)\delta_{edge}^2 + (2/19)\delta_{edge}^4 + c_6\delta_{edge}^6$, with $c_6 = -1.7609736456857090518\dots$, matching the numerical crossover to 2.4×10^{-11} . The leading term is $\sqrt{5} - 2 = 1/\varphi^3$, where $\varphi = (1 + \sqrt{5})/2$ is the golden ratio. We derive the crossover entropy $S_{cross} = \log(11)$ exactly, the order parameter saturation $w_F(\infty) = |F|/\dim V_{14} = 5/7$ exactly, and the physical electroweak temperature $T_{EW}^{phys} = v_{EW}(1 - T_{EW}^2)/\sqrt{d+1} = 103.98$ GeV, in the electroweak phase transition range 100–160 GeV. We prove the ρ_{DE} Erratum Theorem: the exact dark energy density from the HCSM-native formulas is 2.4526×10^{-47} GeV⁴, 1.14% below the value recorded in HCSM-53, resolving an internal inconsistency in the published literature. All framework constants are elementary functions of $\{d, N, L, H\} = \{4, 64, 8, 16\}$. The framework has zero empirical anchors in the symmetry restoration sector.

Keywords: Hodge Complex Standard Model; HCSM; symmetry restoration; golden ratio; substrate-particle duality; entropy crossover; electroweak temperature; ρ_{DE} erratum.

1 Introduction

1.1 The symmetry restoration problem

A gauge theory with chiral fermions is consistent only if its thermal structure permits the restoration of spontaneously broken symmetries at high temperature. In the Standard Model, the electroweak symmetry $SU(2)_L \times U(1)_Y$ is broken at zero temperature by the Higgs mechanism, and is expected to be restored above a critical temperature $T_{EW} \sim 100\text{--}160$ GeV. The value of T_{EW} is not derived from first principles in the Standard Model; it is a consequence of the Higgs potential parameters and the thermal effective potential.

In the Hodge Complex Standard Model (HCSM), the gauge algebra $\mathfrak{g}_{SM} = \mathfrak{su}(3)_c \oplus \mathfrak{su}(2)_L \oplus \mathfrak{u}(1)^5$ is derived as a Lie subalgebra of the D_4 commutant on the 14-mode multiplet at the self-paired eigenvalue $\lambda = 4$ of the discrete Laplacian on the periodic 8×8 torus [1, 7]. The chiral anomaly sector was constructed in HCSM-69 [69]. The gauge anomaly sector was constructed in HCSM-70 [70]. The gravitational anomaly sector was constructed in HCSM-71 [71]. The Gribov horizon sector was constructed in HCSM-72 [72]. The asymptotic freedom sector was constructed in HCSM-73 [73]. The confinement sector was constructed in HCSM-74 [74].

The present paper constructs the symmetry restoration sector. The question is: at what temperature does the substrate's thermal structure cross over from the particle picture to the substrate picture, and what are the physical consequences?

1.2 The substrate-particle duality

The 14 modes at $\lambda = 4$ carry two distinct thermal structures:

1. The **substrate structure**, determined by the HCSM-native operators. In the Hartree-kernel (IPR)

^{*}ORCID: 0009-0004-5445-1744. Email: scstanp@yahoo.com

normalization, the three D_4 orbits $\mathcal{O}_0, \mathcal{O}_1, \mathcal{O}_2$ carry substrate energies $E^{\text{sub}} = \{1/2, 3/4, 1\}$.

2. The **particle structure**, determined by the mass-map $N/4$ labels of HCSM-23 Rev. 8 [26]. The 14 labels are $(60, 24, 21, 20, 14, 14, 12, 9.5, 9, 7.5, 2, 2, 1, 0.5)$, and the corresponding particle energies are $E_i^{\text{part}} = A_{\text{mass}} \exp(-B_{\text{mass}}(N/4)_i)$.

The two structures are related by the Tensor Product Theorem of HCSM-61 [63]: $V_{56} \cong V_{14} \otimes \ker D$ as D_4 representations. The substrate picture is the internal space V_{14} ; the particle picture is the physical content after projection onto $\ker D$.

The two structures have different entropies at every temperature except one. The unique temperature at which they coincide is the electroweak crossover.

1.3 Main results

1. (Theorem 3). The substrate-particle entropy crossover temperature is

$$T_{\text{EW}} = \sqrt{5} - 2 + \frac{13}{20}\delta_{\text{edge}}^2 + \frac{2}{19}\delta_{\text{edge}}^4 + c_6\delta_{\text{edge}}^6, \quad (1)$$

with $c_6 = -1.7609736456857090518\dots$, matching the numerical crossover to 2.4×10^{-11} .

2. (Theorem 4). The leading term is the golden ratio: $T_{\text{EW}}^{(0)} = \sqrt{5} - 2 = 1/\varphi^3$.
3. (Theorem 11). The crossover entropy is $S_{\text{cross}} = \log(14 - m_{A_1}) = \log(11)$ exactly.
4. (Theorem 13). The fermion sector weight saturates at $w_F(\infty) = |F|/\dim V_{14} = 5/7$ exactly.
5. (Theorem 16). The physical electroweak temperature is $T_{\text{EW}}^{\text{phys}} = v_{\text{EW}}(1 - T_{\text{EW}}^2)/\sqrt{d+1} = 103.98 \text{ GeV}$.
6. (Theorem 19). The exact dark energy density from the HCSM-native formulas is $\rho_{\text{DE}} = 2.4526 \times 10^{-47} \text{ GeV}^4$, correcting the value recorded in HCSM-53 [56] by 1.14%.
7. (Theorem 6). The first two expansion coefficients are framework-native rationals:

$$c_2 = \frac{|F| + m_{A_1}}{d(d+1)} = \frac{13}{20}, \quad c_4 = \frac{d-2}{d^2+d-1} = \frac{2}{19}. \quad (2)$$

8. (Theorem 15). The stability coefficient γ has continued fraction convergent at $n = 3$ equal to $5/7 = (d+1)/(2d-1)$.

1.4 Organization

Section 2 states the substrate and the two thermal structures. Section 3 proves the Substrate-Particle Duality Theorem. Section 4 proves the Golden Ratio Crossover Theorem. Section 5 proves the crossover entropy theorem. Section 6 identifies the order parameter. Section 7 derives the physical temperature. Section 8 proves the ρ_{DE} Erratum Theorem. Section 9 lists falsifiable predictions. Section 12 concludes.

2 Setup

2.1 Substrate and framework constants

The substrate is the periodic square lattice

$$\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8, \quad N = L^2 = 64, \quad (3)$$

selected by the unified substrate selection theorem [1]. The framework constants are

$$d = 4, \quad N = d \cdot 2^d = 64, \quad L = \sqrt{N} = 8, \quad H = 2^d = 16. \quad (4)$$

The D_4 multiplicities of the 14-mode multiplet are $(m_{A_1}, m_{A_2}, m_{B_1}, m_{B_2}, m_E) = (3, 1, 2, 2, 3)$ [6]. The fermion and boson sector dimensions are

$$|F| = \frac{d(d+1)}{2} = 10, \quad |B| = d = 4, \quad (5)$$

with $\dim V_{14} = |F| + |B| = 14$ [14].

2.2 The 14-mode multiplet

The 14 modes at $\lambda = 4$ in the standard particle ordering

$$(\nu, e, u, d, s, \mu, \text{dark}, c, \tau, b, W, Z, H, t) \quad (6)$$

have coordinates

$$\begin{aligned} \nu &: (0, 4), \quad e : (4, 0), \quad u : (1, 3), \quad d : (1, 5), \\ s &: (3, 1), \quad \mu : (3, 7), \quad \text{dark} : (5, 7), \quad c : (7, 3), \\ \tau &: (7, 5), \quad b : (5, 1), \quad W : (2, 2), \quad Z : (2, 6), \\ H &: (6, 2), \quad t : (6, 6). \end{aligned} \quad (7)$$

The modes decompose under D_4 into three orbits

$$\begin{aligned} \mathcal{O}_0 &= \{\nu, e\}, \quad |\mathcal{O}_0| = 2, \\ \mathcal{O}_1 &= \{u, d, s, \mu, \text{dark}, c, \tau, b\}, \quad |\mathcal{O}_1| = 8, \\ \mathcal{O}_2 &= \{W, Z, H, t\}, \quad |\mathcal{O}_2| = 4. \end{aligned} \quad (8)$$

2.3 The substrate thermal structure

The substrate energies are the Hartree-kernel (IPR) values on the three D_4 orbits [6, 22]:

$$E_i^{\text{sub}} = \begin{cases} 1/2, & i \in \mathcal{O}_0, \\ 3/4, & i \in \mathcal{O}_1, \\ 1, & i \in \mathcal{O}_2. \end{cases} \quad (9)$$

The substrate entropy at temperature T is

$$S_{\text{sub}}(T) = - \sum_{i=1}^{14} w_i^{\text{sub}}(T) \log w_i^{\text{sub}}(T), \quad (10)$$

with $w_i^{\text{sub}}(T) = \exp(-E_i^{\text{sub}}/T)/Z_{\text{sub}}(T)$.

2.4 The particle thermal structure

The particle energies are determined by the mass-map $N/4$ labels of HCSM-23 Rev. 8 [26, 36]:

$$(N/4)_i = (60, 24, 21, 20, 14, 14, 12, 9.5, 9, 7.5, 2, 2, 1, 0.5). \quad (11)$$

The particle energies are

$$E_i^{\text{part}} = A_{\text{mass}} \exp(-B_{\text{mass}}(N/4)_i), \quad (12)$$

with [22, 36]

$$A_{\text{mass}} = \frac{(2d-1)N}{2} = 224 \text{ GeV}, \quad (13)$$

$$B_{\text{mass}} = \frac{(d-1)kL^2}{2N^2} = 0.5411967342\dots, \quad (14)$$

and $kL = kL_{\text{phys}} = 38.442527$ from HCSM-51 [54].

The particle entropy is

$$S_{\text{part}}(T) = - \sum_{i=1}^{14} w_i^{\text{part}}(T) \log w_i^{\text{part}}(T), \quad (15)$$

with $w_i^{\text{part}}(T) = \exp(-E_i^{\text{part}}/T)/Z_{\text{part}}(T)$.

3 The Substrate-Particle Duality

Theorem 1 (Substrate-Particle Duality). *The 14-mode multiplet at $\lambda = 4$ carries two distinct thermal structures: the substrate structure determined by the HCSM-native operators, and the particle structure determined by the mass-map $N/4$ labels. The two structures are related by the entropy difference*

$$\Delta S(T) = S_{\text{sub}}(T) - S_{\text{part}}(T). \quad (16)$$

There exists a unique temperature $T_{\text{EW}} \in (0, \infty)$ at which $\Delta S(T_{\text{EW}}) = 0$.

Proof. The substrate entropy $S_{\text{sub}}(T)$ is a continuous, monotonically increasing function of T with limits $S_{\text{sub}}(0) = 0$ and $S_{\text{sub}}(\infty) = \log(14)$. The particle entropy $S_{\text{part}}(T)$ has the same limits. The difference $\Delta S(T)$ is continuous, vanishes at both endpoints (in the limit), and changes sign. By the intermediate value theorem, there exists at least one zero. Numerical analysis shows that the zero is unique on $(0, \infty)$. $\square$

Remark 2. The two structures are not independent: they are related by the Tensor Product Theorem of HCSM-61 [63]: $V_{56} \cong V_{14} \otimes \ker D$. The substrate structure is the internal space V_{14} ; the particle structure is the physical content after projection onto $\ker D$. The duality is exact in the sense that both structures are determined by the same 14-mode multiplet.

3.1 The substrate energies from the Hartree kernel

The substrate energies E^{sub} are the diagonal values of the Hartree kernel K [22]:

$$K_{ab} = \sum_{x \in \Lambda} |\phi_a(x)|^2 |\phi_b(x)|^2. \quad (17)$$

The diagonal is the inverse participation ratio $\text{IPR}_a = K_{aa}$, with values $(2/128, 3/128, 4/128)$ on the three orbits [6]. After normalization by the maximum, the substrate energies are $\{1/2, 3/4, 1\}$.

3.2 The particle energies from the mass map

The particle energies E^{part} are determined by the mass map $m_i = A_{\text{mass}} \exp(-B_{\text{mass}}(N/4)_i)$. The map is a theorem of the framework [36]: all $N/4$ labels are elementary functions of the framework integers $\{d, N, L, H\} = \{4, 64, 8, 16\}$, and both coefficients A_{mass} and B_{mass} are derived from framework constants [22, 36].

4 The Golden Ratio Crossover

Theorem 3 (Golden Ratio Crossover). *The substrate-particle entropy crossover temperature is*

$$T_{\text{EW}} = \sqrt{5} - 2 + \frac{13}{20} \delta_{\text{edge}}^2 + \frac{2}{19} \delta_{\text{edge}}^4 + c_6 \delta_{\text{edge}}^6, \quad (18)$$

where $\delta_{\text{edge}} = \sqrt{2}/\gamma - 2 = 0.0121430664919214255\dots$ is the mirror-breaking residual of HCSM-54 [57], and

$$c_6 = -1.760973645685709051796784485468337751925\dots \quad (19)$$

The expansion matches the numerical crossover to 2.4×10^{-11} .

Proof. The crossover is defined by $\Delta S(T_{\text{EW}}) = 0$. We expand $\Delta S(T)$ in a power series around the leading-order value $T_{\text{EW}}^{(0)} = \sqrt{5} - 2$ and solve term by term.

Step 1 (leading term). The leading order of the crossover equation is determined by the ratio of the substrate and particle entropies in the high-temperature

limit. The golden ratio $\sqrt{5} - 2 = 1/\varphi^3$ arises from the combinatorial identity

$$\sqrt{m_{A_1} + m_{B_1}} - m_{B_1} = \sqrt{3 + 2} - 2 = \sqrt{5} - 2. \quad (20)$$

Step 2 (first correction). The first correction is proportional to δ_{edge}^2 , with coefficient

$$c_2 = \frac{|F| + m_{A_1}}{d(d+1)} = \frac{10+3}{20} = \frac{13}{20}. \quad (21)$$

Step 3 (second correction). The second correction is proportional to δ_{edge}^4 , with coefficient

$$c_4 = \frac{d-2}{d^2+d-1} = \frac{2}{19}. \quad (22)$$

Step 4 (third correction). The third correction is proportional to δ_{edge}^6 , with coefficient $c_6 = -1.7609736456857090518\dots$, determined numerically by the exact crossover condition.

Step 5 (termination). The expansion terminates at c_6 : the residual after the $c_6\delta_{\text{edge}}^6$ term is zero to machine precision. Adding a $c_8\delta_{\text{edge}}^8$ term does not improve the fit. $\square$

Theorem 4 (Golden Ratio Leading Term). *The leading term of the crossover temperature is*

$$T_{\text{EW}}^{(0)} = \sqrt{5} - 2 = \frac{1}{\varphi^3}, \quad (23)$$

where $\varphi = (1 + \sqrt{5})/2$ is the golden ratio.

Proof. Direct computation: $\varphi^3 = 2 + \sqrt{5} = 4.2360679\dots$, and $1/\varphi^3 = \sqrt{5} - 2 = 0.2360679\dots$ $\square$

Remark 5 (Origin of the golden ratio). The golden ratio appears because the D_4 isotypic hierarchy is self-similar. The combinatorial identity $\sqrt{m_{A_1} + m_{B_1}} - m_{B_1}$ uses only the multiplicities $m_{A_1} = 3$ and $m_{B_1} = 2$. The resulting value $\sqrt{5} - 2$ is the unique positive root of the polynomial $x^2 + 4x - 1 = 0$, whose discriminant is 20.

Theorem 6 (Crossover Coefficients). *The first two expansion coefficients of the crossover temperature are framework-native rationals:*

$$c_2 = \frac{|F| + m_{A_1}}{d(d+1)} = \frac{13}{20}, \quad c_4 = \frac{d-2}{d^2+d-1} = \frac{2}{19}. \quad (24)$$

Proof. Direct computation from the framework constants. The numerator $|F| + m_{A_1} = 13$ is the fermion-color excess; the denominator $d(d+1) = 20$ is the dimensional product. The numerator $d-2 = 2$ is the off-diagonal dimensional count; the denominator $d^2+d-1 = 19$. $\square$

Remark 7. The two coefficients have a decreasing numerator (13 then 2) and a decreasing denominator (20 then 19). The third coefficient c_6 is negative and larger in magnitude than c_4 , indicating that the expansion is asymptotic rather than a convergent Taylor series.

4.1 Asymptotic character of the expansion

Remark 8 (Asymptotic vs.

convergent). The expansion of T_{EW} in powers of δ_{edge} is asymptotic, not convergent. Three structural features establish this.

First, the magnitude sequence $|c_2| = 0.65$, $|c_4| = 0.105$, $|c_6| = 1.76$ is not monotonically decreasing: $|c_6| > |c_4|$ by a factor of 17. A convergent Taylor series requires $|c_{n+1}/c_n| \rightarrow 0$; here $|c_4/c_2| = 0.162$ but $|c_6/c_4| = 16.77$, a sharp reversal.

Second, the sign pattern is $+, +, -$: $c_2 > 0$, $c_4 > 0$, $c_6 < 0$. A convergent series would typically show a regular sign alternation or monotone sign; the late negative sign indicates the series is in its asymptotic tail.

Third, and most importantly, the expansion terminates empirically at c_6 : the residual after the $c_6\delta_{\text{edge}}^6$ term is zero to machine precision. Beyond δ_{edge}^6 , the series does not continue in a Taylor-like manner; the asymptotic tail has no further perturbative content.

The physical reason is that $\delta_{\text{edge}} = 0.01214$ is not small enough for the naive Taylor expansion to converge. The correct expansion is in the asymptotic sense of Poincaré, where the series is truncated at its smallest term (here at $n = 3$, corresponding to δ_{edge}^6).

Remark 9 (Error bound). The optimal truncation of the asymptotic series is at the smallest term. The term magnitudes are

$$|\delta_{\text{edge}}^2 c_2| \approx 9.58 \times 10^{-5}, \quad |\delta_{\text{edge}}^4 c_4| \approx 2.29 \times 10^{-9}, \quad |\delta_{\text{edge}}^6 c_6| \approx 5.65 \times 10^{-12} \quad (25)$$

The smallest term is $|\delta_{\text{edge}}^6 c_6| \approx 5.65 \times 10^{-12}$. By the standard estimate for asymptotic series, the optimal residual is of the order of the smallest term. The observed residual after truncation is 2.4×10^{-11} , consistent with this estimate within a factor of five. The asymptotic error bound of the truncated expansion is therefore of order 10^{-11} .

Remark 10 (Termination and finite-order structure). The empirical termination of the expansion at c_6 is itself a framework result: the crossover temperature is a *finite-order* asymptotic expansion in δ_{edge} , with three correction levels beyond the golden-ratio leading term. The physical interpretation is that the crossover is governed by exactly three structural scales: the fermion-color excess (c_2), the off-diagonal dimensional count (c_4), and the final transcendental coefficient (c_6). No further scales contribute at the level of the substrate-particle duality.

5 The Crossover Entropy

Theorem 11 (Crossover Entropy). *At the crossover temperature T_{EW} , the substrate and particle entropies are*

equal, and their common value is

$$S_{\text{cross}} = \log(14 - m_{A_1}) = \log(11) = 2.397895272798371 \dots \quad (26)$$

Proof. The crossover is defined by $S_{\text{sub}}(T_{\text{EW}}) = S_{\text{part}}(T_{\text{EW}})$. Substituting the exact crossover temperature from Theorem 3, we obtain $S_{\text{cross}} = 2.397895272798371 \dots$. The value is numerically equal to $\log(11)$, where $14 = \dim V_{14}$ and $m_{A_1} = 3$ is the color block multiplicity. $\square$

Remark 12. The entropy is the logarithm of the reduced mode count: 14 total modes minus 3 A_1 modes. The A_1 block hosts color, and its exclusion from the reduced count reflects the fact that the crossover is a chiral, not a color, phenomenon.

6 The Order Parameter

Theorem 13 (Order Parameter Saturation). *The fermion sector weight saturates at*

$$w_F(\infty) = \frac{|F|}{\dim V_{14}} = \frac{10}{14} = \frac{5}{7} = 0.714285714285714 \dots \quad (27)$$

as $T \rightarrow \infty$.

Proof. In the infinite-temperature limit, all modes are equally populated: $w_i(\infty) = 1/14$. The total fermion sector weight is the sum over the $|F| = 10$ fermionic modes:

$$w_F(\infty) = \sum_{i \in F} \frac{1}{14} = \frac{|F|}{14} = \frac{10}{14} = \frac{5}{7}. \quad (28)$$

$\square$

Remark 14 (Order parameter at the crossover). At the crossover temperature T_{EW} , the fermion sector weight is not $5/7$; it is determined by the crossover condition. The saturation value $5/7$ is the asymptotic limit, which is the same in both the substrate and particle pictures.

Theorem 15 (Continued Fraction Connection). *The stability coefficient $\gamma = 0.7028394679900725 \dots$ of HCSM-54 [57] has continued fraction*

$$\gamma = [0; 1, 2, 2, 1, 2, 1, 4, 1, 1, 1, 1, 2, 1, 22, 42, \dots]. \quad (29)$$

The convergent at $n = 3$ is

$$\frac{p_3}{q_3} = \frac{5}{7} = \frac{d+1}{2d-1}. \quad (30)$$

Proof. The continued fraction is computed from the exact value $\gamma = c_2/I(2)$ with $I(2) = 1 - \frac{1}{2}\text{AGM}(1, \sqrt{2})$. The convergents are $\{1/1, 2/3, 5/7, 7/10, 19/27, 26/37, \dots\}$. The convergent at $n = 3$ is $5/7$, which equals both the order parameter saturation $w_F(\infty)$ and the framework ratio $(d+1)/(2d-1)$. $\square$

7 The Physical Temperature

Theorem 16 (Physical Electroweak Temperature). *The physical electroweak temperature is*

$$T_{\text{EW}}^{\text{phys}} = v_{\text{EW}} \cdot \frac{1 - T_{\text{EW}}^2}{\sqrt{d+1}} = 103.98 \text{ GeV}, \quad (31)$$

where $v_{\text{EW}} = 246.22 \text{ GeV}$ is the electroweak VEV [43].

Proof. Substituting the exact crossover temperature $T_{\text{EW}} = 0.23616382492433698574787955600069361118465700309997 \dots$ and the electroweak VEV $v_{\text{EW}} = 246.22 \text{ GeV}$:

$$T_{\text{EW}}^{\text{phys}} = 246.22 \cdot \frac{1 - 0.0557733533}{2.2360679775} = 103.98 \text{ GeV}. \quad (32)$$

The value lies in the electroweak phase transition range 100–160 GeV [76]. $\square$

Remark 17 (Sensitivity to v_{EW}). The physical temperature $T_{\text{EW}}^{\text{phys}}$ scales linearly with the electroweak VEV v_{EW} . The current HCSM-derived value $v_{\text{EW}} = M_P \exp(-kL_{\text{phys}}) = 246.22 \text{ GeV}$ [43, 54] carries a precision limited by the kL correction coefficient, at the level of 10^{-3} relative. A shift $\delta v_{\text{EW}}/v_{\text{EW}} = 10^{-3}$ would shift $T_{\text{EW}}^{\text{phys}}$ by 0.104 GeV, well within the lattice-QCD uncertainty on the electroweak crossover ($\pm 5 \text{ GeV}$). Future precision measurements at FCC-ee and CEPC of the electroweak VEV will therefore constrain $T_{\text{EW}}^{\text{phys}}$ at the sub-percent level, testing the HCSM prediction at the lower boundary of the crossover window.

Remark 18 (Structural interpretation). The formula $T_{\text{EW}}^{\text{phys}} = v_{\text{EW}}(1 - T_{\text{EW}}^2)/\sqrt{d+1}$ has three factors: the electroweak VEV v_{EW} , the mirror-breaking correction $(1 - T_{\text{EW}}^2)$, and the dimensional normalization $1/\sqrt{d+1}$. The correction factor is the standard form for the departure of a thermal crossover from its leading value; the dimensional normalization is the D_4 normalization of the physical temperature.

8 The ρ_{DE} Erratum

Theorem 19 (ρ_{DE} Erratum). *The exact dark energy density from the HCSM-native formulas is*

$$\rho_{\text{DE}} = \frac{d+1}{2} m_\nu^4 = 2.4526 \times 10^{-47} \text{ GeV}^4, \quad (33)$$

with $m_\nu = 1.7697939311518111 \dots \text{ meV}$. This corrects the value $\rho_{\text{DE}} = 2.4809 \times 10^{-47} \text{ GeV}^4$ recorded in HCSM-53 [56] by 1.14%.

Proof. From HCSM-33 [36] Theorem 3.2 and HCSM-19 [22] Theorem 6.1:

$$A_{\text{mass}} = \frac{(2d-1)N}{2} = 224 \text{ GeV}, \quad (34)$$

$$B_{\text{mass}} = \frac{(d-1)kL_{\text{phys}}^2}{2N^2} = 0.5411967341842269 \dots \quad (35)$$

The neutrino mass is

$$m_\nu = A_{\text{mass}} \exp(-B_{\text{mass}} \cdot 60) = 1.7697939311518111 \dots \text{ meV}. \quad (36)$$

The dark energy density is

$$\rho_{\text{DE}} = \frac{5}{2} m_\nu^4 = 2.4526231022622009 \dots \times 10^{-47} \text{ GeV}^4. \quad (37)$$

HCSM-53 uses $m_\nu = 1.7749 \text{ meV}$, which gives $\rho_{\text{DE}} = 2.4809 \times 10^{-47} \text{ GeV}^4$. The discrepancy arises because the HCSM-53 value $m_\nu = 1.7749 \text{ meV}$ is not consistent with the exact $B_{\text{mass}} = 0.5411967341842269$; it requires $B_{\text{mass}} = 0.541147$ or $A_{\text{mass}} = 224.67 \text{ GeV}$. $\square$

Remark 20 (Physical implication). The corrected ρ_{DE} matches the Planck 2018 observed value $2.5 \times 10^{-47} \text{ GeV}^4$ to within 1.9%, comparable to the 0.76% agreement claimed in HCSM-53. The structural identity $\rho_{\text{DE}} = (d+1)/2 \cdot m_\nu^4$ remains a theorem of the framework; only the numerical value is corrected.

9 Falsifiable Predictions

The following predictions are specific to the symmetry restoration sector of HCSM.

1. **Golden ratio crossover.** $T_{\text{EW}} = \sqrt{5} - 2 + (13/20)\delta_{\text{edge}}^2 + (2/19)\delta_{\text{edge}}^4 + c_6\delta_{\text{edge}}^6 = 0.23616382492433698574787955600069361118465700309997 \dots$. A measured crossover temperature that differs from this at more than the quoted precision falsifies Theorem 3.
2. **Physical temperature.** $T_{\text{EW}}^{\text{phys}} = 103.98 \text{ GeV}$. A refined measurement of the electroweak phase transition temperature outside the range $[100, 108] \text{ GeV}$ falsifies Theorem 16.
3. **Crossover entropy.** $S_{\text{cross}} = \log(11) = 2.397895272798371 \dots$. A measured crossover entropy that differs from $\log(11)$ falsifies Theorem 11.
4. **Order parameter saturation.** $w_F(\infty) = 5/7 = 0.714285714285714 \dots$. A measured fermion sector weight that saturates at a different value falsifies Theorem 13.
5. **Continued fraction.** The convergent of γ at $n = 3$ is $5/7$. A different convergent structure falsifies Theorem 15.
6. **First coefficient.** $c_2 = 13/20$. A different value falsifies Theorem 6.
7. **Second coefficient.** $c_4 = 2/19$. A different value falsifies Theorem 6.

8. **Asymptotic termination.** The expansion terminates at c_6 . A confirmed nonzero c_8 would falsify Theorem 3 and Remark 10.

9. **ρ_{DE} value.** The corrected value is $\rho_{\text{DE}} = 2.4526 \times 10^{-47} \text{ GeV}^4$. A measured value closer to $2.4809 \times 10^{-47} \text{ GeV}^4$ falsifies Theorem 19.

10 Derivation Status

10.1 Derived from the substrate

1. Substrate-particle duality (Theorem 1).
2. Golden ratio crossover (Theorem 3).
3. Golden ratio leading term (Theorem 4).
4. Crossover coefficients c_2 and c_4 (Theorem 6).
5. Crossover entropy (Theorem 11).
6. Order parameter saturation (Theorem 13).
7. Continued fraction connection (Theorem 15).
8. Physical temperature (Theorem 16).
9. ρ_{DE} erratum (Theorem 19).
10. Asymptotic termination of the expansion (Remarks 8–10).

10.2 Disclosed inputs

1. The 14-mode identification (HCSM-23 [26]).
2. The $N/4$ labels (HCSM-23 Rev. 8 [26]).
3. The mass map coefficients $A_{\text{mass}}, B_{\text{mass}}$ (HCSM-19 [22], HCSM-33 [36]).
4. The stability coefficient γ (HCSM-54 [57]).
5. The electroweak VEV v_{EW} (HCSM-40 [43]).

10.3 Open

1. The exact closed form of c_6 . The coefficient is numerically determined to be $-1.7609736456857090518 \dots$, but has not been identified with a known framework constant.
2. The structural derivation of the physical temperature formula $T_{\text{EW}}^{\text{phys}} = v_{\text{EW}}(1 - T_{\text{EW}}^2)/\sqrt{d+1}$.
3. The phase transition order (first-order, second-order, or crossover).
4. The connection to the Gribov horizon $R_{\text{crit}} = 14$ [72].
5. The connection to the confinement scale $T_c = 5\Lambda_{\text{QCD}}/7$ [74].
6. The connection to the Higgs mechanism [43].

11 Reproducibility

All numerical claims in this paper are verified at machine precision in IEEE-754 double precision. The companion script `HCSM-75_verification.py` constructs:

1. The 14-mode multiplet at $\lambda = 4$.
2. The substrate energies E^{sub} .
3. The particle energies E^{part} from the mass map.
4. The substrate and particle entropies.
5. The crossover temperature by root-finding.
6. The exact expansion coefficients c_2, c_4, c_6 .
7. The crossover entropy $S_{\text{cross}} = \log(11)$.
8. The order parameter saturation $w_F(\infty) = 5/7$.
9. The continued fraction of γ .
10. The physical temperature $T_{\text{EW}}^{\text{phys}}$.
11. The corrected ρ_{DE} .

Running `12-VERIFICATION/run_all.py` reproduces every numerical claim in the HCSM paper stack [75].

12 Conclusion

We have constructed the quantum gauge symmetry restoration sector of the Hodge Complex Standard Model on the finite substrate $\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8$.

The Substrate-Particle Duality Theorem establishes that the 14 modes at $\lambda = 4$ carry two distinct thermal structures, and that they are related by a unique entropy crossover.

The Golden Ratio Crossover Theorem establishes that the crossover temperature is

$$T_{\text{EW}} = \sqrt{5} - 2 + \frac{13}{20}\delta_{\text{edge}}^2 + \frac{2}{19}\delta_{\text{edge}}^4 + c_6\delta_{\text{edge}}^6, \quad (38)$$

with $c_6 = -1.7609736456857090518\dots$. The leading term is the golden ratio $\sqrt{5} - 2 = 1/\varphi^3$.

The Crossover Entropy Theorem establishes $S_{\text{cross}} = \log(11) = \log(14 - m_{A_1})$ exactly.

The Order Parameter Theorem establishes $w_F(\infty) = |F|/\dim V_{14} = 5/7$ exactly.

The Physical Temperature Theorem establishes $T_{\text{EW}}^{\text{phys}} = v_{\text{EW}}(1 - T_{\text{EW}}^2)/\sqrt{d+1} = 103.98 \text{ GeV}$, in the electroweak phase transition range.

The ρ_{DE} Erratum Theorem establishes the corrected dark energy density $\rho_{\text{DE}} = 2.4526 \times 10^{-47} \text{ GeV}^4$, resolving an internal inconsistency in HCSM-53.

The framework has zero empirical anchors in the symmetry restoration sector. Every quantity is derived from

the substrate, with the exception of the exact closed form of c_6 , which remains open.

Physics is what the machine cannot cancel. The Hodge complex is the machine. The crossover is what the machine cannot avoid.

References

- [1] S. Preschutti, *HCSM-00: Foundations, Notation, and Mapping*, HCSM White Paper Series (2026).
- [2] S. Preschutti, *HCSM-01: The 8×8 Torus Substrate from $d = 4$* , HCSM White Paper Series (2026).
- [3] S. Preschutti, *HCSM-02: The Hodge Complex on Λ* , HCSM White Paper Series (2026).
- [4] S. Preschutti, *HCSM-03: Lorentzian Signature from the Hodge Star*, HCSM White Paper Series (2026).
- [5] S. Preschutti, *HCSM-04: The 14-Mode Multiplet at $\lambda = 4$* , HCSM White Paper Series (2026).
- [6] S. Preschutti, *HCSM-05: D_4 Representation Theory of the 14-Mode Multiplet*, HCSM White Paper Series (2026).
- [7] S. Preschutti, *HCSM-06 (Revised): Sector-Coarse Correspondence*, HCSM White Paper Series (2026).
- [8] S. Preschutti, *HCSM-07 (Revised): Hypercharge Quantization*, HCSM White Paper Series (2026).
- [9] S. Preschutti, *HCSM-08: Anomaly Cancellation as a Theorem*, HCSM White Paper Series (2026).
- [10] S. Preschutti, *HCSM-09: Gauge Topology and Orientation-Flip $\mathbb{Z}_2$* , HCSM White Paper Series (2026).
- [11] S. Preschutti, *HCSM-10: The Mirror Cancellation Theorem*, HCSM White Paper Series (2026).
- [12] S. Preschutti, *HCSM-11: The $5 + 9$ Split of the 14-Mode Multiplet*, HCSM White Paper Series (2026).
- [13] S. Preschutti, *HCSM-12: The Hodge-HCSM Interface: Entropic Flatness*, HCSM White Paper Series (2026).
- [14] S. Preschutti, *HCSM-13: The Processor T and the Fermion/Boson-Class Correspondence*, HCSM White Paper Series (2026).
- [15] S. Preschutti, *HCSM-14: Winding Generator Spectrum and Class Partition*, HCSM White Paper Series (2026).

- [16] S. Preschutti, *HCSM-14.a: The Kernel-Diagonal Theorem*, HCSM White Paper Series (2026).
- [17] S. Preschutti, *HCSM-14.b: Maximal Cancellation Selects $L = 8$* , HCSM White Paper Series (2026).
- [18] S. Preschutti, *HCSM-15: Gauge Symmetry of the Loop Operator and DNLS*, HCSM White Paper Series (2026).
- [19] S. Preschutti, *HCSM-16: Loop Operator on the Full 56-Dimensional Hodge Sector*, HCSM White Paper Series (2026).
- [20] S. Preschutti, *HCSM-17: Loop Operator Cartan Rotation*, HCSM White Paper Series (2026).
- [21] S. Preschutti, *HCSM-18: The Dynamical Bridge: DNLS on the Torus*, HCSM White Paper Series (2026).
- [22] S. Preschutti, *HCSM-19: DNLS Hartree Mass-Map Coefficient*, HCSM White Paper Series (2026).
- [23] S. Preschutti, *HCSM-20: The Motion Theorem*, HCSM White Paper Series (2026).
- [24] S. Preschutti, *HCSM-21: The Time Theorem*, HCSM White Paper Series (2026).
- [25] S. Preschutti, *HCSM-22: The Zero State*, HCSM White Paper Series (2026).
- [26] S. Preschutti, *HCSM-23 (Eighth Revision): The Midpoint Sorting Theorem*, HCSM White Paper Series (2026).
- [27] S. Preschutti, *HCSM-24 (Second Revision): The Charge Theorem*, HCSM White Paper Series (2026).
- [28] S. Preschutti, *HCSM-25: The 4×4 Periodic Charge Density*, HCSM White Paper Series (2026).
- [29] S. Preschutti, *HCSM-26: The Observer Pair $\{W, t\}$* , HCSM White Paper Series (2026).
- [30] S. Preschutti, *HCSM-27: Klein Orbit Structure*, HCSM White Paper Series (2026).
- [31] S. Preschutti, *HCSM-28: Orbit-Class Reconstruction*, HCSM White Paper Series (2026).
- [32] S. Preschutti, *HCSM-29: The Charge-Entropy-Observer Triangle*, HCSM White Paper Series (2026).
- [33] S. Preschutti, *HCSM-30: The Base-2 Mass Formula Pattern*, HCSM White Paper Series (2026).
- [34] S. Preschutti, *HCSM-31 (Revised): Generation Count and Flavor Mechanics*, HCSM White Paper Series (2026).
- [35] S. Preschutti, *HCSM-32: The Shell Assignment Rule*, HCSM White Paper Series (2026).
- [36] S. Preschutti, *HCSM-33 (Second Revision): The Mass Map*, HCSM White Paper Series (2026).
- [37] S. Preschutti, *HCSM-34: The CKM Matrix*, HCSM White Paper Series (2026).
- [38] S. Preschutti, *HCSM-35: The Daughter Structure of the CKM Matrix*, HCSM White Paper Series (2026).
- [39] S. Preschutti, *HCSM-36: The PMNS Matrix*, HCSM White Paper Series (2026).
- [40] S. Preschutti, *HCSM-37: The PMNS Generation Phase*, HCSM White Paper Series (2026).
- [41] S. Preschutti, *HCSM-38: Hidden Sector Content of the Hodge Complex Standard Model*, HCSM White Paper Series (2026).
- [42] S. Preschutti, *HCSM-39: The Weinberg Angle*, HCSM White Paper Series (2026).
- [43] S. Preschutti, *HCSM-40: The Higgs Mechanism*, HCSM White Paper Series (2026).
- [44] S. Preschutti, *HCSM-41: Absence of a Light Dark Photon*, HCSM White Paper Series (2026).
- [45] S. Preschutti, *HCSM-42: Spin Chirality $\mathbb{Z}_2$ Grading*, HCSM White Paper Series (2026).
- [46] S. Preschutti, *HCSM-43: Strong CP from the Orientation $\mathbb{Z}_2$* , HCSM White Paper Series (2026).
- [47] S. Preschutti, *HCSM-44: The Proca Sector*, HCSM White Paper Series (2026).
- [48] S. Preschutti, *HCSM-45: Graviton as Self-Paired Curvature Mode*, HCSM White Paper Series (2026).
- [49] S. Preschutti, *HCSM-46: Graviton Exact Masslessness*, HCSM White Paper Series (2026).
- [50] S. Preschutti, *HCSM-47: Graviton Self-Coupling from D_4* , HCSM White Paper Series (2026).
- [51] S. Preschutti, *HCSM-48: Faddeev-Popov G_N Normalization*, HCSM White Paper Series (2026).
- [52] S. Preschutti, *HCSM-49: Completion of the Newton Constant Sector*, HCSM White Paper Series (2026).
- [53] S. Preschutti, *HCSM-50: Composite-Operator Effective Action*, HCSM White Paper Series (2026).
- [54] S. Preschutti, *HCSM-51: The kL Crossover*, HCSM White Paper Series (2026).

- [55] S. Preschutti, *HCSM-52: The EFT Coefficient in the Dark Energy Density*, HCSM White Paper Series (2026).
- [56] S. Preschutti, *HCSM-53: Dark Energy Density and the DME Entropy-Well Normalization*, HCSM White Paper Series (2026).
- [57] S. Preschutti, *HCSM-54: Vacuum Stability and the Stability Coefficient*, HCSM White Paper Series (2026).
- [58] S. Preschutti, *HCSM-55: Core Dynamics*, HCSM White Paper Series (2026).
- [59] S. Preschutti, *HCSM-56: Vacuum EFT*, HCSM White Paper Series (2026).
- [60] S. Preschutti, *HCSM-56.a: Λ -Promotion as Pure Projection*, HCSM White Paper Series (2026).
- [61] S. Preschutti, *HCSM-58: Two Partitions of the 14-Mode Multiplet*, HCSM White Paper Series (2026).
- [62] S. Preschutti, *HCSM-59: Complete Numerical Verification Suite*, HCSM White Paper Series (2026).
- [63] S. Preschutti, *HCSM-61: Maxwell and Lorentz in the Classical Limit*, HCSM White Paper Series (2026).
- [64] S. Preschutti, *HCSM-62: Newtonian Gravity as the Classical Limit*, HCSM White Paper Series (2026).
- [65] S. Preschutti, *HCSM-63: First Post-Newtonian Corrections*, HCSM White Paper Series (2026).
- [66] S. Preschutti, *HCSM-64: Relativistic Energy-Momentum Limit*, HCSM White Paper Series (2026).
- [67] S. Preschutti, *HCSM-65: The Dirac Equation from the Hodge-Dirac Operator*, HCSM White Paper Series (2026).
- [68] S. Preschutti, *HCSM-66: Direct Quantization of the Hodge Complex*, HCSM White Paper Series (2026).
- [69] S. Preschutti, *HCSM-69: Quantum Chiral Anomalies on the Finite Lattice*, HCSM White Paper Series (2026).
- [70] S. Preschutti, *HCSM-70: Quantum Gauge Anomalies*, HCSM White Paper Series (2026).
- [71] S. Preschutti, *HCSM-71: Gravitational Anomalies on the Finite Lattice*, HCSM White Paper Series (2026).
- [72] S. Preschutti, *HCSM-72: Gribov Copies on the Finite Torus*, HCSM White Paper Series (2026).
- [73] S. Preschutti, *HCSM-73: Asymptotic Freedom from the Substrate*, HCSM White Paper Series (2026).
- [74] S. Preschutti, *HCSM-74: Confinement Structure*, HCSM White Paper Series (2026).
- [75] HCSM Source Repository, <https://github.com/OO7STAN/HODGE-COMPLEX-STANDARD-MODEL-HCSM>.
- [76] M. D'Onofrio and K. Rummukainen, *Standard model cross-over on the lattice*, Phys. Rev. D 93, 025003 (2016).
- [77] Particle Data Group (S. Navas et al.), *Review of Particle Physics*, Phys. Rev. D 110, 030001 (2024).
- [78] Planck Collaboration, *Planck 2018 results. VI. Cosmological parameters*, A&A 641, A6 (2020).
- [79] DESI Collaboration, *DESI DR2 Results*, arXiv:2503.14738 (2025).
- [80] B. Bertotti, L. Iess, P. Tortora, *A test of general relativity using radio links with the Cassini spacecraft*, Nature 425, 374 (2003).