

Spacetime from the Kernel of the Hodge Dirac Operator on the 8×8 Torus

Stanley Preschutti^{1,2}

¹*Entropia Research Institute / Information Physics Institute*

²*ORCID: 0009-0004-5445-1744*

(Dated: September 2026)

We show that the four dimensional structure of spacetime emerges as the kernel of the Hodge Dirac operator on the WIN Paradigm substrate. The substrate is the 8×8 periodic torus, whose selection is fixed by the equal entropy spacing theorem. The Hodge complex $\Omega^0 \oplus \Omega^1 \oplus \Omega^2$ has total dimension 256, and the Hodge Dirac operator $D = d + d^*$ satisfies $D^2 = \Delta$ exactly on each form degree. By discrete Hodge theory the kernel of D is isomorphic to the de Rham cohomology of the torus, with dimensions given by the Betti numbers $(b_0, b_1, b_2) = (1, 2, 1)$. The kernel is therefore four dimensional. We propose the identification: the four harmonic forms *are* the four spacetime directions. The 0-form is time; the two 1-forms are the two spatial planes; the 2-form is the fourth spatial direction. The identification is not a separate postulate. It follows from the fact that the kernel of D is the unique four dimensional structure that appears intrinsically in the substrate. Numerical verification confirms that the kernel of D is exactly four dimensional, with singular values at machine zero and a fifteen order of magnitude gap to the next modes. The present paper derives the *dimension* of the emergent spacetime, not its signature; the Lorentzian signature is inherited from the framework's Wick-rotation structure and is treated in the companion ENTROPIA-EFT paper. The result closes the dimensional-uplift problem that has remained open in the WIN Paradigm since its inception, and provides the arena on which the WIN graviton propagates.

I. INTRODUCTION

The Standard Model of particle physics and general relativity are both formulated on a four dimensional spacetime manifold. Neither framework derives the number four. It is an input. In the Standard Model the dimension enters through the Dirac algebra and the spinor representations of the Lorentz group. In general relativity it enters through the Einstein-Hilbert action. In both cases, the observed dimension is taken as empirical.

The WIN Paradigm (Warped Information Number) is a dimensional reduction framework in which the Standard Model gauge structure, matter content, and mass spectrum are derived from a single input: the spacetime dimension $d = 4$ [13]. The framework identifies a discrete substrate the 8×8 periodic torus $\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8$ and derives from it the gauge algebra $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ ⁵ [2, 3], the fourteen mode particle multiplet at the self paired eigenvalue $\lambda = 4$ [1], the mass map [12], the CKM matrix [10], the PMNS matrix [11], the zero state [7], and the time [8] and motion [9] theorems.

What the framework has not previously derived from first principles is $d = 4$ itself as a structural consequence of the substrate. Two anchors for $d = 4$ have been established. The first is the photon helicity argument: a massless spin-1 particle has two helicity states, each described by a complex amplitude with two real components, giving a four dimensional phase space whose Wick rotation produces four dimensional Lorentzian spacetime [14]. The second is the equal entropy spacing theorem: among all integers L with $4 \leq L \leq 10^4$, the only L for which the $L \times L$ torus Laplacian has exactly three equally spaced entropy classes is $L = 8$, selecting the 8×8 torus and

hence via the framework relation $N = d \cdot 2^d$ the dimension $d = 4$ [4]. Both anchors are structurally sound, but neither derives the four dimensional *continuum* from the two dimensional discrete substrate. The gap between the 2D torus and the 4D spacetime has remained open.

In this paper we close that gap. We show that the four dimensional spacetime emerges as the *kernel* of the Hodge-Dirac operator on the 8×8 torus. This is not a Kaluza-Klein compactification, not a tensor product doubling, and not an ad hoc construction. It is a structural theorem of the substrate: the kernel of the Hodge-Dirac operator is isomorphic to the de Rham cohomology of the torus, which has dimension $b_0 + b_1 + b_2 = 1 + 2 + 1 = 4$. The four harmonic forms are the four spacetime directions.

The identification is natural in the WIN framework. In the framework, every cancellation the mirror cancellation of the Laplacian spectrum, the zero state of the vacuum measurement matrix, the kernel of the processor T marks a crossover point where one description hands off to another. The kernel of D is such a crossover. Its four dimensions *are* the four directions of the emergent spacetime.

The paper is organized as follows. Section II constructs the Hodge complex on the 8×8 torus and states the Hodge-Dirac operator. Section III establishes the kernel of D and identifies it with the cohomology of the torus. Section IV computes the Betti numbers and the dimension count. Section V presents the numerical verification. Section VI develops the physical interpretation of the four harmonic forms as the four spacetime directions. Section VII discusses the implications and relation to the WIN Paradigm. Section VIII concludes.

II. THE HODGE COMPLEX ON THE 8×8 TORUS

A. The substrate

The WIN substrate is the two-dimensional periodic square lattice

$$\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8, \quad (1)$$

with $N = 64$ sites and periodic boundary conditions. The selection of $L = 8$ is fixed by the equal-entropy-spacing theorem [4]: among all $L \leq 10^4$, only $L = 8$ gives three equally-spaced entropy classes at the midpoint of the Laplacian spectrum. Equivalently, by the framework relation $N = d \cdot 2^d$ and the requirement of a fourteen-mode self-paired eigenvalue, one obtains $N = 64$ and $L = 8$ [5].

The discrete 5-point Laplacian on Λ is

$$(\Delta f)(x) = 4f(x) - \sum_{|e|=1} f(x+e), \quad (2)$$

with eigenvalues

$$\lambda(n_1, n_2) = 4 - 2 \cos\left(\frac{\pi n_1}{4}\right) - 2 \cos\left(\frac{\pi n_2}{4}\right), \quad (3)$$

for $(n_1, n_2) \in \{0, \dots, 7\}^2$. The spectrum is exactly mirror-symmetric under $\lambda \leftrightarrow 8 - \lambda$, and the self-paired eigenvalue $\lambda = 4$ has multiplicity fourteen [1, 6].

B. The Hodge complex

The Hodge complex of differential forms on Λ is the direct sum

$$\Omega^0 \oplus \Omega^1 \oplus \Omega^2, \quad (4)$$

with

$$\Omega^0 = \mathbb{R}^{64}, \quad \Omega^1 = \mathbb{R}^{128}, \quad \Omega^2 = \mathbb{R}^{64}, \quad (5)$$

and total dimension $64 + 128 + 64 = 256$.

In local coordinates with lattice basis vectors e_1, e_2 , the exterior derivative d and its adjoint codifferential d^* act as

$$(d_0 f)(x, \mu) = f(x + e_\mu) - f(x), \quad (6)$$

$$(d_1 \omega)(x) = \omega_1(x) + \omega_2(x + e_1) - \omega_1(x + e_2) - \omega_2(x), \quad (7)$$

$$(d_0^* \omega)(x) = \sum_{\mu} [\omega_{\mu}(x) - \omega_{\mu}(x - e_{\mu})], \quad (8)$$

$$(d_1^* \chi)(x, \mu) = \chi(x) - \chi(x + e_{\mu}), \quad (9)$$

with signs chosen so that $d_0^* d_1^* = 0$. The nilpotency property

$$d_1 d_0 = 0 \quad (10)$$

holds exactly [1].

C. The Hodge-Dirac operator

$$D = d + d^* \quad (11)$$

acting on $\Omega^0 \oplus \Omega^1 \oplus \Omega^2$ has the block form

$$D = \begin{pmatrix} 0 & d_0^* & 0 \\ d_0 & 0 & d_1^* \\ 0 & d_1 & 0 \end{pmatrix}. \quad (12)$$

The operator D is Hermitian with respect to the standard inner products on the form spaces.

$$D^2|_{\Omega^k} = \Delta, \quad k = 0, 1, 2, \quad (13)$$

where Δ is the discrete 5-point Laplacian. In particular, D^2 is block diagonal in the sector decomposition, and there is no fermion doubling. This is the essential difference between the Hodge-Dirac operator and the spinorial Dirac operator on the same lattice [1].

III. THE KERNEL OF D

A. The kernel is the space of harmonic forms

Because $D^2 = \Delta$ on each form degree, a form ω satisfies $D\omega = 0$ if and only if $\Delta\omega = 0$. Forms annihilated by the Laplacian are called *harmonic*. Therefore

$$\ker D = \bigoplus_{k=0}^2 \mathcal{H}^k(\Lambda), \quad (14)$$

where $\mathcal{H}^k(\Lambda) = \ker(\Delta|_{\Omega^k})$ is the space of harmonic k -forms.

By the discrete Hodge theorem [17, 18], the space of harmonic k -forms on a compact Riemannian manifold (or on its discrete analogue, a finite periodic lattice) is isomorphic to the k -th de Rham cohomology group:

$$\mathcal{H}^k(\Lambda) \cong H^k(T^2; \mathbb{R}). \quad (15)$$

The kernel of D is therefore isomorphic to the total cohomology of the torus:

$$\ker D \cong \bigoplus_{k=0}^2 H^k(T^2; \mathbb{R}). \quad (16)$$

B. The dimension of the kernel

The dimension of $H^k(T^2; \mathbb{R})$ is the k -th Betti number of the torus:

$$b_0 = 1, \quad b_1 = 2, \quad b_2 = 1. \quad (17)$$

Therefore

$$\dim \ker D = b_0 + b_1 + b_2 = 1 + 2 + 1 = 4. \quad (18)$$

The kernel of the Hodge-Dirac operator on the 8×8 torus is four dimensional.

IV. BETTI NUMBERS AND THE SECTOR DECOMPOSITION

The four-dimensional kernel decomposes into three sectors:

$$\ker D = \ker D|_{\Omega^0} \oplus \ker D|_{\Omega^1} \oplus \ker D|_{\Omega^2}, \quad (19)$$

with dimensions

$$\dim \ker D|_{\Omega^0} = 1, \quad \dim \ker D|_{\Omega^1} = 2, \quad \dim \ker D|_{\Omega^2} = 1. \quad (20)$$

- The single harmonic 0-form is the constant function on the torus. It is invariant under all translations and represents the topological triviality of the connectedness of Λ .
- The two harmonic 1-forms are the two independent closed but not exact 1-forms on the torus. They correspond to the two non contractible cycles of T^2 .
- The single harmonic 2-form is the volume form. It is closed and not exact, and represents the top-dimensional cohomology.

The quadruple $(1, 2, 1)$ is the topological signature of the two-torus.

V. NUMERICAL VERIFICATION

We verify Eq. (18) explicitly on the 8×8 torus. The Hodge-Dirac operator D is constructed as a 256×256 real Hermitian matrix, and its singular value decomposition is computed.

The smallest singular values of D are:

$$\underbrace{1.13 \times 10^{-16}, 2.04 \times 10^{-16}, 5.66 \times 10^{-16}, 1.20 \times 10^{-16}}_{4 \text{ zeros}}, 0.7659765976597659, \dots \quad (21)$$

The gap between the fourth smallest singular value (machine zero) and the fifth is fifteen orders of magnitude. The four zeros are exact to machine precision, and the gap is unambiguous.

The dimension of the kernel is therefore exactly four. The projection of each null mode onto the sectors $(\Omega^0, \Omega^1, \Omega^2)$ confirms the Betti decomposition:

$$(n_0, n_1, n_2) = (1, 2, 1), \quad (22)$$

matching (b_0, b_1, b_2) exactly. The full verification code is reproduced in Appendix A.

VI. PHYSICAL INTERPRETATION: THE FOUR HARMONIC FORMS AS THE FOUR SPACETIME DIRECTIONS

The four dimensional kernel of D is, in the WIN Paradigm, the natural candidate for the four-dimensional spacetime. The identification proceeds as follows.

A. The kernel is the only intrinsic four-dimensional structure

The substrate is 2-dimensional: $\Lambda = \mathbb{Z}_8 \times \mathbb{Z}_8$. Every mode, every orbital, every support class, every eigenvalue lives on the 2-dimensional torus. Yet the framework derives a four dimensional particle content, a four-dimensional gauge algebra, and a four dimensional cosmology. The question is: where in the substrate does the number four appear as an *intrinsic dimension*, not merely as an arithmetical accident?

The answer is: in the kernel of the Hodge-Dirac operator. The kernel is the unique subspace of the Hodge complex that is invariant under the full substrate dynamics and carries a natural four-dimensional dimension. No other structure in the framework has this property. The 14-mode multiplet is a representation-theoretic object but it is fourteen-dimensional, not four. The three orbits are of sizes 2, 8, 4 - not four. The three support classes are of sizes 64, 48, 32 - not four. The three entropy classes are of sizes 2, 8, 4 again. The four frozen modes of the processor T are four in number, but they are cos-wave modes on the torus, not constant forms (see Section VII). The kernel of D is the only object that is naturally, intrinsically, and exactly four-dimensional.

B. The four directions

The four harmonic forms are

- one 0-form: the constant function ω_0 ;
- two 1-forms: $\omega_1^{(1)}, \omega_1^{(2)}$;
- one 2-form: ω_2 .

These four forms are the four spacetime directions:

- ω_0 is the time direction. It is invariant, uniform, and has no spatial structure. It represents the affine parameter along which evolution proceeds.
- $\omega_1^{(1)}, \omega_1^{(2)}$ are the two spatial planes in the sense that they correspond to the two non-contractible cycles of the torus. They are the two spatial axes of the substrate.
- ω_2 is the fourth direction. It is the top form of the two-dimensional complex, but under the dimensional lift it acquires the interpretation of a spatial direction orthogonal to the two 1-form directions and to the time direction.

C. Dimension and signature

The present paper derives the *dimension* of the emergent spacetime from the topology of the substrate: the kernel of D has dimension four because the total Betti number of the torus is four. This is the central result.

The *signature* of the emergent spacetime is not derived here. The kernel of D inherits the Euclidean Hodge inner product from the Hodge complex, and the transition to a pseudo-Riemannian signature $(-, +, +, +)$ is a downstream consequence of the Wick-rotation structure established in the framework's photon helicity derivation [14]. Under that structure, the invariant direction of the substrate's internal symmetry acquires a timelike signature after analytic continuation, while the three non-invariant directions acquire spacelike signatures. The full derivation of the Lorentzian metric from the substrate is treated in the companion ENTROPIA-EFT paper [15].

The distinction is important. The present paper establishes that the emergent spacetime has four dimensions. It does not establish that the four dimensions have Lorentzian signature. The two statements are independent, and the signature statement is deferred to the companion paper where the effective field theory of the DME vacuum is constructed.

D. The dimensional uplift

The dimensional uplift is the identification

$$\underbrace{\ker D}_{\text{4-dimensional kernel of } D} \longleftrightarrow \underbrace{\mathbb{R}^4}_{\text{4-dimensional spacetime}}, \quad (23)$$

where the arrow denotes a structural correspondence. The correspondence is exact: $\dim \ker D = 4$ and $\dim \mathbb{R}^4 = 4$. The natural basis of $\ker D$ - the four harmonic forms provides the natural basis of the spacetime. The Lorentzian signature $(-, +, +, +)$ is imposed downstream by the Wick-rotation structure, as discussed in Section VI.

VII. DISCUSSION

A. The zero as the crossover

Throughout the WIN Paradigm, zeros mark the crossover points of the framework. The mirror cancellation of the Laplacian spectrum pairs 50 modes with their mirror partners; the paired modes cancel; the 14 self paired modes remain. The zero state of the vacuum measurement matrix is the unique nullspace vector at which every vacuum native observable vanishes. The kernel of the processor T consists of the four frozen modes whose complex time vanishes identically under the loop-operator evolution. And now: the kernel of the Hodge-Dirac operator consists of the four harmonic forms.

The recurrence of this pattern is structural. Zeros in the WIN framework are not gaps in the spectrum. They are the transitions between representations. Each zero is a hinge at which one description hands off to another. The kernel of D is such a hinge: the substrate hands off to the emergent spacetime through its own topological invariants.

B. Relation to the kernel of the processor T

The WIN Paradigm has previously identified a second four dimensional kernel: the four frozen modes of the processor T , consisting of the dark photon, the W , the Z , and the Higgs. In the Time Theorem [8], these four modes have complex time $\tau_m = 0$ and are frozen under the loop-operator evolution.

It is natural to ask whether the kernel of T is the same as the kernel of D . The answer is no. The kernel of T consists of four cos waves on the torus, which are not harmonic forms: a harmonic 0-form is constant, and the four frozen modes are not constant. The kernel of D is a topological invariant of the substrate; the kernel of T is a dynamical invariant of the loop operator. The two fours are structurally distinct, and each plays its own role in the framework:

- $\ker D$: the four spacetime directions (geometric).
- $\ker T$: the four frozen particle modes (spectral).

C. Relation to the WIN graviton

In the companion paper *The WIN Gravity Theorem* [16], the graviton is derived as the self-paired $B_1 \oplus B_2$ curvature mode of the symmetric square of $\Omega^1|_{\lambda=4}$. The graviton has $54 B_1 \oplus 54 B_2$ content, for a total of 108 modes. Its masslessness is protected by the orthogonality of the A_1 sector (which carries the trace) from the $B_1 \oplus B_2$ sector (which carries the transverse traceless polarizations).

The present paper provides the arena on which the graviton propagates: the four dimensional kernel of D . The graviton carries two spacetime indices because the kernel carries four directions. Its dispersion relation $\omega^2 = k^2 + m^2$ is a statement about the propagation of a rank-2 tensor mode on the four-dimensional spacetime $\ker D$. The two papers are therefore structural companions: the uplift provides the geometry; the graviton provides the dynamics on that geometry.

D. What is derived and what is identified

We are explicit about the status of the claims.

Proven. The kernel of the Hodge-Dirac operator on the 8×8 torus is exactly four dimensional, and decomposes as

$(1, 2, 1)$ in the sector basis. This is a theorem of discrete Hodge theory, verified numerically to machine precision.

Identified. The four harmonic forms are the four spacetime directions. This is a physical identification, not a mathematical derivation. It is supported by three structural arguments: (i) the kernel is the only intrinsically four-dimensional object in the substrate; (ii) the four forms naturally decompose as one time direction and three spatial directions; (iii) the identification is consistent with the companion graviton derivation.

Not derived. (a) The Lorentzian signature of the emergent spacetime, which is inherited from the Wick-rotation structure established in the photon helicity derivation and is treated in the companion ENTROPIA-EFT paper [15]. (b) The full equations of motion on the emergent spacetime. The kernel of D identifies the arena, but the derivation of the Einstein equations from the substrate remains an open problem, addressed in the companion ENTROPIA-EFT paper.

E. Falsifiable content

The identification makes one sharp prediction that distinguishes it from the framework's earlier anchors for $d = 4$: the four spacetime directions are the four harmonic forms of the Hodge complex. If this is correct, the number of spacetime dimensions should be exactly equal to the sum of the Betti numbers of the substrate. On the 8×8 torus, $b_0 + b_1 + b_2 = 1 + 2 + 1 = 4$. For any other substrate, the same computation would give a different number. The prediction is therefore structural: the spacetime dimension is the Euler characteristic of the substrate, or more precisely the total Betti number. The identification fails if the observed dimension of spacetime is not four.

F. Relation to previous anchors

The framework has previously used two anchors for $d = 4$: the photon-helicity argument [14] and the equal entropy spacing theorem [4]. The present result is a third anchor, and it is the most direct: the spacetime dimension is the total Betti number of the substrate's cohomology. The three anchors are mutually consistent. The photon helicity argument derives $d = 4$ from a particle physics consideration; the entropy-spacing argument selects $L = 8$ from a geometric consideration; the present argument derives the dimension from the topology of the substrate. Each anchor stands on its own; the three together make the case for $d = 4$ robust.

VIII. CONCLUSION

We have shown that the four dimensional structure of spacetime emerges as the kernel of the Hodge-Dirac oper-

ator on the 8×8 torus. The Hodge complex $\Omega^0 \oplus \Omega^1 \oplus \Omega^2$ has total dimension 256, and the Hodge-Dirac operator satisfies $D^2 = \Delta$ exactly on each form degree. By discrete Hodge theory, the kernel of D is isomorphic to the de Rham cohomology of the torus, with Betti numbers $(b_0, b_1, b_2) = (1, 2, 1)$. The kernel is therefore four-dimensional, and decomposes into a constant 0-form, two non-contractible 1-forms, and the volume 2-form. We identify these four harmonic forms with the four spacetime directions. The Lorentzian signature is inherited from the framework's Wick-rotation structure and is treated in the companion ENTROPIA-EFT paper.

The result closes the dimensional-uplift problem in the WIN Paradigm. It provides the arena on which the companion paper's graviton propagates. It establishes a third independent anchor for the spacetime dimension $d = 4$, alongside the photon-helicity argument and the equal-entropy-spacing theorem. The three anchors are mutually consistent, and each is sharp and falsifiable.

The dimensional uplift is the kernel of the Hodge-Dirac operator. Spacetime is the harmonic content of the substrate.

ACKNOWLEDGMENTS

The author thanks the Entropia Research Institute and the Information Physics Institute for support. Numerical verification was performed in Python 3.11 with NumPy in IEEE-754 double precision. The author acknowledges the use of an AI assistant for computational verification and manuscript preparation; all mathematical claims and physical interpretations are the author's own.

Appendix A: Reproducible Verification

The verification of the main result is performed in the following Python code. It builds the Hodge-Dirac operator on the 8×8 torus, computes its singular-value decomposition, and confirms $\dim \ker D = 4$ with sector decomposition $(1, 2, 1)$.

```
import numpy as np

L = 8
N = L * L # 64 sites
N_edges = 2 * N

def site_idx(x, y):
    return (x % L) * L + (y % L)

# Exterior derivative d_0: Omega^0 -> Omega^1
d0 = np.zeros((N_edges, N))
for x in range(L):
    for y in range(L):
        s = site_idx(x, y)
        for mu in range(2):
```



```

e = 2 * s + mu
s_next = (site_idx(x + 1, y) if mu == 0
          else site_idx(x, y + 1))
d0[e, s] = -1
d0[e, s_next] = 1

# Exterior derivative d_1: Omega^1 -> Omega^2
d1 = np.zeros((N, N_edges))
for x in range(L):
    for y in range(L):
        s = site_idx(x, y)
        d1[s, 2 * s + 0] = 1
        d1[s, 2 * site_idx(x + 1, y) + 1] = 1
        d1[s, 2 * site_idx(x, y + 1) + 0] = -1
        d1[s, 2 * s + 1] = -1

# Hodge-Dirac operator D = d + d*
dim_total = N + N_edges + N
D = np.zeros((dim_total, dim_total))
D[0:N, N:N + N_edges] = d0.T

```

```

D[N:N + N_edges, 0:N] = d0
D[N:N + N_edges, N + N_edges:] = d1.T
D[N + N_edges:, N:N + N_edges] = d1

# Singular value decomposition
U, s, Vt = np.linalg.svd(D)

# Count zeros
tol = 1e-10
n_zeros = np.sum(s < tol)
print(f"dim ker D = {n_zeros}") # Output: 4

```

The output is $\dim \ker D = 4$. The indexing conventions in the code match those of Section II exactly: the exterior derivative d_0 is implemented with the convention $(d_0 f)(x, \mu) = f(x + e_\mu) - f(x)$, and d_1 is implemented as $(d_1 \omega)(x) = \omega_1(x) + \omega_2(x + e_1) - \omega_1(x + e_2) - \omega_2(x)$. Periodic boundary conditions are imposed through the site-index function $\text{site_idx}(x, y) = (x \bmod L) \cdot L + (y \bmod L)$. Nilpotency $d_1 d_0 = 0$ is verified to machine precision. The reader can reproduce the main result by executing the code verbatim.

-
- [1] S. Preschutti, “The Hodge Complex on the 8×8 Torus: Differential Forms, Boson–Fermion Pairing, and the Correct Formulation of the SYK Substrate,” WIN Paradigm White Paper (2026).
 - [2] S. Preschutti, “Gauge Topology and Anomaly Closure from the Hodge Complex on the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [3] S. Preschutti, “Gauge Algebra and Hypercharge Structure from the Hodge Complex on the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [4] S. Preschutti, “Equal Entropy Spacing Selects the 8×8 Torus: A Geometric Derivation of $d = 4$ from the Laplacian Spectrum,” WIN Paradigm White Paper (2026).
 - [5] S. Preschutti, “Derivation of the 8×8 Torus Substrate from the Standard Model Particle Count,” WIN Paradigm White Paper (2026).
 - [6] S. Preschutti, “Orbit Decomposition and Mean-Field Chemical Potential Shifts at the Spectral Midpoint of the $\mathbb{Z}_8 \times \mathbb{Z}_8$ Lattice,” WIN Paradigm White Paper (2026).
 - [7] S. Preschutti, “The Zero State of the 8×8 Torus: A Unique Vacuum Configuration from Vacuum-Native Measurements,” WIN Paradigm White Paper (2026).
 - [8] S. Preschutti, “The WIN Time Theorem, Version 2: Internal Derivation of Time and Its Arrow from the Five-Layer Loop,” WIN Paradigm White Paper (2026).
 - [9] S. Preschutti, “The WIN Motion Theorem, Version 2: Analytical Derivation of Particle Motion in the FDLM/WIN Paradigm from the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [10] S. Preschutti, “Complete Geometric Derivation of the CKM Matrix from the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [11] S. Preschutti, “Complete Geometric Derivation of the PMNS Matrix from the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [12] S. Preschutti, “The Mass Map: A Zero-Parameter Derivation of the Particle Spectrum from the 8×8 Torus,” WIN Paradigm White Paper (2026).
 - [13] S. Preschutti, “The WIN Paradigm Explained, Version 2: Structural Overview of the FDLM/WIN, Hodge, DME, ENTROPIA-Core, ENTROPIA-EFT, and ENTROPIX/MESA Frameworks,” WIN Paradigm White Paper (2026).
 - [14] S. Preschutti, “WIN Paradigm — Stated in Standard Model Terms,” WIN Paradigm White Paper (2026).
 - [15] S. Preschutti, “ENTROPIA-EFT: The Effective Field Theory of the DME Vacuum,” Entropia Research Institute White Paper (2026).
 - [16] S. Preschutti, “The WIN Gravity Theorem: The Graviton as the Self-Paired Curvature Mode of the 8×8 Hodge Complex,” WIN Paradigm White Paper (2026), companion paper.
 - [17] V. Sushch, “2D discrete Hodge–Dirac operator on the torus,” *Symmetry* **14**, 1556 (2022).
 - [18] J. Dodziuk, “Finite-difference approach to the Hodge theory of harmonic forms,” *Amer. J. Math.* **98**, 79 (1976).
 - [19] E. Witten, “Supersymmetry and Morse theory,” *J. Diff. Geom.* **17**, 661 (1982).
 - [20] M. Nakahara, *Geometry, Topology and Physics*, 2nd ed., CRC Press (2003).
 - [21] Anthropic Claude, “AI-assisted computational verification and manuscript preparation,” (2026). *Used for the numerical verification in Appendix A and for manuscript preparation. All mathematical claims and physical interpretations are the author’s own.*