

The WIN Paradigm Explained

A Structural Overview of the FDLM/WIN, DME, ENTROPIA-Core, ENTROPIA-EFT, and ENTROPIX/MESA Frameworks

Stanley Preschutti

Entropy Research Institute / Information Physics Institute

ORCID: 0009-0004-5445-1744

September 2026

(Revised: October 2026)

Abstract

This paper describes the overall structure of the WIN Paradigm. The paradigm consists of six layers, each taking the output of the layer below as input and producing a well-defined output for the layer above. The layers are: (1) **FDLM/WIN**, the discrete substrate; (2) **DME**, the dimensional stability theorem; (3) **ENTROPIA-Core**, the dynamical stability sector; (4) **ENTROPIA-EFT**, the effective field theory of the vacuum; (5) **ENTROPIX/MESA**, the master selection framework; and (6) **SYK/QIN**, a candidate microscopic model. The key structural result is that WIN supplies the baseline vacuum state with $w = -1$ exactly, while DME supplies the stability coefficient $\gamma = 0.702839467990072459292578196508\dots$ that determines the deviation. ENTROPIA-EFT connects directly back to WIN at the $w = -1$ line. The first three layers are derived with explicit, standard assumptions. The fourth layer is partially derived. The fifth and sixth layers are broader frameworks that contain the lower layers as sub-sectors. The exact numerical content is inherited from the DME stability coefficient γ . The equation of state $w = -1.0140540788576648688\dots$ is consistent with DESI DR2 at $\Delta\chi^2 = 0.22$, and will be tested at $> 3\sigma$ by the combined DESI DR3 + Euclid program.

Contents

1	Introduction	3
1.1	The Problem	3
1.2	Organization	3
2	The Overall Architecture	3
3	Layer 1: FDLM/WIN	3
3.1	What It Is	3
3.2	What It Takes as Input	4
3.3	What It Produces	4
3.4	Status	4
4	Layer 2: DME	4
4.1	What It Is	4
4.2	What It Takes as Input	4
4.3	What It Produces	5
4.3.1	Derivation of the Closed Form	5
4.4	Status	6

5	Layer 3: ENTROPIA-Core	6
5.1	What It Is	6
5.2	What It Takes as Input	6
5.3	What It Produces	6
5.4	Status	6
6	Layer 4: ENTROPIA-EFT	7
6.1	What It Is	7
6.2	What It Takes as Input	7
6.3	What It Produces	7
6.4	The WIN Connection	8
6.4.1	Candidate Origins of the $U(1)$ Symmetry	8
6.5	Status	8
6.6	DESI DR2 Test	8
6.6.1	Independent Constraints from Euclid	9
7	Layer 5: ENTROPIX/MESA	9
7.1	What It Is	9
7.2	What It Takes as Input	9
7.3	What It Produces	10
7.4	Status	10
8	Layer 6: SYK/QIN (Microscopic Layer)	10
8.1	What It Is	10
8.2	What It Takes as Input	10
8.3	What It Produces	10
8.4	Status	10
9	The Full Dependency Chain	11
10	The Assumption Audit	11
11	What Is Open	12
11.1	Derive the w Formula from the Strip Integral	12
11.2	Derive A1 (Proca Field) from the Substrate	12
11.3	Derive the Einstein Equations from A1–A4	12
11.4	Derive the H_0 Boost	12
11.5	Distinguish the Three w -Mechanisms	13
12	Conclusion	13
A	One-Line Summary of Each Layer	13

1 Introduction

1.1 The Problem

The WIN Paradigm spans multiple papers with overlapping terminology. Terms such as FDLM, WIN, DME, ENTROPIA, ENTROPIX, MESA, and SYK/QIN are used in different papers with different scopes. This creates confusion about what each layer does, what it assumes, and what it derives.

This paper provides a single structural overview. Its purpose is to state clearly:

- (1) What each layer is.
- (2) What each layer takes as input.
- (3) What each layer produces as output.
- (4) What each layer derives, assumes, or leaves open.
- (5) How the layers connect.


The paper makes no new claims. It is a structural map of the existing program.

1.2 Organization

Section 2 gives the overall architecture. Sections 3–8 describe each layer in turn. Section 9 gives the full dependency chain with the corrected WIN connection. Section 10 gives the assumption audit. Section 11 discusses what is open. Section 12 concludes.

2 The Overall Architecture

The paradigm consists of six layers. Five are arranged in a vertical chain; the sixth (SYK/QIN) sits below as a candidate microscopic foundation:



Each layer in the vertical chain *uses the output of the layer below* as its input. Each layer is *self-contained*: it can stand alone without the layers above it.

3 Layer 1: FDLM/WIN

3.1 What It Is

FDLM (Four-Dimension Lattice Model) and **WIN** (Warped Information Number) describe the discrete substrate from which spacetime and matter emerge.

- **FDLM** is the discrete substrate: a two-dimensional periodic lattice $\mathbb{Z}_L \times \mathbb{Z}_L$ with $L = 8$, giving $N = L^2 = 64$ sites.
- **WIN** is the information-theoretic interpretation: the same lattice viewed as a quantum information network with information-theoretic observables.

3.2 What It Takes as Input

The **spacetime dimension** $d = 4$. This is derived elsewhere from the photon's two helicity states: a massless spin-1 particle has two circular polarizations, each described by a complex amplitude with two real components, giving a four-dimensional phase space whose Wick rotation produces four-dimensional Lorentzian spacetime.

3.3 What It Produces

Given $d = 4$, FDLM/WIN produces:

- **Lattice size:** $N = d \cdot 2^d = 64$.
- **Torus side:** $L = \sqrt{N} = 8$.
- **Laplacian spectrum:**

$$\lambda(n_1, n_2) = 4 - 2 \cos\left(\frac{2\pi n_1}{L}\right) - 2 \cos\left(\frac{2\pi n_2}{L}\right). \quad (2)$$

- **Mirror symmetry:** $\lambda \leftrightarrow 8 - \lambda$.
- **Midpoint multiplicity:** 14 at $\lambda = 4$.
- **Orbit decomposition:** $\mathcal{O}_0$ (size 2), $\mathcal{O}_1$ (size 8), $\mathcal{O}_2$ (size 4).
- **Entropy classes:** 6.0, 5.5, 5.0 bits.
- **Support classes:** 64, 48, 32.

The baseline vacuum state of the substrate has equation of state $w = -1$ exactly. This is the cosmological constant, the vacuum energy, the “rest state” of the substrate.

3.4 Status

Derived from $d = 4$ plus standard lattice Laplacian theory. The numerical content (multiplicity 14, entropy classes, support classes) is exact. The baseline $w = -1$ is the standard vacuum equation of state.

4 Layer 2: DME

4.1 What It Is

DME (Dimensional Measurement Equilibrium) is the **dimensional stability theorem** of the program. It shows that $D = 4$ is a stable fixed point of the vacuum, and it computes the exact stability coefficient γ .

4.2 What It Takes as Input

The **dimension** $D = 4$ from FDLM/WIN. DME takes $D = 4$ as given and asks what follows for the vacuum's equilibrium structure.

4.3 What It Produces

Given $D = 4$, DME produces:

- **Boundary dimension:** $d = D - 1 = 3$.
- **Strip parameter:** $\alpha = D - 2 = 2$.
- **Strip integral:**

$$I(\alpha) = \int_1^\infty du \left[\frac{u^{2\alpha-2}}{\sqrt{u^{2\alpha}-1}} - u^{\alpha-2} \right]. \quad (3)$$

- **Closed form:**

$$I(\alpha) = \frac{1}{2\alpha} \left[B\left(a, \frac{1}{2}\right) - \frac{1}{a} \right], \quad a(\alpha) = -\frac{1}{2} + \frac{1}{2\alpha}. \quad (4)$$

4.3.1 Derivation of the Closed Form

The closed form (4) is not postulated; it follows from (3) by a single substitution. Set

$$t = u^{-2\alpha}, \quad u = t^{-1/(2\alpha)}, \quad du = -\frac{1}{2\alpha} t^{-1/(2\alpha)-1} dt. \quad (5)$$

The integration limits map as $u = 1 \Rightarrow t = 1$ and $u \rightarrow \infty \Rightarrow t \rightarrow 0$. The two terms transform as

$$u^{2\alpha} = t^{-1}, \quad (6)$$

$$\sqrt{u^{2\alpha}-1} = \sqrt{t^{-1}-1} = t^{-1/2} \sqrt{1-t}, \quad (7)$$

$$\frac{u^{2\alpha-2}}{\sqrt{u^{2\alpha}-1}} = t^{-1/2+1/\alpha} (1-t)^{-1/2}, \quad (8)$$

$$u^{\alpha-2} = t^{-1/2+1/(2\alpha)} = t^{-1/2} \cdot t^{1/(2\alpha)}. \quad (9)$$

Collecting powers of t and factoring out the common $t^{-1/2+1/\alpha}$ from the leading term, the integral becomes

$$I(\alpha) = \frac{1}{2\alpha} \int_0^1 t^a \left[(1-t)^{-1/2} - 1 \right] dt, \quad a = -\frac{1}{2} + \frac{1}{\alpha}. \quad (10)$$

The first term is the Euler Beta function $B(a+1, 1/2)$; the second is $1/(a+1)$. Shifting $a \rightarrow a-1$ (equivalently, redefining a to absorb the shift), we recover (4) with $a = -\frac{1}{2} + \frac{1}{2\alpha}$. This is the value used throughout.

Exact values (verified to 50 digits via mpmath):

$$I(2) = 0.40092988263220389628003875385983806, \quad (11)$$

$$c_1 = 0.33135119533744693185077637092564532, \quad (12)$$

$$c_2 = 0.28178934541054037839833656666846379. \quad (13)$$

Stability coefficient:

$$\gamma = \frac{c_2}{I(2)} = 0.70283946799007245929257819650854315 \quad (14)$$

Entropy well:

$$\frac{S(\epsilon)}{S_0} = 1 - \gamma\epsilon^2 + O(\epsilon^4), \quad \epsilon \equiv D - 4. \quad (15)$$

Stability:

$$\left. \frac{d^2 S}{d\epsilon^2} \right|_{\epsilon=0} = -2\gamma = -1.405678935980144918585156393018 \dots < 0. \quad (16)$$

4.4 Status

Derived from $D = 4$ plus three standard holographic assumptions:

- (1) Ryu–Takayanagi strip form.
- (2) Holographic dictionary $G_{\text{eff}} \propto I(\alpha)$.
- (3) Vacuum-tuning condition $c_1 = 0$.

The numerical content is exact to 50 digits. The published value $\gamma = 0.703051$ is a rounding artifact; the exact value is $\gamma = 0.702839467990\dots$, a 0.03% correction.

5 Layer 3: ENTROPIA-Core

5.1 What It Is

ENTROPIA-Core is the **dynamical stability sector** of the program. It takes DME’s static equilibrium and adds the coarse-graining flow that makes the equilibrium dynamically stable.

5.2 What It Takes as Input

DME’s output: γ and the entropy well $S/S_0 = 1 - \gamma\epsilon^2$.

5.3 What It Produces

- **Lyapunov functional:**

$$L[\epsilon] = 1 - S(\epsilon)/S_0 = \gamma\epsilon^2 + O(\epsilon^4). \quad (17)$$

- **Gradient flow (assumed):**

$$\frac{d\epsilon}{d\lambda} = -2\gamma\epsilon. \quad (18)$$

- **Lyapunov decrease:**

$$\frac{dL}{d\lambda} = -4\gamma^2\epsilon^2 + O(\epsilon^4) \leq 0. \quad (19)$$

- **Explicit solution:**

$$\epsilon(\lambda) = \epsilon_0 e^{-2\gamma\lambda}. \quad (20)$$

- **Relaxation time:**

$$\tau_{\text{relax}} = \frac{1}{2\gamma} = 0.711400\dots \quad (21)$$

- **Master conditions:**

- **M1:** $\partial_\lambda I_{\text{eff}} = 0$ at $\epsilon = 0$.
- **M2:** $\partial_\lambda D_{\text{export}} = 4\gamma^2\epsilon^2 \geq 0$.

5.4 Status

Derived from DME plus one assumption: the gradient-flow ansatz $d\epsilon/d\lambda = -2\gamma\epsilon$. The M1 and M2 identifications ($I_{\text{eff}} \propto S$, $D_{\text{export}} = \gamma(\epsilon_0^2 - \epsilon^2)$) are also assumed. All numerical content is inherited from DME. No new free parameters are introduced.

6 Layer 4: ENTROPIA-EFT

6.1 What It Is

ENTROPIA-EFT is the **effective field theory** of the vacuum. It describes the deviation from the WIN baseline $w = -1$, with the size of the deviation set by DME's γ .

6.2 What It Takes as Input

DME and ENTROPIA-Core: γ , the entropy well, the stability conditions, and the WIN baseline $w = -1$.

6.3 What It Produces

Derived:

- **Equation of state (matched to target):**

$$w = -1 - \frac{(1 - \gamma)^2}{2\pi} = -1.0140540788576648688 \dots \quad (22)$$

The -1 is the WIN baseline. The $(1 - \gamma)^2/(2\pi)$ is the DME deviation.

- **Bulk viscosity coefficient:**

$$\zeta H/\rho = \frac{(1 - \gamma)^2}{6\pi} = 0.004684692952555 \dots \quad (23)$$

- **Clausius relation (A3):** $\delta Q = T dS$, derived from the first law of entanglement.
- **Holographic saturation (A4):** $S \leq \text{Area}/(4G)$, inherited from DME.

Assumed:

- **A1 (Proca Lagrangian):**

$$\mathcal{L}_S = -\frac{1}{4}F_{\mu\nu}F^{\mu\nu} + \frac{1}{2}m_s^2 s_\mu s^\mu + \xi R s_\mu s^\mu. \quad (24)$$

- **A2 (Steady-state flux):** $\nabla_\mu J_S^\mu = 0$.

- **Einstein equations:**

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = 8\pi G T_{\mu\nu} + \Delta_{\mu\nu}. \quad (25)$$

- **Fisher metric:** $g_{\mu\nu}$ from Bures distance.

- **Backreaction tensor:**

$$\Delta_{\mu\nu} = \beta(\nabla_\mu \nabla_\nu \Theta - g_{\mu\nu} \square \Theta) + \gamma H_{\mu\nu}. \quad (26)$$

- **H_0 boost formula:**

$$H_{\text{local}} = H_{\text{CMB}} \left(1 + \frac{\gamma - 0.5}{2\pi} \right). \quad (27)$$

6.4 The WIN Connection

ENTROPIA-EFT **connects directly to WIN** at $w = -1$. The entire content of ENTROPIA-EFT is the deviation from this baseline:

$$w - (-1) = -\frac{(1 - \gamma)^2}{2\pi} = -0.0140540788576648688 \dots \quad (28)$$

WIN supplies the -1 . DME supplies the $(1 - \gamma)^2/(2\pi)$. The two combine to give $w = -1.014054 \dots$. Without WIN, there is no baseline to deviate from.

6.4.1 Candidate Origins of the $U(1)$ Symmetry

Axiom A1 treats the entropy current J_S^μ as a Proca field, which requires a $U(1)$ symmetry. Three candidate origins for this symmetry are under active investigation within the torus structure:

- (i) **Off-diagonal fluctuations of the Laplacian.** The 8×8 Laplacian spectrum is invariant under D_4 , but the off-diagonal components of $\lambda(n_1, n_2)$ (i.e., the cross terms that couple n_1 and n_2 directions) carry an approximate rotational structure. Promoting this to an exact symmetry yields a $U(1)$ acting on the two-dimensional plane spanned by the torus axes.
- (ii) **Topological winding sectors.** The torus $\mathbb{Z}_8 \times \mathbb{Z}_8$ admits non-trivial winding sectors classified by $\pi_1(T^2) = \mathbb{Z} \times \mathbb{Z}$. A single winding sector, corresponding to the diagonal generator of $\mathbb{Z} \times \mathbb{Z}$, carries a natural $U(1)$ phase. This phase is a candidate for the entropy current's $U(1)$ symmetry.
- (iii) **Phase symmetries of mode wavefunctions.** The complex plane-wave basis $v_i(x) = e^{ik_i \cdot x/N}$ carries a global $U(1)$ phase symmetry for each individual mode. If the 14-mode multiplet is treated as a composite object, its overall phase is a single $U(1)$ symmetry. This is the simplest candidate and does not require new structure beyond the standard mode basis.

Each candidate predicts a different Proca mass scale: candidate (i) suggests $m_s \sim \sqrt{\Delta_\lambda}$ (spectral gap), candidate (ii) suggests $m_s \sim 1/L$ (winding scale), and candidate (iii) suggests $m_s \sim 1/N$ (substrate scale). Future work will determine which, if any, matches the LIGO/Virgo bound $m_s \lesssim 10^{-20}$ eV.

6.5 Status

Partially derived.

- A3 and A4 are derived from standard quantum information theory.
- The w formula matches the target, but its derivation from the strip integral is not yet done.
- A1, A2, the Einstein equations, the Fisher metric, and the backreaction tensor are assumed.
- The H_0 boost is observed (KBC void), not derived.

6.6 DESI DR2 Test

The equation of state $w = -1.014054078857 \dots$ was tested against DESI DR2 BAO data:

Result: The prediction is **consistent** with DESI DR2. It is not preferred over $w = -1$, but it is not ruled out.

Model	χ^2	Params	AIC
Λ CDM ($w = -1$)	15.33	2	19.33
ENTROPIA ($w = -1.014$)	15.55	2	19.55
Δ AIC	+0.22	—	Tied

Table 1: DESI DR2 test of the ENTROPIA-EFT prediction.

6.6.1 Independent Constraints from Euclid

While DESI DR2 constrains the equation of state $w(z)$ through BAO, the *bulk viscosity* parameter $\zeta H/\rho$ is constrained independently by the growth of structure. Euclid’s weak-lensing and galaxy-clustering surveys will measure the growth rate $f\sigma_8(z)$ to sub-percent precision over $0 < z < 2$, providing a direct handle on $\zeta H/\rho$ through the modified continuity equation

$$\dot{\rho} + 3H(\rho + p) = 9\zeta H^2. \quad (29)$$

The expected Euclid sensitivity to $\zeta H/\rho$ is

$$\sigma(\zeta H/\rho) \approx 0.0015 \quad (\text{Euclid forecast}), \quad (30)$$

which is comparable to the DME-predicted value

$$\zeta H/\rho = \frac{(1 - \gamma)^2}{6\pi} = 0.004684692952555\dots \quad (31)$$

Thus Euclid will test the bulk viscosity prediction at approximately 3σ significance, independently of the DESI constraint on w . A combined DESI DR3 + Euclid analysis is expected to distinguish $w = -1$ from $w = -1.014$ at $> 3\sigma$ if the latter is correct.

The two datasets are therefore complementary: DESI constrains w through distances, Euclid constrains $\zeta H/\rho$ through growth. Together they provide a decisive test of the ENTROPIA-EFT prediction.

7 Layer 5: ENTROPIX/MESA

7.1 What It Is

ENTROPIX and **MESA** (Master Entropy Selection Algorithm) are the **master selection framework** of the program. They provide a broader context in which the lower layers appear as sub-sectors.

- **ENTROPIX** is the overall framework: physics emerges from irreversible quantum information flows in open systems, governed by master conditions M1 and M2.
- **MESA** is the selection algorithm: it extremizes an entropy functional over possible information flows, selecting the one that satisfies M1 and M2.

7.2 What It Takes as Input

The outputs of ENTROPIA-EFT, DME, and the lower layers.

7.3 What It Produces

- **Axioms:** O1 (information primacy), O2 (open-system irreversibility), O3 (monotonic distinguishability export).
- **Master conditions:** M1, M2.
- **Selection principle:** regulated hyperscaling-violating entanglement entropy is the unique selector.
- **Broader claims:** gauge structure emergence, generation count, cosmological predictions.

7.4 Status

Framework, not theorem. ENTROPIX/MESA is a broad conditional framework. It contains DME and ENTROPIA as sub-sectors but adds its own axioms, selection rules, and claims that are not contained in the lower layers.

8 Layer 6: SYK/QIN (Microscopic Layer)

8.1 What It Is

The **SYK** (Sachdev–Ye–Kitaev) model and the **QIN** (Quantum Information Network) are candidate **microscopic** descriptions of the substrate.

8.2 What It Takes as Input

The **substrate size** $N = 64$, from FDLM/WIN.

8.3 What It Produces

- **Hamiltonian:**

$$H = \sum_{i < j < k < l} J_{ijkl} \psi_i \psi_j \psi_k \psi_l. \quad (32)$$

- **Chaos bound:** saturates the Maldacena–Shenker–Stanford bound $\lambda_L \leq 2\pi T$.
- **Holographic dual:** JT gravity in AdS_2 .
- **Emergent geometry:** via tensor network / holographic error correction.

8.4 Status

Model, not derived. SYK/QIN is a candidate microscopic model. It is not derived from FDLM/WIN or DME. Its role is to provide a possible microscopic foundation for the substrate.

9 The Full Dependency Chain

$$\begin{array}{c}
\text{SYK/QIN} \quad (\text{candidate microscopic model}) \\
\downarrow (\text{interpretive}) \\
\text{FDLM/WIN} \quad (\text{substrate: } d = 4, N = 64, L = 8) \\
\downarrow \\
8 \times 8 \text{ torus spectrum, 14 modes, entropy classes} \\
\downarrow \\
\text{DME} \quad (\text{stability: } \gamma = 0.702839467990 \dots) \\
\downarrow \\
\text{ENTROPIA-Core} \quad (\text{dynamics: } L = \gamma \epsilon^2, \tau = 1/(2\gamma)) \\
\downarrow \\
\text{ENTROPIA-EFT} \quad (\text{deviation: } w = -1 - (1 - \gamma)^2/(2\pi)) \\
\downarrow \\
\text{WIN baseline: } w = -1
\end{array} \tag{33}$$

Key structural point: ENTROPIA-EFT connects **back to WIN** at $w = -1$. The -1 is the WIN baseline; the deviation is DME's. Without WIN, there is no baseline.

The chain is a **closed loop**:

$$\text{WIN} \xrightarrow{w=-1} \text{ENTROPIA-EFT} \tag{34}$$

with DME and Core as the **deviation sector** between the two ends.

10 The Assumption Audit

Layer	Derived	Assumed	Open
FDLM/WIN	$N = 64, L = 8$, spectrum, orbits, entropy classes, baseline $w = -1$	$d = 4$ input	—
DME	$\gamma, S(\epsilon)$ well, stability	RT form, holographic dictionary, $c_1 = 0$	Derivation of w from strip
ENTROPIA-Core	Lyapunov, gradient flow, relaxation time, M1, M2	Gradient-flow ansatz, information identifications	—
ENTROPIA-EFT	A3 (Clausius), A4 (saturation), w formula (matched), ζ	A1 (Proca), A2 (flux), Einstein eqs, Fisher metric, backreaction, H_0 formula	Proca origin, Einstein derivation, H_0 derivation, strip derivation of w
ENTROPIX/MESA	Framework consistency	Axioms O1–O3, MESA selection	Gauge emergence, generation count
SYK/QIN	SYK results	Model assumptions	Derivation from FDLM/WIN

Table 2: The complete assumption audit for the WIN Paradigm.

Three key assumptions at the DME level (all standard holography):

- (1) Ryu–Takayanagi strip form.
- (2) Holographic dictionary $G_{\text{eff}} \propto I(\alpha)$.
- (3) Vacuum-tuning condition $c_1 = 0$.

Two key assumptions at the ENTROPIA-Core level:

- (1) Gradient-flow ansatz $d\epsilon/d\lambda = -2\gamma\epsilon$.
- (2) Information identifications $I_{\text{eff}} \propto S$, $D_{\text{export}} = \gamma(\epsilon_0^2 - \epsilon^2)$.

Multiple assumptions at the ENTROPIA-EFT level:

- (1) A1 (Proca Lagrangian).
- (2) A2 (steady-state flux).
- (3) Einstein equations.
- (4) Fisher metric.
- (5) Backreaction tensor.
- (6) H_0 boost formula.

11 What Is Open

The open problems, ranked by priority:

11.1 Derive the w Formula from the Strip Integral

Status: Matched, not derived. The formula $w = -1 - (1 - \gamma)^2/(2\pi)$ reproduces the target, but its derivation from the continuum strip integral has not been done.

What is needed: Compute the pressure from the entropy response to volume change in the continuum limit using the DME strip integral, not the discrete torus.

11.2 Derive A1 (Proca Field) from the Substrate

Status: Assumed. The Proca Lagrangian is an EFT ansatz.

What is needed: Identify a $U(1)$ symmetry in the substrate mode structure and compute the Noether current. See Section 6.4.1 for three candidate origins.

11.3 Derive the Einstein Equations from A1–A4

Status: Assumed. The Einstein equations are standard but not derived from the substrate.

What is needed: Show that the entropy current coupled to the Fisher metric satisfies the entanglement equilibrium condition and yields $G_{\mu\nu} = 8\pi G T_{\mu\nu}$.

11.4 Derive the H_0 Boost

Status: Observed. The 3.2% boost matches the KBC void.

What is needed: Either show the void depth is fixed by DME (likely impossible) or accept it as an observation.

11.5 Distinguish the Three w -Mechanisms

Status: Bulk viscosity, trace anomaly, and particle creation all give the same w .

What is needed: Compute the one-loop effective action to pick one.

12 Conclusion

The WIN Paradigm consists of six layers. Each layer has a well-defined role, input, and output. Each layer is self-contained — it can stand alone without the layers above it.

The key structural facts:

- (1) **FDLM/WIN** provides the substrate: $d = 4$, $N = 64$, $L = 8$, 14 midpoint modes, entropy classes 6.0/5.5/5.0, and the baseline $w = -1$.
- (2) **DME** provides the dimensional stability theorem and the exact stability coefficient $\gamma = 0.702839467990\dots$
- (3) **ENTROPIA-Core** provides the dynamical stability sector: Lyapunov functional, gradient flow, relaxation time, master conditions M1 and M2.
- (4) **ENTROPIA-EFT** provides the effective field theory of the vacuum: the equation of state $w = -1.014054\dots$, the Clausius relation, the holographic saturation bound, and the assumed gravitational and cosmological structure. It connects directly to WIN at $w = -1$.
- (5) **ENTROPIX/MESA** provides the master selection framework: axioms, selection principles, and broader claims.
- (6) **SYK/QIN** provides a candidate microscopic model of the substrate.

The chain is **honest about its assumptions**. The DME layer is derived from $D = 4$ plus three standard holographic assumptions. The ENTROPIA-Core layer is derived from DME plus one relaxation ansatz. The ENTROPIA-EFT layer is partially derived. The ENTROPIX/MESA framework is broad and conditional.

The **key result** is that $D = 4$ is a stable equilibrium of the vacuum, with a stability coefficient γ that is exact to 50 digits and that appears in every subsequent layer. The equation of state $w = -1.014054\dots$ is consistent with DESI DR2, is not preferred over $w = -1$, and will be tested at $> 3\sigma$ by the combined DESI DR3 + Euclid program through two independent channels: distances (w) and growth ($\zeta H/\rho$).

The paradigm is a **layered architecture**: each layer uses the output of the layer below, and each layer can stand alone. The chain is a **closed loop from WIN to WIN** through DME, Core, and EFT. WIN supplies the baseline $w = -1$; DME supplies the deviation. This makes the paradigm auditable, falsifiable, and honest about what is derived and what is assumed.

A One-Line Summary of Each Layer

References

- [1] S. Preschutti, “Dimensional Measurement Equilibrium Derived from $D = 4$,” Entropia Research Institute White Paper (2026).
- [2] S. Preschutti, “ENTROPIA: An Entropy Equilibrium EFT for Warped Geometry, Holographic RG, and Testable Dark Sector Phenomenology,” Entropia Research Institute White Paper (2026).

Layer	What It Is	Status
FDLM/WIN	Discrete substrate: $N = 64$, 14 modes, baseline $w = -1$	Derived
DME	Dimensional stability: $\gamma = 0.702839467990\dots$	Derived
ENTROPIA-Core	Dynamical stability: Lyapunov, gradient flow	Derived from DME
ENTROPIA-EFT	Vacuum EFT: $w = -1.014054\dots$, connects to WIN at $w = -1$	Partially derived
ENTROPIX/MESA	Master selection framework	Broader framework
SYK/QIN	Microscopic model of substrate	Candidate model

Table 3: One-line summary of each layer in the WIN Paradigm.

- [3] S. Preschutti, “ENTROPIX: A Comprehensive Basis for R&D for a Unification Candidate Based on Irreversible Quantum Information Flows,” Entropia Research Institute White Paper (2026).
- [4] S. Preschutti, “The MESA Protocol: A Unified Theory of Algorithmic Selection, Holographic Geometry, and Complex Systems,” Entropia Research Institute White Paper (2026).
- [5] S. Preschutti, “The Four-Dimension Lattice Model (FDLM): A Complete Derivation of the Standard Model from the Spacetime Dimension,” Information Physics Institute White Paper (2026).
- [6] S. Preschutti, “Equal Entropy Spacing Selects the 8×8 Torus: A Geometric Derivation of $d = 4$ from the Laplacian Spectrum,” WIN Paradigm White Paper (2026).
- [7] S. Ryu and T. Takayanagi, “Holographic derivation of entanglement entropy from AdS/CFT,” Phys. Rev. Lett. **96**, 181602 (2006).
- [8] T. Jacobson, “Thermodynamics of spacetime: The Einstein equation of state,” Phys. Rev. Lett. **75**, 1260 (1995).
- [9] T. Jacobson, “Entanglement equilibrium and the Einstein equation,” Phys. Rev. Lett. **116**, 201101 (2016).
- [10] DESI Collaboration, “DESI DR2 Results II: Measurements of Baryon Acoustic Oscillations and Cosmological Constraints,” arXiv (2025).
- [11] Euclid Collaboration, “Euclid preparation: Forecasts for cosmological parameter estimation,” Astron. Astrophys. (2024).