## Contents


iser Permissions to simulate	J
egin	1
Performing action as admin	3
Creating another user with privilege	4
Interacting as privileged user	6
meraeting as privileged user	(
Interacting as anonymous user	7

# User Permissions to simulate


User Type	Method name	Results	Restrictions
Admin	AddProduct	Product is saved successfully	Product name must be unique.
Non-Admin but Privileged User	AddProduct	Error message with relevant http status code	NIL
Privileged User	GetProducts	Product list	Show appropriate message if no products.
Anonymous user	GetProducts	Error message with relevant http status code	NIL
Privileged User	GetProduct(ProductId)	Product	Show appropriate message if not found.

1. Login as Admin as admin is only user available

a. Username: adminb. Password: password




2. Front end after successful login




## Performing action as admin


1. View all products – Admin is allowed



2. Query single product



3. Create product




### Creating another user with privilege

1. Only available through api call and to admin role


```
curl --location 'http://localhost:5000/login' \
--header 'Content-Type: application/json' \
--data '{"username": "admin", "password": "password"}'
```

2. Get Token (JWT)




3. Use the token to make API calls

```
curl --location 'http://localhost:5000/user' \
--header 'Content-Type: application/json' \
--header 'x-access-token:
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjoxLCJyb2x
IIjoiYWRtaW4iLCJleHAiOjE3MjU1MzgxNDN9.nH50eyp3ZwetmQuC-
znxII-2WcW5RsoEAL8MerR6WBQ' \
--data '{"username": "userp", "password": "password",
"role": "privileged "}'
```




#### Interacting as privileged user


1. Login



2. View all products – Allowed to privileged users




3. Create Product – Unauthorized




Interacting as anonymous user


Note: Admin creates a user with other role




1. Login as anon user



2. View products – Unauthorized



3. Create product - Unauthorized



#### 4. Query product

