

## Week 4 Quiz

10 试题

1  
point

1。

Assume you are using a unigram language model to calculate the probabilities of phrases. Then, the probabilities of generating the phrases “study text mining” and “text mining study” are **not** equal, i.e.,  $P(\text{“study text mining”}) \neq P(\text{“text mining study”})$ .

☐ True

☒ False

1  
point

2。

You are given a vocabulary composed of only four words: “the,” “computer,” “science,” and “technology.” Below are the probabilities of three of these four words given by a unigram language model.

Word	Probability
the	0.4
computer	0.2
science	0.3

What is the probability of generating the phrase “the technology” using this unigram language model?

☐ 0.1

☐ 0.0024

☐ 0.5

☒ 0.04

---

1  
point

3.

You are given the query  $Q$ = “online courses” and two documents:

$D_1$  = “online courses search engine”

$D_2$  = “online education is affordable”

Assume you are using the maximum likelihood estimator **without** smoothing to calculate the probabilities of words in documents (i.e., the estimated  $p(w|D)$  is the relative frequency of the word  $w$  in the document  $D$  ). Based on the unigram query likelihood model, which of the following choices is correct?

☒  $P(Q|D_1) = 1/16$   $P(Q|D_2) = 0$

☐  $P(Q|D_1) = 1/16$   $P(Q|D_2) = 1/4$

☐  $P(Q|D_1) = 0$   $P(Q|D_2) = 1/4$

☐  $P(Q|D_1) = 1/2$   $P(Q|D_2) = 1/2$

---

1  
point

4.

Assume the same scenario as in Question 3, but using linear interpolation (Jelinek-Mercer) smoothing with  $\lambda = 0.5$ . Furthermore, you are given the following probabilities of **some** of the words in the collection language model:

Word	$P(w   C)$
online	1/4
courses	1/4
education	1/8

Based on the unigram query likelihood model, which of the following choices is correct?

- ☐  $P(Q | D1) = 1/16$   $P(Q | D2) = 0$
- ☐  $P(Q | D1) = 1/32$   $P(Q | D2) = 1/32$
- ☐  $P(Q | D1) = 1/16$   $P(Q | D2) = 1/16$
- ☒  $P(Q | D1) = 1/16$   $P(Q | D2) = 1/32$

1  
point

5.

If word count for every term doubles in one document:

- ☐ If not using any smoothing, query likelihood would change for some queries.
- ☐  $p(w|d)$  remains the same if using Dirichlet-prior smoothing.
- ☒  $p(w|d)$  remains the same if using Jelinek-Mercer smoothing.

1  
point

6.

Assume you are using Dirichlet Prior smoothing to estimate the probabilities of words in a certain document. What happens to the smoothed probability of the word when the parameter  $\mu$  is **increased**?

- ☒ It becomes closer to the probability of the word in the collection language model.
  - ☐ It does not change.
  - ☐ It becomes closer to the maximum likelihood estimate of the probability derived from the document.
  - ☐ It tends to 1.
- 

1  
point

7.

It is possible that pseudo feedback decreases the precision and recall of a certain retrieval system.

- ☒ True
  - ☐ False
- 

1  
point

8.

Refer to the Rocchio feedback formula in the lectures. If you want to eliminate the effect of **non-relevant** documents when doing feedback, which of the following parameters must be set to zero?

- ☒  $\gamma$
- ☐  $\beta$
- ☐  $\alpha$
- ☐

---

$\gamma$  and  $\beta$

---

1  
point

9.

Let  $q$  be the original query vector,  $D_R = \{P_1, \dots, P_n\}$  be the set of positive document vectors, and  $D_N = \{N_1, \dots, N_m\}$  be the set of negative document vectors. Let  $q_1$  be the expanded query vector after applying Rocchio on  $D_R$  and  $D_N$  with positive parameter values  $\alpha$ ,  $\beta$ , and  $\gamma$ . Let  $q_2$  be the expanded query vector after applying Rocchio on  $D_R$  and  $D_N$  with the same values for  $\alpha$ ,  $\beta$ , but  $\gamma$  being set to zero. Which of the following is correct?

- ☐  $q_1$  can have greater or equal weights to  $q_2$  for each dimension.
  - ☒  $q_2$  can have greater or equal weights to  $q_1$  for each dimension.
  - ☐  $q_2$  has strictly greater weights than  $q_1$  for each dimension.
  - ☐  $q_1$  has strictly greater weights than  $q_2$  for each dimension.
- 

1  
point

10.

Which of the following is **not** true about the KL-divergence retrieval model?

- ☐ It supports relevance feedback.
  - ☒ It cannot be computed as efficiently as the query likelihood model.
  - ☐ It represents both queries and documents as language models.
-



我（**伟臣 沈**）了解提交不是我自己完成的作业 将永远不会通过此课程或导致我的 Coursera 帐号被关闭。  
[了解荣誉准则的更多信息](#)

提交测试

