

Predicting house prices using k-nearest neighbors regression

8 试题

1
point

1.
From the section "Compute a single distance": we take our query house to be the first house of the test set.

What is the Euclidean distance between the query house and the 10th house of the training set? Enter your answer in American-style decimals (e.g. 0.044) rounded to 3 decimal places.

0.060

1
point

2.
From the section "Compute multiple distances": we take our query house to be the first house of the test set.

Among the first 10 training houses, which house is the closest to the query house? Enter the 0-based index of the closest house.

8

1
point

3.

From the section "Perform 1-nearest neighbor regression":

Take the query house to be third house of the test set (features_test[2]). What is the (0-based) index of the house in the training set that is closest to this query house?

382

1
point

4.

From the section "Perform 1-nearest neighbor regression":

Take the query house to be third house of the test set (features_test[2]). What is the predicted value of the query house based on 1-nearest neighbor regression? Enter your answer in simple decimals without comma separators (e.g. 300000), rounded to nearest whole number.

249000

1
point

5.

From the section "Perform k-nearest neighbor regression":

Take the query house to be third house of the test set (features_test[2]). Which of the following is NOT part of the 4 training houses closest to the query house? (Note that all indices are 0-based.)

- ☐ training house with index 382
- ☐ training house with index 1149
- ☒ training house with index 2818

- ☐ training house with index 3142
- ☐ training house with index 4087
-

1
point

6.

From the section "Perform k-nearest neighbor regression":

Take the query house to be third house of the test set (features_test[2]). Predict the value of the query house by the simple averaging method. Enter your answer in simple decimals without comma separators (e.g. 241242), rounded to nearest whole number.

413987

1
point

7.

From the section "Perform k-nearest neighbor regression": Make prediction for the first 10 houses using k-nearest neighbors with k=10.

What is the index of the house in this query set that has the lowest predicted value? Enter an index between 0 and 9.

6

1
point

8.

From the section "Perform k-nearest neighbor regression": We use a validation set to find the best k value, i.e. one that minimizes the RSS on validation set.

If we perform k-nearest neighbors with optimal k found above, what is the RSS on the TEST data? Choose the range that contains this value.

- ☒ Between $8e13$ and $2e14$
- ☐ Between $2e14$ and $5e14$
- ☐ Between $5e14$ and $8e14$
- ☐ Between $8e14$ and $1e15$
- ☐ Between $1e15$ and $3e15$



我了解不是我自己完成的作业将永远不会通过该课程且我的 Coursera 帐号会被取消激活。了解荣誉准则的更多信息

沈伟臣

提交测试

