

## Lesson 5 Quiz

测验, 4 个问题

1

point

1.

In the DBSCAN algorithm, given Eps and Minpts, if a point p is density-connected to a point q, which of the following statements are correct? Select all that apply.



Point q is density-connected to p.



Point p may be density-reachable from q but not necessarily.



Point p must be density-reachable from q.



Point q is directly density-reachable from p.

---

1

point

2.

In the DBSCAN algorithm, suppose  $\text{eps} = 4\text{cm}$  and  $\text{Minpts} = 5$ . Randomly select two points p, q from the observed data points. We have  $\text{dist}(p, q) = 1\text{cm}$ . Which of the following statements are correct? Select all that apply.



Points p and q must be in the same cluster.



Points p and q must be in different clusters.



Points p and q may be in different clusters.



Points p and q may not belong to any clusters.

---

## Lesson 5 Quiz<sup>1</sup> point

测验, 4 个问题

3.

Given the following synthetic data set (left) and, the reachability-plot (right), how many clusters might there be by setting different reachability thresholds?

- ☐ 1
  - ☐ 2
  - ☐ 3
  - ☐ More than 3
  - ☒ All of Above
- 

1  
point

4.

Considering the CLIQUE clustering algorithm, which of the following statements are correct? Select all that apply.

- ☐ Any point that belongs to a cluster in a 1-D subspace A must belong to some cluster (dense region) in any 2-D subspace that includes A.
- ☒ Any point that belongs to a cluster in a 1-D subspace A may not belong to any clusters (dense regions) in any 2-D subspaces that includes A.
- ☐ Any point that does not belong to a cluster in a 1-D subspace A may belong to some cluster (dense region) in any 2-D subspace that includes A.
- ☒ Any point that does not belong to a cluster in a 1-D subspace A must not belong to any clusters (dense regions) in any 2-D subspaces that includes A.

## Lesson 5 Quiz

测验, 4 个问题



我（**伟臣 沈**）了解提交不是我自己完成的作业 将永远不会通过此课程或导致我的 Coursera 帐号被关闭。

[了解荣誉准则的更多信息](#)

提交测验

