

Assessing Performance

13 试题

1
point

1.

If the features of Model 1 are a strict subset of those in Model 2, the TRAINING error of the two models can **never** be the same.

☐ True

☒ False

1
point

2.

If the features of Model 1 are a strict subset of those in Model 2, which model will USUALLY have lowest TRAINING error?

☐ Model 1

☒ Model 2

☐ It's impossible to tell with only this information

1
point

3.

If the features of Model 1 are a strict subset of those in Model 2, which model will USUALLY have lowest TEST error?

- ☐ Model 1
 - ☐ Model 2
 - ☒ It's impossible to tell with only this information
-

1
point

4.


If the features of Model 1 are a strict subset of those in Model 2, which model will USUALLY have lower BIAS?

- ☐ Model 1
 - ☒ Model 2
 - ☐ It's impossible to tell with only this information
-

1
point

5.

Which of the following plots of model complexity vs. RSS is most likely from TRAINING data (for a fixed data set)?




- ☐ a
- ☐ b
- ☒ c
- ☐ d

1
point

6.

Which of the following plots of model complexity vs. RSS is most likely from TEST data (for a fixed data set)?



- ☒ a
- ☐ b
- ☐ c
- ☐ d

1
point

7.

It is **always** optimal to add more features to a regression model.

- ☐ True
- ☒ False

1
point

8.

A simple model with few parameters is most likely to suffer from:

- ☒ High Bias
- ☐ High Variance
-

1
point

9.

A complex model with many parameters is most likely to suffer from:

- ☐ High Bias
- ☒ High Variance
-

1
point

10.

A model with many parameters that fits training data very well but does poorly on test data is considered to be

- ☐ accurate
- ☐ biased
- ☒ overfitted
- ☐ poorly estimated
-

1
point

11.

A common process for selecting a parameter like the optimal polynomial degree is:

- ☐ Bootstrapping
 - ☐ Model estimation
 - ☐ Multiple regression
 - ☐ Minimizing test error
 - ☒ Minimizing validation error
-

1
point

12.

Selecting model complexity on test data (choose all that apply):

- ☐ Allows you to avoid issues of overfitting to training data
 - ☒ Provides an overly optimistic assessment of performance of the resulting model
 - ☐ Is computationally inefficient
 - ☒ Should never be done
-

1
point

13.

Which of the following statements is true (select all that apply):
For a **fixed model complexity**, in the limit of an infinite amount of training data,

- ☐ The noise goes to 0
- ☐ Bias goes to 0
- ☒ Variance goes to 0

- ☐ Training error goes to 0
- ☐ Generalization error goes to 0



I, **伟臣 沈**, understand that submitting work that isn't my own may result in permanent failure of this course or deactivation of my Coursera account.

[了解荣誉准则的更多信息](#)

提交测试

