Git & GitHub

测验, 5 个问题

1 point					
1。 Why us	se Git?				
	Git manages multiple versions of your work by appending version numbers to the ends of file names.				
	Git optimizes your code so that when you execute a program it has a better chance of running faster than the same program built without Git.				
\checkmark	Git allows you to work simultaneously with collaborators on the same project without overwriting each other's work.				
\checkmark	Git backs up your work and allows you to return your files to a previous state.				
1 point					
2. What is a Git repository?					
	A Git repository is a website on GitHub.com that lists a series of files tracked by Git.				
\bigcirc	A Git repository is any of the files in a directory whose changes are tracked by Git.				
\bigcirc	A Git repository is any directory on your computer that could be uploaded to GitHub.com.				
•	A Git repository is a directory where all of the changes to your files are tracked by Git.				

1 point

Cit	0	GitHeb
GIL	O.	GIIIIU

Git & GitH 测验, 5 个问题	$\mathrm{Hd}\mathbf{b}$ What's the best way to identify an individual Git commit?				
	\bigcirc	The list of files that were changed on the commit.			
	\bigcirc	The commit message for the commit.			
	\bigcirc	The name of the branch that corresponds to the commit.			
	•	The SHA-1 hash generated for the commit.			
	1 point	t.			
	4。 What's the purpose of a .gitignore file?				
	\bigcirc	The .gitignore file allows you to treat a directory as if Git is not tracking any of the files in that directory.			
	\bigcirc	The .gitignore file allows you to create aliases for groups of files so that you can add them to be tracked more easily.			
		The .gitignore file specifies files and folders that do not need to be added to be tracked individually.			
	•	The .gitignore file specifies files and folders that should not be tracked.			
	1 point	t			
	5. Consider the situation where the following commands are executed in a new, empty directory:				
	1	git init			

1 git init
2 touch todo.txt 3 touch message.txt git add todo.txt
git commit -m "first commit" 6 git add message.txt 7 echo "- Buy cherries" >> todo.txt 8 git commit -m "second commit" echo "- Dear Philip," >> message.txt

By the end of these commands, what is the status of this repository?

The file **message.txt** has been committed to the repository but the

Git & GitH	ub	file todo.txt has only been added to the repository. The files todo.txt and message.txt have been committed to the repository and the committed version each contain one line of text.				
测验, 5 个问题						
	•	Blank versions of the files todo.txt and message.txt have been committed to the repository. Content added to those files has not yet been committed.				
	\bigcirc	The file todo.txt has been committed to the repository but the file message.txt has only been added to the repository.				
	<u> </u>	我(伟臣 沈)了解提交不是我自己完成的作业 将永远不会通过此课程或导致我的 Coursera 帐号被关闭。 了解荣誉准则的更多信息				
		提交测试				

