Postgres, MongoDB, and Pandas

5/5 得分（100%）

测验通过！

---

1 / 1 分

1。
What is the highest level that the team has reached in gameclicks?
(Hint: use the MAX operation in postgres).

◉ 8

▲

正确

○ 6

○ 7

○ 10

○ 9

---

1 / 1 分

2。

How many user id's (repeats allowed) have reached the highest level as found in the previous question? (Hint: For postgres: you may either use two queries or use a sub-query).

- ◉ 51294

正确

- ○ 106436

- ○ 122757

- ○ 98823

- ○ 67271

✔ 1 / 1 分

3。
How many user id's (repeats allowed) reached the highest level in game-clicks and also clicked the highest costing price in buy-clicks? Hint: Refer to question 4 for ideas.

- ○ 23301

- ○ 73226

- ○ 66887

- ◉ 32747

正确

✔ 1 / 1 分

4。

What does the following line of code do in postgres?

SELECT count(userid) FROM (SELECT buyclicks.userId, teamLevel, price FROM buyclicks JOIN gameclicks on buyclicks.userId = gameclicks.userId) temp WHERE price=3 and teamLevel=5;

- ● Finds the total number of user ids (repeats allowed) in buy-clicks that have bought items with prices worth $3 and was in a team with level 5 at some point in time.

  正确

- ○ Displays the users who have bought items worth $3 and have had a team with level 5.

- ○ This is an invalid line of code, the subquery is not formatted properly.

- ○ Counts the users who exists between both gameclicks and buyclicks files.

✔ 1 / 1 分

5。
In the MongoDB data set, what is the username of the twitter account who has a tweet_followers_count of exactly 8973882?

- ○ CreateImga

- ○ Autocenterit

- ○ SasSpear

- ● FIFAcom

  正确