

Conditional Dosing Pharmacometric Example

Chris Rackauckas

June 24, 2020

In this example we will show how to model a conditional dosing using the `DiscreteCallbacks`. The problem is as follows. The patient has a drug $A(t)$ in their system. The concentration of the drug is given as $C(t)=A(t)/V$ for some volume constant V . At $t=4$, the patient goes to the clinic and is checked. If the concentration of the drug in their body is below 4, then they will receive a new dose.


For our model, we will use the simple decay equation. We will write this in the in-place form to make it easy to extend to more complicated examples:

```
using DifferentialEquations
function f(du,u,p,t)
    du[1] = -u[1]
end
u0 = [10.0]
const V = 1
prob = ODEProblem(f,u0,(0.0,10.0))
```

```
ODEProblem with uType Array{Float64,1} and tType Float64. In-place: true
timespan: (0.0, 10.0)
u0: [10.0]
```

Let's see what the solution looks like without any events.

```
sol = solve(prob,Tsit5())
using Plots; gr()
plot(sol)
```




We see that at time $t=4$, the patient should receive a dose. Let's code up that event. We need to check at $t=4$ if the concentration $u[1]/4$ is <4 , and if so, add 10 to $u[1]$. We do this with the following:

```
condition(u,t,integrator) = t==4 && u[1]/V<4
affect!(integrator) = integrator.u[1] += 10
cb = DiscreteCallback(condition,affect!)
```

```
DiffEqBase.DiscreteCallback{typeof(Main.##WeaveSandBox#258.condition),typeof(Main.##WeaveSandBox#258.affect!),typeof(DiffEqBase.INITIALIZE_DEFAULT)}(Main.##WeaveSandBox#258.condition, Main.##WeaveSandBox#258.affect!, DiffEqBase.INITIALIZE_DEFAULT, Bool[1, 1])
```

Now we will give this callback to the solver, and tell it to stop at $t=4$ so that way the condition can be checked:

```
sol = solve(prob,Tsit5(),tstops=[4.0],callback=cb)
using Plots; gr()
plot(sol)
```



Let's show that it actually added 10 instead of setting the value to 10. We could have set the value using `affect!(integrator) = integrator.u[1] = 10`

```
println(sol(4.00000))
```

```
[0.18316389222022983]
```

```
println(sol(4.000000000000001))
```


```
[10.183163892210045]
```

Now let's model a patient whose decay rate for the drug is lower:

```
function f(du,u,p,t)
    du[1] = -u[1]/6
end
u0 = [10.0]
const V = 1
prob = ODEProblem(f,u0,(0.0,10.0))
```


```
ODEProblem with uType Array{Float64,1} and tType Float64. In-place: true
timespan: (0.0, 10.0)
u0: [10.0]
```

```
sol = solve(prob,Tsit5())
using Plots; gr()
plot(sol)
```



Under the same criteria, with the same event, this patient will not receive a second dose:

```
sol = solve(prob, Tsit5(), tstops=[4.0], callback=cb)
using Plots; gr()
plot(sol)
```



0.1 Appendix

This tutorial is part of the DiffEqTutorials.jl repository, found at: <https://github.com/JuliaDiffEq/DiffEqTutorials.jl>

To locally run this tutorial, do the following commands:

```
using DiffEqTutorials
DiffEqTutorials.weave_file("models", "02-conditional_dosing.jmd")
```

Computer Information:

```
Julia Version 1.4.2
Commit 44fa15b150* (2020-05-23 18:35 UTC)
Platform Info:
  OS: Linux (x86_64-pc-linux-gnu)
  CPU: Intel(R) Core(TM) i7-9700K CPU @ 3.60GHz
  WORD_SIZE: 64
  LIBM: libopenlibm
  LLVM: libLLVM-8.0.1 (ORCJIT, skylake)
```

Environment:

```
JULIA_DEPOT_PATH = /builds/JuliaGPU/DiffEqTutorials.jl/.julia
JULIA_CUDA_MEMORY_LIMIT = 536870912
JULIA_PROJECT = @.
JULIA_NUM_THREADS = 4
```

Package Information:

```
Status `~/builds/JuliaGPU/DiffEqTutorials.jl/tutorials/models/Project.toml`
[eb300fae-53e8-50a0-950c-e21f52c2b7e0] DiffEqBiological 4.3.0
[f3b72e0c-5b89-59e1-b016-84e28bfd966d] DiffEqDevTools 2.22.0
[055956cb-9e8b-5191-98cc-73ae4a59e68a] DiffEqPhysics 3.2.0
[0c46a032-eb83-5123-abaf-570d42b7fbaa] DifferentialEquations 6.14.0
[31c24e10-a181-5473-b8eb-7969acd0382f] Distributions 0.23.4
[587475ba-b771-5e3f-ad9e-33799f191a9c] Flux 0.10.4
[f6369f11-7733-5829-9624-2563aa707210] ForwardDiff 0.10.10
[23fbe1c1-3f47-55db-b15f-69d7ec21a316] Latexify 0.13.5
[961ee093-0014-501f-94e3-6117800e7a78] ModelingToolkit 3.10.2
[2774e3e8-f4cf-5e23-947b-6d7e65073b56] NLSolve 4.4.0
[8faf48c0-8b73-11e9-0e63-2155955bfa4d] NeuralNetDiffEq 1.6.0
[429524aa-4258-5aef-a3af-852621145aeb] Optim 0.21.0
[1dea7af3-3e70-54e6-95c3-0bf5283fa5ed] OrdinaryDiffEq 5.41.0
[91a5bcd-d5d7-5caf-9e0b-520d859cae80] Plots 1.4.3
[731186ca-8d62-57ce-b412-fbd966d074cd] RecursiveArrayTools 2.5.0
[789caeaf-c7a9-5a7d-9973-96adeb23e2a0] StochasticDiffEq 6.23.1
[37e2e46d-f89d-539d-b4ee-838fcccc9c8e] LinearAlgebra
[2f01184e-e22b-5df5-ae63-d93ebab69eaf] SparseArrays
```