





Strictly Dominated Strategies & Iterative Removal

Game Theory Course: Jackson, Leyton-Brown & Shoham

A basic premise: players maximize their payoffs



- A basic premise: players maximize their payoffs
- What if all players know this?



- A basic premise: players maximize their payoffs
- What if all players know this?
- And they know that other players know it?



- A basic premise: players maximize their payoffs
- What if all players know this?
- And they know that other players know it?
- And they know that other players know that they know it?
- ...



A strictly dominated strategy can never be a best reply



A strictly dominated strategy can never be a best reply

Game tracely of the common part of the common part

Let us remove it as it will not be played

• A strictly dominated strategy can never be a best reply

Let us remove it as it will not be played

All players know this - so let us iterate...



Bayesian Normal-form auctions some Game tragets the formal product of the common product

A strictly dominated strategy can never be a best reply

Let us remove it as it will not be played

All players know this - so let us iterate...

 Running this process to termination is called the iterated removal of strictly dominated strategies.



• A strategy $a_i \in A_i$ is strictly dominated by $a_i' \in A_i$ if

$$u_i(a_i, a_{-i}) < u_i(a'_i, a_{-i}) \ \forall \ a_{-i} \in A_{-i}$$

| | L | С | R |
|---|------|------|------|
| U | 3,0 | 2, 1 | 0,0 |
| M | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 2 | 0, 1 |


| | L | С | R |
|---|------|------|------|
| U | 3,0 | 2, 1 | 0,0 |
| М | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 2 | 0, 1 |


• *R* is strictly dominated by *C*.

| | L | С |
|---|------|------|
| U | 3,0 | 2, 1 |
| M | 1, 1 | 1, 1 |
| D | 0, 1 | 4, 2 |

| | L | С |
|---|------|------|
| U | 3,0 | 2, 1 |
| М | 1, 1 | 1, 1 |
| D | 0, 1 | 4, 2 |

ullet M is strictly dominated by U.





• *L* is strictly dominated by *C*.

 $\begin{array}{c} & & \text{C} \\ \text{U} & & 2,1 \\ \text{D} & & 4,2 \end{array}$

 $\begin{array}{c|c} & & C \\ U & & 2,1 \\ D & & 4,2 \end{array}$

ullet D is strictly dominated by U.

| | L | С | R |
|---|------|------|------|
| U | 3,0 | 2, 1 | 0,0 |
| М | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 2 | 0, 1 |

| | L | С | R |
|---|------|------|------|
| U | 3,0 | 2, 1 | 0,0 |
| М | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 2 | 0, 1 |


• A unique Nash equilibrium D, C.

| | L | С | R |
|---|------|------|-----|
| U | 3, 1 | 0, 1 | 0,0 |
| М | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 1 | 0,0 |

| | L | С | R |
|---|------|------|-----|
| U | 3, 1 | 0, 1 | 0,0 |
| M | 1, 1 | 1, 1 | 5,0 |
| D | 0, 1 | 4, 1 | 0,0 |

• R is dominated by L or C.

| | L | С |
|---|------|------|
| U | 3, 1 | 0, 1 |
| M | 1, 1 | 1, 1 |
| D | 0, 1 | 4, 1 |




• M is dominated by the mixed strategy that selects U and D with equal probability.


| | L | С |
|---|------|------|
| U | 3, 1 | 0, 1 |
| M | 1, 1 | 1, 1 |
| D | 0, 1 | 4, 1 |

- M is dominated by the mixed strategy that selects U and D with equal probability.
- Can use mixed strategies to define domination too!

| | L | С |
|---|------|------|
| U | 3, 1 | 0, 1 |
| D | 0, 1 | 4, 1 |



No other strategies are strictly dominated.



- No other strategies are strictly dominated.
- What are the Nash Equilibria?

Bayesian Normal-form neutrinos managements from the state of the control of the c

- This process preserves Nash equilibria.
 - It can be used as a preprocessing step before computing an equilibrium
 - Some games are solvable using this technique those games are dominance solvable.

Bayesian Normal-form auctions and a strategies are sum probability Online

- This process preserves Nash equilibria.
 - It can be used as a preprocessing step before computing an equilibrium
 - Some games are solvable using this technique those games are dominance solvable.

- What about the order of removal when there are multiple strictly dominated strategies?
 - doesn't matter.

Weakly Dominated Strategies

Bayesian Normal-form Justines Rayesian Normal-form Trapely of the difference Pheory readers of the Company produce Pheory readers of the Company produce Pheory readers of the Company reducer Pheory readers of the Company reducer Pheory reducer Ph

• A strategy $a_i \in A_i$ is weakly dominated by $a_i' \in A_i$ if

$$u_i(a_i, a_{-i}) \le u_i(a'_i, a_{-i})$$
 for all $a_{-i} \in A_{-i}$, and

$$u_i(a_i, a_{-i}) < u_i(a'_i, a_{-i}) \text{ for some } a_{-i} \in A_{-i}.$$

Can remove them iteratively too, but:

Weakly dominated strategies:

Bayesian Normal-form actions—

Game tragely of the collinorm
region of the col

• They can be best replies.

Order of removal can matter.

• At least one equilibrium preserved.

 Remember the Keynes Beauty Contest Game? Can you solve it via iterative elimination of Weakly Dominated Strategies?

Players maximize their payoffs



Players maximize their payoffs

They don't play strictly dominated strategies



Bayesian Normal-form auctions seemed the common seemed the common

Players maximize their payoffs

- They don't play strictly dominated strategies
- They don't play strictly dominated strategies, given what remains...

Game raged of the common product of the comm

• Players maximize their payoffs

- They don't play strictly dominated strategies
- They don't play strictly dominated strategies, given what remains...

- Nash equilibria are a subset of what remains
- Do we see such behavior in reality?