

GARMIN®


AVIATION TRAINING

FAA DATA COMM for Your Federated Installation

AEA 2026

Garmin Aviation Training is intended to provide the best practices for the installation, use and maintenance of Garmin Aviation products. It is incumbent on technicians and pilots to ensure that the instructions contained in the most recent versions of Garmin product manuals, bulletins and notifications are followed.

© GARMIN LTD. OR ITS SUBSIDIARIES. ALL RIGHTS RESERVED.



- ✈️ CPDLC is intended to improve communications with ATC by replacing traditional voice commands with text-based messages in the continental US.

CPDLC – Controller Pilot Data Link Communications



- ✈️ CPDLC- Departure Clearance (DCL), will automate Clearance Delivery operations at 65 of the U.S.' busiest airports.
- ✈️ En-Route CPDLC which gives pilots the ability to exchange messages with U.S. domestic Air Route Traffic Control Centers (ARTCC).




- ✈️ CPDLC- Departure Clearance (DCL), will automate Clearance Delivery operations at 65 of the U.S.' busiest airports.
- ✈️ En-Route CPDLC which gives pilots the ability to exchange messages with U.S. domestic Air Route Traffic Control Centers (ARTCC).



SITE ID	AIRPORT NAME
KABQ	Albuquerque International Sunport
KADW	Joint Base Andrews
KATL	Hartsfield-Jackson Atlanta International
KAUS	Austin-Bergstrom International
KBDL	Bradley International
KBNA	Nashville International
KBOS	General Edward Lawrence Logan International
KBUF	Buffalo Niagara International
KBUR	Bob Hope
KBWI	Baltimore/Washington International Thurgood Marshall
KCHS	Charleston AFB/International
KCLE	Cleveland-Hopkins International
KCLT	Charlotte/Douglas International
KCMH	John Glenn Columbus International
KCVG	Cincinnati/Northern Kentucky International
KDAL	Dallas Love Field
KDCA	Ronald Reagan Washington National
KDEN	Denver International
KDFW	Dallas/Fort Worth International
KDTW	Detroit Metropolitan Wayne County
KEWR	Newark Liberty International
KFLL	Fort Lauderdale/Hollywood International
KHOU	William P. Hobby
KHPN	Westchester County
KIAD	Washington Dulles International
KIAH	George Bush Intercontinental
KIND	Indianapolis International
KJAX	Jacksonville International
KJFK	John F. Kennedy International
KLAS	McCarran International
KLAX	Los Angeles International
KLGA	LaGuardia

SITE ID	AIRPORT NAME
KMCI	Kansas City International
KMCO	Orlando International
KMDW	Chicago Midway International
KMEM	Memphis International
KMIA	Miami International
KMKE	General Mitchell International
KMSP	Minneapolis-St Paul International/Wold-Chamberlain
KMSY	Louis Armstrong New Orleans International
KOAK	Metropolitan Oakland International
KONT	Ontario International
KORD	Chicago O'Hare International
KPBI	Palm Beach International
KPDX	Portland International
KPHL	Philadelphia International
KPHX	Phoenix Sky Harbor International
KPIT	Pittsburgh International
KRDU	Raleigh-Durham International
KRNO	Reno/Tahoe International
KRSW	Southwest Florida International
KSAN	San Diego International
KSAT	San Antonio International
KSDF	Louisville International
KSEA	Seattle-Tacoma International
KSFO	San Francisco International
KSJC	Norman Y Mineta San Jose International
KSLC	Salt Lake City International
KSMF	Sacramento International
KSNA	John Wayne Airport/Orange County
KSTL	St. Louis Lambert International
KTEB	Teterboro
KTPA	Tampa International
KVNY	Van Nuys
TJSJ	Luis Muñoz Marín International

65 DCL Airports





Source: L3Harris Website, Update 2/25/26

✈️ **A7XX GTNXi**


✈️ **GDR 66 VHF Data Link (VDL)
Mode 2 Radio**


✈️ **FltPlan.com Subscription**

✈️ **FAA DATA COMM Enablement**



- ✈️ A 7XX GTNXi
- ✈️ GDR 66 VHF Data Link (VDL) Mode 2 Radio
 - ✈️ A VHF antenna
 - ✈️ Wiring
 - ✈️ Software Load via 7XX GTNXi
- ✈️ FltPlan.com Subscription
- ✈️ FAA DATA COMM Enablement






- ➔ 1. Remove power from the GTN 7XX Xi by opening the circuit breaker.
- ➔ 2. Insert the software loader card into the data card slot, removing the database card if necessary.
- ➔ 3. Ensure the GDR 66 circuit breaker is closed.
- ➔ 4. Apply power to the GTN Xi by closing the circuit breaker. The GTN Xi will automatically power on in Configuration mode.
- ➔ 5. Touch Updates → GTN Software Updates → GDR 66 Software Updates.
- ➔ 6. Touch Select All → Update → OK.
- ➔ 7. When the updates are finished, remove power from the GTN Xi and GDR 66, remove the software loader card, and then re-insert the database card into the data card slot.
- ➔ 8. Press and hold the HOME key while applying power to the GTN Xi to power on in Configuration mode. Release the HOME key when "Garmin" is fully lit on the display.
- ➔ 9. Apply power to the GDR 66.
- ➔ 10. Touch System Information and verify the software was correctly updated on the GDR 66 selection.



- ✈️ A 7XX GTNXi
- ✈️ GDR 66 VHF Data Link (VDL) Mode 2 Radio
- ✈️ FltPlan.com Subscription
 - ✈️ Datacomm
- ✈️ FAA DATA COMM Enablement



- ✈️ A 7XX GTNXi
- ✈️ GDR 66 VHF Data Link (VDL) Mode 2 Radio
- ✈️ FltPlan.com Subscription
 - ✈️ DATA COMM
- ✈️ **FAA DATA COMM Enablement**
 - ✈️ Don't forget you can get Downloadable enablement's for GTNXi



GARMIN®

AVIATION TRAINING

FAA DATA COMM Service

AEA 2026

On Ramp at KDAL



✈ Flight ID is populated from transponder

✈ Facility defaults to KUSA

✈ Logon

✈ Connecting

✈ Waiting for ATC

✈ Active



✈ Flight ID is populated from transponder

✈ Facility defaults to KUSA

✈ Logon

✈ Connecting

✈ Waiting for ATC

✈ Active



✈ Flight ID is populated from transponder

✈ Facility defaults to KUSA

✈ Logon

✈ Connecting

✈ Waiting for ATC

✈ Active



✈ Flight ID is populated from transponder

✈ Facility defaults to KUSA

✈ Logon

✈ Connecting

✈ Waiting for ATC

✈ Active



✈ Flight ID is populated from transponder

✈ Facility defaults to KUSA

✈ Logon

✈ Connecting

✈ Waiting for ATC

✈ Active



- ✈️ Select Message to import
- ✈️ Send WILCO to close thread and get automation prompt.



- ✈ Select Message to import
- ✈ Send WILCO to close thread and get automation prompt.



- ✈ Select Message to import
- ✈ Send WILCO to close thread and get automation prompt.



- ✈ Select Message to import
- ✈ Send WILCO to close thread and get automation prompt.



- ✈ Select Message to import
- ✈ Send WILCO to close thread and get automation prompt.



- ✈ Select Message to import
- ✈ Send WILCO to close thread and get automation prompt.




- ✈️ Select Message to import
- ✈️ Send WILCO to close thread and get automation prompt.




✈️ (departed airport without DCL)



✈️ (departed airport without DCL)





CPDLC
GPS1


Visual Indication to Pilot will be accompanied with a
BING-BONG Tone

CPDLC









Bing-Bong














- ✈ Vertical Requests
- ✈ Lateral Offset Requests
- ✈ Speed Requests
- ✈ Voice Contact Requests
- ✈ Speed Changes
- ✈ Route Modification Requests
- ✈ Reports
- ✈ Negotiation Requests
- ✈ Emergency Messages



- ✈ Vertical Requests
- ✈ Lateral Offset Requests
- ✈ Speed Requests
- ✈ Voice Contact Requests
- ✈ Speed Changes
- ✈ Route Modification Requests
- ✈ Reports
- ✈ Negotiation Requests
- ✈ Emergency Messages



- ✈ Vertical Requests
- ✈ Lateral Offset Requests
- ✈ Speed Requests
- ✈ Voice Contact Requests
- ✈ Speed Changes
- ✈ Route Modification Requests
- ✈ Reports
- ✈ Negotiation Requests
- ✈ Emergency Messages



✈️ \$499.00 per year Garmin offers a subscription for both FAA Data Comm Pre-Departure clearances (DCL) and en route ATC services.

✈️ Register at: [fltPlan.com](https://fltplan.com) → Premium Services → FAA Data Comm

✈️ Then You will get call from [FltPlan.com](https://fltplan.com)

✈️ Aircraft Flight Plan Filing Codes

➤ Field 10a: J4Z

➤ Field 18 (Other Info):

✈️ DAT/1FANSE2PDC


✈️ REG/N12345

✈️ CODE/HEX Code (FAA Registration Website)

CPDLC (Controller Pilot Data Link Communication)

- ☐ J1 CPDLC ATN VDL Mode 2
- ☐ J2 CPDLC FANS 1/A HF DL
- ☐ J3 CPDLC FANS 1/A VDL Mode A
- ☒ J4 CPDLC FANS 1/A VDL Mode 2
- ☐ J5 CPDLC FANS 1/A SATCOM (INMARSAT)
- ☐ J6 CPDLC FANS 1/A SATCOM (MTRSAT)
- ☐ J7 CPDLC FANS 1/A SATCOM (Iridium)
- ☐ DAT/1FANS2PDC Include in item 18
- ☐ DAT/1FANSP Include in item 18
- ☐ DAT/1FANSE Include in item 18
- ☒ DAT/1FANSE2PDC Include in item 18
- ☐ DAT/1FANSER2PDC Include in item 18
- ☐ DAT/1FANSER Include in item 18

www.l3harris.com/datacomm



L3HARRIS
FAST. FORWARD.

NYSE: LHX ▲ 220.73 ▲ \$1.97

PORTALS 🇺🇸 US|EN ▼

[COMPANY](#) ▼ [CAPABILITIES](#) ▼ [INNOVATION](#) ▼ [NEWSROOM](#) ▼ [INVESTORS](#) ▼ [CAREERS](#) ▼ [CONTACT US](#) 🔍

Operators are requested to check their aircraft configurations against the documents below to participate in U.S. Domestic En Route CPDLC.

For aircraft configurations not listed, operators are requested to temporarily stop filing as eligible for En Route CPDLC, contact their equipment manufacturer to work with the FAA and L3Harris, and evaluate operational performance of their aircraft configuration.

- [US Domestic En Route CPDLC Participation Form v1.6 20240424](#)
 - [US Domestic En Route CPDLC Participation Form - Multiple Aircraft \(Excel\)](#)
- [Verification of Avionics Configurations Guide: U.S. Domestic En Route CPDLC](#)
- [US Domestic En Route CPDLC Site Activation Map \(updated 3/21/2025\)](#) ←

U.S. Domestic En Route CPDLC Guides

- [En Route Quick Reference Guide](#)
- [US Domestic CPDLC Flight and Route Planning Guide](#)
- [En Route CPDLC Logon Guidance \(updated 8/28/2024\)](#)
- [Data Comm En Route CPDLC Operator Check List](#)
- [Pilot Handbook - U.S. Domestic En Route Controller Pilot Datalink Communication \(updated 8/28/2024\)](#) ←
- [US Domestic En Route CPDLC Tips \(Do's / Don'ts\)](#) ←
- [CPDLC Message Types](#) ←
- [Data Comm Program Operators Newsletter \(updated 3/25/2025\)](#) ←
- [En Route CPDLC Filing Frequently Asked Questions \(FAQs\)](#)
- [Automated Block List Process Overview](#)

For Reference Only
Not for Distribution

Thank You!

Nicolas Wright

Lead Aviation Maintenance Instructor

Aviation.Training@Garmin.com



DataComm On the GTNXi Requires a Feature Enablement

- A. True
- B. False



DataComm On the GTNXi Requires a Feature Enablement

- A. True
- B. False



CPDLC Service Requires (select all that apply)

- A. Station Signal
- B. Registration/Subscription
- C. GDR 66
- D. GTN 650Xi



CPDLC Service Requires (select all that apply)

- A. Station Signal
- B. Registration/Subscription
- C. GDR 66
- D. GTN 650Xi



I Attended The FAA DATA COMM Class in the Red Room

- A. True
- B. False



I Attended The FAA DATA COMM Class in the Red Room

- A. True
- B. False