## MISP restSearch API

MISP RESTSEARCH API



MISP RESTSEARCH API

AN EASY WAY TO QUERY, ADD AND UPDATE YOUR THREAT

CIRCL / TEAM MISP PROJECT



**NSPA** 

## MISP API REWORKED

- The MISP API has grown gradually with a UI first design in many cases
- Endpoints all solved specific issues with their own rulesets
- Growth was organic whenever the need to add a new functionality / filter popped up we've added it
- Lead to frankenmonsters such as this:

http://localhost:5000/events/csv/download/false/false/tag1&&tag2&&tag3/Network%20activity/domain

MISP restSearch API

-MISP API reworked

MISP API REWORKED

 The MISP API has grown gradually with a UI first design in many cases
 Endpoints all solved specific issues with their own ruleser

■ Growth was organic - whenever the need to add a functionality / filter popped up we've added it

Lead to frankenmonsters such as this:

## GOALS WE'VE SET FOR OURSELVES

- Open up every functionality in MISP available via the UI to the API
- Including ones related to **instance management**
- APIs that expect input objects for data creation should be self-describing
- URL parameters should be discouraged, but still usable by legacy tools (deprecation)
- APIs should be heavily **tested** (Raphael Vinot's exhaustive test suite in PyMISP)
- Largest focus on Export APIs

MISP restSearch API

2022-08-03

-Goals we've set for ourselves

WE'VE SET FOR OURSELVES

Open up every functionality in MISP available via the UI to
the ADI.

Including ones related to instance management
 APIs that expect input objects for data creation of

 APIs that expect input objects for data creation should self-describing

URL parameters should be discouraged, but still usable !

leaves tools (depression)

 APIs should be heavily tested (Raphael Vinot's exhaust test suite in PyMISP)

Largest focus on Export APIs

2 | 10

## EXPORT API'S REIMAGINED

- Scrapped all existing type specific APIs (**deprecated**, documentation moved to legacy, still available)
- Single entry point all export APIs baked into restSearch
- Queries consist of a combination of:
  - ► **Scope** (Event, Attribute, Sighting, more coming in the future)
  - ► **Filter parameters** passed via JSON objects, url parameters (key value or ordered list)
  - ► A return format
- Everything that we could do before the rework we should be able to accomplish after the rework
- Under the hood now also used by the UI search and exports

MISP restSearch API

022-08-03

-Export API's reimagined

'API'S REIMAGINED

 Scrapped all existing type specific APIs (deprecated, documentation moved to legacy, still available)

m Single entry point - all export APIs baked into restSearch

Scope (Event, Attribute, Sighting, more coming in the full
 Filter parameters - passed via JSON objects, url parameters

(key value or ordered list)

A return format

Everything that we could do before the rework we should be

 Everything that we could do before the rework we shou able to accomplish after the rework

Under the hood now also used by the UI search and export

## **EXPORT API'S REIMAGINED**

- One of our largest issues solved: pagination
  - ► **Scope specific** pagination (number of events, attributes, etc)
  - ► Simply control it via the framework friendly **page / limit** parameters
  - Alternatively, use the improved time based controls (timestamp, publish\_timestamp windows)

MISP restSearch API

—Export API's reimagined

ORT API'S REIMAGINED

- One of our largest issues solved: pagination
  ▶ Scope specific pagination (number of events, attr
- Simply control it via the framework friendly page / limit parameters
- Alternatively, use the improved time based controls (timestamp, publish\_timestamp windows)

#### PERFORMANCE TUNING

- Single execution with subqueries
- Internal pagination aligned with memory limits
  - ► Probing of available memory for the current process
  - ► Chunking of the query results to fit in object specific memory envelopes
  - Constructing export set on disk in chunks has slashed memory usage considerably

MISP restSearch API

2022-

—Performance tuning

- Single execution with subqueries
   Internal pagination aligned with memory limits
   Peoples of available memory for the current or
- Chunking of the query results to fit in object specific memory envelopes
  - Constructing export set on disk in memory usage considerably

## DESIGNING TOOLS THAT USE THE APIS CAN BE COM-PLEX, BUT THERE'S HELP

- The result of our own frustration
- Built in **ReST client** with templating
- Extensive query builder UI by Sami Mokaddem
- Build queries in a simple interface, automatically set URLs, headers, etc
- Uses the self documentation of APIs
- Export your queries as **cURL or Python scripts**
- Built in testing tools (performance measurements, result parsers)
- Store queries for reuse and download the results directly

MISP restSearch API

2022

Designing tools that use the APIs can be complex, but there's help

ING TOOLS THAT USE THE APIS CAN BE COM-UT THERE'S HELP

result of our own frustration

- in ReST client with templating
- anning annual builder III by Francistab
- Build queries in a simple interface, automatically set UR
  - lses the self documentation of APIs
  - port your queries as cURL or Python scripts
  - Built in testing tools (performance measurements, re-
- parsers)

  Store queries for reuse and download the results directly

## WHY IS THE SEARCH API RECEIVING SO MUCH FOCUS?

- The **maturity** of the communities and threat intel sharing at large has improved
- We are sharing more
- Most importantly: we are sharing **more context** along with technical indicators
- This allows us to manage our data more accuractely before feeding them to our protective tools
- Different contexts (APT targeting me? Persisting techniques?) - lifecycle management
- Use several gueries / boolean operators to select the slice of data most relevant for the task

MISP restSearch API

-Why is the search API receiving so much focus?

The maturity of the communities and threat intel sharing a

■ We are sharing more m Most importantly: we are sharing more context along with

Use several queries / boolean operators to select the slice

# CLI TOOLS FOR THE CLI GOD, AUTOMATION FOR THE AUTOMATION THRONE

- Open up commonly used system management tasks to the
  - sync servers/feeds
  - caching feeds
  - ► Password resets
  - ► Server settings
  - ► Bruteforce protection resets
  - ► Enrichment
  - ► Worker management
- Goal was also to move away from the often malfunctioning scheduler and have cron friendly CLI scripts

MISP restSearch API

2022-08-03

-CLI tools for the CLI God, automation for the automation throne

S FOR THE CLI GOD, AUTOMATION FOR THE AU-I THRONE

Onen up commonly used system management tasks to the

- nc servers/feeds
- ching feeds ssword resets
- Server settings
   Bruteforce protection rese
- Worker management
   Goal was also to move away from the often malfunctioning

## SO WHAT DOES ALL OF THIS LOOK LIKE IN PRACTICE?

Demo time!

MISP restSearch API

So what does all of this look like in practice?

#### PLANS FOR THE FUTURE

- Add export modules to the restSearch API
- Improve the query language to support some missing features (such as AND boolean operators)
- Support for extended events via the restSearch API
  - ► We're missing a framing structure in the export module system (how are a list of conversions encapsulated and delimited?)
  - ► Proof of concept of the system implemented by Christian Studer already works using the STIX / STIX2 export subsystems
  - ► Would open us up to simple customiseable search APIs
- Open up search APIs to other scopes (objects, users, organisations, proposals, feeds, galaxies, taxonomies)

MISP restSearch API

2022-08-03

-Plans for the future

S FOR THE FUTURE

- Add export modules to the restSearch API
- III Improve the query language to support some mis
- Support for extended events via the restSearch API
   ➤ We're missing a framing structure in the export mod system (how are a list of conversions encapsulated a
  - Studer already works using the STIX / STIX2 expor subsystems
  - subsystems

    Mould open us up to simple customiseable search
- Open up search APIs to other scopes (objects, users organisations, proposals, feeds, galaxies, taxonomic