Extending MISP with Python modules

MISP - Threat Sharing

CIRCL / Team MISP Project

http://www.misp-project.org/
Twitter: @MISPProject

NSPA

Extending MISP with Python modules
MISP - Threat Sharing
CIRCL / Team MISP Project
http://www.misp-project.org/
Twitter: @MISPProject
NSPA
MISP
Threat Sharing

Why we want to go more modular...

- Ways to extend MISP before modules
  - APIs (PyMISP, MISP API)
    - Works really well
    - **No integration with the UI**
  - Change the core code
    - Have to change the core of MISP, diverge from upstream
    - Needs a deep understanding of MISP internals
    - Let's not beat around the bush: **Everyone hates PHP**

Why we want to go more modular...
Ways to extend MISP before modules
APIs (PyMISP, MISP API)
Works really well
No integration with the UI
Change the core code
Have to change the core of MISP, diverge from upstream
Needs a deep understanding of MISP internals
Let's not beat around the bush: Everyone hates PHP

Goals for the module system

- Have a way to extend MISP without altering the core
- Get started **quickly** without a need to study the internals
- Make the **modules as light weight as possible**
  - Module developers should only have to worry about the data transformation
  - Modules should have a simple and clean skeleton
- In a friendlier language - **Python**

Goals for the module system
- Have a way to extend MISP without altering the core
- Get started **quickly** without a need to study the internals
- Make the **modules as light weight as possible**
  - Module developers should only have to worry about the data transformation
  - Modules should have a simple and clean skeleton
- In a friendlier language - **Python**

MISP modules - extending MISP with Python scripts



- Extending MISP with expansion modules with zero customization in MISP.
- A simple ReST API between the modules and MISP allowing auto-discovery of new modules with their features.
- Benefit from existing Python modules in Viper or any other tools.
- MISP modules functionnality introduced in MISP 2.4.28.
- MISP import/export modules introduced in MISP 2.4.50.



MISP MODULES - INSTALLATION

- MISP modules can be run on the same system or on a remote server.
- Python 3 is required to run MISP modules.
  - sudo apt-get install python3-dev python3-pip libpq5
  - cd /usr/local/src/
  - sudo git clone https://github.com/MISP/misp-modules.git
  - cd misp-modules
  - sudo pip3 install -I -r REQUIREMENTS
  - sudo pip3 install -I .
  - sudo vi /etc/rc.local, add this line: ‘sudo -u www-data misp-modules -s &‘

MISP MODULES - INSTALLATION
- MISP modules can be run on the same system or on a remote server.
- Python 3 is required to run MISP modules.
  - sudo apt-get install python3-dev python3-pip libpq5
  - cd /usr/local/src/
  - sudo git clone https://github.com/MISP/misp-modules.git
  - cd misp-modules
  - sudo pip3 install -I -r REQUIREMENTS
  - sudo pip3 install -I .
  - sudo vi /etc/rc.local, add this line: ‘sudo -u www-data misp-modules -s &‘

MISP modules - Simple REST API mechanism

- http://127.0.0.1:6666/modules - introspection interface to get **all modules available**
  - returns a JSON with a description of each module
- http://127.0.0.1:6666/query - interface to **query a specific module**
  - to send a JSON to query the module
- **MISP autodiscovers** the available modules and the MISP site administrator can enable modules as they wish.
- If a configuration is required for a module, **MISP adds automatically the option** in the server settings.

MISP modules - Simple REST API mechanism
- http://127.0.0.1:6666/modules - introspection interface to get **all modules available**
  - returns a JSON with a description of each module
- http://127.0.0.1:6666/query - interface to **query a specific module**
  - to send a JSON to query the module
- **MISP autodiscovers** the available modules and the MISP site administrator can enable modules as they wish.
- If a configuration is required for a module, **MISP adds automatically the option** in the server settings.

Finding available MISP modules

- curl -s http://127.0.0.1:6666/modules


```
{
"type": "expansion",
"name": "dns",
"meta": {
  "module-type": [
    "expansion",
    "hover"
  ],
  "description": "Simple DNS expansion service
     to resolve IP address from MISP
     attributes",
  "author": "Alexandre Dulaunoy",
  "version": "0.1"
},
"mispattributes": {
  "output": [
    "ip-src",
    "ip-dst"
  ],
  "input": [
    "hostname",
    "domain"
  ]
}
```


Finding available MISP modules
curl -s http://127.0.0.1:6666/modules

MISP modules - configuration in the UI



MISP modules - How it's integrated in the UI?







MISP modules - main types of modules

- Expansion modules - enrich data that is in MISP
  - Hover type - showing the expanded values directly on the attributes
  - Expansion type - showing and adding the expanded values via a proposal form
- Import modules - import new data into MISP
- Export modules - export existing data from MISP

MISP MODULES - MAIN TYPES OF MODULES
Expansion modules - enrich data that is in MISP
Hover type - showing the expanded values directly on the attributes
Expansion type - showing and adding the expanded values via a proposal form
Import modules - import new data into MISP
Export modules - export existing data from MISP

Querying a module

- curl -s http://127.0.0.1:6666/query -H "Content-Type: application/json" –data @body.json -X POST

body.json

```
1  {"module": "dns", "hostname": "www.circl.lu"}
```

- and the response of the dns module:

```
1  {"results": [{"values": ["149.13.33.14"],
2   "types": ["ip-src", "ip-dst"]}]}
```


Querying a module
curl -s http://127.0.0.1:6666/query -H "Content-Type: application/json" –data @body.json -X POST
body.json
{"module": "dns", "hostname": "www.circl.lu"}
and the response of the dns module:
{"results": [{"values": ["149.13.33.14"], "types": ["ip-src", "ip-dst"]}]}

Creating your module - DNS module

```python
import json
import dns.resolver
misperrors = {'error' : 'Error'}
mispattributes = {'input': ['hostname', 'domain'], 'output': ['ip-src', 'ip-dst']}
moduleinfo = {'version': '0.1', 'author': 'Alexandre Dulaunoy',
              'description': 'Simple DNS expansion service to resolve IP address from MISP attributes', 'module-type': ['expansion','hover']}
def handler(q=False):
    if q is False:
        return False
    request = json.loads(q)
    if request.get('hostname'):
        toquery = request['hostname']
    elif request.get('domain'):
        toquery = request['domain']
    else:
        return False
    r = dns.resolver.Resolver()
    r.timeout = 2
    r.lifetime = 2
    r.nameservers = ['8.8.8.8']
    try:
        answer = r.query(toquery, 'A')
    except dns.resolver.NXDOMAIN:
        misperrors['error'] = "NXDOMAIN"
        return misperrors
    except dns.exception.Timeout:
        misperrors['error'] = "Timeout"
        return misperrors
    except:
        misperrors['error'] = "DNS resolving error"
        return misperrors
    r = {'results': [{'types': mispattributes['output'], 'values':[str(answer[0])]}]}
    return r

def introspection():
    return mispattributes

def version():
    return moduleinfo
```




Testing your module

- Copy your module dns.py in modules/expansion/
- Restart the server misp-modules.py

```
[adulau:~/git/misp-modules/bin]$ python3 misp-modules.py
2016-03-20 19:25:43,748 - misp-modules - INFO - MISP modules passivetotal imported
2016-03-20 19:25:43,787 - misp-modules - INFO - MISP modules sourcecache imported
2016-03-20 19:25:43,789 - misp-modules - INFO - MISP modules cve imported
2016-03-20 19:25:43,790 - misp-modules - INFO - MISP modules dns imported
2016-03-20 19:25:43,797 - misp-modules - INFO - MISP modules server started on TCP port 6666
```

- Check if your module is present in the introspection
- curl -s http://127.0.0.1:6666/modules
- If yes, test it directly with MISP or via curl

Testing your module
- Copy your module dns.py in modules/expansion/
- Restart the server misp-modules.py
- Check if your module is present in the introspection
- curl -s http://127.0.0.1:6666/modules
- If yes, test it directly with MISP or via curl

Code samples (Configuration)

```python
# Configuration at the top
moduleconfig = ['username', 'password']
# Code block in the handler
    if request.get('config'):
        if (request['config'].get('username') is None) or (request['config'].get('password') is None):
            misperrors['error'] = 'CIRCL Passive SSL authentication is missing'
            return misperrors

    x = pypssl.PyPSSL(basic_auth=(request['config']['username'], request['config']['password']))
```


Code samples (Configuration)

Default expansion module set

- asn history
- CIRCL Passive DNS
- CIRCL Passive SSL
- Country code lookup
- CVE information expansion
- DNS resolver
- DomainTools
- eupi (checking url in phishing database)
- IntelMQ (experimental)
- ipasn
- PassiveTotal - http://blog.passivetotal.org/misp-sharing-done-differently
- sourcecache
- Virustotal
- Whois

Default expansion module set
asn history
CIRCL Passive DNS
CIRCL Passive SSL
Country code lookup
CVE information expansion
DNS resolver
DomainTools
eupi (checking url in phishing database)
IntelMQ (experimental)
ipasn
PassiveTotal - http://blog.passivetotal.org/misp-sharing-done-differently
sourcecache
Virustotal
Whois

Import modules

- Similar to expansion modules
- Input is a file upload or a text paste
- Output is a list of parsed attributes to be editend and verified by the user
- Some examples
  - Cuckoo JSON import
  - email import
  - OCR module
  - Open IoC import

Import modules
Similar to expansion modules
Input is a file upload or a text paste
Output is a list of parsed attributes to be editend and verified by the user
Some examples
Cuckoo JSON import
email import
OCR module
Open IoC import

Export modules

- Not the preferred way to export data from MISP
- Input is currently only a single event
- Output is a file in the export format served back to the user
- Will be moved / merged with MISP built-in export modules
  - Allows export of event / attribute collections

Export modules
- Not the preferred way to export data from MISP
- Input is currently only a single event
- Output is a file in the export format served back to the user
- Will be moved / merged with MISP built-in export modules
  - Allows export of event / attribute collections

New expansion & import modules format

- Backward compatible - an additional field to extend the format

```
misp_attributes = {'input': [...], 'output': [...],
                   'format': 'misp_standard'}
```

- Takes a standard MISP attribute as input
- Returns MISP format
  - Attributes
  - Objects (with their references)
  - Tags

```
results = {'Attribute': [...], 'Object': [...],
           'Tag': [...]}
```

- First modules supporting this new export format
  - urlhaus expansion module
  - Joe Sandbox import & query module



New expansion & import modules view (MISP 2.4.110

Enrichment Results

Below you can see the attributes and objects that are to be created from the results of the enrichment module.

Event ID	1229
Event UUID	5cc3042c-8bb4-4837-9564-47aca964451a
Event creator org	ORGNAME
Event info	urlhaus test
#Resolved Attributes	14 (2 Objects)

Category	Type	Value	UUID	Tags	IDS	Disable Correlation	Comment	Distribution
Name: virustotal-report **References:** 0								Inherit event
Other	**detection-ratio**: text	10 / 66	adc32dee-4651-41a1-a558-5a1b3f9e4be1		☐	☑	f2b701d43a43315105d649612b2	Inherit event
External analysis	**permalink**: link	https://www.virustotal.com/file/d3fa06911b80be1d64eb88ba239ecbcddc2faa73017b6dbcf78578eff47552ed/analysis/1554403108/	40b3d10d-5e81-48c7-9fe7-be2b2898427b		☐	☐	f2b701d43a43315105d649612b2	Inherit event
ID: 12700 **Name:** file **References:** 11								Inherit event
Payload delivery	**sha256**: sha256	d3fa06911b80be1d64eb88ba239ecbcddc2faa73017b6dbcf78578eff47552ed	5026ab08-8fcd-49e4-a485-b69e92d0295b		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Other	**size-in-bytes**: size-in-bytes	98304	9eeff454-fa6f-4210-a88a-e401599b4f71		☐	☑	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://automotivedreamteam.com/v.exe	eb97b50e-b872-405f-9be9-2dc39459d5e0		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://shopalldogspoop.com/v.exe	a3985a11-4e60-4fb5-ba40-99966402cbc		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://pooperscooperfranchise.com/v.exe	3778ddbd-f7b6-4186-a052-746a3895b9e0		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://cherryhillpooperscoopers.com/v.exe	b804db74-4a62-4cd7-abef-a4b68781411e		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://alldogspoop.net/v.exe	09d672d8-82f8-469f-9c1f-5315fd226d44		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://alldogspoop.mobi/v.exe	48aeba96-b739-47a0-94c1-d583b2b9c4ae		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://alldogspoop.info/v.exe	0f5ad15b-47ed-4772-acb8-d2240a6ed8c3		☑	☐	f2b701d43a43315105d649612b2	Inherit event
Network activity	url	http://alldogspoop.biz/v.exe	90b29df8-d778-4415-8544-5a2fcf53df47		☑	☐	f2b701d43a43315105d649612b2	Inherit event



Future of the modules system

- Enrichment on full events
- Move the modules to background processes with a messaging system
- Have a way to skip the results preview
  - Preview can be very heavy
  - Difficulty is dealing with uncertain results (without the user having final say)

Future of the modules system
- Enrichment on full events
- Move the modules to background processes with a messaging system
- Have a way to skip the results preview
  - Preview can be very heavy
  - Difficulty is dealing with uncertain results (without the user having final say)

Q&A

- https://github.com/MISP/misp-modules
- https://github.com/MISP/
- We welcome new modules and pull requests.
- MISP modules can be designed as standalone application.

Q&A
MISP
Threat Sharing
https://github.com/MISP/misp-modules
https://github.com/MISP/
We welcome new modules and pull requests.
MISP modules can be designed as standalone application.