

# Computational Fabrication (Spring 2024)

## Assignment 1: Voxelization

March 8, 2024

### 1 Introduction

In this assignment you will implement a voxelizer. Your program will take, as input, a triangulated, manifold surface mesh and the dimensions of the requested voxelization. As output your program will generate a voxelization, saved to an .obj file for display. Provided with this assignment is a code stub which can be compiled on Mac OSX, Linux or Microsoft Windows.

This voxelizer will be based on ray casting. We will partition the space containing an input surface into a regular grid of specified dimension. Each cubic cell in this grid is a potential voxel in the voxelization. Your code will determine whether a voxel lies inside or outside the surface mesh. For each voxel in the grid you will cast a ray. As discussed in class, counting the number of times this ray intersects the object surface will suffice as an inside/outside test.

In this assignment you will be responsible for implementing the following components of the voxelizer:

1. A loop over all voxels in the regular grid
2. A ray-triangle intersection test
3. An inside-outside test for all voxels that uses a ray cast in a single direction

### 2 Getting Started

#### 2.1 Building Project Files

We use CMake to ensure that assignments can be built on multiple platforms. Here we outline how to use CMake to generate platform specific build files. We use *WORKINGDIR* to refer to the root directory of the assignment source code tree (i.e the directory that contains this PDF).

1. Download CMake from <http://www.cmake.org>
2. Open a terminal window and change directory to *WORKINGDIR*
3. Create the directory *WORKINGDIR*/build, change to the build directory
4. From the build directory run: `cmake ..`
5. You should now have a generated makefile in *WORKINGDIR*/build, type `make` to build the voxelizer
6. Run: `make all`

You can build other project types with CMake by changing the `-G` option in step 4. To generate Xcode projects use `cmake .. -GXcode`. On windows use the CMake GUI to generate build projects. This option can be also used on MacOS.

For other generators you can check the documentation

## 2.2 Running the code

In the build directory you will find the voxelizer executable. **Run the code using:** voxelizer pathToInput.obj pathToOutput.obj

If you do not have a 3D model viewer, you can use Meshlab to see the results.

## 3 Starter Code and Implementation Notes

We provide starter code for the assignment. Critical sections of the code have been removed, these are clearly labelled with `/***** ASSIGNMENT *****/`, followed by appropriate comments. You will be responsible for implementing (at minimum) the components specified previously. The starter code provides the following features

1. A Vec3 class with associated dot product, cross product, addition and subtraction operations (CompFab.h)
2. A Ray class (CompFab.h)
3. A Triangle class (CompFab.h)
4. A VoxelGrid class which contains an *isInside* method for labeling voxels (CompFab.h)
5. An input method for reading surface meshes stored as .obj files and an output method for saving your voxelizations (main.cpp)

The starter code can load an object and will automatically initialize the VoxelGrid using the dimensions you specify. Your sole task is to label voxels as inside or outside the mesh.




Figure 1: Voxelizing a bunny mesh using the sample solution.

## 4 Extra Credit (5 points)

There is a potential features to implement for extra credit. Casting a ray in a single direction makes your voxelizer less robust to errors in meshing. Modify your inside-outside test to cast rays in multiple directions. Successfully voxelize a mesh which is not completely closed. Demonstrate on one example the advantage of the improved solution as well as how the solution improves as you increase the number of directions. For this task you will need to either find a bad mesh yourself, or remove some triangles from the provided meshes.

## 5 Submission Instructions

Please provide a report with your submission (PDF). The report should include the following:

- Images of voxelizations of all example files at 32x32x32 resolution and 64x64x64 resolution.
- Were there any references (books, papers, websites, etc.) that you found particularly helpful for completing your assignment? Please provide a list.

- Are there any known problems with your code? If so, please provide a list and, if possible, describe what you think the cause is and how you might fix them if you had more time or motivation. This is very important, as we're much more likely to assign partial credit if you help us understand what's going on.
- Did you do the extra credit? If so, let us know how to use the additional features. Provide at examples for the extra feature.

**Remember, these assignments are to be done on your own. Please do not share code or implementation details with other students. Use of ChatGPT to generate code is forbidden, please follow USI Generative AI guidelines accordingly.**

Submit your assignment as a single archived file. The archive (.zip or .tar.gz) should contain:

- Your source code (**which must be able to be built using CMake**).
- A compiled executable named a1.
- Any additional files that are necessary.
- The PDF file.
- A README.md file mentioning your comments, problems and other necessary compiling instructions.

---

**Solutions must be returned on March 22, 2024 via iCorsi3**