The Kotlin Programming Language

Andrey Breslav
Dmitry Jemerov

What is Kotlin?

- Statically typed

- object-oriented

- JVM-targeted

- general-purpose

- programming language

- developed by JetBrains

  ➡ intended for industrial use

- Docs available today

- Public beta is planned for end of 2011

Friday, July 29, 2011

Goal-wise...

- Number of research papers we are planning to publish on Kotlin is

  ➡ Zero

  ➡ ... or really close to that

Outline

- Motivation

- Feature overview

- Basic syntax

- Classes and Types

- Higher-order functions

- Type-safe Groovy-style Builders

Friday, July 29, 2011

Motivation

- Why a new language?

  ➡ We are not satisfied with the existing ones

  ➡ And we have had a close look at many of them over 10 years

- Design goals

  ➡ Full **Java interoperability**

  ➡ **Compiles** as fast as **Java**

  ➡ **Safer** than **Java**

  ➡ More **concise** than **Java**

  ➡ Way **simpler** than **Scala**

Feature overview

- Language features

  - ➡ Static null-safety guarantees

  - ➡ Higher-order functions ("closures")

  - ➡ Mixins & First-class delegation

  - ➡ Properties (no fields)

  - ➡ Reified generics

  - ➡ Declaration-site variance & "Type projections"

  - ➡ Extension functions

  - ➡ Modules and Build infrastructure

  - ➡ Inline-functions (zero-overhead closures)

  - ➡ Pattern matching

  - ➡ ...

- Full-featured IDE by JetBrains from the very beginning

Friday, July 29, 2011

Basic syntax

- IDE demo

  ➡ functions

  ➡ variables

  ➡ operator overriding

  ➡ extension functions

  ➡ null-safety

  ➡ automatic casts

  ➡ when-expressions

Hello, world!

```
namespace demo1

fun main(args : Array<String>) : Unit {
  System.out?.println("Hello, world!")
}
```

X

String templates

```
namespace demo2

fun main(args : Array<String>) {
    print("Hello, args' size is ${args.size}!")
}

fun print(msg : String) {
    System.out?.println(msg)
}
```

X

Assign-once locals

```
fun main(args : Array<String>) {
    val text = "Hello, world!"
    print(text)
}


fun print(s : String) {
    System.out?.println(s)
}
```

X

... and globals

```kotlin
val text = "Hello, world!"

fun main(args : Array<String>) {
    print(text)
}

fun print(s : String) {
    System.out?.println(s)
}
```

X

Local functions

```
fun main(args : Array<String>) {
    fun text() = "Hello, world!"
    print(text())
}


fun print(message : String) {
    System.out?.println(message)
}
```

X

Mutable variables

```
fun main(args : Array<String>) {
    var v = "Hello"
    v += ", " + "world!"
    print(v)
}

fun print(message : String) {
  System.out?.println(message)
}
```

X

Custom operators

```kotlin
object Console {
    fun plusAssign(s : String) {
        System.out?.println(s)
    }
}

fun main(args : Array<String>) {
    var v = "Hello"
    v += ", " + "world!"
    Console += v
}
```

X

Extension functions

```kotlin
fun main(args : Array<String>) {
  "Hello, world!".print()
}

fun String.print() {
  System.out?.println(this)
}
```

X

Null-safety

```kotlin
fun parseInt(s : String) : Int? {
    try {
        return Integer.parseInt(s)
    }
    catch (e : NumberFormatException) {
        return null
    }
}

fun main(args : Array<String>) {
    val x = parseInt("123")
    val y = parseInt("Hello")
    x?.times(2)

    if (x != null) {
        x.times(2)
    }
}
```

X

Automatic casts and When

```
fun foo(obj : Any?) {
    if (obj is String) {
      obj.get(0)
    }
    when (obj) {
        is String => obj.get(0)
        is Int => obj.plus(1)
        !is Boolean => null
    }
}

fun bar(x : Int) {
    when (x) {
        0 => "Zero"
        1, 2, 3 => "1, 2 or 3"
        x+1 => "Really strange"
        in 10..100 => "In range"
        !in 100..1000 => "Out of range"
    }
}
```

X

Types

Syntax	
Class types	`List<Foo>`
Nullable types	`Foo?`
Function types	`fun (Int) : String`
Tuple types	`(Double, Double)`
Self type	`This`

Special types	
Top	`Any?`
Bottom	`Nothing`
No meaningful return value	`Unit`

Mapping to Java types

Kotlin	GEN	Java	LOAD	Kotlin
Any		Object		Any?
Unit		**void**		Unit
Int		**int**		Int
Int?		Integer		Int?
String		String		String?
Array<Foo>		Foo[]		Array<Foo?>?
Array<Int>		**int**[]		Array<Int>?
Nothing		–		–
Foo		Foo		Foo?

Classes

```
class Foo(bar : Bar) : Buzz(bar) {

    ...

}
```

- Any is the default supertype

- Constructors must initialize supertypes

- Final by default, explicit override annotations

Multiple inheritance?

- **Requirements**

  ➡ Subtyping

  ➡ Implementation reuse

- **Problems**

  ➡ Ambiguities

  ➡ Obscure initialization logic

- Unrestricted (C++)

- Interface-only (Java, C#)

- Traits (Scala)

- Mixins (Ada, CZ, ...)

Traits/Mixins (Envisioned)

```
trait class Trait1 : Class1
  with OtherTrait {
  // No state
}


class Foo(p : Bar) : Class1(p)
  with Trait1, Trait2 { ... }


class Decorator(p : Class3) : Class3 by p
  with Trait1, Trait2 { ... }
```

Disambiguation

```
trait class A {
  fun foo() : Int = 1 // virtual by default
}


open class B() {
  virtual fun foo() : Int = 2
}


class C() : B with A {
  override fun foo() = this<A>.foo()
}
```

Automatic disambiguation

- If all the inherited implementations come from the same source (trait), there's no need to override?

- Issues

  ➡ Binary compatibility

  ➡ Internal vs API

Generics (I)

```
class Producer<out T> {
  fun produce() : T          Producer<Int> <: Producer<Any>
}


class Consumer<in T> {
  fun consume(t : T)         Consumer<Any> <: Consumer<Int>
}


class Ouroboros<T> {
  fun consume(t : T)         Ouroboros<Int> >:< Ouroboros<Any>
  fun produce() : T
}
```

Generics (II)

Ouroboros<**out** Int> <: Ouroboros<**out** Any>

- consume not available

Ouroboros<**in** Any> <: Ouroboros<**in** Int>

- produce on Ouroboros<**in** Int> returns Any?

Reified generics

- Type information in retained at runtime

  ➡ `foo` **`is`** `List<T>`

  ➡ `Array<T>(3)`

  ➡ `T.create()`

- Java types are still erased

  ➡ `foo` **`is`** `java.util.List<*>`

Class objects (I)

- Classes have no static members

- Each class may have a **class object** associated to it:

```
class Example() {
    class object {
        fun create() = Example()
    }
}

val e = Example.create()
```

18

Class objects (II)

- Class objects can have supertypes:

```
class Example() {
    class object : Factory<Example> {
        override fun create() = Example()
    }
}


val factory : Factory<Example> = Example
val e : Example = factory.create()
```

Class objects (III)

- ● **Generic constraints for class objects:**

```
class Lazy<T>()
  where class object T : Factory<T>
{
  private var store : T? = null
  public val value : T
    get() {
      if (store == null) {
        store = T.create()
      }
      return store
    }
}
```

20

First-class functions

- Functions

  ➡ **fun** f(p : Int) : String

- Function types

  ➡ **fun** (p : Int) : String

  ➡ **fun** (Int) : String

- Function literals

  ➡ **{p =>** p.toString()**}**

  ➡ **{(p : Int)** => p.toString()**}**

  ➡ **{(p : Int) : String =>** p.toString()**}**

Higher-order functions

- `filter(list, {s => s.length < 3})`

  ➡ Sugar: last function literal argument

  ✦ `filter(list) {s => s.length < 3}`

  ➡ Sugar: one-parameter function literal

  ✦ `filter(list) { it.length < 3 }`

`fun filter<T>(c : Iterable<T>, f : fun(T) : Boolean) : Iterable<T>`

22

Lock example (I)

```
myLock.lock()
try {
  // Do something
}
finally {
  myLock.unlock()
}
```

Lock example (II)

```
lock(myLock) {
  // Do something
}
```

```
fun lock(l : Lock, body : fun () : Unit)
```

24

Lock example (III)

```
inline fun lock(l : Lock, body : fun () : Unit) {
  myLock.lock()

  try {

    body()

  }

  finally {

    myLock.unlock()

  }
}
```

25

Extension functions

- Functions

  ➡ `fun Foo.f(p : Int) : String`

- Function types

  ➡ `fun Foo.(p : Int) : String`

  ➡ `fun Foo.(Int) : String`

- Function literals

  ➡ `{Foo.(p : Int) => this.toString()}`

  ➡ `{Foo.(p : Int) : String => this.toString()}`

Builders in Groovy

```groovy
html {
    head {
        title "XML encoding with Groovy"
    }
    body {
        h1 "XML encoding with Groovy"
        p "this format can be used as an alternative markup to XML"

        /* an element with attributes and text content */
        ahref:'http://groovy.codehaus.org' ["Groovy"]
    }
}
```

27

Builders in Kotlin

```kotlin
html {
    head {
        title { +"XML encoding with Kotlin" }
    }
    body {
        h1 { +"XML encoding with Kotlin" }
        p { +"this format is now type-safe" }

        /* an element with attributes and text content */
        a(href="http://jetbrains.com/kotlin") { +"Kotlin" }
    }
}
```

Builders: Implementation (I)

- Function definition

```
fun html(init : fun HTML.() : Unit) : HTML {
    val html = HTML()
    html.init()
    return html
}
```

- Usage

```
html {
    this.head { ... }
}
```

Builders: Implementation (II)

- Function definition

```kotlin
fun html(init : fun HTML.() : Unit) : HTML {
    val html = HTML()
    html.init()
    return html
}
```

- Usage

```kotlin
html {
    head { ... }
}
```

Builders: Implementation (III)

```kotlin
abstract class Tag(val name : String) : Element {
  val children = ArrayList<Element>()
  val attributes = HashMap<String, String>()
}


abstract class TagWithText(name : String) : Tag(name) {
  fun String.plus() {
    children.add(TextElement(this))
  }
}

class HTML() : TagWithText("html") {
  fun head(init : fun Head.() : Unit) { … }
  fun body(init : fun Body.() : Unit) { … }
}
```

Resources

- Documentation:
  - → http://jetbrains.com/kotlin

- Blog:
  - → http://blog.jetbrains.com/kotlin

- Twitter:
  - → @project_kotlin
  - → @abreslav
  - → @intelliyole

32